



DEMENTIA PUGILISTICA

RMA ID Number	Reference List for RMA269-2 as at December 2011
7583	Mendez MF (1995). The neuropsychiatric aspects of boxing. <i>International Journal of Psychiatry in Medicine</i> , 25(3): 249-62.
7584	Jordan BD, Kanik AB, Horwich MS, Sweeney D, et al (1995). [Comment] Apolipoprotein E epsilon 4 and fatal cerebral amyloid angiopathy associated with dementia pugilistica. <i>Annals of Neurology</i> , 38(4): 698-9.
7585	Hof PR, Bouras C, Buee L, Delacourte A, Perl DP, Morrison JH (1992). Differential distribution of neurofibrillary tangles in the cerebral cortex of dementia pugilistica and Alzheimer's disease cases. <i>Acta Neuropathologica</i> , 85(1): 23-30.
7586	Stewart WF, Gordon B, Selnes O, Bandeen-Roche K, et al (1994). Prospective study of central nervous system. <i>American Journal of Epidemiology</i> , 139(6): 573-88.
7587	Dale GE, Leigh PN, Luthert P, Anderton BH, Roberts GW (1991). Neurofibrillary tangles in dementia pugilistica are ubiquitinated. <i>Journal of neurology, Neurosurgery & Psychiatry</i> , 54(2): 116-8.
7588	Tokuda T, Ikeda S, Yanagisawa N, Ihara Y, Glenner GG (1991). Re-examination of ex-boxers' brains using immunohistochemistry with antibodies to amyloid beta-protein and tau protein. <i>Acta Neuropathologica</i> , 82(4): 280-5.
7589	O'Connor F, Tucker JB (1991). Boxing: the preparticipation evaluation. <i>Military Medicine</i> , 156(8): 391-5.
7590	Roberts GW, Allsop D, Bruton C (1990). The occult aftermath of boxing. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 53(5): 373-378.
7591	Adams CW, Bruton CJ (1989). The cerebral vasculature in dementia pugilistica. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 52(5): 600-4.
7592	Holzgraefe M, Lemme W, Funke W, Felix R, Felten R (1992). The significance of diagnostic imaging in acute and chronic brain damage in boxing, A prospective study in amateur boxing using magnetic resonance imaging (MRI). <i>International Journal of Sports Medicine</i> , 13(8): 616-20.
7602	Critchley M (1957). Medical aspects of boxing, particularly from a neurological standpoint. <i>British Medical Journal</i> , 1: 357-66.
7603	Murelius O, Haglund Y (1991). Does Swedish amateur boxing lead to chronic brain damage? 4. A retrospective neuropsychological study. <i>Acta Neurologica Scandinavica</i> , 83: 9-13.
7604	Thomassen A, Juul-Jensen P, de F Olivarius B, Braemer J, Christensen A-L (1979). Neurological, Electroencephalographic and Neuropsychological Examination of 53 Former Amateur Boxers. <i>Acta Neurologica Scandinavica</i> , 60: 352-62.

7605	Carlsson GS, Svardsudd K, Welin L (1987). Long-Term Effects of Head Injuries Sustained During Life in Three Male Populations. <i>Journal of Neurosurgery</i> , 67: 197-205.
7606	McLatchie G, Brooks N, Galbraith S, Hutchinson J, et al (1987). Clinical neurological examination, neuropsychology, electroencephalography and computed tomographic head scanning in active amateur boxers. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 50: 96-9.
7607	Roberts GW, Allsop D, Bruton C (1990). The Occult Aftermath of Boxing. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 53: 373-8.
7608	Butler RJ, Forsythe WI, Beverly DW, Adams LM (1993). A prospective controlled investigation of the cognitive effects of amateur boxing. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 56: 1055-61.
7609	Brooks N, Kupshik G, Wilson L, Galbraith S, Ward R (1987). A neuropsychological study of active amateur boxers. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 50: 997-1000.
7610	Jordan BD (1987). Neurologic aspects of boxing. <i>Archives of Neurology</i> , 44: 453-9.
7611	Drew RH, Templer DI, Schuyler BA, Newell TG, Cannon WG (1986). Neuropsychological deficits in active licensed professional boxers. <i>Journal of Clinical Psychology</i> , 4(3): 520-5.
7630	Lampert PW, Hardman JM (1984). Morphological changes in brains of boxers. <i>JAMA</i> , 251(20): 2676-9.
7631	Merz B (1989). Is boxing a risk factor for Alzheimer's? <i>JAMA</i> , 261(18): 2597-8.
7632	Corsellis JAN (1989). Boxing and the brain. <i>British Medical Journal</i> , 298: 105-9.
7633	Stiller JW, Weinberger DR (1985). Boxing and chronic brain damage. <i>Psychiatric Clinics of North America</i> , 8(2): 339-56.
7634	Jordan BD (1990). Boxer's encephalopathy. <i>Neurology</i> , 40: 727.
7635	Kaste M, Kuurne T, Vilkki J, Katevuo K, Sainio K, Meurala H (1982). Is chronic brain damage in boxing a hazard of the past? <i>The Lancet</i> , 2: 1186-8.
7636	Roberts GW, Whitwell HL, Acland PR, Bruton CJ (1990). Dementia in a punch-drunk wife. <i>The Lancet</i> , 335(8694): 918-9.
7900	Haglund Y, Eriksson E (1993). Does amateur boxing lead to chronic brain damage? A review of some recent investigations. <i>The American Journal of Sports Medicine</i> , 21(1): 97-109.
7901	Butler RJ (1994). Neuropsychological investigation of amateur boxers. <i>British Journal of Sports Medicine</i> , 28(3): 187-90.
7903	Guterman A, Smith RW (1987). Neurological Sequelae of Boxing. <i>Sports Medicine</i> , 4: 194-210.
7919	Porter MD, Fricker PA (1996). Controlled prospective neuropsychological assessment of active experienced amateur boxers. <i>Clinical Journal of Sport Medicine</i> , 6: 90-6.
7934	Ryan AJ (1987). Intracranial injuries resulting from boxing: A review (1918-1985). <i>Clinics in Sports Medicine</i> , 6(1): 31-40.
7953	Johnson J (1969). Organic Psychosyndromes due to boxing. <i>British Journal of Psychiatry</i> , 115: 45-53.
7955	Martland HS (1928). Punch Drunk. <i>JAMA</i> , 9(15 P 2): 1103-7.
7966	Ross RJ, Casson IR, Siegel O, Cole M (1987). Boxing injuries: Neurologic, radiologic, and neuropsychologic evaluation. <i>Clinics in Sports Medicine</i> , 6(1): 41-51.

16539	Jordan SE, Green GA, Galanty HL, Mandelbaum BR and Jabour BA (1996). Acute and chronic brain injury in United States national team soccer players. <i>The American Journal of Sports Medicine</i> , 24(2) pp 205-210.
58925	McKee AC, Gavett BE, Stern RA, Nowinski CJ, et al (2010). TDP-43 proteinopathy and motor neuron disease in chronic traumatic encephalopathy. <i>J Neuropathol Exp Neurol</i> , 69(9): 918-29.
61058	Gavett BE, Stern RA, McKee AC (2011). Chronic traumatic encephalopathy: a potential late effect of sport-related concussive and subconcussive head trauma. <i>Clin Sports Med</i> , 30: 179-88.
61059	Miele VJ, Bailes JE, Cantu RC, Rabb CH (2006). Subdural hematomas in boxing: the spectrum of consequences. <i>Neurosurg Focus</i> , 21(4): E10.
61060	Watanabe T, Elovic E, Zafonte R (2010). Chronic traumatic encephalopathy. <i>Phys Med Rehabil</i> , 2: 671-5.
61061	Omalu BI, Fitzsimmons RP, Hammers J, Bailes J (2010). Chronic traumatic encephalopathy in a professional American wrestler. <i>J Forensic Nurs</i> , 6: 130-6.
61062	Moseley IF (2000). The neuroimaging evidence for chronic brain damage due to boxing. <i>Neuroradiology</i> , 42: 1-8.
61063	Lovell M (2009). The management of sports-related concussion: current status and future trends. <i>Clin Sports Med</i> , 28: 95-111.
61064	Goodwin L (2006). Dementia pugilistica. <i>J Insur Med</i> , 38: 300-2.
61065	Forsti H, Haass C, Hemmer B, Meyer B, Halle M (2010). Boxing - acute complications and late sequelae. <i>Dtsch Arztebl Int</i> , 107(47): 835-9.
61066	Jordan BD (2000). Chronic traumatic brain injury associated with boxing. <i>Semin Neurol</i> , 20(2): 179-85.
61067	Zhang L, Heier LA, Zimmerman RD, Jordan B, Ulug AM (2006). Diffusion anisotropy changes in the brains of professional boxers. <i>AJNR</i> , 27: 2000-4.
61068	McCrary P, Zazryn T, Cameron P (2007). The evidence for chronic traumatic encephalopathy in boxing. <i>Sports Med</i> , 37(6): 467-76.
61069	Cantu RC (2007). Chronic traumatic encephalopathy in the national football league. <i>Neurosurg</i> , 61(2): 223-5.
61070	Armon C, Miller RG; McKee AC, Budson AE, et al (2011). [Comments] TDP-43 proteinopathy and motor neurone disease in chronic traumatic encephalopathy. <i>J Neuropathol Exp Neurol</i> , 70(1): 97-100. Comments on ID: 61071.
61071	McKee AC, Gavett BE, Stern RA, Nowinski CJ, et al (2010). TDP-43 proteinopathy and motor neurone disease in chronic traumatic encephalopathy. <i>J Neuropathol Exp Neurol</i> , 69(9): 918-29.
61072	Zetterberg H, Tanriverdi F, Unluhizarci K, Selcuklu A, et al (2009). Sustained release of neuron-specific enolase to serum in amateur boxers. <i>Brain Injury</i> , 23(9): 723-6.
61073	Tanriverdi F, Unluhizarci K, Kocyigit I, Tuna IS, et al (2008). Pituitary volume and function in competing and retired male boxers. <i>Ann Intern Med</i> , 148: 827-31.
61074	Rabadi MH, Jordan BD (2001). The cumulative effect of repetitive concussion in sports. <i>Clin J Sport Med</i> , 11: 194-8.
61075	Moriarty J, Collie A, Olson D, Buchanan J, et al (2004). A prospective controlled study of cognitive function during an amateur boxing tournament. <i>Neurology</i> , 62: 1497-502.
61076	Loosemore M, Knowles CH, Whyte GP (2007). Amateur boxing and risk of chronic traumatic brain injury: systematic review of observational studies. <i>BMJ</i> , 335(7624): 809.

61077	Hahnel S, Stippich C, Weber I, Darm H, et al (2008). Prevalence of cerebral microhemorrhages in amateur boxers as detected by 3T MR imaging. <i>AJNR</i> , 29: 388-91.
61078	Bleiberg J, Cernich AN, Cameron K, Sun W, et al (2004). Duration of cognitive impairment after sports concussion. <i>Neurosurg</i> , 54: 1073-80.
61079	King A, Sweeney F, Bodi I, Troakes C, et al (2010). Abnormal TDP-43 expression is identified in the neocortex in cases of dementia pugilistica, but is mainly confined to the limbic system when identified in high and moderate stages of Alzheimer's disease. <i>Neuropathology</i> , 30: 408-19.
61080	Toth C, McNeil S, Feasby T (2005). Central nervous system injuries in sport and recreation. A systematic review. <i>Sports Med</i> , 35(8): 685-715.
61081	Bazarian JJ, Cernak I, Noble-Haeusslein L, et al (2009). Long-term neurologic outcomes after traumatic brain injury. <i>J Head Trauma Rehabil</i> , 24(6): 439-51.
61121	Geddes JF, Vowles GH, Nicoll JAR, Revesz T (1999). Neuronal cytoskeletal changes are an early consequence of repetitive head injury. <i>Acta Neuropathol</i> , 98: 171-8.
61122	Mendez MF (1995). The neuropsychiatric aspects of boxing. <i>Int J Psych Med</i> , 25(3): 249-62.
61123	Williams DJ, Tannenberg AEG (1996). Dementia pugilistica in an alcoholic achondroplastic dwarf. <i>Pathology</i> , 28: 102-4.
61312	Nowak LA, Smith GG, Reyes PF (2009). Dementia in a retired world boxing champion: case report and literature review. <i>Clin Neuropathol</i> , 28(4): 275-80.
61967	Yoshiyama Y, Uryu K, Higuchi M, Longhi L, et al (2005). Enhanced neurofibrillary tangle formation, cerebral atrophy, and cognitive deficits induced by repetitive mild brain injury in a transgenic tauopathy mouse model. <i>J Neurotrauma</i> , 22(10): 1134-41. [Abstract]
61968	Porter MD (2003). A 9-year controlled prospective neuropsychologic assessment of amateur boxing. <i>Clin J Sport Med</i> , 13(6): 339-52. [Abstract]
61969	Weber JT (2007). Experimental models of repetitive brain injuries. <i>Prog Brain Res</i> , 161: 253-61. [Abstract]
61970	Moser RS, Inverson GL, Echemendia RJ, Lovell MR, et al (2007). Neuropsychological evaluation in the diagnosis and management of sports-related concussion. <i>Arch Clin Neuropsychol</i> , 22(8): 909-16. [Abstract]
61971	Pilkington E (2011). The brain injuries that destroyed a football superstar. Retrieved 9 September 2011, from Y:\RMA\Special\Researcher-Andrew\dementia pugilistica\articles\Emailing the-brain-injuries-that-destroyed-a-football-superstar-20110720-1ho7x TO BE CLASSIFIED.htm
61972	Bird TD, Miller BL (2011). Other causes of dementia. Chapter 365, Retrieved 9 September 2011, from Y:\RMA\Special\Researcher-Andrew\dementia pugilistica\articles\AccessMedicine Other Causes of Dementia.mht
61973	Areza-Fegyveres R, Rosemberg S, Maria R, Porto CC, et al (2007). Dementia pugilistica with clinical features of Alzheimer's disease. <i>Arq Neuropsiquiatr</i> , 65(3-B): 830-833.
61974	Giza CC, Hovda D (2001). The neurometabolic cascade of concussion. <i>Journal of Athletic Training</i> , 36(3): 228-35.
61975	Greenwald RM, Gwin J, Chu JJ, Crisco JJ (2008). Head impact severity measures for evaluating mild traumatic brain injury risk exposure. <i>Neurosurgery</i> , 62(4): 789-98.

61976	Institute of Medicine (2008). Dementia pugilistica. Long-term consequences of traumatic brain injury. Gulf War and Health, Volume 7: 234-6. National Academies Press, Washington, DC.
61977	Loane DJ, Pocivavsek A, Moussa CE, Thompson R, et al (2009). Amyloid precursor protein secretases as therapeutic targets for traumatic brain injury. Nat Med, 15(4): 377-9.
61978	McCrorry P, Turner M, Murray J (2004). A punch drunk jockey? Br J Sports Med, 38: e3.
61979	McCrorry P (2002). Boxing and the brain. Br J Sports Med, 36: 2.
61980	McKee AC, Cantu R, Nowinski CJ, Hedley-Whyte ET, et al (2009). Chronic traumatic encephalopathy in athletes: progressive tauopathy following repetitive head injury. J Neuropathol Exp Neurol, 68(7): 709-35.
62531	Institute of Medicine (2008). Dementia pugilistica. Gulf War and Health. Long-term Consequences of Traumatic Brain Injury, Vol 7: 243. National Academies Press - Washington, DC.
62532	Seeley WW, Miller BL (2012). Dementia. Chapter 371, . Retrieved 14 November 2011, from http://www.accessmedicine.com/content.aspx?aID=9146233
62550	Zetterberg H, Hietala A, Jonsson M, Andreasen N, et al (2006). Neurochemical aftermath of amateur boxing. Arch Neurol, 63: 1277-80.