

ANGLE-CLOSURE GLAUCOMA

RMA ID Number	Reference List for RMA201-2 as at June 2017
14289	Aasved H (1979). Prevalence of fibrillopathia epitheliocapsularis (pseudoexfoliation) and capsular glaucoma. Transactions of the Ophthalmological Societies of the United Kingdom, 99(2): 293-5.
13801	Absolon MJ (1985). The effects of ultraviolet light on the eye. Trans Ophthalmol Soc UK, 104(5): 522-3.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). . Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
20546	Akingbehin AO (1983). Comparative study of the intraocular pressure effects of fluorometholone 0.1% versus dexamethasone 0.1%. British Journal of Ophthalmology, 67: 661-3.
14729	Alhalel A, Hirsh A, Melamed S, Blumenthal M (1991). Bilateral simultaneous acute angle closure glaucoma in a herpes zoster patient. British Journal of Ophthalmology, 75(8): 510.
20568	Anonymous (1997). Steroid inhalers and glaucoma. Journal of the American Dental Association, 128(5): 554, 558.
14231	Armaly MF & Baloglu PJ (1967). Diabetes Mellitus and the eye: II Intraocular pressure and aqueous outflow facility. Archives of Ophthalmology, 77: 493-502.
14222	Armaly MF, Monstavicius BF, Sayegh RE (1968). Ocular pressure and aqueous outflow facility in siblings. Arch Ophthalmol, 80: 354-60.
8716	Armstrong JR, Daily RK, Dobson HL, Girard LJ (1960). The incidence of glaucoma in diabetes mellitus. Am J Ophthalmol, 50: 55-63.
80745	ARPANSA (2012). Radiation protection: Beta particles. . Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA, .
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm

80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. . Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units.cfm
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
60814	Bahceci UA, Ozdek S, Pehlivani Z, et al (2005). Changes in intraocular pressure and corneal and retinal nerve fiber layer thicknesses in hypothyroidism. <i>Eur J Ophthalmol</i> , 15(5): 556-61.
21621	Baratz KH, & Hattenhauer MG (1999). Indiscriminate use of corticosteroid-containing eyedrops. <i>Mayo Clin Proc</i> , 74: 362-6.
20627	Bartlett JD, Wooley TW, & Adams CM (1993). Identification of high intraocular pressure responders to topical ophthalmic corticosteroids. <i>Journal of Ocular Pharmacology</i> , Vol 9(1): 35-45.
14223	Becker B (1971). Diabetes mellitus and primary open-angle glaucoma. The XXVII Edward Jackson memorial lecture. <i>American Journal of Ophthalmology</i> , 71(1): 1-16. Retrieved 6 November 1998, from 1-16
13796	BenEzra D, Wysenbeek YS, Cohen E (1997). Increased intraocular pressure during treatment for chronic uveitis. <i>Graefe's Arch Clin Exp Ophthalmol</i> , 235(4): 200-3.
14267	BenEzra D, Wysenbeek YS, Cohen E (1997). Increased intraocular pressure during treatment for chronic uveitis. <i>Graefes Archive for Clinical & Experimental Ophthalmology</i> , 235(4): 200-3.
14225	Bengston B (1981). The prevalence of glaucoma. <i>British Journal of Ophthalmology</i> , 65: 46-9.
8787	Birnbaum Y, Sclarovsky S (1993). "Tombstoning" of ST segment in acute myocardial infarction. <i>The Lancet</i> , 342: 1494.
21625	Blumenthal EZ, Muszkat M, Pe'er J, & Ticho U (1999). Corticosteroid-induced glaucoma attributable to an adrenocorticotropin-secreting malignant carcinoid tumor of the thymus. <i>American Journal of Ophthalmology</i> , 128: 100-1.
20548	Bonini S, Bonini S, Lambiase A, Marchi S, Pasqualetti P, Zuccaro O, Rama P, Magrini L, Juhas T, Bucci MG (2000). Vernal keratoconjunctivitis revisited. A case series of 195 patients with long-term followup. <i>Ophthalmology</i> , 107: 1157-63.
13665	Bonomi L, Marchini G, Marraffa M, Bernardi P, De Franco I, Perfetti S, Varotto A and Tenna V (1998). Prevalence of Glaucoma and Intraocular Pressure Distribution in a Defined Population. The Egna-Neumarkt Study. <i>Ophthalmology</i> , 105(2): 209-215.
80727	Braby et al (2011). 3. Radiation exposure from internally deposited radionuclides. , Report 86, 11(2): 33-8. Retrieved 6 February 2017, from <i>Journal of the ICRU</i>
14166	Brown GC, Magargal LE, Schachat A, Shah H (1984). Neovascular glaucoma. Etiologic considerations. <i>Ophthalmology</i> , 91: 315-29.
20545	Brubaker RF, Halpin JA (1975). Open-angle glaucoma associated with topical administration of flurandrenolide to the eye. <i>Mayo Clinic Proc</i> , 50: 322-6.
14287	Bruce RA, Letson AD (1980). Ocular manifestations of diabetes mellitus. <i>Postgraduate Medicine</i> , 68(4): 143-57.
21707	Byrd S, Tayeri T (1999). Glaucoma associated with penetrating keratoplasty. <i>International Ophthalmology Clinics</i> , 39(3): 17-28.
14228	Campbell DG & Essigmann EM (1979). Hemolytic ghost cell glaucoma. Further studies. <i>Archives of Ophthalmology</i> , 97: 2141-6.
14740	Campbell DG (1981). Ghost cell glaucoma following trauma. <i>Ophthalmology</i> , 88(11): 1151-8.

14199	Campbell DG, Schertzer RM (1996). Pigmentary glaucoma. In: The Glaucomas, 2nd Edition, Vol II: 975-91. Sydney: Mosby.
43945	Cardis E, Vrijheid M, Blettner M, Gilbert E, Hakama M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. Radiation Research, 167(4): 396-416.
21663	Carnahan MC, & Goldstein DA (2000). Ocular complications of topical, periocular, and systemic corticosteroids. Current Opinion in Ophthalmology, 11: 478-3.
7347	Carter C, et al (1990). Investigations into a Vascular Etiology for Low-tension Glaucoma. Ophthalmology, 97(1): 49-55.
8827	Carter C, et al (1990). Investigations into a Vascular Etiology for Low-tension Glaucoma. Ophthalmology, 97(1): 49-55.
80746	Carter M, Robothem R, Wise K, et al (2006). Australian participants in British nuclear tests in Australia. Department of Veterans' Affairs, Vol 1: Dosimetry. Commonwealth of Australia.
13752	Cartier A, Malo JL, Gautrin D, Boulet LP, Boisjoly H (1997). Glucocorticoid use and risks of ocular hypertension and glaucoma. JAMA, 277(24): 1929-30.
14794	Cartwright MJ, Grajewski AL, Friedberg ML, Anderson DR, Richards DW (1992). Immune-related disease and normal-tension glaucoma. A case-control study. Archives of Ophthalmology, 110(4): 500-2.
14276	Catlett GF, Kidera GJ (1968). Glaucoma in commercial pilots. Aerospace Medicine, 39(12): 1329-37.
21624	Cave A, Arlett P, Lee E (1999). Inhaled and nasal corticosteroids: factors affecting the risks of systemic adverse effects. Pharmacology & Therapeutics, 8: 153-79.
60439	Cedrone C, Mancino R, Cerulli a, Cesareo M, Nucci C (2009). Epidemiology of primary glaucoma: prevalence, incidence, and blinding effects. Prog Brain Res, 173: 3-14.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. . Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
13667	Chen CJ (1998). Glaucoma after Macular Hole Surgery. Ophthalmology, 105(1): 94-100.
13673	Chen PP and Thompson JT (1997). Risk Factors for Elevated Intraocular Pressure After the Use of Intraocular Gases in Vitreoretinal Surgery. Ophthalmic Surgery and Lasers, 28(1): 37-42.
60496	Chen SN, Ho CL, Ho JD, Guo YH, Chen TL, Chen PF (2001). Acute angle-closure glaucoma resulting from spontaneous hemorrhagic retinal detachment in age-related macular degeneration: case reports and literature review. Jpn J Ophthalmol, 45: 270-5.
21962	Cheng ACK, Pang ATS, Chua JKH, Fan DSP, Lam DSC (2001). The association between cigarette smoking and ocular diseases. Hong Kong Medical Journal, 6(2): 195-202.
21229	Cheng ACK, Pang CP, Leung ATS, et al (2000). The association between cigarette smoking and ocular disease. Hong Kong Med J, 6: 195-202.
13719	Chi TSK and Netland PA (1995). Angle-Recession Glaucoma [Review]. International Ophthalmology Clinics, 35(1): 117-126.
7348	Chien AM, et al (1993). Glaucoma in the Immediate Postoperative Period After Penetrating Keratoplasty. American Journal of Ophthalmology, 115: 711-4.
8801	Chien AM, Schmidt CM, Cohen EJ, Rajpal RK, et al (1993). Glaucoma in the immediate postoperative period after penetrating keratoplasty. Am J Ophthalmol, 115: 711-4.
21622	Chua JKH, Fan DSP, Leung ATS, Lam DSC (2000). Accelerated ocular hypertensive response after application of corticosteroid ointment to a child's eyelid. Mayo Clin Proc, 75: 539-42.

14221	Chumbley LC, & Brubaker RF (1976). Low-tension glaucoma. American Journal of Ophthalmology, 81(6): 761-7.
14798	Clark AF, Wilson K, de Kater AW, Allingham RR & McCartney MD (1995). Dexamethasone-induced ocular hypertension in perfusion-cultured human eyes. <i>Investigative Ophthalmology & Visual Science</i> , 36(2): 478-89.
7372	Clearkin LG (1992). [Letter] Angle closure glaucoma precipitated by atropine. <i>Arch Intern Med</i> , 152: 880.
61175	Cockerham GC, Rice TA, Hewes EH, Cockerham KP, et al (2011). [Comment] Closed-eye ocular injuries in the Iraq and Afghanistan wars. <i>N Engl J Med</i> , 364(22): 2172-3.
14172	Cockerham KP, Pal C, Jani B, Wolter A, Kennerdell JS (1997). The prevalence and implications of ocular hypertension and glaucoma in thyroid-associated orbitopathy. <i>Ophthalmology</i> , 104: 914-7.
13661	Cockerham KP, Pal C, Jani B, Wolter A and Kennerdell JS (1997). The prevalence and Implications of Ocular Hypertension and Glaucoma in Thyroid-associated Orbitopathy. <i>Ophthalmology</i> , 104(6): 914-7.
13754	Cohen SI, Hajioff J (1972). Life Events And The Onset Of Acute Closed-Angle Glaucoma. <i>Journal of Psychomatic Research</i> , 16(5): 335-41.
60765	Cohen VML, Shields CL, Demirci H, Shields JA (2008). Iodine I 125 plaque radiotherapy for vasoproliferative tumors of the retina in 30 eyes. <i>Arch Ophthalmol</i> , 126(9): 1245-51.
60453	Coleman AL (1999). Glaucoma. <i>The Lancet</i> , 354: 1803-10.
60447	Coleman AL, Miglior S (2008). Risk factors for glaucoma onset and progression. <i>Surv Ophthalmol</i> , 53(Suppl 1): S3-10.
14238	Corbett JJ, Phelps CD, Eslinger P, & Montague PR (1985). The neurologic evaluation of patients with low-tension glaucoma. <i>Invest Ophthalmol Vis Sci</i> , 26: 1101-4.
60769	Coupal DJ (2010). Posterior polymorphous corneal dystrophy. . Retrieved 28 April 2011, from http://emedicine.medscape.com/article/1197057-overview
7349	Crick RP, Tuck MW (1995). How can we improve the detection of glaucoma? <i>BMJ</i> , 310: 546-7.
8800	Crick RP, Tuck MW (1995). How can we improve the detection of glaucoma? Thorough testing and better targeting. <i>BMJ</i> , 310: 546-7.
7350	Cullom RD, Chang B (Eds). <i>The Wills Eye Manual</i> , 2nd Edition,. J.B. Lippincott Co, Philadelphia.
13756	Daftari IK, Char DH, Verhey LJ, Castro JR, Petti PL, Meecham WJ, Kroll S and Blakely EA (1997). Anterior Segment Sparing To Reduce Charged Particle Radiotherapy Complications In Uveal Melanoma. <i>International Journal of Radiation Oncology, Biology, Physics</i> , 39(5): 997-1010.
14175	Daftari IK, Char DH, Verhey LJ, Castro JR, Petti PL, Meecham WJ, Kroll S, & Blakely EA (1997). Anterior segment sparing to reduce charged particle radiotherapy complications in uveal melanoma. <i>International Journal Radiation Oncology Biology Physical</i> , 39(5): 997-1010.
37847	Damji KF, Bains HS, Stefansson E, Loftsdottir M, et al (1998). Is pseudoexfoliation syndrome inherited? A review of genetic and nongenetic factors and a new observation. <i>Ophthalmic Genet</i> , 19(4): 175-85.
20628	Das SN & Hitchings RA (1971). Steroid glaucoma. <i>Transactions of the Ophthalmological Societies of the United Kingdom</i> , 91: 749-56.
7351	Davanger M, Ringvold A, Blika S (1991). The Probability of Having Glaucoma at Different IOP Levels. <i>Acta Ophthalmologica</i> , 69: 565-8.
8798	Davanger M, Ringvold A, Blika S (1991). Pseudo-exfoliation, IOP and glaucoma. <i>Acta Ophthalmologica</i> , 69: 569-73.
7352	Davanger M, Ringvold A, Blika S (1991). Pseudo-exfoliation, IOP and Glaucoma. <i>Acta Ophthalmologica</i> , 69: 569-73.
8799	Davanger M, Ringvold A, Blika S (1991). The probability of having glaucoma at different IOP levels. <i>Acta Ophthalmologica</i> , 69: 565-8.

14168	David R, Zangwill L, Stone D, & Yassur Y (1987). Epidemiology of intraocular pressure in a population screened for glaucoma. <i>British Journal of Ophthalmology</i> , 71: 766-71.
60533	de Guzman MH, Thiagalingam S, Ong PY, Goldberg I (2005). Bilateral acute angle closure caused by supraciliary effusions associated with venlafaxine intake. <i>Med J Aust</i> , 182(3): 121-3.
37916	De Leon-Ortega JE, Girkin CA (2002). Ocular trauma-related glaucoma. <i>Ophthalmol Clinics of North America</i> , 15: 215-23.
60449	Delaney Y, Walshe TE, O'Brien C (2006). Vasospasm in glaucoma: clinical and laboratory aspects. <i>Optom Vis Sci</i> , 83: 406-14.
14325	Demainly P, Cambien F, Plouin PF et al (1984). Do patients with low tension glaucoma have particular cardiovascular characteristics? <i>Ophthalmologica</i> , 188: 65-75.
60669	Detorakis ET, Engstrom RE, Wallace R, Straatsma BR (2005). Iris and anterior chamber angle neovascularization after iodine 125 brachytherapy for uveal melanoma. <i>Ophthalmology</i> , 112: 505-10.
13679	Dielemans I, De Jong TVM, Stolk R, Vingerling JR, Grobbee DE and Hofman A (1996). Primary Open-angle Glaucoma, Intraocular Pressure, and Diabetes Mellitus in the General Elderly Population. The Rotterdam Study. <i>Ophthalmology</i> , 103(8): 1271-5.
14256	Dielemans I, Vingerling JR, Algra D, Hofman A, Grobbee DE, de Jong PTVM (1995). Primary open-angle glaucoma, intraocular pressure, and systemic blood pressure in the general elderly population. The Rotterdam Study. <i>Ophthalmology</i> , 102: 54-60.
14215	Drance SM (1972). Some factors in the production of low tension glaucoma. <i>Br J Ophthal</i> , 56: 229-42.
14217	Drance SM, Morgan RW, & Sweeney VP (1973). Shock-induced optic neuropathy. A cause of nonprogressive glaucoma. <i>NEJM</i> , 288(8): 392-5.
14214	Drance SM, Sweeney VP, Morgan RW, Feldman F (1973). Studies of factors involved in the production of low tension glaucoma. <i>Arch Ophthalmol</i> , 89: 457-465.
13686	Dujic M, Jovanovic D and Markovic P (1995). Rise in intraocular pressure during dialysis. <i>Clinical Nephrology</i> , 44(5): 348.
14793	Duker JS, Sivalingam A, Brown GC, Reber R (1991). A prospective study of acute central retinal artery obstruction. The incidence of secondary ocular neovascularization. <i>Arch Ophthalmol</i> , 109: 339-42.
14787	Easterlin MN, Schneider HA (1984). Acute angle closure glaucoma following surgery. <i>AORN Journal</i> , 39(6): 992-5.
60448	Edwards R, Thornton J, Ajit R, Harrison RA, Kelly SP (2008). Cigarette smoking and primary open angle glaucoma: a systematic review. <i>J Glaucoma</i> , 17(7): 558-66.
14738	Eisenlohr JE (1983). Glaucoma following the prolonged use of topical steroid medication to the eyelids. <i>Journal of the American Academy of Dermatology</i> , 8(6): 878-81.
14800	Ekstrom C (1993). Elevated intraocular pressure and pseudoexfoliation of the lens capsule as risk factors for chronic open-angle glaucoma. A population-based five-year follow-up study. <i>Acta Ophthalmologica</i> , 71(2): 189-95.
14748	el Baba F, Hagler WS, de la Cruz A et al (1988). Choroidal melanoma with pigment dispersion in vitreous and melanomalytic glaucoma. <i>Ophthalmology</i> , 95(3): 370-7.
21899	Elisaf M, Kitsos G, Bairaktari E, Kalaitzidas R, Kalogeropoulos & Psilas K (2001). Metabolic abnormalities in patients with primary open-angle glaucoma. <i>Acta Ophthalmol</i> , 79: 129-32.
21642	Ellis JD, Evans JMM, Ruta DA, Baines PS, Leese G, MacDonald TM, Morris AD (2000). Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma? <i>Br J Ophthalmol</i> , 84: 1218-24.

14240	Epstein DL, Jedziniak JA, Grant WM (1978). Obstruction of aqueous outflow by lens particles and by heavy-molecular-weight soluble lens proteins. <i>Invest Ophthalmol Visual Sci</i> , 17(3): 272-7.
14275	Fahmy JA, Fledelius H (1973). Yoga-induced attacks of acute glaucoma. A case report. <i>Acta Ophthalmologica</i> , 51(1): 80-4.
14730	Fazio DT, Bateman JB, Christensen RE (1985). Acute angle-closure glaucoma associated with surgical anesthesia. <i>Arch Ophthalmol</i> , 103: 360-2.
13664	Fineman MS, Eagle Jr RC, Shields JA, Shields CL and De Potter P (1998). Melanocytomalytic Glaucoma in Eyes with Necrotic Iris Melanocytoma. <i>Ophthalmology</i> , 105(3): 492-6.
13678	Flowers CW, Reynolds D, Irvine JA and Heuer DK (1996). Pupillary Block, Angle-closure Glaucoma Produced by an Anterior Chamber Air Bubble in a Nanophthalmic Eye. <i>Archives of Ophthalmology</i> , 114(9): 1145-6.
7353	Fong DS, Epstein DL, Allingham RR (1990). Glaucoma and myopia: are they related? <i>International Ophthalmology Clinics</i> , 30(3): 215-8.
8797	Fong DS, Epstein DL, Allingham RR (1990). Glaucoma and myopia: are they related? <i>International Ophthalmology Clinics</i> , 30(3): 215-8.
60802	Forte R, Bonavolonta P, Vassallo P (2010). Evaluation of retinal nerve fiber layer with optic nerve tracking optical coherence tomography in thyroid-associated orbitopathy. <i>Ophthalmologica</i> , 224: 116-21.
60751	Foster PJ, Buhrmann R, Quigley HA, Johnson GJ (2002). The definition and classification of glaucoma in prevalence surveys. <i>Br J Ophthalmol</i> , 86: 238-42.
8762	Fraser H (1985). Glaucoma screening in general practice. <i>Australian Family Physician</i> , 14(8): 748-750.
7371	Fraser H (1985). Glaucoma screening in general practice. <i>Australian Family Physician</i> , 14(8): 748-52.
13675	Fraser S, Wormald R and Hitchings R (1996). Blood pressure and glaucoma. <i>British Journal of Ophthalmology</i> , 80(10): 858-9.
13671	Garbe E, LeLorier J, Boivin JF and Suissa S (1997). Risk of ocular hypertension or open-angle glaucoma in elderly patients on oral glucocorticoids. <i>The Lancet</i> , 350(9083): 979-82.
13749	Garbe E, LeLorier J, Boivin J-F and Suissa S (1997). Inhaled and Nasal Glucocorticoids and the Risks of Ocular Hypertension or Open-angle Glaucoma. <i>JAMA</i> , 277(9): 722-7.
13828	Georgopoulos G, Andreanos D, Liokis N, Papakonstantinou D, Vergados J, Theodossiadis G (1997). Risk factors in ocular hypertension. <i>European Journal of Ophthalmology</i> , 7(4): 357-63.
14207	Georgopoulos G, Andreanos D, Liokis N, Papakonstantinou D et al (1997). Risk factors in ocular hypertension. <i>European Journal of Ophthalmology</i> , 7(4): 357-63.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
60798	Gillow JT, Shah P, O'Neill EC (1996). Primary open angle glaucoma and hypothyroidism: chance or true association? <i>Eye</i> , 10: 113-4.
37950	Girkin CA, McGwin G, Long C, Morris R, Kuhn F (2005). Glaucoma after ocular contusion: a cohort study of the United States Eye Injury Registry. <i>J Glaucoma</i> , 14(6) pp 470-473.
60804	Girkin CA, McGwin G, McNeal SF, Lee PP, Owlsey C (2004). Hypothyroidism and the development of open-angle glaucoma in a male population. <i>Ophthalmology</i> , 111: 1649-52.
14219	Gloster J (1975). Vertical ovalness of glaucomatous cupping. <i>British Journal of Ophthalmology</i> , 59: 721-4.
61776	Gogaki e, Tsolaki F, Tiganita S, Skatharoudi C (2011). Iridoschisis: case report and review of the literature. <i>Clinical Ophthalmology</i> , 5: 381-4.

14226	Goldberg I, Hollows FC, Kass MA, Becker B (1981). Systemic factors in patients with low-tension glaucoma. <i>British Journal of Ophthalmology</i> , 65: 56-62.
20504	Goldman D (1992). Ocular complications of steroid use in pediatric patients - a lesson for gastroenterologists. <i>Gastroenterology</i> , 102(6): 2164-5.
13684	Goldstein JH (1996). Incidence of Acute Angle-Closure Glaucoma After Pharmacologic Mydriasis. <i>American Journal of Ophthalmology</i> , 121(6): 733-5.
21841	Gomes CM, Lucon AM, Yamada RT, et al (2000). Rare complication of an arteriovenous fistula for dialysis: Glaucoma. <i>Scandinavian Journal of Urology & Nephrology</i> , 34: 219-21.
14291	Graham PA (1969). The definition of pre-glaucoma. A prospective study. <i>Transactions of the Ophthalmological Societies of the United Kingdom</i> , 88: 153-65.
60370	Greenlee EC, Kwon YH (2008). Graft failure: III. Glaucoma escalation after penetrating keratoplasty. <i>Int Ophthalmol</i> , 28: 191-207.
13681	Grierson I (1996). Glaucoma and nitric oxide. <i>The Lancet</i> , 347(9018): 1781-2.
14728	Gross FJ, Tingey D, & Epstein DL (1994). Increased prevalence of occludable angles and angle-closure glaucoma in patients with pseudoexfoliation. <i>American Journal of Ophthalmology</i> , 117: 333-6.
60438	Grzybowski A (2009). [Comment] Tobacco smoking influences on eye diseases and vision. <i>BMJ</i> , 93: 559-60. Comment on ID: 49834.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian participants in British nuclear tests in Australia. Vol 2: Mortality and cancer incidence. Department of Veterans' Affairs, Canberra, . .
14324	Gupta JS, Dhawan SK (1970). A clinical study of phacolytic glaucoma. <i>Eye Ear Nose Throat Mon</i> , 49(1): 35-40.
38152	Haas A, Pinter O, Papaefthymiou G, Weger M, Berghold A, et al (2002). Incidence of radiation retinopathy after high-dosage single-fraction gamma knife radiosurgery for choroidal melanoma. <i>Ophthalmology</i> , 109(5) pp 909-913.
60739	Haefliger IO, von Arx G, Pimentel AR (2010). Pathophysiology of intraocular pressure increase and glaucoma prevalence in thyroid eye disease: a mini-review. <i>Klin Monatsbl Augenheilkd</i> , 227: 292-3.
14322	Hansen E, Sellevold OJ (1968). Pseudoexfoliation of the lens capsule. 1. Clinical evaluation with special regard to the presence of glaucoma. <i>Acta Ophthalmologica</i> , 46(6): 1095-104.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
49581	Harrison's Online (2008). Chronic visual loss. . Retrieved 15 August 2008, from http://proxy14.use.hcn.com.au/popup.aspx?aID=2888476
60494	Haverals K, Augustinus A, Hondeghem K (2010). Bilateral acute angle-closure glaucoma after blepharoplasty. <i>Bull Soc Belge Ophtalmol</i> , 316: 59-61.
14232	Henderson JW (1969). Eye changes with thyroid disease. <i>Postgraduate Medicine</i> , 45: 96-9.
37979	Hitchings R (2003). [Letter]. <i>Eye</i> , 17(2) pp 285.
60667	Hollander DA, Barricks Me, Duncan JL, Irvine AR (2005). Macular schisis detachment associated with angle-closure glaucoma. <i>Arch Ophthalmol</i> , 123: 270-2.
63196	Horton JC (2008). Disorders of the eye. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 29: 180-95. .
72597	Hsu WL, Preston DL, Soda M et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
7354	Hudson R (1985). Ophthalmic Trauma. <i>Australian Family Physician</i> , 14(8): 741-2.

8796	Hudson R (1985). Ophthalmic trauma. Australian Family Physician, 14(8): 741-2.
21616	Huerta C, Rodriguez G (2001). Incidence of ocular melanoma in the general population and in glaucoma patients. Journal of Epidemiology & Community Health, 55(5): 338-9.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. BJC, 109(7): 1989-96.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
60368	Ichhpujani P, Jindal A, Katz LJ (2009). Silicone oil induced glaucoma: a review. Graefe's Arch Clin Exp Ophthalmol, 247: 1585-93.
21626	Inatani M, Tanihara H, Honjo M, Kido N, Honda Y (2000). Secondary glaucoma associated with crystalline lens subluxation. J Cataract Refract Surg, 26: 1533-6.
80754	International Atomic Energy Agency (undated). Glossary. . Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
7355	Isselbacher KJ, et al (Eds) (1994). Harrison's Principles of Internal Medicine, 13th Edition,. MacGraw Hill Inc, New York.
13672	Jack S, Wilwon MR (1997). Optic Disc Hemorrhages and Glaucoma. Ophthalmology, 104(4): 566-7.
13794	Jahn CE and Emke M (1996). Long-Term Elevation of Intraocular Pressure after Neodymium: YAG Laser Posterior Capsulotomy. Ophthalmologica, 210(2): 85-9.
14242	Jampol LM, Miller NR (1978). Carotid artery disease and glaucoma. British Journal of Ophthalmology, 62: 324-6.
13799	Jamsen K (1996). Thyroid disease, a risk factor for optic neuropathy mimicking normal-tension glaucoma. Acta Ophthalmologica Scandinavica, 74(5): 456-60.
14202	Jamsen K (1996). Thyroid disease, a risk factor for optic neuropathy mimicking normal-tension glaucoma. Acta Ophthalmologica Scandinavica, 74(5): 456-60.
7356	Javitt JC, et al (1991). Undertreatment of Glaucoma Among Black Americans. NEJM, 325(20): 1418-22.
8795	Javitt JC, McBean AM, Nicholson GA, Babish JD, et al (1991). Undertreatment of glaucoma among black Americans. NEJM, 325: 1418-22.
14807	Jonas JB, Grundler AE (1998). Prevalence of diabetes mellitus and arterial hypertension in primary and secondary open-glaucomas. Graefes Archive for Clinical & Experimental Ophthalmology, 236(3): 202-6.
14212	Kahn HA, Leibowitz HM, Ganley JP, Kini MM et al (1977). The Framingham Eye Study. 11. Association of ophthalmic pathology with single variables previously measured in the Framingham heart study. American Journal of Epidemiology, 106(1): 33-41.
14227	Kahn HA, Milton RC (1980). Revised Framingham eye study prevalence of glaucoma and diabetic retinopathy. American Journal of Epidemiology, 111: 769-76.
14236	Kahn HA, Milton RC (1980). Alternative definitions of open-angle glaucoma: effects on prevalence and associations in the Framingham Eye Study. Archives of Ophthalmology, 98: 2172-7.
21620	Kaimbo DKW, Buntinx F, Missotten L (2001). Risk factors for open-angle glaucoma: a case-control study. Journal of Clinical Epidemiology, 54: 166-71.
37951	Kaluza G, Stremmel I, Maurer H (1996). Stress reactivity of intraocular pressure after relaxation training in open-angle glaucoma patients. Journal of Behavioral Medicine, 19(6) pp 587-598.

60803	Karadimas P, Bouzas EA, Topouzis F, Koutras DA, Mastorakos G (2001). Hypothyroidism and glaucoma. A study of 100 hypothyroid patients. <i>Am J Ophthalmol</i> , 131: 126-8.
14229	Kass MA, Zimmerman TJ, Alton E, Lemon L et al (1978). Intraocular pressure and glaucoma in the Zuni Indians. <i>Archives of Ophthalmology</i> , 96: 2212-3.
14186	Katz J, Sommer A (1988). Risk factors for primary open angle glaucoma. <i>American Journal of Preventive Medicine</i> , 4(2): 110-114.
14235	Kaufman JH, Tolpin DW (1974). Glaucoma after traumatic angle recession: a ten year prospective study. <i>American Journal of Ophthalmology</i> , 78: 648-54.
14790	Kearns PP & Dhillon BJ (1990). Angle closure glaucoma precipitated by labour. <i>Acta Ophthalmologica</i> , 68(2): 225-6.
14233	Kelman CD (1973). Phaco-emulsification and aspiration: a report of 500 consecutive cases. <i>American Journal of Ophthalmology</i> , 75: 764-8.
60495	Khalifa YM, Goldsmith J, Moshirfar M (2010). Bilateral explanation of visian implantable collamer lenses secondary to bilateral acute angle closure resulting from a non-pupillary block mechanism. <i>J Refract Surg</i> , 26(12): 991-4.
37985	Khan YA, Ahmed IIK (2005). Glaucoma, Neovascular. Obtained from www.emedicine.com/OPH/topic135.htm .
13688	Khawly JA and Shields MB (1994). Metastatic Carcinoma Manifesting as Angle-closure Glaucoma. <i>American Journal of Ophthalmology</i> , 118(1): 116-7.
14213	Klein BE, Klein R (1981). Intraocular pressure and cardiovascular risk variables. <i>Arch Ophthalmol</i> , 99: 837-9.
14737	Klein BE, Klein R, Moss SE (1984). Intraocular pressure in diabetic persons. <i>Ophthalmology</i> , 91(11): 1356-60.
8794	Klein BE, Klein R, Jensen SC (1994). Open-angle glaucoma and older-onset diabetes. The Beaver Dam Eye Study. <i>Ophthalmology</i> , 101: 1173-7.
13669	Klein BEK, Klein R and Moss SE (1997). Incidence of self reported glaucoma in people with diabetes mellitus. <i>British Journal of Ophthalmology</i> , 81(9): 743-7.
14169	Klein BEK, Klein R, Ritter LL (1993). Relationship of drinking alcohol and smoking to prevalence of open-angle glaucoma. The Beaver Dam Eye Study. <i>Ophthalmology</i> , 100: 1609-13.
14167	Klein BEK, Klein R, Moss SE (1984). Intraocular pressure in diabetic persons. <i>Ophthalmology</i> , 91: 1356-60.
14182	Klein BEK, Klein R, Linton KLP (1992). Intraocular pressure in an American community. The Beaver Dam Eye Study. <i>Investigative Ophthalmology & Visual Science</i> , 33(7): 2224-8.
14161	Klein BEK, Klein R, Jensen SC (1994). Open-angle glaucoma and older-onset diabetes. The Beaver Dam Eye Study. <i>Ophthalmology</i> , 101: 1173-7.
14171	Klein BEK, Klein R, Moss SE (1997). Incidence of self reported glaucoma in people with diabetes mellitus. <i>British Journal of Ophthalmology</i> , 81: 743-7.
7358	Klein BEK, Klein R, Ritter L (1993). Relationship of Drinking Alcohol and Smoking to Prevalence of Open-Angle Glaucoma. <i>Ophthalmology</i> , 100(11): 1609-13.
14183	Klein BEK, Klein R, & Jensen SC (1997). Changes in the optic disc over a five-year interval: The Beaver Dam Eye Study. <i>Current Eye Research</i> , 16(7): 738-40.
7357	Klein BEK, Klein R, Jensen SC (1994). Open-angle Glaucoma and Older-onset Diabetes. <i>Ophthalmology</i> , 101: 1173-7.
14241	Klein BEK, Klein R, Meuer SM, Goetz LA (1993). Migraine headache and its association with open-angle glaucoma: The Beaver Dam Eye Study. <i>Investigative Ophthalmology & Visual Science</i> , 34(10): 3024-7.
8793	Klein EK, Klein R, Ritter LL (1993). Relationship of drinking alcohol and smoking to prevalence of open-angle glaucoma. The Beaver Dam Eye Study. <i>Ophthalmology</i> , 100: 1609-13.

13826	Knox DL (1988). Glaucomatocyclitic Crises and Systemic Disease: Peptic Ulcer, other Gastrointestinal Disorders, Allergy and Stress. <i>Transactions of the American Ophthalmological Society</i> , 86: 473-95.
61751	Kramar M, Vu L, Whitson JT, He YG (2007). The effect of intravitreal triamcinolone on intraocular pressure. <i>Curr Med Res Opin</i> , 23(6): 1253-8.
60451	Kroese M, Burton H (2003). Primary open angle glaucoma. The need for a consensus case definition. <i>J Epidemiol Comm Health</i> , 57: 752-4.
37850	Kuchle M, Mardin CY, Nguyen NX, Martus P, Naumann GO (1998). Quantification of aqueous melanin granules in primary pigment dispersion syndrome. <i>Am J Ophthalmol</i> , Vol 126(3) pp 425-31.
60750	Kumar A, Kedar S, Garodia VK, Singh RP (2002). Angle closure glaucoma following pupillary block in an aphakic perfluoropropane gas-filled eye. <i>Indian J Ophthalmol</i> , 50: 220-1.
60766	Kumar RS, Grigg J, Farinelli AC (2007). Ecstasy induced acute bilateral angle closure and transient myopia. <i>Br J Ophthalmol</i> , 91(5): 693-5.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
13674	Kwok SK, Leung SF, Ho PCP, Ghandhi S, Chen IN, Michon JJ, Lam DSC and Lai JSM (1997). Neovascular Glaucoma Developing after Uncomplicated Cataract Surgery for Heavily Irradiated Eyes. <i>Ophthalmology</i> , 104(7): 1112-5.
20567	Kwong FK, Sue MA, Klaustermeyer (1987). Corticosteroid complications in respiratory disease. <i>Annals of Allergy</i> , 58: 326-30.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
14788	Laidlaw A, Bloom P (1990). Soap gets in your eyes. <i>West of England Medical Journal</i> , 105(4): 120.
7359	Laidlaw DAH, et al (1994). The Sight Test Fee: Effect on Ophthalmology Referrals and Rate of Glaucoma Detection. <i>BMJ</i> , 309: 634-6.
8792	Laidlaw DH, Bloom PA, Hughes AO, Sparrow JM, Marmion VJ (1994). The sight test fee: effect on ophthalmology referrals and rate of glaucoma detection. <i>BMJ</i> , 309: 634-6.
60767	Larkin GL (2010). Retinal detachment.. Retrieved 3 May 2011, from http://emedicine.medscape.com/article/798501-overview
60935	Lee AJ, Rochtchina E, Wang JJ, Healey PR, Mitchell P (2004). Open-angle glaucoma and systemic thyroid disease in an older population: The Blue Mountains Eye Study. <i>Eye</i> , 18: 600-8.
60936	Lee AJ, Rochtchina E, Wang JJ, Healey PR, Mitchell P (2003). Does smoking affect intraocular pressure? Findings from the Blue Mountains Eye Study. <i>J Glaucoma</i> , 12(3): 209-12.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
21659	Lee V W-h, Mok KH (1999). Retinal nerve fiber layer measurement by nerve fiber analyzer in normal subjects and patients with glaucoma. <i>Ophthalmology</i> , 106: 1006-8.
60671	Lee YJ, Kang SM, Kang IB (2007). Acute angle-closure glaucoma from spontaneous massive hemorrhagic retinal detachment. <i>Korean J Ophthalmol</i> , 21(1): 61-4.
37980	Lehto I, Vesti E (1998). Diagnosis and management of pigmentary glaucoma. <i>Current Opinion in Ophthalmology</i> , 9(2) pp 61-64.
14216	Leighton DA & Phillips CI (1972). Systemic blood pressure in open-angle glaucoma, low tension glaucoma, and the normal eye. <i>Br J Ophthal</i> , 56: 447-453.

14164	Leske MC, Connell AMS, Wu S-Y, Hyman LG, Schachat AP, the Barbados eye study group (1995). Risk factors for open-angle glaucoma. The Barbados eye study. <i>Archives of Ophthalmology</i> , Vol 113 pp 913-924.
13687	Leske MC, Connell AMS, Wu SY, Hyman LG and Schachat AP (1995). Risk Factors for Open-angle Glaucoma. The Barbados Eye Study. <i>Archives of Ophthalmology</i> , 113(7): 918-24.
14224	Leske MC, Podgor MJ (1983). Intraocular pressure, cardiovascular risk variables, and visual field defects. <i>American Journal of Epidemiology</i> , 118(2): 280-7.
13830	Leske MC, Warheit-Roberts and Wu S-Y (1996). Open-angle glaucoma and ocular hypertension: the Long Island Glaucoma Case-control Study. <i>Ophthalmic Epidemiology</i> , 3(2): 85-96.
14205	Leske MC, Warheit-Roberts L, Wu S-Y, The Long Island Glaucoma Case-Control Study Group (1996). Open-angle glaucoma and ocular hypertension: the Long Island Glaucoma Case-Control Study. <i>Ophthalmic Epidemiology</i> , 3(2): 85-96.
14243	Levene RZ (1980). Low tension glaucoma: a critical review and new material. <i>Survey of Ophthalmology</i> , 24(6): 621-64.
13689	Lewis RA, Tse DT, Phelps CD, Weingeist TA (1984). Neovascular glaucoma after photoradiation therapy for uveal melanoma. <i>Archives of Ophthalmology</i> , 102(6): 839-42.
14255	Lewis RA, Vijayan N, Watson C, Keltner J et al (1989). Visual field loss in migraine. <i>Ophthalmology</i> , 96: 321-6.
60934	Lin HC, Chien CW, Hu CC, Ho JD (2010). Comparison of comorbid conditions between open-angle glaucoma patients and a control cohort. A case-control study. <i>Ophthalmology</i> , 117: 2088-95.
60806	Lin H-C, Kang J-H, Jiang Y-D, Ho J-D (2010). Hypothyroidism and the risk of developing open-angle glaucoma. A five-year population-based follow-up study. <i>Ophthalmology</i> , 117: 1960-6.
21617	Lin S (2000). Diabetes and primary open glaucoma. <i>British Journal of Ophthalmology</i> , 84(11): 1216.
14797	Lindblom B (1998). Open angle glaucoma and non-central retinal vein occlusion-the chicken or the egg? <i>Acta Ophthalmologica Scandinavica</i> , 76(3): 329-33.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.
49834	Lois N, Abdelkader E, Reglitz K, Garden C, Ayres J (2008). Environmental tobacco smoke (ETS) exposure and eye disease. <i>Br J Ophthalmol</i> , 92(10): 1304-10.
20629	Long WF (1977). A case of elevated intraocular pressure associated with systemic steroid therapy. <i>American Journal of Optometry & Physiological Optics</i> , 54(4): 248-52.
13666	Lund VJ, Larkin G, Fells P and Adams G (1997). Orbital decompression for thyroid eye disease: a comparison of external and endoscopic techniques. <i>The Journal of Laryngology & Otology</i> , 111(11): 1051-5.
13750	Macris N (1997). Glucocorticoid Use and Risks of Ocular Hypertension and Glaucoma. <i>JAMA</i> , 277(24): 1930.
14739	Magargal LE, Brown GC, Augsburger JJ et al (1981). Neovascular glaucoma following central retinal vein obstruction. <i>Ophthalmology</i> , 88(11): 1095-101.
14244	Mapstone R (1974). Precipitation of angle closure. <i>British Journal of Ophthalmology</i> , 58: 46-54.
14237	Mapstone R (1977). Dilating dangerous pupils. <i>British Journal of Ophthalmology</i> , 61: 517-24.

21902	Matsuo T, Taira Y, Nagayama & Baba T (Matsuo T, Taira Y, Nagayama & Baba T). (2000). Angle-closure glaucoma as a presumed presenting sign in patients with syphilis. <i>Jpn J Ophthalmol</i> , 44: 302-16.
13829	McDaniel D, Besada E (1996). Hypothyroidism - a possible etiology of open-angle glaucoma. <i>Journal of the American Optometric Association</i> , 67(2): 109-14.
14245	McDaniel D, Besada E (1996). Hypothyroidism-a possible etiology of open-angle glaucoma. <i>Journal of the American Optometric Association</i> , 67(2): 109-14.
8791	McLean CJ, Lobo RF, Brazier DJ (1995). Cataracts, glaucoma, and femoral avascular necrosis caused by topical corticosteroid ointment. <i>The Lancet</i> , 345: 330.
7360	McLean CJ, Lobo RFJ, Brazier DJ (1995). Cataracts, glaucoma, and femoral avascular necrosis caused by topical corticosteroid ointment. <i>The Lancet</i> , 345(8945): 330.
14805	McMenamin PP, Lee WR (1986). Ultrastructural pathology of melanomalytic glaucoma. <i>Br J Ophthalmol</i> , 70(12): 895-906.
21840	Michaeli-Cohen A, Neudorfer M, Loewenstein A, et al (1998). Case-report: visual loss caused by facial steroids. <i>Canadian Family Physician</i> , 44: 2462-3.
60670	Milder E, Davis K (2008). Ocular trauma and glaucoma. <i>Int Ophthalmol Clin</i> , 48(4): 47-64.
14307	Miller SJ (1978). Genetics of glaucoma and family studies. <i>Trans Ophthalmol Soc UK</i> , 98: 290-2.
20617	Mills DW, Siebert LF, Climenhaga DB (1986). Depot triamcinolone-induced glaucoma. <i>Canadian Journal of Ophthalmology</i> , 21(4): 150-2.
60666	Mitchell JD, Schwartz AL (1996). Acute angle-closure glaucoma associated with intranasal cocaine abuse. <i>Am J Ophthalmol</i> , 122(3): 425-6.
21643	Mitchell P, Cumming RG, Mackey DA (1999). Inhaled corticosteroids, family history, and risk of glaucoma. <i>Ophthalmology</i> , 106: 2301-6.
13676	Mitchell P, Smith W, Attebo K and Healey PR (1996). Prevalence of Open-angle Glaucoma in Australia. The Blue Mountains Eye Study. <i>Ophthalmology</i> , 103(10): 1661-9.
14742	Mitchell P, Smith W, Chey T et al (1997). Open-angle glaucoma and diabetes: the Blue Mountains eye study, Australia. <i>Ophthalmology</i> , 104(4): 712-8.
20612	Mohan R, Muralidharan AR (1989). Steroid induced glaucoma and cataract. <i>Indian Journal of Ophthalmology</i> , 37(1): 13-6.
21705	Mojon DS, Hess CW, Goldblum D, et al (1999). High prevalence of glaucoma in patients with sleep apnea syndrome. <i>Ophthalmology</i> , 106: 1009-12.
21963	Mojon DS, Hess CW, Goldblum D, et al (2000). Primary open-angle glaucoma is associated with sleep apnea syndrome. <i>Ophthalmologica</i> , 214(2): 115-8.
13797	Montanari P, Troiano P, Marangoni P, Pinotti D, Tatiglia R and Miglior M (1997). Glaucoma after vitreo-retinal surgery with silicone oil injection: epidemiologic aspects. <i>International Ophthalmology</i> , 20(1-3): 29-31.
60372	Moorthy RS, Mermoud A, Baerveldt G, Minckler DS, et al (1997). Glaucoma associated with uveitis. <i>Surv Ophthalmol</i> , 41(5): 361-94.
20507	Morales J, Good D (1998). Permanent glaucomatous visual loss after photorefractive keratectomy. <i>Journal of Cataract Refractory Surgery</i> , 24: 715-8.
14803	Moreno-Montanes J, Serna AA, Paredes AA (1990). Pseudoexfoliative glaucoma in patients with open-angle glaucoma in the Northwest of Spain. <i>Acta Ophthalmologica</i> , 68(6): 695-9.
14218	Morgan RW, Drance SM (1975). Chronic open-angle glaucoma and ocular hypertension. An epidemiological study. <i>British Journal of Ophthalmology</i> , 59: 212-5.
20505	Morrison E, Archer DB (1984). Effect of fluorometholone (FML) on the intraocular pressure of corticosteroid responders. <i>British Journal of Ophthalmology</i> , 68: 581-4.

60805	Motsko SP, Jones JK (2008). Is there an association between hypothyroidism and open-angle glaucoma in an elderly population? An epidemiologic study. <i>Ophthalmology</i> , 115: 1581-4.
20508	Muecke J, Brian G (1995). Steroid-induced ocular hypertension in the presence of a functioning Molteno seton. <i>Australian & New Zealand Journal of Ophthalmology</i> , 23(1): 67-8.
20611	Munjal VP, Dhir SP, Jain IS (1982). Steroid induced glaucoma. <i>Indian Journal of Ophthalmology</i> , 30(4): 379-82.
60815	Munoz-Negrete FJ, Rebolleda G, Almodovar F, et al (2000). Hypothyroidism and primary open-angle glaucoma. <i>Ophthalmologica</i> , 214: 347-9.
21961	Munoz-Negrete FJ, Rebolleda G, Almodovar F, Diaz B, Varela C (2000). Hypothyroidism and primary open-angle glaucoma. <i>Ophthalmologica</i> , 214(5): 347-9.
13751	Murray MD (1997). Glucocorticoid use and risks of ocular hypertension and glaucoma [comment]. <i>JAMA</i> , 277(24): 1930.
60450	Nakamura M, Kanamori A, Negi A (2005). Diabetes mellitus as a risk factor for glaucomatous optic neuropathy. <i>Ophthalmologica</i> , 219: 1-10.
13690	Nakazawa M, Tamai M (1984). Iris melanocytoma with secondary glaucoma. <i>American Journal of Ophthalmology</i> , 97(6): 797-9.
60801	Nassr MA, Morris CL, Netland PA, Karcio glu ZA (2009). Intraocular pressure change in orbital disease. <i>Surv Ophthalmol</i> , 54(5): 519-44.
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP, . .
60770	National Eye Institute (2011). Facts about the cornea and corneal disease. . Retrieved 28 April 2011, from http://www.nei.nih.gov/health/cornealdisease/
14290	Neetens A, Rubbens MC (1977). Hyperproduction glaucoma. <i>Transactions of the Ophthalmological Societies of the United Kingdom</i> , 97(4): 701-8.
14209	Neima D, Ramsey MS (1987). Systemic illnesses in cataract patients: 2. Prevalence. <i>Canadian Journal of Ophthalmology</i> , 22(3): 168-70.
21644	Nelson GA, Edward DP, Wilensky JT (1999). Ocular amyloidosis and secondary glaucoma. <i>Ophthalmology</i> , 106: 1363-6.
14745	Netland PA, Mukai S, Covington HI (1994). Elevated intraocular pressure secondary to rhegmatogenous retinal detachment. <i>Survey of Ophthalmology</i> , 39(3): 234-40.
13662	Netland PA, Terada H and Dohlman CH (1998). Glaucoma Associated with Keratoprosthesis. <i>Ophthalmology</i> , 105(4): 751-7.
60532	Ng B, Sanbrook GM, Malouf AJ, Agarwal SA (2002). Venlafaxine and bilateral acute angle closure glaucoma. <i>MJA</i> , 176: 241.
14206	Nielsen NV (1983). The prevalence of glaucoma and ocular hypertension in Type 1 and 2 diabetes mellitus. An epidemiological study of diabetes mellitus on the island of Falster, Denmark. <i>Acta Ophthalmologica</i> , 61(4): 662-72.
60445	Niyadurupola N, Broadway DC (2008). Pigment dispersion syndrome and pigmentary glaucoma - a major review. <i>Clin Exp Ophthalmol</i> , 36: 868-82.
14203	Odberg T & Riise D (1987). Early diagnosis of glaucoma. 11. The value of the initial examination in ocular hypertension. <i>Acta Ophthalmologica</i> , 65(1): 58-62.
21623	Ohtsuka K, Nakamura Y (2000). Open-angle glaucoma associated with Graves disease. <i>Am J Ophthalmol</i> , 129: 613-7.
14744	Opatowsky I, Feldman RM, Gross R et al (1995). Intraocular pressure elevation associated with inhalation and nasal corticosteroids. <i>Ophthalmology</i> , 102(2): 177-9.
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
14230	Palmer E, Lieberman TW, Burns S (1976). Contusion angle deformity in prizefighters. <i>Archives of Ophthalmology</i> , 94: 225-8.

60762	Papaconstantinou D, Georgalas I, kourtis N, Krassas A, et al (2009). Lens-induced glaucoma in the elderly. <i>Clinical Interventions in Aging</i> , 4: 331-6.
80756	Paquet F, Etherington G, Bailey MR, et al. On behalf of ICRP (2015). Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection, . .
60444	Pasquale LR, Kang JH (2009). Lifestyle, nutrition, and glaucoma. <i>J Glaucoma</i> , 18(6): 423-8.
8715	Perkins ES, Phelps CD (1982). Open angle glaucoma, ocular hypertension, low-tension glaucoma, and refraction. <i>Arch Ophthalmol</i> , 100: 1464-7.
8717	Perkins ES, Phelps CD (1982). Open angle glaucoma, ocular hypertension, low-tension glaucoma, and refraction. <i>Arch Ophthalmol</i> , 100: 1464-7.
21619	Peskova H, Kalina P (2001). Inhaled corticosteroids and glaucoma. <i>Ophthalmology</i> , 108(5): 837.
20547	Phillips RP, McLean IC, Taylor RJ, Forrester JV (1990). Steroid induced glaucoma: a report of two cases with a review of morbidity and prescribing in general practice. <i>Scottish Medical Journal</i> , 35: 81-4.
14804	Pohjanpelto P (1986). Influence of exfoliation syndrome on prognosis in ocular hypertension greater than or equal to 25mm. A long-term follow-up. <i>Acta Ophthalmologica</i> , 64(1): 39-44.
7361	Poinoosawmy D, et al (1989). Glaucoma and Race. <i>The Lancet</i> , 1(8647): 1134.
8790	Poinoosawmy D, Nagassubramanian S, Wormald R, Hitchings R (1989). Glaucoma and race. <i>The Lancet</i> , May 20: 1134.
60761	Pons ME (2010). Glaucoma, pseudoexfoliation. Retrieved 17 May 2011, from http://emedicine.medscape.com/article/1206366-overview
14208	Ponte F, Giuffre G, Giannanco R, Dardanoni G (1994). Risk factors of ocular hypertension and glaucoma. <i>The Casteldaccia Eye Study</i> . <i>Documenta Ophthalmologica</i> , 85(3): 203-10.
13682	Postel EA, Assalian A and Epstein DL (1996). Drug-induced Transient Myopia and Angle-closure Glaucoma Associated With Supraciliary Choroidal Effusion. <i>American Journal of Ophthalmology</i> , 122(1): 110-2.
45968	Preston DL, Ron E, Tokuoka S, Funamoto S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiation Research</i> , 168: 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, Suyama A, Mabuchi K (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Research</i> , 160: 381-407.
13724	Queensland Drug Information Centre (unknown). Drugdex summary on drugs reported to cause either glaucoma or refractive errors. , : .
14162	Quigley HA, Enger C, Katz J, Sommer A, Scott R, Gilbert D (1994). Risk factors for the development of glaucomatous visual field loss in ocular hypertension. <i>Archives of Ophthalmology</i> , 112: 644-9.
8789	Quigley HA, Enger C, Katz J, Sommer A, et al (1994). Risk factors for the development of glaucomatous visual field loss in ocular hypertension. <i>Arch Ophthalmol</i> , 112: 644-9.
7362	Quigley HA, et al (1994). Risk Factors for the Development of Glaucomatous Visual Field Loss in Ocular Hypertension. <i>Arch. Ophthalmol</i> , 112: 644-9.
13758	Qureshi IA (1996). Ocular hypertensive effect of menopause with and without systemic hypertension. <i>Acta Obstetricia et Gynecologica Scandinavica</i> , 75(3): 266-9.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
60369	Radcliffe NM, Finger PT (2009). Eye cancer related glaucoma: current concepts. <i>Survey of Ophthalmology</i> , 54(1): 47-73.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. . Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html

60366	Razeghinejad MR, Myers JS, Katz LJ (2011). Iatrogenic glaucoma secondary to medications. <i>Am J Med</i> , 124: 20-5.
20549	Renfro L, Snow JS (1992). Ocular effects of topical and systemic steroids. <i>Dermatologic Clinics</i> , 10(3): 505-12.
13658	Repatriation Commission (1993). Circumstances: When glaucoma is claimed to be due to service [ICD code 365]. <i>Glaucoma</i> , . .
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs, : .
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs, : .
14274	Reynolds DC (1977). Relative risk factors in chronic open-angle glaucoma: an epidemiological study. <i>American Journal of Optometry & Physiological Optics</i> , 54(2): 116-20.
20938	Rhee DJ (2001). Glaucoma, drug-induced from ophthalmology/intraocular pressure. . Retrieved 9 May 2001, from Http://www.emedicine.com/OPH/topic124.htm
61552	Rhee DJ, Peck RE, Belmont J, Martidis A, et al (2006). Intraocular pressure alterations following intravitreal triamcinolone acetonide. <i>Br J Ophthalmol</i> , 90: 999-1003.
21627	Rho DS (2000). Acute angle-closure glaucoma after albuterol nebulizer treatment. <i>American Journal of Ophthalmology</i> , 130(1): 123-4.
60367	Richa S, Yazbek J-C (2010). Ocular adverse effects of common psychotropic agents. A review. <i>CNS Drugs</i> , 24(6): 501-26.
14801	Ringvold A, Blika S, Elsas T, et al (1991). The middle-Norway eye-screening study. II. Prevalence of simple and capsular glaucoma. <i>Acta Ophthalmologica</i> , 69(3): 273-80.
14200	Ritch R (1996). Exfoliation syndrome. <i>The Glaucomas</i> , 2 nd Edition. Ritch R, Shields MB, Krupin T (Eds), 11: pp 993-1022. Sydney: Mosby.,
37851	Ritch R (1998). [Letter] Pigment dispersion syndrome. <i>Am J Ophthalmol</i> , Vol 126(3) 442-5.
14195	Ritch R, Lowe RF (1996). Angle-closure glaucoma: clinical types. <i>The Glaucomas</i> , 2nd Edition, Vol 11: 821-40. Sydney: Mosby.
14196	Ritch R, Lowe RF (1996). Angle-closure glaucoma: mechanisms and epidemiology. <i>The Glaucomas</i> , 2nd Edition, Vol 11: 801-19. Sydney: Mosby.
60799	Ritch R, Schlotzer-Schrehardt U, Konstas AGP (2003). Why is glaucoma associated with exfoliation syndrome? <i>Progress in Retinal and Eye Research</i> , 22: 253-75.
14079	Ritch R, Shields B, Krupin T (Eds) (1996). <i>The Glaucomas - Clinical Science</i> , Second Edition, Vol 2. Mosby.
14420	Roberts W (1977). Long-term handling of open-angle glaucoma: tonography and other prognostic aids. <i>Annals of Ophthalmology</i> , 9(5): 557-86.
21900	Saatci OA, Ferliel ST, Ferliel M, Kaynak S & Ergin MH (1999). Pseudoexfoliation and glaucoma in eyes with retinal vein occlusion. <i>International Ophthalmology</i> , 23: 75-8.
20644	Samiy N, Walton DS, Dreyer EB (1996). Inhaled steroids: effect on intraocular pressure in patients without glaucoma. <i>Canadian Journal of Ophthalmology</i> , 31(3): 120-3.
7369	Sanders MD, Graham (1986). Ocular disorders associated with systemic diseases. <i>General Ophthalmology</i> , 11th Edition, 19: 262-79, 301. Lange Medical Publications, Los Altos.
8759	Sanders MD, Graham EM (2002). Ocular disorders associated with systemic disease. <i>General Ophthalmology</i> , Chapter 15. McGraw Hill.
51339	Santaella RM, Fraunfelder FW (2007). Ocular adverse effects associated with systemic medications. <i>Drugs</i> , 67(1): 75-93.
14323	Sarda RP, Mehrotra AS, Adnani R, et al (1972). A study of glaucoma in relation with thyroid dysfunction. <i>Eye, Ear, Nose & Throat Monthly</i> , 51(5): 183-6.

14741	Scheie HG, Cameron JD (1981). Pigment dispersion syndrome: a clinical study. <i>British Journal of Ophthalmology</i> , 65: 264-9.
60371	Schertzer RM, Wang D, Bartholomew LR (1998). Diabetes mellitus and glaucoma. <i>Int Ophthalmol Clin</i> , 38(2): 69-87.
60763	Schlote T, Derse M, Zierhut M (2000). Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases. <i>Br J Ophthalmol</i> , 84: 999-1003.
60749	Schlote T, Zierhut M (1999). Ocular hypertension and glaucoma associated with scleritis and uveitis. Aspects of epidemiology, pathogenesis and therapy. <i>Dev Ophthalmol</i> , 30: 91-109.
21618	Schwab IR (2000). From eye spots to eye shine. <i>British Journal of Ophthalmology</i> , 84(11): 1214.
20882	Schwartzenberg GWS, Buys YM. (1999). Glaucoma secondary to topical use of steroid cream. <i>Canadian Journal of Ophthalmology</i> , Vol 34(4) pp 222-5.
61777	Scott I (2010). Glaucoma, unilateral. . Retrieved 26 August 2011, from http://emedicine.medscape.com/article/1207362-overview
20506	Seiler T, McDonnell PJ (1998). Managing the steroid responder. <i>Journal of Cataract Refractory Surgery</i> , 24: 1420-1.
14234	Shaffer RN, Rosenthal G (1970). Comparison of cataract incidence in normal and glaucomatous population. <i>American Journal of Ophthalmology</i> , 69: 368-70.
37977	Shah P, Whittaker KW, Wells AP, Khaw PT (2001). Exercise-induced visual loss associated with advanced glaucoma in young adults. <i>Eye</i> , 15(5) pp 616-620.
37978	Shah, Whittaker K, Wells A, Khaw PT (2003). [Letter]. <i>Eye</i> , 17(1) pp 112-114.
14789	Sharir M, Huntington AC, Nardin GF, & Zimmerman TJ (1992). Sneezing as a cause of acute angle-closure glaucoma. <i>Annals of Ophthalmology</i> , 24(6): 214-5.
60497	Shazly TA, Latina MA (2009). Neovascular glaucoma: etiology, diagnosis and prognosis. <i>Seminars in Ophthalmology</i> , 24: 113-21.
21628	Shields MB (1998). Steroid-induced glaucoma. <i>Textbook of Glaucoma</i> , 4th Edition, Chapter 20: 323-8. Williams & Wilkins.
13659	Shields MB, Ritch R, Krupin T (1996). <i>The Glaucomas</i> , 2nd Edition, 32: 717-25. .
14194	Shields MB, Ritch R, Krupin T (1996). Classifications of the glaucomas. In <i>The Glaucomas</i> , 2nd Edition, 11: 717-25. Ritch R, Shields MB, Krupin T (Eds). Sydney, Mosby.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
13827	Shily BG (1987). Psychophysiological stress, elevated intraocular pressure, and acute closed-angle glaucoma. <i>American Journal of Optometry and Physiological Optics</i> , 64(11): 866-70.
60738	Shingleton BJ, Crandall AS, Ahmed IIK (2009). Pseudoexfoliation and the cataract surgeon: preoperative, intraoperative, and postoperative issues related to intraocular pressure, cataract, and intraocular lenses. <i>J Cataract Refract Surg</i> , 35: 1101-20.
13680	Siegrner SW and Netland PA (1996). Optic Disc Hemorrhages and Progression of Glaucoma. <i>Ophthalmology</i> , 103(7): 1014-24.
60768	Sihota R, Kumar S, Gupta V, Dada T, Kashyap S, et al (2008). Early predictors of traumatic glaucoma after closed globe injury. Trabecular pigmentation, widened aqueous recess, and higher baseline intraocular pressure. <i>Arch Ophthalmol</i> , 126(7): 921-6.
13800	Sihota R, Sood NN and Agarwal HC (1995). Traumatic glaucoma. <i>Acta Ophthalmologica Scandinavica</i> , 73(3): 252-4.
60432	Singh D (2011). Fuchs endothelial dystrophy clinical presentation. . Retrieved 18 April 2011, from http://emedicine.medscape.com/article/1193591-clinical

60431	Singh D (2011). Fuchs endothelial dystrophy. . Retrieved 18 April 2011, from http://emedicine.medscape.com/article/1193591-overview
20614	Singh G, Kaur J (1992). Latrogenic dry eye: late effect of topical steroid formulations. <i>Journal of the Indian Medical Association</i> , 90(9): 235-7.
14792	Smith JP (1985). Pigmentary open-angle glaucoma secondary to posterior chamber intraocular lens implantation and erosion of the iris pigment epithelium. <i>J Am Intraocul Implant Soc</i> , 11(2): 174-6.
14796	Smith KD, Tevaarwerk GJM, Allen LH (1992). An ocular dynamic study supporting the hypothesis that hypothyroidism is a treatable cause of secondary open-angle glaucoma. <i>Canadian Journal of Ophthalmology</i> , 27(7): 341-4.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , [Epub ahead of print]: .
59534	Sokolnikov ME, Gilbert ES, Preston DL, Ron E, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.
14170	Sommer A (1996). Doyne lecture. Glaucoma: facts and fancies. <i>Eye</i> , 10: 295-301.
13677	Sommer A (1996). Doyne Lecture. Glaucoma: Facts And Fancies. <i>Eye</i> , 10(3): 295-301.
7363	Sommer A, et al (1991). Racial Differences in the Cause-Specific Prevalence of Blindness in East Baltimore. <i>NEJM</i> , 325(20): 1412-7.
8788	Sommer A, Tielsch JM, Katz J, Quigley HA, et al (1991). Racial differences in the cause-specific prevalence of blindness in East Baltimore. <i>NEJM</i> , 325(20): 1412-7.
14174	Sommer A, Tielsch JM (1996). Risk factors for open-angle glaucoma: the Barbados eye study. <i>Archives of Ophthalmology</i> , 114: 235.
20613	Sood NN, Raghu Ram AR (1983). Histopathological and histochemical analysis of trabeculectomy specimens in open angle and steroid induced glaucoma - a clinicopathological study. <i>Indian journal of Ophthalmology</i> , 31(Suppl): 947-50.
14326	Sorensen PN, Nielsen NV, Norskov K (1978). Ocular hypertension. A 15-year follow-up. <i>Acta Ophthalmologica</i> , 56(3): 363-72.
37952	Sowka J (2004). Pigment dispersion syndrome and pigmentary glaucoma. <i>Optometry</i> , 75(2) pp 115-122.
13683	Spaeth GL (1996). Incidence of Acute Angle-closure Glaucoma After Pharmacologic Mydriasis. <i>American Journal of Ophthalmology</i> , 122(2): 283-4.
14306	Spaeth GL, Rodrigues MM, Weinreb S (1977). Steroid-induced glaucoma: A. persistent elevation of intraocular pressure. B. Histopathological aspects. <i>Transactions of the American Ophthalmological Society</i> , 75: 353-81.
13656	Spencer WH (1996). Glaucoma. <i>Ophthalmic Pathology - An Atlas and Textbook</i> , 4th Edition, 1 6: 438-507. .
8761	Stark DJ (1985). Sudden loss of vision. <i>Australian Family Physician</i> , 14(8): 751-52.
14802	Stefaniotou M, Petroutsos G, Psilas K (1990). The frequency of pseufoexfoliation in a region of Greece (Epirus). <i>Acta Ophthalmologica</i> , 68(3): 307-9.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. <i>The International Commission on Radiological Protection</i> , . .

60365	Subak-Sharpe I, Low S, Nolan W, Foster PJ (2010). Pharmacological and environmental factors in primary angle-closure glaucoma. Br Med Bull, 93: 125-43.
60668	Sutter FKP, Smargon A, McClellan K (2003). Acute angle closure in the fellow eye as a complication of prone positioning after vitreoretinal surgery. Arch Ophthalmol, 142(1): 1057.
20736	Tabbara KF (1999). Ocular complications of vernal keratoconjunctivitis. Canadian Journal of Ophthalmology, 34(2): 88-92.
37984	Takeda A, Shigematsu N, Suzuki S, Fujii M, Kawata T, et al (1999). Late retinal complications of radiation therapy for nasal and paranasal malignancies: relationship between irradiated-dose area and severity. In J Radiation Oncology Biol Phys, 44(3): 599-605.
7364	Talks SJ, et al (1993). Angle Closure Glaucoma and Diagnostic Mydriasis. The Lancet, 342(8885): 1493-4.
13668	Talks SJ, Salmon JF, Elston JS and Bron AJ (1997). Cavernous-dural Fistula With Secondary Angle-closure Glaucoma. American Journal of Ophthalmology, 124(6): 851-3.
13798	Tanihara H, Akita J, Honjo M and Honda Y (1997). Angle closure caused by multiple, bilateral iridociliary cysts. Acta Ophthalmologica Scandinavica, 75(2): 216-7.
60446	Tarkkanen A (2008). Is exfoliation syndrome a sign of systemic vascular disease? Acta Ophthalmol, 86: 832-6.
8763	Taylor F (1985). Drugs affecting the eye. Australian Family Physician, 14(8): 744-5.
7366	Taylor F (1985). Drugs Affecting the Eye. Australian Family Physician, 14(8): 744-5.
20615	Taylor RH, Ainsworth JR, Evans AR, Levin AV (1999). The epidemiology of pediatric glaucoma: the Toronto Experience. Journal of AAPOS: American Association for Pediatric Ophthalmology & Strabismus, 3(5): 308-15.
7365	Taylor W (1989). Primary Glaucoma. Current Therapeutics, 30(10): 104, 107, 109-10, 112-4.
8765	Taylor W (1989). Primary glaucoma, diagnosis and treatment. Current Therapeutics, : 103-14. New Zealand.
60498	Tello C, Tran HV, Liebmann J, Ritch R (2002). Angle closure: classification, concepts, and the role of ultrasound biomicroscopy in diagnosis and treatment. Seminars in Ophthalmology, 17(2): 69-78.
61252	Tesluk GC, Spaeth GL (1985). The occurrence of primary open-angle glaucoma in the fellow eye of patients with unilateral angle-cleavage glaucoma. Ophthalmology, 92: 904-11.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP, .
13753	Tielsch JM (1996). The Epidemiology and Control of Open Angle Glaucoma: A Population-Based Perspective. Annual Review of Public Health, 17: 121-36.
7367	Tielsch JM, et al (1991). Racial Variations in the Prevalence of Primary Openangle Glaucoma. JAMA, 266(3): 369-74.
14257	Tielsch JM, Katz J, Quigley HA, Javitt JC et al (1995). Diabetes, intraocular pressure, and primary open-angle glaucoma in the Baltimore Eye Survey. Ophthalmology, 102: 48-53.
14163	Tielsch JM, Katz J, Sommer A, Quigley HA, Javitt JC (1995). Hypertension, perfusion pressure, and primary open-angle glaucoma. A population-based assessment. Archives of Ophthalmology, 113: 216-21.
8760	Tielsch JM, SommerA, Katz J, Royall RM et al (1991). Racial variations in the prevalence of primary open-angle glaucoma. The Baltimore eye survey. JAMA, 266(3): 369-74.

20503	Tripathi RC, Kirschner BS, Kipp M, et al (1992). Corticosteroid treatment for inflammatory bowel disease in pediatric patients increases intraocular pressure. <i>Gastroenterology</i> , 102: 1957-61.
21706	Tripathi RC, Parapuram SK, Tripathi BJ, et al (1999). Corticosteroids and glaucoma risk. <i>Drugs & Aging</i> , 15(6): 439-50.
60452	Tripathi RC, Tripathi BJ, Haggerty C (2003). Drug-induced glaucomas. Mechanism and management. <i>Drug Safety</i> , 26(11): 749-67.
14239	Tsai CS, Shin DH, Pelavin JL, Uhm K-B et al (1992). Systemic hypertension and age in low-tension glaucoma patients. <i>Invest Ophthalmol Vis Sci</i> , 33(suppl): 1277.
60672	Tse DML, Titchener AG, Sarkies N, Robinson S (2009). Acute angle closure glaucoma following head and orbital trauma. <i>Emerg Med J</i> , 26(12): 913.
14795	Uhm KB, Shin DH (1992). Glaucoma risk factors in primary open-angle glaucoma patients compared to ocular hypertensives and control subjects. <i>Korean Journal of Ophthalmology</i> , 6(2): 91-9.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1. .
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, . Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01- Doses to organs from intake of radioactive materials. DTRA/NTPR- Standard Operating Procedures Manual, . .
20502	Van Buskirk EM (1998). Medicolegal aspects of glaucoma care. <i>Survey of Ophthalmology</i> , 43(1): 83-6.
7368	Vaughan D, Asbury T (1986). General Ophthalmology, 11th Edition, 15: 184-99. Lange Medical Publications, Los Alto.
8764	Vaughan D, Asbury T (1986). Glaucoma. General Ophthalmology, 11th Edition,: 184-98. Lang Med Publications Los Altos. California.
14799	von der Lippe I, Kuchle M & Naumann GOH (1993). Pseudoexfoliation syndrome as a risk factor for acute ciliary block angle closure glaucoma. <i>Acta Ophthalmologica</i> , 71(2): 277-9.
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
14165	Walckiers D & Sartor F (1996). Results of an epidemiological study on drug-treated intraocular hypertension in Belgium. <i>Journal of Clinical Epidemiology</i> , 49(4): 489-93.
13685	Walckiers D and Sartor F (1996). Results of an Epidemiological Study on Drug-Treated Intraocular Hypertension in Belgium. <i>Journal of Clinical Epidemiology</i> , 49(4): 489-93.
14806	Walters JW, Stephens GL (1992). Pigment dispersion syndrome and pigmentary glaucoma. <i>Journal of the American Optometric Association</i> , 63(7): 486-90.
14201	Wand M (1996). Neovascular glaucoma. <i>The Glaucomas</i> , 2nd Edition. Ritch R, Shields MB, Krupin T (Eds), 11: pp 1073-1129.
14743	Wang JJ, Mitchell P, Smith W (1997). Is there an association between migraine headache and open-angle glaucoma?: Findings from the Blue Mountains eye study. <i>Ophthalmology</i> , 104(10): 1714-9.
20574	Wax M (1998). Steroid-induced glaucoma in a young woman. <i>Journal of Glaucoma</i> , 7(5): 353-8.
7370	Weale RA (1993). Age and Screening for Glaucoma. <i>The Lancet</i> , 342: 1493.

8758	Weale RA (1993). Age and screening for glaucoma. <i>The Lancet</i> , 342: 1493.
20577	Weinreb RN, Palansky JR, Kramer SG, Baxter JD (1985). Acute effects of dexamethasone on intraocular pressure in glaucoma. <i>Investigative Ophthalmology & Visual Science</i> , 26(2): 170-5.
13663	Wensor MD, McCarty CA, Stanislavsky YL, Livingston PM, Taylor HR (1998). The Prevalence of Glaucoma in the Melbourne Visual Impairment Project. <i>Ophthalmology</i> , 105(4): 733-9.
14198	Werner EB (1996). Normal-tension glaucoma. <i>The Glaucomas</i> , 2nd Edition, Vol II Chapter 36: 769-97. Mosby, Inc. St. Louis, Missouri, USA.
60764	Whelan KF, Stratton K, Kawashima T, Waterbor JW, et al (2010). Ocular late effects in childhood and adolescent cancer survivors: a report from the Childhood Cancer Survivor Study. <i>Pediatr Blood Cancer</i> , 54(1): 103-9.
61778	Wilcsek GA, Vose MJ, Francis IC, et al (2002). [Comment] Acute angle closure glaucoma following the use of intranasal cocaine during dacrycystorhinostomy. <i>Br J Ophthalmol</i> , 86: 1312-21.
14258	Wilensky JT (1979). Blood induced secondary glaucomas. <i>Annals of Ophthalmology</i> , 11(11): 1659-62.
13657	Wilson MR (1994). Epidemiology of Glaucoma. <i>Principles and Practice of Ophthalmology</i> , 110: 1275-1284. .
8714	Wilson MR, Hertzmark E, Walker AM, Childs-Shaw K, Epstein DL (1987). A case-control study of risk factors in open angle glaucoma. <i>Arch Ophthalmol</i> , 105: 1066-71.
14220	Wilson MR, Hertzmark E, Walker AM, Childs-Shaw K et al (1987). A case-control study of risk factors in open angle glaucoma. <i>Arch Ophthalmol</i> , 105: 1066-71.
14197	Wilson MR, Martone JF (1996). Epidemiology of chronic open-angle glaucoma. <i>The Glaucomas</i> , 2nd Edition, Vol II Chapter 35: 753-68. Mosby, Inc. St. Louis, Missouri, USA.
14747	Wishart PK, Batterbury M (1992). Ocular hypertension: correlation of anterior chamber angle width and risk of progression to glaucoma. <i>Eye</i> , 6: 248-56.
13757	Wolfs RC, Grobbee DE, Hofman A, de Jong PT (1997). Risk of acute angle-closure glaucoma after diagnostic mydriasis in nonselected subjects: The Rotterdam Study. <i>Investigative Ophthalmology & Visual Science</i> , 38(12): 2683-7.
14791	Woodhams JT, Lester JC (1984). Pigmentary dispersion glaucoma secondary to posterior chamber intra-ocular lenses. <i>Annals of Ophthalmology</i> , 16(9): 852-5.
80741	World Nuclear Association (2016). Plutonium. . Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
14746	Wormald RP, Basauri E, Wright LA et al (1994). The African Caribbean Eye Survey: risk factors for glaucoma in a sample of African Caribbean people living in London. <i>Eye</i> , 8: 315-20.
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
14173	Wu S-Y, Leske C, for the Barbados Eye Study Group (1997). Associations with intraocular pressure in the Barbados eye study. <i>Archives of Ophthalmology</i> , 115: 1572-6.
13670	Wu SY, Leske MC (1997). Associations With Intraocular Pressure in the Barbados Eye Study. <i>Archives of Ophthalmology</i> , 115(12): 1572-6.
13795	Wygnanski-Jaffe T, Barak A, Melamed S and Glovinsky Y (1997). Intraocular Pressure Increments After Cataract Extraction in Glaucomatous Eyes With Functioning Filtering Blebs. <i>Ophthalmic Surgery and Lasers</i> , 28(8): 657-61.
14204	Yalaz M, Othman I, Nas K, Eroglu A, Homurlu D, Cikintas Z, & Ashouri A (1992). The frequency of pseudoexfoliation syndrome in the Eastern Mediterranean area of Turkey. <i>Acta Ophthalmologica</i> , 70(2): 209-13.

61136	Yamada K, Hayasaka S, Setogawa T (1993). Nonpenetrating trauma in the right eye induces anterior uveitis and secondary glaucoma in the contralateral eye. <i>Ann Ophthalmol</i> , 25: 277-8.
43536	Yamada M, Wong FL, Fujiwara S et al (2004). Noncancer disease incidence in atomic bomb survivors, 1958-1998. <i>Radiat Res</i> , 161(6): 622-32.