



NON-HODGKIN LYMPHOMA

RMA ID Number	Reference List for RMA109-13 as at October 2018
---------------	---

51912	Abasolo L, Judez E, Descalzo MA, Gonzalez-Alvaro I, et al (2008). Cancer in rheumatoid arthritis: occurrence, mortality, and associated factors in a south European population. <i>Semin Arthritis Rheum</i> , 37: 388-97.
51910	Aberg F, Pukkala E, Hockerstedt K, Sankila R, Isoniemi H (2008). Risk of malignant neoplasms after liver transplantation: a population-based study. <i>Liver Transpl</i> , 14: 1428-36.
51933	Abouyabis AN, Shenoy PJ, Lechowicz MJ, Flowers CR (2008). Incidence and outcomes of the peripheral T-cell lymphoma subtypes in the United States. <i>Leukemia & Lymphoma</i> , 49(11): 2099-107.
26092	Acquavella J, et al; Hardell L, et al (1999). [Comments] A case-control study of non-Hodgkin's lymphoma and exposure to pesticides. <i>Cancer</i> , 86(4): 729-31.
16744	Acquavella J, Olsen G, Cole P, et al (1998). Cancer among farmers: a meta-analysis. <i>Ann Epidemiol</i> , 8: 64-74.
86613	Adam P, Czapiewski P, Colak S, et al (2014). Prevalence of <i>Achromobacter xylosoxidans</i> in pulmonary mucosa-associated lymphoid tissue lymphoma in different regions of Europe. <i>Br J Haematol</i> , 164(6): 804-10.
10773	Adami H-O, Tsaih S-W, Lambe M, Hsieh C-c, et al (1997). Pregnancy and Risk of Non-Hodgkin's lymphoma: A prospective study. <i>International Journal of Cancer</i> , 70: 155-8.
26198	Adami J (2000). Response to sunlight and non-Hodgkin's lymphoma, Zheng and Hansen Owens. <i>Int J Cancer</i> , 87: 886.
1252	Adami J, Frisch M, Yuen J, Glimelius B, Melbye M (1995). Evidence of an association between non-Hodgkin's lymphoma and skin cancer. <i>BMJ</i> , 310(6993): 1491-5.
26125	Adami J, Gridley G, Nyren O, Dosemeci M, et al (1999). Sunlight and non-Hodgkin's lymphoma: a population-based cohort study in Sweden. <i>International Journal of Cancer</i> , 80(5): 641-5.
13020	Adami J, Nyren O, Bergstrom R, Ekbom A, et al (1997). Blood transfusion and non-Hodgkin lymphoma: lack of association. <i>Annals of Internal Medicine</i> , 127(5): 365-71.
12928	Adami J, Nyren O, Bergstrom R, Ekbom A, et al (1997). Blood transfusion and non-Hodgkin lymphoma: lack of association. <i>Annals of Internal Medicine</i> , 127(5): 365-71.
50300	Adamson P, Bray F, Costantini AS, et al (2007). Time trends in the registration of Hodgkin and non-Hodgkin lymphomas in Europe. <i>Eur J Cancer</i> , 43: 391-401.
52741	Adiguzel C, Bozkurt SU, Kaygusuz I, Uzay A, et al (2009). Human herpes virus 8-unrelated primary effusion lymphoma-like lymphoma: report of a rare case and review of the literature. <i>APMIS</i> , 117: 222-9.

56275	Adlkofer F (2004). Risk evaluation of potential environmental hazards from low energy electromagnetic field exposure using sensitive in vitro methods. <i>Quality of Life and Management of Living Resources</i> , . Springer, Netherlands.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
14831	Agency for Toxic Substances and Disease Registry (ATSDR) (1997). Creosote. . Retrieved 2 February 1999, from http://atsdr1.atsdr.cdc.gov:8080/tfacts85.html
79854	Agency for Toxic Substances and Disease Registry (2014). Draft Toxicological Profile for Tetrachloroethylene. US Department of Health & Human Service, Public Health Service, Centers for Disease Control.
53840	Agopian J, Navarro J-M, Gac A-C, Lexluse Y, et al (2009). Agricultural pesticide exposure and the molecular connection to lymphomagenesis. <i>J Exp Med</i> , 206(7): 1473-83.
79852	Ahn YS, Jeong KS (2015). Mortality due to malignant and non-malignant diseases in Korean professional emergency responders. <i>PLoS One</i> , 10(3): e0120305.
71143	Ahn YS, Jeong KS, Kim KS (2012). Cancer morbidity of professional emergency responders in Korea. <i>Am J Ind Med</i> , 55: 768-78.
83358	Aigelsreiter A, Gerlza T, Deutsch AJ, et al (2011). Chlamydia psittaci infection in nongastrointestinal extranodal MALT lymphomas and their precursor lesions. <i>Am J Clin Pathol</i> , 135(1): 70-5.
1246	Aisenberg AC (1991). Malignant Lymphoma. <i>Malignant Lymphoma: Biology, Natural History, and Treatment</i> , : 174-5; 358, 363. Lea & Febiger, Philadelphia and London.
14521	Aisenberg AC (1995). Coherent view of non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 13(10): 2656-75.
26577	Aisenberg AC, Finkelstein DM (2000). Second malignancies in Hodgkin's disease. <i>Journal of Clinical Oncology</i> , 18: 2186-87.
83373	Aka P, Vila MC, Jariwala A, et al (2013). Endemic Burkitt lymphoma is associated with strength and diversity of Plasmodium falciparum malaria stage-specific antigen antibody response. <i>Blood</i> , 122(5): 629-35.
38775	Akhtar FZ, Garabrant DH, Ketchum NS, Michalek JE (2004). Cancer in US Air Force Veterans of the Vietnam War. <i>JOEM</i> , 46(2): 123-36.
9106	Aksoy M (1985). Benzene as a leukemogenic and carcinogenic agent. <i>American Journal of Industrial Medicine</i> , 8: 9-20.
9105	Aksoy M (1985). Malignancies due to occupational exposure to benzene. <i>American Journal of Industrial Medicine</i> , 7: 395-402.
4596	Aksoy M (1989). Hematotoxicity and carcinogenicity of benzene. <i>Environmental Health Perspectives</i> , 82: 193-7.
9607	Aksoy M, Erdem S, DinCol G (1974). Leukemia in shoe-workers exposed chronically to benzene. <i>Blood</i> , 44(6): 837-41.
8929	Aksoy M, Ozeris S, Sabuncu H, Inanici Y, Yanardag R (1987). Exposure to benzene in Turkey between 1983 and 1985: a haematological study on 231 workers. <i>British Journal of Industrial Medicine</i> , 44: 785-7.
45751	Alavanja MCR, Bonner MR (2005). Pesticides and human cancer. <i>Cancer Investigation</i> , 23: 700-11.
75728	Alavanja MCR, Hofmann JN, Lynch CF, et al (2014). Non-Hodgkin Lymphoma Risk and Insecticide, Fungicide and Fumigant Use in the Agricultural Health Study. <i>PLoS One</i> , 9(10): e109332.
45744	Alavanja MCR, Sandler DP, Lynch CF, et al (2005). Cancer incidence in the Agricultural Health Study. <i>Scand J Work Environ Health</i> , 31(Suppl 1): 39-45.

15450	Albanese RA (1991). The chemical 2,3,7,8-tetrachlorodibenzo-p-dioxin and U.S. Army Vietnam-era Veterans. <i>Chemosphere</i> , 22(5-6): 597-603.
45743	Alexander BH, Bloeman L, Allen RH (2005). Sessions on the epidemiology of agricultural exposure and cancer. <i>Scand J Work Environ Health</i> , 31(S): 5-7.
44977	Alexander BH, Olsen GW, Burris JM, et al (2003). Mortality of employees of a perfluorooctanesulphonyl fluoride manufacturing facility. <i>Occup Environ Med</i> , 60: 722-9.
50309	Alexander DD, Mink PJ, Adami H-O, Chang ET, et al (2007). The non-Hodgkin lymphomas: a review of the epidemiologic literature. <i>Int J Cancer</i> , 120: 1-39.
70084	Alexander DD, Wagner ME (2010). Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. <i>J Occup Environ Med</i> , 52(2): 169-89.
13022	Alexander FE (1997). Blood transfusion and risk of non-Hodgkin lymphoma. <i>The Lancet</i> , 350(9089): 1414-15.
83349	Alicandro G, Rota M, Boffetta P, et al (2016). Occupational exposure to polycyclic aromatic hydrocarbons and lymphatic and hematopoietic neoplasms: a systematic review and meta-analysis of cohort studies. <i>Arch Toxicol</i> , 90(11): 2643-56.
52183	Allen NE, Beral V, Casabonne D et al (2009). Moderate alcohol intake and cancer incidence in women. <i>J Natl Cancer Inst</i> , 101(5): 296-305.
26298	Altekruse SF, Henley SJ, Thun MJ (1999). Deaths from hematopoietic and other cancers in relation to permanent hair dye use in a large prospective study (United States). <i>Cancer Causes Control</i> , 10(6): 617-25.
52366	Altieri A, Bermejo JL, Hemminki K (2005). Familial risk for non-Hodgkin lymphoma and other lymphoproliferative malignancies by histopathologic subtype: the Swedish family-cancer database. <i>Blood</i> , 106: 668-72.
52213	Altieri A, Castro F, Bermejo JL, Hemminki K (2006). Number of siblings and the risk of lymphoma, leukemia and myeloma by histopathology. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(7): 1281-6.
50310	Altieri A, Gallus S, Franceschi S, Fernandez E, et al (2004). Hormone replacement therapy and risk of lymphomas and myelomas. <i>Eur J Cancer Prev</i> , 13: 349-51.
77550	Amadeo B, Marchand JL, Moisan F, et al (2015). French firefighter mortality: analysis over a 30-year period. <i>Am J Ind Med</i> , 58(4): 437-43.
1266	Amadori D, Nanni O, Falcini F, Saragoni A, et al (1995). Chronic lymphocytic leukaemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on job titles. <i>Occup Environ Med</i> , 52(6): 374-9.
14767	Amadori D, Nanni O, Falcini F, et al (1995). Chronic lymphocytic leukaemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on job titles. <i>Occupational and Environmental Medicine</i> , 52(6): 374-379.
32407	Amann U, Mielke V, Metze D, et al (1995). Perioral eczema as a manifestation of cutaneous T-cell lymphoma. <i>Br J Dermatol</i> , 132(4): 671-37.
55809	American Institute for Cancer Research (2007). Food, nutrition, physical activity and the prevention of cancer: a global perspective. World Cancer Research Fund International, . IARC, Washington DC.
53824	Amin A, Burkhardt C, Groben P, Morrell DS (2009). [Comment] Primary cutaneous T-cell lymphoma following organ transplantation in a 16-year-old boy. <i>Pediatr Dermatol</i> , 26(1): 112-3.
52358	Amirzargar MA, Dadras F, Khoshjoo F, Yavangi M, et al (2007). Non-Hodgkin's lymphoma in autosomal dominant polycystic kidney disease, 12 years after renal transplantation. <i>Saudi J Kidney Dis Transplant</i> , 18(3): 419-21.

7432	Amoateng-Adjepong Y, Sathiakumar, N, Delzell E, et al (1995). Mortality among workers at a pesticide manufacturing plant. JOEM, 37(4): 471-8.
83116	Amoori N, Cheraghi M, Fallahzadeh H, et al (2015). Lack of association between using aspirin and development of non-Hodgkins lymphoma: a meta-analysis. Asian Pacific Journal of Cancer Prevention, 16(2): 787-92.
43896	Anderson GL, Judd HL, Kaunitz AM, Barad DH, et al (2003). Effects of estrogen plus progestin on gynecologic cancers and associated diagnostic procedures. The Women's Health Initiative randomized trial. JAMA, 290(13) pp 1739-1748.
26300	Anderson JR, Armitage JO, Weisenburger DD (1998). Epidemiology of the non-Hodgkin's lymphomas: distributions of the major subtypes differ by geographic locations. Non-Hodgkin's Lymphoma Classification Project. Ann Oncol, 9(7): 717-20.
51909	Anderson LA, Engels EA (2008). [Comment] Hepatitis C virus infection and non-Hodgkin lymphoma: interesting association or causal relationship? Int J Cancer, 122(8): x-xii.
53798	Anderson LA, Gadalla S, Morton LM, Landgren O, et al (2009). Population-based study of autoimmune conditions and the risk of specific lymphoid malignancies. Int J Cancer, 125: 398-405.
50311	Anderson LA, Gridley G, Engles EA, Morton LM, et al (2008). Antibiotic use and risk of non-Hodgkin's lymphoma: a population-based case-control study. Br J Cancer, 98: 161-4.
52273	Anderson LA, McMillan SA, Watson RGP, Monaghan P, et al (2007). Malignancy and mortality in a population-based cohort of patients with coeliac disease or 'gluten sensitivity'. World J Gastroenterol, 13(1): 146-51.
52056	Anderson LA, Pfeiffer R, Warren JL, Landgren O, et al (2008). Hematopoietic malignancies associated with viral and alcoholic hepatitis. Cancer Epidemiol Biomarkers Prev, 17(11): 3069-75.
51908	Andrews CN, Gill MJ, Urbanski SJ, Stewart D, et al (2008). Changing epidemiology and risk factors for gastrointestinal non-Hodgkin's lymphoma in a north American population: population-based study. Am J Gastroenterol, 103: 1762-9.
52272	Angeletti PC, Zhang L, Wood C (2008). The viral etiology of AIDS-associated malignancies. Adv Pharmacol, 56: 509-57.
50312	Anile M, Venuta F, Diso D, De Giacomo T, et al (2007). Malignancies following lung transplantation. Transplantation Proceedings, 39: 1983-4.
83354	Annibali O, Sabatino F, Mantelli F, et al (2016). Mucosa-associated lymphoid tissue (MALT)-type lymphoma of ocular adnexa. Biology and treatment. Crit Rev Oncol Hematol, 100: 37-45.
12251	Anonymous (1987). Postservice mortality among Vietnam veterans. The Centers for Disease Control Vietnam Experience Study. JAMA, 257(6): 790-5.
11749	Anonymous (1988). Health status of Vietnam veterans. I. Psychosocial characteristics. The Centers for Disease Control Vietnam Experience Study. JAMA, 259(18): 2708-14.
26554	Anonymous (2000). Acute leukaemia and other secondary neoplasms in patients treated with conventional chemotherapy for multiple myeloma: a Finnish Leukaemia Group study. Eur J Haematol, 65(2): 123-7.
50733	Anonymous (2006). [Comment] Research report 132, an updated study of mortality among north American synthetic rubber industry workers, E Delzell et al. Res Rep Health Eff Inst, 132: 65-74.
52211	Anonymous (2009). Malignancies of lymphoid cells. Chapter 105. Retrieved 1 April 2009, from http://proxy14.use.hcn.com.au/popup.aspx?aID=2890046&print=yes_chapter

10362	Anttila A, Pukkala E, Sallemen M, et al (1995). Cancer Incidence among Finnish workers exposed to halogenated hydrocarbons. <i>Journal of Occupational & Environmental Medicine</i> , 37(7): 797-806.
15741	Anttila A, Pukkala E, Riala R, Sallmen M, Hemminki K (1998). Cancer incidence among Finnish workers exposed to aromatic hydrocarbons. <i>Int Arch Occup Environ Health</i> , 71: 187-93.
83138	Apor E, O'Brien J, Stephen M, et al (2014). Systemic lupus erythematosus is associated with increased incidence of hematologic malignancies: A meta-analysis of prospective cohort studies. <i>Leukemia Research</i> , 38(9): 1067-71.
83273	Arcaini L, Rossi D, Paulli M (2016). Splenic marginal zone lymphoma: from genetics to management. <i>Blood</i> , 127(17): 2072-81.
26098	Arican A, Karakayali H, Coskun M, Colak T, Erdal R, Haberal M (2001). Incidence and clinical characteristics of malignancies after renal transplantation: one center's experience. <i>Transplant Proc</i> , 33(5): 2809-11.
52271	Armstrong BK, Kricker A (2007). Sun exposure and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 396-400.
70413	Arnold SM, Angerer J, Boogaard PJ, et al (2013). The use of biomonitoring data in exposure and human health risk assessment: benzene case study. <i>Crit Rev Toxicol</i> , 43(2): 119-53.
80745	ARPANSA (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
83738	Arrieta-Cortes R, Farias P, Hoyo-Vadillo C, et al (2017). Carcinogenic risk of emerging persistent organic pollutant perfluorooctane sulfonate (PFOS): A proposal of classification. <i>Regul Toxicol Pharmacol</i> , 83: 66-80.
26834	Arseneau KO, Stukenborg GJ, Connors AF Jr, et al (2001). The incidence of lymphoid and myeloid malignancies among hospitalized Crohn's disease patients. <i>Inflamm Bowel Dis</i> , 7(2): 106-12.
83128	Aschebrook-Kilfoy B, Cocco P, La Vecchia C, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for mycosis fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 98-105.
53973	Aspling J, Baecklund E, Granath F, Geborek P, et al (2009). Anti-tumour necrosis factor therapy in rheumatoid arthritis and risk of malignant lymphomas: relative risks and time trends in the Swedish Biologics Register. <i>Ann Rheum Dis</i> , 68: 648-53.
55670	Aspling J, Brandt L, Lapidus A, Karlen P, et al (2005). Risk of haematopoietic cancer in patients with inflammatory bowel disease. <i>Gut</i> , 54: 617-22.
26149	Aspling J, Ekbom A (2001). Risk of non-Hodgkin's lymphoma following tuberculosis. <i>Br J Cancer</i> , 84(1): 113-5.
50586	Aspling J, Klareskog L, Jhalgrin H, et al (2005). Do steroids increase lymphoma risk? A case-control study of lymphoma risk in polymyalgia rheumatica/giant cell arteritis. <i>Ann Rheum Dis</i> , 64: 1765-8.
52208	Aspling J, Klareskog L, Blomqvist P, Fored M, Feltelius N (2006). Risk for malignant lymphoma in ankylosing spondylitis: a nationwide Swedish case-control study. <i>Ann Rheum Dis</i> , 65: 1184-7.
3082	Asp S, Riihimaki V, Hernberg S, et al (1994). Mortality and cancer morbidity of Finnish Chlorophenoxy herbicide applicators: An 18-year prospective follow-up. <i>Am J Ind Med</i> , 26: 243-53.
76868	ATSDR (2000). Benzene Toxicity. U.S. Dept. of Health and Human Services Pub
76914	ATSDR (2010). Appendix D: kerosene-based jet fuel: jet propulsion fuel-8 (JP-8) and commercial jet fuel (Jet a).. Retrieved 11 January 2016, from http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=949&pg=5

88985	ATSDR (2012). Toxicological profile for 1,3-butadiene. Department of Health & Human Services.
88839	ATSDR (2014). Draft Toxicological Profile for Trichloroethylene. Department of Health & Human Services.
88802	ATSDR (2015). Addendum to the Toxicological Profile for Benzene. US Department of Health & Human Service, Public Health Service, Centers for Disease Control.
88801	ATSDR (2017). Toxicological Profile for JP-5. JP-8 and Jet A Fuels. US Dept of Health and Human Services, Atlanta.
85596	ATSDR (2018). (Draft for public comment). Toxological Profile for Perfluoroalkyls, . US Department of Health & Human Service, Public Health Service, Centers for Disease Control.
56116	Australian Institute of Health & Welfare (AIHW) (2000). Validation Study. Morbidity of Vietnam Veterans, Vol 3: 28; Table 3.3. AIH & W Pub AGPS, Canberra.
60233	Australian Institute of Health and Welfare (2009). Third Study of Mortality and Cancer Incidence in Aircraft Maintenance Personnel. A Continuing Study of F-111 Deseal/Reseal Personnel, Series No 45. Australian Institute of Health and Welfare, Canberra.
30606	Australian Institute of Health and Welfare (2000). Adrenal gland cancer, leukaemia and non-Hodgkin's lymphoma. Morbidity of Vietnam Veterans, Supplementary Report No. 2. Commonwealth Department of Veterans' Affairs, Canberra.
30605	Australian Institute of Health and Welfare (1999). A study of the health of Australia's Vietnam Veteran community: validation study. Morbidity of Vietnam Veterans, Vol 3. Canberra: AIHW.
28266	Australian Institute of Petroleum (AIP) (2001). Lympho-haematopoietic cancer and exposure to benzene in the Australian petroleum industry. Technical Report and Appendices, . Monash University and Deakin University.
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA.
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
53842	Avenia N (2009). [Comment] Primary thyroid lymphomas. G Chir, 30(5): 197-200.

76838	Aviation Fuels (2015). Shell Aviation Fuels. Retrieved 17 November 2015, from https://www.shell.com/content/dam/shell/static/aviation/downloads/AeroShell-Book/aeroshell-book-2fuels.pdf
41161	Axelson O (2004). [Comment] Is the evidence for its carcinogenicity conclusive? <i>Occup Environ Med</i> , 61(1): 1.
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
58010	Baan R, Grosse Y, Straif K, et al (2009). A review of human carcinogens-Part F: Chemical agents and related occupations. <i>Lancet Oncol</i> , 10: 1143-4.
55669	Baan R, Straif K, Grosse Y, et al (2007). Carcinogenicity of alcoholic beverages. <i>Lancet Oncol</i> , 8(4): 292-3.
55668	Baccarelli A, Hirt C, Pesatori AC, Consonni D, et al (2006). t(14;18) translocations in lymphocytes of health dioxin-exposed individuals from Seveso, Italy. <i>Carcinogenesis</i> , 27(10): 2001-7.
10766	Badman DG, Jaffe ER (1996). Blood and air pollution: State of knowledge and research needs. <i>Otolaryngology, Head and Neck Surgery</i> , 114: 205-8.
52270	Baecklund E, Backlin C, Iliadou A, Granath F, et al (2006). Characteristics of diffuse large B cell lymphomas in rheumatoid arthritis. <i>Arthritis & Rheumatism</i> , 54(12): 3774-81.
52752	Baecklund E, Iliadou A, Askling J, Ekbom A, et al (2006). Association of chronic inflammation, not its treatment, with increased lymphoma risk in rheumatoid arthritis. <i>Arthritis & Rheumatism</i> , 54(3): 692-701.
83378	Baecklund F, Foo JN, Askling J, et al (2017). Possible interaction between cigarette smoking and HLA-DRB1 variation in the risk of follicular lymphoma. <i>Am J Epidemiol</i> , 185(8): 681-7.
50320	Baehring JM, Hochberg FH (2006). Primary lymphoma of the nervous system. <i>Cancer J</i> , 12(1): 1-13.
52267	Bahl S, Cotterchio M, Kreiger N, Klar N (2004). Antidepressant medication use and non-Hodgkin's lymphoma risk: no association. <i>Am J Epidemiol</i> , 160(6): 566-75.
50291	Baker JA, Weiss JR, Czuczman MS, Menezes RJ, et al (2005). Regular use of aspirin or acetaminophen and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 16: 301-8.
83381	Balasubramaniam G, Saoba S, Sarade M, et al (2013). Case-control study of risk factors for non-Hodgkin lymphoma in Mumbai, India. <i>Asian Pac J Cancer Prev</i> , 14(2): 775-80.
8974	Ballester OF, Moscinski L, Spiers A, Balducci L (1993). Non-Hodgkin's lymphoma in the older person: a review. <i>Journal of the American Geriatrics Society</i> , 41: 1245-54.
50292	Band RP, Le ND, Fang R, Gallagher R (2004). Identification of occupational cancer risks in British Columbia: a population-based case-control study of 769 cases of non-Hodgkin's lymphoma analyzed by histopathology subtypes. <i>JOEM</i> , 46(5): 479-89.
14762	Baris D, Zahm SH, Cantor KP, Blair A (1998). Agricultural use of DDT and risk of non-Hodgkin's lymphoma: pooled analysis of three case-control studies in the United States. <i>Occupational and Environmental Medicine</i> , 55(8): 522-7.
70412	Barry KH, Zhang Y, Lan Q, et al (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-Hodgkin lymphoma. <i>Am J Epidemiol</i> , 173(4): 404-13.
88800	Barry V, Winquist A, Steenland K (2013). Perfluorooctanoic acid (PFOA) exposures and incident cancers among adults living near a chemical plant. <i>Environ Health Perspect</i> , 121: 1313-8.

83117	Barta SK, Samuel MS, Xue X, et al (2015). Changes in the influence of lymphoma- and HIV-specific factors on outcomes in AIDS-related non-Hodgkin lymphoma. <i>Annals of Oncology</i> , 26(5): 958-66.
10803	Barthold SW (1996). Tumours of the haematopoietic system. <i>Pathology of Tumours in Laboratory Animals</i> , Vol 3 - Tumours of the hamster 2nd Ed. IARC Scientific Publications No. 126, 2nd Edition, Vol 3: 365-83. World Health Organization.
76781	Bassig BA, Friesen MC, Vermeulen R, et al (2015). Occupational exposure to benzene and non-Hodgkin lymphoma in a population-based cohort: the Shanghai women's health study. <i>Environmental Health Perspect</i> , 123(10): 971-7.
26566	Bates I, Bedu-Addo G, Rutherford TR, et al (1997). Circulating villous lymphocytes--a link between hyperreactive malarial splenomegaly and splenic lymphoma. <i>Trans R Soc Trop Med Hyg</i> , 91(2): 171-74.
26555	Bates I, Bedu-Addo G, Jarrett RF, et al (2001). B-lymphotropic viruses in a novel tropical splenic lymphoma. <i>Br J Haematol</i> , 112(1): 161-66.
26567	Bates I, Bedu-Addo G (1997). Chronic malaria and splenic lymphoma: clues to understanding lymphoma evolution. <i>Leukemia</i> , 11(12): 2162-67.
50293	Bates MN (2007). Registry-based case-control study of cancer in California firefighters. <i>Am J Ind Med</i> , 50(5): 339-44.
52269	Battaglioli T, Gorini G, Costantini AS, Crosignani P, et al (2006). Cigarette smoking and alcohol consumption as determinants of survival in non-Hodgkin's lymphoma: a population-based study. <i>Ann Oncol</i> , 17: 1283-9.
88842	Batty G, Russ T, Stamatakis E, et al (2017). Psychological distress in relation to site specific cancer mortality: pooling of unpublished data from 16 prospective cohort studies. <i>BMJ</i> , 356: j108.
26134	Bauduer F, Katsahian S, Blanchard Y, et al (1999). Descriptive epidemiology of non-Hodgkin lymphomas in a southwestern French hematology center: absence of significant relationship with hepatitis C virus infection. <i>Hematol Cell Ther</i> , 41(5): 191-3.
10621	Bayerdorffer E, Neubauer A, Rudolph B, et al (1995). Regression of primary gastric lymphoma of mucosa-associated lymphoid tissue type after cure of Helicobacter pylori infection. <i>Lancet</i> , 345: 1591-4.
53816	Beane Freeman LE, Blair A, Lubin JH, Stewart PA, et al (2009). Mortality from lymphohematopoietic malignancies among workers in formaldehyde industries: the National Cancer Institute Cohort. <i>JNCI</i> , 101: 751-61.
63845	Beane Freeman LE, DeRoos AJ, Koutros S, Blair A, et al (2012). Poultry and livestock exposure and cancer risk among farmers in the agricultural health study. <i>Cancer Causes Control</i> , 23(5): 663-70.
29721	Beard J, Sladden T, Morgan G, et al (2003). Health impacts of pesticide exposure in a cohort of outdoor workers. <i>Environ Health Perspect</i> , 111(5): 724-30.
54597	Beaugerie L, Carrat F, Bouvier A-M, Brousse N, et al (2008). Excess risk of lymphoproliferative disorders (LPD) in inflammatory bowel diseases (IBD): interim results of the Cesame Cohort. <i>Gastroenterology</i> , 134(Suppl 1): A-116. [Abstract]
26350	Becker N, Berger J, Bolm-Audorff U (2001). Asbestos exposure and malignant lymphomas--a review of the epidemiological literature. <i>Int Arch Occup Environ Health</i> , 74(7): 459-69.
53838	Becker S, Dossus L, Kaaks R (2009). Obesity and related hyperinsulinaemia and hyperglycaemia and cancer development. <i>Arch Physiol Biochem</i> , 115(2): 86-96.
78294	Beelte S, Haas R, Germing U, et al (2009). Paradigm change in the assessment of myeloid and lymphoid neoplasms associated with occupational benzene exposure (OD number 1303). <i>Medizinische Klinik</i> , 104(3): 197-203.

54600	Behm BW, Bickston SJ (2009). Tumor necrosis factor-alpha antibody for maintenance of remission in Crohn's disease (review). The Cochrane Collaboration. John Wiley & Sons, Ltd.
88799	Benavente Y, Mbisa G, Labo N, et al (2011). Antibodies against lytic and latent Kaposi's sarcoma-associated herpes virus antigens and lymphoma in the European EpiLymph case-control study. Br J Cancer, 105(11): 1768-71.
85898	Benbrahim-Tallaa L, Lauby-Secretan B, Loomis D, et al (2014). Carcinogenicity of perfluoroctanoic acid, tetrafluoroethylene, dichloromethane, 1,2-dichloropropane, and 1,3-propane sultone. Lancet Oncol, 15(9): 924-5.
53815	Bende RJ, Smit LA, van Noesel CJM (2007). Molecular pathways in follicular lymphoma. Leukemia, 21: 18-29.
12932	Bentham G (1996). Association between incidence of non-Hodgkin's lymphoma and solar ultraviolet radiation in England and Wales. BMJ, 312: 1128-31.
11013	Bentley M, Taylor K (1997). Low-grade non-Hodgkin's lymphoma--biology and therapeutic approaches. Australian & New Zealand Journal of Medicine, 27(2): 150-5.
9570	Beral V, Inskip H, Fraser P, et al (1985). Mortality of employees of the United Kingdom Atomic Energy Authority, 1946-1979. BMJ, 291: 440-7.
83411	Bergman BP, Mackay DF, Pell JP (2017). Lymphohaematopoietic malignancies in Scottish military veterans: Retrospective cohort study of 57,000 veterans and 173,000 non-veterans. Cancer Epidemiol, 47: 100-5.
47825	Bernard A, Broeckaert F, De Poorter G, et al (2002). The Belgian PCB/Dioxin incident: analysis of the food chain contamination and health risk evaluation. Environmental Research, 88: 1-18.
47826	Bernard A, Fierens S (2002). The Belgian PCB/Dioxin incident: a critical review of health risks evaluations. Int J Toxicol, 21: 333-40.
32450	Bernard SM, Cartwright RA, Bird CC, et al (1984). Aetiologic factors in lymphoid malignancies: a case-control epidemiological study. Leuk Res, 8(4): 681-89.
52268	Bernatsky S, Boivin JF, Joseph L, Rajan R, Zoma A, et al (2005). An international cohort study of cancer in systemic lupus erythematosus. Arthritis & Rheumatism, 52(5): 1481-90.
55667	Bernatsky S, Lee JL, Rahme E (2007). Non-Hodgkin's lymphoma - meta-analyses of the effects of corticosteroids and non-steroidal anti-inflammatories. Rheumatology, 46: 690-4.
83225	Bernatsky S, Ramsey-Goldman R, Joseph L, et al (2014). Lymphoma risk in systemic lupus: effects of disease activity versus treatment. Ann Rheum Dis, 73(1): 138-42.
52209	Bernatsky S, Ramsey-Goldman R, Rajan R, Boivin J-F, et al (2005). Non-Hodgkin's lymphoma in systemic lupus erythematosus. Ann Rheum Dis, 64: 1507-9.
32404	Bernstein L, Ross RK (1992). Prior medication use and health history as risk factors for non-Hodgkin's lymphoma: preliminary results from a case-control study in Los Angeles County. Cancer Res, 52(Suppl 19): 5510s-5515s.
25982	Bertazzi PA, Bernucci I, Brambilla G, Consonni D, Pesatori AC (1998). The Seveso studies on early and long-term effects of dioxin exposure: a review. Environmental Health Perspectives, 106(Suppl 2): 625-33.
25817	Bertazzi PA, Consonni D, Bachetti S, et al (2001). Health effects of dioxin exposure: a 20-year mortality study. Am J Epidemiol, 153(11): 1031-44.
25816	Bertazzi PA, Consonni D, Bachetti S, et al (2001). Bertazzi et al. Respond to Smith and Lopipero. Am J Epidemiol, 153(11): 1048-9.

3053	Bertazzi PA, Pesatori AC, Consonni D, et al (1993). Cancer incidence in a population accidentally exposed to 2,3,7,8-Tetrachlorodibenzo-p-dioxin. <i>Epidemiology</i> , 4(5): 398-406.
51907	Bertoni F, Ponzoni M (2007). The cellular origin of mantle cell lymphoma. <i>Int J Biochem Cell Biol</i> , 39: 1747-53.
83408	Bertrand KA, Giovannucci E, Rosner BA, et al (2017). Dietary fat intake and risk of non-Hodgkin lymphoma in 2 large prospective cohorts. <i>Am J Clin Nutr</i> , 106(2): 650-6.
83377	Bertrand KA, Shingala J, Evens A, et al (2017). Periodontal disease and risk of non-Hodgkin lymphoma in the Health Professionals Follow-Up Study. <i>Int J Cancer</i> , 140(5): 1020-6.
83269	Bertrand KA, Spiegelman D, Aster JC, et al (2010). Plasma organochlorine levels and risk of non-Hodgkin lymphoma in a cohort of men. <i>Epidemiol</i> , 21(2): 172-80.
50294	Besson H, Banks R, Boffetta P (2006). Cancer mortality among butchers: a 24-state death certificate study. <i>JOEM</i> , 48(3): 289-93.
50295	Besson H, Brennan P, Becker N, Neiters A, et al (2006). Tobacco smoking, alcohol drinking and non-Hodgkin's lymphoma: a European multicenter case-control study (Epilymph). <i>Int J Cancer</i> , 119: 901-8.
2744	Bethwaite PB, Pearce N, Fraser J (1990). Cancer risk in painters: study based on the New Zealand Cancer Registry. <i>Br J Ind Med</i> , 47: 742-6.
83406	Bewtra M, Lewis JD (2010). Update on the risk of lymphoma following immunosuppressive therapy for inflammatory bowel disease. <i>Expert Rev Clin Immunol</i> , 6(4): 621-31.
52740	Bhagavathi S, Wilson JD (2008). Primary central nervous system lymphoma. <i>Arch Pathol Lab Med</i> , 132: 1830-4.
30700	Bianco E, Marucci F, Mele A, et al (2004). Prevalence of hepatitis C virus infection in lymphoproliferative diseases other than B-cell non-Hodgkin's lymphoma, and in myeloproliferative diseases: an Italian multi-center case-control study. <i>Haematologica</i> , 89(1): 70-76.
52266	Biggar RJ, Chaturvedi AK, Goedert JJ, Engels EA (2007). AIDS-related cancer and severity of immunosuppression in persons with AIDS. <i>J Natl Cancer Inst</i> , 99: 962-72.
3726	Biggar RJ, Curtis RE, Cote TR, et al (1994). Risk of Other Cancers following Kaposi's Sarcoma: Relation to Acquired Immunodeficiency Syndrome. <i>American Journal of Epidemiology</i> , 139(4): 362 - 368.
12933	Biggar RJ, Rosenberg PS, and Cote T (1996). Kaposi's sarcoma and non-Hodgkin's lymphoma following the diagnosis of AIDS. Multistate AIDS/Cancer Match Study Group [published erratum appears in <i>Int J Cancer</i> 1997 Mar 17;70(6):727]. <i>International Journal of Cancer</i> , 68(6): 754-8.
26136	Bjornadal L, Lofstrom B, Yin L, Lundberg IE, et al (2002). Increased cancer incidence in a Swedish cohort of patients with systemic lupus erythematosus. <i>Scand J Rheumatol</i> , 31(2): 66-71.
25045	Black RJ, Sharp L, Finlayson AR, Harkness EF (1994). Cancer incidence in a population potentially exposed to radium-226 at Dalgety Bay, Scotland. <i>British Journal of Cancer</i> , 69: 140-3.
1262	Black RJ, Sharp L, Finlayson AR, Harkness EF (1994). Cancer incidence in a population potentially exposed to radium-226 at Dalgety Bay, Scotland. <i>Br J Cancer</i> , 69(1): 140-3.
50758	Blair A (2006). [Comment] Occupational exposures and non-Hodgkin lymphoma: where do we stand? <i>Occup Environ Med</i> , 63(1): 1-2.
13144	Blair A, Cantor KP & Zahm SH (1998). Non-Hodgkin's lymphoma and agricultural use of the insecticide lindane. <i>American Journal of Industrial Medicine</i> , 33: 82-7.

3081	Blair A, Dosemeci M, Heineman EF (1993). Cancer and other causes of death among male and female farmers from twenty-three states. <i>Am J Ind Med</i> , 23: 729-742.
14763	Blair A, Hartge P, Stewart PA, et al (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: extended follow up. <i>Occupational and Environmental Medicine</i> , 55(3): 161-71.
1563	Blair A, Linos A, Stewart PA, Burmeister LF, et al (1993). Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. <i>Am J Ind Med</i> , 23: 301-12.
14520	Blair A, Linos A, Stewart PA et al (1992). Comments on occupational and environmental factors in the origin of non-Hodgkin's lymphoma. <i>Cancer Research</i> , 52(suppl): 5501s-2s.
47608	Blair A, Sandler D, Thomas K, et al (2005). Disease and injury among participants in the agricultural health study. <i>J Agric Saf Health</i> , 11(2): 141-50.
47007	Blair A, Sandler DP, Tarone R, et al (2004). Mortality among participants in the Agricultural Health Study. <i>Ann Epidemiol</i> , 15(15): 279-85.
3085	Blair A, Zahm SH (1995). [Comment] Overinterpretation of small numbers in the Dow 2,4-D cohort study. <i>JOEM</i> , 37(2): 126-7.
26077	Blettner M, Zeeb H, Langner I, Hammer GP, Schafft T (2002). Mortality from cancer and other causes among airline cabin attendants in Germany, 1960-1997. <i>American Journal of Epidemiology</i> , 156(6): 556-65.
3071	Bloemen LJ, Mandel JS, Bond GG, Pollock AF, et al (1993). An update of mortality among chemical workers potentially exposed to the herbicide 2, 4-Dichlorophenoxyacetic acid and its derivatives. <i>JOM</i> , 35(12): 1208-12.
52265	Bloemen LJ, Youk A, Bradley TD, Bodner KM, Marsh G (2004). Lymphohaematopoietic cancer risk among chemical workers exposed to benzene. <i>Occup Environ Med</i> , 61: 270-4.
14678	Blomberg J, Moller T, Olsson H et al (1993). Cancer morbidity in blood recipients - results of a cohort study. <i>Eur J Cancer</i> , 29a(15): 2101-5.
85801	Boca SM, Pfeiffer RM, Sampson JN (2017). Multivariate meta-analysis with an increasing number of parameters. <i>Biometrical Journal</i> , 59(3): 496-510.
49495	Boehmer TK, Flanders WD, McGeehin MA, et al (2004). Postservice mortality in Vietnam veterans: 30-year follow-up. <i>Arch Intern Med</i> , 164: 1908-16.
50296	Boerma EG, van Imhoff GW, Appel IM, et al (2004). Gender and age-related differences in Burkitt lymphoma - epidemiological and clinical data from the Netherlands. <i>European Journal of Cancer</i> , 40: 2781-7.
70416	Boers D, Portengen L, Turner WE, et al (2012). Plasma dioxin levels and cause-specific mortality in an occupational cohort of workers exposed to chlorophenoxy herbicides, chlorophenols and contaminants. <i>Occup Environ Med</i> , 69(2): 113-8.
61142	Boffetta P (2005). Alcohol and cancer: benefits in addition to risks? <i>Lancet Oncol</i> , 6: 443-4.
45910	Boffetta P (2006). Human cancer from environmental pollutants: The epidemiological evidence. <i>Mutat Res</i> , 608: 157-62.
3980	Boffetta P, Andersen A, Lynge E, Barlow L, Pukkala E (1994). Employment as Hairdresser and Risk of Ovarian Cancer and Non-Hodgkin's Lymphomas Among Women. <i>JOM</i> , 36(1): 61-5.
52264	Boffetta P, de Vocht F (2007). Occupation and the risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 369-72.
26737	Boffetta P, Kaldor JM (1994). Secondary malignancies following cancer chemotherapy. <i>Acta Oncologica</i> , 33(6): 591-98.

50297	Boffetta P, McLaughlin JK, La Vecchia C, et al (2008). [Comment] False-positive results in cancer epidemiology: a plea for epistemological modesty. <i>J Natl Cancer Inst</i> , 100: 988-95.
53826	Boffetta P, Rabkin CS, Gridley G (2009). A cohort study of cancer among sarcoidosis patients. <i>Int J Cancer</i> , 124: 2697-700.
51906	Boffetta P, van der Hel O, Kricker A, Nieters A, et al (2008). Exposure to ultraviolet radiation and risk of malignant lymphoma and multiple myeloma - a multicentre European case-control study. <i>Int J Epidemiol</i> , 37: 1080-94.
1249	Boice JD Jr (1992). Radiation and non-Hodgkin's lymphoma. <i>Cancer Res</i> , 52(19 Suppl): 5489s-5491s.
50298	Boice JD Jr, Bigbee WL, Mumma MT, Blot WJ (2003). Cancer incidence in municipalities near two former nuclear materials processing facilities in Pennsylvania. <i>Health Phys</i> , 85(6): 678-90.
20637	Boice JD Jr, Marano DE, Fryzek JP, Sadler CJ, McLaughlin JK (1999). Mortality among aircraft manufacturing workers. <i>Occupational and Environmental Medicine</i> , 56: 581-97.
50299	Boice JD Jr, Mumma MT, Blot WJ (2007). Cancer and noncancer mortality in populations living near uranium and vanadium mining and milling operations in Montrose County, Colorado, 1950-2000. <i>Radiation Research</i> , 167: 711-26.
51905	Boleti E, Johnson PWM (2007). Primary mediastinal B-cell lymphoma. <i>Hematological Oncology</i> , 25: 157-63.
10622	Bolin TD, Hunt RH, Korman MG, et al (1995). <i>Helicobacter pylori</i> and gastric neoplasia: evolving concepts. <i>Medical Journal of Australia</i> , 163(5): 253-5.
54602	Bolognesi C (2003). Genotoxicity of pesticides: a review of human biomonitoring studies. <i>Mutation Research</i> , 543: 251-72.
83232	Bolotin D, Petronic-Rosic V (2011). Dermatitis herpetiformis. Part 1. Epidemiology, pathogenesis, and clinical presentation. <i>J Am Acad Dermatol</i> , 64(6): 1017-24.
53892	Bongartz T, Sutton AJ, Sweeting MJ, et al (2006). Anti-TNF antibody therapy in rheumatoid arthritis and the risk of serious infections and malignancies. <i>JAMA</i> , 295(19): 2275-85; Erratum: 295(21): 2482.
54409	Bongartz T, Warren FC, Mines D, et al (2009). Etanercept therapy in rheumatoid arthritis and the risk of malignancies: a systematic review and individual patient data meta-analysis of randomised controlled trials. <i>Ann Rheum Dis</i> , 68: 1177-83.
45662	Bonner MR, Coble J, Blair A, et al (2007). Malathion exposure and the incidence of cancer in the agricultural health study. <i>Am J Epidemiol</i> , 166(9): 1023-34.
83360	Borie R, Wislez M, Antoine M, et al (2016). Pulmonary mucosa-associated lymphoid tissue lymphoma revisited. <i>Eur Respir J</i> , 47(4): 1244-60.
53809	Bornkamm GW (2009). Epstein-Barr virus and the pathogenesis of Burkitt's lymphoma: more questions than answers. <i>Int J Cancer</i> , 124: 1745-55.
52263	Boscoe FP, Schymura MJ (2006). Solar ultraviolet-B exposure and cancer incidence and mortality in the United States, 1993-2002. <i>BMC Cancer</i> , 6: 264.
51904	Bosetti C, Levi F, Ferlay J, Lucchini F, et al (2008). Incidence and mortality from non-Hodgkin lymphoma in Europe: the end of an epidemic? <i>Int J Cancer</i> , 123: 1917-23.
53817	Bosetti C, McLaughlin JK, Tarone RE, Pira E, La Vecchia C (2008). Formaldehyde and cancer risk: a quantitative review of cohort studies through 2006. <i>Ann Oncol</i> , 19: 29-43.

86144	Bousvaros A (2014). [Comment] Benefit/risk assessment of biologic monotherapy vs combination therapy in Crohn's remains challenging. <i>Gastroenterol</i> , 147(2): 540; Author's reply: 540-1. Comment on ID: 86143.
55666	Bouvard V, Baan R, Straif K, Grosse Y, et al (2009). A review of human carcinogens - part B: biological agents. <i>Lancet Oncol</i> , 10(4): 321-2.
26099	Bouzourene H, Haefliger T, Delacretaz F, Saraga E (1999). The role of Helicobacter pylori in primary gastric MALT lymphoma. <i>Histopathology</i> , 34(2): 118-23.
88845	Bove F, Ruckart P, Maslia M, et al (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. <i>Environ Health</i> , 13: 68.
88844	Bove F, Ruckart P, Maslia M, et al (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. <i>Environ Health</i> , 13: 10.
50319	Bower M, Stebbing J (2005). AIDS-associated malignancies. <i>Cancer Chemotherapy and Biological Response Modifiers</i> , Annual 22 Chapter 30: 687-706. Elsevier, New York.
75554	Bowling FG (2014). Background and overview of research plan. Report on the Molecular Investigations into the Jet Fuel and Solvent Exposure in the Deseal/Reseal Programme Conducted at the Mater Research Institute (UQ), Brisbane, Chapter 1: 19-29. .
83130	Bracci PM, Benavente Y, Turner JJ, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for marginal zone lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 52-65.
52262	Bracci PM, Dalvi TB, Holly EA (2006). Residential history, family characteristics and non-Hodgkin lymphoma, a population-based case-control study in the San Francisco bay area. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(7): 1287-94.
50316	Bracci PM, Holly EA (2005). Tobacco use and non-Hodgkin lymphoma: results from a population-based case-control study in the San Francisco bay area, California. <i>Cancer Causes and Control</i> , 16: 333-46.
51934	Brady G, MacArthur GJ, Farrell PJ (2008). Epstein-Barr virus and Burkitt lymphoma. <i>Postgrad Med J</i> , 84: 372-7.
7173	Brandt L (1992). Exposure to organic solvents and risk of haematological malignancies. <i>Leukemia Research</i> , 16(1): 67-70.
12934	Brandt L, Brandt J, Olsson H, Anderson H, et al (1996). Blood transfusion as a risk factor for non-Hodgkin lymphoma. <i>British Journal of Cancer</i> , 73(9): 1148-51.
83233	Brauner EV, Sorensen M, Gaudreau E, et al (2016). A prospective study of organochlorines in adipose tissue and risk of non-Hodgkin lymphoma. <i>Occup Med</i> , 66(9): 706-12.
14148	Breslin P, Kang HK, Lee Y, et al (1988). Proportionate mortality study of US army and US marine corps veterans of the Vietnam war. <i>Journal of Occupational Medicine</i> , 30(5): 412-9.
14726	Breslin P, Kang HK, Lee Y et al (1988). Proportionate mortality study of US army and US marine corps veterans of the Vietnam war. <i>Journal of Occupational Medicine</i> , 30(5): 412-9.
3047	Breslin P, Kang HK, Lee Y, Burt V, Shepard BM (1988). Proportionate mortality study of US army and US marine corps veterans of the Vietnam war. <i>J Occup Med</i> , 30(5): 412-9.
86145	Bressler B, Siegel CA (2014). [Comment] Beware of the swinging pendulum: anti-tumor necrosis factor monotherapy vs combination therapy for inflammatory bowel disease. <i>Gastroenterol</i> , 146(4): 884-7. Comment on ID: 86143.

26072	Briggs NC, Levine RS, Bobo LD, Haliburton WP, Brann EA, Hennekens CH (2002). Wine drinking and risk of non-Hodgkin's lymphoma among men in the United States: a population-based case-control study. <i>American Journal of Epidemiology</i> , 156(5): 454-62.
52261	Brimo F, Michel RP, Khetani K, Auger M (2007). Primary effusion lymphoma. <i>Cancer</i> , 111: 224-33.
24910	Brinton LA, Lubin JH, Burch MC, Volton T, Brown SL, Hoover RN (2001). Cancer risk at sites other than the breast following augmentation mammoplasty. <i>Annals of Epidemiology</i> , 11: 248-56.
52982	Brisson J, Holowaty EJ, Villeneuve PJ, Xie L, et al (2006). Cancer incidence in a cohort of Ontario and Quebec women having bilateral breast augmentation. <i>Int J Cancer</i> , 118: 2854-62.
52260	Britton JA, Khan AE, Rohrmann S, Becker N, et al (2008). Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 93(11): 1666-77.
1264	Brody JI, Hoar Zahm S, Blair A, Cantor KP, Fraumeni JF Jr (1995). Non-insulin dependent diabetes mellitus and non-Hodgkin's lymphoma. Already reported. <i>BMJ</i> , 310(6985): 1009.
88736	Brown JR, Freedman AS (2017). Overview of the pathobiology of the non-Hodgkin lymphomas. Retrieved 9 March 2018, from https://www.uptodate.com/contents/overview-of-the-pathobiology-of-the-non-hodgkin-lymphomas
1299	Brown LM, Everett GD, Gibson R, Burmeister LF, et al (1992). Smoking and risk of non-Hodgkin's lymphoma and multiple myeloma. <i>Cancer Causes Control</i> , 3(1): 49-55.
55664	Buchbinder R, Barber M, Heuzenroeder L, Wluka AE, et al (2008). Incidence of melanoma and other malignancies among rheumatoid arthritis patients treated with methotrexate. <i>Arthritis & Rheumatism</i> , 59(6): 794-9.
88963	Buckley N, Sim M, Douglas K (2018). Expert Health Panel for Per- and Poly-Fluoroalkyl Substances (PFAS). Department of Health.
8172	Buechner SA, Winkelmann RK (1983). Pre-Sezary erythroderma evolving to Sezary syndrome. <i>Arch Dermatol</i> , 119: 285-91.
3080	Bueno de Mesquita HB, Doornbos G, Van der Kuip DA, et al (1993). Occupational exposure to phenoxy herbicides and chlorophenols and cancer mortality in The Netherlands. <i>Am J Ind Med</i> , 23(2): 289-300.
43215	Buja A, Lange JH, Perissinotto E, et al (2005). Cancer incidence among male military and civil pilots and flight attendants: an analysis on published data. <i>Toxicology and Industrial Health</i> , 21: 273-82.
71501	Bulka C, Nastoupil LJ, McClellan W et al (2013). Residence proximity to Benzene release sites is associated with increased incidence of non-Hodgkin lymphoma. <i>Cancer</i> , (119): 3309 - 3317.
9338	Bullman TA, Kang HK, Watanabe KK (1990). Proportionate mortality among US army Vietnam veterans who served in military region 1. <i>American Journal of Epidemiology</i> , 132(4): 670-4.
55665	Burger DC, Florin THJ (2009). [Comment] Hepatosplenic t-cell lymphoma following infliximab therapy for Crohn's disease. <i>MJA</i> , 190(6): 341-2.
85917	Burmester GR, Panaccione R, Gordon KB, et al (2013). Adalimumab: long-term safety in 23 458 patients from global clinical trials in rheumatoid arthritis, juvenile idiopathic arthritis, ankylosing spondylitis, psoriatic arthritis, psoriasis and Crohn's disease. <i>Ann Rheum Dis</i> , 72(4): 517-24.
26079	Burnett C, Robinson C, Walker J (1999). Cancer mortality in health and science technicians. <i>American Journal of Industrial Medicine</i> , 36: 155-8.

26080	Burns CJ, Beard KK, Cartmill JB (2001). Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: an update. <i>Occup Environ Med</i> , 58: 24-30.
50317	Busnach G, Piselli P, Arbustini E, Baccarani U, et al (2006). Immunosuppression and cancer: a comparison of risks in recipients of organ transplants and in HIV-positive individuals. <i>Transplantation Proceedings</i> , 38: 3533-5.
88846	Cahoon E, Pfeiffer R, Wheeler D, et al (2014). Relationship between ambient ultraviolet radiation and non-Hodgkin lymphoma subtypes: A U.S. population-based study of racial and ethnic groups. <i>Int J Cancer</i> , 136: E432-41.
83108	Caini S, Masala G, Gnagnarella P, et al (2016). Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: A review of the literature and meta-analysis. <i>Crit Rev Oncol Hematol</i> , 100: 16-24.
26189	Calderon-Garcidueñas L, Delgado R, Calderon-Garcidueñas A, et al (2000). Malignant neoplasms of the nasal cavity and paranasal sinuses: a series of 256 patients in Mexico City and Monterrey. Is air pollution the missing link? <i>Otolaryngol Head Neck Surg</i> , 122(4): 499-508.
10623	Cammarota G, Montalto M, Tursi A, et al (1995). Helicobacter pylori reinfection and rapid relapse of low-grade B-cell gastric. <i>Lancet</i> , 345: 192.
88959	Campo E, Ghia P,Montserrat E, et al (2017). Chronic lymphocytic leukaemia/small lymphocytic lymphoma. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 216-21. International Agency for Research on Cancer, Lyon.
88958	Campo E, Stein H, Harris N (2017). Plasmablastic lymphoma. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 321. International Agency for Research on Cancer, Lyon.
25084	Cano MI, Pollan M (2001). Non-Hodgkin's lymphomas and occupation in Sweden. <i>International Archives of Occupational & Environmental Health</i> , 74(6): 443-9.
3056	Cantor KP, Blair A, Brown LM, Burmeister LF, et al (1993). [Comment] Correspondence re: K. P. Cantor et al., pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. <i>Cancer Res</i> , 53(10 Suppl): 2421. Comment on ID: 3051.
3051	Cantor KP, Blair A, Everett G, Gibson R, et al (1992). Pesticides and other agricultural risk factors for Non-Hodgkin's lymphoma among men in Iowa and Minnesota. <i>Cancer Res</i> , 52: 2447-55.
55663	Cantor KP, Strickland PT, Brock JW, Bush D, et al (2003). Risk of non-Hodgkin's lymphoma and prediagnostic serum organochlorines: b-hexachlorocyclohexane, chlordane/heptachlor-related compounds, dieldrin, and hexachlorobenzene. <i>Environ Health Perspect</i> , 111(2): 179-83.
83111	Cao L, Tong H, Xu G, et al (2015). Systemic lupus erythematosus and malignancy risk: a meta-analysis. <i>PLoS One</i> , 10(4): e0122964.
52259	Capello D, Martini M, Gloghini A, Cerri M, et al (2008). Molecular analysis of immunoglobulin variable genes in human immunodeficiency virus-related non-Hodgkin's lymphoma reveals implications for disease pathogenesis and histogenesis. <i>Haematologica</i> , 93: 1178-85.
52739	Carbone A, Cesarman E, Spina M, Gloghini A, Schulz TF (2009). HIV-associated lymphomas and gamma-herpesviruses. <i>Blood</i> , 113: 1213-24.
52357	Carbone A, Gloghini A, Dotti G (2008). EBV-associated lymphoproliferative disorders: classification and treatment. <i>The Oncologist</i> , 13: 577-85.
52751	Carbone A, Gloghini A (2007). KSHV/HHV8-associated lymphomas. <i>Br J Haematol</i> , 140: 13-24.

53820	Carbone A, Gloghini A, Cabras A, Elia G (2009). The Germinal centre-derived lymphomas seen through their cellular microenvironment. <i>Br J Haematol</i> , 145: 468-80.
52258	Card TR, West J, Holmes GKT (2004). Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. <i>Aliment Pharmacol Ther</i> , 20: 769-75.
5770	Cardis E, Gilbert ES, Carpenter L, et al (1995). Effects of low doses and low dose rates of external ionizing radiation: Cancer mortality among nuclear industry workers in three countries. <i>Radiat Res</i> , 1142: 117-32.
56044	Cardis E, Howe G, Ron E, Bebeshko V, et al (2006). Cancer consequences of the Chernobyl accident: 20 years on. <i>J Radiol Prot</i> , 26(2): 127-40.
25081	Cardis E, Richardson D (2000). [Comment] Invited editorial: health effects of radiation exposure at uranium processing facilities. <i>J Radiol Prot</i> , 20(4): 95-7. Comment on ID: 26956.
43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Research</i> , 167(4): 396-416.
52372	Carel RS (2008). [Comment] Reply to: Non-Hodgkin's lymphoma and residential proximity to toxic industrial waste in Southern Israel. <i>Haematologica</i> , 93: e64. Comment on ID: 52236.
45909	Carpenter DO (2006). Polychlorinated biphenyls (PCBs): routes of exposure and effects on human health. <i>Reviews on Environmental Health</i> , 21(1): 1-23.
16570	Carpenter L, Higgins C, Douglas A, et al (1994). Combined analysis of mortality in three United Kingdom nuclear industry workforces, 1946-1988. <i>Rad Res</i> , 138: 224-38.
16797	Carpenter LM, Higgins CD, Douglas AJ, et al (1998). Cancer mortality in relation to monitoring for radionuclide exposure in three UK nuclear industry workforces. <i>British Journal of Cancer</i> , 78(9): 1224-32.
79279	Carreon T, Hein MJ, Hanley KW, et al (2014). Coronary artery disease and cancer mortality in a cohort of workers exposed to vinyl chloride, carbon disulfide, rotating shift work, and o-toluidine at a chemical manufacturing plant. <i>Am J Ind Med</i> , 57(4): 398-411.
80746	Carter M, Robotham R, Wise K, et al (2006). Australian participants in British nuclear tests in Australia. Department of Veterans' Affairs, Vol 1: Dosimetry. Commonwealth of Australia.
3036	Cartwright R, McNally R, Staines A (1994). The increasing incidence of non-Hodgkin's lymphoma (NHL): the possible role of sunlight. <i>Leuk Lymphoma</i> , 14(5-6): 387-94.
14487	Cartwright RA (1992). Changes in the descriptive epidemiology of non-Hodgkin's lymphoma in Great Britain? <i>Cancer Research</i> , 52(suppl): 5441s-2s.
3055	Cartwright RA, McKinney PA, O'Brien C, Richards DG, et al (1988). Non-Hodgkin's lymphoma: Case control epidemiological study in Yorkshire. <i>Leuk Res</i> , 12(1): 81-8.
50318	Casey R, Piazzon-Fevre K, Raverdy N, Forzy M-L, et al (2007). Case-control study of lymphoid neoplasm in three French areas: description, alcohol and tobacco consumption. <i>Eur J Cancer Prev</i> , 16: 142-50.
83395	Castillo JJ, Beltran BE, Miranda RN, et al (2016). EBV-positive diffuse large B-cell lymphoma of the elderly: 2016 update on diagnosis, risk stratification and management. <i>Am J Hematol</i> , 91(5): 529-37.
83164	Castillo JJ, Dalia S, Pascual SK (2016). Association between red blood cell transfusions and development of non-Hodgkin lymphoma: a meta-analysis of observational studies. <i>Blood</i> , 116(16): 2897-907.

83155	Castillo JJ, Dalia S (2012). Cigarette smoking is associated with a small increase in the incidence of non-Hodgkin lymphoma: a meta-analysis of 24 observational studies. <i>Leuk Lymphoma</i> , 53(10): 1911-9.
83142	Castillo JJ, Ingham RR, Reagan JL, et al (2014). Obesity is associated with increased relative risk of diffuse large B-cell lymphoma: a meta-analysis of observational studies. <i>Clinical Lymphoma, Myeloma & Leukemia</i> , 14(2): 122-30.
83154	Castillo JJ, Mull N, Reagan JL, et al (2012). Increased incidence of non-Hodgkin lymphoma, leukemia, and myeloma in patients with diabetes mellitus type 2: a meta-analysis of observational studies. <i>Blood</i> , 119(21): 4845-50.
32850	Catassi C, Fabiani E, Corrao G et al (2002). Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA</i> , 287(11): 1413-19.
26225	Catassi C, Fabiani E, Corrao G, et al (2002). The Italian Working Group on Coeliac Disease and Non-Hodgkin's-Lymphoma. Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA</i> , 287(11): 1413-9.
54446	Center for Environmental Health Studies (2009). Breast cancer and exposure to ionizing radiation. Retrieved 5 October 2009, from http://www.clarku.edu/mtafund/prodlib/jsi/Breast_Cancer_and_Exposure_to_Ionizing_Radiation.pdf
3042	Centers for Disease Control (1988). Serum 2,3,7,8-Tetrachlorodibenzo-p-dioxin levels in US army Vietnam-era veterans - Veterans health studies. <i>JAMA</i> , 260(9): 249-54.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
50748	Cerhan JR, Bernstein L, Severson RK, Davis S, et al (2005). Anthropometrics, physical activity, related medical conditions, and the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 16: 1203-14.
26333	Cerhan JR, Cantor KP, Williamson K, Lynch CF, et al (1998). Cancer mortality among Iowa farmers: recent results, time trends, and lifestyle factors (United States). <i>Cancer Causes Control</i> , 9(3): 311-319.
51899	Cerhan JR, Engels EA, Cozen W, Davis S, et al (2008). Blood transfusion, anesthesia, surgery and risk of non-Hodgkin lymphoma in a population-based case-control study. <i>Int J Cancer</i> , 123: 888-94.
26239	Cerhan JR, Habermann TM, Vachon CM, et al (2002). Menstrual and reproductive factors and risk of non-Hodgkin lymphoma: the Iowa Women's Health Study (United States). <i>Cancer Causes & Control</i> , 13: 131-136.
26067	Cerhan JR, Janney CA, Vachon CM, Habermann TM, et al (2002). Anthropometric characteristics, physical activity, and risk of non-Hodgkin's lymphoma subtypes and B-Cell chronic lymphocytic leukemia: a prospective study. <i>American Journal of Epidemiology</i> , 156(6): 527-35.
83132	Cerhan JR, Kricker A, Paltiel O, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for diffuse large B-cell lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 15-25.
26250	Cerhan JR, Wallace RB, Dick F, Kemp J, et al (2001). Blood transfusions and risk of non-Hodgkin's lymphoma subtypes and chronic lymphocytic leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(4): 361-368.
3041	Cerhan JR, Wallace RB, Folsom AR, Potter JD, et al (1993). Transfusion history and cancer risk in older women. <i>Ann Intern Med</i> , 119(1): 8-15.
10770	Cerhan JR, Wallace RB, Folsom AR, Potter JD, et al (1997). Medical history risk factors for non-Hodgkin's lymphoma in older women. <i>Journal of the National Cancer Institute</i> , 89(4): 314-8.

50744	Chambers S, Isenberg D (2005). [Comment] Malignancy and rheumatic disease - a real association? <i>J Rheumatol</i> , 32(10): 1866-7.
55662	Chan C-C, Shen D, Mochizuki M, Gonzales JA, et al (2006). Detection of helicobacter pylori and chlamydia pneumoniae genes in primary orbital lymphoma. <i>Trans Am Ophthalmol Soc</i> , 104: 62-70.
88957	Chan J, Aozasa K, Gaulard P (2017). Diffuse large B-cell lymphoma associated with chronic inflammation. Who Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 309-11. International Agency for Research on Cancer, Lyon.
88956	Chan J, Quintanilla-Martinez L, Ferry J (2017). Extranodal NK/T-cell lymphoma nasal type. Who Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 368-71. International Agency for Research on Cancer, Lyon.
83387	Chang CM, Schroeder JC, Olshan AF, et al (2010). A case-control study of tobacco use and other non-occupational risk factors for lymphoma subtypes defined by t(14; 18) translocations and bcl-2 expression. <i>Cancer Causes & Control</i> , 21(7): 1147-54.
88986	Chang E, Delzell E (2016). Systematic review and meta-analysis of glyphosate exposure and risk of lymphohematopoietic cancers. <i>J Environ Sci Health B</i> , 51: 402-28.
78061	Chang ET, Adami HO, Boffetta P, et al (2014). A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and cancer risk in humans. <i>Crit Rev Toxicol</i> , 44(Suppl 1): 1-81.
52256	Chang ET, Balter KM, Torrang A, Smedby KE, et al (2006). Nutrient intake and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 164(12): 1222-32.
83234	Chang ET, Boffetta P, Adami HO, et al (2015). A critical review of the epidemiology of Agent Orange or 2,3,7,8-tetrachlorodibenzo-p-dioxin and lymphoid malignancies. <i>Ann Epidemiol</i> , 25(4): 275-92.
55676	Chang ET, Hjalgrim H, Edstrom Smedby K, Akerman M, et al (2005). Body mass index and risk of malignant lymphoma in Scandinavian men and women. <i>J Natl Cancer Inst</i> , 97: 210-8.
52254	Chang ET, Smedby KE, Hjalgrim H, Schollkoopf C, et al (2005). Medication use and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 162(10): 965-74.
52253	Chang ET, Smedby KE, Zhang SM, et al (2005). Dietary factors and risk of non-Hodgkin lymphoma in men and women. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(2): 512-20.
52255	Chang ET, Smedby KE, Hjalgrim H, et al (2005). Family history of hematopoietic malignancy and risk of lymphoma. <i>J Natl Cancer Inst</i> , 97(19): 1466-74.
52257	Chang ET, Zheng T, Weir EG, Borowitz M, et al (2004). Aspirin and the risk of Hodgkin's lymphoma in a population-based case-control study. <i>J Natl Cancer Inst</i> , 96(4): 305-15.
30641	Chang YM, Tai CF, Yang SC, Chen CJ, et al (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. <i>Ann Epidemiol</i> , 13(9): 652-60.
53217	Chang YM, Tai CF, Yang SC, Lin RS, et al (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. <i>J Occup Health</i> , 47: 171-80.
52252	Chao C, Page JH (2008). Type 2 diabetes mellitus and risk of non-Hodgkin lymphoma: a systematic review and meta-analysis. <i>Am J Epidemiol</i> , 168: 471-80.
29479	Charpentier P, Ostfeld AM, Hadjimichael OC, et al (1993). The mortality of US nuclear submariners, 1969-1982. <i>JOM</i> , 35(5): 501-9.

51900	Chaturvedi AK, Mbulaiteye SM, Engels EA (2008). Underestimation of relative risks by standardized incidence ratios for AIDS-related cancers. <i>Ann Epidemiol</i> , 18: 230-4.
20354	Checkoway H, Mathew RM, Shy CM, et al (1985). Radiation, work experience, and cause specific mortality among workers at an energy research laboratory. <i>Br J Ind Med</i> , 42(8): 525-33.
83348	Chen F, Hu Y, Liu P, et al (2017). Carotenoid intake and risk of non-Hodgkin lymphoma: a systematic review and dose-response meta-analysis of observational studies. <i>Ann Hematol</i> , 96(6): 957-65.
83148	Chen GC, Lv DB, Pang Z, et al (2013). Fruits and vegetables consumption and risk of non-Hodgkin's lymphoma: a meta-analysis of observational studies. <i>Int J Cancer</i> , 133(1): 190-200.
51928	Chen M-H, Hsiao L-T, Chiou T-J, Liu J-H, et al (2008). High prevalence of occult hepatitis B virus infection in patients with B cell non-Hodgkins lymphoma. <i>Ann Hematol</i> , 87: 475-80.
86089	Chen Y, Sun J, Yang Y, et al (2016). Malignancy risk of anti-tumor necrosis factor alpha blockers: an overview of systematic reviews and meta-analyses. <i>Clin Rheumatol</i> , 35(1): 1-18.
52251	Cheung MC, Pantanowitz L, Dezube BJ (2005). AIDS-related malignancies: emerging challenges in the era of highly active antiretroviral therapy. <i>The Oncologist</i> , 10: 412-6.
83627	Chiu BC, Hou N (2015). Epidemiology and etiology of non-Hodgkin lymphoma. <i>Cancer Treat Rep</i> , 165: 1-25.
26100	Chiu BC, Weisenburger DD, Cantor KP, Zahm SH, Holmes F, Burmeister LF, Blair A (2002). Alcohol consumption, family history of hematolymphoproliferative cancer, and the risk of non-Hodgkin's lymphoma in men. <i>Ann Epidemiol</i> , 12(5): 309-15.
52250	Chiu BC-H, Dave BJ, Blair A, Gapstur SM, et al (2007). Cigarette smoking, familial hematopoietic cancer, hair dye use, and risk of t(14;18)-defined subtypes of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 165: 652-9.
45663	Chiu BCH, Dave BJ, Blair A, Gapstur SM, et al (2006). Agricultural pesticide use and risk of t(14;18)-defined subtypes of non-Hodgkin lymphoma. <i>Blood</i> , 108(4): 1363-9.
50747	Chiu BC-H, Soni L, Gapstur SM, Fought AJ, et al (2007). Obesity and risk of non-Hodgkin lymphoma (United States). <i>Cancer Causes Control</i> , 18: 677-85.
52249	Chiu BC-H, Weisenburger DD, Zahm SH, Cantor KP, et al (2004). Agricultural pesticide use, familial cancer, and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(4): 525-31.
50707	Chiu BC-H, Weisenburger DD (2003). An update of the epidemiology of non-Hodgkin's lymphoma. <i>Clinical Lymphoma</i> , 4(3): 161-8.
52532	Chiu WA, Caldwell JC, Keshava N, Scott CS (2006). Key scientific issues in the health risk assessment of trichloroethylene. <i>Environ Health Perspect</i> , 114(9): 1445--9.
26073	Chow EJ, Holly EA (2002). Blood transfusions as a risk factor for non-Hodgkin's lymphoma in the San Francisco Bay area: a population-based study. <i>American Journal of Epidemiology</i> , 155(8): 725-31.
26253	Chow EJ, Holly EA (2002). Blood transfusions as a risk factor for non-Hodgkin's lymphoma in the San Francisco Bay Area: a population-based study. <i>Am J Epidemiol</i> , 155(8): 725-31.
88987	Christensen M, Vestergaard J, d'Amore F, et al (2018). Styrene exposure and risk of lymphohematopoietic malignancies in 73036 reinforced plastics workers. <i>Epidemiol</i> , 29(3): 88987.
3241	Christie D, Robinson K, Gordon I, et al (1991). A prospective study in the Australian petroleum industry. II. Incidence of cancer. <i>Br J Ind Med</i> , 48: 511-4.

54603	Ci W, Polo JM, Melnick A (2008). B-cell lymphoma 6 and the molecular pathogenesis of diffuse large B-cell lymphoma. <i>Curr Opin Hematol</i> , 15: 381-90.
26274	Cibere J, Sibley J, Haga M (2001). Systemic lupus erythematosus and the risk of malignancy. <i>Lupus</i> , 10(6): 394-400.
1260	Clapp RW, Cupples LA, Colton T, Ozonoff DM (1991). Cancer surveillance of veterans in Massachusetts, USA, 1982-1988. <i>Inter J Epidemiology</i> , 20(1): 7-12.
14681	Clapp RW, Cupples LA, Colton T et al (1991). Cancer surveillance of veterans in Massachusetts, USA, 1982-1988. <i>International Journal of Epidemiology</i> , 20: 7-12.
50730	Clapp RW, Jacobs MM, Loeffler EL (2008). Environmental and occupational causes of cancer: new evidence 2005-2007. <i>Reviews on Environmental Health</i> , 23(1): 1-37.
88803	Clarke C, Morton L, Lynch C, et al (2013). Risk of lymphoma subtypes after solid organ transplantation in the United States. <i>Br J Cancer</i> , 109(1): 280-8.
26164	Clarke CA, Glaser SL (2002). Changing incidence of non-Hodgkin lymphomas in the United States. <i>Cancer</i> , 94(7): 2015-23. Retrieved 8 January 2003, from 2015-23
52248	Clarke CA, Glaser SL, Dorfman RF, Bracci PM, et al (2004). Expert review of non-Hodgkin's lymphomas in a population-based cancer registry: reliability of diagnosis and subtype classifications. <i>Cancer Epidemiol Biomarkers Prev</i> , 13: 138-43.
26268	Clarke CA, Glaser SL (2001). Epidemiologic trends in HIV-associated lymphomas. <i>Curr Opin Oncol</i> , 13(5): 354-9.
52247	Clarke CA, Undurraga DM, Harasty PJ, Glaser SL, et al (2006). Changes in cancer registry coding for lymphoma subtypes: reliability over time and relevance for surveillance and study. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(4): 630-8.
88988	Clemens M, Jacobsen E (2018). Breast implant-associated anaplastic large cell lymphoma. Retrieved 14 September 2018, from www.uptodate.com
34561	Clifford GM, Polesel J, Rickenbach M, et al (2005). Cancer risk in the Swiss HIV cohort study: associations with immunodeficiency, smoking, and highly active antiretroviral therapy. <i>J National Cancer Institute</i> , 97(6): 425-32.
50755	Cocco P, Brennan P, Ibba A, de Sanjose Llongueras S, et al (2008). Plasma polychlorobiphenyl and organochlorine pesticide level and risk of major lymphoma subtypes. <i>Occup Environ Med</i> , 65: 132-40.
44867	Cocco P, Fadda D, Billai B, et al (2005). Cancer mortality among men occupationally exposed to dichlorodiphenyltrichloroethane. <i>Cancer Res</i> , 65(20): 9588-94.
51925	Cocco P, Piras G, Monne M, Uras A, et al (2008). Risk of malignant lymphoma following viral hepatitis infection. <i>Int J Hematol</i> , 87: 474-83.
62555	Cocco P, t'Mannetje A, Fadda D, Melis M, et al (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. <i>Occup Environ Med</i> , 67: 341-7.
85853	Cocco P, Vermeulen R, Flore V, et al (2013). Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled InterLymph analysis. <i>Occup Environ Med</i> , 70(11): 795-802.
38773	Coggon D, Harris EC, Poole J, Palmer KT (2004). Mortality of workers exposed to ethylene oxide: extended follow up of a British cohort. <i>Occup Environ Med</i> , 61: 358-62.

14766	Coggon D, Pannett B, Winter P (1991). Mortality and incidence of cancer at four factories making phenoxy herbicides. <i>British Journal of Industrial Medicine</i> , 48(3): 173-178.
62169	Cogliano VJ, Baan R, Straif K (2011). Updating IARC's carcinogenicity assessment of benzene. <i>Am J Ind Med</i> , 54: 165-7.
3084	Colditz GA (1994). Hair dye and cancer: Reassuring evidence of no association. <i>J Natl Cancer Inst</i> , 86(3): 164-5.
29796	Cole P, Trichopoulos D, Pastides H, et al (2003). Dioxin and cancer: a critical review. <i>Regul Toxicol Pharmacol</i> , 38(3): 378-88.
14761	Collin P, Pukkala E, Reunala T (1996). Malignancy and survival in dermatitis herpetiformis: a comparison with coeliac disease. <i>Gut</i> , 38(4): 528-30.
76869	Collins JJ, Anteau SE, Swaen G, et al (2015). Lymphatic and hematopoietic cancers among benzene-exposed workers. <i>JOEM</i> , 57(2): 159-63.
83235	Collins JJ, Bodner KM, Aylward LL, et al (2016). Mortality risk among workers with exposure to dioxins. <i>Occup Med</i> , 66(9): 706-12.
50746	Colt JS, Hartge P, Davis S, Cerhan JR, et al (2007). Hobbies with solvent exposure and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18: 385-90.
52246	Colt JS, Severson RK, Lubin J, Rothman N, et al (2005). Organochlorines in carpet dust and non-Hodgkin lymphoma. <i>Epidemiology</i> , 16(4): 516-25.
55819	Committee on Contaminated Water at Camp Lejeune (2009). Review of epidemiological studies. <i>Contaminated Water Supplies at Camp Lejeune: Assessing potential health effects</i> : 151-2. National Academy Press - Washington, DC.
88815	Committee to Review the Health Effects in Vietnam Veterans of Exposure to Herbicides (2014). <i>Veterans & Agent Orange: Update 2014</i> , 10th biennial update. National Academies Press - Washington, DC.
13052	Commonwealth Department of Veteran's Affairs (1998). Male Vietnam veterans - survey and community comparison outcomes. <i>Morbidity of Vietnam Veterans: A study of the health of Australia's Vietnam veteran community</i> , Vol 1.
76765	Commonwealth of Australia (2015). Petrol fuel quality standard. Retrieved 17 November 2015, from https://www.environment.gov.au/topics/environment-protection/fuel-quality/standards/petrol
27917	Concawe (1995). Kerosines/jet fuels. Product dossier No. 94/106. CONCAWE'S Petroleum Products & Health Management Groups, . Concawe, Brussels.
55675	Consonni D, Pesatori AC, Zocchetti C, et al (2008). Mortality in a population exposed to dioxin after the Seveso, Italy accident in 1976: 25 years of follow-up. <i>Am J Epidemiol</i> , 167(7): 847-58.
52244	Coogan PF, Rosenberg L, Strom BL (2007). Statin use and the risk of 10 cancers. <i>Epidemiology</i> , 18(2): 213-9.
88960	Cook J, Isaacson P, Chott A, et al (2017). Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma). WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 259-62. International Agency for Research on Cancer, Lyon.
52243	Cooper GS, Jones S (2008). Pentachlorophenol and cancer risk: focusing the lens on specific chlorophenols and contaminants. <i>Environ Health Perspect</i> , 116(8): 1001-8.
26076	Corrao G, Corazza GR, Bagnardi V, Brusco G, Ciacci C, et al (2001). Mortality in patients with coeliac disease and their relatives: a cohort study. <i>Lancet</i> , 358: 356-61.

26138	Correa A, Jackson L, Mohan A, Perry H, et al (2000). Use of hair dyes, hematopoietic neoplasms, and lymphomas: a literature review. II. Lymphomas and multiple myeloma. <i>Cancer Invest</i> , 18(5): 467-79.
52245	Cost JS, Davis S, Severson RK, Lynch CF, et al (2006). Residential insecticide use and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(2): 251-7.
26167	Costantini AS, Miligi L, Kriebel D, et al (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. <i>Epidemiol</i> , 12(1): 78-87.
83135	Costas L, de Sanjose S, Infante-Rivard C (2014). Reproductive factors and non-Hodgkin lymphoma: a systematic review. <i>Crit Rev Oncol Hematol</i> , 92(3): 181-93.
54976	Costenbader KH, Okada SK, Callegari PE, et al (2006). [Comments] Risk of serious infections and malignancies with anti-TNF antibody therapy in rheumatoid arthritis. <i>JAMA</i> , 296(18): 2201-5.
1259	Cote TR, Biggar RJ (1995). Does zidovudine cause non-Hodgkin's lymphoma? <i>AIDS</i> , 9(4): 404.
32403	Cotelingam JD, Witebsky FG, Hsu SM, et al (1985). Malignant lymphoma in patients with the Wiskott-Aldrich syndrome. <i>Cancer Invest</i> , 3(6): 515-22.
26143	Cottone M, Termini A, Oliva L, Magliocco A, et al (1999). Mortality and causes of death in celiac disease in a Mediterranean area. <i>Dig Dis Sci</i> , 44(12): 2538-41.
50745	Cozen W, Cerhan JR, Martinex-Maza O, Ward MH, et al (2007). The effect of atopy, childhood crowding, and other immune-related factors on non-Hodgkin lymphoma risk. <i>Cancer Causes Control</i> , 18: 821-31.
6813	Cragle DL, McLain RW, Qualters J, Hickey JLS, et al (1988). Mortality among workers at a nuclear fuels production facility. <i>Am J Ind Med</i> , 14: 379-401.
12255	Crane PJ, Barnard DI, Horsley KD et al (1997). Mortality of national service Vietnam veterans. A report of the 1996 retrospective cohort study of Australian Vietnam veterans. Commonwealth Department of Veterans' Affairs.
55674	Criscione VD, Weinstock MA (2007). Incidence of cutaneous t-cell lymphoma in the United States, 1973-2002. <i>Arch Dermatol</i> , 143(7): 854-9.
8353	Cronkite EP, Bond VP, Conard RA (1995). Medical effects of exposure of human beings to fallout radiation from a thermonuclear explosion. <i>Stem Cells</i> , 13(S 1): 49-57.
3077	Crosignani P, Berrino F (1994). [Comment] Re: "Role of the herbicide atrazine in the development of non-Hodgkin's lymphoma". <i>Scand J Work Environ Health</i> , 20(3): 223-6. Comment on ID: 3078.
50754	Cross AJ, Lim U (2006). The role of dietary factors in the epidemiology of non-Hodgkin's lymphoma. <i>Leukemia and Lymphoma</i> , 47(12): 2477-87.
52242	Cross AJ, Ward MH, Schenk MJ, Kulldorff M, et al (2006). Meat and meat-mutagen intake and risk of non-Hodgkin lymphoma: results from a NCI-SEER case-control study. <i>Carcinogenesis</i> , 27(2): 293-7.
54598	Cucchiara S, Escher JC, Hildebrand H, et al (2009). Pediatric inflammatory bowel diseases and the risk of lymphoma: should we revise our treatment strategies? <i>J Pediatr Gastroenterol Nutr</i> , 48: 257-67.
83342	Cuccurullo R, Govi S, Ferreri AJ (2014). De-escalating therapy in gastric aggressive lymphoma. <i>World Journal of Gastroenterology</i> , 20(27): 8993-7.
50743	Cuttner J, Spiera H, Troy K, Wallenstein S (2005). Autoimmune disease is a risk factor for the development of non-Hodgkin's lymphoma. <i>J Rheumatol</i> , 32: 1884-7.

26267	Cuttner J, Werther JL, McGlynn P, Chen A, et al (2001). Seroprevalence of Helicobacter pylori infection in patients with lymphoma. <i>Leuk Lymphoma</i> , 40(5-6): 591-7.
53808	Cypel Y, Kang H (2008). Mortality patterns among women Vietnam-era veterans: results from a retrospective cohort study. <i>Ann Epidemiol</i> , 18: 244-52.
52241	Czene K, Adami H-O, Change ET (2007). Sex- and kindred-specific familial risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(11): 2496-9.
50589	Czucsman M, Zinzani PL (2003). The first international workshop on non-Hodgkin's lymphoma: taking a close look at current issues and future developments. <i>Leukemia & Lymphoma</i> , 44(Suppl 3): S1-4.
52240	Dal Maso L, Franceschi S (2006). Hepatitis C virus and risk of lymphoma and other lymphoid neoplasms: a meta-analysis of epidemiologic studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(11): 2078-85.
15214	Dalager NA, Kang HK (1997). Mortality among army chemical corps Vietnam Veterans. <i>American Journal of Industrial Medicine</i> , 31: 719-26.
9317	Dalager NA, Kang HK, Burt VL, Weatherbee L (1991). Non-Hodgkin's lymphoma among Vietnam veterans. <i>Journal of Occupational Medicine</i> , 33(7): 774-9.
1564	Dalager NA, Kang HK, Burt VL, Weatherbee L (1991). Non-Hodgkin's lymphoma among Vietnam Veterans. <i>J Occup Med</i> , 33(7): 774-9.
14523	Dalager NA, Kang HK, Burt VL et al (1991). Non-Hodgkin's lymphoma among Vietnam veterans. <i>Journal of Occupational Medicine</i> , 33(7): 774-9.
83144	Dalia S, Chavez J, Castillo JJ, et al (2013). Hepatitis B infection increases the risk of non-Hodgkin lymphoma: a meta-analysis of observational studies. <i>Leuk Res</i> , 37(9): 1107-15.
26166	Dalton SO, Johansen C, Mellemkjaer L, et al (2000). Antidepressant medications and risk for cancer. <i>Epidemiol</i> , 11(2): 171-6.
51885	Dalton SO, Poulsen AH, Norgaard M, McLaughlin JK, et al (2008). Tricyclic antidepressants and non-Hodgkin lymphoma. <i>Epidemiology</i> , 19(4): 546-9.
7436	Damber L, et al (1995). A cohort study with regard to the risk of haematological malignancies in patients treated with x-rays for benign lesions in the locomotor system. <i>Acta Oncologica</i> , 34(6): 713-19.
85891	Daniels RD, Bertke S, Dahm MM, et al (2015). Exposure-response relationships for select cancer and non-cancer health outcomes in a cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). <i>Occup Environ Med</i> , 72(10): 699-706.
71063	Daniels RD, Kubale TL, Yiin JH, et al (2013). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). <i>Occup Environ Med</i> , Epub ahead of print.
26537	Darby S, Kendall G, Fell T, et al (1993). Further follow up of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapons tests and experimental programmes. <i>BMJ</i> , 307: 1530-35.
11769	Darby SC, Kendall GM, Fell TP, Doll R, et al (1993). Further follow up of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapon tests and experimental programs. <i>BMJ</i> , 307(6918): 1530-5.
6753	Darby SC, Kendall GM, Fell TP, O'Hagan JA, et al (1988). A summary of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapon tests and experimental programmes. <i>BMJ</i> , 296: 332-8.

26137	Davidson BK, Kelly CA, Griffiths ID (1999). Primary Sjogren's syndrome in the North East of England: a long-term follow-up study. <i>Rheumatology</i> , 38(3): 245-253.
52045	de Jong D, Englad G (2008). Inflammatory cells and immune microenvironment in malignant lymphoma. <i>J Intern Med</i> , 264: 528-36.
52043	de Jong D, Vasmel WLE, de Boer JP, Verhave G, et al (2008). Anaplastic large-cell lymphoma in women with breast implants. <i>JAMA</i> , 300(17): 2030-5.
86088	de La Forest Divonne M, Gottenberg JE, Salliot C (2017). Safety of biologic DMARDs in RA patients in real life: A systematic literature review and meta-analyses of biologic registers. <i>Joint Bone Spine</i> , 84(2): 133-40.
50649	de Re V, Caggiari L, Simula MP, de Vita S, et al (2007). [Comment] B-cell lymphomas associated with HCV infection. <i>Gastroenterology</i> , 132(3): 1205-7.
50736	de Re V, de Vita S, Sansonno D, et al (2008). [Comment] Mixed cryoglobulinemia syndrome as an additional autoimmune disorder associated with risk for lymphoma development. <i>Blood</i> , 111(12): 5760.
55673	De Roos AJ, Blair A, Rusiecki JA, Hoppin JA, et al (2005). Cancer incidence among glyphosate-exposed pesticide applicators in the Agricultural Health Study. <i>Environ Health Perspect</i> , 113(1): 49-54.
70414	De Roos AJ, Davis S, Colt JS, et al (2010). Residential proximity to industrial facilities and risk of non-Hodgkin lymphoma. <i>Environ Res</i> , 110(1): 70-8.
52239	De Roos AJ, Gold LS, Wang S, Hartge P, et al (2006). Metabolic gene variants and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(9): 1647-53.
47609	De Roos AJ, Hartge P, Lubin JH, et al (2005). Persistent organochlorine chemicals in plasma and risk of non-Hodgkin's lymphoma. <i>Cancer Res</i> , 65(23): 11214-26.
55672	De Roos AJ, Zahm SH, Cantor KP, Weisenburger DD, et al (2003). Integrative assessment of multiple pesticides as risk factors for non-Hodgkin's lymphoma among men. <i>Occup Environ Med</i> , 60: e11.
50727	de Sanjose S, Benavente Y, Vajdic CM, Engels EA, et al (2008). Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. <i>Clin Gastroenterol Hepatol</i> , 6: 451-8.
52237	de Sanjose S, Benavente Y, Nieters A, Foretova L, et al (2006). Association between personal use of hair dyes and lymphoid neoplasms in Europe. <i>Am J Epidemiol</i> , 164(1): 47-55.
52238	de Sanjose S, Dickie A, Alvaro T, Romagosa V, et al (2004). Helicobacter pylori and malignant lymphoma in Spain. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(6): 944-8.
26224	De Stefani E, Fierro L, Barrios E, Ronco A (1998). Tobacco, alcohol, diet and risk of non-Hodgkin's lymphoma: a case-control study in Uruguay. <i>Leuk Res</i> , 22(5): 445-52.
52981	Deapen DM, Hirsch EM, Brody GS (2007). Cancer risk among Los Angeles women with cosmetic breast implants. <i>Plastic and Reconstructive Surgery</i> , 119: 1987-92.
83228	Deepak P, Sifuentes H, Sherid M, et al (2013). T-cell non-Hodgkin's lymphomas reported to the FDA AERS with tumor necrosis factor-alpha (TNF-alpha) inhibitors: Results of the REFURBISH study. <i>Am J Gastroenterol</i> , 108(1): 99-105.
76917	Defence Work Health and Safety (2014). Exposure to military aviation turbine fuels in defence. Defence Technical Fact Sheet No. 28. Department of Defence, : .

53819	Delancey JO, Alavanja MC, Coble J, Blair A, et al (2009). Occupational exposure to metribuzin and the incidence of cancer in the agricultural health study. <i>Ann Epidemiol</i> , 19: 388-95.
26120	Delchier JC, Lamarque D, Levy M, Tkoub EM, Copie-Bergman C, Deforges L, Chaumette MT, Haioun C (2001). Helicobacter pylori and gastric lymphoma: high seroprevalence of CagA in diffuse large B-cell lymphoma but not in low-grade lymphoma of mucosa-associated lymphoid tissue type. <i>Am J Gastroenterol</i> , 96(8): 2324-8.
50732	Delzell E, Sathiakumar N, Graff J, Macaluso M, et al (2006). An updated study of mortality among north American synthetic rubber industry workers. <i>Res Rep Health Eff Inst</i> , 132: 1-63.
50742	Demers PA, Davies HW, Friesen MC, et al (2006). Cancer and occupational exposure to pentachlorophenol and tetrachlorophenol (Canada). <i>Cancer Causes Control</i> , 17: 749-58.
85856	Deng Q, Zheng T, Lan Q, et al (2013). Occupational solvent exposure, genetic variation in immune genes, and the risk for non-Hodgkin lymphoma. <i>Eur J Cancer Prev</i> , 22(1): 77-82.
8275	Denton K, Wilson CL, Venning VA (1992). Primary cutaneous anaplastic erythrodermic prodrome. <i>British Journal of Dermatology</i> , 126: 297-300.
39977	Department of Defence (2003). Qualitative Interviews. Final Report July 2003. Study of Health Outcomes in Aircraft Maintenance Personnel, Vol 3. Commonwealth of Australia.
37770	Department of Defence (2003). Mortality and Cancer Incidence Study. Study of Health Outcomes in Aircraft Maintenance Personnel - Interim Report, Vol 2. Commonwealth of Australia.
32791	Department of Defence (2004). Report on the General Health and Medical Study. Study of Health Outcomes in Aircraft Maintenance Personnel, Vol 5. Commonwealth of Australia.
35415	Department of Defence (2003). Literature Review: Final Report July 2003. Study of Health Outcomes in Aircraft Maintenance Personnel, Vol 1. Commonwealth of Australia.
37769	Department of Defence (2004). Study of health outcomes in aircraft maintenance personnel. Mortality and Cancer Incidence Study, 2nd Report, Vol 4. Commonwealth of Australia.
8343	DeSwarte RD (1986). Drug allergy: an overview. <i>Clin Rev Allergy</i> , 4: 143-69.
51930	Detry O (2008). [Comment] Transmission of lymphoma via organ transplantation. <i>Am J Transplant</i> , 8(6): 1350. Comment on ID: 51929.
14488	Devesa SS, Fears T (1992). Non-Hodgkin's Lymphoma time trends: United States and International data. <i>Cancer Research</i> , 52(suppl): 5432s-40s.
83190	Devlin SM, Cheifetz AS, Siegel CA, et al (2012). Patient-specific approach to combination versus monotherapy with the use of antitumor necrosis factor alpha agents for inflammatory bowel disease. <i>Gastroenterol Clin North Am</i> , 41(2): 411-28.
52235	Diamond C, Taylor TH, Aboumrad T, Anton-Culver H (2005). Changes in acquired immunodeficiency syndrome-related non-Hodgkin lymphoma in the era of highly active antiretroviral therapy. <i>Cancer</i> , 106(1): 128-35.
13223	Dich J, Zahm SH, Hanberg A, et al (1997). Pesticides and cancer. <i>Cancer Causes Control</i> , 8(3): 420-43.
26530	Dickinson HO, Parker L (2002). Leukaemia and non-Hodgkin's lymphoma in children of male Sellafield radiation workers. <i>Int J Cancer</i> , 99(3): 437-44.
68358	Dighiero G, Hamblin TJ (2008). Chronic lymphocytic leukemia. <i>Lancet</i> , 371(9617): 1017-29.

30770	Dimitrov B (1999). Malignant melanoma of the skin and non-Hodgkin's lymphoma in USA: a comparative epidemiological study. <i>Folia Med (Plovdiv)</i> , 41(1): 121-5.
8274	D'Incan M, Souteyrand P, Bignon YJ, Fonck Y, Roger H (1992). Hydantoin-induced cutaneous pseudolymphoma with clinical, pathologic, and immunologic aspects of Sezary syndrome. <i>Arch Dermatol</i> , 128: 1371-4.
83385	Diver WR, Patel AV, Thun MJ, et al (2012). The association between cigarette smoking and non-Hodgkin lymphoid neoplasms in a large US cohort study. <i>Cancer Causes & Control</i> , 23(8): 1231-40.
26176	Divine BJ, Hartman CM (2001). A cohort mortality study among workers at a 1,3 butadiene facility. <i>Chem Biol Interact</i> , 1: 135-6, 535-53.
53841	Dobbeling U (2008). The molecular pathogenesis of mycosis fungoides and Sezary syndrome. <i>G Ital Dermatol Venereol</i> , 143(6): 385-94.
13009	Dockrell DH, Strickler JG, & Paya CV (1998). Epstein-Barr Virus-induced T cell lymphoma in solid organ transplant recipients. <i>Clinical Infectious Diseases</i> , 26: 180-2.
88961	Dogan A, Gaulard P, Jaffe E, et al (2017). Angioimmunoblastic T-cell lymphoma and other nodal lymphomas of T follicular helper cell origin. <i>WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues</i> , 4th Edition, Chapter 13: 407-8. International Agency for Research on Cancer, Lyon.
68191	Doglioni C, Ponzoni M, Ferreri AJ, et al (2011). Gastric lymphoma: the histology report. <i>Dig Liver Dis</i> , 43S: S310-8.
85888	Dommasch ED, Abuabara K, Shin DB, et al (2011). The risk of infection and malignancy with tumor necrosis factor antagonists in adults with psoriatic disease: A systematic review and meta-analysis of randomized controlled trials. <i>J Am Acad Dermatol</i> , 64(6): 1035-50.
10902	Doody MM, Linet MS, Glass AG, Curtis RE, et al (1996). Risks of non Hodgkin's lymphoma, multiple myeloma, and leukemia associated with common medications. <i>Epidemiology</i> , 7(2): 131-9.
4613	Doody MM, Linet MS, Glass AG, et al (1992). Leukemia, lymphoma and multiple myeloma following selected medical conditions. <i>Cancer Causes Control</i> , 3: 449-456.
83103	Doorakkers E, Lagergren J, Engstrand L, et al (2016). Eradication of Helicobacter pylori and gastric cancer: a systematic review and meta-analysis of cohort studies. <i>J Natl Cancer Inst</i> , 108(9): djw132.
54447	Dorey E (2005). PCBs persist in cancer victims. <i>Chemistry & Industry</i> , December 19: 8.
15937	Douglas AJ, Omar RZ, Smith PP (1994). Cancer mortality and morbidity among workers at the Sellafield plant of British nuclear fuels. <i>Br J Cancer</i> , 70: 1232-43.
26568	Drabick JJ (1990). The association of selected cancers with service in the US military in Vietnam. III. Hodgkin's disease, nasal cancer, nasopharyngeal cancer, and primary liver cancer. The Selected Cancers Cooperative Study Group. <i>Arch Intern Med</i> , 150(12): 2495-505.
13021	Draper GJ, Little MP, Sorahan T, Kinlen LJ, et al (1997). Cancer in the offspring of radiation workers: a record linkage study. <i>BMJ</i> , 315(7117): 1181-88.
50741	Dreiher J, Kordysh E (2006). Non-Hodgkin lymphoma and pesticide exposure: 25 years of research. <i>Acta Haematol</i> , 116: 153-64.
52236	Dreiher J, Novack V, Barachana M, et al (2005). [Comment] Non-Hodgkin's lymphoma and residential proximity to toxic industrial waste in southern Israel. <i>Haematologica</i> , 90(12): 1709-10.
52234	Drini M, Prichard PJ, Brown GJE, Macrae FA (2008). Hepatosplenic t-cell lymphoma following infliximab therapy for Crohn's disease. <i>MJA</i> , 189(8): 464-5.

52945	Duberg AS, Nordstrom M, Torner A, Reichard O, et al (2005). Non-Hodgkin's lymphoma and other nonhepatic malignancies in Swedish patients with hepatitis C virus infection. <i>Hepatology</i> , 41(3): 652-9.
26133	Ducreux M, Boutron MC, Piard F, Carli PM, Faivre J (1998). A 15-year series of gastrointestinal non-Hodgkin's lymphomas: a population-based study. <i>Br J Cancer</i> , 77(3): 511-4.
83227	Dulai PS, Siegel CA (2014). The risk of malignancy associated with the use of biological agents in patients with inflammatory bowel disease. <i>Gastroenterol Clin North Am</i> , 43(3): 525-41.
88962	Dunleavy K, Wilson W (2017). Non-Hodgkin lymphoma. <i>Scientific American Medicine, Section Hematology, Chapter VI</i> . Decker International, Philadelphia.
21888	Dupree-Ellis E, Watkins J, Ingle JN, Phillips J (2000). External radiation exposure and mortality in a cohort of uranium processing workers. <i>American Journal of Epidemiology</i> , 152: 91-5.
50706	Dybkaer K, Iqbal J, Zhou G, Chang WC (2004). Molecular diagnosis and outcome prediction in diffuse large B-cell lymphoma and other subtypes of lymphoma. <i>Clinical Lymphoma</i> , 5(1): 19-28.
8173	Edelson RL (1980). Cutaneous T cell lymphoma: Mycosis fungoides, Sezary syndrome, and other variants. <i>Journal of the American Academy of Dermatology</i> , 2: 89-106.
50740	Edgren G, Reilly M, Hjalgrim H, Tran TN, et al (2008). Donation frequency, iron loss, and risk of cancer among blood donors. <i>J Natl Cancer Inst</i> , 100: 572-9.
76779	Edokpolo B, Jimmy Q, Connell D (2015). Health risk assessment for exposure to benzene in petroleum refinery environments. <i>Int J Environ Res Public Health</i> , 12: 595-610.
52233	Edwards TM, Myers JP (2007). Environmental exposures and gene regulation in disease etiology. <i>Environ Health Perspect</i> , 115(9): 1264-70.
1255	Egan J, Stewart J, Yonan N, Arrand J, Woodcock A (1994). Non-Hodgkin lymphoma in heart/lung transplant recipients. <i>Lancet</i> , 343(8895): 481.
50719	Egan KM, Sosman JA, Blot WJ (2005). [Comment] Sunlight and reduced risk of cancer: is the real story vitamin D? <i>J Natl Cancer Inst</i> , 97(3): 161-3.
25028	Eheman CR, Tolbert PE, Coates RJ, et al (2000). Case-control assessment of the association between non-Hodgkin's lymphoma and occupational radiation with doses assessed using a job exposure matrix. <i>American Journal of Industrial Medicine</i> , 38: 19-27.
50751	Ekstrom-Smedby KE (2006). Epidemiology and etiology of non-Hodgkin lymphoma - a review. <i>Acta Oncologica</i> , 45(3): 258-71.
53872	El Ghissassi F, Baan R, Straif K, et al (2009). A review of human carcinogens - Part D: radiation. <i>Lancet Oncol</i> , 10(8): 751-2.
26135	Eltom MA, Jemal A, Mbulaiteye SM, Devesa SS, Biggar RJ (2002). Trends in Kaposi's sarcoma and non-Hodgkin's lymphoma incidence in the United States from 1973 through 1998. <i>J Natl Can Inst</i> , 94(16): 1204-10.
52232	Engel LS, Laden F, Andersen A, Strickland PT, et al (2007). Polychlorinated biphenyl levels in peripheral blood and non-Hodgkin's lymphoma: a report from three cohorts. <i>Cancer Res</i> , 67(11): 5545-52.
52231	Engel LS, Lan Q, Rothman N (2007). Polychlorinated biphenyls and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 373-6.
52230	Engels EA (2007). Infectious agents as causes of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 401-4.
50739	Engels EA, Biggar RJ, Hall HI, et al (2008). Cancer risk in people infected with human immunodeficiency virus in the United States. <i>Int J Cancer</i> , 123: 187-94.

52227	Engels EA, Cerhan JR, Linet MS, Cozen W, et al (2005). Immune-related conditions and immune-modulating medications as risk factors for non-Hodgkin's lymphoma: a case-control study. <i>Am J Epidemiol</i> , 162(12): 1153-61.
52229	Engels EA, Goedert JJ (2005). Human immunodeficiency virus / acquired immunodeficiency syndrome and cancer: past, present, and future. <i>J Natl Cancer Inst</i> , 97(6): 407-9.
52228	Engels EA, Viscidi RP, Galloway DA, Carter JJ, et al (2004). Case-control study of simian virus 40 and non-Hodgkin lymphoma in the United States. <i>J Natl Cancer Inst</i> , 96(18): 1368-74.
50725	Engles EA (2005). Cancer risk associated with receipt of vaccines contaminated with simian virus 40: epidemiologic research. <i>Expert Rev Vaccines</i> , 4(2): 197-206.
50753	Engles EA (2005). Does simian virus 40 cause non-Hodgkin lymphoma? A review of the laboratory and epidemiological evidence. <i>Cancer Investigation</i> , 23(6): 529-36.
26768	Enrici RM, Anselmo AP, Iacari V, et al (1998). The risk of non-Hodgkin's lymphoma after Hodgkin's disease, with special reference to splenic treatment. <i>Haematologica</i> , 83(7): 636-44.
14832	Environmental Health Center (1997). Creosote chemical backgrounder. . Retrieved 2 February 1999, from http://safety.webfirst.com/ehc/ew/chems/creosote.htm
51901	Eriksson M, Hardell L, Carlberg M, Akerman M (2008). Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroup analysis. <i>Int J Cancer</i> , 123: 1657-63.
50708	Eriksson NE, Mikoczy Z, Hagmar L (2005). Cancer incidence in 13811 patients skin tested for allergy. <i>J Invest Allergol Clin Immunol</i> , 15(3): 161-6.
51927	Evens AM, Chiu BC-H (2008). The challenges of epidemiologic research in non-Hodgkin lymphoma. <i>JAMA</i> , 300(17): 2059-61.
26194	Fabbro-Peray P, Dauvres JP, Rossi JF (2001). Environmental risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Languedoc-Roussillon, France. <i>Cancer Causes Control</i> , 12(3): 201-12.
25102	Fabbro-Peray P, Dauvres JP, Rossi JF (2001). Environmental risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Languedoc-Roussillon, France. <i>Cancer Causes & Control</i> , 12(3): 201-12.
83792	Fabris M, Dolcetti R, Pasini E, et al (2014). High prevalence of Chlamydophila psittaci subclinical infection in Italian patients with Sjogren's syndrome and parotid gland marginal zone B-cell lymphoma of MALT-type. <i>Clin Exp Rheumatol</i> , 32(1): 61-5.
85918	Fallah M, Liu X, Ji J, et al (2014). Autoimmune diseases associated with non-Hodgkin lymphoma: a nationwide cohort study. <i>Ann Oncol</i> , 25(10): 2025-30.
83122	Fallahzadeh H, Cheraghi M, Amoori N, et al (2014). Red meat intake and risk of non-Hodgkin lymphoma: a meta-analysis. <i>Asian Pacific Journal of Cancer Prevention</i> , 15(23): 10421-5.
55671	Fan H-B, Zhu Y-F, Chen A-S, Zhou M-X, et al (2009). B-cell clonality in the liver of hepatitis C virus-infected patients. <i>World J Gastroenterol</i> , 15(13): 1636-40.
83383	Fan R, Zhang LY, Wang H, et al (2012). Multicentre hospital-based case-control study of diffuse large B-cell lymphoma in Shanghai, China. <i>Asian Pac J Cancer Prev</i> , 13(7): 3329-34.
26121	Farrell RJ, Ang Y, Kileen P, O'Briain DS, et al (2000). Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low. <i>Gut</i> , 47(4): 514-9.

10907	Farris GM, Everitt JI, Irons RD, Popp JA (1993). Carcinogenicity of inhaled benzene in CBA mice. <i>Fundamental and Applied Toxicology</i> , 20: 503-7.
88990	Feldman A, Harris N, Stein H, et al (2017). Breast implant-associated anaplastic large cell lymphoma. <i>WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues</i> , 4th Edition, Chapter 13: 421-2. International Agency for Research on Cancer, Lyon.
50738	Fernberg P, Odenbro A, Bellocchio R, Boffetta P, et al (2006). Tobacco use, body mass index and the risk of malignant lymphomas - a nationwide cohort study in Sweden. <i>Int J Cancer</i> , 118: 2298-302.
52749	Ferreri AJ, Ernberg I, Copie-Bergman C (2009). Infectious agents and lymphoma development: molecular and clinical aspects. <i>J Int Med</i> , 265: 421-38.
83341	Ferreri AJ, Govi S, Ponzoni M (2013). Marginal zone lymphomas and infectious agents. <i>Seminars in Cancer Biology</i> , 23(6): 431-40.
83351	Ferreri AJ, Govi S, Ponzoni M (2013). The role of Helicobacter pylori eradication in the treatment of diffuse large B-cell and marginal zone lymphomas of the stomach. <i>Curr Opin Oncol</i> , 25(5): 470-9.
55683	Ferreri AJM, Dognini GP, Ponzoni M, Pecciarini L, et al (2008). Chlamydia psittaci-eradicating antibiotic therapy in patients with advanced-stage ocular adnexal MALT lymphoma. <i>Ann Oncol</i> , 19(1): 194-5.
55681	Ferreri AJM, Dolcetti R, Magnino S, Doglioni C, et al (2007). A woman and her canary: a tale of chlamydiae and lymphomas. <i>JNCI</i> , 99(18): 1418-9.
52940	Ferreri AJM, Dolcetti R, Du MQ, Doglioni C, et al (2008). Ocular adnexal MALT lymphoma: an intriguing model for antigen-driven lymphomagenesis and microbial-targeted therapy. <i>Annals of Oncology</i> , 19: 835-46.
55682	Ferreri AJM, Guidoboni M, Ponzoni M, De Conciliis C, et al (2004). Evidence for an association between chlamydia psittaci and ocular adnexal lymphomas. <i>J Natl Cancer Inst</i> , 96(8): 586-94.
55684	Ferreri AJM, Ponzoni M, Guidoboni M, Resti AG, et al (2006). Bacteria-eradicating therapy with doxycycline in ocular adnexal MALT lymphoma: a multicenter prospective trial. <i>J Natl Cancer Inst</i> , 98(19): 1375-82.
52750	Ferreri AM, Dolcetti R, Du MQ, Doglioni C, et al (2008). Ocular adnexal MALT lymphoma: an intriguing model for antigen-driven lymphomagenesis and microbial-targeted therapy. <i>Ann Oncol</i> , 19: 835-46.
13012	Ferri C, La Civita L, Zignego AL & Pasero G (1997). Viruses and cancers: possible role of hepatitis C virus. <i>European Journal of Clinical Investigation</i> , 27: 711-8.
1265	Ferri C, La Civita L, Zignego AL (1994). Non-Hodgkin's lymphoma: possible role of hepatitis C virus. <i>JAMA</i> , 272(5): 355-6.
18608	Fett MJ, Adena MA, Cobbin DM, et al (1987). Mortality among Australian conscripts of the Vietnam conflict era. 1. Death from all causes. <i>American Journal of Epidemiology</i> , 125(5): 869-77.
18609	Fett MJ, Mairn JR, Cobbin DM, et al (1987). Mortality among Australian conscripts of the Vietnam conflict era 11. Causes of death. <i>American Journal of Epidemiology</i> , 125(5): 878-84.
5197	Feychting M, Ahlbom A (1995). Electromagnetic fields and childhood cancer: meta-analysis. <i>Cancer Causes Control</i> , 6: 275-9.
24953	Feychting M, Schulgen G, Olsen JH, Ahlbom A (1995). Magnetic fields and childhood cancer- a pooled analysis of two Scandinavian studies. <i>European Journal of Cancer</i> , 31A(12): 2035-9.

14959	Figgs LW, Dosemeci M, Blair A (1995). United States non-Hodgkin's lymphoma surveillance by occupation 1984-1989: a twenty-four state death certificate study. <i>American Journal of Industrial Medicine</i> , 27: 817-35.
14765	Fingerhut MA, Halperin WE, Marlow DA, et al (1991). Cancer mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>NEJM</i> , 324(4): 212-18.
22473	Finkelstein MM (2000). Leukemia after exposure to benzene: temporal trends and implications for standards. <i>American Journal of Industrial Medicine</i> , 38(1): 1-7.
26101	Finkelstein MM; Divine BJ, Hartman CM, Wendt J (2000). [Comment] Update of the Texaco mortality study 1947-93: part II. <i>Occup Environ Med</i> , 57(2): 143-4.
50737	Fisher SG, Fisher RI (2004). The epidemiology of non-Hodgkin's lymphoma. <i>Oncogene</i> , 23: 6524-34.
26182	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Cancer incidence in a cohort of licensed pesticide applicators in Florida. <i>J Occup Environ Med</i> , 41(4): 279-288.
26269	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Cancer incidence in a cohort of licensed pesticide applicators in Florida. <i>J Occup Environ Med</i> , 41(4): 279-288.
20069	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Mortality in a cohort of licensed pesticide applicators in Florida. <i>Occupational Environmental Medicine</i> , 56: 14-21.
26115	Fleming LE, Bean JA, Rudolph M, et al (1999). Mortality in a cohort of licensed pesticide applicators in Florida. <i>Occup Environ Med</i> , 56(1): 14-21.
14818	Flesch-Janys D (1997/98). Analyses of exposure to polychlorinated dibenzo-p-dioxins, furans, and hexachlorocyclohexane and different health outcomes in a cohort of former herbicide-producing workers in Hamburg, Germany. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 17(4-5): 257-64.
15155	Flesch-Janys D, Becher H, Gurn P, et al (1996). Elimination of polychlorinated dibenzo-p-dioxins and dibenzofurans in occupationally exposed persons. <i>Journal of Toxicology, Environmental Health</i> , 47(4): 363-78.
14857	Flesch-Janys D, Steindorf K, Gurn P, Becher H (1998). Estimation of the cumulated exposure to polychlorinated dibenzo-p-dioxins/furans and standardized mortality ratio analysis of cancer mortality by dose in an occupationally exposed cohort. <i>Environmental Health Perspectives</i> , 106(Suppl 2): 655-62.
14827	Flesch-Janys D, Berger J, Gurn P, et al (1995). Exposure to polychlorinated dioxins and furans (PCDD/F) and mortality in a cohort of workers from a herbicide-producing plant in Hamburg, Federal Republic of Germany. <i>American Journal of Epidemiology</i> , 142(11): 1165-75; Erratum; 144(7): 716.
32845	Fletcher CL, Orchard GE, Hubbard V, et al (2004). CD30+ cutaneous lymphoma in association with atopic eczema. <i>Archives of Dermatology</i> , 140(4): 449-54.
55680	Flick ED, Chan KA, Bracci PM, Holly EA (2006). Use of nonsteroidal antiinflammatory drugs and non-Hodgkin lymphoma: a population-based case-control study. <i>Am J Epidemiol</i> , 164(5): 497-504.
50686	Floret N, Lucot E, Badot PM, et al (2007). A municipal solid waste incinerator as the single dominant point source of PCDD/Fs in an area of increased non-Hodgkin's lymphoma incidence. <i>Chemosphere</i> , 68: 1419-26.

52226	Focosi D, Galimberti S, Petrini M (2007). Acute myeloid leukemia and follicular lymphoma after very low dose radioiodine therapy for thyroid diseases. <i>Haematologica</i> , 92(9): e96-7.
55679	Focosi D, Galimberti S, Petrini M (2007). Acute myeloid leukemia and follicular lymphoma after very low dose radioiodine therapy for thyroid diseases. <i>Haematologica</i> , 92(9): e96-7.
10905	Folsom AR, Zhang S, Sellers TA, Zheng W, et al (1996). Cancer incidence among women living on farms: findings from the Iowa women's health study. <i>Journal of Occupational & Environmental Medicine</i> , 38(11): 1171-6.
52225	Fortuny J, de Sanjose S, Becker N, Maynadie M, et al (2006). Statin use and risk of lymphoid neoplasms: results from the European case-control study EPILYMPH. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(5): 921-5.
83357	Foster LH, Portell CA (2015). The role of infectious agents, antibiotics, and antiviral therapy in the treatment of extranodal marginal zone lymphoma and other low-grade lymphomas. <i>Curr Treat Options Oncol</i> , 16(6): 28.
26123	Franceschi S, Dal Maso L, La Vecchia C (1999). Advances in the epidemiology of HIV-associated non-Hodgkin's lymphoma and other lymphoid neoplasms. <i>Int J Cancer</i> , 83(4): 481-5.
50709	Franceschi S, Polesel J, Rickenbach M, Dal Maso L, et al (2006). Hepatitis C virus and non-Hodgkin's lymphoma: findings from the Swiss HIV cohort study. <i>Br J Cancer</i> , 95: 1598-602.
1303	Franceschi S, Serraino D, Bidoli E, Talamini R, et al (1989). The epidemiology of non-Hodgkin's lymphoma in the north-east of Italy: a hospital-based case-control study. <i>Leukemia Research</i> , 13(6): 465-72.
50723	Frankenfeld CL, Cerhan JR, Cozen W, Davis S, et al (2008). Dietary flavonoid intake and non-Hodgkin lymphoma risk. <i>Am J Clin Nutr</i> , 87: 1439-45.
55678	Franklin J, Lunt M, Bunn D, Symmons D, Silman A (2006). Incidence of lymphoma in a large primary care derived cohort of cases of inflammatory polyarthritis. <i>Ann Rheum Dis</i> , 65: 617-22.
56117	Franklin JP, Symmons DPM, Silman AJ (2005). Risk of lymphoma in patients with RA treated with anti-TNF α agents. <i>Ann Rheum Dis</i> , 64(5): 657-8.
5214	Fraser P, Carpenter L, Maconochie N, et al (1993). Cancer mortality and morbidity in employees of the United Kingdom Atomic Energy Authority, 1946-86. <i>Br J Cancer</i> , 67: 615-24.
64674	Freedman A, Friedberg JW, Aster JC (2012). Classification of the hematopoietic neoplasms. Retrieved 1 August 2012, from http://www.uptodate.com/contents/classification-of-the-hematopoietic-neoplasms#H15
88744	Freedman AS, Aster JC (2018). Epidemiology, clinical manifestations, pathologic features, and diagnosis of Burkitt lymphoma. Retrieved 9 March 2018, from https://www.uptodate.com/contents/epidemiology-clinical-manifestations-pathologic-features-and-diagnosis-of-burkitt-lymphoma
88738	Freedman AS, Friedberg JW, Aster JC (2017). Clinical presentation and diagnosis of non-Hodgkin lymphoma. Retrieved 9 March 2018, from https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-non-hodgkin-lymphoma
26127	Freedman DM, Cantor KP, Ward MH, et al (2000). A case-control study of nitrate in drinking water and non-Hodgkin's lymphoma in Minnesota. <i>Arch Environ Health</i> , 55(5): 326-329.
12662	Freedman DM, Zahm SH, Dosemeci M (1997). Residential and occupational exposure to sunlight and mortality from non-Hodgkin's lymphoma: composite (threefold) case-control study. <i>British Medical Journal</i> , 314(7092): 1451-55.

26070	Freedman DS, Tolbert PE, Coates R, Brann EA, Kjeldsberg CR (1998). Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men. <i>American Journal of Epidemiology</i> , 148(9): 833-41.
26081	Freedman M; Burns CJ (2001). [Comments] Amyotrophic lateral sclerosis and occupational exposure to 2,4-dichlorophenoxyacetic acid. <i>Occup Environ Med</i> , 58: 609-10.
55677	Freeman HJ (2009). Malignancy in adult celiac disease. <i>World J Gastroenterol</i> , 15(13): 1581-3.
83152	Freeman MD, Kohles SS (2012). Plasma levels of polychlorinated biphenyls, non-Hodgkin lymphoma, and causation. <i>J Environ Public Health</i> , 2012: 258981.
53801	Frey NV, Tsai DE (2007). The management of posttransplant lymphoproliferative disorder. <i>Med Oncol</i> , 24(2): 125-36.
88743	Friedberg JW, Aster JC (2017). Epidemiology, clinical manifestations, and diagnosis of post-transplant lymphoproliferative disorders. Retrieved 9 March 2018, from https://www.uptodate.com/contents/epidemiology-clinical-manifestations-and-diagnosis-of-post-transplant-lymphoproliferative-disorders
85858	Friesen MC, Bassig BA, Vermeulen R, et al (2017). Evaluating exposure-response associations for non-Hodgkin lymphoma with varying methods of assigning cumulative benzene exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 61(1): 56-66.
52224	Friesen MC, Davies HW, Teschke K, et al (2007). Impact of the specificity of the exposure metric on exposure-response relationships. <i>Epidemiology</i> , 18: 88-94.
38247	Friis S, Holmich LR, McLaughlin JK, et al (2006). Cancer risk among Danish women with cosmetic breast implants. <i>Int J Cancer</i> , 118: 998-1003.
50685	Frisch M, Pedersen BV, Wohlfahrt J, et al (2006). Reproductive patterns and non-Hodgkins lymphoma risk in Danish women and men. <i>Eur J Epidemiol</i> , 21: 673-9.
41148	Fritschi L, Ambrosini GL, Kliewer EV, et al (2004). Dietary fish intake and risk of leukaemia, multiple myeloma, and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(4): 532-37.
52223	Fritschi L, Benke G, Hughes AM, Kricker A, et al (2005). Occupational exposure to pesticides and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 162(9): 849-57.
50684	Fritschi L, Benke G, Hughes AM, Kricker A, et al (2005). Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). <i>Cancer Causes and Control</i> , 16: 599-607.
16856	Frome EL, Cragle DL, Watkins JP, et al (1997). A mortality study of employees of the nuclear industry in Oak Ridge, Tennessee. <i>Radiation Research</i> , 148: 64-80.
26124	Fryzek JP, Mellemkjaer L, McLaughlin JK, Blot WJ, Olsen JH (1999). Cancer risk among patients with finger and hand joint and temporo-mandibular joint prostheses in Denmark. <i>Int J Cancer</i> , 81(5): 723-5.
8928	Fu H, Demers PA, Costantini AS, Winter P, et al (1996). Cancer mortality among shoe manufacturing workers: an analysis of two cohorts. <i>Occupational and Environmental Medicine</i> , 53: 394-8.
60693	Galbraith D, Gross SA, Paustenbach D (2010). Benzene and human health: a historical review and appraisal of associations with various diseases. <i>Crit Rev Toxicol</i> , 40(S2): 1-46.
15211	Gambini GF, Mantovani C, Pira E, et al (1997). Cancer mortality among rice growers in Novara Province, Northern Italy. <i>American Journal of Industrial Medicine</i> , 31: 435-41.

50588	Gandhi MK (2006). Epstein-Barr virus-associated lymphomas. <i>Expert Rev Anti Infect Ther</i> , 4(1): 77-89.
52048	Gao Y, Kristinsson SY, Goldin LR, Bjorkholm M, et al (2009). Increased risk for non-Hodgkin lymphoma in individuals with celiac disease and a potential familial association. <i>Gastroenterology</i> , 136: 91-8.
26181	Garabedian MJ, Hoppin JA, Tolbert PE, et al (1999). Occupational chlorophenol exposure and non-Hodgkin's lymphoma. <i>J Occup Environ Med</i> , 41(4): 267-72.
26090	Garber K (2001). Lymphoma rate rise continues to baffle researchers. <i>J Natl Cancer Inst</i> , 93(7): 494-6.
52212	Garber K (2004). Aspirin for cancer chemoprevention: still a headache? <i>J Natl Cancer Inst</i> , 96(4): 252-3.
14492	Garland FC, Gorham ED, Garland CF et al (1988). Non-Hodgkin's lymphomas in US navy personnel. <i>Archives of Environmental Health</i> , 43(6): 425-9.
87999	Garrido MC, Riveiro-Falkenbach E, Ruano Y, et al (2015). Primary cutaneous small/medium CD4+ T-cell lymphoma occurring during treatment with vemurafenib for advanced melanoma. <i>Am J Dermatopathol</i> , 37(6): 440-3.
10903	Garry VF, Tarone RE, Long L, Griffith J, et al (1996). Pesticide applicators with mixed pesticide exposure: G-banded analysis and possible relationship to non-Hodgkin's lymphoma. <i>Cancer Epidemiology, Biomarkers and Prevention</i> , 5(1): 11-6.
88964	Gascoyne R, Campo E, Jaffe E, et al (2017). Diffuse large B-cell lymphoma, NOS. <i>WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues</i> , 4th Edition, Chapter 13: 291. International Agency for Research on Cancer, Lyon.
83863	Gattu S, Becker EM, Koo JY (2010). A rare case of non-Hodgkins B-cell lymphoma in a psoriatic patient: A case report and literature review. <i>J Drugs Dermatol</i> , 9(10): 1277-81.
88965	Gaulard P, Jaffe E, Krenacs L, et al (2017). Hepatosplenic T-cell lymphoma. <i>WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues</i> , 4th Edition, Chapter 13: 381. International Agency for Research on Cancer, Lyon.
88966	Gaulard P, Swerdlow S, Harris N, et al (2017). Other iatrogenic immunodeficiency-associated lymphoproliferative disorders. <i>WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues</i> , 4th Edition, Chapter 16: 462-3. International Agency for Research on Cancer, Lyon.
13011	Gavaghan H (1997). Largest-ever study contests radiation role in childhood cancers. <i>Nature</i> , 390(6656): 107.
55686	Geborek P, Bladstrom A, Turesson C, Gulfe A, et al (2005). Tumour necrosis factor blockers do not increase overall tumour risk in patients with rheumatoid arthritis, but may be associated with an increased risk of lymphomas. <i>Ann Rheum Dis</i> , 64: 699-703.
55867	Geborek P, Bladstrom A, Turesson C, Gulfe A, et al (2005). Tumour necrosis factor blockers do not increase overall tumour risk in patients with rheumatoid arthritis, but may be associated with an increased risk of lymphomas. <i>Ann Rheum Dis</i> , 64: 699-703.
55868	Gelfand JM, Shin DB, Neumann AL, Wang X, et al (2006). The risk of lymphoma in patients with psoriasis. <i>J Invest Dermatol</i> , 126: 2194-201.
55685	Gelfand JM, Shin DB, Neumann AL, Wang X, et al (2006). The risk of lymphoma in patients with psoriasis. <i>J Invest Dermatol</i> , 126: 2194-201.
13081	Georgescu L, Quinn GC, Schwartzman S, & Paget SA (1997). Lymphoma in patients with rheumatoid arthritis: association with the disease state or methotrexate treatment. <i>Seminars in Arthritis & Rheumatism</i> , 26(6): 794-804.

50705	Gibbs GW, Sevigny M (2007). Mortality and cancer experience of Quebec aluminum reduction plant workers. Part 3: monitoring the mortality of workers first employed after January 1, 1950. <i>JOEM</i> , 49(11): 1269-87.
83149	Gibson TM, Smedby KE, Skibola CF, et al (2013). Smoking, variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma: a pooled analysis within the InterLymph consortium. <i>Cancer Causes & Control</i> , 24(1): 125-34.
26170	Gilbert ES (2001). Invited commentary: studies of workers exposed to low doses of radiation. <i>American Journal of Epidemiology</i> , 153(4): 319-321.
7183	Gilbert ES, Cragle DL, Wiggs LD (1993). Updated analyses of combined mortality data for workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Weapons Plant. <i>Radiation Research</i> , 136: 408-421.
7188	Gilbert ES, Fry SA, Wiggs LD, et al (1989). Analyses of combined mortality data on workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Nuclear Weapons Plant. <i>Radiation Research</i> , 120: 19-35.
14543	Gilbert ES, Marks S (1979). An analysis of the mortality of workers in a nuclear facility. <i>Radiation Research</i> , 79: 122-48.
16572	Gilbert ES, Omohundro E, Buchanan JA, et al (1993). Mortality of workers at the Hanford Site: 1945-1986. <i>Health Phys</i> , 64(6): 577-90.
29477	Gilbert ES, Petersen GR & Buchanan JA (1989). Mortality of workers at the Hanford Site: 1945-1981. <i>Health Physics</i> , 56(1): 11-25.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
83194	Gion Y, Iwaki N, Takata K, et al (2017). Clinicopathological analysis of methotrexate-associated lymphoproliferative disorders: Comparison of diffuse large B-cell lymphoma and classical Hodgkin lymphoma types. <i>Cancer Sci</i> , 108(6): 1271-80.
52359	Giordano TP, Henderson L, Landgren O, Chiao EY, et al (2007). Risk of non-Hodgkin lymphoma and lymphoproliferative precursor diseases in US veterans with hepatitis C virus. <i>JAMA</i> , 297(18): 2010-7.
53803	Gisbert JP, Garcia-Buey L, Pajares JM, Moreno-Otero R (2005). Systematic review: regression of lymphoproliferative disorders after treatment for hepatitis C infection. <i>Aliment Pharmacol Ther</i> , 21: 653-62.
50703	Gisbert JP, Garcia-Buey L, Pajares JM, et al (2003). Prevalence of hepatitis C virus infection in B-cell non-Hodgkin's lymphoma: systematic review and meta-analysis. <i>Gastroenterology</i> , 125: 1723-32.
88805	Glass D, Sim M, Pircher S, et al (2015). Defence firefighters' health study. Monash Centre for Occupational and Environmental Health. Monash University.
26864	Glass DC, Adams GG, Manuell RW, Bisby JA (2000). Retrospective exposure assessment for benzene in the Australian petroleum industry. <i>Ann Occup Hyg</i> , 44(4): 301-20.
83366	Glass DC, Del Monaco A, Pircher S, et al (2016). Mortality and cancer incidence at a fire training college. <i>Occup Med</i> , 66(7): 536-42.
83363	Glass DC, Del Monaco A, Pircher S, et al (2017). Mortality and cancer incidence among male volunteer Australian firefighters. <i>Occup Environ Med</i> , 74(9): 628-38.
50702	Glass DC, Gray CN, Jolley DJ, Gibbons C, Sim MR (2006). The health watch case-control study of leukemia and benzene. The story so far. <i>Ann N Y Acad Sci</i> , 1076: 80-9.

38762	Glass DC, Gray CN, Jolley DJ, et al (2005). Health watch exposure estimates: Do they underestimate benzene exposure? <i>Chemico-Biological Interactions</i> , 153-4: 23-32.
30508	Glass DC, Gray CN, Jolley DJ, et al (2003). Leukemia risk associated with low-level benzene exposure. <i>Epidemiology</i> , 14(5): 569-77.
83364	Glass DC, Pircher S, Del Monaco A, et al (2017). Mortality and cancer incidence in a cohort of male paid Australian firefighters. <i>Occup Environ Med</i> , 73(11): 761-71.
85806	Glass DC, Schnatter AR, Tang G, et al (2017). Exposure to benzene in a pooled analysis of petroleum industry case-control studies. <i>J Occup Environ Hyg</i> , 14(11): 863-72.
26093	Goggins WB, Finkelstein DM, Tsao H (2001). Evidence for an association between cutaneous melanoma and non-Hodgkin lymphoma. <i>Cancer</i> , 91(4): 874-80.
10769	Golberg LH (1997). Basal cell carcinoma as predictor for other cancers. <i>Lancet</i> , 349: 664-5.
16863	Gold B, Kathren RL (1998). Causes of death in a cohort of 260 plutonium workers. <i>Health Physics</i> , 75(3): 236-40.
50701	Goldacre MJ, Wotton CJ, Yeates D, et al (2008). Cancer in patients with ulcerative colitis, Crohn's disease and coeliac disease: record linkage study. <i>Eur J Gastroenterol Hepatol</i> , 20: 297-304.
13019	Goldberg LH (1997). Basal-cell carcinoma as predictor for other cancers. <i>The Lancet</i> , 349(9053): 664-65.
50700	Goldin LR, Caporaso NE (2007). Family studies in chronic lymphocytic leukaemia and other lymphoproliferative tumours. <i>Br J Haematol</i> , 139: 774-9.
52222	Goldin LR, Landgren O, McMaster ML, Gridley G, et al (2005). Familial aggregation and heterogeneity of non-Hodgkin lymphoma in population-based samples. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(10): 2402-6.
26191	Goldstein BD, Shalat S (2000). Non-Hodgkin's lymphoma and exposure to benzene in petroleum workers. <i>J Occup Environ Med</i> , 42(12): 1133-6.
26558	Goldstein LS, Kheifets L, van Deventer E, et al (2002). [Comments] Long-term exposure of Emicro-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. <i>Radiat Res</i> , 159(2): 275-8.
83389	Goncalves PH, Ziegelbauer J, Uldrick TS, et al (2017). Kaposi sarcoma herpesvirus-associated cancers and related diseases. <i>Curr Opin HIV AIDS</i> , 12(1): 47-56.
26150	Goodlad JR, Davidson MM, Hollowood K, et al (2000). Primary cutaneous B-cell lymphoma and <i>Borrelia burgdorferi</i> infection in patients from the Highlands of Scotland. <i>Am J Surg Pathol</i> , 24(9): 1279-85.
83180	Goodman JE, Loftus CT, Zu K (2015). 2,4-Dichlorophenoxyacetic acid and non-Hodgkin's lymphoma, gastric cancer, and prostate cancer: meta-analyses of the published literature. <i>Ann Epidemiol</i> , 25(8): 626-36.e4.
26583	Gopinath DV, Nambi KSV (1995). [Comment] Effects of low doses and low dose rates of external ionizing radiation. <i>Radiation Research</i> , 144(3): 346-48.
52221	Gorini G, Stagnaro E, Fontana V, Milligi L, et al (2007). Alcohol consumption and risk of Hodgkin's lymphoma and multiple myeloma: a multicentre case-control study. <i>Annals of Oncology</i> , 18: 143-8.
88989	Gracia-Cazana T, Aules_leonardo A, Marigil-Gomez MA, et al (2015). [Comment] Cutaneous involvement of marginal zone B-lymphoma noted after topical imiquimod; more than a coincidence. <i>Indian J Dermatol Venereol Leprol</i> , 81: 311-3.
56046	Graff JJ, Sathiakumar N, Macaluso M, Maldonado G, et al (2005). Chemical exposures in the synthetic rubber industry and lymphohematopoietic cancer mortality. <i>J Occup Environ Med</i> , 47: 916-32.

70589	Grainge MJ, West J, Solaymani-Dodaran M, et al (2012). The long-term risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. <i>Aliment Pharmacol Ther</i> , 35: 730-9.
52220	Grandin L, Orsi L, Troussard X, Monnereau A, et al (2008). UV radiation exposure, skin type and lymphoid malignancies: results of a French case-control study. <i>Cancer Causes and Control</i> , 19(3): 305-15.
27902	Grant GM, Shaffer KM, Kao WY, et al (2000). Investigation of in vitro toxicity of jet fuels JP-8 and Jet A. <i>Drug & Chemical Toxicology</i> , 23(1): 279-91.
30803	Grant WB (2003). Ecologic studies of solar UV-B radiation and cancer mortality rates. <i>Recent Results Cancer Res</i> , 164: 371-7.
50699	Grant WB (2006). Epidemiology of disease risks in relation to vitamin D insufficiency. <i>Progress in Biophysics and Molecular Biology</i> , 92: 65-79.
50731	Grant WB (2008). An ecological study of cancer mortality rates including indices for dietary iron and zinc. <i>Anticancer Research</i> , 28: 1955-64.
14491	Gray GC, Coate BD, Anderson CM et al (1996). The postwar hospitalization experience of US veterans of the Persian Gulf War. <i>NEJM</i> , 335(20): 1505-13.
16747	Green LM (1991). A cohort mortality study of forestry workers exposed to phenoxy acid herbicides. <i>British Journal of Industrial Medicine</i> , 48: 234-8.
30763	Green MH, Petit-Frere C, Clingen PH, et al (1999). Possible effects of sunlight on human lymphocytes. <i>J Epidemiol</i> , 9(Suppl 6): S48-S57.
52210	Green PHR, Cellier C (2007). Celiac disease. <i>NEJM</i> , 357: 1731-43.
14525	Greenland S, Salvan A, Wegman DH et al (1994). A case-control study of cancer mortality at a transformer-assembly facility. <i>International Archives of Occupational and Environmental Health</i> , 66(1): 49-54.
1562	Greiner TC, Medeiros LJ, Jaffe ES (1995). Non-Hodgkin's lymphoma. <i>Cancer</i> , 75(1 Suppl): 370-80.
29478	Gribbin MA, Weeks JL, & Howe GR (1993). Cancer mortality (1956-1985) among male employees of atomic energy of Canada limited with respect to occupational exposure to external low-linear-energy-transfer ionizing radiation. <i>Radiation Research</i> , 133: 375-80.
3250	Gridley G, McLaughlin JK, Ekbom A, et al (1993). Incidence of cancer among patients with rheumatoid arthritis. <i>J Natl Cancer Inst</i> , 85(4): 307-11.
8931	Grodstein F, Hennekens CH, Colditz GA, Hunter DJ, et al (1994). A prospective study of permanent hair dye use and hematopoietic cancer. <i>J Natl Cancer Inst</i> , 86(19): 1466-70.
52517	Grosse Y, Baan R, Straif K, et al (2007). Carcinogenicity of 1,3-butadiene, ethylene oxide, vinyl chloride, vinyl fluoride, and vinyl bromide. <i>Lancet Oncol</i> , 8(8): 679-80.
55015	Grosse Y, Baan R, Straif K, Secretan B, et al (2009). A review of human carcinogens - part A: pharmaceuticals. <i>Lancet Oncol</i> , 10: 13-4.
26148	Groves FD, Linet MS, Travis LB, Devesa SS (2000). Cancer surveillance series: non-Hodgkin's lymphoma incidence by histologic subtype in the United States from 1978 through 1995. <i>J Natl Cancer Inst</i> , 92(15): 1240-51.
18977	Groves FD, Linet MS, Travis LB, et al (2000). Cancer surveillance series: non-Hodgkin's Lymphoma incidence by histologic subtype in the United States from 1978 through 1995. <i>Journal of the National Cancer Institute</i> , 92(15): 1240-51.
44403	Grulich AE, Leeuwen MT, Falster MO, Vajdic CM (2007). Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. <i>Lancet</i> , 307: 59-67.
52217	Grulich AE, Vajdic CM, Cozen W (2007). Altered immunity as a risk factor for non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 405-8.

50698	Grulich AE, Vajdic CM (2005). The epidemiology of non-Hodgkin lymphoma. <i>Pathology</i> , 37(6): 409-19.
50760	Grulich AE, Vajdic CM, Riminton S, Hughes A, et al (2007). [Comment] Re: atopy and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 99(18): 1417.
83167	Grulich AE, Vajdic CM (2015). The epidemiology of cancers in human immunodeficiency virus infection and after organ transplantation. <i>Semin Oncol</i> , 42(2): 247-57.
52219	Grulich AE, Vajdic CM, Kaldor JM, Hughes AM, et al (2005). Birth order, atopy, and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 97(8): 587-94.
83376	Guech-Ongey M, Yagi M, Palacpac NM, et al (2012). Antibodies reactive to Plasmodium falciparum serine repeat antigen in children with Burkitt lymphoma from Ghana. <i>Int J Cancer</i> , 130(8): 1908-14.
83353	Guffey Johnson J, Terpak LA, Margo CE, et al (2016). Extranodal marginal zone B-cell lymphoma of the ocular adnexa. <i>Cancer Control</i> , 23(2): 140-9.
52755	Guidoboni M, Ferreri AJ, Ponzoni M, Doglioni C, Dolcetti R (2006). Infectious agents in mucosa-associated lymphoid tissue-type lymphomas: Pathogenic role and therapeutic perspectives. <i>Clinical Lymphoma & Myeloma</i> , 6(4): 289-300.
50710	Guidotti TL (2007). Evaluating causality for occupational cancers: the example of firefighters. <i>Occupational Medicine</i> , 57: 466-71.
72440	Guidotti TL (2014). Health risks and occupation as a firefighter. <i>Medical Advisory Services. Department of Veterans' Affairs, Commonwealth of Australia</i> .
26128	Gulis G, Czompolyova M, Cerhan JR (2002). An ecologic study of nitrate in municipal drinking water and cancer incidence in Trnava District, Slovakia. <i>Environ Res</i> , 88(3): 182-7.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian participants in British nuclear tests in Australia. Vol 2: Mortality and cancer incidence. <i>Department of Veterans' Affairs, Canberra</i> .
83380	Guo H, Bassig BA, Lan Q, et al (2014). Polymorphisms in DNA repair genes, hair dye use, and the risk of non-Hodgkin lymphoma. <i>Cancer Causes & Control</i> , 25(10): 1261-70.
80052	Guo P, Huang G, Ren L, et al (2017). Number of parity and the risk of non-Hodgkin lymphomas: a dose-response meta-analysis of observational studies. <i>Hematology</i> , 22(5): 274-85.
26146	Gurney KA, Cartwright RA, Gilman EA (1999). Descriptive epidemiology of gastrointestinal non-Hodgkin's lymphoma in a population-based registry. <i>Br J Cancer</i> , 79(11-12): 1929-34.
85899	Gustavsson P, Andersson T, Gustavsson A, et al (2017). Cancer incidence in female laboratory employees: extended follow-up of a Swedish cohort study. <i>Occup Environ Med</i> , 74(11): 823-6.
88971	Guyton K, Hogan K, Scott C, et al (2014). Human health effects of tetrachloroethylene: key findings and scientific issues. <i>Environ Health Perspect</i> , 122: 325-34.
88806	Guyton K, Loomis D, Graase Y, et al (2016). Carcinogenicity of pentachlorophenol and some related compounds. <i>Lancet Oncol</i> , 17: 1637-8.
45754	Guzelian P, Quattrochi L, Karch N, et al (2006). Does dioxin exert toxic effects in humans at or near current background body levels? An evidence-based conclusion. <i>Human & Experimental Toxicology</i> , 25: 99-105.
46931	Guzelian P, Victoroff MS, Halmes NC, et al (2005). Evidence-based toxicology: a comprehensive framework for causation. <i>Hum Experimental Toxicol</i> , 24: 161-201.

47828	Hagmar L, Wallin E, Vessby B, et al (2006). Intra-individual variations and time trends 1991-2001 in human serum levels of PCB, DDE and hexachlorobenzene. <i>Chemosphere</i> , 64: 1507-13.
53974	Hagner PR, Mazan-Mamczarz K, Dai B, Cori S, et al (2009). Alcohol consumption and decreased risk of non-Hodgkin lymphoma: role of mTOR dysfunction. <i>Blood</i> , 113(22): 5526-35.
26035	Hakansson N, Floderus B, Gustavsson P, Feychtig M, Hallin N (2001). Occupational sunlight exposure and cancer incidence among Swedish construction workers. <i>Epidemiology</i> , 12(5): 552-7.
52216	Haldorsen IS, Krakenes J, Goplen AK, Dunlop O, et al (2008). AIDS-related primary central nervous system lymphoma: a Norwegian national survey 1989-2003. <i>BMC Cancer</i> , 8: 225.
3032	Hall P, Rosendahl I, Mattsson A, Einhorn S (1995). Non-Hodgkin's lymphoma and skin malignancies - shared etiology? <i>Int J Cancer</i> , 62: 519 &521.
14833	Halogenated Solvents Industry Alliance (HSIA) (1996). Trichloroethylene: White Paper. Executive Summary. .
68364	Hamblin TJ (2008). [Comment] Have we been wrong about ionizing radiation and chronic lymphocytic leukemia? <i>Leukemia Research</i> , 32: 523-5.
53818	Hammer GP, Seidenbusch MC, Schneider K, Regulla DF, et al (2009). A cohort study of childhood cancer incidence after postnatal diagnostic x-ray exposure. <i>Radiat Res</i> , 171: 504-12.
85800	Han TJ, Li JS, Luan XT, et al (2017). Dietary fat consumption and non-Hodgkin's lymphoma risk: a meta-analysis. <i>Nutr Cancer</i> , 69(2): 221-8.
83104	Han X, Duan M, Hu L, et al (2017). Plasmablastic lymphoma: Review of 60 Chinese cases and prognosis analysis. <i>Medicine</i> , 96(9): e5981.
26598	Hancock SL, Hoppe RT (1996). Long-term complications of treatment and causes of mortality after Hodgkin's disease. <i>Semin Radiat Oncol</i> , 6(3): 225-42.
26129	Hannuksela-Svahn A, Pukkala E, Laara E et al (2000). Psoriasis, its treatment, and cancer in a cohort of Finnish patients. <i>J Invest Dermatol</i> , 114(3): 587-90.
4549	Hansen ES (1993). A follow-up study on the mortality of truck drivers. <i>Am J Ind Med</i> , 23: 811-21.
29603	Hansen ES, Hasle H, Lander F (1992). A cohort study on cancer incidence among Danish gardeners. <i>Am J Ind Med</i> , 21(5): 651-60.
53807	Hansen ES, Lander F, Lauritsen JM (2007). Time trends in cancer risk and pesticide exposure, a long-term follow-up of Danish gardeners. <i>Scand J Work Environ Health</i> , 33(6): 465-9.
14524	Hansen HL, Pedersen G (1996). Influence of occupational accidents and deaths related to lifestyle on mortality among merchant seafarers. <i>International Journal of Epidemiology</i> , 25(6): 1237-43.
1263	Hansen J, Olsen JH (1994). Cancer morbidity among Danish female pharmacy technicians. <i>Scand J Work Environ Health</i> , 20(1): 22-6.
26270	Hansen J, Raaschou-Nielsen O, Christensen JM, Johansen I, et al (2001). Cancer incidence among Danish workers exposed to trichloroethylene. <i>J Occup Environ Med</i> , 43(2): 133-9.
26184	Hansen J, Raaschou-Nielsen O, Christensen JM, Johansen I, et al (2001). Cancer incidence among Danish workers exposed to trichloroethylene. <i>J Occup Environ Med</i> , 43(2): 133-39.
71144	Hansen J, Salllmen M, Selden AI, et al (2013). Risk of cancer among workers exposed to trichloroethylene: analysis of three Nordic cohort studies. <i>J Natl Cancer Inst</i> , 105: 869-77.
26251	Hansen PB, Vogt KC, Skov RL, et al (1998). Primary gastrointestinal non-Hodgkin's lymphoma in adults: a population-based clinical and histopathologic study. <i>J Intern Med</i> , 244(1): 71-8.

51929	Harbell JW, Dunn TB, Fauda M, John DG, et al (2008). Transmission of anaplastic large cell lymphoma via organ donation after cardiac death. <i>Am J Transplant</i> , 8(1): 238-44.
54335	Hardell K, Carlberg M, Hardell L, Bjornfot H, et al (2009). Concentrations of organohalogen compounds and titres of antibodies to Epstein-Barr virus antigens and the risk for non-Hodgkin lymphoma. <i>Oncology Reports</i> , 21: 1567-76.
52215	Hardell L (2008). Pesticides, soft-tissue sarcoma and non-Hodgkin lymphoma - historical aspects on the precautionary principle in cancer prevention. <i>Acta Oncologica</i> , 47: 347-54.
15154	Hardell L, Axelson O (1998). Environmental and occupational aspects on the etiology of non-Hodgkin's lymphoma. <i>Oncology Research</i> , 10(1): 1-5.
3086	Hardell L, Eriksson M, Degerman A (1994). Exposure to Phenoxyacetic acids, Chlorophenols or organic solvents in relation to Histopathology, Stage and Anatomical localization of non-Hodgkin's lymphoma. <i>Cancer Res</i> , 54: 2386-9.
10344	Hardell L, Eriksson M, Degerman A (1994). Exposure to phenoxyacetic acids, chlorophenols or organic solvents in relation to histopathology, stage and anatomical localization of non-Hodgkin's lymphoma. <i>Cancer Research</i> , 54: 2386-9.
42675	Hardell L, Eriksson M (2003). Is the decline of the increasing incidence of Non-Hodgkins Lymphoma in Sweden and other countries a result of cancer preventative measures? <i>Environmental Health Perspectives</i> , 111(14): 1704-706.
50697	Hardell L, Eriksson M, Carlberg M, et al (2005). Use of cellular or cordless telephones and the risk for non-Hodgkin's lymphoma. <i>Int Arch Occup Environ Health</i> , 78: 625-32.
54334	Hardell L, Eriksson M, Lindstrom G, Van Bavel B, et al (2001). Case-control study on concentrations of organohalogen compounds and titers of antibodies to Epstein-Barr virus antigens in the etiology of non-Hodgkin lymphoma. <i>Leukemia & Lymphoma</i> , 42(4): 619-29.
26091	Hardell L, Eriksson M (1999). A case-control study of non-Hodgkin lymphoma and exposure to pesticides. <i>Cancer</i> , 85(6): 1353-60.
13004	Hardell L, Liljegren G, Lindstrom G, van Bavel B (1997). Polychlorinated biphenyls, chlordanes, and the etiology of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(6): 689.
26130	Hardell L, Lindstrom G, van Bavel B, Hardell K, Linde A, Carlberg M, Liljegren G (2001). Adipose tissue concentrations of dioxins and dibenzofurans, titers of antibodies to Epstein-Barr virus early antigen and the risk for non-Hodgkin lymphoma. , 87(2): 99-107.
52214	Hardell L, Mild KH, Carlberg M, Soderqvist F (2006). Tumour risk associated with use of cellular telephones or cordless desktop telephones. <i>World J Surg Oncol</i> , 4: 74.
7175	Harrington JM, Rose FG, Koh D (1994). Paint - Health and environmental risk management. <i>Asia-Pacific Journal of Public Health</i> , 7(2): 115-8.
27898	Harris DT, Sakiestewa D, Titone D, et al (2001). Jet fuel-induced immunotoxicity. <i>Toxicology & Industrial Health</i> , 16(7-8): 261-65.
27899	Harris DT, Sakiestewa D, Robledo RF, et al (2000). Effects of short-term JP-8 jet fuel exposure on cell-mediated immunity. <i>Toxicology & Industrial Health</i> , 16(2): 78-84.
28538	Harris NL, Jaffe ES, Diebold J, et al (2000). The World Health Organization classification of neoplasms of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee Meeting - Airlie House, Virginia, November, 1997. <i>The Hematology Journal</i> , 1: 53-66.

42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
26139	Hartge P (2000). Hair dyes, cancer, and epidemiology. <i>Cancer Invest</i> , 18(4): 408. Retrieved 6 January 2003, from 408
52279	Hartge P, Colt JS, Severson RK, Cerhan JR, et al (2005). Residential herbicide use and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(4): 934-7.
14518	Hartge P, Devesa SS (1992). Quantification of the impact of known risk factors on time trends in non-Hodgkin's lymphoma incidence. <i>Cancer Research</i> , 52(suppl): 5566s-9s.
1267	Hartge P, Devesa SS, Fraumeni JF Jr (1994). Hodgkin's and non-Hodgkin's lymphomas. <i>Cancer Surveys</i> , 19(20): 423-53.
30769	Hartge P, Devesa SS, Grauman D, et al (1996). Non-Hodgkin's lymphoma and sunlight. <i>J Natl Can Inst</i> , 88(5): 298-300.
50696	Hartge P, Lim U, Freedman M, Colt JS, et al (2006). Ultraviolet radiation, dietary vitamin D, and risk of non-Hodgkin lymphoma (United States). <i>Cancer Causes Control</i> , 17: 1045-52.
52278	Hartge P, Smith MT (2007). Environmental and behavioral factors and the risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 367-8.
51898	Hartmann EM, Ott G, Rosenwald A (2008). Molecular biology and genetics of lymphomas. <i>Hematol Oncol Clin North Am</i> , 22: 807-23.
85951	Hashimoto A, Chiba N, Tsuno H, et al (2015). Incidence of malignancy and the risk of lymphoma in Japanese patients with rheumatoid arthritis compared to the general population. <i>J Rheumatol</i> , 42(4): 564-71.
27900	Hauschild VD (2000). Chemical exposure guidelines for deployed military personnel. <i>Drug & Chemical Toxicology</i> , 23(1): 139-53.
14490	Hayes RB, Linet M, Dosemeci M et al (1998). [Comment] Re: benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 90(6): 469-71.
26177	Hayes RB, Yin S, Rothman N, et al (2000). Benzene and lymphohematopoietic malignancies in China. <i>J Toxicol Environ Health</i> , 61(5-6): 419-32.
14485	Hayes RB, Yin S-N, Dosemeci M et al (1997). Benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 89(14): 1065-71.
26199	Hayes RB, Yin SN, Dosemeci M, et al (1997). Benzene and dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 89(14): 1065-71.
70213	Haynes K, Beukelman T, Curtis J, et al (2013). Tumor necrosis factor [α] inhibitor therapy and cancer risk in chronic immune-mediated diseases. <i>Arthritis & Rheumatism</i> , 65(1): 48-58.
76830	Health Watch (2013). 14th Report of the Australian Institute of Petroleum Health Surveillance Program November 2013. Report by Monash University Monash Centre for Occupational and Environmental Health (MonCOEH) and Department of Epidemiology and Preventive Medicine (DEPM). Monash University, 14th Edition,..
53794	Hellgren K, Iliadou A, Rosenquist R, Feltelius N, et al (2009). Rheumatoid arthritis, treatment with corticosteroids, and risk of malignant lymphomas - results from a case-control study. <i>Ann Rheum Dis</i> , : [Epub ahead of print].
85916	Hellgren K, Smedby KE, Backlin C, et al (2014). Ankylosing spondylitis, psoriatic arthritis, and risk of malignant lymphoma. <i>Arthritis & Rheumatism</i> , 66(5): 1282-90.

83193	Helzlsouer KJ, VDPP Steering Committee (2010). Overview of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>Am J Epidemiol</i> , 172(1): 4-9.
50695	Hemminki K, Li X, Sundquist K, Sundquist J (2008). Cancer risk in hospitalized rheumatoid arthritis patients. <i>Rheumatology</i> , 47: 698-701.
51902	Hemminki K, Li X, Sundquist J, Sundquist K (2008). Cancer risks in ulcerative colitis patients. <i>Int J Cancer</i> , 123: 1417-21.
83628	Hengjeerajars N, Klaisuwan T, Norasethada L, et al (2015). Mucosa-associated lymphoid tissue lymphoma with large cell transformation on the background of Hashimoto's thyroiditis: a case report and review literature. <i>J Med Assoc Thai</i> , 98(5): 514-9.
50693	Hennessy BT, Hanrahan EO, Daly PA (2004). Non-Hodgkin lymphoma: an update. <i>Lancet Oncol</i> , 5: 341-53.
78295	Henry J, Bruning T (2009). Diseases of the blood, hematopoietic and lymphatic system caused by benzene. <i>Occupational Medicine News, BGFA-Info 01/09</i> : 6-10.
83147	Herreman A, Dierickx D, Morscio J, et al (2013). Clinicopathological characteristics of posttransplant lymphoproliferative disorders of T-cell origin: single-center series of nine cases and meta-analysis of 147 reported cases. <i>Leuk Lymphoma</i> , 54(10): 2190-9.
48456	Herrick RF, Meeker JD, Hauser R, et al (2007). Serum PCB levels and congener profiles among US construction workers. <i>Environ Health</i> , 6: 25.
13003	Herrinton LJ & Friedman GD (1998). Cigarette smoking and risk of non-Hodgkin's lymphoma subtypes. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 7(1): 25-8.
26266	Herrinton LJ, Friedman GD (1988). Cigarette smoking and risk of non-Hodgkin's lymphoma subtypes. <i>Cancer Epidemiol Biomarkers Prev</i> , 7(1): 25-8.
86146	Herrinton LJ, Liu L, Weng X, et al (2011). Role of thiopurine and anti-TNF therapy in lymphoma in inflammatory bowel disease. <i>Am J Gastroenterol</i> , 106(12): 2146-53.
47945	Hertz-Pannier I, Park H-Y, Dostal M, et al (2008). Prenatal exposures to persistent and non-persistent organic compounds and effects on immune system development. <i>Basic Clin Pharmacol Toxicol</i> , 102(2): 146-54.
26132	Hibberd AD, Trevillian PR, Wlodarczyk JH, et al (2001). Predialysis immunosuppression is an independent risk factor for some cancers in renal transplantation. , 33(1-2): 1846-7.
50692	Hjalgrim H, Edgren G, Rostgaard K, Reilly M, et al (2007). Cancer incidence in blood transfusion recipients. <i>J Natl Cancer Inst</i> , 99: 1864-74.
50712	Hjalgrim H, Ekstrom-Smedby K, Rostgaard K, et al (2007). Cigarette smoking and risk of Hodgkin lymphoma: a population-based case-control study. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(8): 1561-6.
51893	Hjalgrim H, Engels EA (2008). Infectious aetiology of Hodgkin and non-Hodgkin lymphomas: a review of the epidemiological evidence. <i>J Intern Med</i> , 264: 537-48.
3460	Hoar SK, Blair A, Holmes FF, et al (1986). Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. <i>JAMA</i> , 256(9): 1141-7.
1247	Hoar Zahm S, Blair A (1992). Pesticides and non-Hodgkin's lymphoma. <i>Cancer Res</i> , 52(19 Suppl): 5485s-8s.
1261	Hoar Zahm S, Weisenburger DD, Saal RC, Vaught JB, et al (1993). The role of agriculture pesticide use in the development of non-Hodgkin's lymphoma in women. <i>Arch Environ Health</i> , 48(5): 353-8.
52050	Hochberg J, Waxman IM, Kelly KM, Morris E, Cairo MS (2008). Adolescent non-Hodgkin lymphoma and Hodgkin lymphoma: state of the science. <i>Br J Haematol</i> , 144: 24-40.

50691	Hoeft B, Becker N, Deeg E, Beckmann L, Nieters A (2008). Joint effect between regular use of non-steroidal anti-inflammatory drugs, variants in inflammatory genes and risk of lymphoma. <i>Cancer Causes Control</i> , 19: 163-73.
55869	Hoentjen F, van Bodegraven AA (2009). Safety of anti-tumor necrosis factor therapy in inflammatory bowel disease. <i>World J Gastroenterol</i> , 15(17): 2067-73.
68366	Hoffbrand AV, Hamblin TJ (2007). Is "leukemia" an appropriate label for all patients who meet the diagnostic criteria of chronic lymphocytic leukemia? <i>Leukemia Research</i> , 31: 273-5.
11470	Hoffmann W (1996). Organochlorine compounds: risk of non-Hodgkin's lymphoma and breast cancer? <i>Archives of Environmental Health</i> , 51(3): 189-92.
50690	Hoffmann W, Terschueren C, Heimpel H, et al (2008). Population-based research on occupational and environmental factors for leukemia and non-Hodgkin's lymphoma: the northern Germany Leukemia and Lymphoma Study (NLL). <i>Am J Ind Med</i> , 51: 246-57.
32846	Holly EA and Bracci PM (2003). Population-based study of non-Hodgkin lymphoma, histology, and medical history among human immunodeficiency virus-negative participants in San Francisco. <i>American Journal of Epidemiology</i> , 158(4): 316-27.
14819	Holly EA, Lele C, Bracci P (1997). Non-Hodgkin's lymphoma in homosexual men in the San Francisco Bay area. Occupational, chemical, and environmental exposures. <i>Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology</i> , 15: 223-31.
26147	Holly EA, Lele C, Bracci PM (1998). Hair-color products and risk for non-Hodgkin's lymphoma: a population-based study in the San Francisco bay area. <i>Am J Public Health</i> , 88(12): 1767-73.
26071	Holly EA, Lele C, Bracci PM, McGrath MS (1999). Case-control study of non-Hodgkin's lymphoma among women and heterosexual men in the San Francisco Bay area, California. <i>American Journal of Epidemiology</i> , 150(4): 375-89.
26075	Hooiveld M, Heederik DJJ, Kogevinas M, et al (1998). Second follow-up of a Dutch cohort occupationally exposed to phenoxy herbicides, chlorophenols, and contaminants. <i>American Journal of Epidemiology</i> , 147(9): 891-901.
26096	Hooper WC, Holman RC, Clarke MJ, Chorba TL (2001). Trends in non-Hodgkin lymphoma (NHL) and HIV-associated NHL deaths in the United States. <i>Am J Hematol</i> , 66(3): 159-66. Retrieved 6 January 2003, from 159-66
26599	Hoppe RT (1997). Hodgkin's disease: complications of therapy and excess mortality. <i>Ann Oncol</i> , 8(Suppl 1): 115-18.
88970	Hopper I, Ahern S, McNeil J, et al (2017). Improving the safety of breast implants: implant-associated lymphoma. <i>Medical Journal of Aust</i> , 207(5): 185-6.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
84666	Hu L, Luo D, Zhou T, et al (2017). The association between non-Hodgkin lymphoma and organophosphate pesticides exposure: A meta-analysis. <i>Environmental Pollution</i> , 23(Pt 1): 319-28.
50689	Hu S, Fererman DG, Ma F, Kirsner RS (2005). Skin cancer and non-Hodgkin's lymphoma: examining the link. <i>Dermatol Surg</i> , 31: 76-82.
30735	Hu S, Ma F, Collado-Mesa F, et al (2004). Ultraviolet radiation and incidence of non-Hodgkin's lymphoma among Hispanics in the United States. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(1): 59-64.

56047	Huang TQ, Lee MS, Oh E, Zhang BT, et al (2008). Molecular responses of Jurkat T-cells to 1763 MHz radiofrequency radiation. <i>Int J Radiat Biol</i> , 84(9): 734-41.
50688	Huebner WW, Wojcik NC, Rosamilia K, et al (2004). Mortality updates (1970-1997) of two refinery/petrochemical plant cohorts at Baton Rouge, Louisiana, and Baytown, Texas. <i>JOEM</i> , 46(12): 1229-45.
88969	Huen A, Rook A (2014). Toll receptor agonist therapy of skin cancer and cutaneous T-cell lymphoma. <i>Curr Opin Oncol</i> , 26(2): 237-44.
50687	Hughes AM, Armstrong BK, Vajdic CM, Turner J, et al (2004). Sun exposure may protect against non-Hodgkin lymphoma: a case-control study. <i>Int J Cancer</i> , 112: 865-71.
3437	Hummel M, Anagnostopoulos I, Korbjuhn P, Stein H (1995). Epstein-Barr virus in B-cell non-Hodgkin's lymphomas: unexpected infection patterns and different infection incidence in low- and high-grade types. <i>J Pathol</i> , 175(3): 263-71.
51924	Hunt KE, Reichard KK (2008). Diffuse large B-cell lymphoma. <i>Arch Pathol Lab Med</i> , 132: 118-24.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>BJC</i> , 109(7): 1989-96.
12665	Hunting KL, Longbottom H, Kalavar SS, Stern F, et al (1995). Haematopoietic cancer mortality among vehicle mechanics. <i>Occupational and Environmental Medicine</i> , 52: 673-78.
8930	IARC (1993). The evaluation of carcinogenic risks to humans: Occupational exposures of hairdressers and barbers and personal use of hair colorants; some hair dyes, cosmetic colourants, industrial dyestuffs and aromatic amines. <i>IARC Monographs</i> , 57: 43-118. WHO Geneva.
32051	IARC (2004). Tobacco smoke and involuntary smoking. <i>IARC monographs on the evaluation of carcinogenic risks to humans</i> , Vol 83.. .
55017	IARC (2009). A review of human carcinogens - part F: chemical agents and related occupations. Summary of evaluations. . Retrieved 21 December 2009, from http://monographs.iarc.fr/pdfnews/WG-100F.pdf
76681	IARC Monographs (2013). Non-Ionizing Radiation, Part 2 - Radiofrequency Electromagnetic Fields. <i>IARC Monogr Carcinog risks Humans</i> , Vol 102. International Agency for Research on Cancer, Lyon.
89060	IARC Monographs Vol 121 Group (2018). Carcinogenicity of quinoline, styrene, and styrene-7,8-oxide. <i>Lancet Oncol</i> , 19: 728-9.
18407	IARC Study Group on Cancer Risk among Nuclear Industry Workers (1994). Direct estimates of cancer mortality due to low doses of ionising radiation: an international study. <i>The Lancet</i> , 344: 1039-43.
70163	IARC Working Group (2011). Bitumens and bitumen emissions, and some N- and S-heterocyclic aromatic hydrocarbons. <i>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans</i> , Vol 103. World Health Organization, International Agency for Research on Cancer. Lyon France.
28312	IARC Working Group (1991). <i>IARC Monographs on the evaluation of carcinogenic risks to humans: occupational exposures in insecticide application, and some pesticides</i> . IARC Monographs, Vol 53. IARC Press, Lyon.
76150	IARC Working Group (1989). Occupational exposures in petroleum refining; crude oil and major petroleum fuels - SUMMARY of data reported and evaluation. <i>IARC Monographs on the Evaluation of Carcinogenic Risk to Humans</i> , Volume 45. .
89010	IARC Working Group (2014). Tetrachloroethylene. <i>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans</i> , Vol 106: 219-350. International Agency for Research on Cancer, Lyon.

89012	IARC Working Group (2016). Dichloromethane. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 110: 177-256. International Agency for Research on Cancer, Lyon.
89003	IARC Working Group (2017). DDT. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 113: 37-266. International Agency for Research on Cancer, Lyon.
89005	IARC Working Group (2017). Lindane. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 113: 267-371. International Agency for Research on Cancer, Lyon.
89006	IARC Working Group (2015). Polybrominated biphenyls. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 107: 443-500. International Agency for Research on Cancer, Lyon.
89007	IARC Working Group (2017). Polychlorinated biphenyls. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 107: 41-442. International Agency for Research on Cancer, Lyon.
88979	IARC Working Group (2012). MOPP. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 119-29. IARC Press, Lyon.
89008	IARC Working Group (2014). Perfluorooctanoic acid. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 110: 37-110. International Agency for Research on Cancer, Lyon.
71189	IARC Working Group (2013). A review of human carcinogens. Malaria and some polyomaviruses (SV40, BK, JC, and Merkel Cell Viruses) Simian virus 40. IARC Monogr Carcinog Risks Humans, Vol 104. IARC Press, Lyon.
88978	IARC Working Group (2012). Etoposide in combination with cisplatin and bleomycin. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 91-105. IARC Press, Lyon.
88977	IARC Working Group (2012). Methyl-CCNU. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 57-62. IARC Press, Lyon.
88804	IARC Working Group (2012). Busulfan. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 39-45. IARC Press, Lyon.
89009	IARC Working Group (2014). Trichloroethylene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 106: 35-217. International Agency for Research on Cancer, Lyon.
89044	IARC Working Group (2018). Other cancers. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 114: 353-84. International Agency for Research on Cancer, Lyon.
89011	IARC Working Group (2015). Hydrochlorothiazide. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 108: 285-318. International Agency for Research on Cancer, Lyon.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
13267	IARC Working Group (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals. IARC Monogr Carcinog risks Humans, Vol 63: 3, 12-27, 75-221. IARC Press, Lyon.
89013	IARC Working Group (2016). 1,2-dichloropropane. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 110: 141-76. International Agency for Research on Cancer, Lyon.
89014	IARC Working Group (2012). Chemical agents and related occupations. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F: 11-224. International Agency for Research on Cancer, Lyon.

89015	IARC Working Group (2012). 1,3-butadiene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F: 309-38. International Agency for Research on Cancer, Lyon.
89041	IARC Working Group (2012). Tobacco smoking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100E: 43-214. International Agency for Research on Cancer, Lyon.
89042	IARC Working Group (2012). Personal habits and indoor combustions. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100E: 377-503. International Agency for Research on Cancer, Lyon.
88974	IARC Working Group (2012). Cyclophosphamide. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 63-90. IARC Press, Lyon.
65004	IARC Working Group (2012). Ciclosporin. Vol 100A: 339-47. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100A/mono100A-22.pdf
89043	IARC Working Group (2014). Some organophosphate insecticides and herbicides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 112. International Agency for Research on Cancer, Lyon.
88975	IARC Working Group (2012). Chlorambucil. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 47-55. IARC Press, Lyon.
89053	IARC Working Group (2012). Human T-cell lymphotropic virus type 1. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B: 315-40. IARC Press, Lyon.
89059	IARC Working Group (2012). Malaria. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 104: 41-119. IARC Press, Lyon.
33056	IARC Working Group (2002). Weight control and physical activity. IARC Handbooks of Cancer Prevention, 6. International Agency for Research on Cancer World Health Organization, Lyon, France.
29517	IARC Working Group (1991). Occupational exposures in insecticide application, and some pesticides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 53. World Health Organization International Agency for Research on Cancer. Lyon France.
89058	IARC Working Group (2012). 2,3,7,8-tetrachlorodibenzo-para-dioxin, 2,3,4,7,8-pentachlorodibenzofuran, and 3,3',4,4',5-pentachlorobiphenyl. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F: 339-78. IARC Press, Lyon.
65039	IARC Working Group (2012). x- and y-radiation. IARC Monographs - A Review of Human Carcinogens, 100 Part D, Radiation: 131-2. IARC Press, Lyon.
64766	IARC Working group (2012). Chemical agents and related occupations: Benzene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F: 249-94. World Health Organization International Agency for Research on Cancer. Lyon France.
88972	IARC Working Group (2013). Diesel and gasoline engine exhausts and some nitroarenes. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 105: 339-47. World Health Organization, International Agency on Research on Cancer, Lyon France.
88976	IARC Working Group (2012). Estrogen-only menopausal therapy. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 219-47. World Health Organization, International Agency on Research on Cancer, Lyon France.
89056	IARC Working Group (2012). Hepatitis B virus. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B: 93-133. IARC Press, Lyon.

88980	IARC Working Group (2012). Combined estrogen-progestogen menopausal therapy. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 249-82. World Health Organization, International Agency on Research on Cancer, Lyon France.
89004	IARC Working Group (2017). 2,4-Dichlorophenoxyacetic acid. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 113: 373-498. International Agency for Research on Cancer, Lyon.
89054	IARC Working Group (2012). Kaposi sarcoma herpesvirus. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B: 169-214. IARC Press, Lyon.
14829	IARC Working Group (1985). Coal-tars and derived products. Summary of data reported and evaluation. International Agency for Research on Cancer (IARC), 35: 83.
89050	IARC Working Group (2012). Treosulfan. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 171-4. IARC Press, Lyon.
88981	IARC Working Group (2012). Combined estrogen-progestogen contraceptives. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 283-311. World Health Organization, International Agency on Research on Cancer, Lyon France.
21776	IARC Working Group (2000). IARC Monographs on the evaluation of carcinogenic risks to humans: Ionizing Radiation Part 1: X - and Gamma - radiation, and neutrons. IARC Monographs, 75. World Health Organization, International Agency for Research on Cancer, Lyon France.
67782	IARC Working Group (2012). Biological agents. Helicobacter pylori. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B: 385-436. World Health Organization.
71888	IARC Working Group (2012). Human Immunodeficiency virus-1. IARC monographs, 100B, 215-53. World Health Organization. Lyon: France.
89047	IARC Working Group (2012). Melphalan. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 107-17. IARC Press, Lyon.
89048	IARC Working Group (2012). Thiotepa. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100A: 163-9. IARC Press, Lyon.
85893	Ide CW (2014). Cancer incidence and mortality in serving whole-time Scottish firefighters 1984-2005. Occup Med, 64(6): 421-7.
47839	Illinois Department of Public Health and the University of Chicago (2004). The La Salle Electrical Utilities Company Morbidity II Study. Final Report. . Retrieved 23 April 2008, from http://hdl.handle.net/123456789/5549
54599	Inagaki H (2007). Mucosa-associated lymphoid tissue lymphoma: molecular pathogenesis and clinicopathological significance. Pathol Int, 57: 474-84.
78296	Infante PF (1992). Benzene and leukemia: the 0.1 ppm ACGIH proposed threshold limit value for benzene. Appl Occup Environ Hyg, 7(4): 253-62.
63209	Infante PF (2011). The IARC October 2009 evaluation of benzene carcinogenicity was incomplete and needs to be reconsidered. Am J Ind Med, 54: 157-64.
26273	Infante-Rivard C, Olson E, Jacques L, Ayotte P (2001). Drinking water contaminants and childhood leukemia. Epidemiology, 12: 13-9.
50305	Infante-Rivard C, Weichenthal S (2007). Pesticides and childhood cancer: an update of Zahm and Ward's 1998 review. Journal of Toxicology and Environmental Health, Part B, 10: 81-99.

53825	Inokuchi M, Ito T, Uchikoshi M, Shimozuma Y, et al (2009). Infections of B cells with hepatitis C virus for the development of lymphoproliferative disorders in patients with chronic hepatitis C. <i>C. J Med Virol</i> , 81: 619-27.
3087	Inskip PD, Kleinerman RA, Stovall M, Cookfair DL, et al (1993). Leukemia, lymphoma and multiple myeloma after pelvic radiotherapy for benign disease. <i>Radiation Res</i> , 135: 108-24.
18294	Institute of Medicine (1994). Veterans and Agent Orange: Health Effects of Herbicides Used in Vietnam. Committee to review the health effects in Vietnam Veterans of exposure to herbicides. <i>Veterans & Agent Orange: Update 1994</i> , . The National Academic Press, Washington DC 1.
55907	Institute of Medicine (2003). Non-Hodgkin's lymphoma. <i>Gulf War and Health: Insecticides and Solvents</i> , Vol 2: 123-31. National Academy Press - Washington, DC.
55914	Institute of Medicine (2009). Non-Hodgkin's lymphoma. <i>Veterans and Agent Orange Update 2008</i> , 6th Biennial Update: 317-31. National Academy Press - Washington, DC.
3734	Institute of Medicine (1994). Cancer: Malignant lymphomas. <i>Veterans and Agent Orange: Health Effects of Herbicides Used in Vietnam</i> , 8: 525 -49. Wahington, D.C. : National Academy Press.
56115	Institute of Medicine (1994). Health effects of herbicides used in Vietnam. <i>Veterans and Agent Orange</i> : 404. National Academy Press - Washington, DC.
26033	Institute of Medicine (2000). Leukemia. <i>Veterans and Agent Orange Update 2000</i> , : 377-89. .
55811	Institute of Medicine (2007). Average annual incidence (per 100,000) of Non-Hodgkin's lymphoma in the United States. <i>Veterans and Agent Orange: Update 2006</i> , : 444. National Academy Press - Washington, DC.
55812	Institute of Medicine (2003). Selected epidemiological studies - chronic lymphocytic leukemia. <i>Veterans and Agent Orange: Update 2002</i> , : 374. National Academy Press - Washington, DC.
55913	Institute of Medicine (2007). Cancer. <i>Veterans and Agent Orange Update 2006</i> , 6th Biennial Update: 370-81, 443-58. National Academy Press - Washington, DC.
80754	International Atomic Energy Agency (undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. <i>Journal of the ICRU, Report 86</i> , 11(2): 33-8.
24206	International Commission on non-ionizing radiation protection (1998). Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). <i>Health Physics</i> , 74(4): 494-522.
10624	Isaacson PP (1992). Extranodal lymphomas. <i>Oxford Textbook of Pathology</i> , Vol 1 Chapter 24.6: 1787-9. Oxford University Press.
10625	Isaacson PP (1996). Recent developments in our understanding of gastric lymphomas. <i>Am J Surg Pathol</i> , 20(Suppl 1): S1-7.
13015	Iscovich J, Paltiel O, Azizi E, Kuten A, et al (1998). Cutaneous lymphoma in Israel, 1985-1993: a population-based incidence study. <i>British Journal of Cancer</i> , 77(1): 170-3.
29550	Jablon S, Boice JD Jr (1993). Mortality among workers at a nuclear power plant in the United States. <i>Cancer Causes & Control</i> , 4: 427-30.
27802	Jackman SM, Grant GM, Kolanko CJ, et al (2002). DNA damage assessment by comet assay of human lymphocytes exposed to jet propulsion fuels. <i>Environmental & Molecular Mutagenesis</i> , 40: 18-23.
28648	Jacobs P, Wood L (2002). Chronic lymphocytic leukaemia--the haematologic basis for diagnosis and treatment. <i>Hematology</i> , 7(1): 33-42.

89000	Jaffe E, Campo E, Harris N, et al (2017). Introduction and overview of the classification of lymphoid neoplasms. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 11. International Agency for Research on Cancer, Lyon.
89001	Jaffe E, Chott A, Ott G, et al (2017). Intestinal T-cell lymphoma. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 372-3. International Agency for Research on Cancer, Lyon.
89002	Jaffe E, Gaulard P, Cerroni L (2017). Subcutaneous panniculitis-like T-cell lymphoma. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 381. International Agency for Research on Cancer, Lyon.
26088	Jaffe ES, Diebold J, Harris NL, Muller-Hermelink HK, Flandrin G, Vardiman JW (1999). Burkitt's lymphoma: a single disease with multiple variants. <i>Blood</i> , 93(3): 1124.
30809	Jaffe ES, Harris NL, Stein H, Vardiman JW (Eds) (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. World Health Organization Classification of Tumours, . IARC Press: Lyon.
87141	Jahan-Tigh RR, Huen AO, Lee GL, et al (2015). Hydrochlorothiazide and cutaneous T cell lymphoma: prospective analysis and case series. <i>Cancer</i> , 119(4): 825-31.
51911	Jain A, Patil VP, Fung J (2008). Incidence of de novo cancer and lymphoproliferative disorders after liver transplantation in relation to age and duration of follow-up. <i>Liver Transpl</i> , 14: 1406-11.
83391	Jain N, Keating MJ (2016). Richter transformation of CLL. <i>Expert Rev Hematol</i> , 9(8): 793-801.
83236	Jang MS, Jang JG, Han SH, et al (2013). Clinicopathological features of mycosis fungoides in patients exposed to Agent Orange during the Vietnam War. <i>J Dermatol</i> , 40(8): 606-12.
10626	Jass JR (1992). Tumours of the stomach. Oxford Textbook of Pathology, Vol 2 Chapter 16.3: 1165-73. Oxford University Press.
83181	Jayakody N, Harris EC, Coggon D (2015). Phenoxy herbicides, soft-tissue sarcoma and non-Hodgkin lymphoma: a systematic review of evidence from cohort and case-control studies. <i>Br Med Bull</i> , 114(1): 75-94.
11053	Jelfs P, Giles G, Shugg D, Taylor R, et al (1994). Cancer in Australia 1986-1988, Series No 2: 183. AIHW: Canberra.
1268	Jenks S (1994). Studies suggest transfusions may increase cancer risk. <i>J Natl Cancer Inst</i> , 86(4): 260.
52051	Jensen AO, Thomsen HF, Engebjerg MC, Olesen AB, et al (2009). Use of oral glucocorticoids and risk of skin cancer and non-Hodgkin's lymphoma: a population-based case-control study. <i>Br J Cancer</i> , 100: 200-5.
52748	Ji J, Shu X, Li X, Sundquist K, et al (2009). Cancer risk in hospitalised asthma patients. <i>Br J Cancer</i> , 100: 829-33.
53827	Ji J, Shu X, Li X, Sundquist K, Sundquist J, Hemminki K (2009). Cancer risk in hospitalized sarcoidosis patients: a follow-up study in Sweden. <i>Ann Oncol</i> , 20: 1121-6.
52980	Ji J, Shu X, Sundquist K, Sundquist J, Hemminki K (2009). Cancer risk in hospitalised psoriasis patients: a follow-up study in Sweden. <i>Br J Cancer</i> , 100: 1499-502.
85857	Jiao J, Zheng T, Lan Q, et al (2012). Occupational solvent exposure, genetic variation of DNA repair genes, and the risk of non-Hodgkin's lymphoma. <i>Eur J Cancer Prev</i> , 21(6): 580-4.
88968	Jochem C, Leitzmann M, Keimling M, et al (2014). Physical activity in relation to hematologic cancers: a systematic review and meta-analysis. <i>Cancer Epidemiol Biomarkers Prev</i> , 23(5): 833-46.

76870	John Howard, Administrator World Trade Center Health Program (2014). Minimum latency & types of categories of cancer. , : 1-11.
11770	Johnson JC, Thaul S, Page WF, et al (1997). Mortality of veteran participants in the crossroads nuclear test. <i>Health Physics</i> , 73(1): 187-9.
83372	Johnston WT, Mutualima N, Sun D, et al (2017). Relationship between Plasmodium falciparum malaria prevalence, genetic diversity and endemic Burkitt lymphoma in Malawi. <i>Scientific Reports</i> , 4: 3741.
55866	Jones JL, Loftus EV Jr (2007). Lymphoma risk in inflammatory bowel disease: is it the disease or its treatment? <i>Inflamm Bowel Dis</i> , 13(10): 1299-307.
50587	Jurewicz J, Hanke W (2006). Exposure to pesticides and childhood cancer risk: has there been any progress in epidemiological studies? <i>Int J Occup Med Environ Health</i> , 19(3): 152-69.
83390	Kaartinen I, Sunela K, Alanko J, et al (2017). Breast implant-associated anaplastic large cell lymphoma - From diagnosis to treatment. <i>EJSO</i> , 43(8): 1385-92.
27793	Kabbur MB, Rogers JV, Gunasekar PP, et al (2001). Effect of JP-8 jet fuel on molecular and histological parameters related to acute skin irritation. <i>Toxicology & Applied Pharmacology</i> , 175: 83-88.
14495	Kagan E, Jacobson RJ (1983). Lymphoid and plasma cell malignancies: asbestos-related disorders of long latency. <i>AJCP</i> , 80(1): 14-20.
53813	Kaiser R (2008). Incidence of lymphoma in patients with rheumatoid arthritis: a systematic review of the literature. <i>Clinical Lymphoma & Myeloma</i> , 8(2): 87-93.
50718	Kalish RS; Dellavalle RD, et al; Autier P, et al; Berwick M, et al; Smedby KE, et al, Egan KM, et al (2005). [Comments] Re: sun exposure and mortality from melanoma. <i>J Natl Cancer Inst</i> , 97(15): 1158-62.
25080	Kalman CJ; Richardson D, Cardis E (2000). [Comments] Springfields study. <i>J Radiol Prot</i> , 20(4): 453-4. Comments on ID: 26956.
26144	Kamel OW, Holly EA, van de Rijn M, et al (1999). A population based, case control study of non-Hodgkin's lymphoma in patients with rheumatoid arthritis. <i>J Rheum</i> , 26(8): 1676-80. Retrieved 6 January 2003, from 1676-80
53793	Kandiel A, Fraser AG, Korelitz BI, Brensinger C, Lewis JD (2005). Increased risk of lymphoma among inflammatory bowel disease patients treated with azathioprine and 6-mercaptopurine. <i>Gut</i> , 54: 1121-5.
70203	Kane EV, Newton R (2010). Benzene and the risk of non-Hodgkin lymphoma: A review and meta-analysis of the literature. <i>Cancer Epidemiol</i> , 34: 7-12.
83165	Kane EV, Newton R (2010). Occupational exposure to gasoline and the risk of non-Hodgkin lymphoma: a review and meta-analysis of the literature. <i>Cancer Epidemiol</i> , 34(5): 516-22.
83158	Kane EV, Newton R, Roman E (2011). Non-Hodgkin lymphoma and gluten-sensitive enteropathy: estimate of risk using meta-analyses. <i>Cancer Causes & Control</i> , 22(10): 1435-44.
83151	Kane EV, Roman E, Becker N, et al (2012). Menstrual and reproductive factors, and hormonal contraception use: associations with non-Hodgkin lymphoma in a pooled analysis of InterLymph case-control studies. <i>Ann Oncol</i> , 23(9): 2362-74.
50306	Kang D, Davis LK, Hunt P, et al (2008). Cancer incidence among male Massachusetts firefighters, 1987-2003. <i>Am J Ind Med</i> , 51(5): 329-35.
45172	Kang HK, Dalager Na, Needham LL et al (2006). Health status of Army Chemical Corps Vietnam veterans who sprayed defoliant in Vietnam. <i>Am J Ind Med</i> , 49(11): 875-84.
27800	Kanikkannan N, Patel R, Jackson T, et al (2001). Percutaneous absorption and skin irritation of JP-8 (jet fuel). <i>Toxicology</i> , 161: 1-11.

50301	Kapoor S (2008). [Comment] Obesity and the risk for non-Hodgkin lymphoma. <i>Int J Cancer</i> , 123: 490.
50931	Kapoor S; Willett EV (2008). [Comments] Obesity and the risk for non-Hodgkin lymphoma. <i>Int J Cancer</i> , 123: 490-2.
69720	Karami S, Bassig B, Stewart PA, et al (2013). Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. <i>Occup Environ Med</i> , 70(8): 591-9.
50761	Karipidis K, Benke G, Sim M, Fritschi L, et al (2007). Occupational exposure to power frequency magnetic fields and risk of non-Hodgkin lymphoma. <i>Occup Environ Med</i> , 64: 25-9.
52954	Karipidis KK, Benke G, Sim MR, Kauppinen T, et al (2007). Occupational exposure to ionizing and non-ionizing radiation and risk of non-Hodgkin lymphoma. <i>Int Arch Occup Environ Health</i> , 80: 663-70.
52274	Karunananayake CP, McDuffie HH, Dosman JA, Spinelli JJ, Pahway P (2008). Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study. <i>Environmental Health</i> , 7: 44.
50307	Kasiske BL, Snyder JJ, Gilbertson DT, Wang C (2004). Cancer after kidney transplantation in the United States. <i>Am J Transplant</i> , 4: 905-13.
3052	Kassan SS, Thomas TL, Moutsopoulos HM, Hoover R, et al (1978). Increased risk of lymphoma in Sicca Syndrome. <i>Ann Intern Med</i> , 89(6): 888-92.
50315	Katanoda K, Yaho-Suketomo H (2008). Comparison of time trends in Hodgkin and non-Hodgkin lymphoma incidence (1973-97) in East Asia, Europe and USA, from cancer incidence in five continents Vol. IV-VIII. <i>Jpn J Clin Oncol</i> , 38(5): 391-3.
51923	Katebi M, Sharifi N, Tarhini M, Otrock ZK, et al (2008). [Comment] Frequency of Epstein-Barr virus expression in various histological subtypes of Hodgkin's lymphoma. <i>Histopathology</i> , 52: 767-9.
88967	Kato I, Chlebowski R, Huo L, et al (2016). Menopausal estrogen therapy and non-Hodgkin's lymphoma: A post-hoc analysis of women's health initiative randomized clinical trial. <i>Int J Cancer</i> , 138: 604-11.
52747	Kato I, Koenig KL, Watanabe-Meserve H, Baptiste MS, et al (2005). Personal and occupational exposure to organic solvents and risk of non-Hodgkin's lymphoma (NHL) in women (United States). <i>Cancer Causes and Control</i> , 16: 1215-24.
52277	Kato I, Watanabe-Meserve H, Koenig KL, Baptiste MS (2004). Pesticide product use and risk of non-Hodgkin lymphoma in women. <i>Environ Health Perspect</i> , 112(13): 1275-81.
1566	Kauppinen T, Kogevinas M, Johnson E, Becher H, et al (1993). Chemical exposure in manufacture of phenoxy herbicides and chlorophenols and in spraying of phenoxy herbicides. <i>Am J Ind Med</i> , 23: 903-20.
70286	Keenan JJ, Gaffney S, Gross SA, et al (2013). An evidence-based analysis of epidemiologic associations between lymphatic and hematopoietic cancers and occupational exposure to gasoline. <i>Hum Exp Toxicol</i> , 32(10): 1007-27.
52362	Kelemen LE, Cerhan JR, Lim U, Davis S, et al (2006). Vegetables, fruit, and antioxidant-related nutrients and risk of non-Hodgkin lymphoma: a National Cancer Institute-Surveillance, Epidemiology, and end results population-based case-control study. <i>Am J Clin Nutr</i> , 83: 1401-10.
12935	Keller-Byrne JE, Khuder SA, Schaub EA and McAfee O (1997). A meta-analysis of non-Hodgkin's lymphoma among farmers in the central United States. <i>American Journal of Industrial Medicine</i> , 31(4): 442-4.
13046	Keller-Byrne JE, Khuder SA, Schaub EA & McAfee O (1997). A meta-analysis of non-Hodgkin's lymphoma among farmers in the Central United States. <i>American Journal of Industrial Medicine</i> , 31(4): 442-4.

54601	Kelly GL, Rickinson AB (2007). Burkitt lymphoma: revisiting the pathogenesis of a virus-associated malignancy. <i>Hematology Am Soc Hematol Educ Program</i> , : 277-84.
88807	Kelly R, Kiviranta Hm, Bergdahl I, et al (2017). Prediagnostic plasma concentrations of organochlorines and risk of B-cell non Hodgkin lymphoma in envirogenomarkers: a nested case-control study. <i>Environ Health</i> , 16: 9.
83367	Kelly RS, Vineis P (2014). Biomarkers of susceptibility to chemical carcinogens: the example of non-Hodgkin lymphomas. <i>Br Med Bull</i> , 111(1): 89-100.
52218	Kemp A, et al; Grulich AE, et al (2005). [Comments] Re: birth order, atopy, and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 97(19): 1475-6. Comments on ID: 52219.
14621	Kendall GM, Muirhead CR, MacGibbon BH et al (1992). Mortality and occupational exposure to radiation: first analysis of the national registry for radiation workers. <i>British Medical Journal</i> , 304: 220-4.
52044	Kesminiene A, Evrard A-S, Ivanov VK, Malakhova IV, et al (2008). Risk of hematological malignancies among Chernobyl liquidators. <i>Radiation Research</i> , 170: 721-35.
40676	Ketchum NS, Michalek JE (2005). Postservice mortality of Air Force veterans occupationally exposed to herbicides during the Vietnam war: 20-year follow-up results. <i>Mil Med</i> , 170(5): 406-13.
24359	Ketchum NS, Michalek JE, & Burton JE (1999). Serum dioxin and cancer in veterans of Operation Ranch Hand. <i>American Journal of Epidemiology</i> , 149(7): 630-9.
83169	Khachatrian N, Kempen JH (2015). [Comment] Immunosuppressive therapy and cancer risk in ocular inflammation patients: fresh evidence and more questions. <i>Ophthalmology</i> , 122(2): 219-21. Comment on ID: 83168.
52276	Khan AE, Gallo V, Linsiesen J, Kaaks R, et al (2008). Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European prospective investigation into cancer and nutrition. <i>Haematologica</i> , 93(6): 842-50.
3434	Khan G, Norton AJ, Slavin G (1993). Epstein-Barr Virus in Reed-Sternberg-like cells in non-Hodgkin's lymphomas. <i>J Pathology</i> , 169: 9-14.
83182	Khoury T, Chen S, Adar T, et al (2014). Hepatitis C infection and lymphoproliferative disease: accidental comorbidities? <i>World J Gastroenterol</i> , 20(43): 16197-202.
26145	Khuder SA, Schaub EA, Keller-Byrne JE (1998). meta-analyses of non-Hodgkin's lymphoma and farming. <i>Scand J Work Environ Health</i> , 24(4): 255-61.
69996	Kim CJ, Freedman DM, Curtis RE, et al (2013). Risk of non-Hodgkin lymphoma after radiotherapy for solid cancers. <i>Leuk Lymphoma</i> , 54(8): 1691-7.
26421	Kim JS, et al (1999). Eradication of helicobacter pylori did not lead to cure of duodenal mucosa - associated lymphoid tissue lymphoma. <i>Scandinavian Journal of Gastroenterology</i> , 34: 215-18.
45746	Kimbrough RD (2007). [Comment] Letters to the Editor. <i>Environmental Research</i> , 103: 145-6.
38757	Kimbrough RD, Doemland ML, Mandel JS (2003). A mortality update of male and female capacitor workers exposed to polychlorinated biphenyls. <i>JOEM</i> , 45(3): 271-82.
47943	Kimbrough RD, Krouskas CA (2003). Human exposure to polychlorinated biphenyls and health effects. <i>Toxicol Rev</i> , 22(4): 217-33.
3069	Kingsmore SF, Hall BD, Allen NB, et al (1992). Association of Methotrexate, rheumatoid arthritis and lymphoma: Report of 2 cases and literature review. <i>J Rheumatol</i> , 19(9): 1462-5.

1248	Kinlen L (1992). Immunosuppressive therapy and acquired immunological disorders. <i>Cancer Res</i> , 52(19 Suppl): 5474s-5476s.
3252	Kinlen L (1992). Immunosuppressive therapy and acquired immunological disorders. <i>Cancer Res</i> , 52(19 Suppl): 5474s - 5476s.
26122	Kinlen LJ (2000). Non-Hodgkin's lymphoma after immunosuppressive therapy. <i>Gut</i> , 47(4): 462-3.
3057	Kinlen LJ, Sheil AGR, Peto J, Doll R (1979). Collaborative United Kingdom-Australasian study of cancer in patients treated with immunosuppressive drugs. <i>BMJ</i> , 2: 1461-66.
88809	Kiran S, Cocco P, Mannetje A, et al (2010). Occupational exposure to ethylene oxide and risk of lymphoma. <i>Epidemiol</i> , 21(6): 905-10.
32843	Kirby B, Owen CM, Blewitt RW et al (2002). Cutaneous T-cell lymphoma developing in a patient on cyclosporin therapy. <i>J Am Acad Dermatol</i> , 47(2): S165-S167.
54759	Kirkeleit J, Riise T, Bratveit M, Moen BE (2008). Increased risk of acute myelogenous leukemia and multiple myeloma in a historical cohort of upstream petroleum workers exposed to crude oil. <i>Cancer Causes Control</i> , 19: 13-23.
53799	Kleinschmidt-DeMasters BK, Damek DM, Lillehei KO, et al (2008). Epstein Barr virus-associated primary CNS lymphomas in elderly patients on immunosuppressive medications. <i>J Neuropathol Exp Neurol</i> , 67(11): 1103-11.
83409	Kleinster G, Abu Seir R, Perlman R, et al (2017). Ethnic variation in medical and lifestyle risk factors for B cell non-Hodgkin lymphoma: A case-control study among Israelis and Palestinians. <i>PLoS One</i> , 12(2): e0171709.
49864	Knerr S, Schrenk D (2006). Carcinogenicity of "non-dioxinlike" polychlorinated biphenyls. <i>Crit Rev Toxicol</i> , 36(9): 663-94.
12936	Koblin BA, Hessol NA, Zauber AG, Taylor PE, et al (1996). Increased incidence of cancer among homosexual men, New York City and San Francisco, 1978-1990. <i>American Journal of Epidemiology</i> , 144(10): 916-23.
83388	Koff JL, Chihara D, Phan A, et al (2015). To each its own: linking the biology and epidemiology of NHL subtypes. <i>Curr Hematol Malig Rep</i> , 10(3): 244-55.
83393	Koff JL, Flowers CR (2016). B cells gone rogue: the intersection of diffuse large B cell lymphoma and autoimmune disease. <i>Expert Rev Hematol</i> , 9(6): 553-61.
1251	Kogevinas M, Kauppinen T, Winkelmann R, Becher H, et al (1995). Soft tissue sarcoma and non-Hodgkin's lymphoma in workers exposed to phenoxy herbicides, chlorophenols, and dioxins: two nested case-control studies. <i>Epidemiology</i> , 6(4): 396-402.
52275	Kogevinas M, Zock J-P, Alvaro T, Garcia-Villanueva M, et al (2004). Occupational exposure to immunologically active agents and risk for lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(11): 1814-8.
83361	Kokuho N, Terasaki Y, Urushiyama H, et al (2016). Pulmonary mucosa-associated lymphoid tissue lymphoma associated with pulmonary sarcoidosis: a case report and literature review. <i>Hum Pathol</i> , 51: 57-63.
3054	Kolstad HA, Lynge E, Olsen J (1993). Cancer incidence in the Danish reinforced plastics industry. <i>IARC Sci Publ</i> , (127): 301-8.
52052	Koshiol J, Gridley G, Engels EA, McMaster ML, Landgren O (2008). Chronic immune stimulation and subsequent Waldenstrom macroglobulinemia. <i>Arch Intern Med</i> , 168(17): 1903-9.
52742	Koshiol J, Gridley G, Engels EA, McMaster ML, Landgren O (2008). Chronic immune stimulation and subsequent Waldenstrom macroglobulinemia. <i>Arch Intern Med</i> , 168(17): 1903-9.

83405	Kotlyar DS, Blonski W, Diamond RH, et al (2010). Hepatosplenic T-cell lymphoma in inflammatory bowel disease: A possible thiopurine-induced chromosomal abnormality. <i>Am J Gastroenterol</i> , 105(10): 2299-301.
85952	Kotlyar DS, Lewis JD, Beaugerie L, et al (2015). Risk of lymphoma in patients with inflammatory bowel disease treated with azathioprine and 6-mercaptopurine: a meta-analysis. <i>Clin Gastroenterol Hepatol</i> , 13(5): 847-58.
83192	Kotlyar DS, Osterman MT, Diamond RH, et al (2011). A systematic review of factors that contribute to hepatosplenic T-cell lymphoma in patients with inflammatory bowel disease. <i>Clin Gastroenterol Hepatol</i> , 9(1): 36-41.e1.
52280	Koutros S, Zhang Y, Zhu Y, Maybe ST, et al (2008). Nutrients contributing to one-carbon metabolism and risk of non-Hodgkin lymphoma subtypes. <i>Am J Epidemiol</i> , 167: 287-94.
13954	Kramarova E, Kogevinas M, Anh CT, Cay HD, et al (1998). Exposure to agent and occurrence of soft-tissue sarcomas or non-Hodgkin lymphomas: an ongoing study in Vietnam. <i>Environmental Health Perspectives</i> , 106(Suppl 2): 671-8.
79242	Kramer S, Hikel SM, Adams K, et al (2012). Current status of the epidemiologic evidence linking polychlorinated biphenyls and non-Hodgkin lymphoma, and the role of immune dysregulation. <i>Environ Health Perspect</i> , 120: 1067-75.
50314	Krause J (2005). AIDS-related non-Hodgkin's lymphomas. <i>Microscopy Research and Technique</i> , 68: 168-75.
50313	Kricker A, Armstrong BK, Hughes AM, Goumas C, et al (2008). Personal sun exposure and risk of non Hodgkin lymphoma: a pooled analysis from the Interlymph Consortium. <i>Int J Cancer</i> , 122: 144-54.
26142	Krishnan A, Bhatia S, Slovak ML, Arber DA, et al (2000). Predictors of therapy-related leukemia and myelodysplasia following autologous transplantation for lymphoma: an assessment of risk factors. <i>Blood</i> , 95(5): 1588-1593.
52281	Krishnan B, Morgan GJ (2007). Non-Hodgkin lymphoma secondary to cancer chemotherapy. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 377-80.
27022	Krissenko N (1997). Overview of 1993 research activities in Belarus related to the Chernobyl accident. <i>Stem Cells</i> , 15(Suppl 2): 207-10.
50308	Kristensen P, Hilt B, Svendsen K, Grimsrud TK (2008). Incidence of lymphohaematopoietic cancer at a university laboratory: a cluster investigation. <i>Eur J Epidemiol</i> , 23: 11-5.
69746	Kroll ME, Murphy F, Pirie K, et al (2012). Alcohol drinking, tobacco smoking and subtypes of haematological malignancy in the UK Million Women Study. <i>Br J Cancer</i> , 107: 879-87.
50762	Kromhout H, Vermeulen R (2007). [Comment] Non-Hodgkin lymphoma and occupations exposures: multiple exposures - multiple papers. <i>Occup Environ Med</i> , 64(1): 4-5.
26557	Kundi M (2003). [Comment] Long term of e-mu-Pim1 transgenic mice to 898.4 MHz does not increase lymphoma incidence. <i>Radiation Research</i> , 159: 274. Comment on ID: 26556.
83340	Kuo SH, Cheng AL (2013). Helicobacter pylori and mucosa-associated lymphoid tissue: what's new. <i>Hematology</i> , 2013: 109-17.
49013	Kuratsune M, Yoshimura T, Matsuzaka J, et al (1971). Yusho, a poisoning caused by rice oil contaminated with polychlorinated biphenyls. <i>HSMHA Health Reports</i> , 86(12): 1083-91.

10772	Kutting B, Bonsmann G, Metze D, Luger TA, Cerroni L (1997). <i>Borrelia burgdorferi</i> - associated primary cutaneous B cell lymphoma: complete clearing of skin lesions after antibiotic pulse therapy or intralesional injection of interferon alfa-2a. <i>Journal of the American Academy of Dermatology</i> , 36(2): 311-4.
47830	Kuusisto S, Lindroos O, Rantio T, et al (2007). PCB contaminated dust on indoor surfaces - health risks and acceptable surface concentrations in residential and occupational settings. <i>Chemosphere</i> , 67: 1194-201.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
50750	Kyasa MJ, Hazlett L, Parrish RS, Schichman SA, Zent CS (2004). Veterans with chronic lymphocytic leukemia/small lymphocytic lymphoma (CLL/SLL) have a markedly increased rate of second malignancy, which is the most common cause of death. <i>Leukemia and Lymphoma</i> , 45(3): 507-13.
49011	La Rocca C, Mantovani A (2006). From environment to food: the case of PCB. <i>Ann 1st Super Sanita</i> , 42(4): 410-6.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
88742	LaCasce AS, Ng AK (2017). Second malignancies after treatment of classic Hodgkin lymphoma. Retrieved 15 May 2018, from https://www.uptodate.com/contents/second-malignancies-after-treatment-of-classic-hodgkin-lymphoma
83268	Laden F, Bertrand KA, Altshul L, et al (2010). Plasma organochlorine levels and risk of non-Hodgkin lymphoma in the Nurses' Health Study. <i>Cancer Epidemiol Biomarkers Prev</i> , 19(5): 1381-4.
51903	Lahti TA, Partonen T, Kyrynen P, et al (2008). Night-time work predisposes to non-Hodgkin lymphoma. <i>Int J Cancer</i> , 123: 2148-51.
26180	Lamba AB, Ward MH, Weeks JL, et al (2001). Cancer mortality patterns among hairdressers and barbers in 24 US states, 1984 to 1995. <i>J Occup Environ Med</i> , 43(3): 250-8.
50749	Lamm SH, Engel A, Byrd DM (2005). Non-Hodgkin lymphoma and benzene exposure: a systematic literature review. <i>Chemico-Biological Interactions</i> , 153-4: 231-7.
51926	Lampi P, Tuomisto J, Hakulinen T, Pukkala E (2008). Follow-up study of cancer incidence after chlorophenol exposure in a community in southern Finland. <i>Scand J Work Environ Health</i> , 34(3): 230-3.
50303	Landau D-A, Saadoun D, Calabrese LH, Cacoub P (2007). The pathophysiology of HCV induced B-cell clonal disorders. <i>Autoimmunity Reviews</i> , 6: 581-7.
52283	Landgren O, Andren H, Nilsson B, Ekbom A, Bjorkholm M (2005). [Comment] Risk profile and outcome in Hodgkin's lymphoma: is obesity beneficial? <i>Ann Oncol</i> , 16(5): 838-40.
52282	Landgren O, Engels EA, Pfeiffer RM, Gridley G, et al (2006). Autoimmunity and susceptibility to Hodgkin lymphoma: a population-based case-control study in Scandinavia. <i>J Natl Cancer Inst</i> , 98: 1321-30.
51895	Landgren O, Tilly H (2008). Epidemiology, pathology and treatment of non-follicular indolent lymphomas. <i>Leukemia & Lymphoma</i> , 49(S1): 35-42.
52355	Landgren O, Turesson I, Gridley G, Caporaso NE (2007). Risk of malignant disease among 1525 adults male US veterans with Gaucher disease. <i>Arch Intern Med</i> , 167: 1189-94.

26254	Langford IH, Bentham G, McDonald AL (1998). Mortality from non-Hodgkin lymphoma and UV exposure in the European Community. <i>Health Place</i> , 4(4): 355-64.
50304	Larsson SC, Wolk A (2007). Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. <i>Int J Cancer</i> , 121: 1564-70.
69723	Larsson SC, Wolk A (2011). Body mass index and risk of non-Hodgkin's and Hodgkin's lymphoma: a meta-analysis of prospective studies. <i>European Journal of Cancer</i> , 47(16): 2422-30.
82141	Lauby-Secretan B, Scoccianti C, Loomis D (2016). Body fatness and cancer-viewpoint of the IARC working group. <i>The New Eng J Med</i> , 375(8): 794-8.
26131	Law G, Parslow R, McKinney P, et al (1999). Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom. <i>J Epidemiol Community Health</i> , 53(6): 383-4.
12253	Lawrence CE, Reilly AA, Quickenton P, et al (1985). Mortality patterns of New York State Vietnam veterans. <i>American Journal of Public Health</i> , 75: 277-79.
55875	Lecuit M, Abachin E, Martin A, Poyart C, et al (2004). Immunoproliferative small intestinal disease associated with campylobacter jejuni. <i>NEJM</i> , 350: 239-48.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
55865	Lee C-C, Chen W-M, Yen C-C, Wu H-D, Chen T-H (2009). Malignant lymphoma in an atomic-bomb survivor. <i>J Chin Med Assoc</i> , 72(7): 388-93.
52285	Lee JS, Bracci PM, Holly EA (2008). Non-Hodgkin lymphoma in women: reproductive factors and exogenous hormone use. <i>Am J Epidemiol</i> , 168(3): 278-88.
50642	Lee K-M, Lan Q, Kricker A, Purdue MP, et al (2007). One-carbon metabolism gene polymorphisms and risk of non-Hodgkin lymphoma in Australia. <i>Hum Genet</i> , 122: 525-33.
50627	Lee WJ, Cantor KP, Berzofsky JA, et al (2004). Non-Hodgkin's lymphoma among asthmatics exposed to pesticides. <i>Int J Cancer</i> , 111: 298-302.
52284	Lee WJ, Purdue MP, Stewart P, Schenk M, et al (2006). Asthma history, occupational exposure to pesticides and the risk of non-Hodgkin's lymphoma. <i>Int J Cancer</i> , 118(12): 3174-6.
83112	Legendre L, Barnetche T, Mazereeuw-Hautier J, et al (2015). Risk of lymphoma in patients with atopic dermatitis and the role of topical treatment: a systematic review and meta-analysis. <i>J Am Acad Dermatol</i> , 72(6): 992-1002.
50628	LeMasters GK, Genaidy AM, Succop P, et al (2006). Cancer risk among firefighters: a review and meta-analysis of 32 studies. <i>JOEM</i> , 48(11): 1189-202.
44013	Lens MB, Newton-Bishop JA (2005). An association between cutaneous melanoma and non-Hodgkin's lymphoma: pooled analysis of published data with a review. <i>Annals of Oncology</i> , 16: 460-65.
53972	Leombruno JP, Einarson TR, Keystone EC (2009). The safety of anti-tumour necrosis factor treatments in rheumatoid arthritis: meta and exposure-adjusted pooled analyses of serious adverse events. <i>Ann Rheum Dis</i> , 68: 1136-45.
1559	Leonard JN, Tucker WF, Fry JS, Coulter CAE, et al (1983). Increased incidence of malignancy in dermatitis herpetiformis. <i>BMJ</i> , 286: 16-8.
88998	Leoncini L, Campo E, Stein H, et al (2017). Burkitt lymphoma. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 330-1. International Agency for Research on Cancer, Lyon.

26370	Lepicard A, Lamatque D, Levy M, et al (2000). Duodenal mucosa-associated lymphoid tissue lymphoma: treatment with oral cyclophosphamide. <i>The American Journal of Gastroenterology</i> , 95(2): 536-539.
13013	Levi F, Randimbison L, La Vecchia C, Erler G, et al (1997). Incidence of invasive cancers following squamous cell skin cancer. <i>American Journal of Epidemiology</i> , 146(9): 734-9.
13892	Levi F, Randimbison L, la Vecchia C, Erler G, Te VC (1997). Incidence of invasive cancers following squamous cell skin cancer. <i>American Journal of Epidemiology</i> , 146(9): 734-9.
26467	Levine AM, Scadden DT, Zaia JA, et al (2001). Hematologic aspects of HIV/AIDS. <i>Hematology Am Soc Hematol Educ Program</i> , : 463-78.
3049	Levine PH, Peterson D, McNamee FL, O'Brien K, et al (1992). Does chronic fatigue syndrome predispose to non-Hodgkin's lymphoma? <i>Cancer Res</i> , 52(19 S): 5516s-18s.
30461	Lewis JD, Bilker WB, Brensinger C, et al (2001). Inflammatory bowel disease is not associated with an increased risk of lymphoma. <i>Gastroenterology</i> , 121(5): 1080-87.
3433	Li D, Oda K, Mikata A, Yumoto N (1995). Epstein-Barr virus genomes in Hodgkin's disease and non-Hodgkin's lymphomas. <i>Pathol Int</i> , 45: 735-41.
88955	Li X, Burton E, Bhaduri-McIntosh S (2017). Chloroquine triggers Epstein-Barr virus replication through phosphorylation of KAP1/TRIM28 in Burkitt lymphoma cells. <i>PLoS Pathogens</i> , 13(3): e1006249.
83143	Liang Y, Yang Z, Qin B, et al (2014). Primary Sjogren's syndrome and malignancy risk: a systematic review and meta-analysis. <i>Ann Rheum Dis</i> , 73(6): 1151-6.
53797	Lichtenstein GR, Feagan BG, Cohen RD, Salzberg BA, et al (2006). Serious infections and mortality in association with therapies for Crohn's disease: TREAT registry. <i>Clin Gastroenterol Hepatol</i> , 4: 621-30.
86142	Lichtenstein GR, Feagan BG, Cohen RD, et al (2014). Drug therapies and the risk of malignancy in Crohn's disease: Results from the TREAT Registry. <i>Am J Gastroenterol</i> , 109(2): 212-23.
50629	Lim S-T, Fei G, Quek R, Lim L-C, et al (2007). The relationship of hepatitis B virus infection and non-Hodgkin's lymphoma and its impact on clinical characteristics and prognosis. <i>Eur J Haematol</i> , 79: 132-7.
52286	Lim U, Gayles T, Katki HA, Stolzengerg-Solomon R, et al (2007). Serum high-density lipoprotein cholesterol and risk of non-Hodgkin lymphoma. <i>Cancer Res</i> , 67(11): 5569-74.
52287	Lim U, Morton LM, Subar AF, Baris D, et al (2007). Alcohol, smoking, and body size in relation to incident Hodgkin's and non-Hodgkin's lymphoma risk. <i>Am J Epidemiol</i> , 166(6): 697-708.
52365	Lim U, Wang SS, Hartge P, Cozen W, et al (2007). Gene-nutrient interactions among determinants of folate and one-carbon metabolism on the risk of non-Hodgkin lymphoma: NCI-SEER case-control study. <i>Blood</i> , 109: 3050-9.
51891	Lin C, Loberiza FR Jr (2007). [Comment] Low-dose radiation and secondary malignancy: is there a causal relationship? <i>Clinical Lymphoma & Myeloma</i> , 7(7): 450.
51922	Lin S-Y, Hsieh M-S, Chen L-S, Chiu Y-H, et al (2007). Diabetes mellitus associated with the occurrence and prognosis of non-Hodgkin's lymphoma. <i>Eur J Cancer Prev</i> , 16: 471-8.
52369	Linet MS, Freedman DM, Mohan AK, Doody MM, et al (2005). Incidence of haematopoietic malignancies in US radiologic technologists. <i>Occup Environ Med</i> , 62: 861-7.

68371	Linet MS, Schubauer-Berigan MK, Weisenburger DD et al (2007). Chronic lymphocytic leukaemia: an overview of aetiology in light of recent developments in classification and pathogenesis. <i>Br J Haematol</i> , 139(5): 672-86.
50630	Linet MS, Taggart T, Severson RK, Cerhan JR, et al (2006). Cellular telephones and non-Hodgkin lymphoma. <i>Int J Cancer</i> , 119: 2382-8.
83131	Linet MS, Vajdic CM, Morton LM, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for follicular lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. , 48: 26-40.
76762	Linet MS, Yin SN, Gilbert ES (2015). A retrospective cohort study of cause-specific mortality and incidence of hematopoietic malignancies in Chinese benzene-exposed workers. <i>Int J Cancer</i> , 137(9): 2184-97.
52946	Lipworth L, Tarone RE, & McLaughlin JK (2009). Breast implants and lymphoma risk: a review of the epidemiologic evidence through 2008. <i>The American Society of Plastic Surgeons</i> , 123(3): 790-3. Retrieved 26 May 2009, from www.PRSJournal.com
52979	Lipworth L, Tarone RE, Friis S, et al (2009). Cancer among Scandinavian women with cosmetic breast implants: A pooled long-term follow-up study. <i>Int J Cancer</i> , 124: 490-3.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.
26066	Little RF, Gutierrez M, Jaffe ES, Pau A, Horne McD, Wilson W (2001). HIV-associated non-Hodgkin lymphoma: incidence, presentation, and prognosis. <i>JAMA</i> , 285(14): 1880-5.
32849	Little RF, Gutierrez M, Jaffe ES, et al (2001). HIV-associated non-Hodgkin lymphoma: incidence, presentation, and prognosis. <i>JAMA</i> , 285: 1880-85.
26559	Litvak E, Foster KR, Repacholi MH (2002). Health and safety implications of exposure to electromagnetic fields in the frequency range 300 Hz to 10 MHz. <i>Bioelectromagnetics</i> , 23(1): 68-82.
58288	Liu L, Shi Y, Li T, et al (2016). Leisure time physical activity and cancer risk: evaluation of the WHO's recommendation based on 126 high-quality epidemiological studies. <i>Br J Sports Med</i> , 50(6): 372-8.
85861	Liu T, Xu Q, Zhang CH, et al (2013). Occupational exposure to methylene chloride and risk of cancer: a meta-analysis. <i>Cancer Causes Control</i> , 24(12): 2037-49.
51935	Lofstrom B, Backlin C, Sundstrom C, Ekbom A, Lundberg IE (2007). A closer look at non-Hodgkin's lymphoma cases in a national Swedish systemic lupus erythematosus cohort: a nested case-control study. <i>Ann Rheum Dis</i> , 66: 1627-32.
1250	Loft SH, Willumsen L (1983). Tropical anamnesis disguising malignant lymphoma. <i>Scand J Haematol</i> , 31: 168-72.
26154	Loftus EV Jr, Tremaine WJ, Habermann TM, et al (2000). Risk of lymphoma in inflammatory bowel disease. <i>Am J Gastroenterol</i> , 95(9): 2308-12.
83368	Loh JC, Cassarino DS, Grody WW, et al (2014). A case of mycosis fungoides transmitted from donor to recipient, and review of the literature of T-cell malignancies after transplantation. <i>Clinical Lymphoma, Myeloma & Leukemia</i> , 14(4): e137-40.
70202	Longo DL (2012). General aspects of lymphoid malignancies. <i>Access Medicine</i> , 18th edition, Section 2, Chapter 110. McGraw Hill.

71212	Longo DL (2014). Malignancies of lymphoid cells. (Eds) AS Fauci, E Braunwald, DL Kasper, SL Hauser et al. Chapter 105. Harrison's Principles of Internal Medicine. 17th Edition. . Retrieved 2 April 2014, from http://proxy14.use.hcn.com.au/content.aspx?aid=2890045
53884	Longo DL, Fauci AS (2008). The human retroviruses - Human T cell lymphotropic virus. Harrison's Principles of Internal Medicine, 17th Edition, Chapter 181: 1134-7. McGraw Hill, New York.
65038	Longo DL, Fauci AS , Kasper DL, Hauser SL et al (2012). Malignancies of Lymphoid Cells: Introduction. Part 7 - Oncology & Hematology. Section 2 - Hematopoietic Disorders. Chapter 110. Retrieved 24 September 2012, from http://www.accessmedicine.com/content.aspx?aid=9118598
88812	Loomis D, Guyton K, Grosse Y, et al (2017). Carcinogenicity of benzene. <i>The Lancet Oncology</i> , 18(12): 1574-5.
11771	Loomis DP, Wolf SH (1996). Mortality of workers at a nuclear materials production plant at Oak Ridge, Tennessee, 1947-1990. <i>American Journal of Industrial Medicine</i> , 29(2): 131-41.
85940	Lopez-Olivio MA, Tayar JH, Martinez-Lopez JA, et al (2012). Risk of malignancies in patients with rheumatoid arthritis treated with biologic therapy: a meta-analysis. <i>JAMA</i> , 308(9): 898-908.
52320	Love T, Solomon DH (2008). [Comment] The relationship between cancer and rheumatoid arthritis: still a large research agenda. <i>Arthritis Res Ther</i> , 10: 109. Comment on ID: 52319.
83394	Low LK, Song JY (2016). B-cell lymphoproliferative disorders associated with primary and acquired immunodeficiency. <i>Cancer Causes & Control</i> , 27(5): 595-606.
83134	Lu D, Chen J, Jin J (2014). Vitamin D status and risk of non-Hodgkin lymphoma: a meta-analysis. <i>Cancer Causes & Control</i> , 25(11): 1553-63.
52746	Lu Y, Sullivan-Halley J, Cozen W, Chang ET, et al (2009). Family history of haematopoietic malignancies and non-Hodgkin's lymphoma risk in the California Teachers Study. <i>Br J Cancer</i> , 100: 524-6.
83386	Lu Y, Wang SS, Reynolds P, et al (2012). Cigarette smoking, passive smoking, and non-Hodgkin lymphoma risk: Evidence from the California Teachers Study. <i>Am J Epidemiol</i> , 174(5): 109.
52288	Lubon JH, Colt JS, Camann D, Davis S, et al (2004). Epidemiologic evaluation of measurement data in the presence of detection limits. <i>Environ Health Perspect</i> , 112(17): 1691-6.
7007	Lundberg I (1986). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. <i>Scandinavian Journal of Work, Environment and Health</i> , 12: 108-13.
26083	Lundberg I, Milatou-Smith R (1998). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. <i>Scand J Work Environ Health</i> , 24(4): 270-275. Retrieved 6 January 2003, from 270-275
14817	Lundberg I, Milatou-Smith R (1998). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. <i>Scand J Environ Health</i> , 24(4): 270-5.
79864	Lundin JI, Alexander BH, Olsen GW, et al (2009). Ammonium perfluorooctanoate production and occupational mortality. <i>Epidemiol</i> , 20: 921-8.
32405	Luqmani RA, Palmer RG, Bacon PA (1990). Azathioprine, cyclophosphamide and chlorambucil. <i>Baillieres Clin Rheumatol</i> , 4(3): 595-619.
52289	Lynch SM, Rusiecki JA, Blair A, Dosemeci M, et al (2006). Cancer incidence among pesticide applicators exposed to cyanazine in the Agricultural Health Study. <i>Environ Health Perspect</i> , 114(8): 1248-52.
26334	Lynge E (1998). Cancer incidence in Danish phenoxy herbicide workers, 1947-1993. <i>Environ Health Perspect</i> , 106(Suppl 2): 683-8.

17285	Lynge E (1998). Cancer incidence in Danish phenoxy herbicide workers, 1947-1993. <i>Environmental Health Perspectives</i> , 106(Suppl 2): 683-8.
42462	Lynge E, Andersen A, Rylander L, Tinnerberg H, Lindbohm ML, et al (2006). Cancer in persons working in dry cleaning in the Nordic countries. <i>Environ Health Perspect</i> , 114(2): 213-9.
10920	Lynge E, Andersen A, Nilsson R, Barlow L, et al (1997). Risk of cancer and exposure to gasoline vapors. <i>American Journal of Epidemiology</i> , 145(5): 449-58.
13222	Lynge E, Anttila A, Hemminki K (1997). Organic solvents and cancer. <i>Cancer Causes & Control</i> , 8(3): 406-19.
15525	Lyter D, Bryant J, Thackeray R, Zhao P, et al (1994). Incidence of Kaposi's sarcoma (KS) Non-Hodgkin's Lymphoma (NHL), and other malignancies in a cohort of gay men with Human Immunodeficiency Virus (HIV) Infection. <i>Proceedings of ASCO</i> , 13: 50.
38173	Ma F, Fleming LE, Lee DJ, et al (2005). Mortality in Florida professional firefighters, 1972 to 1999. <i>Am J Ind Med</i> , 47: 509-17.
50631	Ma F, Fleming LE, Lee DJ, et al (2006). Cancer incidence in Florida professional firefighters, 1981 to 1999. <i>JOEM</i> , 48(9): 883-8.
83403	Ma H, Abdul-Hay M (2017). T-cell lymphomas, a challenging disease: types, treatments, and future. <i>Int J Clin Oncol</i> , 22(1): 18-51.
83375	Macgrath I (2012). Epidemiology: clues to the pathogenesis of Burkitt lymphoma. <i>Br J Hematol</i> , 156(6): 744-56.
53822	Mackey AC, Green L, Leptak C, Avigan M (2009). [Comment] Hepatosplenic T cell lymphoma associated with infliximab use in young patients treated for inflammatory bowel disease: update. <i>J Pediatr Gastroenterol Nutr</i> , 48: 386-8.
29565	MacLennan PA, Delzell E, Sathiakumar N, et al (2003). Mortality among triazine herbicide manufacturing workers. <i>J Toxicol Environ Health</i> , 66(6): 501-17.
29501	MacLennan PA, Delzell E, Sathiakumar N, et al (2002). Cancer incidence among triazine herbicide manufacturing workers. <i>JOEM</i> , 44(11): 1048-58.
3236	MacLennan R, Smith P (1994). Veterans and Agent Orange: Health effects of Herbicides used in Vietnam, . National Academies Press - Washington, DC.
13079	Magrath IT (1997). Non-Hodgkin's lymphomas: epidemiology and treatment. <i>Annals of the New York Academy of Sciences</i> , 824: 91-106.
26074	Maguire-Boston EK, Suman V, Jacobsen SJ, Moore SB, Habermann TM, Cerhan JR, Folsom AR (1999). Blood transfusion and risk of non-Hodgkin's lymphoma. <i>American Journal of Epidemiology</i> , 149(12): 1113-8.
45752	Mahajan R, Blair A, Coble J, Lynch CF, et al (2007). Carbaryl exposure and incident cancer in the Agricultural Health Study. <i>Int J Cancer</i> , 121: 1799-1805.
83237	Maifredi G, Donato F, Magoni M, et al (2011). Polychlorinated biphenyls and non-Hodgkin's lymphoma: A case-control study in Northern Italy. <i>Environ Res</i> , 111(2): 254-9.
47833	Mallin K, McCann K, D'Aloisio A, et al (2004). Cohort mortality study of capacitor manufacturing workers, 1944-2000. <i>JOEM</i> , 46(6): 565-76.
52054	Mandel JH, Kelsh M, Mink PJ, Alexander DD (2008). [Comment] Trichloroethylene exposure and non-Hodgkin's lymphoma: supportive evidence. <i>Occup Environ Med</i> , 65(2): 147-8.
52360	Mandel JH, Kelsh MA, Mink PJ, Alexander DD, et al (2006). Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: a meta-analysis and review. <i>Occup Environ Med</i> , 63: 597-607.

3364	Manns A, Cleghorn FR, Falk RT, Hartge P, et al (1993). Role of HTLV-1 in development of non-Hodgkin lymphoma in Jamaica and Trinidad and Tobago. <i>Lancet</i> , 342(8885): 1447-50.
26500	Mao Y, Hu J, Ugnat A-M, et al (2000). Non-Hodgkin's lymphoma and occupational exposure to chemicals in Canada. <i>Annals of Oncology</i> , 11(Suppl 1): S69-73.
26304	Mao Y, Hu J, Ugnat AM, et al (2000). Non-Hodgkin's lymphoma and occupational exposure to chemicals in Canada. Canadian Cancer Registries Epidemiology Research Group. <i>Ann Oncol</i> , 11(Suppl 1): 69-73.
30260	Mariette X, Cazals-Hatem D, Warszawski J, et al (2002). Lymphomas in rheumatoid arthritis patients treated with methotrexate: a 3-year prospective study in France. <i>Blood</i> , 99(11): 3909-15.
70215	Mariette X, Matucci-Cerinic M, Pavelka K, et al (2011). Malignancies associated with tumour necrosis factor inhibitors in registries and prospective observational studies: a systematic review and meta-analysis. <i>Ann Rheum Dis</i> , 70(11): 1895-904.
50632	Marsh GM, Youk AO, Esmen NA, Buchanich JM (2005). Mortality patterns among workers in a US pharmaceutical production plant. <i>Ann Epidemiol</i> , 15: 112-22.
83183	Marshall JK, Otley AR, Afif W, et al (2014). Canadian Association of Gastroenterology position statement regarding the use of thiopurines for the treatment of inflammatory bowel disease. <i>Can J Gastroenterol Hepatol</i> , 28(7): 371-2.
50633	Martin-Gomez MA, Pena M, Cabello M, Burgos D, et al (2006). Posttransplant lymphoproliferative disease: a series of 23 cases. <i>Transplantation Proceedings</i> , 38: 2448-50.
25564	Mason MF (2011). AVTUR + FSII in the RAAF work environment. Report / Discussion Paper, .
13143	Massoudi BL, Talbott EO, Day RD, et al (1997). A case-control study of hematopoietic and lymphoid neoplasms: The role of work in the chemical industry. <i>American Journal of Industrial Medicine</i> , 31: 21-7.
8388	Matanoski GM, Seltser R, Sartwell PE, Diamond EL, Elliott EA (1975). The current mortality rates of radiologists and other physician specialists: specific causes of death. <i>Am J Epidemiol</i> , 101: 199-210.
51886	Matasar MJ, Zelenetz AD (2008). Overview of lymphoma diagnosis and management. <i>Radiol Clin N Am</i> , 46: 175-98.
76832	Material Safety Data Sheet (2010). AVGAS 100LL. Version 1.0 Effective date 19 March 2010. . Retrieved 21 December 2015, from http://s01.static-shell.com/content/dam/shell-new/local/country/aus/downloads/fuels/msds/msds-avgas100ll.pdf
50634	Matsuo K, Kusano A, Sugumar A, Nakamura S, et al (2004). Effect of hepatitis C virus infection on the risk of non-Hodgkin's lymphoma: a meta-analysis of epidemiological studies. <i>Cancer Sci</i> , 95(9): 745-52.
56045	Matteson EL (2006). Investigation, explanation, and apology for incomplete and erroneous disclosures. <i>JAMA</i> , 296(18): 2205.
27901	Mattie DR, Marit GB, Flemming CD, et al (1995). The effects of JP-8 jet fuel on male Sprague-Dawley rats after a 90-day exposure by oral gavage. <i>Toxicology & Industrial Health</i> , 11(4): 423-35.
52754	Mbulaiteye SM, Hisada M, El-Omar EM (2009). Helicobacter pylori associated global gastric cancer burden. <i>Frontiers in Bioscience</i> , 14: 1490-504.
83126	Mbulaiteye SM, Morton LM, Sampson JN, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for sporadic Burkitt lymphoma/leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 106-14.

27798	McDougal JN, Pollard DL, Weisman W, et al (2000). Assessment of skin absorption and penetration of JP-8 jet fuel and its components. <i>Toxicological Sciences</i> , 55: 247-55.
27795	McDougal JN, Robinson PJ (2002). Assessment of dermal absorption and penetration of components of a fuel mixture (JP-8). <i>The Science of the Total Environment</i> , 288: 23-30.
26155	McDuffie HH, Pahwa P, Spinelli JJ, et al (2002). Canadian male farm residents, pesticide safety handling practices, exposure to animals and non-Hodgkin's lymphoma (NHL). <i>Am J Ind Med</i> , (Supp 2): 54-61.
50635	McDuffie HH, Pahwa P, Robson D, Dosman JA, et al (2005). Insect repellents, phenoxyherbicide exposure, and non-Hodgkin's lymphoma. <i>J Occup Environ Med</i> , 47: 806-16.
26095	McDuffie HH, Pahwa P, McLaughlin JR, Spinelli JJ, Fincham S, Dosman JA, Robson D, Skinner LF, Choi NW (2001). Non-Hodgkin's lymphoma and specific pesticide exposures in men: cross-Canada study of pesticides and health. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(11): 1155-63.
26596	McGeoghegan D and Binks K (2000). The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> , 20(2): 111-37.
21774	McGeoghegan D, Binks K (2000). The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> , 20: 111-37.
55864	McGovern DPB, Jewell DP (2005). [Comment] Risks and benefits of azathioprine therapy. <i>Gut</i> , 54: 1055-9.
76834	McHale CM, Zhang L, Smith MT (2012). Current understanding of the mechanism of benzene-induced leukemia in humans: implications for risk assessment. <i>Carcinogenesis</i> , 33(2): 240-52.
45749	McHale CM, Zhang L, Hubbard AE, et al (2007). Microarray analysis of gene expression in peripheral blood mononuclear cells from dioxin-exposed human subjects. <i>Toxicology</i> , 229: 101-13.
28417	McKenna DB, Stockton D, Brewster DH, et al (2003). Evidence for an association between cutaneous malignant melanoma and lymphoid malignancy: a population-based retrospective cohort study in Scotland. <i>Br J Cancer</i> , 88(1): 74-8.
52290	McLaughlin JK, Lipworth L, Fryzek JP, et al (2006). Long-term cancer risk among Swedish women with cosmetic breast implants: an update of a nationwide study. <i>J Natl Cancer Inst</i> , 98(8): 557-60.
47611	McLean D, Pearce N, Langseth H, et al (2006). Cancer mortality in workers exposed to organochlorine compounds in the pulp and paper industry: an international collaborative study. <i>Environ Health Perspect</i> , 114(7): 1007-12.
10768	McNally RJQ, Alexander FE, Staines A, Cartwright RA (1997). A comparison of three methods of analysis for age-period-cohort models with application to incidence data on non-Hodgkin's lymphoma. <i>International Journal of Epidemiology</i> , 26(1): 32-46.
85808	McNeil C (2013). TCE, designated a known carcinogen, now the focus of ongoing research. <i>J Natl Cancer Inst</i> , 105(20): 1518-9.
42674	Medicine net.com (2006). Non-Hodgkin's Lymphoma. . Retrieved 9 March 2007, from http://www.medicinenet.com/script/main/art.asp?articlekey=408&pf=3&page=1
53800	Meerbach A, Wutzler P, Hafer R, Zintl F, Gruhn B (2008). Monitoring of Epstein-Barr virus load after hematopoietic stem cell transplantation for early intervention of post-transplant lymphoproliferative disease. <i>J Med Virol</i> , 80: 441-54.

52745	Mehlman MA (2006). Causal relationship between non-Hodgkin's lymphoma and exposure to benzene and benzene-containing solvents. <i>Ann N Y Acad Sci</i> , 1076: 120-8.
50759	Melbye M, Smedby KE, Lehtinen T, Rostgaard K, et al (2007). Atopy and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 99: 158-66.
52291	Melin A, Sparén P, Persson I, Bergqvist A (2006). Endometriosis and the risk of cancer with special emphasis on ovarian cancer. <i>Human Reproduction</i> , 21(5): 1237-42.
14679	Memon A, Doll R (1994). A search for unknown blood-borne oncogenic viruses. <i>Int J Cancer</i> , 58: 366-8.
52292	Mensah FK, Willett EV, Simpson J, Smith AG, Roman E (2007). Birth order and sibship size: evaluation of the role of selection bias in a case-control study of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 166(6): 717-23.
85919	Mercer LK, Davies R, Galloway JB, et al (2013). Risk of cancer in patients receiving non-biologic disease-modifying therapy for rheumatoid arthritis compared with the UK general population. <i>Rheumatology</i> , 52(1): 91-8.
50636	Merhi M, Raynal H, Cahuzac E, Vinson F, et al (2007). Occupational exposure to pesticides and risk of hematopoietic cancers: meta-analysis of case-control studies. <i>Cancer Causes Control</i> , 18: 1209-26.
50724	Merrill RM, Isakson RT, Beck RE (2007). The association between allergies and cancer: what is currently known? <i>Annals of Allergy, Asthma & Immunology</i> , 99: 102-16.
50694	Mertsching H, Walles T, Bakker G, et al (2004). Expression of epidermal growth-factor receptor in lymphangiomatosis: a new therapeutic target? <i>Lancet Oncol</i> , 5: 353.
47612	Mester B, Nieters A, Deeg E, Elsner G, Becker N, Seidler A (2006). Occupational and malignant lymphoma: a population based case control study in Germany. <i>Occup Environ Med</i> , 63(1): 17-26.
24358	Michalek JE, Ketchum NS, Akhtar FZ (1998). Postservice mortality of US Air Force veterans occupationally exposed to herbicides in Vietnam: 15-year follow-up. <i>American Journal of Epidemiology</i> , 148(8): 786-92.
54755	Michalek JE, Pavuk M (2008). Diabetes and cancer in veterans of Operation Ranch Hand after adjustment for calendar period, days of spraying, and time spent in Southeast Asia. <i>J Occup Environ Med</i> , 50: 330-40.
3040	Michalek JE, Wolfe WH, Miner JC (1990). Health status of air force veterans occupationally exposed to herbicides in Vietnam. <i>JAMA</i> , 264(14): 1832-6.
85862	Michaud TL, Rho YH, Shamliyan T, et al (2015). The comparative safety of tumor necrosis factor inhibitors in rheumatoid arthritis: a meta-analysis update of 44 trials. <i>Am J Med</i> , 127(12): 1208-32; Comment: <i>Ann Intern Med</i> (2015); 162(8): JC10.
85803	Mikoczy Z, Tinnerberg H, Bjork J, et al (2011). Cancer incidence and mortality in Swedish sterilant workers exposed to ethylene oxide: Updated cohort study findings 1972-2006. <i>Int J Environ Res Public Health</i> , 8(6): 2009-19.
39606	Miligi L, Costantini AS, Bolejack V, et al (2003). Non-Hodgkin's lymphoma, leukemia, and exposures in agriculture: results from the Italian multicenter case-control study. <i>American Journal of Industrial Medicine</i> , 44: 627-36.
50638	Miligi L, Costantini AS, Benvenuti A, Veraldi A, et al (2005). Personal use of hair dyes and hematolymphopoietic malignancies. <i>Arch Environ Occup Health</i> , 60(5): 249-56.

52293	Miligi L, Costantini AS, Benvenuti A, Kriebel D, et al (2006). Occupational exposure to solvents and the risk of lymphomas. <i>Epidemiology</i> , 17(5): 552-61.
50637	Miligi L, Costantini AS, Veraldi A, et al (2006). Cancer and pesticides. An overview and some results of the Italian Multicenter Case-Control Study on Hematolymphopoietic Malignancies. <i>Ann N Y Acad Sci</i> , 1076: 366-77.
26156	Miligi L, Seniori Costantini A, Crosignani P, et al (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. <i>Am J Ind Med</i> , 36(1): 60-69.
1301	Mills PK, Newell GR, Beeson WL, Fraser GE, Phillips RL (1990). History of cigarette smoking and risk of leukemia and myeloma: results from the Adventist health study. <i>J Natl Cancer Inst</i> , 82(23): 1832-6.
40685	Mills PK, Yang R, Riordan D (2005). Lymphohematopoietic cancers in the United Farm Workers of America (UFW) 1998-2001. <i>Cancer Causes control</i> , 16(7): 823-30.
38743	Mills PK, Yang R, Riordan D (2005). Lymphohematopoietic cancers in the United Farm Workers of America (UFW), 1988-2001. <i>Cancer Causes & Control</i> , 16: 823-30.
83407	Miranda MB, Lauseker M, Kraus MP, et al (2016). Secondary malignancies in chronic myeloid leukemia patients after imatinib-based treatment: long-term observation in CML Study IV. <i>Leukemia</i> , 30(6): 1255-62.
83352	Mirvish JJ, Pomerantz RG, Falo LD Jr, et al (2013). Role of infectious agents in cutaneous T-cell lymphoma: Facts and controversies. <i>Clin Dermatol</i> , 31(4): 423-31.
83179	Mishra A, Ahmed K, Froghi S, et al (2015). Systematic review of the relationship between artificial sweetener consumption and cancer in humans: analysis of 599,741 participants. <i>Int J Clin Pract</i> , 69(12): 1418-26.
52363	Mitterlechner T, Fiegel M, Muhlböck H, et al (2006). Epidemiology of non-Hodgkin lymphomas in Tyrol/Austria from 1991 to 2000. <i>J Clin Pathol</i> , 59: 48-55.
3072	Moder KG, Tefferi A, Cohen MD, et al (1995). Hematologic malignancies and the use of Methotrexate in rheumatoid arthritis: A retrospective study. <i>Am J Med</i> , 99: 276-81.
50585	Mohile NA, Abrey LE (2007). Primary central nervous system lymphoma. <i>Neurol Clin</i> , 25: 1193-207.
56121	Mohner M (2007). [Comment] Risk of lymphohematopoietic malignancies in uranium miners. <i>Environ Health Perspect</i> , 115(4): A184; Author reply A184-5. Comment on ID: 52306.
85889	Moir W, Zeig-Owens R, Daniels RD, et al (2016). Post-9/11 cancer incidence in World Trade Center-exposed New York City firefighters as compared to a pooled cohort of firefighters from San Francisco, Chicago, and Philadelphia (9/11/2001-2009). <i>Am J Ind Med</i> , 59(9): 722-30.
83374	Molyneux EM, Rochford R, Griffin B, et al (2012). Burkitt's lymphoma. <i>Lancet</i> , 379(9822): 1234-44.
51897	Monari P, Farisoglio C, Calzavara Pinton PG (2007). Borrelia burgdorferi-associated primary cutaneous marginal-zone-B-cell lymphoma: a case report. <i>Dermatology</i> , 215(3): 229-32.
27796	Monteiro-Riviere N, Inman A, Riviere J (2001). Effects of short-term high-dose and low-dose dermal exposure to Jet A, JP-8 and JP-8+100 jet fuels. <i>Journal of Applied Toxicology</i> , 21: 485-94.
52367	Monti G, Pioltelli P, Saccardo F, Campanini M, et al (2005). Incidence and characteristics of non-Hodgkin lymphomas in a multicenter case file of patients with hepatitis C virus-related symptomatic mixed cryoglobulinemias. <i>Arch Intern Med</i> , 165: 101-5.

83230	Monti S, Boffini N, Lucioni M, et al (2016). Spinal non-Hodgkin's lymphoma mimicking a flare of disease in a patient with ankylosing spondylitis treated with anti-TNF agents: case report and review of the literature. <i>Clin Rheumatol</i> , 35(1): 275-80.
50643	Moore T, Brennan P, Becker N, de Sanjose S, et al (2007). Occupational exposure to meat and risk of lymphoma: a multicenter case-control study from Europe. <i>Int J Cancer</i> , 121: 2761-6.
52299	Moorman PG, Hamilton RJ (2007). Statins and cancer risk. What do we know and where do we go from here? <i>Epidemiology</i> , 18(2): 194-6.
85852	Morales-Suarez-Varela MM, Olsen J, Villeneuve S, et al (2013). Occupational exposure to chlorinated and petroleum solvents and mycosis fungoides. <i>J Occup Environ Med</i> , 55(8): 924-31.
52944	Morales-Suarez-Varela MM, Olsen J, Johansen P, Kaerlev L, et al (2004). Occupational risk factors for mycosis fungoides: A European multicenter case-control study. <i>JOEM</i> , 46(3): 205-11.
53975	Moran G, Dillon J, Green J (2009). [Comment] Crohn's disease, hepatosplenic t-cell lymphoma and no biological therapy: are we barking up the wrong tree? <i>Inflamm Bowel Dis</i> , 15(9): 1281-2.
53811	Moran G, Dillon J, Green J (2009). [Comment] Crohn's disease, hepatosplenic T-cell lymphoma and no biological therapy: are we barking up the wrong tree? <i>Inflamm Bowel Dis</i> , : [Epub ahead of print].
14768	Morgan RW, Kelsh MA, Zhao K, et al (1998). Mortality of aerospace workers exposed to trichloroethylene. <i>Epidemiology</i> , 9(4): 424-31 ERRATUM: (2000) <i>Epidemiology</i> , 11(3): 360.
20643	Morgan RW, Kelsh MA, Zhao K, Heringer S (1998). Mortality of aerospace workers exposed to trichloroethylene. <i>Epidemiology</i> , 9(4): 424-31.
3078	Morrison HI, Semenciw RM, Wilkins K, Mao Y, Wigle DT (1994). Non-Hodgkin's lymphoma and agricultural practices in the prairie provinces of Canada. <i>Scand J Work Environ Health</i> , 20: 42-7.
83139	Morscjo J, Dierickx D, Nijs J, et al (2014). Clinicopathologic comparison of plasmablastic lymphoma in HIV-positive, immunocompetent, and posttransplant patients: Single-center series of 25 cases and meta-analysis. <i>Am J Surg Pathol</i> , 38(7): 875-86.
52294	Morton LM, Bernstein L, Wang SS, Hein DW, et al (2007). Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 28(8): 1759-64.
55863	Morton LM, Engels EA, Holford TR, Leaderer B, et al (2004). Hepatitis C virus and risk of non-Hodgkin lymphoma: a population-based case-control study among Connecticut women. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(3): 425-30.
41046	Morton LM, Hartge P, Holford TR, Holly EA, et al (2005). Cigarette smoking and risk of Non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Cancer Epidemiol Biomarkers Prev</i> , 14(4): 925-33.
50645	Morton LM, Holford TR, Leaderer B, Zhang Y, et al (2003). Alcohol use and risk of non-Hodgkin's lymphoma among Connecticut women (United States). <i>Cancer Causes and Control</i> , 14: 687-94.
50713	Morton LM, Holford TR, Leaderer B, Boyle P, et al (2003). Cigarette smoking and risk of non-Hodgkin lymphoma subtypes among women. <i>Br J Cancer</i> , 89: 2087-92.
83133	Morton LM, Sampson JN, Cerhan JR, et al (2014). Rationale and design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 1-14.

83125	Morton LM, Slager SL, Cerhan JR, et al (2014). Etiologic heterogeneity among non-Hodgkin lymphoma subtypes: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 130-44.
52361	Morton LM, Turner JJ, Cerhan JR, Linet MS, et al (2007). Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). <i>Blood</i> , 110(2): 695-708.
53823	Morton LM, Wang SS, Richesson DA, Schatzkin A, et al (2009). Reproductive factors, exogenous hormone use and risk of lymphoid neoplasms among women in the National Institutes of Health - AARA diet and health study cohort. <i>Int J Cancer</i> , 124: 2737-43.
51888	Morton LM, Wang SS, Cozen W, Linet MS, et al (2008). Etiologic heterogeneity among non-Hodgkin lymphoma subtypes. <i>Blood</i> , 112(13): 5150-60.
50644	Morton LM, Zheng T, Holford TR, Holly EA, et al (2005). Alcohol consumption and risk of non-Hodgkin lymphoma: a pooled analysis. <i>Lancet Oncol</i> , 6: 469-76.
52295	Moslehi R, Devesa SS, Schairer C, Fraumeni JF Jr (2006). Rapidly increasing incidence of ocular non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 98(13): 936-9.
3048	Mueller NE, Mohar A, Evans A (1992). Viruses other than HIV and Non-Hodgkin's lymphoma. <i>Cancer Res</i> , 52(19 Suppl): 5479s-5481s.
17201	Muirhead CR, Goodill AA, Haylock RG, et al (1999). Occupational radiation exposure and mortality: second analysis of the National Registry for radiation workers. <i>J Radiol Prot</i> , 19(1): 3-26.
50646	Muller AMS, Ihorst G, Mertelsmann R, Engelhardt M (2005). Epidemiology of non-Hodgkin's lymphoma (NHL): trends, geographic distribution, and etiology. <i>Ann Hematol</i> , 84: 1-12.
53814	Munemasa M, Yoshino T, Kobayashi K, Miyake T, et al (2009). Expression of thyroglobulin on follicular dendritic cells of thyroid mucosa-associated lymphoid tissue (MALT) lymphoma. <i>Acta Med Okayama</i> , 63(2): 71-8.
26579	Munker R, Grutzner S, Hiller E, et al (1999). Second malignancies after Hodgkin's disease: the Munich experience. <i>Ann Hematol</i> , 78(12): 544-54.
26178	Munksgaard L, Frisch M, Melbye M, et al (2000). Incidence patterns of Lyme disease and cutaneous B-Cell Non-Hodgkin's Lymphoma in the United States. <i>Dermatology</i> , 201(4): 351-2.
78298	Muzyka V, Velmer S, Shmidt N (1998). Particle-bound benzene from diesel engine exhaust. <i>Scand J Work Environ Health</i> , 24(6): 481-5.
83176	Na R, Laakkonen MA, Grulich AE, et al (2016). Iatrogenic immunosuppression and risk of non-Hodgkin lymphoma in solid organ transplantation: A population-based cohort study in Australia. <i>Br J Haematol</i> , 174(4): 550-62.
26381	Nagashima R, Takeda H, Maeda K, et al (1996). Regression of duodenal mucosa-associated lymphoid tissue lymphoma after eradication of helicobacter pylori. <i>Gastroenterology</i> , 111(6): 1674-8.
88999	Nakamura S, Jaffe E, Swerdlow S (2017). EBV-positive diffuse large B-cell lymphoma, NOS. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 304. International Agency for Research on Cancer, Lyon.
51921	Nakashima C, Tanioka M, Takahashi K, Miyachi Y (2008). Diffuse large B-cell lymphoma in a patient with rheumatoid arthritis treated with infliximab and methotrexate. <i>Clin Dermatol</i> , 33: 437-9.
26179	Naldi L, Minelli C (2000). Exploring the causes of cutaneous B-cell lymphoma: we should learn from the Lyme disease experience. <i>Dermatology</i> , 201(4): 3-5.

1302	Namboodiri KK, Harris RE (1991). Hematopoietic and lymphoproliferative cancer among male veterans using the Veterans Administration Medical System. <i>Cancer</i> , 68(5): 1123-30.
85941	Nambudiri VE, Bigby ME (2013). [Comment] Risk of malignant disease and biologic response modifiers: Fact, fiction, and future concerns. <i>JAMA Dermatol</i> , 149(10): 1221-3. Comment on ID: 85940.
83231	Nassiri M, Robertson MJ, Hertzberg L, et al (2013). Primary effusion anaplastic large cell lymphoma in a patient with long-standing dermatitis herpetiformis and celiac disease. <i>Ann Hematol</i> , 92(2): 279-81.
10024	Natazuka T, Manabe Y, Kono M, Murayama T, et al (1994). Association between non-insulin dependent diabetes mellitus and non-Hodgkin's lymphoma. <i>British Medical Journal</i> , 309: 1269.
83166	Nath A, Agarwal R, Malhotra P, et al (2010). Prevalence of hepatitis B virus infection in non-Hodgkin lymphoma: a systematic review and meta-analysis. <i>Internal Medicine Journal</i> , 40(9): 633-41.
55815	National Academy of Sciences (2005). Non-Hodgkin's lymphoma. <i>Gulf War and Health: Fuels, Combustion Products, and Propellants</i> , Vol 3: 127-33, 212-6. National Academy Press - Washington, DC.
55816	National Academy of Sciences (2003). Cancer and exposure to insecticides. <i>Gulf War and Health: Insecticides and Solvents</i> , Vol 2: 111-2, 123-31, 136-41, 177, 283-96, 318, 323, 326-. National Academy Press - Washington, DC.
14830	National Coalition against the Misuse of pesticides (NCAMP) (1998). Creosote. . Retrieved 2 February 1999, from http://www.ncamp.org/poisonpoles/creosote.html
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP.
71803	National Industrial Chemicals Notification and Assessment Scheme (NICNAS) (2001). Benzene - Priority Existing Chemical Assessment Report No. 21. Commonwealth of Australia, . .
25565	National Institute for Occupational Safety and Health (2000). Benzene. .
55813	National Occupational Health and Safety Commission (1995). Exposure standards. Trichloroethylene. Retrieved 8 March 2010, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Trichloroethylene
26499	National Radiological Protection Board (1995). Risk of radiation-induced cancer at low doses and low dose rates for radiation protection purposes. <i>Documents of the NRPB</i> , 6(1): 71-75.
50651	Negri E, Little DA, Boiocchi M, et al (2004). B-cell non-Hodgkin's lymphoma and hepatitis C virus infection: a systematic review. <i>Int J Cancer</i> , 111: 1-8.
52296	Nelson NJ (2005). Studies examine whether persistent organic agents may be responsible for rise in lymphoma rates. <i>J Natl Cancer Inst</i> , 97(20): 1490-1.
26089	Nelson RA, Levine AM, Bernstein L (2001). Reproductive factors and risk of intermediate- or high-grade B-Cell non-Hodgkin's lymphoma in women. <i>J Clin Oncol</i> , 19(5): 1381-7.
13014	Nelson RA, Levine AM, Marks G & Bernstein L (1997). Alcohol, tobacco and recreational drug use and the risk of non-Hodgkin's lymphoma. <i>British Journal of Cancer</i> , 76(11): 1532-7.
26597	Neriishi K, Ezaki H, Arihiro K, et al (2000). Thyroid lymphoma of mucosa-associated lymphoid tissue with monoclonal gammopathy occurring in an atomic bomb survivor: report of a case. <i>Surg Today</i> , 30(2): 202-6.
26564	Neriishi K, Ezaki H, Arihiro K, et al (2000). Thyroid lymphoma of mucosa-associated lymphoid tissue with monoclonal gammopathy occurring in an atomic bomb survivor: report of a case. <i>Surg Today</i> , 30(2): 202-6.

13018	Newton R (1997). Solar ultraviolet radiation is not a major cause of primary cutaneous non-Hodgkin's lymphoma. <i>BMJ</i> , 314(7092): 1451.
85855	Ng CH, Janoo-Gilani R, Sipahimalani P, et al (2010). Interaction between organochlorines and the AHR gene, and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 21(1): 11-22.
52744	Ng SB, Khouri JD (2009). Epstein-Barr virus in lymphoproliferative processes. An update for the diagnostic pathologist. <i>Adv Anat Pathol</i> , 16(1): 40-55.
47831	Nichols BR, Hentz KL, Aylward L, et al (2007). Age-specific reference ranges for polychlorinated biphenyls (PCB) based on the NHANES 2001-2002 survey. <i>J Toxicol Environ Health Part A</i> , 70: 1873-7.
3436	Niedobitek G (1995). Patterns of Epstein-Barr virus infection in non-Hodgkin's lymphomas. <i>J Pathol</i> , 175(3): 259- 261.
50648	Nieters A, Deeg E, Becker N (2006). Tobacco and alcohol consumption and risk of lymphoma: results of a population-based case-control study in Germany. <i>Int J Cancer</i> , 118: 422-30.
50650	Nieters A, Kallinowski B, Brennan P, Ott M, et al (2006). Hepatitis C and risk of lymphoma: results of the European multicenter case-control study EPILYMPH. <i>Gastroenterology</i> , 131: 1879-86.
52297	Nieters A, Rohrmann S, Becker N, Linseisen J, et al (2008). Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>Am J Epidemiol</i> , 167(9): 1081-9.
83226	Niitsu N, Okamoto M, Nakamine H, et al (2010). Clinicopathologic correlations of diffuse large B-cell lymphoma in rheumatoid arthritis patients treated with methotrexate. <i>Cancer Sci</i> , 101(5): 1309-13.
54444	Nishiyanma H, Anderson RE, Ishimaru T, Ishida K, et al (1973). The incidence of malignant lymphoma and multiple myeloma in Hiroshima and Nagasaki atomic bomb survivors, 1945-1965. <i>Cancer</i> , 32: 1301-9.
83109	Nocturne G, Tarn J, Boudaoud S, et al (2016). Germline variation of TNFAIP3 in primary Sjogren's syndrome-associated lymphoma. <i>Ann Rheum Dis</i> , 75(4): 780-3.
50664	Nordstrom M, Granath F, Bjorkholm M, Ekbom A (2005). Sick leave due to depressive disease: not a risk factor for the development of malignant lymphoma. <i>Eur J Epidemiol</i> , 20: 769-73.
50714	Norgaard M, Poulsen AH, Pedersen L, Gregersen H, et al (2006). Use of postmenopausal hormone replacement therapy and risk of non-Hodgkin's lymphoma: a Danish population-based cohort study. <i>Br J Cancer</i> , 94: 1339-41.
53805	Nourse J, Jones KM, Gandhi MK (2008). [Comment] The role of Epstein-Barr virus in Richter syndrome. <i>Br J Haematol</i> , 144: 613. Comment on ID: 53804.
28736	NRCET (National Research Centre for Environmental Toxicology (ENTOX) (2002). Examination of the potential exposure of Royal Australian Navy (RAN) personnel to polychlorinated dibenzodioxins and polychlorinated dibenzofurans via drinking water. A Report to the Dept Of Veteran Affairs, Australia.
14680	O'Brien TR, Decoufle P, Boyle CA (1991). Non-Hodgkin's lymphoma in a cohort of Vietnam veterans. <i>American Journal of Public Health</i> , 81(6): 758-60.
24954	O'Carroll MJ (1997). High voltage power lines and risk of cancer. <i>BMJ</i> , 314(7076): 305-6.
10627	O'Connor F, Buckley M, O'Morian C (1996). Helicobacter pylori: the cancer link. <i>J Royal Soc Med</i> , 89(12): 674-8.
83145	Ollberding NJ, Evens AM, Aschebrook-Kilfoy B, et al (2013). Pre-diagnosis cigarette smoking and overall survival in non-Hodgkin lymphoma. <i>Br J Haematol</i> , 163(3): 352-6.

3074	Olsen JH, Schulgen G, Boice JD Jr, Whysner J, et al (1995). Antiepileptic treatment and risk for hepatobiliary cancer and malignant lymphoma. <i>Cancer Res</i> , 55: 294-7.
26094	Olson JE, Janney CA, Rao RD, Cerhan JR, Kurtin PJ, Schiff D, Kaplan RS, O'Neill BP (2002). The continuing increase in the incidence of primary central nervous system non-Hodgkin lymphoma: a surveillance, epidemiology, and end results analysis. <i>Cancer</i> , 95(7): 1504-10.
1560	Olsson H, Brandt L (1988). Risk of non-Hodgkin's lymphoma among men occupationally exposed to organic solvents. <i>Scand J Work Environ Health</i> , 14: 246-51.
15938	Omar RZ, Barber JA, Smith PP (1999). Cancer mortality and morbidity among plutonium workers at the Sellafield plant of British nuclear fuels. <i>British Journal of Cancer</i> , 79(7/8): 1288-301.
53806	Omoti CE, Omoti AE (2008). [Comment] The role of Epstein-Barr virus in Richter syndrome. <i>Br J Haematol</i> , 144: 614-5. Comment on ID: 53805.
53804	Omoti CE, Omoti AE (2008). Richter syndrome: a review of clinical, ocular, neurological and other manifestations. <i>Br J Haematol</i> , 142: 709-16.
50663	Opelz G, Dohler B (2003). Lymphomas after solid organ transplantation: a collaborative transplant study report. <i>Am J Transplant</i> , 4: 222-30.
1254	Opelz G, Henderson R (1993). Incidence of non-Hodgkin's lymphoma in kidney and heart transplant recipients. <i>The Lancet</i> , 342(8886-8887): 1514-16.
3083	Opelz G, Henderson R (1993). Incidence of non-Hodgkin's lymphoma in kidney and heart transplant recipients. <i>Lancet</i> , 342: 1514-6.
60468	Orsi L, Monnereau A, Dananche B, Berthou C, et al (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: results of a French case-control study. <i>Occup Environ Med</i> , 67: 664-72.
50662	Orsi L, Troussard X, Monnereau A, Berthou C, et al (2007). Occupation and lymphoid malignancies: results from a French case-control study. <i>JOEM</i> , 49(12): 1339-50.
88991	Oshima K, Jaffe E, Yoshino T, et al (2017). Adult T-cell leukaemia/lymphoma. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 363-7. International Agency for Research on Cancer, Lyon.
86143	Osterman MT, Sandborn WJ, Colombel JF, et al (2014). Increased risk of malignancy with adalimumab combination therapy, compared with monotherapy, for Crohn's disease. <i>Gastroenterol</i> , 146(4): 941-4.
52298	Ott G, Rosenwald A (2008). Molecular pathogenesis of follicular lymphoma. <i>Haematologica</i> , 93(12): 1773-6.
3068	Ott MG, Teta MJ, Greenberg HL (1989). Lymphatic and hematopoietic tissue cancer in a chemical manufacturing environment. <i>Am J Ind Med</i> , 16: 631-43.
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
9289	Palackdharry CS (1994). The epidemiology of Non-Hodgkin's lymphoma: Why the increased incidence? <i>Oncology</i> , 8: 67-78.
52300	Pan SY, Mao Y, Ugnat A-M, et al (2005). Physical activity, obesity, energy intake, and the risk of non-Hodgkin's lymphoma: a population-based case-control study. <i>Am J Epidemiol</i> , 162(12): 1162-73.
55862	Panaccione R, Fedorak RN, Aumais G, Bernard E-J, et al (2008). Review and clinical perspectives for the use of infliximab in ulcerative colitis. <i>Can J Gastroenterol</i> , 22(3): 261-72.
50726	Panjala C, Talwalkar JA, Lindor KD (2007). Risk of lymphoma in primary biliary cirrhosis. <i>Clin Gastroenterol Hepatol</i> , 5: 761-4.

80756	Paquet F, Etherington G, Bailey MR, et al (2015). Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection.
83229	Parakkal D, Sifuentes H, Semer R, et al (2011). Hepatosplenic T-cell lymphoma in patients receiving TNF-alpha inhibitor therapy: expanding the groups at risk. <i>Eur J Gastroenterol Hepatol</i> , 23(12): 1150-6.
3050	Pariente D, Anaya JM, Combe B, Jorgensen C, et al (1992). Non-Hodgkin's lymphoma associated with primary Sjogren's syndrome. <i>Eur J Med</i> , 1(6): 337-42.
52356	Park S, Lee J, Ko YH, Han A, et al (2007). The impact of Epstein-Barr virus status on clinical outcome in diffuse large B-cell lymphoma. <i>Blood</i> , 110: 972-8.
51889	Park SC, Jeong S-H, Kim J, Han CJ, et al (2008). High prevalence of hepatitis B virus infection in patients with B-cell non-Hodgkin's lymphoma in Korea. <i>J Med Virol</i> , 80: 960-6.
26299	Parker AS, Cerhan JR, Dick F, Kemp J, Habermann TM, Wallace RB, Sellers TA, Folsom AR (2000). Smoking and risk of non-Hodgkin lymphoma subtypes in a cohort of older women. <i>Leuk Lymphoma</i> , 37(3-4): 341-9.
83379	Parodi S, Santi I, Marani E, et al (2016). Lifestyle factors and risk of leukemia and non-Hodgkin's lymphoma: a case-control study. <i>Cancer Causes & Control</i> , 27(3): 367-75.
1257	Parsonnet J, Hansen S, Rodriguez L, Gelb AB, et al (1995). Helicobacter pylori and gastric lymphoma. <i>Gastroenterology</i> , 108(2): 610-2.
10628	Parsonnet J, Hansen S, Rodriguez L, et al (1994). Helicobacter pylori infection and gastric lymphoma. <i>NEJM</i> , 330: 1267-71.
55876	Parsonnet J, Isaacson PG (2004). Bacterial infection and MALT lymphoma. <i>NEJM</i> , 350(3): 213-5.
83399	Patel S, Xiao P (2013). Primary effusion lymphoma. <i>Arch Pathol Lab Med</i> , 137(8): 1152-4.
54754	Pavuk M, Patterson DG Jr, Turner WE, et al (2007). Polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs), and dioxin-like polychlorinated biphenyls (PCBs) in the serum of US Air Force veterans in 2002. <i>Chemosphere</i> , 68: 62-8.
13084	Paxton MB (1996). Leukemia risk associated with benzene exposure in the Pliofilm cohort. <i>Environmental Health Perspectives</i> , 104(6): 1431-6.
4608	Paxton MB, Chinchilli VM, Brett SM, Rodricks JV (1994). Leukemia risk associated with benzene exposure in the pliofilm cohort: 1. Mortality update and exposure distribution. <i>Risk Analysis</i> , 14(2): 147-54.
83344	Paydas S (2015). Helicobacter pylori eradication in gastric diffuse large B cell lymphoma. <i>World Journal of Gastroenterology</i> , 21(13): 3773-6.
26195	Peach HG, Barnett NE (2001). Critical review of epidemiological studies of the association between smoking and non-Hodgkin's lymphoma. <i>Hematol Oncol</i> , 19(2): 67-80.
14486	Pearce N, Bethwaite P (1992). Increasing incidence of non-Hodgkin's lymphoma: occupational and environmental factors. <i>Cancer Research</i> , 52(Suppl): 5496s-500s.
52757	Pearce N, McLean D (2005). Agricultural exposures and non-Hodgkin's lymphoma. <i>Scand J Work Environ Health</i> , 31(Suppl 1): 18-25.
17372	Pearce N, Winkelmann R, Kennedy J, et al (1997). Further follow-up of New Zealand participants in United Kingdom atmospheric nuclear weapons tests in the Pacific. <i>Cancer Causes and Control</i> , 8: 139-45.
87140	Peck JR, Frank MP, Peck LR (2013). Was treatment the trigger? Mycosis fungoides. <i>Am J Med</i> , 126(12): 1048-9.
83362	Peng JC, Zhong L, Ran ZH (2015). Primary lymphomas in the gastrointestinal tract. <i>J Dig Dis</i> , 16(4): 169-76.

53802	Perez-Persona E, Mateos-Mazon JJ, Lopez-Villar O, et al (2006). [Comment] Complete remission of subcutaneous panniculitic T-cell lymphoma after allogeneic transplantation. <i>Bone Marrow Transplant</i> , 38: 821-2.
14493	Persson B, Dahlander AM, Fredriksson M et al (1989). Malignant lymphomas and occupational exposures. <i>British Journal of Industrial Medicine</i> , 46: 516-20.
19626	Persson B, Fredrickson M (1999). Some risk factors for non-Hodgkin's lymphoma. <i>International Journal of Occupational Medicine and Environmental Health</i> , 12(2): 135-42.
3079	Persson B, Fredriksson M, Olsen K, Boeryd B, et al (1993). Some occupational exposures as risk factors for malignant lymphomas. <i>Cancer</i> , 72(5): 1773-8.
1297	Persson B, Fredriksson M, Olsen K, Boeryd B, Axelson O (1993). Some occupational exposures as risk factors for malignant lymphomas. <i>Cancer</i> , 72(5): 1773-8.
26086	Pertovaara M, Pukkala E, Laippala P, Miettinen A, Pasternack A (2001). A longitudinal cohort study of Finnish patients with primary Sjogren's syndrome: clinical, immunological, and epidemiological aspects. <i>Ann Rheum Dis</i> , 60(5): 467-72.
76735	Pesatori AC, Grillo P, Consonni D, et al (2013). Update of the mortality study of workers exposed to polychlorinated biphenyls (PCBs) in two Italian capacitor manufacturing plants. <i>Med Lav</i> , 104(2): 107-14.
50660	Petridou ET, Dikalioti SK, Skalkidou A, Andrie E, et al (2007). Sun exposure, birth weight, and childhood lymphomas: a case control study in Greece. <i>Cancer Causes Control</i> , 18: 1031-7.
16850	Pierce DA, Shimizu Y, Preston DL, et al (1996). Studies of the mortality of atomic bomb survivors. Report 12. Part 1. Cancer: 1950-1990. <i>Radiation Research</i> , 146: 1-27.
53795	Pietersma F, Piriou E, van Baarle D (2008). Immune surveillance of EBV-infected B cells and the development of non-Hodgkin lymphomas in immunocompromised patients. <i>Leukemia & Lymphoma</i> , 49(6): 1028-41.
88992	Pileri S, Weisenburger D, Sng I, et al (2017). Peripheral T-cell lymphoma, NOS. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 403. International Agency for Research on Cancer, Lyon.
52941	Pinkerton LE, Bloom TF, Hein MJ, Ward EM (2009). Mortality among a cohort of uranium mill workers: an update. <i>Occup Environ Med</i> , 61: 57-64.
27803	Pleil JD, Smith LB, Zelnick SD (2000). Personal exposure to JP-8 jet fuel vapors and exhaust at air force bases. <i>Environmental Health Perspectives</i> , 108(3): 183-92.
20359	Polednak AP, Frome EL (1981). Mortality among men employed between 1943 and 1947 at a uranium-processing plant. <i>J Occup Med</i> , 23(3): 169-78.
50659	Polesel J, Clifford GM, Rickenbach M, et al (2008). Non-Hodgkin lymphoma incidence in the Swiss HIV cohort study before and after highly active antiretroviral therapy. <i>AIDS</i> , 22: 301-6.
50654	Polesel J, Dal Maso L, La Vecchia C, et al (2007). Dietary folate, alcohol consumption, and risk of non-Hodgkin lymphoma. <i>Nutrition and Cancer</i> , 57(2): 146-50.
52301	Polesel J, Talamini R, Montella M, Parpinel M, et al (2006). Linoleic acid, vitamin D and other nutrient intakes in the risk of non-Hodgkin lymphoma: an Italian case-control study. <i>Ann Oncol</i> , 17: 713-8.
47613	Popp JA, Crouch E, McConnell EE (2006). A weight-of-evidence analysis of the cancer dose-response characteristics of 2,3,7,8-Tetrachlorodibenzodioxin (TCDD). <i>Toxicol Sci</i> , 89(2): 361-9.

50658	Porojnicu AC, Robsahm TE, Ree AH, Moan J (2005). Season of diagnosis is a prognostic factor in Hodgkin's lymphoma: a possible role of sun-induced vitamin D. <i>Br J Cancer</i> , 93: 571-4.
88954	Portier C, Armstrong B, Baguley, et al (2016). Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>J Epidemiol Comm Health</i> , 70(8): 741-5.
85859	Press DJ, McKinley M, Deapen D, et al (2016). Residential cancer cluster investigation nearby a Superfund Study Area with trichloroethylene contamination. <i>Cancer Causes Control</i> , 27(5): 607-13.
3046	Preston DL, Kusumi S, Tomonaga M, et al (1994). Cancer incidence in atomic bomb survivors. Part III. Leukemia, lymphoma and multiple myeloma, 1950-1987 + Errata. <i>Radiat Res</i> , 137(2 Suppl): S68-97.
8818	Preston DL, Kusumi S, Tomonaga M, et al (1994). Cancer incidence in atomic bomb survivors. Part III: Leukemia, lymphoma and multiple myeloma, 1950-1987. <i>Radiation Res</i> , 137: S68-S97.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiation Research</i> , 168: 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Research</i> , 160: 381-407.
41895	Prince MM, Hein MJ, Ruder AM, et al (2006). Update: cohort mortality study of workers highly exposed to polychlorinated biphenyls (PCB's) during the manufacture of electrical capacitors, 1940-1998. <i>Environmental Health</i> , 5: 13.
44866	Prince MM, Ruder AM, Hein MJ, et al (2006). Mortality and exposure response among 14,458 electrical capacitor manufacturing workers exposed to polychlorinated biphenyls (PCBs). <i>Environ Health Perspect</i> , 114(10): 1508-14.
83238	Pronk A, Nuckols JR, De Roos AJ, et al (2013). Residential proximity to industrial combustion facilities and risk of non-Hodgkin lymphoma: a case-control study. <i>Environ Health</i> , 12: 20.
26183	Pukkala E (1998). Cancer incidence among Finnish oil refinery workers 1971-1994. <i>J Occup Environ Med</i> , 40(8): 675-79.
71064	Pukkala E, Martinsen JI, Weiderpass E, et al (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. <i>Occup Environ Med</i> , Epub ahead of print.
87590	Purdue MP (2013). [Comment] Trichloroethylene and cancer. <i>J Natl Cancer Inst</i> , 105(12): 844-6. Comment on ID: 71144.
52302	Purdue MP, Bassani DG, Klar NS, Sloan M, et al (2004). Dietary factors and risk of non-Hodgkin lymphoma by histologic subtype: a case-control analysis. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(10): 1665-76.
68375	Purdue MP, Freedman DM, Gapstur SM et al (2010). Circulating 25-hydroxyvitamin D and risk of non-Hodgkin lymphoma. Cohort consortium vitamin D pooling project of rarer cancers. <i>Am J Epidemiol</i> , 172(1): 58-69.
50661	Purdue MP, Hartge P, Davis S, Cerhan JR, et al (2007). Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18: 989-99.
43103	Purdue MP, Hoppin JA, Blair A, et al (2007). Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. <i>Int J Cancer</i> , 120(3): 642-9.
52303	Purdue MP, Lan Q, Kricker A, Grulich AE, et al (2007). Polymorphisms in immune function genes and risk of non-Hodgkin lymphoma: findings from the New South Wales non-Hodgkin lymphoma study. <i>Carcinogenesis</i> , 28(3): 704-12.

52759	Purdue MP, Severson RK, Colt JS, Stewart P, et al (2008). Degreasing and risk of non-Hodgkin lymphoma. <i>Occup Environ Med</i> , [Epub ahead of print].
50803	Pyatt D (2004). Benzene and hematopoietic malignancies. <i>Clin Occup Environ Med</i> , 4: 529-55.
83271	Quimby AE, Caulley L, Rodin D, et al (2017). Primary Burkitt lymphoma of the supraglottic larynx: a case report and review of the literature. <i>J Med Case Rep</i> , 11(1): 65.
55861	Quintana PJE, Delfino RJ, Korrick S, Ziogas A, et al (2004). Adipose tissue levels of organochlorine pesticides and polychlorinated biphenyls and risk of non-Hodgkin's lymphoma. <i>Environ Health Perspect</i> , 112(8): 854-61.
88993	Quintanilla-Martinez L, Ko YH, Kimura H, et al (2017). EBV-positive T-cell and NK-cell lymphoproliferative diseases of childhood. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 355. International Agency for Research on Cancer, Lyon.
26158	Raabe GK, Collingwood KW, Wong O (1998). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas. <i>Am J Ind Med</i> , 33(1): 61-81.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
41493	Raaschou-Nielsen O, Hansen J, McLaughlin JK, Kolstad H, et al (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. <i>Am J Epidemiol</i> , 158(12): 1182-92.
3033	Rabkin CS (1994). Epidemiology of AIDS-related malignancies. <i>Curr Opin Oncol</i> , 6(5): 492-6.
26157	Rachet B, Partanen T, Kauppinen T, Sasco AJ (2000). Cancer risk in laboratory workers: an emphasis on biological research. <i>Am J Ind Med</i> , 38(6): 651-65.
24942	Rachet B, Partanen T, Kauppinen T, Sasco AJ (2000). Cancer risk in laboratory workers: an emphasis on biological research. <i>American Journal of Industrial Medicine</i> , 38: 651-65.
83355	Raderer M, Kiesewetter B, Ferreri AJ (2016). Clinicopathologic characteristics and treatment of marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma). <i>CA Cancer J Clin</i> , 66: 152-71.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
26119	Rafnsson V (2001). Incidence of cancer among bookbinders, printers, photoengravers, and typesetters. <i>Occup Environ Med</i> , 58(8): 523-7.
11024	Rahu M, Tekkel M, Veidebaum T, et al (1997). The Estonian study of Chernobyl cleanup workers: II. Incidence of cancer and mortality. <i>Radiation Research</i> , 147: 653-7.
52304	Rainey JJ, Mwanda WO, Wairiumu P, Moormann AM, et al (2007). Spatial distribution of Burkitt's lymphoma in Kenya and association with malaria risk. <i>Trop Med Int Health</i> , 12(8): 936-43.
85897	Raleigh KK, Alexander BH, Olsen GW, et al (2014). Mortality and cancer incidence in ammonium perfluorooctanoate production workers. <i>Occup Environ Med</i> , 71(7): 500-6.
50657	Ramanakumar AV, Nadon L, Siemiatycki J (2008). Exposures in painting related occupations and risk of selected cancers: results from a case-control study in Montreal. <i>Am J Ind Med</i> , 51(51): 419-27.
15213	Ramlow JM, Spadacene NW, Hoag SR, et al (1996). Mortality in a cohort of pentachlorophenol manufacturing workers, 1940-1989. <i>American Journal of Industrial Medicine</i> , 30: 180-94.

27792	Ramos G, Nghiem DX, Walterscheid JP, et al (2002). Dermal application of jet fuel suppresses secondary immune reactions. <i>Toxicology & Applied Pharmacology</i> , 180: 136-44.
76858	Ramos-Gallardo G, Cuenca-Pardo J, Rodriguez-Olivares E, et al (2017). Breast implant and anaplastic large cell lymphoma meta-analysis. <i>Journal of Investigative Surgery</i> , 30(1): 56-65.
14650	Rapiti E, Turi E, Forastiere F et al (1992). A mortality cohort study of seamen in Italy. <i>American Journal of Industrial Medicine</i> , 21: 863-72.
45088	Rapp K, Schroeder J, Klenk J, et al (2006). Fasting blood glucose and cancer risk in a cohort of more than 140,000 adults in Austria. <i>Diabetologia</i> , 49(5): 945-52.
55860	Ratner L, Harrington W, Feng X, Grant C, et al (2009). Human T cell leukemia virus reactivation with progression of adult T-cell leukemia-lymphoma. <i>PLoS One</i> , 4(2): e4420.
45664	Read D, Wright C, Weinstein P, et al (2007). Cancer incidence and mortality in a New Zealand community potentially exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin from 2,4,5-trichlorophenoxyacetic acid manufacture. <i>Aust N Z J Public Health</i> , 31(1): 13-18.
53791	Redmond M, Quinn J, Murphy P, Patchett S, Leader M (2007). Plasmablastic lymphoma presenting as a paravertebral mass in a patient with Crohn's disease after immunosuppressive therapy. <i>J Clin Pathol</i> , 60: 80-1.
53849	Reeves GK, Pirie K, Beral V, Green J, et al (2007). Cancer incidence and mortality in relation to body mass index in the Million Women Study: cohort study. <i>BMJ</i> , 335(7630): 1134-45.
26265	Rego MA (1988). Non-Hodgkin's lymphoma risk derived from exposure to organic solvents: a review of epidemiologic studies. <i>Cad Saude Publica</i> , 14(Suppl 3): 41-66.
26378	Rego MA, Sousa CS, Kato M, et al (2002). Non-Hodgkin's lymphomas and organic solvents. <i>Journal of Occupational & Environmental Medicine</i> , 44: 874-81.
15934	Reif J, Pearce N, Fraser J (1989). Cancer risks in New Zealand framers. <i>International Journal of Epidemiology</i> , 18(4): 768-74.
52305	Renehan AG, Tyson, Egger M, Heller RF, Zwahlen M (2008). Body-mass index and incidence of cancer: a systematic review and meta-analysis of prospective observational studies. <i>The Lancet</i> , 371: 569-78.
10414	Repacholi MH, Basten A, Gebski V, Noonan D, et al (1997). Lymphomas in Eu-Pim1 Transgenic mice exposed to pulsed 900 MHz Electromagnetic fields. <i>Radiation Research</i> , : 631 - 40.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs.
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs.
52306	Rericha V, Kulich M, Rericha R, Shore DL, Sandler DP (2006). Incidence of leukemia, lymphoma, and multiple myeloma in Czech uranium miners: a case-cohort study. <i>Environ Health Perspect</i> , 114(6): 818-22.
27797	Rhodes AG, LeMasters GK, Lockey JE, et al (2003). The effects of jet fuel on immune cells of fuel system maintenance workers. <i>Journal of Occupational & Environmental Medicine</i> , 45: 79-86.
52307	Ribera J-M, Navarro J-T (2008). Human immunodeficiency virus-related non-Hodgkin's lymphoma. <i>Haematologica</i> , 93(8): 1129-32.
70864	Richardson DB (2008). Temporal variation in the association between benzene and leukemia mortality. <i>Environ Health Perspect</i> , 116: 370-4.
68828	Richardson DB, Sugiyama H, Wing S et al (2009). Positive association between ionizing radiation and lymphoma mortality among men. <i>Am J Epidemiol</i> , 169(8): 969-76.

50656	Richardson DB, Terschuren C, Hoffmann W (2008). Occupational risk factors for non-Hodgkin's lymphoma: a population-based case-control study in northern Germany. <i>Am J Ind Med</i> , 51: 258-68.
23973	Richter E, Berman T, Ben-Michael E, Laster R, Westin JB (2000). Cancer in radar technicians exposed to radiofrequency/microwave radiation: sentinel episodes. <i>International Journal of Occupational & Environmental Health</i> , 6(3): 187-93.
27605	Rinsky RA, Hornung RW, Silver SR, et al (2002). Benzene exposure and hematopoietic mortality: a long-term epidemiological risk assessment. <i>American Journal of Industrial Medicine</i> , 42(6): 474-80.
4602	Rinsky RA, Smith AB, Hornung R, Filloon TG, et al (1987). Benzene and leukemia. An epidemiologic risk assessment. <i>NEJM</i> , 316(17): 1044-50.
29480	Rinsky RA, Zumwalde RD, Waxweiler RJ, et al (1981). Cancer mortality at a naval nuclear shipyard. <i>The Lancet</i> , 1: 231-35.
22083	Ritz B (1999). Cancer mortality among workers exposed to chemicals during uranium processing. <i>Occupational and Environmental Medicine</i> , 41(7): 556-66.
17998	Ritz B (1999). Radiation exposure and cancer mortality in uranium processing workers. <i>Epidemiology</i> , 10(5): 531-8.
15538	Ritz B, Morgenstern H, Froines J, et al (1999). Effects of exposure to external ionizing radiation of cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. <i>American Journal of Industrial Medicine</i> , 35(1): 21-31.
27794	Riviere JE, Brooks JD, Monteiro-Riviere NA, et al (1999). Dermal absorption and distribution of topically dosed jet fuels Jet-A, JP-8, and JP-8(100). <i>Toxicology & Applied Pharmacology</i> , 160: 60-75.
26271	Rix BA, Villadsen E, Engholm G, et al (1998). Hodgkin's disease, pharyngeal cancer, and soft tissue sarcomas in Danish paper mill workers. <i>J Occup Environ Med</i> , 40(1): 55-62.
26575	Robinson BA, Colls BM, Fitzharris BM, et al (1994). Second malignant neoplasms in patients with Hodgkin's disease. <i>Aust N Z J Med</i> , 24(4): 368-73.
52308	Rodriguez-Abreu D, Bordoni A, Zucca E (2007). Epidemiology of hematological malignancies. <i>Ann Oncol</i> , 18(Suppl 1): i3-8.
50677	Rollison DE, Helzlsouer KJ, Pinney SM (2006). Personal hair dye use and cancer: a systematic literature review and evaluation of exposure assessment in studies published since 1992. <i>J Toxicol Environ Health Part B</i> , 9: 413-39.
52309	Rollison DEM, Page WF, Crawford H, Gridley G, et al (2004). Case-control study of cancer among US army veterans exposed to Simian virus 40-contaminated adenovirus vaccine. <i>Am J Epidemiol</i> , 160(4): 317-24.
16571	Ron E (1998). Ionizing radiation and cancer risk: evidence from epidemiology. <i>Radiation Research</i> , 150(Suppl): S30-S41.
35853	Ron E (2002). Ionizing radiation and cancer risk: evidence from epidemiology. <i>Pediatr Radiol</i> , 32: 232-37.
35837	Ron E, Ikeda T, Preston DL, et al (2005). Male breast cancer incidence among atomic bomb survivors. <i>Journal of the National Cancer Institute</i> , 97(8): 603-605.
11772	Rooney C, Beral V, Macanochie N, Fraser P et al (1993). Case-control study of prostatic cancer in employees of the United Kingdom Atomic Energy Authority. <i>BMJ</i> , 307(6916): 1391-7.
52942	Rosado MF, Byrne GE, Ding F, Fields KA, et al (2006). Ocular adnexal lymphoma: a clinicopathologic study of a large cohort of patients with no evidence for an association with chlamydia psittaci. <i>The American Society of Hematology</i> , 107(2): 467-72.

3073	Rosenberg L, Palmer JR, Zauber AG, et al (1995). Relation of Benzodiazepine use to the risk of selected cancers: Breast, large bowel, malignant melanoma, lung, endometrium, ovary, Non-Hodgkin's lymphoma, testis, Hodgkin's disease, thyroid and liver. <i>Am J Epidemiol</i> , 141(12): 1153-60.
52758	Rosenquist R (2008). Introduction: the role of inflammation, autoimmune disease and infectious agents in development of leukaemia and lymphoma. <i>J Intern Med</i> , 264: 512-3.
26336	Ross JA, Kasum CM, Davies SM, Jacobs DR, et al (2002). Diet and risk of leukemia in the Iowa women's health study. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 11: 777-81.
14494	Ross R, Nichols P, Wright W et al (1982). Asbestos exposure and lymphomas of the gastrointestinal tract and oral cavity. <i>The Lancet</i> , 320(8308): 1118-20.
53829	Rossi D (2009). Thyroid lymphoma: beyond antigen stimulation. <i>Leukemia Research</i> , 33: 607-9.
83396	Rossi D, Gaidano G (2016). Richter syndrome: pathogenesis and management. <i>Semin Oncol</i> , 43(2): 311-9.
35723	Rossouw JE, Anderson GL, Prentice RL, et al (2002). Risks and Benefits of Estrogen Plus Progestin in Healthy Postmenopausal Woman. <i>JAMA</i> , 288: 321-33.
51920	Roswall N, Olsen A, Christensen J, et al (2008). Social inequality and incidence of and survival from Hodgkin lymphoma, non-Hodgkin lymphoma and leukaemia in a population-based study in Denmark, 1994-2003. <i>Eur J Cancer</i> , 44: 2058-73.
11469	Rothman N, Cantor KP, Blair A, Bush D, et al (1997). A nested case-control study of non-Hodgkin lymphoma and serum organochlorine residues. <i>The Lancet</i> , 350: 240-4.
13017	Rothman N, Cantor KP, Blair A, et al (1997). A nested case-control study of non-Hodgkin lymphoma and serum organochlorine residues. <i>The Lancet</i> , 350(9073): 240-4.
52753	Roughan JE, Thorley-Lawson DA (2009). The intersection of Epstein-Barr virus with the Germinal Center. <i>J Viralol</i> , 83(8): 3968-76.
50678	Rousseau M-C, Parent M-E, Pollak MN, Siemiatycki J (2006). Diabetes mellitus and cancer risk in a population-based case-control study among men from Montreal, Canada. <i>Int J Cancer</i> , 118: 2105-9.
45702	Rowland RE, Edwards LA, Podd JV (2007). Elevated sister chromatid exchange frequencies in New Zealand Vietnam War veterans. <i>Cytogenet Genome Res</i> , 116: 248-51.
78297	Royal Australian Navy (2015). Managing fuel vapour exposure: why 10 ppm and 300 ppm are the magic numbers. <i>The Naval Engineering and Maintenance Bulletin</i> , (1): 59-62.
52310	Rudant J, Menegauz F, Leverger G, Baruchel A, et al (2007). Household exposure to pesticides and risk of childhood hematopoietic malignancies: the ESCALE Study (SFCE). <i>Environ Health Perspect</i> , 115: 1787-93.
48792	Rudel RA, Seryak LM, Brody JG (2008). PCB-containing wood floor finish is a likely source of elevated PCBs in residents' blood, household air and dust: a case study of exposure. <i>Environ Health</i> , 7: 2.
88953	Ruder A, Jiin J (2011). Mortality of US pentachlorophenol production workers through 2005. <i>Chemosphere</i> , 83: 851-61.
75937	Ruder AM, Hein MJ, Hopf NB, et al (2014). Mortality among 24,865 workers exposed to polychlorinated biphenyls (PCBs) in three electrical capacitor manufacturing plants: A ten-year update. <i>Int J Hyg Environ Health</i> , 217: 176-87.

41902	Ruder AM, Hein MJ, Nilsen N, et al (2006). Mortality among workers exposed to polychlorinated biphenyls (PCB's) in an electrical capacitor manufacturing plant in Indiana: an update. <i>Environmental Health Perspectives</i> , 114(1): 18-23.
26580	Ruder AM, Ward EM, Brown DP (2001). Mortality in dry-cleaning workers: an update. <i>Am J Ind Med</i> , 39(2): 121-32.
26082	Rueffer U, Josting A, Franklin J, et al (2001). Non-Hodgkin's lymphoma after primary Hodgkin's disease in the German Hodgkin's Lymphoma Study Group: incidence, treatment, and prognosis. <i>J Clin Oncol</i> , 19(7): 2026-32.
52311	Rusiecki JA, De Roos A, Lee WJ, Dosemeci M, et al (2004). Cancer incidence among pesticide applicators exposed to atrazine in the agricultural health study. <i>J Natl Cancer Inst</i> , 96(18): 1375-82.
52364	Saadoun D, Sellam J, Ghillani-Dalbin P, Crecel R, et al (2006). Increased risks of lymphoma and death among patients with non-hepatitis C virus-related mixed cryoglobulinemia. <i>Arch Intern Med</i> , 166: 2101-8.
50652	Sabaawy HE, Sandoval C, Guo Q, Yin C, et al (2007). Lymphoproliferative clonal origin of AIDS-related non-Hodgkin's lymphoma. <i>Leukemia and Lymphoma</i> , 48(4): 812-5.
76836	Safe Work Australia (2011). Workplace exposure standards for airborne contaminants. Safe Work Australia, . .
88994	Said J, Cesarman E (2017). Primary effusion lymphoma. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 323-4. International Agency for Research on Cancer, Lyon.
88995	Said J, Cesarman E, Rosenwald A, et al (2017). Lymphomas associated with HIV infection. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 449-52. International Agency for Research on Cancer, Lyon.
88996	Said J, Isaacson P, Campo E, et al (2017). HHV8-associated lymphoproliferative disorders. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 325. International Agency for Research on Cancer, Lyon.
8778	Sali D, Cardis E, Sztanyik L, et al (1996). Cancer consequences of the Chernobyl accident in Europe outside the former USSR: a review. <i>Int J Cancer</i> , 67: 343-52.
12492	Salisbury JR, Deverell MH, Seaton JM & Cookson MJ (1997). Three-dimensional reconstruction of non-Hodgkin's lymphoma in bone marrow trephines. <i>Journal of Pathology</i> , 181: 451-54.
52312	Samanic C, Rusiecki J, Dosemeci M, Hou L, et al (2006). Cancer incidence among pesticide applicators exposed to dicamba in the agricultural health study. <i>Environ Health Perspect</i> , 114(10): 1521-6.
26423	Samel-Westerhof C, Samel S, Back W, et al (2000). Tracking down duodenopancreatic malignancy. <i>HPB Surgery</i> , 11(6): 405-11.
86614	Sammassimo S, Pruner G, Andreola G, et al (2016). A retrospective international study on primary extranodal marginal zone lymphoma of the lung (BALT lymphoma) on behalf of International Extranodal Lymphoma Study Group (IELSG). <i>Hematological Oncology</i> , 34(4): 177-83.
50715	Sandin S, Hjalgrim H, Glimelius B, Rostgaard K, et al (2006). Incidence of non-Hodgkin's lymphoma in Sweden, Denmark, and Finland from 1960 through 2003: an epidemic that was. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(7): 1295-300.
53891	Sanli H, Staman S, Akay BN, Yilmaz A, et al (2007). Mycosis fungoides in a patient with ankylosing spondylitis during infliximab therapy. <i>J Drugs Dermatol</i> , 6(8): 834-6.
1253	Sasieni P, Bataille V (1995). Non-Hodgkin's lymphoma and skin cancer. <i>BMJ</i> , 311(6993): 749-50.

85807	Satagopan JM, Sen A, Zhou Q, et al (2016). Bayes and empirical Bayes methods for reduced rank regression models in matched case-control studies. <i>Biometrics</i> , 72(2): 584-95.
85901	Sathiakumar N, Brill I, Leader M, et al (2015). 1,3-Butadiene, styrene and lymphohematopoietic cancer among male synthetic rubber industry workers--Preliminary exposure-response analyses. <i>Chemico-Biological Interactions</i> , 241: 40-9.
56048	Sathiakumar N, Delzell E (2009). A follow-up study of mortality among women in the North American synthetic rubber industry. <i>J Occup Environ Med</i> , 51: 1314-25.
15926	Sathiakumar N, Delzell E (1997). A review of epidemiologic studies of triazine herbicides and cancer. <i>Critical Reviews in Toxicology</i> , 27(6): 599-612.
52370	Sathiakumar N, Graff J, Macaluso M, Maldonado G, et al (2005). An updated study of mortality among North American synthetic rubber industry workers. <i>Occup Environ Med</i> , 62: 822-9.
26168	Satin KP, Bailey WJ, Newton KL, et al (2002). Updated epidemiological study of workers at two California petroleum refineries. <i>Occup Environ Health</i> , 59(4): 248-56.
51919	Savage KJ (2007). Peripheral T-cell lymphomas. <i>Blood Reviews</i> , 21: 201-16.
32402	Scerri L (1999). Azathioprine in dermatological practice. An overview with special emphasis on its use in non-bullous inflammatory dermatoses. <i>Adv Exp Med Biol</i> , 455: 343-48.
26302	Schabot M (1999). Epidemiology of primary CNS lymphoma. <i>J Neurooncol</i> , 43(3): 199-201.
45705	Schechter A, Birnbaum L, Ryan JJ, et al (2006). Dioxins: an overview. <i>Environmental Research</i> , 101: 419-28.
45745	Schechter A, et al (2007). [Comment] Response. <i>Environmental Research</i> , 103: 147-8.
45911	Schechter A, Quynh HT, Papke O, et al (2006). Agent orange, dioxins, and other chemical of concern in Vietnam: Update 2006. <i>J Occup Environ Med</i> , 48: 408-13.
52053	Schenk M, Purdue MP, Colt JS, Hartge P, et al (2009). Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. <i>Occup Environ Med</i> , 66: 23-31.
14519	Scherr PA, Hutchinson GB, Neiman RS (1992). Non-Hodgkin's lymphoma and occupational exposure. <i>Cancer Research</i> , 52(Suppl): 5503s-9s.
13016	Schiff D, Suman VJ, Yang P, Rocca WA, et al (1998). Risk factors for primary central nervous system lymphoma. A case-control study. <i>Cancer</i> , 82: 975-82.
26582	Schillaci ME; Devi PU; Cardis E, et al (1996). [Comments] Effects of low doses and low dose rates of external ionizing radiation: cancer mortality among nuclear industry workers in three countries (<i>Radiation Research</i> , 1995, 142:117-32). <i>Radiation Research</i> , 145(5): 647-49.
83140	Schinasi L, Leon ME (2014). Non-Hodgkin lymphoma and occupational exposure to agricultural pesticide chemical groups and active ingredients: a systematic review and meta-analysis. <i>Int J Environ Res Public Health</i> , 11(4): 4449-527.
1298	Schmauz R, Mugerwa JW, Wright DH (1990). The distribution of non-Burkitt, Non-Hodgkin's lymphomas in Uganda in relation to malarial endemicity. <i>Int J Cancer</i> , 45: 650-3.
13080	Schnatter AR, Armstrong TW, Nicolich MJ, Thompson FS, et al (1996). Lymphohaematopoietic malignancies and quantitative estimates of exposure to benzene in Canadian petroleum distribution workers. <i>Occupational and Environmental Medicine</i> , 53(11): 773-81.

10343	Schnatter AR, Armstrong TW, Nicolich MJ, Thompson FS, et al (1996). Lymphohaematopoietic malignancies and quantitative estimates of exposure to benzene in Canadian petroleum distribution workers. <i>Occupational Environmental Medicine</i> , 53(11): 773-81.
3733	Schnatter AR, Katz AM, Nicolich MJ, Theriault G (1993). A Retrospective Mortality Study among Canadian Petroleum Marketing and Distribution Workers. <i>Environmental Health Perspectives Supplements</i> , 101(S6): 85-99.
26297	Schnatter R (2000). Petroleum worker studies and benzene risk assessment. <i>J Toxicol Environ Health Part A</i> , 61(5-6): 433-7.
11054	Schoen D (1996). Annals of conflicting results: looking back on electromagnetic field research. <i>Canadian Medical Association Journal</i> , 155(10): 1443-6.
50720	Schollkopf C, Melbye M, Munksgaard L, Smedby KE, et al (2008). Borrelia infection and risk of non-Hodgkins lymphoma. <i>Blood</i> , 111: 5524-9.
52313	Schollkopf C, Smedby KE, Hjalgrim H, Rostgaard K, et al (2005). Cigarette smoking and risk of non-Hodgkin's lymphoma - a population-based case-control study. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(7): 1791-6.
50647	Schollkopf C, Smedby KE, Hjalgrim H, Rostgaard K, et al (2008). Hepatitis C infection and risk of malignant lymphoma. <i>Int J Cancer</i> , 122(8): 1885-90.
25984	Schreinemachers DM (2000). Cancer mortality in four northern wheat-producing states. <i>Environ Health Perspect</i> , 108(9): 873-81.
26196	Schreinemachers DM, Creason JP, Garry VF (1999). Cancer Mortality in agricultural regions of Minnesota. <i>Environmental Health Perspectives</i> , 107(3): 205-211.
26303	Schroeder JC, Olshan AF, Dent RB, et al (2002). A case-control study of tobacco use and other non-occupational risk factors for t(14;18) subtypes of non-Hodgkin's lymphoma (United States). <i>Cancer Causes Control</i> , 13(2): 159-68.
26263	Schroeder JC, Olshan AF, Baric R, et al (2001). Agricultural risk factors for t(14;18) subtypes of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 12(6): 701-9.
86852	Schubauer-Berigan MK, Daniels RD, Bertke SJ, et al (2015). Cancer mortality through 2005 among a pooled cohort of U.S. nuclear workers exposed to external ionizing radiation. <i>Rad Res</i> , 183(6): 620-31.
14960	Schumacher MC, Delzell E (1988). A death-certificate case-control study of non-Hodgkin's lymphoma and occupation in men in North Carolina. <i>American Journal of Industrial Medicine</i> , 13: 317-30.
45748	Schwarz M, Appel KE (2005). Carcinogenic risks of dioxin: mechanistic considerations. <i>Regulatory Toxicology and Pharmacology</i> , 43: 19-34.
41492	Scott CS, Chiu WA (2006). Trichloroethylene cancer epidemiology: A consideration of select issues. <i>Environ Health Perspect</i> , 114(9): 1471-78.
83150	Scott CS, Jinot J (2011). Trichloroethylene and cancer: systematic and quantitative review of epidemiologic evidence for identifying hazards. <i>Int J Environ Res Public Health</i> , 8(11): 4238-72.
52314	Scott K, Adamson PJ, Willett EV, et al (2008). [Comment] Genetic variation in genes expressed in the germinal center and risk of B cell lymphoma among Caucasians. <i>Haematologica</i> , 93(10): 1597-600.
50729	Scotti L, Tavani A, Bosetti C, Dal Maso L, et al (2007). Diabetes and risk of non-Hodgkin lymphoma: a case-control study. <i>Tumori</i> , 93: 1-3.
83466	Seckin D (2014). Cutaneous lymphoproliferative disorders in organ transplant recipients: update 2014. <i>G Ital Dermatol Venereol</i> , 149(4): 401-8.

55859	Seidler A, Mohner M, Berger J, Mester B, et al (2007). Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. 2 (2). Retrieved 9 March 2010, from http://www.occup-med.com/content/2/1/2
14820	Selden A, Ahlborg G Jr (1991). Mortality and cancer morbidity after exposure to military aircraft fuel. Aviation, Space, and Environmental Medicine, 62: 789-94.
6733	Selikoff IJ, Hammond EC, Seidman H (Eds) (1979). Mortality experience of insulation workers in the United States and Canada, 1943-1976. Health Hazards of Asbestos Exposure, 330: 91-116. Annals of the New York Academy of Sciences.
14774	Selikoff IJ, Seidman H (1991). Asbestos-associated deaths among insulation workers in the United States and Canada, 1967-1987. Annals of the New York Academy of Sciences, 643: 1-14.
83187	Selvaraj SA, Chairez E, Wilson LM, et al (2013). Use of case reports and the Adverse Event Reporting System in systematic reviews: overcoming barriers to assess the link between Crohn's disease medications and hepatosplenic T-cell lymphoma. Systematic Reviews, 2: 53.
13145	Seng JE, Peterson BA (1997). Indolent B-cell non-Hodgkin's lymphomas. Oncology, 11(12): 1883-97.
8171	Sentis HJ, Willemze R, Scheffer E (1986). Histopathologic studies in Sezary syndrome and erythrodermic mycosis fungoides: A comparison with benign forms of erythroderma. J Am Acad Dermatol, 15: 1217-26.
70204	Sergentanis TN, Kanavidis P, Michelakos T, et al (2013). Cigarette smoking and risk of lymphoma in adults: a comprehensive meta-analysis on Hodgkin and non-Hodgkin disease. Eur J Cancer Prev, 22(2): 131-50.
50679	Serraino D, Piselli P, Busnach G, Burra P, et al (2007). Risk of cancer following immunosuppression in organ transplant recipients and in HIV-positive individuals in southern Europe. Eur J Cancer, 43(43): 2117-23.
50728	Serraino D, Piselli P, Angeletti C, Scuderi M, et al (2005). Infection with Epstein-Barr virus and cancer: an epidemiological review. J Biol Regul Homeost Agents, 19: 63-70.
26349	Settimi L, Comba P, Bosia S, et al (2001). Cancer risk among male farmers: a multi-site case-control study. Int J Occup Environ Health, 14(4): 339-47.
26159	Settimi L, Comba P, Carrieri P, Boffetta P et al (1999). Cancer risk among female agricultural workers: a multi-center case-control study. Am J Ind Med, 36(1): 135-41.
26296	Settimi L, Costellati L, Naldi M, et al (1999). Mortality among workers in an Italian cigarette factory. Occup Med, 49(6): 361-4.
50680	Seve P, Renaudier P, Sasco AJ, Dumontet C, et al (2004). Hepatitis C virus infection and B-cell non-Hodgkin's lymphoma: a cross-sectional study in Lyon, France. Eur J Gastroenterol Hepatol, 16: 1361-5.
53792	Shale M, Kanfer E, Panaccione R, Ghosh S (2008). Hepatosplenic T cell lymphoma in inflammatory bowel disease. Gut, 57(12): 1639-41.
50716	Shen M, Cozen W, Huang L, Colt J, et al (2007). Census and geographic differences between respondents and nonrespondents in a case-control study of non-Hodgkin lymphoma. Am J Epidemiol, 167(3): 350-61.
52315	Shen M, Purdue MP, Krierker A, Lan Q, et al (2007). Polymorphisms in DNA repair genes and risk of non-Hodgkin's lymphoma in New South Wales, Australia. Haematologica, 92(9): 1180-5.
55858	Shergill AK, Terdiman JP (2008). Controversies in the treatment of Crohn's disease: the case for an accelerated step-up treatment approach. World J Gastroenterol, 14(17): 2670-7.
83398	Shi Y, Wang E (2015). Hepatosplenic T-cell lymphoma. Arch Pathol Lab Med, 139(9): 1173-80.

48793	Shields PG (2006). Understanding population and individual risk assessment: the case of polychlorinated biphenyls. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(5): 830-9.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
26532	Shimada Y, Nishimura M, Kakinuma S, et al (2000). Radiation-associated loss of heterozygosity at the Znfn1a1 (Ikarus) locus on chromosome 11 in murine thymic lymphomas. <i>Radiat Res</i> , 154(3): 293-300.
83224	Shimizu S, Inokuma D, Murata J, et al (2015). Cutaneous manifestations of methotrexate-associated lymphoproliferative disorders: Report of two cases and a review of the literature. <i>Acta Derm Venereol</i> , 95(3): 366-7.
7486	Shimizu Y, Kato H, Schull WJ (1991). Risk of cancer among atomic bomb survivors. <i>J Radiat Res, Supplement</i> , 2: 54-63.
3075	Shore RE, Gardner MJ and Pannett B (1993). Ethylene oxide: an assessment of the epidemiological evidence on carcinogenicity. <i>Br J Ind Med</i> , 50: 971-7.
51932	Shustov AR (2008). T-cell lymphoma - one name with a dozen faces. <i>Leukemia & Lymphoma</i> , 49(11): 2033-4.
83397	Sidiropoulos KG, Martinez-Escala ME, Yelamos O, et al (2015). Primary cutaneous T-cell lymphomas: a review. <i>J Clin Path</i> , 68(12): 1003-10.
54596	Siegel CA, Marden SM, Persing SM, Larson RJ, Sands BE (2008). Risk of lymphoma associated with anti-TNF agents for the treatment of Crohn's disease: a meta-analysis. <i>Gastroenterology</i> , 134(Suppl 1): A-144. [Abstract]
56049	Siegel CA, Marden SM, Persing SM, Larson RJ, Sands BE (2009). Risk of lymphoma associated with combination anti-tumor necrosis factor and immunomodulator therapy for the treatment of Crohn's disease: a meta-analysis. <i>Clin Gastroenterol Hepatol</i> , 7: 874-81.
85900	Sielken RL Jr, Valdez-Flores C (2015). A comprehensive review of occupational and general population cancer risk: 1,3 -butadiene exposure-response modeling for all leukemia, acute myelogenous leukemia, chronic lymphocytic leukemia, chronic myelogenous leukemia, myeloid neoplasm and lymphoid neoplasm. <i>Chemico-Biological Interactions</i> , 241: 50-8.
1561	Sigurgeirsson B, Arnarsson BA, Lindelof B (1994). Risk of lymphoma in patients with dermatitis herpetiformis. <i>BMJ</i> , 308: 13-5.
85860	Silver SR, Pinkerton LE, Fleming DA, et al (2014). Retrospective cohort study of a microelectronics and business machine facility. <i>Am J Ind Med</i> , 57(4): 412-24.
27606	Silver SR, Rinsky RA, Cooper SP, Hornung RW, Lai D (2002). Effect of follow-up time on risk estimates: a longitudinal examination of the relative risks of leukemia and multiple myeloma in a rubber hydrochloride cohort. <i>American Journal of Industrial Medicine</i> , 42(6): 481-9.
26335	Silvestri F, Sperotto A, Fanin R (2000). Hepatitis C and lymphoma. <i>Curr Oncol Rep</i> , 2(2): 172-5.
76831	Sim M, Clarke D, Forbes A, et al (2015). Australian Gulf War Veterans' Follow Up Health Study: Summary Report. Monash University, : .
83382	Simard JF, Baecklund F, Chang ET, et al (2013). Lifestyle factors, autoimmune disease and family history in prognosis of non-Hodgkin lymphoma overall and subtypes. <i>Int J Cancer</i> , 132(11): 2659-66.
88825	Simon T, Thompson A, Gandhi K, et al (2015). Incidence of malignancy in adult patients with rheumatoid arthritis: a meta-analysis. <i>Arthritis Research & Therapy</i> , 17: 212.
32424	Sinha A, Velangi S, Natarajan S (2004). Non-Hodgkin's lymphoma following treatment of atopic eczema with cyclosporin A. <i>Acta Derm Venereol</i> , 84(4): 327-28.

87958	Sinha R, Larkin J, Gore M, et al (2015). Cutaneous toxicities associated with vemurafenib therapy in 107 patients with BRAF V600E mutation-positive metastatic melanoma, including recognition and management of rare presentations. <i>Br J Dermatol</i> , 173(4): 1024-31.
51918	Sjoberg K, Roth EB, Gustavsson L, Jonsson C, et al (2008). Autoimmune markers in lymphoid malignancies. <i>Scand J Immunol</i> , 67: 509-15.
53377	Sjogren B, Johanson G (2006). [Comment] Re: Mortality in Florida professional firefighters, 1972-1999. <i>Am J Ind Med</i> , 49: 138-40. Comment on ID: 38173.
25082	Skelcher B (2000). [Comment] Healthy worker effect. <i>J Radiol Prot</i> , 20(4): 71-2. Comment on ID: 26956.
52316	Skibola CF (2007). Obesity, diet and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 392-5.
52317	Skibola CF, Holly EA, Forrest MS, Hubbard A, et al (2004). Body mass index, leptin and leptin receptor polymorphisms, and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(5): 779-86.
1256	Slovak AJM, Kalman C, Davies NF, Pilling K (1994). The Gardner hypothesis. Found wanting. <i>BMJ</i> , 308(6920): 60.
1565	Slovak AJM, Kalman C, Davies NF, Pilling K (1994). The Gardner hypothesis. <i>BMJ</i> , 308: 60.
10114	Smart RC (1997). What are the risks of diagnostic medical radiation? <i>MJA</i> , 166: 589-91.
52371	Smedby KE, Akerman M, Hildebrand H, Glimelius B, et al (2005). Malignant lymphomas in coeliac disease: evidence of increased risks for lymphoma types other than enteropathy-type T cell lymphoma. <i>Gut</i> , 54: 54-9.
52737	Smedby KE, Baecklund E, Askling J (2006). Malignant lymphomas in autoimmunity and inflammation: A review of risks, risk factors, and lymphoma characteristics. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(11): 2069-77.
50734	Smedby KE, Hjalgrim H, Chang ET, Rostgaard K, et al (2007). Childhood social environment and risk of non-Hodgkin lymphoma in adults. <i>Cancer Res</i> , 67(22): 11074-82.
50717	Smedby KE, Hjalgrim H, Melbye M, Torrang A, et al (2005). Ultraviolet radiation exposure and risk of malignant lymphomas. <i>J Natl Cancer Inst</i> , 97: 199-209.
86616	Smedby KE, Sampson JN, Turner JJ, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for mantle cell lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 76-86.
50735	Smedby KE, Vajdic CM, Falster M, Engles EA, et al (2008). Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 111(8): 4029-38.
25815	Smith AH, Lopipero P (2001). Invited commentary: How do the Seveso findings affect conclusions concerning TCDD as a human carcinogen? <i>American Journal of Epidemiology</i> , 153(11): 1045-7.
76773	Smith MT (2010). Advances in understanding benzene health effects and susceptibility. <i>Annu Rev Public Health</i> , 31: 133-48.
52318	Smith MT, Jones RM, Smith AH (2007). Benzene exposure and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 385-91.
16952	Smith PP, Douglas AJ (1986). Mortality of workers at the Sellafield plant of British nuclear fuels. <i>British Medical Journal (Clinical Research Ed)</i> , 293(6551): 845-54.
50721	Smith SK, Zimmerman S, Williams CS, Preisser JS, Clipp EC (2008). Post-traumatic stress outcomes in non-Hodgkin's lymphoma survivors. <i>J Clin Oncol</i> , 26(6): 934-41.

52319	Smitten AL, Simon TA, Hochberg MC, Suissa S (2008). A meta-analysis of the incidence of malignancy in adult patients with rheumatoid arthritis. <i>Arthritis Res Ther</i> , 10: R45.
52046	Smoller BR (2008). Mycosis fungoides: what do/do not we know? <i>J Cutan Pathol</i> , Suppl 2: 35-9.
76840	Snyder R (2012). Leukemia and benzene. <i>Int J Environ Res Public Health</i> , 9: 2875-93.
52321	Soderberg KC, Hagmar L, Schwartzbaum J, Feychtung M (2004). Allergic conditions and risk of hematological malignancies in adults: a cohort study. <i>BMC Public Health</i> , 4: 51.
50681	Soderberg KC, Jonsson F, Winqvist O, et al (2006). Autoimmune diseases, asthma and risk of haematological malignancies: a nationwide case-control study in Sweden. <i>Eur J Cancer</i> , 42: 3028-33.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> : Epub ahead of print.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.
83107	Solimini AG, Lombardi AM, Palazzo C, et al (2016). Meat intake and non-Hodgkin lymphoma: a meta-analysis of observational studies. <i>Cancer Causes & Control</i> , 27(5): 595-606.
50682	Somigliana E, Vigano P, Parazzini F, Stoppelli S, et al (2006). Association between endometriosis and cancer: a comprehensive review and a critical analysis of clinical and epidemiological evidence. <i>Gynecologic Oncology</i> , 101: 331-41.
51917	Soni LK, Hou L, Gapstur SM, Evens AM, et al (2007). Sun exposure and non-Hodgkin lymphoma: a population-based, case-control study. <i>Eur J Cancer</i> , 43: 2388-95.
26169	Sont WN, Zielinski JM, Ashmore JP, et al (2001). First analysis of cancer incidence and occupational radiation exposure based on the national dose registry of Canada. <i>Am J Epidemiol</i> , 153(4): 309-18.
26171	Sont WN, Zielinski JM, Ashmore JP, et al (2001). Respond to "Studies of workers exposed to low doses of radiation". <i>American Journal of Epidemiology</i> , 153(4): 323-324.
26193	Sorahan T, Nichols L, Harrington JM (2002). Mortality of United Kingdom oil refinery and petroleum distribution workers, 1951-1998. <i>Occup Med</i> , 52(6): 333-9.
10765	Soslow RA, Davis RE, Warnke RA, Cleary ML, et al (1996). True histiocytic lymphoma following therapy for lymphoblastic neoplasms. <i>Blood</i> , 87(12): 5207-12.
12614	Soubeyran P, Eghbali H, Trojani M, Bonichon F, et al (1996). Is there any place for a wait-and-see policy in stage 10 follicular lymphoma? A study of 43 consecutive patients in a single center. <i>Annals of Oncology</i> , 7(7): 713-8.
26240	Soucek P (2001). Role of genetic factors in development and progression of non-Hodgkin's lymphomas. <i>Cent Eur J Public Health</i> , 9(2): 74-8.
51890	Soyoral Y, Dogan E, Sayarlioglu H, Erkoc R, Begenik H (2007). [Comment] Burkitt lymphoma in renal transplant recipient. <i>Renal Failure</i> , 29: 115-6.
26160	Sperati A, Rapiti E, Settimi L, et al (1999). Mortality among male licensed pesticide users and their wives. <i>Am J Ind Med</i> , 36(1): 142-6.
52322	Spinelli J (2008). [Comment] Pesticides, soft tissue sarcoma and non-Hodgkin lymphoma. <i>Acta Oncologica</i> , 47: 335-6.

50683	Spinelli JJ, Demers PA, Le ND, Friesen MD, et al (2006). Cancer risk in aluminum reduction plant workers (Canada). <i>Cancer Causes Control</i> , 17: 939-48.
45750	Spinelli JJ, Ng CH, Weber J-P, et al (2007). Organochlorines and risk of non-Hodgkin lymphoma. <i>Int J Cancer</i> , 121: 2767-75.
7450	Spirtas R, Stewart PA, Lee JS, et al (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility. I epidemiological results. <i>British Journal of Industrial Medicine</i> , 48: 515-30.
83177	Srinivasa DR, Miranda RN, Kaura A, et al (2017). Global adverse event reports of breast implant-associated ALCL: An international review of 40 government authority databases. <i>Plastic and Reconstructive Surgery</i> , 139(5): 1029-39.
26238	Stagnaro E, Ramazzotti V, Crosignani P, et al (2001). Smoking and hematolymphopoietic malignancies. <i>Cancer Causes Control</i> , 12(4): 325-334.
52323	Stagnaro E, Tumino R, Parodi S, Crosignani P, et al (2004). Non-Hodgkin's lymphoma and type of tobacco smoke. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(3): 431-7.
18052	Stather J, Muirhead C, Cox R (1995). [Comment] Radiation-induced cancer at low doses and low dose rates. <i>Radiological Protection Bulletin</i> , 167: 8-12.
53828	Stathis A Chini C, Bertoni F, Proserpio I, et al (2009). Long-term outcome following helicobacter pylori eradication in a retrospective study of 105 patients with localised gastric marginal zone B-cell lymphoma of MALT type. <i>Ann Oncol</i> , 20: 1086-93.
52943	Stebbing J, & Bower M (2009). Epstein-Barr virus in Burkitt's lymphoma: the missing link. <i>Lancet Oncol</i> , 10: 430.
16976	Stebbins JH, Lucas HF, Stehney AF (1984). Mortality from cancers of major sites in female radium dial workers. <i>American Journal of Industrial Medicine</i> , 5(6): 435-59.
88828	Stec A, Dickens K, Salden M, et al (2018). Occupational exposure to polycyclic aromatic hydrocarbons and elevated cancer incidence in firefighters. <i>Scientific Reports</i> , 8(1): 2476.
37715	Steenland K, Bertazzi P, Baccarelli A et al (2004). Dioxin Revisited: Developments since the 1997 IARC classification of dioxin as a human carcinogen. <i>Environ Health Perspect</i> , 112(13): 1265-8.
23674	Steenland K, Palu S (1999). Cohort mortality study of 57 000 painters and other union members: a 15 year update. <i>Occup Environ Med</i> , 56: 315-21.
38736	Steenland K, Stayner L, Deddens J (2004). Mortality analyses in a cohort of 18 235 ethylene oxide exposed workers: follow up extended from 1987 to 1998. <i>Occup Environ Med</i> , 61(1): 2-7.
79869	Steenland K, Woskie S (2012). Cohort mortality study of workers exposed to perfluorooctanoic acid. <i>Am J Epidemiol</i> , 176(10): 909-17.
85895	Steenland K, Zhao L, Winquist A (2015). A cohort incidence study of workers exposed to perfluorooctanoic acid (PFOA). <i>Occup Environ Med</i> , 72(5): 373-80: Comment: <i>J Occup Environ Med</i> (2015); 57(6): e60, Authors' reply: e60-1.
14181	Stein ME, Haim N, Ben-Shachar M, Goldsher D, Bernstein Z, Ben-Arieh Y, & Kuten A (1995). Radiation-induced primary brain lymphoma: a case report. <i>Tumori</i> , 81(3): 204-7.
50722	Steinmaus C, Smith AH, Jones RM, Smith MT (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: biases could mask an important association. <i>Occup Environ Med</i> , 65: 371-8.
70082	Steinmaus C, Smith AH, Jones RM, et al (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: biases could mask an important association. <i>Occup Environ Med</i> , 65(6): 371-8.

70081	Steinmaus C, Smith AH, Smith MT (2011). [Comment] Regarding "meta-analysis and causal inference: a case study of benzene and non-Hodgkin lymphoma": an incomplete analysis. <i>Ann Epidemiol</i> , 21(1): 67-9; Author's reply: 70-1. Comment on ID: 70080.
74959	Stenehjem JS, Kiaerheim K, Bratveit M, et al (2015). Benzene exposure and risk of lymphohaematopoietic cancers in 25?000 offshore oil industry workers. <i>Br J Cancer</i> , 112(9): 1603-12.
42672	Sternglass E (1972). Secret Fallout. Low-level radiation from Hiroshima to Three-Mile Island, . McGraw Hill Book Co. (New York).
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. The International Commission on Radiological Protection.
52324	Straif K, Baan R, Grosse Y, et al (2007). Carcinogenicity of shift-work, painting, and fire-fighting. <i>Lancet Oncol</i> , 8(12): 1065-6.
76764	Straube S, Westphal GA, Hallier E (2010). [Comment] Comment on: implications of latency period between benzene exposure and development of leukemia- a synopsis of literature. <i>Chemico-Biological Interactions</i> , 186(2): 248-9.
83239	Strauss HS, Heiger-Bernays W (2012). Methodological limitations may prevent the observation of non-Hodgkin's lymphoma in bioassays of polychlorinated biphenyls. <i>Toxicologic Pathology</i> , 40(7): 995-1003.
83345	Suarez F, Lecuit M (2015). Infection-associated non-Hodgkin lymphomas. <i>Clinical Microbiology & Infection</i> , 21(11): 991-7.
83369	Subramaniam K, Yeung D, Grimen F, et al (2014). Hepatosplenic T-cell lymphoma, immunosuppressive agents and biologicals: what are the risks? <i>Int Med J</i> , 44(3): 287-90.
14760	Sutcliffe N, Inanc M, Speight P et al (1998). Predictors of lymphoma development in primary Sjogren's syndrome. <i>Seminars in Arthritis and Rheumatism</i> , 28(2): 80-7.
42673	Suzuki T, Nara N, Miyake S, et al (1989). Fatal strongyloidiasis latent over 42 years in the antineoplastic chemotherapy of a case with malignant lymphoma. <i>Japanese Journal of Medicine</i> , 28(1): 96-99.
53821	Suzuki Y, Niitsu N, Hayama M, Katayama T, et al (2009). Lymphoproliferative disorders after immunosuppressive therapy for aplastic anemia: a case report and literature review. <i>Acta Haematol</i> , 121: 21-6.
50757	Svec MA, Ward MH, Dosemeci M, et al (2005). Risk of lymphatic or haematopoietic cancer mortality with occupational exposure to animals or the public. <i>Occup Environ Med</i> , 62: 726-35.
14285	Swaen GH, van Vliet C, Slanger JJ et al (1992). Cancer mortality among licensed herbicide applicators. <i>Scand J Work Environ Health</i> , 18: 201-4.
70083	Swaen GM, Tsai SP, Burns C (2010). [Comment] Meta-analysis on benzene exposure and non-Hodgkin's lymphoma. <i>Occup Environ Med</i> , 67(4): 286-7; Author's reply: 287. Comment on ID: 70082.
52738	Sweetenham JW (2008). Highly aggressive lymphomas in adults. <i>Hematol Oncol Clin N Am</i> , 22: 965-78.
88830	Swerdlow A, Higgins C, Smith P, et al (2011). Second cancer risk after chemotherapy for Hodgkin's lymphoma: a collaborative British cohort study. <i>J Clin Oncol</i> , 29: 4096-104.
88832	Swerdlow S, Campo E, Pileri S, et al (2016). The 2016 revision of the World Health Organization classification of lymphoid neoplasms. <i>Blood</i> , 127: 2375-90.

88997	Swerdlow S, Webber S, Chadburn A, et al (2017). Post-transplant lymphoproliferative disorders. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 16: 453-61. International Agency for Research on Cancer, Lyon.
52354	Swerdlow SH (2007). T-cell and NK-cell posttransplantation lymphoproliferative disorders. <i>Am J Clin Pathol</i> , 127: 887-95.
83359	Swerdlow SH (2017). Cutaneous marginal zone lymphomas. <i>Semin Diagn Pathol</i> , 34(1): 76-84.
3809	Swinson CM, Slavin G, Coles EC, et al (1983). Coeliac disease and malignancy. <i>Lancet</i> , 1(8316): 111-5.
50676	Swisher SC, Barbati AJ (2007). Helicobacter pylori strikes again. Gastric mucosa-associated lymphoid tissue (MALT) lymphoma. <i>Gastroenterol Nurs</i> , 30(5): 348-54.
83270	Switchenko JM, Bulka C, Ward K, et al (2016). Resolving uncertainty in the spatial relationships between passive benzene exposure and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol</i> , 41: 139-51.
53796	Swords R, Bruzzi J, Giles F (2007). Recent advances in the diagnosis and therapy of Richter's syndrome. <i>Med Oncol</i> , 24(1): 17-32.
3254	Symmons DPM (1988). Neoplasia in rheumatoid arthritis. <i>J Rheumatol</i> , 15(9): 1319 - 22.
52353	Symmons DPM, Silman AJ (2004). Anti-tumor necrosis factor a therapy and the risk of lymphoma in rheumatoid arthritis: no clear answer. <i>Arthritis & Rheumatism</i> , 50(6): 1703-6.
51916	Szekanecz E, Szamosi S, Gergely L, Keszthelyi P, et al (2008). Incidence of lymphoma in systemic sclerosis: a retrospective analysis of 218 Hungarian patients with systemic sclerosis. <i>Clin Rheumatol</i> , 27: 1163-6.
10413	Szmigielski S (1996). Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation. <i>The Science of the Total Environment</i> , 180: 9 - 17.
83105	't Mannetje A, De Roos AJ, Boffetta P, et al (2016). Occupation and risk of non-Hodgkin lymphoma and its subtypes: A pooled analysis from the InterLymph Consortium. <i>Environ Health Perspect</i> , 124(4): 396-405.
34856	't Mannetje A, McLean D, Cheng S et al (2005). Mortality in New Zealand workers exposed to phenoxy herbicides and dioxins. <i>Occup Environ Med</i> , 63(1): 34-40.
3070	Taillan B, Garnier G, Castanet J, Ferrari E, et al (1993). Lymphoma developing in a patient with rheumatoid arthritis taking Methotrexate. <i>Clin Rheum</i> , 12(1): 93-4.
50675	Talamini R, Polesel J, Montella M, Dal Maso L, et al (2006). Food groups and risk of non-Hodgkin lymphoma: a multi-center, case-control study in Italy. <i>Int J Cancer</i> , 118: 2871-6.
50674	Talamini R, Polesel J, Montella M, Dal Maso L, et al (2005). Smoking and non-Hodgkin lymphoma: case-control study in Italy. <i>Int J Cancer</i> , 115: 606-10.
18607	Talbott EO, Youk AO, McHugh KP, et al (2000). Mortality among the residents of the Three Mile Island accident area: 1979-1992. <i>Environmental Health Perspectives</i> , 108(6): 545-52.
83402	Taleban S, Elquiza E, Gower-Rousseau C, et al (2016). Cancer and inflammatory bowel disease in the elderly. <i>Dig Liver Dis</i> , 48(10): 1105-11.
26581	Tao Z, Zha Y, Akiba S, et al (2000). Cancer mortality in the high background radiation areas of Yangjiang, China during the period between 1979 and 1995. <i>J Radiat Res (Tokyo)</i> , 41(Suppl): 31-41.
13002	Tatham L, Tolbert P & Kjeldsberg C (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(5): 551-8.

12506	Tatham L, Tolbert P, Kjeldsberg C (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(5): 551-8.
50673	Tavani A, Bosetti C, Franceschi S, Talamini R, et al (2006). Occupational exposure to ultraviolet radiation and risk of non-Hodgkin lymphoma. <i>Eur J Cancer Prev</i> , 15: 453-7.
26200	Tavani A, Gallus S, La Vecchia C, et al (2001). Alcohol drinking and risk of non-Hodgkin's lymphoma. <i>Eur J Clin Nutr</i> , 55(10): 824-6.
3044	Tavani A, Negri E, Franceschi S, Talamini R, LaVecchia C (1994). Coffee consumption and risk of non-Hodgkin's lymphoma. <i>Eur J Cancer Prev</i> , 3(4): 351-6.
34929	Tavani A, Negri E, Franceschi S, et al (2005). Hair dye use and risk of lymphoid neoplasms and soft tissue sarcomas. <i>Int J Cancer</i> , 113: 629-31.
12937	Tavani A, Negri E, Franceschi S, Serraino D, et al (1994). Smoking habits and non-Hodgkin's lymphoma: a case-control study in northern Italy. <i>Preventive Medicine</i> , 23(4): 447-52.
10906	Tavani A, Pregnolato A, Negri E, Franceschi S, et al (1997). Diet and risk of lymphoid neoplasms and soft tissue sarcomas. <i>Nutrition and Cancer</i> , 27(3): 256-60.
26141	Tavani A, Soler M, La Vecchia C, et al (1999). Re: Blood transfusions and the risk of intermediate- or high-grade non-Hodgkin's lymphoma. <i>J Natl Cancer Inst</i> , 91(15): 1332-3.
48811	Tee PG, Sweeney AM, Symanski E, et al (2003). A longitudinal examination of factors related to changes in serum polychlorinated biphenyl levels. <i>Environ Health Perspect</i> , 111(5): 702-7.
51931	Teperman LW, Harbell JW (2008). [Comment] Response to: transmission of lymphoma via organ transplantation. <i>Am J Transplant</i> , 8(6): 1351.
83123	Teras LR, Rollison DE, Pawlita M, et al (2015). Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. <i>Int J Cancer</i> , 136(1): 108-16.
26165	Teta MJ, Sielken RL Jr, Valdez-Flores C (1999). Ethylene oxide cancer risk assessment based on epidemiological data: application of revised regulatory guidelines. <i>Risk Anal</i> , 19(6): 1135-1155.
83404	Thai A, Prindiville T (2010). Hepatosplenic T-cell lymphoma and inflammatory bowel disease. <i>J Crohns Colitis</i> , 4(5): 511-22.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP.
55915	The Selected Cancers Cooperative Study Group (1990). The Association of Selected Cancers with Service in the U.S. Military in Vietnam, Final Report. US Department of Health & Human Services, Atlanta.
4564	The Selected Cancers Cooperative Study Group (1990). The association of selected cancers with service in the US military in Vietnam. I. Non-Hodgkin's lymphoma. The Selected Cancers Cooperative Study Group. <i>Arch Intern Med</i> , 150(12): 2473-83.
76021	The University of Newcastle Research Associates (TUNRA) Ltd and Hunter Medical Research Institute (2004). Table 2: Summary of chemicals used with F-111 DSRS programs and their associated cancer classifications. Study of Health Outcomes in Aircraft Maintenance Personnel (SHOAMP). Mortality and Cancer Incidence Study, : 20-1. Commonwealth of Australia.
88952	Therapeutic Goods Administration (2018). Breast implants and anaplastic large cell lymphoma. Retrieved 13 September 2018, from https://www.tga.gov.au/alert/breast-implants-and-anaplastic-large-cell-lymphoma

83343	Thieblemont C, Bertoni F, Copie-Bergman C, et al (2014). Chronic inflammation and extra-nodal marginal-zone lymphomas of MALT-type. <i>Seminars in Cancer Biology</i> , 24: 33-42.
14146	Thomas TL, Kang HK (1990). Mortality and morbidity among army chemical corps Vietnam Veterans: a preliminary report. <i>Am J Ind Med</i> , 18: 665-73.
52743	Thompson AK, Shaw DI, Minihane AM, Williams CM (2008). Trans-fatty acids and cancer: the evidence reviewed. <i>Nutrition Research Reviews</i> , 21: 174-88.
83350	Thompson PA, Prince HM (2013). Breast implant-associated anaplastic large cell lymphoma: a systematic review of the literature and mini-meta analysis. <i>Curr Hematol Malig Rep</i> , 8(3): 196-210.
83371	Thorley-Lawson D, Deitsch KW, Duca KA, et al (2016). The link between Plasmodium falciparum malaria and endemic Burkitt's lymphoma--new insight into a 50-year-old enigma. <i>PLoS Pathogens</i> , 12(1): e1005331.
51915	Thorley-Lawson DA, Allday MJ (2008). The curious case of the tumour virus: 50 years of Burkitt's lymphoma. <i>Nature Reviews Microbiology</i> , 6: 913-24.
26118	Thorn A, Gustavsson P, Sadigh J, et al (2000). Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides. <i>Occup Environ Med</i> , 57(10): 718-20.
50672	Thu GO, Hem LY, Hansen S, Moller B, et al (2006). Is there an association between SV40 contaminated polio vaccine and lymphoproliferative disorders? An age-period-cohort analysis on Norwegian data from 1953 to 1997. <i>Int J Cancer</i> , 118: 2035-9.
4020	Thun MJ, Altekruse SF, Namboodiri MM, Calle EE, Myers DG, Heath CW Jr (1994). Hair dye use and risk of fatal cancers in U.S. women. <i>J Natl Cancer Inst</i> , 86(3): 210-5.
53810	Tickner JA (2002). Developing scientific and policy methods that support precautionary action in the face of uncertainty - the Institute of Medicine Committee on Agent Orange. <i>Public Health Reports</i> , 117: 534-44.
14489	Tielsch JM, Linet MS, Szklo M (1987). Acquired disorders affecting the immune system and non-Hodgkin's lymphoma. <i>Preventive Medicine</i> , 16: 96-106.
83157	Tio M, Cox MR, Eslick GD (2012). Meta-analysis: coeliac disease and the risk of all-cause mortality, any malignancy and lymphoid malignancy. <i>Aliment Pharmacol Ther</i> , 35(5): 540-51.
54445	Tokunaga M, Land CE, Yamamoto T, Asano M, et al (1987). Incidence of female breast cancer among atomic bomb survivors, Hiroshima and Nagasaki, 1950-1980. <i>Radiation Research</i> , 112: 243-72.
14484	Tondini M, Rocco G, Travaglini M et al (1994). Pleural mesothelioma associated with non-Hodgkin's lymphoma. <i>Thorax</i> , 49: 1269-70.
45703	Torchio P, Lepore AR, Corrao G, et al (1994). Mortality study on a cohort of Italian licensed pesticide users. <i>The Science of the Total Environment</i> , 149: 183-91.
83156	Tramacere I, Pelucchi C, Bonifazi M, et al (2012). Alcohol drinking and non-Hodgkin lymphoma risk: a systematic review and a meta-analysis. <i>Ann Oncol</i> , 23(11): 2791-8.
51894	Tranah GJ, Bracci PM, Holly EA (2008). Domestic and farm-animal exposures and risk of non-Hodgkin's lymphoma in a population-based study in the San Francisco bay area. <i>Cancer Epidemiol Biomarkers Prev</i> , 17(9): 2382-7.
9107	Travis LB, Li C-Y, Zhang Z-N, Li D-G, et al (1994). Hematopoietic malignancies and related disorders among benzene-exposed workers in China. <i>Leukemia and Lymphoma</i> , 14: 91-102.

50671	Treggiari MM, Weiss NS (2004). Occupational asbestos exposure and the incidence of non-Hodgkin lymphoma of the gastrointestinal tract: an ecologic study. <i>Ann Epidemiol</i> , 14: 168-71.
83400	Treon SP (2013). XIII. Waldenstrom's macroglobulinaemia: an indolent B-cell lymphoma with distinct molecular and clinical features. <i>Hematol Oncol</i> , 31(Suppl 1): 76-80.
76763	Triebig G (2010). Implications of latency period between benzene exposure and development of leukemia - a synopsis of literature. <i>Chemico-Biological Interactions</i> , 184(1-2): 26-9.
50655	Trimeche M, Bonnet C, Korbi S, et al (2007). Association between Epstein-Barr virus and Hodgkin's lymphoma in Belgium: a pathological and virological study. <i>Leukemia and Lymphoma</i> , 48(7): 1323-31.
83384	Troy JD, Hartge P, Weissfeld JL, et al (2010). Associations between anthropometry, cigarette smoking, alcohol consumption, and non-Hodgkin lymphoma in the prostate, lung, colorectal, and ovarian cancer screening trial. <i>Am J Epidemiol</i> , 171(12): 1270-81.
48814	Tryphonas H (1995). Immunotoxicity of PCBs (Aroclors) in relation to Great Lakes. <i>Environ Health Perspect</i> , 103(Suppl 9): 35-46.
76824	Tsai RJ, Luckhaupt SE, Schumacher P, et al (2015). Risk of cancer among firefighters in California 1988-2007. <i>Am J Ind Med</i> , 58(7): 715-29.
50670	Tsai SP, Chen VW, Fox EE, Wendt JK, et al (2004). Cancer incidence among refinery and petrochemical employees in Louisiana, 1983-99. <i>Ann Epidemiol</i> , 14: 722-30.
30698	Tsao H, Kwitkiwski K, Sober AJ (2002). A single-institution case series of patients with cutaneous melanoma and non-Hodgkin's lymphoma. <i>J Am Acad Dermatol</i> , 46(1): 55-61.
83392	Tse E, Kwong YL (2016). Diagnosis and management of extranodal NK/T cell lymphoma nasal type. <i>Expert Rev Hematol</i> , 9(9): 861-71.
88951	Tsilidis K, Kasimis J, Lopez D, et al (2014). Type 2 diabetes and cancer: umbrella review of meta-analyses of observational studies. <i>BMJ</i> , 350: G7607.
85894	Tsuda S (2016). Differential toxicity between perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA). <i>J Toxicol Sci</i> , 41(Special): SP27-36.
83401	Tsukasaki K, Tobinai K (2013). Biology and treatment of HTLV-1 associated T-cell lymphomas. <i>Best Pract Res Clin Haematol</i> , 26(1): 3-14.
50669	Turesson I, Linet MS, Bjorkholm M, et al (2007). Ascertainment and diagnostic accuracy for hematopoietic lymphoproliferative malignancies in Sweden 1964-2003. <i>Int J Cancer</i> , 121: 2260-6.
52325	Turner JJ, Hughes AM, Kricker A, Milliken S, et al (2004). Use of the WHO lymphoma classification in population-based epidemiological study. <i>Ann Oncol</i> , 15: 631-7.
52326	Turner JJ, Hughes AM, Kricker A, Milliken S, et al (2005). WHO non-Hodgkin's lymphoma classification by criterion-based report review followed by targeted pathology review: an effective strategy for epidemiology studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(9): 2213-9.
13010	Uchiyama T (1997). Human T cell leukemia virus type 1(HTLV-1) and human diseases. <i>Annu Rev Immunol</i> , 15: 15-37.
72236	Uddin M, Aiello AE, Wildman DE et al (2010). Epigenetic and immune function profiles associated with posttraumatic stress disorder. <i>Proc Natl Acad Sci U S A</i> , 107(20): 9470-5.
28392	Uehara M, Takahashi K, Hoshuyama T, Pan G, Feng Y (2003). Geographical correlation between ambient UVB level and mortality risk of leukemia in Japan. <i>Environ Res</i> , 92(2): 78-84.
27801	Ullrich SE (1999). Dermal application of JP-8 jet fuel induces immune suppression. <i>Toxicological Sciences</i> , 52: 61-7.

71214	United Nations (2008). Table 41 risk estimates for cancer incidence and mortality from studies of radiation exposure: non-Hodgkin's lymphoma. UNSCEAR 2006 report to the general assembly with scientific annexes, Vol 1 scientific annex A: 209-10. United Nations, New York.
71215	United Nations (2008). Epidemiological Studies of Radiation and cancer. UNSCEAR 2006 report to the general assembly with scientific annexes, Vol 1 scientific annex A: 110-11. United Nations, New York.
71213	United Nations (2013). Sources, effects and risks of ionizing radiation: report to the general assembly with scientific annexes. UNSCEAR, Vol 2 Scientific Annex B: effects of radiation exposure of children. .
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1.
18947	United Nations Scientific Committee on the Effects of Atomic Radiation [UNSCEAR] (2000). Epidemiological Evaluation of Radiation-Induced Cancer: Annex F. United Nations General Assembly, Forty-ninth session of UNSCEAR Vienna R.607: 1-188. .
42676	Unknown (2006). Agent Orange. . Retrieved 9 March 2007, from http://www.landscaper.net/agent.htm
55814	UNSCEAR (2006). Non-Hodgkin's lymphoma. United Nations Scientific Committee on the Effects of Atomic Radiation, Vol 1: 108-10, 209-12. United Nations Publications, New York.
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01-Doses to organs from intake of radioactive materials. DTRA/NTPR-Standard Operating Procedures Manual.
71508	US Environmental Protection Agency (EPA) (2011). Toxicological review of trichloroethylene (CAS no 79-01-6). IRIS Toxicological Review, Integrated Risk Information System (IRIS) Washington DC.
26556	Utteridge TD, Gebski V, Finnie JW, et al (2002). Long-term exposure of E-mu-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. <i>Radiation Research</i> , 158(3): 357-64.
50667	Vajdic CM, Fritschi L, Grulich AE, Kaldor JM, et al (2007). Atopy, exposure to pesticides and risk of non-Hodgkin lymphoma. <i>Int J Cancer</i> , 120: 2271-4.
52327	Vajdic CM, Grulich AE, Kaldor JM, Fritschi L, et al (2006). Specific infections, infection-related behavior, and risk of non-Hodgkin lymphoma in adults. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(6): 1102-8.
83464	Valavoor SH, Ashraf Z, Narwal R, et al (2013). Conservative management of post-transplant central nervous system lymphoma. <i>Int Urol Nephrol</i> , 45(4): 1219-22.
85805	Valdez-Flores C, Sielken RL Jr, Teta MJ (2010). Quantitative cancer risk assessment based on NIOSH and UCC epidemiological data for workers exposed to ethylene oxide. <i>Regulatory Toxicology & Pharmacology</i> , 56(3): 312-20.
85804	Valdez-Flores C, Sielken RL Jr, Teta MJ (2011). Quantitative cancer risk assessment for ethylene oxide inhalation in occupational settings. <i>Arch Toxicol</i> , 85(10): 1189-93.

26161	Vallisa D, Berte R, Rocca A, Civardi G, et al (1999). Association between hepatitis C virus and non-Hodgkin's lymphoma, and effects of viral infection on histologic subtype and clinical course. <i>American Journal of Medicine</i> , 106(5): 556-60.
26272	Vamvakas EC (2000). Allogeneic blood transfusion as a risk factor for the subsequent development of non-Hodgkin's lymphoma. <i>Transfus Med Rev</i> , 14(3): 258-68.
83410	van de Meeberg MM, Derikx LA, Sinnige HA, et al (2016). Hepatosplenic T-cell lymphoma in a 47-year-old Crohn's disease patient on thiopurine monotherapy. <i>World Journal of Gastroenterology</i> , 22(47): 10465-70.
83189	van der Rhee H, Coebergh JW, de Vries E (2013). Is prevention of cancer by sun exposure more than just the effect of vitamin D? A systematic review of epidemiological studies. <i>Eur J Cancer</i> , 49(6): 1422-36.
50666	van der Rhee HJ, de Vries E, Coebergh JWW (2006). Does sunlight prevent cancer? A systematic review. <i>Eur J Cancer</i> , 42: 2222-32.
52953	van der Veldt AA, Kleijn SA, Nanayakkara PW (2009). [Comment] Silicone breast implants and anaplastic large T-cell lymphoma. <i>JAMA</i> , 301(12): 1227; authors' reply pp 1227.
24771	van Kaick G, Dalheimer A, Hornik S, Kaul A, et al (1999). The German Thorotrast study: recent results and assessment of risks. <i>Radiation Research</i> , 152: S64-S71.
48817	Van Larebeke N, Hens L, Schepens P, et al (2001). The Belgian PCB and dioxin incident of January-June 1999: exposure data and potential impact on health. <i>Environ Health Perspect</i> , 109(3): 265-73.
26576	van Leeuwen FE, Klokman WJ, Veer MB, et al (2000). Long-term risk of second malignancy in survivors of Hodgkin's disease treated during adolescence or young adulthood. <i>J Clin Oncol</i> , 18(3): 487-97.
26185	van Wijngaarden E, Savitz DA (2001). Occupational sunlight exposure and mortality from non-Hodgkin lymphoma among electric utility workers. <i>J Occup Environ Med</i> , 43(6): 548-53.
83629	Vannata B, Stathis A, Zucca E (2015). Management of the marginal zone lymphomas. <i>Cancer Research & Treatment</i> , 165: 227-49. Springer, Cham.
26419	Varady E, Deak B, Molnar ZS, et al (2001). Second malignancies after treatment for Hodgkin's disease. <i>Leuk Lymphoma</i> , 42(6): 1275-81.
50704	Varma S, Rhiman RK, et al; Gisbert JP, Garcia-Buey, et al (2004). [Comment] Absence of hepatitis C virus infection among patients with lymphoproliferative disorders in Northern India. <i>Gastroenterology</i> , 126(5): 1498-9.
24955	Verkasalo PK, Pukkala E, Kaprio J, Heikkila KV, Koskenvuo M (1996). Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: nationwide cohort study. <i>BMJ</i> , 313(7064): 1047-51.
8939	Vianna NJ, Polan A (1979). Lymphomas and occupational benzene exposure. <i>Lancet</i> , 1(8131): 1394-5.
88836	Vieira V, Hoffman K, Shin HM, et al (2013). Perflurooctanoic acid exposure and cancer outcomes in a contaminated community: a geographic analysis. <i>Environ Health Perspect</i> , 121(3): 318-23.
26068	Viel JF, Arveux P, Baverel J, Cahn JY (2000). Soft-tissue sarcoma and non-Hodgkin's lymphoma clusters around a municipal solid waste incinerator with high dioxin emission levels. <i>American Journal of Epidemiology</i> , 152(1): 13-9.
26252	Viel JF, Arveux P, Baverel J, et al (2000). Soft-tissue sarcoma and non-Hodgkin's lymphoma clusters around a municipal solid waste incinerator with high dioxin emission levels. <i>Am J Epidemiol</i> , 152(1): 13-9.

74418	Viel J-F, Floret N, Deconinck E, et al (2011). Increased risk of non-Hodgkin lymphoma and serum organochlorine concentrations among neighbors of a municipal solid waste incinerator. <i>Environment International</i> , 37: 449-53.
50653	Vilchez RA (2006). Limitations of epidemiological and serologic studies addressing Simian virus 40 and non-Hodgkin's lymphoma. <i>Cancer Investigation</i> , 24(3): 333-6.
50752	Vilchez RA (2006). Limitation of epidemiological and serologic studies addressing simian virus 40 and non-Hodgkin's lymphoma. <i>Cancer Investigation</i> , 24(3): 333-6.
50665	Viljamaa M, Kaukinen K, Pukkala E, et al (2006). Malignancies and mortality in patients with coeliac disease and dermatitis herpetiformis: 30-year population-based study. <i>Digestive and Liver Disease</i> , 38: 374-80.
26117	Villeneuve PJ, Agnew DA, Miller AB, Corey PN (2000). Non-Hodgkin's lymphoma among electric utility workers in Ontario: the evaluation of alternate indices of exposure to 60 Hz electric and magnetic fields. <i>Occup Environ Med</i> , 57(4): 249-57.
26264	Vineis P, Crosignani P, Vigano C, Fontana A, et al (2001). Lymphomas and multiple sclerosis in a multicenter case-control study. <i>Epidemiology</i> , 12(1): 134-5.
20813	Vineis P, Crosignani P, Sacerdote C, Fontana A, et al (1999). Haematopoietic cancer and medical history: a multicentre case control study. <i>J Epidemiol Comm Health</i> , 54: 431-6.
26084	Vineis P, Crosignani P, Sacerdote C, Fontana A, Masala G, et al (2000). Haematopoietic cancer and medical history: a multicentre case control study. <i>J Epidemiol Community Health</i> , 54(6): 431-6.
14554	Vineis P, D'Amore F (1992). The role of occupational exposure and immunodeficiency in B-Cell malignancies. Working group on the epidemiology of hematolymphopoietic malignancies in Italy. <i>Epidemiology</i> , 3(3): 266-70.
52328	Vineis P, Milligi L, Costantini AS (2007). Exposure to solvents and risk of non-Hodgkin lymphoma: clues on putative mechanisms. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 381-4.
79415	Visco C, Finotto S (2014). Hepatitis C virus and diffuse large B-cell lymphoma: pathogenesis, behavior and treatment. <i>World J Gastroenterol</i> , 20(32): 11054-61.
1258	Visfeldt J, Andersson M (1995). Pathoanatomical aspects of malignant haematological disorders among Danish patients exposed to thorium dioxide. <i>APMIS</i> , 103(1): 29-36.
1567	Visintainer PF, Barone M, McGee H, Peterson EL (1995). Proportionate mortality study of Vietnam-era Veterans of Michigan. <i>JOEM</i> , 37(4): 423-8.
47576	Viswanatha DS, Dogan A (2007). Hepatitis C virus and lymphoma. <i>J Clin Pathol</i> , 60(12): 1378-83.
72601	Vlaanderen J, Lan Q, Kromhout H et al (2011). Occupational benzene exposure and the risk of lymphoma subtypes: a meta-analysis of cohort studies incorporating three study quality dimensions. <i>Environ Health Perspect</i> , 119(2): 159-67.
60463	Vlaanderen J, Lan Q, Kromhout H, et al (2011). Occupational benzene exposure and the risk of lymphoma subtypes: a meta-analysis of cohort studies incorporating three study quality dimensions. <i>Environ Health Perspect</i> , 119(2): 159-67.
85854	Vlaanderen J, Straif K, Pukkala E, et al (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. <i>Occup Environ Med</i> , 70(6): 393-401.

51887	Vose JM (2008). Peripheral t-cell non-Hodgkin's lymphoma. <i>Hematol Oncol Clin North Am</i> , 22: 997-1005.
53812	Voulgarelis M, Moutsopoulos HM (2008). Mucosa-associated lymphoid tissue lymphoma in Sjogren's syndrome: risks, management, and prognosis. <i>Rheum Dis Clin N Am</i> , 34: 921-33.
52055	Voulgarelis M, Tzioufas AG, Moutsopoulos HM (2008). Mortality in Sjogren's syndrome. <i>Clin Exp Rheumatol</i> , 26(Suppl 51): S66-71.
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted alpha-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
26069	Waddell BL, Balir A, Zahm SH; Freedman DS (1999). [Comments] Re: "Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men". <i>American Journal of Epidemiology</i> , 150(6): 661-2.
26375	Waddell BL, Zahm SH, Baris D, et al (2001). Agricultural use of organophosphate pesticides and the risk of non-Hodgkin's lymphoma among male farmers (United States). <i>Cancer Causes Control</i> , 12(6): 509-17.
25083	Wakeford R (2000). [Comment] Depleted uranium. <i>J Radiol Prot</i> , 20(4): 76-7. Comment on ID: 26956.
50711	Wakeford R, McElvenny D (2007). [Comment] From epidemiological association to causation. <i>Occupational Medicine</i> , 57: 464-5.
26565	Wallace S, Bedu-Addo G, Rutherford TR, et al (1998). Serological similarities between hyperreactive malarial splenomegaly and splenic lymphoma in west Africa. <i>Trans R Soc Trop Med Hyg</i> , 92(4): 463-67.
87959	Walsh S (2015). [Comment] The cutaneous side-effect iceberg. <i>Br J Dermatol</i> , 173(4): 892-3. Comment on ID: 87958.
52329	Wang F, Zu R-H, Han B, Shi Y-X, et al (2007). High incidence of hepatitis B virus infection in B-cell subtype non-Hodgkin lymphoma compared with other cancers. <i>Cancer</i> , 109: 1360-4.
52330	Wang F, Zu R-H, Luo H-Y, Zhang D-S, et al (2008). Clinical and prognostic analysis of hepatitis B virus infection in diffuse large B-cell lymphoma. <i>BMC Cancer</i> , 8: 115.
83106	Wang J, Li X, Zhang D (2016). Dairy product consumption and risk of non-Hodgkin lymphoma: a meta-analysis. <i>Nutrients</i> , 8(3): 120.
52331	Wang R, Zhang Y, Lan Q, Holford TR, et al (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. <i>Am J Epidemiol</i> , 169: 176-85.
51914	Wang SS, Davis S, Hartge P, Cozen W, et al (2008). Chromosomal aberrations in peripheral blood lymphocytes and risk for non-Hodgkin lymphoma. <i>J Natl Cancer Inst Monogr</i> , 39: 78-82.
83129	Wang SS, Flowers CR, Kadin ME, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for peripheral T-cell lymphomas: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 48: 66-75.
50756	Wang SS, Slager SL, Brennan P, Holly EA, et al (2007). Family history of hematopoietic malignancies and risk of non-Hodgkin lymphoma (NHL): a pooled analysis of 10 211 cases and 11 905 controls from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Blood</i> , 109(8): 3479-88.
83113	Wang SS, Vajdic DM, Linet MS, et al (2015). Associations of non-Hodgkin lymphoma (NHL) risk with autoimmune conditions according to putative NHL loci. <i>Am J Epidemiol</i> , 181(6): 406-21.
83370	Wang Y, Ma S (2014). Risk factors for etiology and prognosis of mantle cell lymphoma. <i>Expert Review of Hematology</i> , 7(2): 233-43.
10767	Ward EM, Fajen JM, Ruder AM, Rinsky RA, et al (1995). Mortality study of workers in 1,3-Butadiene production units identified from a chemical workers cohort. <i>Environmental Health Perspectives</i> , 103(6): 598-603.

14522	Ward EM, Ruder AM, Suruda A et al (1994). Cancer mortality patterns among female and male workers employed in a cable manufacturing plant during World War 11. <i>J Occup Med</i> , 36(8): 860-6.
10901	Ward MH, Mark SD, Cantor KP, Weisenburger DD, et al (1996). Drinking water nitrate and the risk of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 7(5): 456-71.
26085	Ward MH, Mark SD, Cantor KP, Weisenburger D, Correa-Villasenor A; Law GR, Cartwright R, Parslow R and McKinney P (2000). [Comments] Non-Hodgkin's lymphoma and nitrate in drinking water. <i>J Epidemiol Community Health</i> , 54(10): 772-3.
3043	Ward MH, Zahm SH, Weisenburger DD, Gridley G, et al (1994). Dietary factors and non-Hodgkin's lymphoma in Nebraska (United States). <i>Cancer Causes Control</i> , 55(5): 422-32.
20703	Wartenberg D, Reyner D, Scott CS (2000). Trichloroethylene and cancer: epidemiologic evidence. <i>Environmental Health Perspectives</i> , 108(S2): 161-76.
29720	Wartenberg D, Scott CS (2002). Carcinogenicity of trichloroethylene. <i>Environ Health Perspect</i> , 110(1): A13-14.
55874	Wartenburg D (2007). [Comment] Causal relationship between trichloroethylene exposure and non-Hodgkin's lymphoma. <i>Occup Environ Med</i> , 64: 352.
26828	Wassberg C, Thorn M, Yuen J, et al (1999). Cancer risk in patients with earlier diagnosis of cutaneous melanoma in situ. <i>Int J Cancer</i> , 83(3): 314-17.
7199	Watanabe KK, Kang HK (1996). Mortality patterns among Vietnam Veterans: a 24-year retrospective analysis. <i>JOEM</i> , 38(3): 272-8.
7499	Watanabe KK, Kang HK, Dalager NA (1995). Cancer mortality risk among military participants of a 1958 atmospheric nuclear weapons test. <i>American Journal of Public Health</i> , 85(4): 523-7.
9337	Watanabe KK, Kang HK (1995). Military service in Vietnam and the risk of death from trauma and selected cancers. <i>Ann Epidemiol</i> , 5: 407-12.
14725	Watanabe KK, Kang HK, Thomas TL (1991). Mortality among Vietnam veterans: with methodological considerations. <i>J Occup Med</i> , 33(7): 780-5.
12938	Waterhouse D, Carman WJ, Schottenfeld D, et al (1996). Cancer incidence in the rural community of Tecumseh, Michigan: a pattern of increased lymphopoietic neoplasms. <i>Cancer</i> , 77(4): 763-70.
10629	Webb PM, Forman D (1995). Helicobacter pylori as a risk factor for cancer. <i>Bailliere's Clinical Gastroenterology</i> , 9(3): 563-82.
70080	Weed DL (2010). Meta-analysis and causal inference: a case study of benzene and non-Hodgkin lymphoma. <i>Ann Epidemiol</i> , 20(5): 347-55.
13893	Weed DL, Hursting SD (1998). Biologic plausibility in causal inference: current method and practice. <i>American Journal of Epidemiology</i> , 147(5): 415-25.
26536	Wei-Lu X, Wang Jian Z (1994). Estimate of cancer risk for a large population continuously exposed to higher background radiation in Yangjiang, China. <i>Chinese Medical Journal</i> , 107: 541-44.
52756	Weinreb NJ, Andersson HC, Banikazemi M, Barranger J, et al (2008). [Comment] Prevalence of type 1 Gaucher disease in the United States. <i>Arch Intern Med</i> , 168(3): 326-328. Comment on ID: 52355.
32851	Weir E (2001). Sunlight exposure and non-Hodgkin's lymphoma. <i>CMAJ</i> , 165(3): 331.
26078	Weir E (2001). Sunlight exposure and non-Hodgkin's lymphoma. <i>Canadian Medical Association Journal</i> , 165(3): 331.
3058	Weisenburger DD (1990). Environmental epidemiology of Non-Hodgkin's lymphoma in Eastern Nebraska. <i>Am J Ind Med</i> , 18: 303-5.

1300	Weisenburger DD (1994). Epidemiology of non-Hodgkin's lymphoma: recent findings regarding an emerging epidemic. <i>Annals of Oncology</i> , 5(Suppl 1): s19-s24.
12414	Weisenburger DD (1990). Environmental epidemiology of non-Hodgkin's lymphoma in Eastern Nebraska. <i>American Journal of Industrial Medicine</i> , 18: 303-5.
25044	Weiss HA, Darby SC, Doll R (1994). Cancer mortality following x-ray treatment for ankylosing spondylitis. <i>International Journal of Cancer</i> , 59: 327-38.
3031	Weiss LM, Gaffey MJ, Chen YY, Frierson HF (1992). Frequency of Epstein-Barr Viral DNA in "Western" sinonasal and Waldeyer's Ring Non-Hodgkin's lymphomas. <i>Am J Surg Pathol</i> , 16(2): 156-62.
52049	West J (2009). [Comment] Celiac disease and its complications: a time traveller's perspective. <i>Gastroenterology</i> , 136: 32-48. Comment on ID: 52048.
55912	WHO (1983). Summary of data reported and evaluation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans - Miscellaneous Pesticides, Vol 30. IARC Press, Lyon.
55906	WHO (1987). Chlorophenoxy herbicides (Group 2B). IARC Monographs - Overall evaluations of carcinogenicity: An updating of IARC Monographs Vol 1-42, Supplement 7: 156-60. IARC Press, Lyon.
6757	WHO (1989). Occupational exposures in petroleum refining: crude oil and major petroleum fuels. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 45: 105-10, 150-2, 191-4, 234-6, 262-4. IARC, Lyon, France.
55910	WHO (1991). Summary of final evaluations. IARC Monographs - Occupational exposures in insecticide application, and some pesticides, Vol 53: 535. IARC Press, Lyon.
47841	WHO (1993). Polychlorinated Biphenyls and Terphenyls. Environmental Health Criteria. 140. Retrieved 23 April 2008, from http://www.inchem.org/documents/ehc/ehc/ehc140.htm
55908	WHO (1997). Polychlorinated dibenzo-para-dioxins. IARC Monographs - Polychlorinated dibenzo-para-dioxins and polychlorinated dibenzofurans, Vol 8: 137-95, 335-43. IARC Press, Lyon.
55909	WHO (1999). Polychlorophenols and their sodium salts. IARC Monographs - Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide, Vol 71: 769-816. IARC Press, Lyon.
55818	WHO (2001). Summary of final evaluations. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Some Thyrotropic Agents, Vol 79: 727. IARC Press, Lyon.
55810	WHO (2003). Cancer-preventive effects. IARC Handbooks of Cancer Prevention: Fruit and Vegetables, Vol 8: 103. IARC Press, Lyon.
55817	WHO (2007). Studies of cancer in experimental animals. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Combined estrogen-progestogen contraceptives and combined estrogen-progesterone menopausal therapy, Vol 91: 122-3, 332. IARC Press, Lyon.
56120	WHO (2008). 1,3-Butadiene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 97: 45-184. IARC Press, Lyon.
55911	WHO (2008). Studies of cancer in humans. IARC Monographs - 1,3-Butadiene, Ethylene Oxide and Vinyl Halides (Vinyl Fluoride, Vinyl Chloride and Vinyl Bromide), Vol 97: 68-93, 185-309. IARC Press, Lyon.
26301	Wiernik PH, Hu X, Ratech H, et al (2000). Non-Hodgkin's lymphoma in women with breast cancer. <i>Cancer J</i> , 6(5): 336-42.
23575	Wiggs LD, Cox-deVore CA, Wilkinson GS, Reyes M (1991). Mortality among workers exposed to external ionizing radiation at a nuclear facility in Ohio. <i>Journal of Occupational Medicine</i> , 33(5): 632-7.

960	Wigle DT, Semenciw RM, Wilkins K, et al (1990). Mortality study of Canadian male farm operators: non-Hodgkin's lymphoma and agricultural practices in Saskatchewan. <i>J Natl Cancer Inst</i> , 82(7): 575-82.
3045	Wiklund K, Dich J (1994). Cancer risks among female farmers in Sweden. <i>Cancer Causes Control</i> , 5: 449-57.
3849	Wiklund K, Dich J, Holm LE, et al (1989). Risk of cancer in pesticide applicators in Swedish agriculture. <i>Br J Ind Med</i> , 46: 809-14.
8934	Wilcosky TC, Checkoway H, Marshall EG, Tyroler HA (1984). Cancer mortality and solvent exposures in the rubber industry. <i>Am Ind Hyg Assoc J</i> , 45(12): 809-811.
7381	Wilkinson GS, Dreyer NA (1991). Leukemia among Nuclear Workers with Protracted Exposure to Low-Dose Ionizing Radiation. <i>Epidemiology</i> , 2(4): 305-9.
26116	Wilkinson P, Thakrar B, Walls P, Landon M, Falconer S, Grundy C, Elliott P (1999). Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain. <i>Occup Environ Med</i> , 56(9): 577-80.
83186	Willemze R, Hodak E, Zinzani PL, et al (2013). Primary cutaneous lymphomas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Ann Oncol</i> , 24(Suppl 6): vi149-54.
50302	Willett EV (2008). [Comment] Non-Hodgkin lymphoma and obesity. <i>Int J Cancer</i> , 123: 491-2.
50930	Willett EV, Morton LM, Hartge P, Becker N, et al (2008). Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph consortium. <i>Int J Cancer</i> , 122: 2062-70.
50639	Willett EV, Smith AG, Dovey GJ, et al (2004). Tobacco and alcohol consumption and the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 15: 771-80.
85887	Williams CJ, Peyrin-Biroulet L, Ford AC (2014). Systematic review with meta-analysis: malignancies with anti-tumour necrosis factor-alpha therapy in inflammatory bowel disease. <i>Aliment Pharmacol Ther</i> , 39(5): 447-58.
3431	Williams CKO, Alexander SS, Bodner A, et al (1993). Frequency of adult T-cell leukaemia/lymphoma and HTLV-1 in Ibadan, Nigeria. <i>Br J Cancer</i> , 67(4): 783 - 6.
41295	Wilson E, Horsley K, van der Hoek R (2005). Australian National Service Vietnam Veterans Mortality and Cancer Incidence Study. Department of Veterans Affairs, Canberra.
49947	Wilson E, Horsley K, van der Hoek R (2007). Dapsone Exposure and Australian Vietnam Service: Mortality and Cancer Incidence. Department of Veterans Affairs & Australian Institute of Health and Welfare, Canberra.
43077	Wilson EJ, Horsley KW, van der Hoek R (2005). Cancer incidence in Australian Vietnam Veterans Study, . Department of Veterans Affairs and Australian Institute of Health and Welfare, Canberra.
41296	Wilson EJ, Horsley KW, van der Hoek R (2005). The Third Australian Vietnam Veterans Mortality Study. Department of Veterans Affairs, Canberra.
27799	Winder C, Balouet JC (2002). The toxicity of commercial jet oils. Section A. <i>Environmental Research</i> , 89: 146-64.
11083	Wing S, Richardson D, Armstrong D and Crawford-Brown D (1997). A Reevaluation of Cancer Incidence near the Three Mile Island Nuclear Plant: The Collision of evidence and Assumptions. <i>Environmental Health Perspectives</i> , 105(1): 52-57.
29761	Wing S, Shy CM, Wood JL, et al (1993). Job factors, radiation and cancer mortality at Oak Ridge National Laboratory: follow-up through 1984. <i>American Journal of Industrial Medicine</i> , 23: 265-79.

48818	Wingfors H, Selden AI, Nilsson C, et al (2006). Identification of markers for PCB exposure in plasma from Swedish construction workers removing old elastic sealants. <i>Ann Occup Hyg</i> , 50(1): 65-73.
10771	Winnett A, Thomas SJ, Brabin BJ, Bain C, et al (1997). Familial Burkitt's lymphoma in Papua New Guinea. <i>British Journal of Cancer</i> , 75(5): 757-61.
51892	Wohl Y, Tur E (2007). Environmental risk factors for mycosis fungoides. <i>Curr Probl Dermatol</i> , 35: 52-64.
52332	Wolfe F, Michaud K (2004). Lymphoma in rheumatoid arthritis. The effect of methotrexate and anti-tumor necrosis factor therapy in 18,572 patients. <i>Arthritis & Rheumatism</i> , 50(6): 1740-51.
56276	Wolfe F, Michaud K (2007). The effect of methotrexate and anti-tumor necrosis factor therapy on the risk of lymphoma in rheumatoid arthritis in 19,562 patients during 89,710 person-years of observation. <i>Arthritis Rheum</i> , 56(5): 1433-9.
18605	Wolfe WH, Michalek JE, Miner JC, et al (1990). Health status of air force veterans occupationally exposed to herbicides in Vietnam. 1. Physical health. <i>JAMA</i> , 264(14): 1824-31.
55870	Wolff MS, Britton JA, Teitelbaum SL, Eng S, et al (2005). Improving organochlorine biomarker models for cancer research. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(9): 2224-36.
85914	Wong AK, Kerkoutian S, Said J, et al (2012). Risk of lymphoma in patients receiving antitumor necrosis factor therapy: a meta-analysis of published randomized controlled studies. <i>Clin Rheumatol</i> , 31(4): 631-6.
52047	Wong AK, Lopategui J, Clancy S, Kulber D, Bose S (2008). Anaplastic large cell lymphoma associated with a breast implant capsule: a case report and review of the literature. <i>Am J Surg Pathol</i> , 32(8): 1265-8.
8933	Wong O (1987). An industry wide mortality study of chemical workers occupationally exposed to benzene. I dose response analyses. <i>British Journal of Industrial Medicine</i> , 44: 382-95.
8932	Wong O (1987). An industry wide mortality study of chemical workers occupationally exposed to benzene. I general results. <i>British Journal of Industrial Medicine</i> , 44: 365-81.
50640	Wong O, Fu H (2005). Exposure to benzene and non-Hodgkin lymphoma, an epidemiologic overview and an ongoing case-control study in Shanghai. <i>Chemico-Biological Interactions</i> , 153-4: 33-41.
26186	Wong O, Harris F, Rosamilia K, et al (2001). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas, 1945 to 1996. <i>J Occup Environ Med</i> , 43(4): 384-401.
4601	Wong O, Harris F, Smith TJ (1993). Health effects of gasoline exposure. II. Mortality patterns of distribution workers in the United States. <i>Environ Health Perspect</i> , 101(Suppl 6): 63-76.
26197	Wong O, Hayes RB, Linet M, et al (1998). [Comment] Re: Benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 90(6): 469-71.
4330	Wong O, Raabe GK (1989). Critical review of cancer epidemiology in petroleum industry employees, with a quantitative meta-analysis by cancer site. <i>American Journal of Industrial Medicine</i> , 15: 283-310.
26190	Wong O, Raabe GK (2000). Non-Hodgkin's lymphoma and exposure to benzene in a multinational cohort of more than 308,000 petroleum workers, 1937 to 1996. <i>J Occup Environ Med</i> , 42(5): 554-67.
26295	Wong O, Raabe GK (2000). A critical review of cancer epidemiology in the petroleum industry, with a meta-analysis of a combined database of more than 350,000 workers. <i>Regul Toxicol Pharmacol</i> , 32(1): 78-98.
55916	World Health Organisation (1992). Polychlorinated biphenyls and terphenyls. <i>Environmental Health Criteria</i> , 2nd edition, Vol 140.

12156	World Health Organization International Agency for Research on Cancer (1997). Polychlorinated dibenzo-para-dioxins and polychlorinated dibenzofurans. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 69 Various chapters: 1-30, 137-194, 227-295, 305-343. World Health Organization.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
10630	Wotherspoon AC, Doglioni C, Diss TC, et al (1993). Regression of primary low-grade-B-cell lymphoma of mucosa-associated lymphoid tissue type after eradication of Helicobacter pylori. Lancet, 342(8871): 575-7.
10631	Wotherspoon AC, Ortiz-Hidalgo C, Falzon MR, et al (1991). Helicobacter pylori-associated gastritis and primary B-cell gastric lymphoma. Lancet, 338: 1175-6.
26087	Wright DH (1999). What is Burkitt's lymphoma and when is it endemic? Blood, 93(2): 758.
57671	Wrixon AD (2008). New ICRP recommendations. J Radiol Prot, 28: 161-8.
55871	Xie J, Itzkowitz SH (2008). Cancer in inflammatory bowel disease. World J Gastroenterol, 14(3): 378-89.
88838	Xiong W, Lv R, Li H, et al (2017). Prevalence of hepatitis B and hepatitis C viral infections in various subtypes of B-cell non-Hodgkin lymphoma: confirmation of the association with splenic marginal zone lymphoma. Blood Cancer Journal, 7: e548.
83178	Yabe M, Medeiros LJ, Daneshbod Y, et al (2017). Hepatosplenic T-cell lymphoma arising in patients with immunodysregulatory disorders: a study of 7 patients who did not receive tumor necrosis factor-alpha inhibitor therapy and literature review. Ann Diagn Pathol, 26: 16-22.
83223	Yamada K, Oshiro Y, Okamura S, et al (2015). Clinicopathological characteristics and rituximab addition to cytotoxic therapies in patients with rheumatoid arthritis and methotrexate-associated large B lymphoproliferative disorders. Histopathology, 67(1): 70-80.
43271	Yamane GK (2006). Cancer incidence in the U.S. Air Force: 1989-2002. Aviation, Space, and Environmental Medicine, 77(8): 789-94.
83110	Yang L, Dong J, Jiang S, et al (2015). Red and processed meat consumption increases risk for non-Hodgkin lymphoma. Medicine, 94(45): e1729.
83465	Yanik EL, Smith JM, Shiels MS, et al (2017). Cancer risk after pediatric solid organ transplantation. Pediatrics, 139(5): pii: e20163893.
83168	Yates WB, Vajdic CM, Na R, et al (2015). Malignancy risk in patients with inflammatory eye disease treated with systemic immunosuppressive therapy: A tertiary referral cohort study. Ophthalmology, 122(2): 265-73.
83118	Ye X, Casaclang N, Mahmud SM (2015). Use of non-steroidal anti-inflammatory drugs and risk of non-Hodgkin lymphoma: a systematic review and meta-analysis. Hematol Oncol, 33(4): 176-86.
79981	Ye X, Mneina A, Johnston JB, et al (2017). Associations between statin use and non-Hodgkin lymphoma (NHL) risk and survival: a meta-analysis. Hematological Oncology, 35(2): 206-14.
83347	Yi HZ, Cen JJ, Cen H, et al (2014). Association between infection of hepatitis B virus and onset risk of B-cell non-Hodgkin's lymphoma: a systematic review and a meta-analysis. Med Oncol, 31(8): 84.
50668	Yood MU, Quesenberry CP Jr, Guo D, Caldwell C, et al (2007). Incidence of non-Hodgkin's lymphoma among individuals with chronic hepatitis B virus infection. Hepatology, 46: 107-12.

26162	Yoshida EM, et al; Vallisa D, et al (2000). Hepatitis C and B-cell non-Hodgkin's lymphoma: a geographically variable association? <i>Am J Med</i> , 108(4): 350-1.
26371	Yoshino T, Miyake K, Ichimura K (2000). Increased incidence of follicular lymphoma in the duodenum. <i>The American Journal of Surgical Pathology</i> , 24(5): 688-93.
45822	Youakim S (2006). Risk of cancer among firefighters: a quantitative review of selected malignancies. <i>Archives of Environmental & Occupational Health</i> , 61(5): 223-31.
45879	Young AL, Giesy JP, Jones PD, et al (2004). Environmental fate and bioavailability of Agent Orange and its associated dioxin during the Vietnam War. <i>Environ Sci Pollut Res Int</i> , 11(6): 359-70.
45880	Young AL, Newton M (2004). Long overlooked historical information on Agent Orange and TCDD following massive applications of 2,4,5-T-containing herbicides, Eglin Air Force Base, Florida. <i>Environ Sci Pollut Res Int</i> , 11(6): 209-21.
45701	Young AL, Regens JL (2005). Serum TCDD levels and health effects from elevated exposure: medical and scientific evidence. <i>ESPR</i> , 12(1): 1-4.
26163	Young GA (1999). Lymphoma at uncommon sites. <i>Hematol Oncol</i> , 17(2): 53-83.
8927	Young N (1989). Editorial: Benzene and lymphoma. <i>American Journal of Industrial Medicine</i> , 15: 495-8.
32406	Younger IR, Harris DW, Colver GB (1991). Azathioprine in dermatology. <i>J Am Acad Dermatol</i> , 25(2 Pt 1): 281-86.
81590	Younossi Z, Park H, Henry L, et al (2016). Extrahepatic manifestations of Hepatitis C: a meta-analysis of prevalence, quality of life, and economic burden. <i>Gastroenterol</i> , 150(7): 1599-608.
13891	Yu GP, Ostroff JS, Zhang Z-F, Tang J et al (1997). Smoking history and cancer patient survival: a hospital cancer registry study. <i>Cancer Detection and Prevention</i> , 21(6): 497-509.
26531	Yukiiri K, Mizushige K, Ueda T, et al (2001). Second primary cardiac B-cell lymphoma after radiation therapy and chemotherapy--a case report. <i>Angiology</i> , 52(8): 563-5.
83272	Zablotska LB, Lane RS, Frost SE, et al (2014). Leukemia, lymphoma and multiple myeloma mortality (1950-1999) and incidence (1969-1999) in the Eldorado uranium workers cohort. <i>Environ Res</i> , 130: 43-50.
14764	Zahm SH (1997). Mortality study of pesticide applicators and other employees of a lawn care service company. <i>Journal of Occupational & Environmental Medicine</i> , 39(11): 1055-67.
26226	Zahm SH, Hoffman-Goetz L, Dosemeci M, (1999). Occupational physical activity and non-Hodgkin's lymphoma. <i>Med Sci Sports Exerc</i> , 31(4): 566-71.
14649	Zahm SH, Weisenburger DD, Babbitt PA et al (1990). A case-control study of non-Hodgkin's lymphoma and the herbicide 2,4-dichlorophenoxyacetic acid (2,4 -D) in eastern Nebraska. <i>Epidemiology</i> , 1: 349-56.
12939	Zahm SH, Weisenburger DD, Holmes FF, Cantor KP, et al (1997). Tobacco and non-Hodgkin's lymphoma: combined analysis of three case-control studies (United States). <i>Cancer Causes & Control</i> , 8(2): 159-66.
13045	Zahm SH, Weisenburger DD, Holmes FF, Cantor KP, et al (1997). Tobacco and non-Hodgkin's lymphoma: combined analysis of three case-control studies. (US). <i>Cancer Causes & Control</i> , 8(2): 159-66.
3076	Zahm SH, Weisenburger DD, Cantor KP, Holmes FF, Blair A (1993). Role of the herbicide atrazine in the development of non-Hodgkin's lymphoma. <i>Scand J Work Environ Health</i> , 19(2): 108-14.

85802	Zani C, Ceretti E, Covolo L, et al (2017). Do polychlorinated biphenyls cause cancer? A systematic review and meta-analysis of epidemiological studies on risk of cutaneous melanoma and non-Hodgkin lymphoma. <i>Chemosphere</i> , 183: 97-106.
27804	Zeiger E, Smith L (1998). The first international conference on the environmental health and safety of jet fuel. <i>Environmental Health Perspectives</i> , 106(11): 763-64.
51896	Zekri A-R, Mohamed W, Bahnassy A, Refat L, et al (2007). Detection of simian virus 40 DNA sequences in Egyptian patients with different hematological malignancies. <i>Leukemia & Lymphoma</i> , 48(9): 1828-34.
35337	Zendehdel K, Nyren O, Ostenson CG, et al (2003). Cancer incidence in patients with Type I diabetes mellitus: a population-based cohort study in Sweden. <i>J Natl Cancer Inst</i> , 95(23): 1797-1800.
25563	Zhang L, Rothman N, Wang Y, et al (1996). Interphase cytogenetics of workers exposed to Benzene. <i>Environmental Health Perspectives</i> , 104(Suppl 6): 1325-9.
85782	Zhang LL, Wei JY, Wang L, et al (2017). Human T-cell lymphotropic virus type 1 and its oncogenesis. <i>Acta Pharmacologica Sinica</i> , 38(8): 1093-103.
26140	Zhang S, Hunter DJ, Rosner BA, et al (1999). Dietary fat and protein in relation to risk of non-Hodgkin's lymphoma among women. <i>J Natl Cancer Inst</i> , 91(20): 1751-1758.
26172	Zhang SM, Calle EE, Petrelli JM, et al (2001). Vitamin supplement use and fatal non-Hodgkin's lymphoma among US men and women. <i>Am J Epidemiol</i> , 153(11): 1064-1070.
26173	Zhang SM, Giovannucci EL, Hunter DJ, et al (2001). Vitamin supplement use and the risk of non-Hodgkin's lymphoma among women and men. <i>Am J Epidemiol</i> , 153(11): 1056-1063.
26097	Zhang SM, Hunter DJ, Rosner BA, Giovannucci EL, Colditz GA, Speizer FE, Willett WC (2000). Intakes of fruits, vegetables, and related nutrients and the risk of non-Hodgkin's lymphoma among women. <i>Cancer Epidemiol Biomarkers Prev</i> , 9(5): 477-85.
53839	Zhang W, Jiang S-P, Huang L (2009). Dermatomyositis and malignancy: a retrospective study of 115 cases. <i>Eur Rev Med Pharmacol Sci</i> , 13: 77-80.
50641	Zhang Y, Coogan PF, Palmer JR, et al (2006). Risk of non-Hodgkin lymphoma and use of non-steroidal anti-inflammatory drugs. <i>Cancer Detection and Prevention</i> , 30: 99-101.
52335	Zhang Y, De Sanjose S, Bracci PM, Morton LM, et al (2008). Personal use of hair dye and the risk of certain subtypes of non-Hodgkin lymphoma. <i>Am J Epidemiol</i> , 167(11): 1321-31.
55872	Zhang Y, Holford TR, Leaderer B, Boyle P, et al (2004). Hair-coloring product use and risk of non-Hodgkin's lymphoma: a population-based case-control study in Connecticut. <i>Am J Epidemiol</i> , 159(2): 148-54.
52334	Zhang Y, Holford TR, Leaderer B, Boyle P, et al (2004). Blood transfusion and risk of non-Hodgkin's lymphoma in Connecticut women. <i>Am J Epidemiol</i> , 160(4): 325-30.
52333	Zhang Y, Holford TR, Leaderer B, Boyle P, et al (2007). Ultraviolet radiation exposure and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 165(11): 1255-64.
32844	Zhang Y, Holford TR, Leaderer B, et al (2004). Prior medical conditions and medication use and risk of non-Hodgkin lymphoma in Connecticut United States women. <i>Cancer Causes and Control</i> , 15: 419-28.
88950	Zhang Y, Kim C, Zheng T, et al (2012). Hair dye use and risk of human cancer. <i>Front Biosci (Elite Ed)</i> , 4: 516-28.

83356	Zhang Y, Wei Z, Li J, et al (2015). Molecular pathogenesis of lymphomas of mucosa-associated lymphoid tissue--from (auto)antigen driven selection to the activation of NF- κ B signaling. <i>Science China. Life Sciences</i> , 58(12): 1246-55.
43554	Zhao Y, Krishnadasan A, Kennedy N, Morgenstern H, Ritz B (2005). Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. <i>Am J Ind Med</i> , 48(4): 249-58.
87646	Zheng R, Zhang Q, Zhang Q, et al (2015). Occupational exposure to pentachlorophenol causing lymphoma and hematopoietic malignancy for two generations. <i>Toxicol Ind Health</i> , 31(4): 328-42.
26187	Zheng T, Blair A, Zhang Y, et al (2002). Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. <i>J Occup Environ Med</i> , 44(5): 469-74.
26126	Zheng T, Owens PH (2000). [Comment] Sunlight and non-Hodgkin's lymphoma. <i>Int J Cancer</i> , 87(6): 884-5.
26188	Zheng T, Zahm SH, Cantor KP, et al (2001). Agricultural exposure to carbamate pesticides and risk of non-Hodgkin lymphoma. <i>J Occup Environ Med</i> , 43(7): 641-9.
9918	Zhong Y, Rafnsson V (1996). Cancer incidence among Icelandic pesticide users. <i>International Journal of Epidemiology</i> , 25(6): 1117-24.
51913	Zhou Y, Wang H, Fang W, Romaguera JE, et al (2008). Incidence trends of mantle cell lymphoma in the United States between 1992 and 2004. <i>Cancer</i> , 113: 791-8.
26578	Zhu D, Thompsett AR, Bedu-Addo G, Stevenson FK, Bates I (1999). VH gene sequences from a novel tropical splenic lymphoma reveal a naive B cell as the cell of origin. <i>Br J Haematol</i> , 107(1): 114-20.
52336	Zhu Y, Zheng T (2008). Clock-cancer connection in non-Hodgkin's lymphoma. <i>Med Hypotheses</i> , 70(4): 788-92.
49250	Zignego AL, Giannini C, Ferri C (2007). Hepatitis C virus-related lymphoproliferative disorders: an overview. <i>World J Gastroenterol</i> , 13(17): 2467-78.
52368	Zintzaras E, Voulgarelis M, Moutsopoulos HM (2005). The risk of lymphoma development in autoimmune diseases. <i>Arch Intern Med</i> , 165: 2337-44.
83346	Zucca E, Bertoni F (2016). The spectrum of MALT lymphoma at different sites: biological and therapeutic relevance. <i>Blood</i> , 127(17): 2082-92.
55873	Zucca E, Bertoni F (2006). Chlamydia or not chlamydia, that is the question: which is the microorganism associated with MALT lymphomas of the ocular adnexa? <i>J Natl Cancer Inst</i> , 98(19): 1348-9.
83185	Zucca E, Copie-Bergman C, Ricardi U, et al (2013). Gastric marginal zone lymphoma of MALT type: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Ann Oncol</i> , 24(Suppl 6): vi144-8.
26192	Zucca E, Roggero E, Maggi-Solca N, et al (2000). Prevalence of <i>Helicobacter pylori</i> and hepatitis C virus infections among non-Hodgkin's lymphoma patients in Southern Switzerland. <i>Haematologica</i> , 85(2): 147-53.