



## OTITIC BAROTRAUMA

RMA ID Number	Reference List for RMA236-3 as at December 2016
---------------	---

62765	Al-Khudari S, Loochtan M, Yaremchuk K (2011). Roller coaster-induced barotrauma. <i>The Laryngoscope</i> , 121: 501-2.
33622	Ayers DE, Mercer SJ, Glover M (2003). Common medical disorders related to diving--prevention, diagnosis and fundamentals of treatment. Part 1: Diving disorders that do not require recompression. <i>J R Army Med Corps</i> , 149(1): 15-22.
79055	Azizi MH (2011). Ear disorders in scuba divers. <i>Int J Occup Environ Health</i> , 2(1): 20-6.
63344	Bennett MH, Mitchell SJ (2012). Hyperbaric and diving medicine. Adverse effects of therapy. Chapter e52, . Retrieved 13 February 2012, from <a href="http://accessmedicine.com/content.aspx?aID=9151570">http://accessmedicine.com/content.aspx?aID=9151570</a>
63345	Bennett MH, Mitchell SJ (2012). Hyperbaric and diving medicine. Diving medicine. Chapter e52, . Retrieved 13 February 2012, from <a href="http://www.accessmedicine.com/content.aspx?aID=9151555">http://www.accessmedicine.com/content.aspx?aID=9151555</a>
63000	Benton P (2002). Submarine escape trails 1999-2001- Provision of medical support. <i>J Royal Naval Medical Service</i> , 88(3): 108-15.
63003	Bessereau J, Tabah A, Genotelle N, Francais A, Coulange M, Annane D (2010). Middle-ear barotrauma after hyperbaric oxygen therapy. <i>Undersea and Hyperbaric Medicine</i> , 37(4): 203-208.
20893	Beuerlein M, Nelson RN & Welling B (1997). Inner and middle ear hyperbaric oxygen-induced barotrauma. <i>Laryngoscope</i> , 107: 1350-6.
51029	Bier M, Chen W, Bodnar E, Lee RC (2005). Biophysical injury mechanisms associated with lightning injury. <i>NeuroRehabilitation</i> , 20: 53-62.
20892	Blanshard J, Toma A, Bryson P & Williamson P (1996). Middle ear barotrauma in patients undergoing hyperbaric oxygen therapy. <i>Clin Otolaryngol</i> , 21: 400-3.
79051	Bove AA (2014). Diving medicine. <i>Am J Respir Crit Care Med</i> , 189(12): 1479-86.
62764	Breeze J, Cooper H, Pearson CR, Henney S, Reid A (2011). Ear injuries sustained by British service personnel subjected to blast trauma. <i>The Journal of Laryngology &amp; Otology</i> , 125: 13-7.
37417	Butler WP (2004). Caisson disease during the construction of the Eads and Brooklyn Bridges: A review. <i>Undersea Hyperb Med</i> , 31(4): 445-59.
79191	C MO (2002). Medical support for the North East Line Mass Rapid Transit project by the Republic of Singapore Navy's Naval Medicine Hyperbaric Centre. <i>Singapore Med J</i> , 43(9): 463-6.
20903	Carvalho MD, Shockley TW (1998). Diving injuries. <i>Emergency Medicine: Concepts and Clinical Practice</i> , 4th edition, : 1022-31. St Louis: Mosby.
62770	Cave KM, Cornish EM, Chandler DW (2007). Blast injury of the ear: clinical update from the global war on terror. <i>Mil Med</i> , 172(7): 726-30.
79955	Centre for Military & Veterans' Health (2006). Oberon Class Submarine Occupational Hygiene Project. Final Report, . Department of Defence.

63346	Chandy D, Weinhouse GL (2011). Complications of scuba diving. . Retrieved 13 February 2012, from <a href="http://uptodate.com/contents/complications-of-scuba-diving">http://uptodate.com/contents/complications-of-scuba-diving</a>
55140	Cherington M (2003). Neurologic manifestations of lightning strikes. <i>Neurology</i> , 60: 182-5.
51025	Cherington M (2005). Spectrum of neurologic complications of lightning injuries. <i>NeuroRehabilitation</i> , 20: 3-8.
20806	Clenney TL, & Lassen LF (1996). Recreational scuba diving injuries. <i>American Family Physician</i> , 53: 1761-7.
79053	Commons KH, Blake DF, Brown LH (2013). A prospective analysis of independent patient risk factors for middle ear barotrauma in a multiplace hyperbaric chamber. <i>Diving and Hyperbaric Medicine</i> , 43(3): 143-7.
20902	Davenport NA (1997). Predictors of barotrauma events in a Navy altitude chamber. <i>Aviation, Space, and Environmental Medicine</i> , 68: 61-5.
37351	DeGorordo A, Vallejo-Manzur F, Chanin K, Varon J (2003). Diving emergencies. <i>Resuscitation</i> , 59(2): 171-80.
39952	DePalma RG, Burris DG, Champion HR, Hodgson MJ (2005). Blast injuries. <i>N Engl J Med</i> , 352(13): 1335-42.
63348	Dorland's Illustrated Medical Dictionary (2012). Barotitis media. .
20900	Farmer JC & Gillespie CA (1997). Pathophysiology of the ears and nasal sinuses in flight and diving. In Scott-Brown's Otolaryngology Kerr AG, 6th Edition, : 1/7/1-1/7/32. Boston: Butterworth-Heinemann.
37453	Files DS, Webb JT, Pilmanis AA (2005). Depressurization in military aircraft: rates, rapidity, and health effects for 1055 incidents. <i>Aviat Space Environ Med</i> , 76(6): 523-9.
20808	Fitzpatrick DT, Franck BA, Mason KT, Shannon SG (1999). Risk factors for symptomatic otic and sinus barotrauma in a multiplace hyperbaric chamber. <i>Undersea and Hyperbaric Medicine</i> , 26: 243-7.
63115	Friedman SI, Sasaki CT (1975). Hearing loss during resuscitation. <i>Arch Otolaryngol</i> , 101: 385-6.
62771	Goplen FK, Gronning M, Irgens A, Sundal E, Nordahl SH (2007). Vestibular symptoms and otoneurological findings in retired offshore divers. <i>Aviat Space Environ Med</i> , 78(4): 414-9.
62768	Gutovitz S, Weber K, Kaciuban S, Colern R, Papa L, Giordano P (2008). Middle ear pressure and symptoms after skydiving. <i>Aviat Space Environ Med</i> , 79(5): 533-6.
57863	Hardin MF, Barker M, Neis PR (2003). Sensorineural hearing loss as a result of cliff jumping. <i>J Ark Med Soc</i> , 99(10): 327-30.
20805	Harril WC, Jenkins HA, & Coker NJ (1996). Barotrauma after stapes surgery: a survey of recommended restrictions and clinical experiences. <i>American Journal of Otology</i> , 17: 835-46.
62778	Helling ER (2004). Otologic blast injuries due to the Kenya Embassy bombing. <i>Mil Med</i> , 11: 872-6.
79193	Heyboer M III, Wojcik SM, Grant WD, et al (2014). Middle ear barotrauma in hyperbaric oxygen therapy. <i>Undersea &amp; Hyperbaric Medicine</i> , 41(5): 393-7.
63114	Hochermann M, Reimer A (1987). Hearing loss after general anaesthesia: a case report and review of literature. <i>J Laryngol Otol</i> , 101: 1079-82.
78495	Ireland B (2003). <i>Battle of the Atlantic</i> , : 190. Pen & Sword Books, Barnsley UK.
62766	Karahatay S, Yilmaz YF, Birkent H, Ay H, Satar B (2008). Middle ear barotrauma with hyperbaric oxygen therapy: incidence and the predictive value of the nine-step inflation/deflation test and otoscopy. <i>Ear Nose Throat J</i> , 87(12): 684-8.
62780	Klingmann C, Benton P, Schellinger P, Knauth M (2004). A safe treatment concept for divers with acute inner ear disorders. <i>The Laryngoscope</i> , 114: 2048-50.

50561	Klingmann C, Praetorius M, Baumann I, Plinkert PK (2007). Otorhinolaryngologic disorders and diving accidents: an analysis of 306 divers. <i>Eur Arch Otorhinolaryngol</i> , 264: 1243-51.
63002	Landolfi A, Autore A, Torchia F, Appiani MC, Morgagni F, Appiani GC (2010). Ear pain after breathing oxygen at altitude: prevalence and prevention of delayed barotrauma. <i>Aviat Space Environ Med</i> , 81(2): 130-2.
63001	Landolfi A, Torchia F, Autore A, Appiani MC, Morgagni F, Appiani GC (2009). Acute otitic barotrauma during hypobaric chamber training: Prevalence and prevention. <i>Aviat Space Environ Med</i> , 80(12): 1059-62.
62775	Mirza S, Richardson H (2005). Otic barotrauma from air travel. <i>The Journal of Laryngology &amp; Otology</i> , 119: 366-70.
79192	Morgagni F, Autore A, Landolfi A, et al (2012). Predictors of ear barotrauma in aircrews exposed to simulated high altitude. <i>Aviat Space Environ Med</i> , 83(6): 594-7.
63004	Morgagni F, Autore A, Landolfi A, Torchia F, Appiani C (2010). Altitude chamber related adverse effects among 1241 airmen. <i>Aviat Space Environ Med</i> , 81(9): 873-77.
79253	Morvan JB, Gempp E, Riviere D, et al (2016). Perilymphatic fistula after underwater diving: a series of 11 cases. <i>Diving and Hyperbaric Medicine</i> , 46(2): 72-5.
62779	Mrena R, Paakkonen R, Back L, Pirvola U, Ylikoski J (2004). Otologic consequences of blast exposure: a Finnish case study of a shopping mall bomb explosion. <i>Acta Otolaryngol</i> , 124: 946-52.
63356	Mutzbauer TS, Neubauer B, Mueller PH, Sigg O, Tetzlaff K (2001). Can eustachian tube ventilatory function impairment after oxygen diving be influenced. , 111: 861-6.
78926	O'Donnell SW, Horn WG (2014). Initial review of the U.S. Navy's pressurized submarine escape training outcomes. <i>Undersea &amp; Hyperbaric Medicine</i> , 41(1): 33-40.
52127	Offiah C, Heran M, Graeb D (2007). Lightning strike: a rare cause of bilateral ossicular disruption. <i>AJNR</i> , 28: 974-5.
55353	Ohashi M, Hosoda Y, Fujishiro Y, Tuyuki A, et al (2001). Lightning injury as a blast injury of skull, brain, and visceral lesion: clinical and experimental evidences. <i>Keio J Med</i> , 50(4): 257-62.
63349	Peral-Gutierrez de Ceballos J, Turegano-Fuentes F, Perez-Diaz D, Sanz-Sanchez M, Martin-Llorente C, Guerrero-Sanz JE (2004). 11 March 2004: The terrorist bomb explosions in Madrid, Spain - an analysis of the logistics, injuries sustained and clinical management of casualties treated at the closest hospital. <i>Crit Care</i> , 9(1): 104-11.
20901	Plafki C, Peters P, Almeling M, Welslau W & Busch R (2000). Complications and side effects of hyperbaric oxygen therapy. <i>Aviation, Space, and Environmental Medicine</i> , 71: 119-24.
62763	Prasad BK (2011). ENT morbidity at high altitude. <i>The Journal of Laryngology &amp; Otology</i> , 125: 188-92.
62767	Ritenour AE, Baskin TW (2008). Primary blast injury: Update on diagnosis and treatment. <i>Crit Care Med</i> , 36(7 Suppl): S311-7.
54468	Rosenkvist L, Klokke M, Katholm M (2008). Upper respiratory infections and barotraumas in commercial pilots: a retrospective study. <i>Aviat Space Environ Med</i> , 79(10): 960-3.
62776	Salvinelli F, Agro F, D'Ascanio L (2005). [Comment] Middle ear barotrauma in general anesthesia: special care. <i>J Clin Anesth</i> , 17(3): 236-7.
20807	Sheridan MF, Hetherington HH & Hull JJ (1999). Inner ear barotrauma from scuba diving. <i>ENT-Ear, Nose &amp; Throat Journal</i> , 78: 181-95.
62772	Shupak A (2006). Recurrent diving-related inner ear barotrauma. <i>Otol Neurotol</i> , 27: 1193-6.

62783	Shupak A, Gil A, Nachum Z, Miller S, Gordon CR, Tal D (2003). Inner ear decompression sickness and inner ear barotrauma in recreational divers: a long-term follow-up. <i>The Laryngoscope</i> , 113: 2141-7.
63357	Shupak A, Tabari R, Swarts D, Bluestone CD, Doyle WJ (1997). Effects of systemic hyperoxia on eustachian tube ventilatory function. <i>Laryngoscope</i> , 107: 1409-13.
62781	Stangerup SE, Klokke M, Vesterhauge S, Jayaraj S, Rea P, Harcourt J (2004). Point prevalence of barotitis and its prevention and treatment with nasal balloon inflation: a prospective, controlled study. <i>Otol Neurotol</i> , 25: 89-94.
33596	Taylor DM, O'Toole KS, Ryan CM (2003). Experienced scuba divers in Australia and the United States suffer considerable injury and morbidity. <i>Wilderness Environ Med</i> , 14(2): 83-8.
62774	Toklu AS, Shupak A, Yildiz S, Aktas S, et al (2005). Aural barotrauma in submarine escape: Is mastoid pneumatization of significance? <i>The Laryngoscope</i> , 115: 1305-9.
62785	Tungsinmunkong S, Chongkolwatana C, Piyawongvisal W, Atipas S, Namchareonchaisuk S (2007). Blast injury of the ears: the experience from Yala Hospital, Southern Thailand. <i>J Med Assoc Thai</i> , 90(12): 2662-7.
62769	Turegano-Fuentes F, Caba-Doussoux P, Jover-Navalon JM, Martin-Perez E, et al (2008). Injury patterns from major urban terrorist bombings in trains: the Madrid experience. <i>World J Surg</i> , 32: 1168-75.
20804	Ueda H, Miyazawa T, & Yanagita N (1996). Eustachian tube function and middle ear barotrauma associated with extremes in atmospheric pressure. <i>Ann Otol Rhinol Laryngol</i> , 105: 887-92.
62777	Uzun C (2005). Evaluation of pre-dive parameters related to eustachian tube dysfunction for symptomatic middle ear barotrauma in divers. <i>Otol Neurotol</i> , 26: 59-64.
62784	Uzun C, Adali MK, Koten M, Yagiz R, et al (2002). Relationship between mastoid pneumatization and middle ear barotrauma in divers. <i>The Laryngoscope</i> , 112: 287-91.
62773	Vahidova D, Sen P, Papesch M, Zein-Sanchez MP, Mueller PH (2006). Does the slow compression technique of hyperbaric oxygen therapy decrease the incidence of middle-ear barotrauma? <i>The Journal of Laryngology &amp; Otology</i> , 120: 446-9.
63347	Vernick DM (2011). Ear barotrauma. . Retrieved 13 February 2012, from <a href="http://www.uptodate.com/contents/ear-barotrauma">http://www.uptodate.com/contents/ear-barotrauma</a>
79054	Wang P, Zhang XM, Zhai ZH, et al (2013). MRI findings of otic and sinus barotrauma in patients with carbon monoxide poisoning during hyperbaric oxygen therapy. <i>PLoS One</i> , 8(6): e65672.
79956	Wikipedia (2016). Submarine snorkel. . Retrieved 21 November 2016, from <a href="https://en.wikipedia.org/wiki/Submarine_snorkel">https://en.wikipedia.org/wiki/Submarine_snorkel</a>
62782	Yildiz S, Ay H, Gunay A, Yaygili S, Aktas S (2004). Submarine escape from depths of 30 and 60 feet: 41,183 training ascents without serious injury. <i>Aviat Space Environ Med</i> , 75(3): 269-71.
79052	Zanotta C, Dagassan-Berndt D, Nussberger P, et al (2014). Barodontalgias, dental and orofacial barotraumas. <i>Swiss Dental Journal</i> , 124(5): 510-4.