



RENAL ARTERY ATHEROSCLEROTIC DISEASE

RMA ID Number	Reference List for RMA289-4 as at August 2022
---------------	-----------------------------------------------

93419	Aboyans V, Desormais I, Magne J, et al (2017). Renal artery stenosis in patients with peripheral artery disease: Prevalence, risk factors and long-term prognosis. Eur J Vasc Endovasc Surg, 53(3): 380-5.
93436	Aboyans V, Tanguy B, Desormais I, et al (2014). Prevalence of renal artery disease and its prognostic significance in patients undergoing coronary bypass grafting. Am J Cardiol, 114(7): 1029-34.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
59690	Aggarwal A, Kapoor K, Singh B (2009). Prevalence and severity of atherosclerosis in renal artery in northwest Indian population: an autopsy study. Surg Radiol Anat, 31(5): 349-56.
94593	Ali A, Mishler D, Taber T, et al (2015). Long-term outcomes of transplant recipients referred for angiography for suspected transplant renal artery stenosis. Clin Transplant, 29(9): 747-55.
80745	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of Atomic Radiation Exposure in Australian Service Personnel in South West Japan 1946-52, Commonwealth Department of Veterans' Affairs.
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Fact sheet: Ionising radiation and health. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Radiation basics - ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm

80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
61297	Badr KF, Brenner BM (2011). Vascular injury to the kidney. Retrieved 25 July 2011, from http://accessmedicine.com/popup.aspx?aID=2874742&print=yes_chapter
11910	Badr KF, Brenner BM (1994). Harrison's Principles of Internal Medicine. Harrison's Principles of Internal Medicine, 13th Edition, 243: 1319-23. McGraw Hill, New York.
9698	Badr KF, Brenner BM (1994). Vascular injury to the kidney. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 243: 1319-23.
59906	Baggio B (2000). Ischemic renal disease: impact of cardiovascular risk factors and smoking. <i>Contrib Nephrol</i> , 130: 68-74.
94558	Barrons RW, Woods JA (2016). The roles of ACE inhibitors in lower extremity peripheral artery disease. <i>Am J Ther</i> , 23(1): e7-15.
61296	Bax L, Woittiez AJ, Kouwenberg HJ, et al (2009). Stent placement in patients with atherosclerotic renal artery stenosis and impaired renal function. <i>Ann Intern Med</i> , 150(12): 840-8.
94590	Bazemore TC, Meredith D, Bumgarner JM, et al (2013). Relation of pulse and systolic and mean blood pressure to severe renal artery stenosis in patients undergoing concurrent coronary and renal angiography. <i>Am J Cardiol</i> , 111(11): 1547-51.
94612	Behzadi AH, Kamali K, Zargar M, et al (2014). Obesity and urologic complications after renal transplantation. <i>Saudi J Kidney Dis Transpl</i> , 25(2): 303-8.
94560	Bello AK, Hemmelgarn B, Lloyd A, et al (2011). Associations among estimated glomerular filtration rate, proteinuria, and adverse cardiovascular outcomes. <i>Clin J Am Soc Nephrol</i> , 6(6): 1418-26.
12855	Bender W, La France N, Walker WG (1984). Mechanism of deterioration in renal function in patients with renovascular hypertension treated with enalapril. <i>Hypertension</i> , 6(2 Pt 2): I193-7.
93440	Benjamin MM, Fazel P, Filardo G, et al (2014). Prevalence of and risk factors of renal artery stenosis in patients with resistant hypertension. <i>Am J Cardiol</i> , 113(4): 687-90.
60752	Berent H, Kuczynska K, Wocial B, et al (2003). [Non-traditional atherosclerosis risk factors in patients with renal artery stenosis and hypertension]. <i>Pol Merkur Lekarski</i> , 15(88): 380-1; discussion 381-2 [Article in Polish]. [Abstract]
93418	Bhamra-Ariza P, Rao S, Muller DW (2014). Renal artery stenosis following renal percutaneous denervation. <i>Cathet Cardiovasc Interv</i> , 84(7): 1180-3.
94583	Bhargava S, Manocha A, Kankra M, et al (2012). Homocysteine in occlusive vascular disease: A risk marker or risk factor. <i>Indian J Biochem Biophys</i> , 49(6): 414-20.
94610	Bhatt DL, Kandzari DE, O'Neill WW, et al (2014). A controlled trial of renal denervation for resistant hypertension. <i>N Engl J Med</i> , 370(15): 1393-401.
11912	Bierman EL (1994). Disorders of the Vascular System. Harrison's Principles of Internal Medicine, 13th Edition, 2: 1115. McGraw Hill, New York.
11914	Black HR, Cooper KA (1986). Cigarette smoking and atherosclerotic renal artery stenosis. <i>J Clin Hypertens</i> , 2(4): 322-30.

59854	Bloch MJ, Basile J (2006). Clinical insights into the diagnosis and management of atherosclerotic renal artery disease. <i>Curr Atheroscler Rep</i> , 8(5): 412-20.
59902	Braam B (2010). Nontraditional and traditional factors in renal atherosclerosis. <i>Neth J Med</i> , 68(1): 3-4.
94720	Braga AF, Catto RC, Dalio MB, et al (2015). Endovascular approach to transplant renal artery stenosis. <i>Ann Transplant</i> , 20: 698-706.
94725	Bull AS, Piovesan AC, Marchini GS, et al (2019). Outcomes of endovascular treatment of renal arterial stenosis in transplanted kidneys. <i>Int Braz J Urol</i> , 45(5): 925-31.
60758	Buller CE, Nogareda JG, Ramanathan K, et al (2004). The profile of cardiac patients with renal artery stenosis. <i>J Am Coll Cardiol</i> , 43(9): 1606-13.
93415	Burchell AE, Rodrigues JC, Charalambos M, et al (2017). Comprehensive first-line magnetic resonance imaging in hypertension: Experience from a single-center tertiary referral clinic. <i>J Clin Hypertens (Greenwich)</i> , 19(1): 13-22.
93430	Burlacu A, Siriopol D, Voroneanu L, et al (2015). Atherosclerotic renal artery stenosis prevalence and correlations in acute myocardial infarction patients undergoing primary percutaneous coronary interventions: Data from nonrandomized single-center study (REN-ACS)-A single center, prospective, observational study. <i>J Am Heart Assoc</i> , 4(10): e002379.
61290	Caps MT, Perissinotto C, Zierler RE, et al (1998). Prospective study of atherosclerotic disease progression in the renal artery. <i>Circulation</i> , 98(25): 2866-72.
43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-Country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiat Res</i> , 167(4): 396-416.
79905	Carter BD, Abnet CC, Feskanich D, et al (2015). Smoking and mortality - beyond established causes. <i>N Engl J Med</i> , 372(7): 631-40.
80746	Carter M, Robotham F, Wise K, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 1: Dosimetry. Commonwealth of Australia.
93433	Catena C, Colussi G, Nait F, et al (2015). Plasma lipoprotein(a) levels and atherosclerotic renal artery stenosis in hypertensive patients. <i>Kidney Blood Press Res</i> , 40(2): 166-75.
80747	Centers for Disease Control and Prevention (CDC) (2015). Radioisotope brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
94613	Chandra AP, Marron CD, Puckridge PP, et al (2015). Severe bilateral renal artery stenosis after transluminal radiofrequency ablation of renal sympathetic nerve plexus. <i>J Vasc Surg</i> , 62(1): 222-5.
94588	Chen LX, De Mattos A, Bang H, et al (2018). Angioplasty vs stent in the treatment of transplant renal artery stenosis. <i>Clin Transplant</i> , 32(4): e13217.
11916	Chiang VL, Castleden WM, Leahy MF (1992). Detection of reversible platelet aggregates in the blood of smokers and ex-smokers with peripheral vascular disease. <i>Med J Aust</i> , 156(9): 601-3.
12861	Choudhri AH, Cleland JG, Rowlands PC, et al (1990). Unsuspected renal artery stenosis in peripheral vascular disease. <i>BMJ</i> , 301(6762): 1197-8.
93434	Chrysant SG (2014). Treatment of hypertension in patients with atherosclerotic renal artery stenosis, updated. <i>Postgrad Med</i> , 126(7): 59-67.
94469	Chrysant SG, Chrysant GS (2018). The current status of homocysteine as a risk factor for cardiovascular disease: a mini review. <i>Expert Rev Cardiovasc Ther</i> , 16(8): 559-65.

94561	Chrysochou C, Foley RN, Young JF, et al (2012). Dispelling the myth: the use of renin-angiotensin blockade in atheromatous renovascular disease. <i>Nephrol Dial Transplant</i> , 27(4): 1403-9.
59696	Chrysochou C, Kalra PA (2009). Epidemiology and natural history of atherosclerotic renovascular disease. <i>Prog Cardiovasc Dis</i> , 52(3): 184-95.
93425	Cianci R, Barbano B, Gigante A, et al (2016). Early pre-occlusive bilateral renal artery stenosis after renal denervation. <i>Int J Cardiol</i> , 225: 96-8.
94329	Cianci R, Martina P, Gigante A, et al (2013). Predictor factors for renal outcome in renal artery stenosis. <i>Eur Rev Med Pharmacol Sci</i> , 17(4): 507-12.
94562	Cooper CJ, Murphy TP, Cutlip DE, et al (2014). Stenting and medical therapy for atherosclerotic renal-artery stenosis. <i>N Engl J Med</i> , 370(1): 13-22.
94609	Cordeanu ME, Gaertner S, Bronner F, et al (2014). [Comment] Neointimal thickening resulting in artery stenosis following renal sympathetic denervation. <i>Int J Cardiol</i> , 177(3): e117-9.
60437	Courreges JP, Bacha J, Aboud E, et al (2000). Prevalence of renal artery stenosis in type 2 diabetes. <i>Diabetes Metab</i> , 26(Suppl 4): 90-6.
11918	Creager MA, Dzau VJ (1994). Disorders of the Vascular System. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, 2: 1135. McGraw Hill, New York.
94328	Cully M (2013). [Comment] The benefits and challenges of smoking cessation. <i>Nat Rev Cardiol</i> , 10(3): 117. Comment on ID: 94327.
94594	Cuspidi C, Dell'Oro R, Sala C, et al (2017). Renal artery stenosis and left ventricular hypertrophy: an updated review and meta-analysis of echocardiographic studies. <i>J Hypertens</i> , 35(12): 2339-45.
59692	Davis RP, Pearce JD, Craven TE, et al (2009). Atherosclerotic renovascular disease among hypertensive adults. <i>J Vasc Surg</i> , 50(3): 564-70,571.e1-3; discussion 571.
59689	de Mast Q, Beutler JJ (2009). The prevalence of atherosclerotic renal artery stenosis in risk groups: a systematic literature review. <i>J Hypertens</i> , 27(7): 1333-40.
59681	de Silva R, Loh H, Rigby AS, et al (2007). Epidemiology, associated factors, and prognostic outcomes of renal artery stenosis in chronic heart failure assessed by magnetic resonance angiography. <i>Am J Cardiol</i> , 100(2): 273-9.
59668	de Silva R, Nikitin NP, Witte KK, et al (2007). Effects of applying a standardised management algorithm for moderate to severe renal dysfunction in patients with chronic stable heart failure. <i>Eur J Heart Fail</i> , 9(4): 415-23.
93420	Debus ES (2017). [Comment] Commentary on "Renal arteries stenosis in patients with peripheral artery disease: Prevalence, risk factors, and long-term prognosis". <i>Eur J Vasc Endovasc Surg</i> , 53(3): 386. Comment on ID: 93419.
80739	Decision Support Unit (DSU) (2010). Atomic radiation - update. SOP Bulletin 145.
80738	Decision Support Unit (DSU) (2006). Atomic radiation. SOP Bulletin 106.
80743	Defence Threat Reduction Agency (2010). Standard Method: ID01 - Doses to Organs From Intake of Radioactive Materials. DTRA/NTPR - Standard Operating Procedures Manual, Revision 1.3a.
94563	DiGiacomo SI, Jazayeri MA, Barua RS, et al (2019). Environmental tobacco smoke and cardiovascular disease. <i>Int J Environ Res Public Health</i> , 16(1): 96.
93492	Dong H, Ou Y, Nie Z, et al (2019). Association of renal artery stenosis with left ventricular remodeling in patients coexisting with renovascular and coronary artery disease. <i>Vascular</i> , 27(2): 190-8.

94564	Dong YJ, Huang C, Luo DM, et al (2015). Decrease of glomerular filtration rate may be attributed to the microcirculation damage in renal artery stenosis. <i>Chin Med J (Engl)</i> , 128(6): 750-4.
94565	Drummond CA, Brewster PS, He W, et al (2017). Cigarette smoking and cardio-renal events in patients with atherosclerotic renal artery stenosis. <i>PLoS One</i> , 12(3): e0173562.
12860	Dustan HP, Humphries AW, de Wolfe VG, et al (1964). Normal arterial pressure in patients with renal arterial stenosis. <i>JAMA</i> , 187: 1028-9.
59679	Dzielinska Z, Januszewicz A, Demkow M, et al (2007). Cardiovascular risk factors in hypertensive patients with coronary artery disease and coexisting renal artery stenosis. <i>J Hypertens</i> , 25(3): 663-70.
59904	El-Mawardy RH, Ghareeb MA, Mahdy MM, et al (2008). Prevalence and predictors of renal artery stenosis in hypertensive patients undergoing elective coronary procedures. <i>J Clin Hypertens (Greenwich)</i> , 10(11): 844-9.
93457	Emans ME, van der Putten K, Velthuis BK, et al (2012). Atherosclerotic renal artery stenosis is prevalent in cardiorenal patients but not associated with left ventricular function and myocardial fibrosis as assessed by cardiac magnetic resonance imaging. <i>BMC Cardiovasc Disord</i> , 12: 76.
59694	Endo M, Kumakura H, Kanai H, et al (2010). Prevalence and risk factors for renal artery stenosis and chronic kidney disease in Japanese patients with peripheral arterial disease. <i>Hypertens Res</i> , 33(9): 911-5.
12904	Eyler WR, Clark MD, Garman JE, et al (1962). Angiography of the renal areas including a comparative study of renal arterial stenoses in patients with and without hypertension. <i>Radiology</i> , 78: 879-92.
28178	Fakhouri F, La Batide Alanore A, Rerolle JP, et al (2001). Presentation revascularization outcomes in patients with radiation-induced renal artery stenosis. <i>Am J Kidney Dis</i> , 38(2): 302-9.
93451	Fang Y, Shu X, Yang C, et al (2012). Stenotic coexistence among coronary, renal and extracranial arteries in Chinese patients. <i>J Thromb Thrombolysis</i> , 34(4): 533-40.
12842	Fergany A, Kolettis P, Novick AC (1995). The contemporary role of extra-anatomical surgical renal revascularization in patients with atherosclerotic renal artery disease. <i>J Urol</i> , 153(6): 1798-801; discussion 1801-2.
94566	Florczak E, Prejbisz A, Szwencz-Pietrasz E, et al (2013). Clinical characteristics of patients with resistant hypertension: the RESIST-POL study. <i>J Hum Hypertens</i> , 27(11): 678-85.
12837	Foster JH, Rhamy RK, Oates JA, et al (1969). Renovascular hypertension secondary to atherosclerosis. <i>Am J Med</i> , 46(5): 741-50.
94567	Fu Y, Wang X, Kong W (2018). Hyperhomocysteinaemia and vascular injury: Advances in mechanisms and drug targets. <i>Br J Pharmacol</i> , 175(8): 1173-89.
94325	Gac P, Poreba M, Pawlas K, et al (2017). Influence of environmental tobacco smoke on morphology and functions of cardiovascular system assessed using diagnostic imaging. <i>Inhal Toxicol</i> , 29(12-14): 518-29.
94577	Gafoor S, Franke J, Sievert H (2015). [Comment] The CORAL Trial, round 2. <i>J Am Coll Cardiol</i> , 66(22): 2495-7. Comment on ID: 94576.
59695	Ghaffari S, Sohrabi B, Siahdasht RB, et al (2009). Prevalence and predictors of renal artery stenosis in hypertensive patients undergoing coronary angiography. <i>Hypertens Res</i> , 32(11): 1009-14.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
93422	Gracia-Tello B, Isenberg D (2017). Kidney disease in primary anti-phospholipid antibody syndrome. <i>Rheumatology (Oxford)</i> , 56(7): 1069-80.

12851	Greco BA, Breyer JA (1997). Atherosclerotic ischemic renal disease. <i>Am J Kidney Dis</i> , 29(2): 167-87.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 2: Mortality and Cancer Incidence. Department of Veterans' Affairs, Canberra.
94580	Gupta R, Assiri S, Cooper CJ (2017). Renal artery stenosis: New findings from the CORAL trial. <i>Curr Cardiol Rep</i> , 19(9): 75.
11920	Hackel DB, Reimer KA (1990). Heart. Anderson's Pathology, 9th Edition, Vol 1 15: 617. C.V. Mosby St Louis Missouri.
59857	Hajsadeghi S, Fereshtehnejad SM, Pourshirmohammadi-Sabzevari M, et al (2009). Renal artery stenosis in hypertensive patients with or without type 2 diabetes: a comparative magnetic resonance angiography study. <i>Arch Iran Med</i> , 12(3): 250-5.
94568	Haller ST, Kalra PA, Ritchie JP, et al (2013). Effect of CD40 and sCD40L on renal function and survival in patients with renal artery stenosis. <i>Hypertension</i> , 61(4): 894-900.
11922	Hancock EW (1993). Coronary artery disease - epidemiology and prevention. Scientific American Inc, 9th Edition, Vol 1 (Int Ed) VIII: 1-10. Scientific American New York.
12841	Hannedouche T, Godin M, Fries D, et al (1991). Acute renal thrombosis induced by angiotensin-converting enzyme inhibitors in patients with renovascular hypertension. <i>Nephron</i> , 57(2): 230-1.
12849	Hansen KJ (1994). Prevalence of ischemic nephropathy in the atherosclerotic population. <i>Am J Kidney Dis</i> , 24(4): 615-21.
59672	Hansen KJ, Edwards MS, Craven TE, et al (2002). Prevalence of renovascular disease in the elderly: a population-based study. <i>J Vasc Surg</i> , 36(3): 443-51.
11924	Harding MB, Smith LR, Himmelstein SI, et al (1992). Renal artery stenosis: Prevalence and associated risk factors in patients undergoing renal cardiac catheterization. <i>J Am Soc Nephrol</i> , 2(11): 1608-16.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
12857	Harthell GG, Allison DJ (1986). Renal artery occlusion in patients with renovascular hypertension treated with captopril. <i>Br Med J (Clin Res Ed)</i> , 292(6517): 410.
12858	Hoefnagels WH, Thien T (1986). Renal artery occlusion in patients with renovascular hypertension treated with captopril. <i>Br Med J (Clin Res Ed)</i> , 292(6512): 24-5.
12862	Holley KE, Hunt JC, Brown AL, et al (1964). Renal artery stenosis. A clinical-pathologic study in normotensive and hypertensive patients. <i>Am J Med</i> , 37: 14-22.
93437	Hoshida S, Shinoda Y, Inui H, et al (2014). Difference in left ventricular mass index between hypertensive patients with and without renal artery stenosis by propensity score analysis. <i>J Clin Hypertens (Greenwich)</i> , 16(8): 606-11.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>Br J Cancer</i> , 109(7): 1989-96.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. International Agency for Research on Cancer, Lyon France.

93441	Imori Y, Akasaka T, Ochiai T, et al (2014). Co-existence of carotid artery disease, renal artery stenosis, and lower extremity peripheral arterial disease in patients with coronary artery disease. <i>Am J Cardiol</i> , 113(1): 30-5.
80754	International Atomic Energy Agency (IAEA) (Undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80753	International Commission on Radiological Protection (ICRP) (2012). ICRP Statement on Tissue Reactions and Early and Late Effects of Radiation in Normal Tissues and Organs - Threshold Doses for Tissue Reactions in a Radiation Protection Context. <i>Annals of the ICRP</i> , ICRP Publication 118, Elsevier.
80752	International Commission on Radiological Protection (ICRP) (2007). Extract from The 2007 recommendations of the International Commission on Radiological Protection. <i>Annals of the ICRP</i> , ICRP Publication 103, Elsevier.
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. <i>J ICRU</i> , 11(2 Report 86): 33-8.
94592	Iwashima Y, Fukuda T, Horio T, et al (2018). Association between renal function and outcomes after percutaneous transluminal renal angioplasty in hypertensive patients with renal artery stenosis. <i>J Hypertens</i> , 36(1): 126-35.
93427	Iwashima Y, Fukuda T, Yoshihara F, et al (2016). Incidence and risk factors for restenosis, and its impact on blood pressure control after percutaneous transluminal renal angioplasty in hypertensive patients with renal artery stenosis. <i>J Hypertens</i> , 34(7): 1407-15.
59682	Izzedine H, Cluzel P, Deray G (2007). Renal radiation-induced arterial stenosis. <i>Kidney Int</i> , 71(11): 1188.
11926	Jean WJ, al-Bitar I, Zwicke DL, et al (1994). High incidence of renal artery stenosis in patients with coronary artery disease. <i>Cathet Cardiovasc Diagn</i> , 32(1): 8-10.
94330	Jebur WL, Abdulla K, Tomarai S (2013). Characteristics of atheromatous renovascular disease in Dubai: A single-center experience. <i>Saudi J Kidney Dis Transpl</i> , 24(5): 1062-7.
94327	Jha P, Ramasundarahettige C, Landsman V, et al (2013). 21st-century hazards of smoking and benefits of cessation in the United States. <i>N Engl J Med</i> , 368(4): 341.
59677	Kalra PA, Guo H, Kausz AT, et al (2005). Atherosclerotic renovascular disease in United States patients aged 67 years or older: risk factors, revascularization, and prognosis. <i>Kidney Int</i> , 68(1): 293-301.
59685	Kawarada O, Yokoi Y, Morioka N, et al (2007). Renal artery stenosis in cardio- and cerebrovascular disease. Renal duplex ultrasonography as an initial screening examination. <i>Circ J</i> , 71(12): 1942-7.
59903	Kendrick J, Chonchol M (2008). Renal artery stenosis and chronic ischemic nephropathy: epidemiology and diagnosis. <i>Adv Chronic Kidney Dis</i> , 15(4): 355-62.
93446	Khatami MR (2013). Ischemic nephropathy: More than a simple renal artery narrowing. <i>Iran J Kidney Dis</i> , 7(2): 82-100.
93435	Khatami MR, Edalati-Fard M, Sadeghian S, et al (2014). Renal artery stenosis in patients with established coronary artery disease: Prevalence and predicting factors. <i>Saudi J Kidney Dis Transpl</i> , 25(5): 986-91.
93490	Khatami MR, Jalali A, Zare E, et al (2018). Development of a simple risk score model to predict renal artery stenosis. <i>Nephron</i> , 140(4): 257-64.

94585	Khosla A, Misra S, Greene EL, et al (2012). Clinical outcomes in patients with renal artery stenosis treated with stent placement with embolic protection compared with those treated with stent alone. <i>Vasc Endovascular Surg</i> , 46(6): 447-54.
12850	Klahr S, D'Amico G (1994). Second international symposium on lipids, atherosclerosis and the kidney: summary of scientific presentations. <i>Nephrol Dial Transplant</i> , 9(11): 1660-3.
12856	Knecht A, Grossman E, Rosenthal T (1985). Enalapril in the treatment of renovascular hypertension. <i>Clin Exp Hypertens A</i> , 7(10): 1377-93.
93447	Kohagura K, Kochi M, Miyagi T, et al (2013). An association between uric acid levels and renal arteriolopathy in chronic kidney disease: a biopsy-based study. <i>Hypertens Res</i> , 36(1): 43-9.
93423	Korkmaz C, Cansu DU (2018). [Comment] Comment on: Kidney disease in primary antiphospholipid antibody syndrome. <i>Rheumatology (Oxford)</i> , 57(2): 403. Comment on ID: 93422.
59697	Kuczera P, Włoszczynska E, Adamczak M, et al (2009). Frequency of renal artery stenosis and variants of renal vascularization in hypertensive patients: analysis of 1550 angiographies in one centre. <i>J Hum Hypertens</i> , 23(6): 396-401.
61293	Kumar A, Asim M, Davison AM (1998). Taking precautions with ACE inhibitors. A theoretical risk exists in patients with unilateral renal artery stenosis. <i>BMJ</i> , 316(7149): 1921.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
11928	Laakso M (1992). Dyslipidaemias, insulin resistance and atherosclerosis. <i>Ann Med</i> , 24(6): 505-9.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasms in organs of main deposition for plutonium in the cohort of Mayak workers with regard to histological types. <i>Health Phys</i> , 105(2): 165-76.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35(4): 891-909.
91892	Lee P, Thornton AJ, Hamling JS (2016). Epidemiological evidence on environmental tobacco smoke and cancers other than lung or breast. <i>Regul Toxicol Pharmacol</i> , 80: 134-63.
93438	Lee Y, Shin JH, Park HC, et al (2014). A prediction model for renal artery stenosis using carotid ultrasonography measurements in patients undergoing coronary angiography. <i>BMC Nephrol</i> , 15: 60.
95112	Libby P (2012). The pathogenesis, prevention, and treatment of atherosclerosis. <i>Harrison's Internal Medicine</i> , 19th Edition, Section 5, Chapter 291e: 291e-1-10. McGraw Hill.
93453	Lin R, Hingorani A, Marks N, et al (2012). Screening for carotid artery stenosis and renal artery stenosis in patients undergoing tunneled cuffed hemodialysis catheter placement. <i>Vasc Endovascular Surg</i> , 46(5): 364-8.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2(4): 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46(4): 299-310.
11930	Lowe GD, Fowkes FG, et al (1993). Blood viscosity, fibrinogen, and activation of coagulation and leukocytes in peripheral arterial disease and the normal population in the Edinburgh Artery Study. <i>Circulation</i> , 87(6): 1915-20.

94324	Lu L, MacKay DF, Pell JP (2014). Meta-analysis of the association between cigarette smoking and peripheral arterial disease. <i>Heart</i> , 100(5): 414-23.
59858	Luehr M, Siepe M, Beyersdorf F, et al (2009). Extra-anatomic bypass for recurrent abdominal aortic and renal in-stent stenoses following radiotherapy for neuroblastoma. <i>Interact Cardiovasc Thorac Surg</i> , 8(4): 488-90.
61295	MacDowall P, Kalra PA, O'Donaghue DJ, et al (1998). Risk of morbidity from renovascular disease in elderly patients with congestive cardiac failure. <i>Lancet</i> , 352(9121): 13-6.
11932	Mackay A, Brown JJ, Cumming AM, et al (1979). Smoking and renal artery stenosis. <i>Br Med J</i> , 2(6193): 770.
60756	Mailloux LU, Kaplan NM, Bakris GL, et al (2010). Chronic kidney disease associated with atherosclerotic renovascular disease. Retrieved 17 May 2011, from http://www.uptodate.com/contents/chronic-kidney-disease-associated-with-atherosclerotic-renovascular-disease
12835	Main J, Wilkinson R (1989). Early renal artery occlusion after enalapril in atheromatous renal artery stenosis. <i>BMJ</i> , 299(6695): 394.
94614	Makhija P, Wilson C, Garimella S (2018). Utility of Doppler sonography for renal artery stenosis screening in obese children with hypertension. <i>J Clin Hypertens (Greenwich)</i> , 20(4): 807-13.
94586	Mannarino A, Spatoliatore G, Caselli GM, et al (2012). Different outcomes of atherosclerotic renal artery stenosis managed with stenting: Results from a cohort study. <i>Ren Fail</i> , 34(2): 142-8.
93449	Marcantoni C, Rastelli S, Zanoli L, et al (2013). Prevalence of renal artery stenosis in patients undergoing cardiac catheterization. <i>Intern Emerg Med</i> , 8(5): 401-8; Erratum: 459.
94569	Marti-Carvajal AJ, Sola I, Lathyris D, et al (2017). Homocysteine-lowering interventions for preventing cardiovascular events. <i>Cochrane Database Syst Rev</i> , 8(8): CD006612.
94581	Martinelli O, Malaj A, Antignani PL, et al (2015). Renal stenting for kidney salvage in the management of renal artery atherosclerotic stenosis. <i>Angiology</i> , 66(8): 785-91.
95404	Matsushita K, Ballew SH, Coresh J (2017). Measures of chronic kidney disease and risk of incident peripheral artery disease: a collaborative meta-analysis of individual participant data. <i>Lancet Diabetes Endocrinol</i> , 5(9): 718-28.
94611	Mazza A, Ravenni R, Armigliato M, et al (2016). Mood disorders in uncontrolled hypertension despite multiple anti-hypertensive medications: Searching for a link. <i>High Blood Press Cardiovasc Prev</i> , 23(1): 41-6.
11934	McCarron DA (1996). Section Scientific American Medicine. <i>Scientific American Medicine</i> , 1, VII: 24. Scientific American Inc. New York.
59693	McMahon CJ, Hennessy M, Boyle G, et al (2010). Prevalence of renal artery stenosis in flash pulmonary oedema: determination using gadolinium-enhanced MRA. <i>Eur J Intern Med</i> , 21(5): 424-8.
12871	Meissner MD, Wilson AR, Jessup M (1988). Renal artery stenosis in heart failure. <i>Am J Cardiol</i> , 62(17): 1307-8.
93491	Mikhailidis DP (2012). Lipids and non-cardiac vascular disease: A lecture overview. <i>Curr Vasc Pharmacol</i> , 10(6): 743-4.
60753	Minuz P, Patrignani P, Gaino S, et al (2002). Increased oxidative stress and platelet activation in patients with hypertension and renovascular disease. <i>Circulation</i> , 106(22): 2800-5.
59683	Mulla MG, Ananthkrishnan G, Mirza MS, et al (2007). Renal artery stenosis after radiotherapy for stage I seminoma, a case report. <i>Clin Oncol (R Coll Radiol)</i> , 19(3): 209.
11936	Munichoodappa C, D'Elia JA, Libertino JA, et al (1979). Renal artery stenosis in hypertensive diabetic patients. <i>J Urol</i> , 121(5): 555-8.

94579	Murphy TP (2016). [Comment] Reply: Renal artery stenting could be considered in patients with preserved kidney function. <i>J Am Coll Cardiol</i> , 67(24): 2909-10. Comment on ID: 94576.
94576	Murphy TP, Cooper CJ, Matsumoto AH, et al (2015). Renal artery stent outcomes: Effect of baseline blood pressure, stenosis severity, and translesion pressure gradient. <i>J Am Coll Cardiol</i> , 66(22): 2487-94.
12848	Nahman NS, Maniam P, Hernandez RA, et al (1994). Renal artery pressure gradients in patients with angiographic evidence of atherosclerotic renal artery stenosis. <i>Am J Kidney Dis</i> , 24(4): 695-99.
59684	Nakamura S, Iihara K, Matayoshi T, et al (2007). The incidence and risk factors of renal artery stenosis in patients with severe carotid artery stenosis. <i>Hypertens Res</i> , 30(9): 839-44.
94584	Namikoshi T, Fujimoto S, Yorimitsu D, et al (2015). Relationship between vascular function indexes, renal arteriosclerosis, and renal clinical outcomes in chronic kidney disease. <i>Nephrology (Carlton)</i> , 20(9): 585-90.
80742	National Council on Radiation Protection & Measurements (NCRP) (2009). Radiation Dose Reconstruction: Principles and Practices, NCRP Report No. 163. NCRP Publications.
94595	Ngo AT, Markar SR, De Lijster MS, et al (2015). A systematic review of outcomes following percutaneous transluminal angioplasty and stenting in the treatment of transplant renal artery stenosis. <i>Cardiovasc Intervent Radiol</i> , 38(6): 1573-88.
59674	Nicholls AJ (2002). The impact of atherosclerotic renovascular disease on diabetic renal failure. <i>Diabet Med</i> , 19(11): 889-94.
11938	Nicholson JP, Teichman SL, Alderman MH, et al (1983). Cigarette smoking and renovascular hypertension. <i>Lancet</i> , 2(8353): 765-6.
94589	Nicholson ML, Yong C, Trotter PB, et al (2019). Risk factors for transplant renal artery stenosis after live donor transplantation. <i>Br J Surg</i> , 106(3): 199-205.
11908	No authors listed (1994). The management of hypertension: a consensus statement. Australian Consensus Conference 1993. <i>Med J Aust</i> , 160(S1): S1-16.
12831	No authors listed (1984). Cigarette smoking in renovascular hypertension. <i>Lancet</i> , 1(8368): 104-5.
11952	No authors listed (1993). The fifth report of the Joint National Committee on the detection, evaluation, and treatment of high blood pressure. <i>Arch Intern Med</i> , 153(2): 154-83.
12853	Novick AC, Zaki S, Goldfarb D, et al (1994). Epidemiologic and clinical comparison of renal artery stenosis in black patients and white patients. <i>J Vasc Surg</i> , 20(1): 1-5.
12840	O'Donnell D (1988). Renal failure due to enalapril and captopril in bilateral renal artery stenosis: greater awareness needed. <i>Med J Aust</i> , 148(10): 525-7.
93429	Odudu A, Vassallo D, Kalra PA (2015). From anatomy to function: diagnosis of atherosclerotic renal artery stenosis. <i>Expert Rev Cardiovasc Ther</i> , 13(12): 1357-75.
73188	Office of the Surgeon General (2014). The health consequences of smoking - 50 years of progress. A report of the surgeon general. U.S. Dept. of Health and Human Services Pub, U.S. Department of Health and Human Services.
94570	Ogawa S, Nako K, Okamura M, et al (2013). A decline in glomerular filtration rate rather than renal arterial stenotic lesions, <i>per se</i> , predicts cardiovascular-renal events in type 2 diabetic patients. <i>Circ J</i> , 77(11): 2816-22.
60665	Olivieri O, Friso S, Trabetti E, et al (2001). Homocysteine and atheromatous renal artery stenosis. <i>Clin Exp Med</i> , 1(4): 211-8.

59687	Ollivier R, Boulmier D, Veillard D, et al (2009). Frequency and predictors of renal artery stenosis in patients with coronary artery disease. <i>Cardiovasc Revasc Med</i> , 10(1): 23-9.
59856	Omeish AF, Abbadi HH, Ghanma IM, et al (2009). Frequency of renal artery stenosis among cohort of Jordanians undergoing drive-by renal angiography at time of conventional cardiac catheterization. <i>Saudi Med J</i> , 30(11): 1459-64.
61291	Onuigbo MA, Onuigbo NT (2008). Worsening renal failure in older chronic kidney disease patients with renal artery stenosis concurrently on renin angiotensin aldosterone system blockade: a prospective 50-month Mayo-Health-System clinic analysis. <i>QJM</i> , 101(7): 519-27.
59673	Orth SR, Ritz E (2002). The renal risks of smoking: an update. <i>Curr Opin Nephrol Hypertens</i> , 11(5): 483-8.
70194	Ozasa K, Shimizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: an overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43; Erratum: 179(4): e40-1.
59688	Ozkan U, Oguzkurt L, Tercan F, et al (2009). The prevalence and clinical predictors of incidental atherosclerotic renal artery stenosis. <i>Eur J Radiol</i> , 69(3): 550-4.
94615	Pallotti G, Donati G, Capelli I, et al (2015). Donor/recipient delta age: A possible risk for arterial stenosis in renal transplantation. <i>Comput Math Methods Med</i> , 2015: 512929.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Occupational Intakes of Radionuclides: Part 1. <i>Annals of the ICRP</i> , ICRP Publication 130, Sage Publications Inc.
59898	Paraskevas KI (2008). [Comment] What is the role of emerging vascular risk factors in atherosclerotic renal artery stenosis? <i>Eur J Radiol</i> , 68(1): 180; author reply 180-1.
60352	Paraskevas KI, Hamilton G, Cross JM, et al (2008). Atherosclerotic renal artery stenosis: association with emerging vascular risk factors. <i>Nephron Clin Pract</i> , 108(1): c56-66.
93442	Paraskevas KI, Koutsias S, Giannoukas AD (2014). [Comment] Atherosclerosis: Diagnose locally, treat globally. <i>Am J Cardiol</i> , 113(3): 570-1.
94571	Parienty I, Rostoker G, Jouniaux F, et al (2011). Renal artery stenosis evaluation in chronic kidney disease patients: Nonenhanced time-spatial labeling inversion-pulse three-dimensional MR angiography with regulated breathing versus DSA. <i>Radiology</i> , 259(2): 592-601.
60001	Park JS, Park JH, Kang JY, et al (1999). Hyperfibrinogenemia is an independent risk factor for atherosclerotic renal artery stenosis. <i>Am J Nephrol</i> , 19(6): 649-54.
60759	Pasternak RC, Criqui MH, Benjamin EJ, et al (2004). Atherosclerotic vascular disease conference: Writing group 1: Epidemiology. <i>Circulation</i> , 109(21): 2605-12.
59678	Pearce JD, Craven BL, Craven TE, et al (2006). Progression of atherosclerotic renovascular disease: a prospective population-based study. <i>J Vasc Surg</i> , 44(5): 955-62.
93454	Peleg H, Bursztyn M, Hiller N, et al (2012). Renal artery stenosis with significant proteinuria may be reversed after nephrectomy or revascularization in patients with the antiphospholipid antibody syndrome: a case series and review of the literature. <i>Rheumatol Int</i> , 32(1): 85-90.
93428	Peng M, Jiang ZJ, Dong H, et al (2016). Etiology of renal artery stenosis in 2047 patients: a single-center retrospective analysis during a 15-year period in China. <i>J Hum Hypertens</i> , 30(2): 124-8.

93493	Piecha G, Wiecek A, Januszewicz A (2012). Epidemiology and optimal management in patients with renal artery stenosis. <i>J Nephrol</i> , 25(6): 872-8.
93439	Pons-Estel GJ, Cervera R (2014). Renal involvement in antiphospholipid syndrome. <i>Curr Rheumatol Rep</i> , 16(2): 397.
12834	Postma CT, Hoefnagels WH, Thein T, et al (1987). ACE inhibitors, atheroma, and renal function. <i>Lancet</i> , 2(8567): 1080-1.
12869	Postma CT, Hoefnagels WH, Barentsz JO, et al (1989). Occlusion of unilateral stenosed renal arteries - relation to medical treatment. <i>J Hum Hypertens</i> , 3(3): 185-90.
93450	Postma CT, Klappe EM, Dekker HM, et al (2012). The prevalence of renal artery stenosis among patients with diabetes mellitus. <i>Eur J Intern Med</i> , 23(7): 639-42.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiat Res</i> , 168(1): 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: Solid cancer and noncancer disease mortality: 1950-1997. <i>Radiat Res</i> , 160(4): 381-407.
59671	Preston RA, Epstein M (1998). University of Miami division of clinical pharmacology therapeutic rounds: ischemic renal disease. <i>Am J Ther</i> , 5(3): 203-10.
60757	Przewlocki T, Kablak-Ziembicka A, Tracz W, et al (2008). Prevalence and prediction of renal artery stenosis in patients with coronary and supraaortic artery atherosclerotic disease. <i>Nephrol Dial Transplant</i> , 23(2): 580-5.
94331	Pu LJ, Shen Y, Zhang RY, et al (2012). Screening for significant atherosclerotic renal artery stenosis with a regression model in patients undergoing transradial coronary angiography/intervention. <i>J Zhejiang Univ Sci B</i> , 13(8): 631-7.
93414	Pucci G, Battista F, Lazzari L, et al (2014). Progression of renal artery stenosis after renal denervation. Impact on 24-hour blood pressure. <i>Circ J</i> , 78(3): 767-8.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
94572	Raghuveer G, White DA, Hayman LL, et al (2016). Cardiovascular consequences of childhood second hand tobacco smoke exposure: Prevailing evidence, burden, racial and socioeconomic disparities. <i>Circulation</i> , 134(16): e336-59.
59691	Rimoldi SF, de Marchi SF, Windecker S, et al (2010). Screening renal artery angiography in hypertensive patients undergoing coronary angiography and 6-month follow-up after ad hoc percutaneous revascularization. <i>J Hypertens</i> , 28(4): 842-7.
94573	Rinehardt EK, Zierler RE, Leverson GE (2014). Duplex scanning has a limited role in the evaluation of patients with renal failure. <i>J Vasc Surg</i> , 60(6): 1593-8.
11940	Ritchie CM, McIlrath E, Hadden DR, et al (1988). Renal artery stenosis in hypertensive diabetic patients. <i>Diabet Med</i> , 5(3): 265-7.
94767	Rivoli L, Di Mario F, Coppolino G, et al (2016). Pharmacological effects of RAAS blockade in ischemic nephropathy. <i>Curr Drug Metab</i> , 17(6): 550-8.
11942	Ross R (1992). Pathology of Systems. <i>Oxford Textbook of Pathology</i> , 2a. Oxford University Press New York.
94587	Rouer M, Godier S, Monnot A, et al (2019). Long-term outcomes after transplant renal artery stenosis surgery. <i>Ann Vasc Surg</i> , 54: 261-8.

94591	Sagban TA, Baur B, Rump LC, et al (2014). Long-term graft outcome after renal arterial reconstruction during living related kidney transplantation. <i>Langenbecks Arch Surg</i> , 399(4): 441-7.
93417	Sahin M (2017). [Comment] Comment on "Comprehensive first-line magnetic resonance imaging in hypertension: experience from a single-center tertiary referral centre". <i>J Clin Hypertens (Greenwich)</i> , 19(7): 677. Comment on ID: 93415.
59899	Saka B, Bilge AK, Umman B, et al (2003). Bilateral renal artery stenosis after abdominal radiotherapy for Hodgkin's disease. <i>Int J Clin Pract</i> , 57(3): 247-8.
12870	Salahudeen AK, Pingle A (1988). Reversibility of captopril-induced renal insufficiency after prolonged use in an unusual case of renovascular hypertension. <i>J Hum Hypertens</i> , 2(1): 57-9.
95760	Samet JM (2019). Secondhand smoke exposure: Effects in adults. Retrieved 13 February 2020, from https://www.uptodate.com/contents/secondhand-smoke-exposure-effects-in-adults
60081	Sani SH, Hasanzadeh MH, Gholoobi A, et al (2008). Relationship between coronary and renal artery disease and associated risk factors in hypertensive and diabetic patients undergoing coronary angiography. <i>EuroIntervention</i> , 4(3): 373-7.
95151	Sarnak M, Gibson M, Henrich WL (2019). Chronic kidney disease and coronary heart disease. Retrieved 20 February 2020, from https://www.uptodate.com/contents/chronic-kidney-disease-and-coronary-heart-disease
93443	Sattur S, Prasad H, Bedi U, et al (2013). Renal artery stenosis - An update. <i>Postgrad Med</i> , 125(5): 43-50.
94578	Savas G, Kalay N (2016). [Comment] Renal artery stenting could be considered in patients with preserved kidney function. <i>J Am Coll Cardiol</i> , 67(24): 2908-9. Comment on ID: 94576.
11944	Sawicki PT, Kaiser S, Heinemann L, et al (1991). Prevalence of renal artery stenosis in diabetes mellitus--an autopsy study. <i>J Intern Med</i> , 229(6): 489-92.
94574	Sayin MR, Yavuz N, Karabag T, et al (2016). Renal artery stenosis and mean platelet volume. <i>Anatol J Cardiol</i> , 16(3): 197-201.
94326	Schroeder SA (2013). [Comment] New evidence that cigarette smoking remains the most important health hazard. <i>N Engl J Med</i> , 368(4): 389-90. Comment on ID: 94327.
12843	Scoble JE (1997). Atherosclerosis and the kidney. <i>J R Coll Physicians Lond</i> , 31(1): 19-22.
60000	Scoble JE, de Takats D, Ostermann ME, et al (1999). Lipid profiles in patients with atherosclerotic renal artery stenosis. <i>Nephron</i> , 83(2): 117-21.
11946	Shapiro AP, Perez-Stable E, Moutos SE (1965). Co-existence of renal arterial hypertension and diabetes mellitus. <i>JAMA</i> , 192: 813-6.
93456	Shawa H, Busaidy NL, Schellingerhout D, et al (2013). Unilateral renal artery stenosis with renal atrophy in a patient with metastatic papillary thyroid carcinoma treated with sorafenib. <i>BMJ Case Rep</i> , 2013: bcr2013009898.
59675	Shehata WM (2005). Late effects of radiotherapy for Hodgkin's disease in adolescence. <i>Int J Radiation Oncol Biol Phys</i> , 61(4): 1276.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
93445	Shukla AN, Madan TH, Jayaram AA, et al (2013). Prevalence and predictors of renal artery stenosis in patients undergoing peripheral and coronary angiography. <i>Int Urol Nephrol</i> , 45(6): 1629-35.

59900	Silva JA (2008). Evaluation and approach to treatment of renal artery stenosis in patients with diabetic nephropathy. <i>Curr Diab Rep</i> , 8(6): 494-8.
11948	Simon N, Franklin SS, Bleifer KH, et al (1972). Clinical characteristics of renovascular hypertension. <i>JAMA</i> , 220(9): 1209-18.
94559	Sofroniadou S, Kassimatis T, Srirajaskanthan R, et al (2012). Long-term safety and efficacy of renin-angiotensin blockade in atherosclerotic renal artery stenosis. <i>Int Urol Nephrol</i> , 44(5): 1451-9.
80735	Sokolnikov M, Preston D, Stram DO (2017). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , 56(1): 121-5.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123(4): 905-11.
59669	Song HY, Hwang JH, Noh H, et al (2000). The prevalence and associated risk factors of renal artery stenosis in patients undergoing cardiac catheterization. <i>Yonsei Med J</i> , 41(2): 219-25.
95761	Spinowitz B (2018). Renal artery stenosis. Retrieved 31 January 2020, from https://emedicine.medscape.com/article/245023-overview
12836	Stansby G, Scoble J, Novell JR, et al (1989). Angiotensin converting enzyme inhibitors and renal artery occlusion. <i>BMJ</i> , 299(6701): 736.
12844	Sterner G (1990). Renal artery stenosis and ACE inhibitor. <i>J Intern Med</i> , 228(5): 541.
93444	Su CS, Liu TJ, Tsau CR, et al (2013). The feasibility, safety, and mid-term outcomes of concomitant percutaneous transluminal renal artery stenting in acute coronary syndrome patients at high clinical risk of renal artery stenosis. <i>J Invasive Cardiol</i> , 25(5): 212-7.
12872	Swartbol P, Parsson H, Thorvinger B, et al (1994). To what extent does peripheral vascular disease and hypertension predict renal artery stenosis? <i>Int Angiol</i> , 13(2): 109-14.
11950	Swartbol P, Thorvinger BO, Parsson H, et al (1992). Renal artery stenosis in patients with peripheral vascular disease and its correlation to hypertension. A retrospective study. <i>Int Angiol</i> , 11(3): 195-9.
59855	Symonides B, Januszewicz A, Rowinski O, et al (1999). Plasma fibrinogen as a risk factor for restenosis after percutaneous transluminal renal angioplasty in patients with atherosclerotic renal artery stenosis. <i>J Cardiovasc Risk</i> , 6(4): 269-72.
94468	Takahashi I, Shimizu Y, Grant EJ, et al (2017). Heart disease mortality in the life span study, 1950-2008. <i>Radiat Res</i> , 187(3): 319-32.
59676	Tanemoto M, Saitoh H, Satoh F, et al (2005). Predictors of undiagnosed renal artery stenosis among Japanese patients with risk factors of atherosclerosis. <i>Hypertens Res</i> , 28(3): 237-42.
93416	Tapolyai MB, Petho A, Fulop T (2017). [Comment] Whole-body imaging procedures in resistant hypertension: Evaluating for secondary causes or to define end-organ damages? <i>J Clin Hypertens (Greenwich)</i> , 19(1): 23-5. Comment on ID: 93415.
95154	Textor S (2019). Treatment of unilateral atherosclerotic renal artery stenosis. Retrieved 28 January 2020, from https://www.uptodate.com/contents/treatment-of-unilateral-atherosclerotic-renal-artery-stenosis

95153	Textor S (2019). Treatment of bilateral atherosclerotic renal artery stenosis or stenosis to a solitary functioning kidney. Retrieved 30 March 2020, from https://www.uptodate.com/contents/treatment-of-bilateral-atherosclerotic-renal-artery-stenosis-or-stenosis-to-a-solitary-functioning-kidney
95156	Textor S (2020). Clinical manifestations and diagnosis of chronic kidney disease resulting from atherosclerotic renal artery stenosis. Retrieved 30 March 2020, from https://www.uptodate.com/contents/clinical-manifestations-and-diagnosis-of-chronic-kidney-disease-resulting-from-atherosclerotic-renal-artery-stenosis
95155	Textor S (2020). Establishing the diagnosis of renovascular hypertension. Retrieved 28 January 2020, from https://www.uptodate.com/contents/establishing-the-diagnosis-of-renovascular-hypertension
95152	Textor SC (2014). Attending rounds: A patient with accelerated hypertension and an atrophic kidney. <i>Clin J Am Soc Nephrol</i> , 9(6): 1117-23.
93421	Textor SC (2017). Renal arterial disease and hypertension. <i>Med Clin North Am</i> , 101(1): 65-79.
94859	Textor SC (2020). Renovascular disease. <i>Harrison's Principles of Internal Medicine</i> , 20th Edition, Chapter 272. McGraw Hill.
11954	Titus JL, Han-Seob KM (1990). Blood vessels and Lymphatics. <i>Anderson's Pathology</i> , 9th Edition, Vol 1 17: 757-8.
93426	Tuttle KR, Dworkin LD, Henrich W, et al (2016). Effects of stenting for atherosclerotic renal artery stenosis on eGFR and predictors of clinical events in the CORAL trial. <i>Clin J Am Soc Nephrol</i> , 11(7): 1180-8.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1: 1-11. United Nations Publication.
60297	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A and B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
63163	United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, Report Vol 1: 325-83. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
59901	Unsal D, Bora H (2003). [Comment] Bilateral renal artery stenosis after abdominal radiotherapy for Hodgkin's disease. <i>Int J Clin Pract</i> , 57(10): 923-4; author reply.924. Comment on ID: 59899.
12847	Uzu T, Inoue T, Fujii T, et al (1997). Prevalence and predictors of renal artery stenosis in patients with myocardial infarction. <i>Am J Kidney Dis</i> , 29(5): 733-8.
60754	Uzu T, Takeji M, Yamada N, et al (2002). Prevalence and outcome of renal artery stenosis in atherosclerotic patients with renal dysfunction. <i>Hypertens Res</i> , 25(4): 537-42.
61294	Valabhji J, Robinson S, Poulter C, et al (2000). Prevalence of renal artery stenosis in subjects with type 2 diabetes and coexistent hypertension. <i>Diabetes Care</i> , 23(4): 539-43.
11958	Valentine RJ, Clagett GP, Miller GL, et al (1993). The coronary risk of unsuspected renal artery stenosis. <i>J Vasc Surg</i> , 18(3): 433-9; discussion 439-40.
59670	van de Ven PJ, Beutler JJ, Kaatee R, et al (1998). Angiotensin converting enzyme inhibitor-induced renal dysfunction in atherosclerotic renovascular disease. <i>Kidney Int</i> , 53(4): 986-93.

93424	Vassallo D, Ritchie J, Green D, et al (2016). The importance of proteinuria and prior cardiovascular disease in all major clinical outcomes of atherosclerotic renovascular disease - a single-center observational study. <i>BMC Nephrol</i> , 17(1): 198.
12852	Vidt DG, Eisele G, Gephardt GN, et al (1989). Atheroembolic renal disease: association with renal arterial stenosis. <i>Cleve Clin J Med</i> , 56(4): 407-13.
11960	Wachtell K, Ibsen H, Olsen MH, et al (1996). Prevalence of renal artery stenosis in patients with peripheral vascular disease and hypertension. <i>J Hum Hypertens</i> , 10(2): 83-5.
80740	Wadas TJ, Pandya DN, Solingapuram Sai KK, et al (2014). Molecular targeted alpha-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
93413	Wakabayashi S, Takaoka H, Miyauchi H, et al (2019). Usefulness of renal autotransplantation for radiotherapy-induced renovascular hypertension. <i>Intern Med</i> , 58(13): 1897-9.
12845	Webster J, Murchison LE, Robb OJ (1988). Angiotensin converting enzyme inhibitors may cause renal impairment in diabetes mellitus. <i>Scot Med J</i> , 33(2): 247-8.
59686	White CJ, Olin JW (2009). Diagnosis and management of atherosclerotic renal artery stenosis: improving patient selection and outcomes. <i>Nat Clin Pract Cardiovasc Med</i> , 6(3): 176-90.
61292	Wierema TK, Kroon AA, de Leeuw PW (2007). Poor performance of diagnostic tests for atherosclerotic renal artery stenosis-discrepancies between stenosis and renal function. <i>Nephrol Dial Transplant</i> , 22(3): 689-92.
12832	Williams PS, Ackrill P, Hendy MS (1984). Captopril-induced acute renal artery thrombosis and persistent anuria in a patient with documented pre-existing renal artery stenosis and renal failure. <i>Postgrad Med J</i> , 60(706): 561-3.
11962	Wilms G, Marchal G, Peene P, et al (1990). The angiographic incidence of renal artery stenosis in the arteriosclerotic population. <i>Eur J Radiol</i> , 10(3): 195-7.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
94616	Worthley SG, Tsiofis CP, Papademetriou V (2015). [Comment] Regarding "Severe bilateral renal artery stenosis after transluminal radiofrequency ablation of renal sympathetic nerve plexus". <i>J Vasc Surg</i> , 62(2): 539.
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28(2): 161-8.
59905	Wu TC, Lee TH (2008). Low frequency of renal artery disease in young ischemic stroke patients. <i>Acta Neurol Taiwan</i> , 17(1): 11-6.
59680	Wu YW, Lin MS, Lin YH, et al (2007). Prevalence of concomitant atherosclerotic arterial diseases in patients with significant cervical carotid artery stenosis in Taiwan. <i>Int J Cardiovasc Imaging</i> , 23(4): 433-9.
93452	Xie YQ, Zhang P, Deng HB (2012). Ankle brachial index is a valuable index of the severity of atherosclerotic renal artery stenosis. <i>Scand J Urol Nephrol</i> , 46(4): 310-3.
94332	Xiong HL, Peng M, Jiang XJ, et al (2018). Time trends regarding the etiology of renal artery stenosis: 18 years' experience from the China Center for Cardiovascular Disease. <i>J Clin Hypertens (Greenwich)</i> , 20(9): 1302-9.
60755	Yamashita T, Ito F, Iwakiri N, et al (2002). Prevalence and predictors of renal artery stenosis in patients undergoing cardiac catheterization. <i>Hypertens Res</i> , 25(4): 553-7.

61298	Yang JG, Hu D, Li T, et al (2004). Angiotensin-converting enzyme inhibitor usage in patients with incidental atherosclerotic renal artery stenosis. <i>Hypertens Res</i> , 27(5): 339-44.
93448	Yorgun H, Kabakci G, Canpolat U, et al (2013). Frequency and predictors of renal artery stenosis in hypertensive patients undergoing coronary angiography. <i>Angiology</i> , 64(5): 385-90.
94582	Yoshihara F, Fukuda T, Iwashima Y, et al (2015). Related factors for worsening renal function following percutaneous transluminal renal angioplasty (PTRA) in patients with atherosclerotic renal artery stenosis. <i>Clin Exp Hypertens</i> , 37(7): 526-30.
93432	Yu TM, Sun CS, Lin CL, et al (2015). Risk factors associated with end-stage renal disease (ESRD) in patients with atherosclerotic renal artery stenosis: a nationwide population-based analysis. <i>Medicine (Baltimore)</i> , 94(21): e912.
93431	Zhang X, Lerman LO (2015). Obesity and renovascular disease. <i>Am J Physiol Renal Physiol</i> , 309(4): F273-9.