



ANKYLOSING SPONDYLITIS

RMA ID Number	Reference List for RMA079-4 as at March 2021
---------------	--

TBA	Abbood HM, Pathan E, Cherukara GP (2018). The link between ankylosing spondylitis and oral health conditions: two nested case-control studies using data of the UK Biobank. <i>J Appl Oral Sci</i> , 27: e20180207.
TBA	Abdul-Sattar A, Abou El Magd S (2017). Prevalence and associated risk factors for work disability in Egyptian patients with ankylosing spondylitis from one center. <i>Int J Rheum Dis</i> , 20(12): 2028-34.
64616	Ahmadi K, Wilson C, Tiwana H, et al (1998). Antibodies to <i>Klebsiella pneumoniae</i> lipopolysaccharide in patients with ankylosing spondylitis. <i>Br J Rheumatol</i> , 37(12): 1330-3.
TBA	Akar S, Kaplan YC, Ecemis S, et al (2018). The role of smoking in the development and progression of structural damage in axial SpA patients: A systematic review and meta-analysis. <i>Eur J Rheumatol</i> , 6(4): 184-92.
TBA	Akkoc N, Khan MA (2016). ASAS classification criteria for axial spondyloarthritis: time to modify. <i>Clin Rheumatol</i> , 35(6): 1415-23.
34862	Alamanos Y, Papadopoulos NG, Voulgari PV, et al (2004). Epidemiology of ankylosing spondylitis in Northwest Greece, 1983-2002. <i>Rheumatology (Oxford)</i> , 43(5): 615-8.
34935	Alaranta H, Luoto AS, Kontinen YT (2002). Traumatic spinal cord injury as a complication to ankylosing spondylitis. An extended report. <i>Clin Exp Rheumatol</i> , 20(1): 66-8.
TBA	Alcalay M, Debiais F, Prieur AM, et al (1987). [Retrospective study of the possible role of injuries in the genesis of ankylosing spondylitis, Fiessinger-Leroy-Reiter syndrome and other reactive arthritis, unclassified B27 rheumatism in adults and chronic B27 arthritis in children]. <i>Rev Rhum Mal Osteoartic</i> , 54(3): 235-41 [Article in French]. [Abstract]
TBA	Aletaha D, Epstein AJ, Skup M, et al (2019). Risk of developing additional immune-mediated manifestations: a retrospective matched cohort study. <i>Adv Ther</i> , 36(7): 1672-83.
35033	Allen RL, Trowsdale J (2004). Recognition of classical and heavy chain forms of HLA-B*27 by leukocyte receptors. <i>Curr Mol Med</i> , 4(1): 59-65.
TBA	Almanea S, Miller WH, Siebert S, et al (2018). Serum vitamin D in ankylosing spondylitis and axial spondylitis: a systematic review and meta-analysis. <i>Rheumatology</i> , 57(Suppl 3): key075.401.
TBA	Almeida BP, Saad CG, Souza FH, et al (2013). Testicular Sertoli cell function in ankylosing spondylitis. <i>Clin Rheumatol</i> , 32(7): 1075-9.
34958	Angulo J, Espinoza LR (1998). The spectrum of skin, mucosa and other extra-articular manifestations. <i>Baillieres Clin Rheumatol</i> , 12(4): 649-64.
TBA	Ansell RC, Shuto T, Busquets-Perez N, et al (2015). The role of biomechanical factors in ankylosing spondylitis: the patient's perspective. <i>Reumatismo</i> , 67(3): 91-6.
39712	Arnett FC (2005). Seronegative spondyloarthritis. Retrieved 20 July 2006, from http://acp.medicine.com/acpmedicine/pdf/med1503.pdf

34861	Askari A, Al-Bdour MD, Saadeh A, et al (2000). Ankylosing spondylitis in north Jordan: descriptive and analytical study. <i>Ann Rheum Dis</i> , 59(7): 571-3.
TBA	Asquith M, Elewaut D, Lin P, et al (2014). The role of the gut and microbes in the pathogenesis of spondyloarthritis. <i>Best Pract Res Clin Rheumatol</i> , 28(5): 687-702.
64529	Atagunduz P, Aydin SZ, Bahadir C, et al (2010). Determinants of early radiographic progression in ankylosing spondylitis. <i>J Rheumatol</i> , 37(11): 2356-61.
64630	Avakian H, Welsh J, Ebringer A, et al (1980). Ankylosing spondylitis, HLA-B27 and Klebsiella. II. Cross-reactivity studies with human tissue typing sera. <i>Br J Exp Pathol</i> , 61(1): 92-6.
34914	Averns HL, Oxtoby J, Taylor HG, et al (1996). Smoking and outcome in ankylosing spondylitis. <i>Scand J Rheumatol</i> , 25(3): 138-42.
TBA	Aydin M, Aydin F, Yuksel M, et al (2014). Visceral fat reflects disease activity in patients with ankylosing spondylitis. <i>Clin Invest Med</i> , 37(3): E186.
64565	Aydin SZ, Atagunduz P, Temel M, et al (2008). Anti-Saccharomyces cerevisiae antibodies (ASCA) in spondyloarthropathies: a reassessment. <i>Rheumatology (Oxford)</i> , 47(2): 142-4.
TBA	Bae JM, Choo JY, Kim KJ, et al (2017). Association of inflammatory bowel disease with ankylosing spondylitis and rheumatoid arthritis: A nationwide population-based study. <i>Mod Rheumatol</i> , 27(3): 435-40.
64465	Baeten D, De Keyser F, Mielants H, et al (2002). Ankylosing spondylitis and bowel disease. <i>Best Pract Res Clin Rheumatol</i> , 16(4): 537-49.
64787	Baines M, Ebringer A, Avakian H, et al (1990). The use of enzyme immunoassay (EIA) and radiobinding assay to investigate the cross-reactivity of Klebsiella antigens and HLA B27 in ankylosing spondylitis patients and healthy controls. <i>Scand J Rheumatol</i> , 19(5): 341-9.
TBA	Bakker P, Molto A, Etcheto A, et al (2017). The performance of different classification criteria sets for spondyloarthritis in the worldwide ASAS-COMOSPA study. <i>Arthritis Res Ther</i> , 19(1): 96.
86231	Bakland G, Nossent HC (2013). Epidemiology of spondyloarthritis: a review. <i>Curr Rheumatol Rep</i> , 15(9): 351.
34916	Banares A, Hernandez-Garcia C, Fernandez-Gutierrez B, et al (1998). Eye involvement in the spondyloarthropathies. <i>Rheum Dis Clin North Am</i> , 24(4): 771-84.
TBA	Baraliakos X (2017). Imaging in axial spondyloarthritis. <i>Isr Med Assoc J</i> , 19(11): 712-8.
34937	Bardazzi G, Mannoni A, d'Albasio G, et al (1997). Spondyloarthritis in patients with ulcerative colitis. <i>Ital J Gastroenterol Hepatol</i> , 29(6): 520-4.
34863	Bennett DL, Ohashi K, El-Khoury GY (2004). Spondyloarthropathies: ankylosing spondylitis and psoriatic arthritis. <i>Radiol Clin North Am</i> , 42(1): 121-34.
TBA	Ben-Shabat N, Watad A, Shabat A, et al (2020). Low vitamin D levels predict mortality in ankylosing spondylitis patients: a nationwide population-based cohort study. <i>Nutrients</i> , 12(5): 1400.
34943	Bernstein CN, Blanchard JF, Rawsthorne P, et al (2001). The prevalence of extraintestinal diseases in inflammatory bowel disease: a population-based study. <i>Am J Gastroenterol</i> , 96(4): 1116-22.
34941	Berthelot JM, Glemarec J, Guillot P, et al (2002). New pathogenic hypotheses for spondyloarthropathies. <i>Joint Bone Spine</i> , 69(2): 114-22.
TBA	Bialowas K, Radwan-Oczko M, Dus-Illicka I, et al (2020). Periodontal disease and influence of periodontal treatment on disease activity in patients with rheumatoid arthritis and spondyloarthritis. <i>Rheumatol Int</i> , 40(3): 455-63.
TBA	Bianchi G, Marchesini G, Zoli M, et al (1993). Thyroid involvement in chronic inflammatory rheumatological disorders. <i>Clin Rheumatol</i> , 12(4): 479-84.

TBA	Blachier M, Canoui-Poitaine F, Dougados M, et al (2013). Factors associated with radiographic lesions in early axial spondyloarthritis. Results from the DESIR cohort. <i>Rheumatology (Oxford)</i> , 52(9): 1686-93.
64789	Blankenberg-Sprengels SH, Fielder M, Feltkamp TE, et al (1998). Antibodies to <i>Klebsiella pneumoniae</i> in Dutch patients with ankylosing spondylitis and acute anterior uveitis and to <i>Proteus mirabilis</i> in rheumatoid arthritis. <i>J Rheumatol</i> , 25(4): 743-7.
446	Boachie-Adjei O, Bullough PG (1987). Incidence of ankylosing hyperostosis of the spine (Forestier's disease) at autopsy. <i>Spine (Phila Pa 1976)</i> , 12(8): 739-43.
TBA	Boonen A, Chorus A, Miedema H, et al (2001). Withdrawal from labour force due to work disability in patients with ankylosing spondylitis. <i>Ann Rheum Dis</i> , 60(11): 1033-9.
64557	Brakenhoff LK, van der Heijde DM, Hommes DW, et al (2010). The joint-gut axis in inflammatory bowel diseases. <i>J Crohns Colitis</i> , 4(3): 257-68.
34917	Brandt J, Rudwaleit M, Eggens U, et al (1998). Increased frequency of Sjogren's syndrome in patients with spondyloarthropathy. <i>J Rheumatol</i> , 25(4): 718-24.
64786	Braun J, Tuszewski M, Ehlers S, et al (1997). Nested polymerase chain reaction strategy simultaneously targeting DNA sequences of multiple bacterial species in inflammatory joint diseases. II. Examination of sacroiliac and knee joint biopsies of patients with spondyloarthropathies and other arthritides. <i>J Rheumatol</i> , 24(6): 1101-5.
64560	Bremander A, Petersson IF, Bergman S, et al (2011). Population-based estimates of common comorbidities and cardiovascular disease in ankylosing spondylitis. <i>Arthritis Care Res (Hoboken)</i> , 63(4): 550-6.
64516	Brionez TF, Reveille JD (2008). The contribution of genes outside the major histocompatibility complex to susceptibility to ankylosing spondylitis. <i>Curr Opin Rheumatol</i> , 20(4): 384-91.
34966	Brophy S, Pavy S, Lewis P, et al (2001). Inflammatory eye, skin, and bowel disease in spondyloarthritis: genetic, phenotypic, and environmental factors. <i>J Rheumatol</i> , 28(12): 2667-73.
34942	Brown MA, Crane AM, Wordsworth BP (2002). Genetic aspects of susceptibility, severity, and clinical expression in ankylosing spondylitis. <i>Curr Opin Rheumatol</i> , 14(4): 354-60.
64525	Brown MA, Pile KD, Kennedy LG, et al (1998). A genome-wide screen for susceptibility loci in ankylosing spondylitis. <i>Arthritis Rheum</i> , 41(4): 588-95.
TBA	Cai G, Wang L, Fan D, et al (2015). Vitamin D in ankylosing spondylitis: review and meta-analysis. <i>Clin Chim Acta</i> , 438: 316-22.
64784	Cancino-Diaz ME, Perez-Salazar JE, Dominguez-Lopez L, et al (1998). Antibody response to <i>Klebsiella pneumoniae</i> 60 kDa protein in familial and sporadic ankylosing spondylitis: role of HLA-B27 and characterization as a GroEL-like protein. <i>J Rheumatol</i> , 25(9): 1756-64.
TBA	Carli L, Calabresi E, Governato G, et al (2019). One year in review 2018: axial spondyloarthritis. <i>Clin Exp Rheumatol</i> , 37(6): 889-98.
64514	Carter KW, Pluzhnikov A, Timms AE, et al (2007). Combined analysis of three whole genome linkage scans for ankylosing spondylitis. <i>Rheumatology (Oxford)</i> , 46(5): 763-71.
TBA	Chao WC, Lin CH, Chen YM, et al (2019). Association between tonsillitis and newly diagnosed ankylosing spondylitis: a nationwide, population-based, case-control study. <i>PLoS One</i> , 14(8): e0220721.
34968	Chou CT (2001). Factors affecting the pathogenesis of ankylosing spondylitis. <i>Chin Med J (Engl)</i> , 114(2): 211-2.
TBA	Chu KA, Chen W, Hung YM, et al (2019). Increased risk of ankylosing spondylitis after <i>Mycoplasma pneumoniae</i> : A nationwide population-based study. <i>Medicine (Baltimore)</i> , 98(27): e15596.

34921	Claudepierre P, Sibilia J, Roudot-Thoraval F, et al (1998). Factors linked to disease activity in a French cohort of patients with spondyloarthritis. <i>J Rheumatol</i> , 25(10): 1927-31.
64477	Coates L, Chakravarty K, Creamer P, et al (1996). Smoking and outcomes in ankylosing spondylitis (AS). Retrieved 2 July 2012, from http://abstract.mci-group.com/cgi-bin/mc/printabs.pl?APP=EULAR2008SCIE-abstract&TEMPLATE=&keyf=2579&showHide=show&client=
35035	Colbert RA (2004). The immunobiology of HLA-B27: variations on a theme. <i>Curr Mol Med</i> , 4(1): 21-30.
64780	Collado A, Sanmarti R, Serra C, et al (1991). Serum levels of secretory IgA in ankylosing spondylitis. <i>Scand J Rheumatol</i> , 20(3): 153-8.
64461	Colombo E, Latiano A, Palmieri O, et al (2009). Enteropathic spondyloarthritis: a common genetic background with inflammatory bowel disease? <i>World J Gastroenterol</i> , 15(20): 2456-62.
64790	Cooper R, Fraser SM, Sturrock RD, et al (1988). Raised titres of anti-klebsiella IgA in ankylosing spondylitis, rheumatoid arthritis, and inflammatory bowel disease. <i>Br Med J (Clin Res Ed)</i> , 296(6634): 1432-4.
TBA	Coskun Benlidayi I (2020) What are the potential benefits and harms of exercise programs for patients with ankylosing spondylitis? A Cochrane review summary with commentary. <i>Turk J Phys Med Rehabil</i> , 66(1): 84-7.
TBA	Costello ME, Elewaut D, Kenna TJ, et al (2013). Microbes, the gut and ankylosing spondylitis. <i>Arthritis Res Ther</i> , 15(3): 214.
35172	Coughlin SS, Calle EE, Patel AV, et al (2000). Predictors of pancreatic cancer mortality among a large cohort of United States adults. <i>Cancer Causes Control</i> , 11(10): 915-23.
TBA	Coulter EH, McDonald MT, Cameron S, et al (2020). Physical activity and sedentary behaviour and their associations with clinical measures in axial spondyloarthritis. <i>Rheumatol Int</i> , 40(3): 375-81.
64474	Cowling P, Ebringer R, Ebringer A (1980). Association of inflammation with raised serum IgA in ankylosing spondylitis. <i>Ann Rheum Dis</i> , 39(6): 545-9.
TBA	Cullen AE, Holmes S, Pollak TA, et al (2019). Associations between non-neurological autoimmune disorders and psychosis: a meta-analysis. <i>Biol Psychiatry</i> , 85(1): 35-48.
34844	Dagfinrud H, Vollestad NK, Loge JH, et al (2005). Fatigue in patients with ankylosing spondylitis: A comparison with the general population and associations with clinical and self-reported measures. <i>Arthritis Rheum</i> , 53(1): 5-11.
80591	Daien CI, Sellam J (2015). Obesity and inflammatory arthritis: impact on occurrence, disease characteristics and therapeutic response. <i>RMD Open</i> , 1(1): e000012.
64942	Danoy P, Pryce K, Hadler J, et al (2010). Association of variants at 1q32 and STAT3 with ankylosing spondylitis suggests genetic overlap with Crohn's disease. <i>PLoS Genet</i> , 6(12): e1001195.
64566	Davis MJ, Dawes PT, Beswick E, et al (1989). Sulphasalazine therapy in ankylosing spondylitis: its effect on disease activity, immunoglobulin A and the complex immunoglobulin A-alpha-1-antitrypsin. <i>Br J Rheumatol</i> , 28(5): 410-3.
64526	De Angelis R, Salaffi F, Grassi W (2007). Prevalence of spondyloarthropathies in an Italian population sample: a regional community-based study. <i>Scand J Rheumatol</i> , 36(1): 14-21.
64464	De Keyser F, Baeten D, Van den Bosch F, et al (2002). Gut inflammation and spondyloarthropathies. <i>Curr Rheumatol Rep</i> , 4(6): 525-32.
64497	De Keyser F, Mielants H (2003). The gut in ankylosing spondylitis and other spondyloarthropathies: inflammation beneath the surface. <i>J Rheumatol</i> , 30(11): 2306-7.

34919	de Vlam K, Mielants H, Cuvelier C, et al (2000). Spondyloarthropathy Is underestimated in inflammatory bowel disease: prevalence and HLA association. <i>J Rheumatol</i> , 27(12): 2860-5.
TBA	Deodhar A, Strand V, Kay J, et al (2016). The term 'non-radiographic axial spondyloarthritis' is much more important to classify than to diagnose patients with axial spondyloarthritis. <i>Ann Rheum Dis</i> , 75(5): 791-4.
TBA	Di Jiang C, Raine T (2020). IBD considerations in spondyloarthritis. <i>Ther Adv Musculoskelet Dis</i> , 12: 1759720X20939410.
64561	Dillon CF, Hirsch R (2011). The United States National Health and Nutrition Examination Survey and the epidemiology of ankylosing spondylitis. <i>Am J Med Sci</i> , 341(4): 281-3.
34918	Doran MF, Brophy S, Mackay K, et al (2003). Predictors of longterm outcome in ankylosing spondylitis. <i>J Rheumatol</i> , 30(2): 316-20.
TBA	Drew JF (1960). Trauma and ankylosing spondylitis. <i>Med J Aust</i> , 47(2): 852-4.
TBA	Duba AS, Mathew SD (2018). The seronegative spondyloarthropathies. <i>Prim Care</i> , 45(2): 271-87.
TBA	Dubreuil M, Deodhar AA (2017). Axial spondyloarthritis classification criteria: the debate continues. <i>Curr Opin Rheumatol</i> , 29(4): 317-22.
TBA	Duffield SJ, Miller N, Zhao S, et al (2018). Concomitant fibromyalgia complicating chronic inflammatory arthritis: a systematic review and meta-analysis. <i>Rheumatology (Oxford)</i> , 57(8): 1453-60.
TBA	Dulger S, Aykurt Karlibel I, Kasapoglu Aksoy M, et al (2019). How does smoking cessation affect disease activity, function loss, and quality of life in smokers with ankylosing spondylitis? <i>J Clin Rheumatol</i> , 25(7): 288-96.
TBA	Durcan L, Wilson F, Conway R, et al (2012). Increased body mass index in ankylosing spondylitis is associated with greater burden of symptoms and poor perceptions of the benefits of exercise. <i>J Rheumatol</i> , 39(12): 2310-4.
64626	Eastmond CJ, Willshaw HE, Burgess SE, et al (1980). Frequency of faecal <i>Klebsiella aerogenes</i> in patients with ankylosing spondylitis and controls with respect to individual features of the disease. <i>Ann Rheum Dis</i> , 39(2): 118-23.
64941	Ebringer A (1983). [Ankylosing spondylarthritis, HLA B27 and the theory of crossed tolerance]. <i>Rev Rhum Mal Osteoartic</i> , 50(11): 763-9 [Article in French]. [Abstract]
64752	Ebringer R, Cooke D, Cawdell DR, et al (1977). Ankylosing spondylitis: <i>klebsiella</i> and HL-A B27. <i>Rheumatol Rehabil</i> , 16(3): 190-6.
64617	Ebringer RW, Cawdell DR, Cowling P, et al (1978). Sequential studies in ankylosing spondylitis. Association of <i>Klebsiella pneumoniae</i> with active disease. <i>Ann Rheum Dis</i> , 37(2): 146-51.
64556	El Maghraoui A (2011). Extra-articular manifestations of ankylosing spondylitis: prevalence, characteristics and therapeutic implications. <i>Eur J Intern Med</i> , 22(6): 554-60.
64559	Elewaut D (2010). Linking Crohn's disease and ankylosing spondylitis: it's all about genes! <i>PLoS Genet</i> , 6(12): e1001223.
TBA	Emmungil H, Erdogan M, Kalfa M, et al (2014). Autoimmune thyroid disease in ankylosing spondylitis. <i>Clin Rheumatol</i> , 33(7): 955-61.
TBA	Ermann J (2020). Pathogenesis of axial spondyloarthritis - sources and current state of knowledge. <i>Rheum Dis Clin North Am</i> , 46(2): 193-206.
TBA	Essers I, Ramiro S, Stolwijk C, et al (2015). Characteristics associated with the presence and development of extra-articular manifestations in ankylosing spondylitis: 12-year results from OASIS. <i>Rheumatology (Oxford)</i> , 54(4): 633-40.
TBA	Essers I, Ramiro S, Stolwijk C, et al (2016). Do extra-articular manifestations influence outcome in ankylosing spondylitis? 12-year results from OASIS. <i>Clin Exp Rheumatol</i> , 34(2): 214-21.

TBA	Essouma M, Noubiap JJ (2017). Are systematic screening for vitamin D deficiency and vitamin D supplementation currently feasible for ankylosing spondylitis patients? <i>Int J Inflam</i> , 2017: 7840150.
30421	Feltelius N, Ekbom A, Blomqvist P (2003). Cancer incidence among patients with ankylosing spondylitis in Sweden 1965-95: a population based cohort study. <i>Ann Rheum Dis</i> , 62(12): 1185-8.
64532	Feng XG, Xu XJ, Ye S, et al (2011). Recent Chlamydia pneumoniae infection is highly associated with active ankylosing spondylitis in a Chinese cohort. <i>Scand J Rheumatol</i> , 40(4): 289-91.
35301	Ferreiros-Vidal I, Amarelo J, Barros F, et al (2003). Lack of association of ankylosing spondylitis with the most common NOD2 susceptibility alleles to Crohn's disease. <i>J Rheumatol</i> , 30(1): 102-4.
64753	Fielder M, Pirt SJ, Tarpey I, et al (1995). Molecular mimicry and ankylosing spondylitis: possible role of a novel sequence in pullulanase of Klebsiella pneumoniae. <i>FEBS Lett</i> , 369(2-3): 243-8.
34842	Fiorillo MT, Maragno M, Butler R, et al (2000). CD8(+) T-cell autoreactivity to an HLA-B27-restricted self-epitope correlates with ankylosing spondylitis. <i>J Clin Invest</i> , 106(1): 47-53.
TBA	Fragoulis GE, Liava C, Daoussis D, et al (2019). Inflammatory bowel diseases and spondyloarthropathies: From pathogenesis to treatment. <i>World J Gastroenterol</i> , 25(18): 2162-76.
64562	Franssen MJ, van de Putte LB, Gribnau FW (1985). IgA serum levels and disease activity in ankylosing spondylitis: a prospective study. <i>Ann Rheum Dis</i> , 44(11): 766-71.
TBA	Garcia-Montoya L, Gul H, Emery P (2018). Recent advances in ankylosing spondylitis: understanding the disease and management. <i>F1000Res</i> , 7:F1000.
TBA	Genel F, Kale M, Pavlovic N, et al (2020). Health effects of a low-inflammatory diet in adults with arthritis: a systematic review and meta-analysis. <i>J Nutr Sci</i> , 9: e37.
TBA	Generali E, Bose T, Selmi C, et al (2018). Nature versus nurture in the spectrum of rheumatic diseases: Classification of spondyloarthritis as autoimmune or autoinflammatory. <i>Autoimmun Rev</i> , 17(9): 935-41.
TBA	Gensler LS (2016). Physical activity in axial spondyloarthritis-tails from bench to bedside. <i>Clin Rheumatol</i> , 35(6): 1443-5.
TBA	Ghasemi-Rad M, Attaya H, Lesha E, et al (2015). Ankylosing spondylitis: A state of the art factual backbone. <i>World J Radiol</i> , 7(9): 236-52.
TBA	Giltay EJ, van Schaardenburg D, Gooren LJ, et al (1999). Androgens and ankylosing spondylitis: a role in the pathogenesis. <i>Ann N Y Acad Sci</i> , 876: 340-64; discussion 365.
TBA	Giovannopoulou E, Gkasdaris G, Kapetanakis S, et al (2017). Ankylosing spondylitis and pregnancy: A literature review. <i>Curr Rheumatol Rev</i> , 13(3): 162-9. [Abstract]
34936	Gran JT, Husby G (1998). Clinical, epidemiologic, and therapeutic aspects of ankylosing spondylitis. <i>Curr Opin Rheumatol</i> , 10(4): 292-8.
34922	Granfors K (1997). Host-microbe interaction in HLA-B27-associated diseases. <i>Ann Med</i> , 29(2): 153-7.
TBA	Gremese E, Bernardi S, Bonazza S, et al (2014). Body weight, gender and response to TNF- α blockers in axial spondyloarthritis. <i>Rheumatology (Oxford)</i> , 53(5): 875-81.
64558	Haapamaki J, Roine RP, Turunen U, et al (2011). Increased risk for coronary heart disease, asthma, and connective tissue diseases in inflammatory bowel disease. <i>J Crohns Colitis</i> , 5(1): 41-7.
TBA	Halling ML, Kjeldsen J, Knudsen T, et al (2017). Patients with inflammatory bowel disease have increased risk of autoimmune and inflammatory diseases. <i>World J Gastroenterol</i> , 23(33):6137-46.

TBA	Hanson A, Brown MA (2017). Genetics and the causes of ankylosing spondylitis. <i>Rheum Dis Clin North Am</i> , 43(3): 401-14.
TBA	Haroon N, Inman RD, Leach TJ, et al (2013). The impact of tumor necrosis factor α inhibitors on radiographic progression in ankylosing spondylitis. <i>Arthritis Rheum</i> , 65(10): 2645-54.
TBA	Harth M, Nielson WR (2019). Pain and affective distress in arthritis: relationship to immunity and inflammation. <i>Expert Rev Clin Immunol</i> , 15(5): 541-52.
64468	Hascelik G, Oz B, Olmez N, et al (2009). Association of macroscopic gut inflammation with disease activity, functional status and quality of life in ankylosing spondylitis. <i>Rheumatol Int</i> , 29(7): 755-8.
22101	Hattner RS, Hartmeyer J, Wara WM (1982). Characterization of radiation-induced photopenic abnormalities on bone scans. <i>Radiology</i> , 145(1): 161-3.
TBA	Hayward RJ, Machado PM (2020). Classification criteria in axial spondyloarthritis: what have we learned; where are we going? <i>Rheum Dis Clin North Am</i> , 46(2): 259-74.
TBA	Hernandez MV, Sanchez-Piedra C, Garcia-Magallon B, et al (2019). Factors associated with long-term retention of treatment with golimumab in a real-world setting: an analysis of the Spanish BIOBADASER registry. <i>Rheumatol Int</i> , 39(3): 509-15.
TBA	Hernandez-Breijo B, Plasencia-Rodriguez C, Navarro-Compan V, et al (2019). Association between concomitant csDMARDs and clinical response to TNF inhibitors in overweight patients with axial spondyloarthritis. <i>Arthritis Res Ther</i> , 21(1): 66.
64513	Heuft-Dorenbosch L, Spoorenberg A, van Tubergen A, et al (2003). Assessment of enthesitis in ankylosing spondylitis. <i>Ann Rheum Dis</i> , 62(2): 127-32.
64457	Hoffman IE, Demetter P, Peeters M, et al (2003). Anti-saccharomyces cerevisiae IgA antibodies are raised in ankylosing spondylitis and undifferentiated spondyloarthropathy. <i>Ann Rheum Dis</i> , 62(5): 455-9.
68737	Hordon LD (2012). Rheumatic and bone disorders associated with acromegaly. Retrieved 26 July 2013, from http://www.uptodate.com/contents/rheumatic-and-bone-disorders-associated-with-acromegaly
TBA	Hu X, Chen J, Tang W, et al (2020). Effects of exercise programmes on pain, disease activity and function in ankylosing spondylitis: A meta-analysis of randomized controlled trials. <i>Eur J Clin Invest</i> , 50(12): e13352.
64754	Hunter T, Harding GK, Kaprove RE, et al (1981). [Comment] Fecal carriage of various Klebsiella and Enterobacter species in patients with active ankylosing spondylitis. <i>Arthritis Rheum</i> , 24(1): 106-8.
64755	Husby G, Tsuchiya N, Schwimmbeck PL, et al (1989). Cross-reactive epitope with Klebsiella pneumoniae nitrogenase in articular tissue of HLA-B27+ patients with ankylosing spondylitis. <i>Arthritis Rheum</i> , 32(4): 437-45.
64546	Hutson TE, Hoffman GS (2000). Temporal concurrence of vasculitis and cancer: a report of 12 cases. <i>Arthritis Care Res</i> , 13(6): 417-23.
TBA	Ibanez-Vodnizza SE, Nurmohamed MT, Visman IM, et al (2017). Fat mass lowers the response to tumor necrosis factor- α blockers in patients with ankylosing spondylitis. <i>J Rheumatol</i> , 44(9): 1355-61.
TBA	Imrich R, Rovinsky J, Zlnay M, et al (2004). Hypothalamic-pituitary-adrenal axis function in ankylosing spondylitis. <i>Ann Rheum Dis</i> , 63(6): 671-4.
38287	Inman RD, Scofield RH (1994). Etiopathogenesis of ankylosing spondylitis and reactive arthritis. <i>Curr Opin Rheumatol</i> , 6(4): 360-70.
TBA	Jacoby RK, Newell RL, Hickling P (1985). Ankylosing spondylitis and trauma: the medicolegal implications. A comparative study of patients with non-specific back pain. <i>Ann Rheum Dis</i> , 44(5): 307-11.
64469	Jacques P, Elewaut D, Mielants H (2010). Interactions between gut inflammation and arthritis/spondylitis. <i>Curr Opin Rheumatol</i> , 22(4): 368-74.

55577	Jennings F, Lambert E, Fredericson M (2008). Rheumatic diseases presenting as sports-related injuries. <i>Sports Med</i> , 38(11): 917-30.
TBA	Jiang Y, Yang M, Lv Q, et al (2018). Prevalence of psychological disorders, sleep disturbance and stressful life events and their relationships with disease parameters in Chinese patients with ankylosing spondylitis. <i>Clin Rheumatol</i> , 37(2): 407-14.
TB	Jiang Y, Yang M, Wu H, et al (2015). The relationship between disease activity measured by the BASDAI and psychological status, stressful life events, and sleep quality in ankylosing spondylitis. <i>Clin Rheumatol</i> , 34(3): 503-10.
TBA	Jimenez-Balderas FJ, Tapia-Serrano R, Madero-Cervera JI, et al (1990). Ovarian function studies in active ankylosing spondylitis in women. Clinical response to estrogen therapy. <i>J Rheumatol</i> , 17(4): 497-502. [Abstract]
TBA	John DR, Suthar PP (2016). Radiological features of longstanding hypoparathyroidism. <i>Pol J Radiol</i> , 81: 42-5.
TBA	Jones GT, Mallawaarachchi B, Shim J, et al (2020). The prevalence of fibromyalgia in axial spondyloarthritis. <i>Rheumatol Int</i> , 40(10): 1581-91.
35286	Jones SD, Koh WH, Steiner A, et al (1996). Fatigue in ankylosing spondylitis: its prevalence and relationship to disease activity, sleep, and other factors. <i>J Rheumatol</i> , 23(3): 487-90.
64524	Jun JB, Kim TH, Jung SS, et al (2000). Seronegative spondyloarthropathy initiated by physical trauma. <i>Clin Rheumatol</i> , 19(5): 348-51.
64522	Kaan U, Ferda O (2005). Evaluation of clinical activity and functional impairment in smokers with ankylosing spondylitis. <i>Rheumatol Int</i> , 25(5): 357-60.
TBA	Kang EH, Lee JT, Lee HJ, et al (2015). Chronic periodontitis is associated with spinal dysmobility in patients with ankylosing spondylitis. <i>J Periodontol</i> , 86(12): 1303-13.
TBA	Kang JH, Chen YH, Lin HC (2010). Comorbidity profiles among patients with ankylosing spondylitis: a nationwide population-based study. <i>Ann Rheum Dis</i> , 69(6): 1165-8.
64472	Kapasi K, Chui B, Inman RD (1992). HLA-B27/microbial mimicry: an in vivo analysis. <i>Immunology</i> , 77(3): 456-61.
TBA	Karatas E, Kul A, Tepecik E (2020). Association of ankylosing spondylitis with radiographically and clinically diagnosed apical periodontitis: A cross-sectional study. <i>Dent Med Probl</i> , 57(2): 171-5.
TBA	Karreman MC, Luime JJ, Hazes JM, et al (2017). The prevalence and incidence of axial and peripheral spondyloarthritis in inflammatory bowel disease: A systematic review and meta-analysis. <i>J Crohns Colitis</i> , 11(5): 631-42.
TBA	Kass E, Vinje O (1983). Pathogenesis of ankylosing spondylitis and related disorders: future perspectives. <i>Br J Rheumatol</i> , 22(4 Suppl 2): 177-83.
38241	Keat A (1995). ABC of rheumatology. Spondyloarthropathies. <i>BMJ</i> , 310(6990): 1321-4.
TBA	Kebapcilar L, Bilgir O, Alacacioglu A, et al (2010). Impaired hypothalamo-pituitary-adrenal axis in patients with ankylosing spondylitis. <i>J Endocrinol Invest</i> , 33(1): 42-7.
TBA	Keller JJ, Kang JH, Lin HC (2013). Association between ankylosing spondylitis and chronic periodontitis: a population-based study. <i>Arthritis Rheum</i> , 65(1): 167-73.
64751	Khalafpour S, Ebringer A, Abuljadayel I, et al (1988). Antibodies to Klebsiella and Proteus microorganisms in ankylosing spondylitis and rheumatoid arthritis patients measured by ELISA. <i>Br J Rheumatol</i> , 27(Suppl 2): 86-9.
38244	Khan MA (2002). Update on spondyloarthropathies. <i>Ann Intern Med</i> , 136(12): 896-907.

TBA	Kilic G, Kilic E, Ozgocmen S (2014). Relationship between psychiatric status, self-reported outcome measures, and clinical parameters in axial spondyloarthritis. <i>Medicine (Baltimore)</i> , 93(29): e337.
38290	Kim TH, Uhm WS, Inman RD (2005). Pathogenesis of ankylosing spondylitis and reactive arthritis. <i>Curr Opin Rheumatol</i> , 17(4): 400-5.
65022	Kinsella TD, Espinoza L, Vasey FB (1975). Serum complement and immunoglobulin levels in sporadic and familial ankylosing spondylitis. <i>J Rheumatol</i> , 2(3): 308-12.
34839	Kiris A, Ozgocmen S, Kocakoc E, et al (2003). Lung findings on high resolution CT in early ankylosing spondylitis. <i>Eur J Radiol</i> , 47(1): 71-6.
TBA	Kirnap M, Atmaca H, Tanriverdi F, et al (2008). Hypothalamic-pituitary-adrenal axis in patients with ankylosing spondylitis. <i>Hormones (Athens)</i> , 7(3): 255-8.
38242	Koehler L, Kuipers JG, Zeidler H (2000). Managing seronegative spondarthritis. <i>Rheumatology (Oxford)</i> , 39(4): 360-8.
34957	Koh WH, Boey ML (1998). Ankylosing spondylitis in Singapore: a study of 150 patients and a local update. <i>Ann Acad Med Singap</i> , 27(1): 3-6.
34895	Kuberski TT (1981). Ankylosing spondylitis associated with <i>Trichomonas vaginalis</i> infection. <i>J Clin Microbiol</i> , 13(5): 880-1.
64750	Kuberski TT, Morse HG, Rate RG, et al (1983). Increased recovery of <i>Klebsiella</i> from the gastrointestinal tract of Reiter's syndrome and ankylosing spondylitis patients. <i>Br J Rheumatol</i> , 22(Suppl 2): 85-90.
38237	Kuipers JG, Kohler L, Zeidler H (1999). Reactive or infectious arthritis. <i>Ann Rheum Dis</i> , 58(11): 661-4.
TBA	Kultur T, Oztas D, Keskin D, et al (2019). The relationship of serum vitamin D receptor levels with disease activity and clinical parameters in patients with ankylosing spondylitis. <i>Turk J Phys Med Rehabil</i> , 65(4): 389-93.
TBA	Kwiatkowska B, Maslinska M (2020). The place of omega-3 and omega-6 acids in supplementary treatment of inflammatory joint diseases. <i>Reumatologia</i> , 58(1): 34-41.
TBA	Lambert RG, Bakker PA, van der Heijde D, et al (2016). Defining active sacroiliitis on MRI for classification of axial spondyloarthritis: update by the ASAS MRI working group. <i>Ann Rheum Dis</i> , 75(11): 1958-63.
TBA	Lange U, Boss B, Teichmann J, et al (1999). Thyroid disorders in female patients with ankylosing spondylitis. <i>Eur J Med Res</i> , 4(11): 468-74. [Abstract]
34971	Lange U, Teichmann J (1999). Ankylosing spondylitis and genitourinary infection. <i>Eur J Med Res</i> , 4(1): 1-7.
64517	Laval SH, Timms A, Edwards S, et al (2001). Whole-genome screening in ankylosing spondylitis: evidence of non-MHC genetic-susceptibility loci. <i>Am J Hum Genet</i> , 68(4): 918-26.
TBA	Lee JS, Oh JS, Kim YJ, et al (2019). Effects of pregnancy and delivery methods on change in ankylosing spondylitis treatment using the Korean Health Insurance Review and Assessment Service Claims Database. <i>J Korean Med Sci</i> , 34(37): e238.
34923	Lee YH, Ji JD, Kim JS, et al (1997). Ileocolonoscopy and histologic studies of Korean patients with ankylosing spondylitis. <i>Scand J Rheumatol</i> , 26(6): 473-6.
TBA	Lee YX, Kwan YH, Lim KK, et al (2019). A systematic review of the association of obesity with the outcomes of inflammatory rheumatic diseases. <i>Singapore Med J</i> , 60(6): 270-80.
TBA	Lee YX, Kwan YH, Png WY, et al (2017). Association of obesity with patient-reported outcomes in patients with axial spondyloarthritis: a cross-sectional study in an urban Asian population. <i>Clin Rheumatol</i> , 36(10): 2365-70.
34843	Leirisalo-Repo M, Hannu T, Mattila L (2003). Microbial factors in spondyloarthropathies: insights from population studies. <i>Curr Opin Rheumatol</i> , 15(4): 408-12.

64496	Leirisalo-Repo M, Repo H (1992). Gut and spondyloarthropathies. <i>Rheum Dis Clin North Am</i> , 18(1): 23-35.
64463	Leirisalo-Repo M, Turunen U, Stenman S, et al (1994). High frequency of silent inflammatory bowel disease in spondylarthropathy. <i>Arthritis Rheum</i> , 37(1): 23-31.
TBA	Liang H, Xu L, Tian X, et al (2020). The comparative efficacy of supervised-versus home-based exercise programs in patients with ankylosing spondylitis: A meta-analysis. <i>Medicine (Baltimore)</i> , 99(8): e19229.
TBA	Liew J, Lucas Williams J, Dobscha S, et al (2017). Posttraumatic stress disorder and correlates of disease activity among veterans with ankylosing spondylitis. <i>Rheumatol Int</i> , 37(10): 1765-9.
TBA	Liew JW, Huang IJ, Loudon DN, et al (2020). Association of body mass index on disease activity in axial spondyloarthritis: systematic review and meta-analysis. <i>RMD Open</i> , 6(1): e001225.
64563	Lindqvist U, Rudsander A, Bostrom A, et al (2002). IgA antibodies to gliadin and coeliac disease in psoriatic arthritis. <i>Rheumatology (Oxford)</i> , 41(1): 31-7.
TBA	Lindstrom U, Exarchou S, Lie E, et al (2016). Childhood hospitalisation with infections and later development of ankylosing spondylitis: a national case-control study. <i>Arthritis Res Ther</i> , 18(1): 240.
TBA	Liu S, Ding J, Wang M, et al (2016). Clinical features of Crohn disease concomitant with ankylosing spondylitis. A preliminary single-center study. <i>Medicine (Baltimore)</i> , 95(28): e4267.
38289	Liu Y, Penttinen MA, Granfors K (2001). Insights into the role of infection in the spondyloarthropathies. <i>Curr Rheumatol Rep</i> , 3(5): 428-34.
TBA	Lockwood MM, Gensler LS (2017). Nonradiographic axial spondyloarthritis. <i>Best Pract Res Clin Rheumatol</i> , 31(6): 816-29.
TBA	Lopez-Medina C, Ramiro S, van der Heijde D, et al (2019). Characteristics and burden of disease in patients with radiographic and non-radiographic axial spondyloarthritis: a comparison by systematic literature review and meta-analysis. <i>RMD Open</i> , 5(2): e001108.
TBA	Lopez-Medina C, Molto A (2020). Comorbidity management in spondyloarthritis. <i>RMD Open</i> , 6(2): e001135.
TBA	Lu MC, Huang KY, Tung CH, et al (2019). Factors associated with disease-specific quality of life in Taiwanese patients with ankylosing spondylitis: a cross-sectional study. <i>BMJ Open</i> , 9(6): e028966.
64531	Lui NL, Haroon N, Carty A, et al (2011). Effect of pregnancy on ankylosing spondylitis: a case-control study. <i>J Rheumatol</i> , 38(11): 2442-4.
TBA	Luo G, Boelle PY, Turbelin C, et al (2019). Abrupt and unexpected stressful life events are followed with increased disease activity in spondyloarthritis: A two years web-based cohort study. <i>Joint Bone Spine</i> , 86(2): 203-9.
TBA	Maas F, Arends S, van der Veer E, et al (2016). Obesity is common in axial spondyloarthritis and is associated with poor clinical outcome. <i>J Rheumatol</i> , 43(2): 383-7.
TBA	Maas F, Spoorenberg A, Brouwer E, et al (2015). Spinal radiographic progression in patients with ankylosing spondylitis treated with TNF- α blocking therapy: a prospective longitudinal observational cohort study. <i>PLoS One</i> , 10(4): e0122693.
TBA	Macfarlane GJ, Barnish MS, Pathan E, et al (2017). Co-occurrence and characteristics of patients With axial spondyloarthritis who meet criteria for fibromyalgia: results from a UK National Register. <i>Arthritis Rheumatol</i> , 69(11): 2144-50.
TBA	Macfarlane TV, Abbood HM, Pathan E, et al (2018). Relationship between diet and ankylosing spondylitis: A systematic review. <i>Eur J Rheumatol</i> , 5(1): 45-52.

64564	Mackiewicz A, Khan MA, Reynolds TL, et al (1989). Serum IgA, acute phase proteins, and glycosylation of alpha 1-acid glycoprotein in ankylosing spondylitis. <i>Ann Rheum Dis</i> , 48(2): 99-103.
TBA	Magrey MN, Danve AS, Ermann J, et al (2020). Recognizing axial spondyloarthritis: a guide for primary care. <i>Mayo Clin Proc</i> , 95(11): 2499-508.
TBA	Maguire S, O'Dwyer T, Mockler D, et al (2020). Pregnancy in axial spondyloarthritis: A systematic review & meta-analysis. <i>Semin Arthritis Rheum</i> , 50(6): 1269-79.
64625	Maki-Ikola O, Hallgren R, Kanerud L, et al (1997). Enhanced jejunal production of antibodies to Klebsiella and other Enterobacteria in patients with ankylosing spondylitis and rheumatoid arthritis. <i>Ann Rheum Dis</i> , 56(7): 421-5.
64458	Maki-Ikola O, Leirisalo-Repo M, Turunen U, et al (1997). Association of gut inflammation with increased serum IgA class Klebsiella antibody concentrations in patients with axial ankylosing spondylitis (AS): implication for different aetiopathogenetic mechanisms for axial and peripheral AS? <i>Ann Rheum Dis</i> , 56(3): 180-3.
64623	Maki-Ikola O, Nissila M, Lehtinen K, et al (1995). IgA1 and IgA2 subclass antibodies against Klebsiella pneumoniae in the sera of patients with peripheral and axial types of ankylosing spondylitis. <i>Ann Rheum Dis</i> , 54(8): 631-5.
64615	Maki-Ikola O, Penttinen M, Von Essen R, et al (1997). IgM, IgG and IgA class enterobacterial antibodies in serum and synovial fluid in patients with ankylosing spondylitis and rheumatoid arthritis. <i>Br J Rheumatol</i> , 36(10): 1051-3.
22100	Makiperna A, Heikkila JT, Merikanto J, et al (1993). Spinal deformity induced by radiotherapy for solid tumours in childhood: a long-term follow up study. <i>Eur J Pediatr</i> , 152(3): 197-200.
TBA	Maksymowycz WP, Zheng Y, Wichuk S, et al (2015). The effect of TNF inhibition on radiographic progression in ankylosing spondylitis: an observational cohort study of 384 patients. <i>Ann Rheum Dis</i> , 74: 123.
TBA	Malaviya AN, Rawat R, Agrawal N, et al (2017). The nonradiographic axial spondyloarthritis, the radiographic axial spondyloarthritis, and ankylosing spondylitis: The tangled skein of rheumatology. <i>Int J Rheumatol</i> , 2017: 1824794.
TBA	Martins NA, Furtado GE, Campos MJ, et al (2014). Exercise and ankylosing spondylitis with New York modified criteria: a systematic review of controlled trials with meta-analysis. <i>Acta Reumatol Port</i> , 39(4): 298-308.
TBA	Masson G, Thomas P, Bontoux D, et al (1985). Influence of trauma on initiation of Reiter's syndrome and ankylosing spondylitis. <i>Ann Rheum Dis</i> , 44(12): 860-1.
64533	Mattey DL, Dawson SR, Healey EL, et al (2011). Relationship between smoking and patient-reported measures of disease outcome in ankylosing spondylitis. <i>J Rheumatol</i> , 38(12): 2608-15.
34920	McGonagle D, Emery P (2000). Enthesitis, osteitis, microbes, biomechanics, and immune reactivity in ankylosing spondylitis. <i>J Rheumatol</i> , 27(10): 2302-4.
TBA	Mease PJ (2017). Fibromyalgia, a missed comorbidity in spondyloarthritis: prevalence and impact on assessment and treatment. <i>Curr Opin Rheumatol</i> , 29(4): 304-10.
34944	Menon V, Khokhar S (2001). Ankylosing spondylitis in a case of recurrent optic neuritis. <i>J Neuroophthalmol</i> , 21(3): 235.
TBA	Micheroli R, Hebeisen M, Wildi LM, et al (2017). Impact of obesity on the response to tumor necrosis factor inhibitors in axial spondyloarthritis. <i>Arthritis Res Ther</i> , 19(1): 164.

64757	Mielants H, De Keyser F, Baeten D, et al (2005). Gut inflammation in the spondyloarthropathies. <i>Curr Rheumatol Rep</i> , 7(3): 188-94.
38288	Mielants H, De Vos M, Cuvelier C, et al (1996). The role of gut inflammation in the pathogenesis of spondyloarthropathies. <i>Acta Clin Belg</i> , 51(5): 340-9.
64462	Mielants H, Veys EM, Cuvelier C, et al (1996). Course of gut inflammation in spondylarthropathies and therapeutic consequences. <i>Baillieres Clin Rheumatol</i> , 10(1): 147-64.
64498	Mielants H, Veys EM, Goemaere S, et al (1991). Gut inflammation in the spondyloarthropathies: clinical, radiologic, biologic and genetic features in relation to the type of histology. A prospective study. <i>J Rheumatol</i> , 18(10): 1542-51.
64499	Mielants H, Veys EM, Joos R, et al (1987). HLA antigens in seronegative spondylarthropathies. Reactive arthritis in ankylosing spondylitis: relation to gut inflammation. <i>J Rheumatol</i> , 14(3): 466-71.
TBA	Millner JR, Barron JS, Beinke KM, et al (2016). Exercise for ankylosing spondylitis: An evidence-based consensus statement. <i>Semin Arthritis Rheum</i> , 45(4): 411-27.
TBA	Min HK, Lee J, Ju JH, et al (2019). Alcohol consumption as a predictor of the progression of spinal structural damage in axial spondyloarthritis: data from the Catholic Axial Spondyloarthritis COhort (CASCO). <i>Arthritis Res Ther</i> , 21(1): 187.
38239	Mirkin G (2006). Ankylosing spondylitis. (Reactive arthritis of the spine). Retrieved 22 March 2006, from www.drmirkin.com/joints/J103.htm
TBA	Molto A, Tezenas du Montcel S, Wendling D, et al (2017). Disease activity trajectories in early axial spondyloarthritis: results from the DESIR cohort. <i>Ann Rheum Dis</i> , 76(6): 1036-41.
TBA	Montacer Kchir M, Mehdi Ghannouchi M, Hamdi W, et al (2009). Impact of the ankylosing spondylitis on the professional activity. <i>Joint Bone Spine</i> , 76(4): 378-82.
21167	Montenegro V, Monteiro RC (1999). Elevation of serum IgA in spondyloarthropathies and IgA nephropathy and its pathogenic role. <i>Curr Opin Rheumatol</i> , 11(4): 265-72.
TBA	Monti S, Todoerti M, Codullo V, et al (2018). Prevalence of ankylosing spondylitis disease activity score (ASDAS) inactive disease in a cohort of patients treated with TNF-alpha inhibitors. <i>Mod Rheumatol</i> , 28(3): 542-9.
TBA	National Institute for Health and Care Excellence (2017). Spondyloarthritis in over 16s: diagnosis and management. Full guideline. National Institute for Health and Care Excellence, UK.
TBA	Navarro-Compan V (2019). An update on diagnosis and classification of axial spondyloarthritis. <i>Curr Rheumatol Rep</i> , 21(8): 39.
TBA	Nikiphorou E, Ramiro S (2020). Work disability in axial spondyloarthritis. <i>Curr Rheumatol Rep</i> , 22(9): 55.
TBA	Niu Q, Wei W, Huang Z, et al (2019). Association between food allergy and ankylosing spondylitis: An observational study. <i>Medicine (Baltimore)</i> , 98(6): e14421.
TBA	Nukumizu LA, Goncalves Saad C, Ostensen M, et al (2012). Gonadal function in male patients with ankylosing spondylitis. <i>Scand J Rheumatol</i> , 41(6): 476-81.
TBA	O'Dwyer T, O'Shea F, Wilson F (2015). Decreased physical activity and cardiorespiratory fitness in adults with ankylosing spondylitis: a cross-sectional controlled study. <i>Rheumatol Int</i> , 35(11): 1863-72.
TBA	O'Dwyer T, O'Shea F, Wilson F (2015). Physical activity in spondyloarthritis: a systematic review. <i>Rheumatol Int</i> , 35(3): 393-404.
64628	Ogasawara M, Kono DW, Yu DT (1986). Mimicry of human histocompatibility HLA-B27 antigens by <i>Klebsiella pneumoniae</i> . <i>Infect Immun</i> , 51(3): 901-8.

TBA	Ogrendik M (2015). Periodontal pathogens are likely to be responsible for the development of ankylosing spondylitis. <i>Curr Rheumatol Rev</i> , 11(1): 47-9.
TBA	Ogrendik M (2017). Oral anaerobic bacteria in the etiology of ankylosing spondylitis. <i>Clin Med Insights Arthritis Musculoskelet Disord</i> , 10: 1179544117712992.
64470	Oliver JE, Silman AJ (2009). What epidemiology has told us about risk factors and aetiopathogenesis in rheumatic diseases. <i>Arthritis Res Ther</i> , 11(3): 223.
34840	Olivier I, van Tubergen A, Salvarani C, et al (2002). Seronegative spondyloarthritides. <i>Best Pract Res Clin Rheumatol</i> , 16(5): 723-39.
12357	Olivieri I, Gemignani G, Christou C, et al (1989). Trauma and seronegative spondyloarthropathy: report of two more cases of peripheral arthritis precipitated by physical injury. <i>Ann Rheum Dis</i> , 48(6): 520-1.
64521	Olivieri I, Gemignani G, Christou C, et al (1991). The triggering role of physical injury in the onset of peripheral arthritis in seronegative spondyloarthropathy. <i>Rheumatol Int</i> , 10(6): 251-3.
TBA	Olivieri I, Gherardi S, Bini C, et al (1988). Trauma and seronegative spondyloarthropathy: rapid joint destruction in peripheral arthritis triggered by physical injury. <i>Ann Rheum Dis</i> , 47(1): 73-6.
64459	O'Mahony S, Anderson N, Nuki G, et al (1992). Systemic and mucosal antibodies to Klebsiella in patients with ankylosing spondylitis and Crohn's disease. <i>Ann Rheum Dis</i> , 51(12): 1296-300.
64466	Orchard T, Jewell DP (1997). Review article: Pathophysiology of the intestinal mucosa in inflammatory bowel disease and arthritis: similarities and dissimilarities in clinical findings. <i>Aliment Pharmacol Ther</i> , 11(Suppl 3): 10-5.
53733	Orlando A, Renna S, Perricone G, et al (2009). Gastrointestinal lesions associated with spondyloarthropathies. <i>World J Gastroenterol</i> , 15(20): 2443-8.
TBA	Ortolan A, Lorenzin M, Felicetti M, et al (2020). Do obesity and overweight influence disease activity measures in axial spondyloarthritis? A systematic review and meta-analysis. <i>Arthritis Care Res (Hoboken)</i> , Online ahead of print.
TBA	Ossum AM, Palm O, Lunder AK, et al (2018). Ankylosing spondylitis and axial spondyloarthritis in patients with long-term inflammatory bowel disease: results from 20 years of follow-up in the IBSEN study. <i>J Crohns Colitis</i> , 12(1): 96-104.
TBA	Ostensen M, Forger F, Nelson JL, et al (2005). Pregnancy in patients with rheumatic disease: anti-inflammatory cytokines in pregnancy and decrease post partum. <i>Ann Rheum Dis</i> , 64(6): 839-44.
TBA	Ostensen M, Fuhrer L, Mathieu R, et al (2004). A prospective study of pregnant patients with rheumatoid arthritis and ankylosing spondylitis using validated clinical instruments. <i>Ann Rheum Dis</i> , 63(10): 1212-7.
TBA	Ottaviani S, Allanore Y, Tubach F, et al (2012). Body mass index influences the response to infliximab in ankylosing spondylitis. <i>Arthritis Res Ther</i> , 14(3): R115.
34967	Palm O, Moum B, Ongre A, et al (2002). Prevalence of ankylosing spondylitis and other spondyloarthropathies among patients with inflammatory bowel disease: a population study (the IBSEN study). <i>J Rheumatol</i> , 29(3): 511-5.
TBA	Paparo F, Revelli M, Semprini A, et al (2014). Seronegative spondyloarthropathies: what radiologists should know. <i>Radiol Med</i> , 119(3): 156-63.
TBA	Park JY, Howren AM, Zusman EZ, et al (2020). The incidence of depression and anxiety in patients with ankylosing spondylitis: a systematic review and meta-analysis. <i>BMC Rheumatol</i> , 4: 12.

TBA	Pecourneau V, Degboe Y, Barnetche T, et al (2018). Effectiveness of exercise programs in ankylosing spondylitis: a meta-analysis of randomized controlled trials. <i>Arch Phys Med Rehabil</i> , 99(2): 383-9.e1.
64534	Pedersen OB, Svendsen AJ, Ejstrup L, et al (2008). Ankylosing spondylitis in Danish and Norwegian twins: occurrence and the relative importance of genetic vs. environmental effectors in disease causation. <i>Scand J Rheumatol</i> , 37(2): 120-6.
TBA	Pedersen SJ, Maksymowych WP (2019). The pathogenesis of ankylosing spondylitis: an update. <i>Curr Rheumatol Rep</i> , 21(10): 58.
64460	Peloso PM, Braun J (2004). Expanding the armamentarium for the spondyloarthropathies. <i>Arthritis Res Ther</i> , 6(Suppl 2): S36-43.
34649	Peters MJ, van der Horst-Bruinsma IE, et al (2004). Cardiovascular risk profile of patients with spondylarthropathies, particularly ankylosing spondylitis and psoriatic arthritis. <i>Semin Arthritis Rheum</i> , 34(3): 585-92.
38238	Petersel DL, Sigal LH (2005). Reactive arthritis. <i>Infect Dis Clin North Am</i> , 19(4): 863-83.
64551	Peyrin-Biroulet L, Loftus EV Jr, Colombel JF, et al (2011). Long-term complications, extraintestinal manifestations, and mortality in adult Crohn's disease in population-based cohorts. <i>Inflamm Bowel Dis</i> , 17(1): 471-8.
67820	Pischon N, Pischon T, Gulmez E, et al (2010). Periodontal disease in patients with ankylosing spondylitis. <i>Ann Rheum Dis</i> , 69(1): 34-8.
64520	Poddubnyy D, Haibel H, Listing J, et al (2012). Baseline radiographic damage, elevated acute-phase reactant levels, and cigarette smoking status predict spinal radiographic progression in early axial spondylarthritis. <i>Arthritis Rheum</i> , 64(5): 1388-98.
TBA	Poddubnyy D, Haibel H, Listing J, et al (2013). Cigarette smoking predicts radiographic progression in the spine in patients with axial spondylarthritis in a dose-dependent manner. <i>Ann Rheum Dis</i> , 71(Suppl 3): 85-6.
TBA	Pokhai GG, Bandagi S, Abrudescu A (2014). [Vitamin D levels in ankylosing spondylitis: does deficiency correspond to disease activity?]. <i>Rev Bras Reumatol</i> , 54(4): 330-4 [Article in Portuguese]. [Abstract]
34924	Porzio V, Biasi G, Corrado A, et al (1997). Intestinal histological and ultrastructural inflammatory changes in spondyloarthropathy and rheumatoid arthritis. <i>Scand J Rheumatol</i> , 26(2): 92-8.
TBA	Primholdt N, Primdahl J, Hendricks O (2017). A difficult diagnosis: a qualitative study of the daily lives of young men diagnosed with ankylosing spondylitis. <i>Musculoskeletal Care</i> , 15(2): 140-9.
TBA	Proft F, Poddubnyy D (2018). Ankylosing spondylitis and axial spondylarthritis: recent insights and impact of new classification criteria. <i>Ther Adv Musculoskelet Dis</i> , 10(5-6): 129-39.
TBA	Ramiro S, Landewe R, van Tubergen A, et al (2015). Lifestyle factors may modify the effect of disease activity on radiographic progression in patients with ankylosing spondylitis: a longitudinal analysis. <i>RMD Open</i> , 1(1): e000153.
64620	Rashid T, Ebringer A (2012). Autoimmunity in rheumatic diseases in induced by microbial infections via crossreactivity or molecular mimicry. <i>Autoimmune Dis</i> , 2012: 539282.
64619	Rashid T, Ebringer A (2011). Gut-mediated and HLA-B27-associated arthritis: an emphasis on ankylosing spondylitis and Crohn's disease with a proposal for the use of new treatment. <i>Discov Med</i> , 12(64): 187-94.
TBA	Rashid T, Wilson C, Ebringer A (2013). The link between ankylosing spondylitis, Crohn's disease, Klebsiella, and starch consumption. <i>Clin Dev Immunol</i> , 2013: 872632.
TBA	Rashid T, Wilson C, Ebringer A (2015). Raised incidence of ankylosing spondylitis among Inuit populations could be due to high HLA-B27 association and starch consumption. <i>Rheumatol Int</i> , 35(6): 945-51.

64788	Rasid T, Ebringer A (2011). Rheumatoid arthritis is caused by asymptomatic proteus urinary tract infections. Clinical Management of Complicated Urinary Tract Infections, Chapter 11: 171-80. In-Tech Publisher, Croatia.
TBA	Ratz T, Dean LE, Atzeni F, et al (2015). A possible link between ankylosing spondylitis and periodontitis: a systematic review and meta-analysis. Rheumatology (Oxford), 54(3): 500-10.
TBA	Raychaudhuri SP, Deodhar A (2014). The classification and diagnostic criteria of ankylosing spondylitis. J Autoimmun, 48-49: 128-33.
64519	Reed MD, Dharmage S, Boers A, et al (2008). Ankylosing spondylitis: an Australian experience. Intern Med J, 38(5): 321-7.
34934	Reinshagen M, von Tirpitz C (2003). Osteoporosis and other extraintestinal symptoms and complications of inflammatory bowel diseases. Dig Dis, 21(2): 138-45.
64550	Reveille JD (2011). Epidemiology of spondyloarthritis in North America. Am J Med Sci, 341(4): 284-6.
64530	Reveille JD, Brown MA (2010). Epidemiology of ankylosing spondylitis: IGAS 2009. J Rheumatol, 37(12): 2624-5.
TBA	Reveille JD, Weisman MH (2013). The epidemiology of back pain, axial spondyloarthritis and HLA-B27 in the United States. Am J Med Sci, 345(6): 431-6.
64528	Riente L, Chimenti D, Pratesi F, et al (2004). Antibodies to tissue transglutaminase and Saccharomyces cerevisiae in ankylosing spondylitis and psoriatic arthritis. J Rheumatol, 31(5): 920-4.
TBA	Rizzo A, Ferrante A, Guggino G, et al (2017). Gut inflammation in spondyloarthritis. Best Pract Res Clin Rheumatol, 31(6): 863-76.
TBA	Robinson PC, Benham H (2015). Advances in classification, basic mechanisms and clinical science in ankylosing spondylitis and axial spondyloarthritis. Intern Med J, 45(2): 127-33.
TBA	Roelsgaard IK, Esbensen BA, Ostergaard M, et al (2019). Smoking cessation intervention for reducing disease activity in chronic autoimmune inflammatory joint diseases. Cochrane Database Syst Rev, 9(9): CD012958.
TBA	Rohde G, Berg KH, Proven A, et al (2017). The relationship between demographic- and disease-related variables and health-related quality of life in patients with axial spondyloarthritis. BMC Musculoskelet Disord, 18(1): 328.
64549	Ronneberger M, Schett G (2011). Pathophysiology of spondyloarthritis. Curr Rheumatol Rep, 13(5): 416-20.
TBA	Rosas J, Llinares-Tello F, Senabre-Gallego JM, et al (2017). Obesity decreases clinical efficacy and levels of adalimumab in patients with ankylosing spondylitis. Clin Exp Rheumatol, 35(1): 145-8.
TBA	Rosca C, Cheung N (2017). Spondylarthropathies (including psoriatic arthritis). E67. Does correction of vitamin D level influence the disease activity and functionality in ankylosing spondylitis patients? A longitudinal study. Rheumatology, 56(Suppl 2): kex063.066.
TBA	Roussou E, Kennedy LG, Garrett S, et al (1997). Socioeconomic status in ankylosing spondylitis: relationship between occupation and disease activity. J Rheumatol, 24(5): 908-11.
TBA	Rubio Vargas R, van den Berg R, van Lunteren M, et al (2016). Does body mass index (BMI) influence the Ankylosing Spondylitis Disease Activity Score in axial spondyloarthritis?: Data from the SPACE cohort. RMD Open, 2(1): e000283.
64467	Rudwaleit M, Baeten D (2006). Ankylosing spondylitis and bowel disease. Best Pract Res Clin Rheumatol, 20(3): 451-71.
TBA	Saad CG, Abreu AS, Ribeiro AC, et al (2013). Fat mass and resistin: predictive factors for anti-TNF therapy response in ankylosing spondylitis patients. Arthritis Rheum, 65(Suppl 10): S1058. [Abstract]

64783	Sahly H, Podschun R, Kekow J, et al (1998). Humoral immune response to Klebsiella capsular polysaccharides in HLA-B27-positive patients with acute anterior uveitis and ankylosing spondylitis. <i>Autoimmunity</i> , 28(4): 209-15.
64614	Sahly H, Podschun R, Ullmann U (1999). [Comment] Increased antibody responses to Klebsiella serotypes K26, K36, and K50 in patients with ankylosing spondylitis. <i>Rheumatology (Oxford)</i> , 38(5): 481-2.
TBA	Salihoglu S, Dogan SC, Kavakci O (2018). Effects of childhood psychological trauma on rheumatic diseases. <i>Eur J Rheumatol</i> , 6(3): 126-9.
64527	Salvarani C, Vlachonikolis IG, van der Heijde DM, et al (2001). Musculoskeletal manifestations in a population-based cohort of inflammatory bowel disease patients. <i>Scand J Gastroenterol</i> , 36(12): 1307-13.
TBA	Sampaio-Barros PD (2011). Epidemiology of spondyloarthritis in Brazil. <i>Am J Med Sci</i> , 341(4): 287-8.
TBA	Sari I, Lee S, Tomlinson G, et al (2021). Factors predictive of radiographic progression in ankylosing spondylitis. <i>Arthritis Care Res (Hoboken)</i> , 73(2): 275-81.
TBA	Scarpa R, del Puente A, di Girolamo C, et al (1990). Trauma and seronegative spondylarthropathy. <i>Ann Rheum Dis</i> , 49(11): 957.
64761	Scarpa R, della Valle G, Del Puente A, et al (1992). [Comment] Physical trauma triggers psoriasis in a patient with undifferentiated seronegative spondyloarthropathy. <i>Clin Exp Rheumatol</i> , 10(1): 100-2.
35036	Schiefer HG, Weidner W, Krauss H, et al (1983). Rheumatoid factor-negative arthritis, especially ankylosing spondylitis, and infections of the male urogenital tract. <i>Zentralbl Bakteriol Mikrobiol Hyg A</i> , 255(4): 511-7.
64627	Schwimmbeck PL, Yu DT, Oldstone MB (1987). Autoantibodies to HLA B27 in the sera of HLA B27 patients with ankylosing spondylitis and Reiter's syndrome. Molecular mimicry with Klebsiella pneumoniae as potential mechanism of autoimmune disease. <i>J Exp Med</i> , 166(1): 173-81.
35391	Scofield RH (1996). Etiopathogenesis and biochemical and immunologic evaluation of spondyloarthropathies. <i>Curr Opin Rheumatol</i> , 8(4): 309-15.
80694	Sellgren C, Frisell T, Lichtenstein P, et al (2014). The association between schizophrenia and rheumatoid arthritis: a nationwide population-based Swedish study on intraindividual and familial risks. <i>Schizophr Bull</i> , 40(6): 1552-9.
TBA	Sen R, Goyal A, Bansal P, et al (2020). Seronegative spondyloarthropathy. Retrieved 22 October 2020, from https://www.ncbi.nlm.nih.gov/books/NBK459356/
34897	Senocak O, Manisali M, Ozaksoy D, et al (2003). Lung parenchyma changes in ankylosing spondylitis: demonstration with high resolution CT and correlation with disease duration. <i>Eur J Radiol</i> , 45(2): 117-22.
TBA	Sezer U, Erciyas K, Pehlivan Y, et al (2012). Serum cytokine levels and periodontal parameters in ankylosing spondylitis. <i>J Periodontal Res</i> , 47(3): 396-401.
TBA	Shan J, Zhang J (2019). Impact of obesity on the efficacy of different biologic agents in inflammatory diseases: A systematic review and meta-analysis. <i>Joint Bone Spine</i> , 86(2): 173-83.
TBA	Shapira Y, Agmon-Levin N, Shoenfeld Y (2010). Geoepidemiology of autoimmune rheumatic diseases. <i>Nat Rev Rheumatol</i> , 6(8): 468-76.
64473	Shiel WC Jr (2012). Ankylosing spondylitis. Retrieved 26 June 2012, from http://www.medicinenet.com/ankylosing_spondylitis/article.htm
38243	Shinebaum R (1989). ABO blood group and secretor status in the spondyloarthropathies. <i>FEMS Microbiol Immunol</i> , 1(6-7): 389-95.
34841	Sieper J, Braun J, Rudwaleit M, et al (2002). Ankylosing spondylitis: an overview. <i>Ann Rheum Dis</i> , 61(Suppl 3): iii8-18.
TBA	Sieper J, Poddubnyy D (2017). Axial spondyloarthritis. <i>Lancet</i> , 390(10089): 73-84.

TBA	Simone D, Al Mossawi MH, Bowness P (2018). Progress in our understanding of the pathogenesis of ankylosing spondylitis. <i>Rheumatology (Oxford)</i> , 57(suppl 6): vi4-9.
35034	Sims AM, Wordsworth BP, Brown MA (2004). Genetic susceptibility to ankylosing spondylitis. <i>Curr Mol Med</i> , 4(1): 13-20.
TBA	Singh A, Karrar S (2014). The role of intracellular organisms in the pathogenesis of inflammatory arthritis. <i>Int J Inflam</i> , 2014: 158793.
64622	Smieja M, MacPherson DW, Kean W, et al (2001). Randomised, blinded, placebo controlled trial of doxycycline for chronic seronegative arthritis. <i>Ann Rheum Dis</i> , 60(12): 1088-94.
TBA	Smith CJ, Bandoli G, Kavanaugh A, et al (2020). Birth outcomes and disease activity during pregnancy in a prospective cohort of women with psoriatic arthritis and ankylosing spondylitis. <i>Arthritis Care Res (Hoboken)</i> , 72(7): 1029-37.
64758	Smith GW, Blackwell CC, Nuki G (1997). Faecal flora in spondyloarthropathy. <i>Br J Rheumatol</i> , 36(8): 850-4.
22102	Smith PG, Doll R, Radford EP (1977). Cancer mortality among patients with ankylosing spondylitis not given X-ray therapy. <i>Br J Radiol</i> , 50(598): 728-34.
TBA	Soleimanifar N, Nicknam MH, Bidad K, et al (2019). Effect of food intake and ambient air pollution exposure on ankylosing spondylitis disease activity. <i>Adv Rheumatol</i> , 59(1): 9.
TBA	Sparks JA, Costenbader KH (2014). Genetics, environment, and gene-environment interactions in the development of systemic rheumatic diseases. <i>Rheum Dis Clin North Am</i> , 40(4): 637-57.
38240	Spondylitis Association of America (2005). Ankylosing Spondylitis (AS). Retrieved 22 March 2006, from www.spondylitis.org/about/as.aspx
64476	Spoorenberg A, van Tubergen A, Landewe R, et al (2005). Measuring disease activity in ankylosing spondylitis: patient and physician have different perspectives. <i>Rheumatology (Oxford)</i> , 44(6): 789-95.
35394	Steer S, Jones H, Hibbert J, et al (2003). Low back pain, sacroiliitis, and the relationship with HLA-B27 in Crohn's disease. <i>J Rheumatol</i> , 30(3): 518-22.
64475	Stoll ML (2011). Interactions of the innate and adaptive arms of the immune system in the pathogenesis of spondyloarthritis. <i>Clin Exp Rheumatol</i> , 29(2): 322-30.
TBA	Stolwijk C, van Onna M, Boonen A, et al (2016). Global prevalence of spondyloarthritis: a systematic review and meta-regression analysis. <i>Arthritis Care Res (Hoboken)</i> , 68(9): 1320-31.
64618	Stone MA, Payne U, Schentag C, et al (2004). Comparative immune responses to candidate arthritogenic bacteria do not confirm a dominant role for <i>Klebsiella pneumoniae</i> in the pathogenesis of familial ankylosing spondylitis. <i>Rheumatology (Oxford)</i> , 43(2): 148-55.
TBA	Straub RH, Struharova S, Scholmerich J, et al (2002). No alterations of serum levels of adrenal and gonadal hormones in patients with ankylosing spondylitis. <i>Clin Exp Rheumatol</i> , 20(6 Suppl 28): S52-9.
34913	Strobel ES, Fritschka E (1997). Case Report and Review of the Literature Fatal Pulmonary Complication in Ankylosing Spondylitis. <i>Clinical Rheumatology</i> , 16(6): 617-22.
TBA	Sundstrom B, Johansson G, Kokkonen H, et al (2012). Plasma phospholipid fatty acid content is related to disease activity in ankylosing spondylitis. <i>J Rheumatol</i> , 39(2): 327-33. [Abstract]
TBA	Sundstrom B, Stalnacke K, Hagfors L, et al (2006). Supplementation of omega-3 fatty acids in patients with ankylosing spondylitis. <i>Scand J Rheumatol</i> , 35(5): 359-62.
64553	Sundstrom B, Wallberg-Jonsson S, Johansson G (2011). Diet, disease activity, and gastrointestinal symptoms in patients with ankylosing spondylitis. <i>Clin Rheumatol</i> , 30(1): 71-6.

TBA	Syrbe U, Callhoff J, Conrad K, et al (2015). Serum adipokine levels in patients with ankylosing spondylitis and their relationship to clinical parameters and radiographic spinal progression. <i>Arthritis Rheumatol</i> , 67(3): 678-85.
35396	Tani Y, Tiwana H, Hukuda S, et al (1997). Antibodies to Klebsiella, Proteus, and HLA-B27 peptides in Japanese patients with ankylosing spondylitis and rheumatoid arthritis. <i>J Rheumatol</i> , 24(1): 109-14.
TBA	Tapia-Serrano R, Jimenez-Balderas FJ, Murrieta S, et al (1991). Testicular function in active ankylosing spondylitis. Therapeutic response to human chorionic gonadotrophin. <i>J Rheumatol</i> , 18(6): 841-8. [Abstract]
TBA	Tarhan F, Oruk G, Niflioglu O, et al (2013). Thyroid involvement in ankylosing spondylitis and relationship of thyroid dysfunction with anti-TNF alpha treatment. <i>Rheumatol Int</i> , 33(4): 853-7.
65616	Taurog JD (2012). Ankylosing spondylitis. Chapter 325. Retrieved 12 November 2012, from http://accessmedicine.com/content.aspx?aID=9137846
TBA	Taurog JD (2018). The spondyloarthritides. Chapter 355. Retrieved 22 October 2020, from https://accessmedicine.mhmedical.com/content.aspx?sectionid=192285312&bookid=2129#192285315
64624	Taurog JD, Richardson JA, Croft JT, et al (1994). The germfree state prevents development of gut and joint inflammatory disease in HLA-B27 transgenic rats. <i>J Exp Med</i> , 180(6): 2359-64.
TBA	Timur H, Tokmak A, Turkmen GG, et al (2016). Pregnancy outcome in patients with ankylosing spondylitis. <i>J Matern Fetal Neonatal Med</i> , 29(15): 2470-4.
TBA	Tiseo BC, Cocuzza M, Bonfa E, et al (2016). Male fertility potential alteration in rheumatic diseases: a systematic review. <i>Int Bras J Urol</i> , 42(1): 11-21.
64552	Tiwana H, Natt RS, Benitez-Brito R, et al (2001). Correlation between the immune responses to collagens type I, III, IV and V and Klebsiella pneumoniae in patients with Crohn's disease and ankylosing spondylitis. <i>Rheumatology (Oxford)</i> , 40(1): 15-23.
64759	Tiwana H, Walmsley RS, Wilson C, et al (1998). Characterization of the humoral immune response to Klebsiella species in inflammatory bowel disease and ankylosing spondylitis. <i>Br J Rheumatol</i> , 37(5): 525-31.
64547	Torok HP, Glas J, Gruber R, et al (2004). Inflammatory bowel disease-specific autoantibodies in HLA-B27-associated spondyloarthropathies: increased prevalence of ASCA and pANCA. <i>Digestion</i> , 70(1): 49-54.
34915	Tsai WC, Chen CJ, Yen JG, et al (2002). Free HLA class I heavy chain-carrying monocytes--a potential role in the pathogenesis of spondyloarthropathies. <i>J Rheumatol</i> , 29(5): 966-72.
TBA	Turkoglu S, Toprak U, Aydogan C, et al (2020). A rare case of spondyloarthropathy: Iatrogenic hypoparathyroidism. <i>Turk J Phys Med Rehabil</i> , 66(1): 92-5.
TBA	Ursin K, Lydersen S, Skomsvoll JF, et al (2018). Disease activity during and after pregnancy in women with axial spondyloarthritis: a prospective multicentre study. <i>Rheumatology (Oxford)</i> , 57(6): 1064-71.
64782	Vailes JH, Meddings JB, Yacyshyn BR, et al (1999). Bowel permeability and CD45RO expression on circulating CD20+ B cells in patients with ankylosing spondylitis and their relatives. <i>J Rheumatol</i> , 26(1): 128-35.
64629	van Bohemen CG, Grumet FC, Zanen HC (1984). Identification of HLA-B27M1 and -M2 cross-reactive antigens in Klebsiella, Shigella and Yersinia. <i>Immunology</i> , 52(4): 607-10.
TBA	van den Brandt S, Zbinden A, Baeten D, et al (2017). Risk factors for flare and treatment of disease flares during pregnancy in rheumatoid arthritis and axial spondyloarthritis patients. <i>Arthritis Res Ther</i> , 19(1): 64.

TBA	van der Linden S, Akkoc N, Brown MA, et al (2015). The ASAS criteria for axial spondyloarthritis: strengths, weaknesses, and proposals for a way forward. <i>Curr Rheumatol Rep</i> , 17(9): 62.
38284	van der Linden S, van der Heijde D (2000). Clinical aspects, outcome assessment, and management of ankylosing spondylitis and postenteric reactive arthritis. <i>Curr Opin Rheumatol</i> , 12(4): 263-8.
TBA	van Genderen S, Boonen A, van der Heijde D, et al (2015). Accelerometer quantification of physical activity and activity patterns in patients with ankylosing spondylitis and population controls. <i>J Rheumatol</i> , 42(12): 2369-75.
64785	van Kregten E, Huber-Bruning O, Vandenbroucke JP, et al (1991). No conclusive evidence of an epidemiological relation between Klebsiella and ankylosing spondylitis. <i>J Rheumatol</i> , 18(3): 384-8.
TBA	Van Mechelen M, Lories RJ (2016). Microtrauma: no longer to be ignored in spondyloarthritis? <i>Curr Opin Rheumatol</i> , 28(2): 176-80.
64554	Vavricka SR, Brun L, Ballabeni P, et al (2011). Frequency and risk factors for extraintestinal manifestations in the Swiss inflammatory bowel disease cohort. <i>Am J Gastroenterol</i> , 106(1): 110-9.
TBA	Vavricka SR, Schoepfer A, Scharl M, et al (2015). Extraintestinal manifestations of inflammatory bowel disease. <i>Inflamm Bowel Dis</i> , 21(8): 1982-92.
TBA	Verhoeven F, Guillot X, Prati C, et al (2019). Aerobic exercise for axial spondyloarthritis - its effects on disease activity and function as compared to standard physiotherapy: A systematic review and meta-analysis. <i>Int J Rheum Dis</i> , 22(2): 234-41.
64555	Veys EM, Van Laere M (1973). Serum IgG, IgM, and IgA levels in ankylosing spondylitis. <i>Ann Rheum Dis</i> , 32(6): 493-6.
TBA	Videm V, Cortes A, Thomas R, et al (2014). Current smoking is associated with incident ankylosing spondylitis -- the HUNT population-based Norwegian health study. <i>J Rheumatol</i> , 41(10): 2041-8.
TBA	Villaverde-Garcia V, Cobo-Ibanez T, Candelas-Rodriguez G, et al (2017). The effect of smoking on clinical and structural damage in patients with axial spondyloarthritis: A systematic literature review. <i>Semin Arthritis Rheum</i> , 46(5): 569-83.
TBA	Wang R, Ward MM (2018). Epidemiology of axial spondyloarthritis: an update. <i>Curr Opin Rheumatol</i> , 30(2): 137-43.
TBA	Wang S, Tsou HK, Chiou JY, et al (2020). Increased risk of inflammatory bowel disease among patients with ankylosing spondylitis: a 13-year population-based cohort study. <i>Front Immunol</i> , 11: 578732.
35395	Ward MM (2002). Predictors of the progression of functional disability in patients with ankylosing spondylitis. <i>J Rheumatol</i> , 29(7): 1420-5.
64471	Ward MM, Hendrey MR, Malley JD, et al (2009). Clinical and immunogenetic prognostic factors for radiographic severity in ankylosing spondylitis. <i>Arthritis Rheum</i> , 61(7): 859-66.
TBA	Ward MM, Kuzis S (2001). Risk factors for work disability in patients with ankylosing spondylitis. <i>J Rheumatol</i> , 28(2): 315-21.
TBA	Ward MM, Reveille JD, Leach TJ, et al (2008). Occupational physical activities and long-term functional and radiographic outcomes in patients with ankylosing spondylitis. <i>Arthritis Rheum</i> , 59(6): 822-32.
64760	Ward MM, Weisman MH, Davis JC Jr, et al (2005). Risk factors for functional limitations in patients with long-standing ankylosing spondylitis. <i>Arthritis Rheum</i> , 53(5): 710-7.
TBA	Watad A, Bridgwood C, Russell T, et al (2018). The early phases of ankylosing spondylitis: emerging insights from clinical and basic science. <i>Front Immunol</i> , 9: 2668.

64518	Wellcome Trust Case Control Consortium; The Australo-Anglo-American Spondylitis Consortium (TASC), Burton PR, et al (2007). Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. <i>Nat Genet</i> , 39(11): 1329-37.
64621	Welsh J, Avakian H, Cowling P, et al (1980). Ankylosing spondylitis, HLA-B27 and Klebsiella. I. Cross-reactivity studies with rabbit antisera. <i>Br J Exp Pathol</i> , 61(1): 85-91.
70538	Wendling D, Prati C (2013). Spondyloarthritis and smoking: towards a new insight into the disease. <i>Expert Rev Clin Immunol</i> , 9(6): 511-6.
TBA	Wendling D, Prati C (2015). Smoking and spondyloarthritis: a bad connection. <i>Rheumatol Int</i> , 35(12): 1951-3.
TBA	Wenker KJ, Quint JM (2020). Ankylosing spondylitis. Retrieved 22 October 2020, from https://www.ncbi.nlm.nih.gov/books/NBK470173/?report=printable
64781	Wilson C, Rashid T, Tiwana H, et al (2003). Cytotoxicity responses to peptide antigens in rheumatoid arthritis and ankylosing spondylitis. <i>J Rheumatol</i> , 30(5): 972-8.
64548	Wilson C, Thakore A, Isenberg D, et al (1997). Correlation between anti-Proteus antibodies and isolation rates of <i>P. mirabilis</i> in rheumatoid arthritis. <i>Rheumatol Int</i> , 16(5): 187-9.
64763	Wilson G, Folzenlogen DD (2012). Spondyloarthropathies: new directions in etiopathogenesis, diagnosis and treatment. <i>Mo Med</i> , 109(1): 69-74.
TBA	Yu DT, van Tubergen A (2020). Diagnosis and differential diagnosis of axial spondyloarthritis (ankylosing spondylitis and nonradiographic axial spondyloarthritis) in adults. Retrieved 22 October 2020, from https://www.uptodate.com/contents/diagnosis-of-axial-spondyloarthritis-ankylosing-spondylitis-and-nonradiographic-axial-spondyloarthritis-in-adults
TBA	Yu DT, van Tubergen A (2020). Pathogenesis of spondyloarthritis. Retrieved 22 October 2020, from https://www.uptodate.com/contents/pathogenesis-of-spondyloarthritis
TBA	Yu DT, van Tubergen A (2020). Reactive arthritis. Retrieved 9 December 2020, from https://www.uptodate.com/contents/reactive-arthritis
TBA	Zao A, Cantista P (2017). The role of land and aquatic exercise in ankylosing spondylitis: a systematic review. <i>Rheumatol Int</i> , 37(12): 1979-90.
TBA	Zbinden A, van den Brandt S, Ostensen M, et al (2018). Risk for adverse pregnancy outcome in axial spondyloarthritis and rheumatoid arthritis: disease activity matters. <i>Rheumatology (Oxford)</i> , 57(7): 1235-42.
TBA	Zeboulon-Ktorza N, Boelle PY, Nahal RS, et al (2013). Influence of environmental factors on disease activity in spondyloarthritis: a prospective cohort study. <i>J Rheumatol</i> , 40(4): 469-75.
64515	Zhang G, Luo J, Bruckel J, et al (2004). Genetic studies in familial ankylosing spondylitis susceptibility. <i>Arthritis Rheum</i> , 50(7): 2246-54.
TBA	Zhang H, Wan W, Liu J, et al (2018). Smoking quantity determines disease activity and function in Chinese patients with ankylosing spondylitis. <i>Clin Rheumatol</i> , 37(6): 1605-16.
TBA	Zhang L, Wu Y, Liu S, et al (2019). Prevalence of depression in ankylosing spondylitis: a systematic review and meta-analysis. <i>Psychiatry Investig</i> , 16(8): 565-74.
TBA	Zhang L, Zhang YJ, Chen J, et al (2018). The association of HLA-B27 and Klebsiella pneumoniae in ankylosing spondylitis: A systematic review. <i>Microb Pathog</i> , 117: 49-54.
TBA	Zhang S, Li Y, Xu X, et al (2015). Effect of cigarette smoking and alcohol consumption on disease activity and physical functioning in ankylosing spondylitis: a cross-sectional study. <i>Int J Clin Exp Med</i> , 8(8): 13919-27.
TBA	Zhao Q, Dong C, Liu Z, et al (2020). The effectiveness of aquatic physical therapy intervention on disease activity and function of ankylosing spondylitis patients: a meta-analysis. <i>Psychol Health Med</i> , 25(7): 832-43.

TBA	Zhao S, Duffield SJ, Moots RJ, et al (2014). Systematic review of association between vitamin D levels and susceptibility and disease activity of ankylosing spondylitis. <i>Rheumatology (Oxford)</i> , 53(9): 1595-603.
TBA	Zhao S, Thong D, Duffield SJ, et al (2018). Alcohol and disease activity in axial spondyloarthritis: a cross-sectional study. <i>Rheumatol Int</i> , 38(3): 375-81.
TBA	Zhao S, Thong D, Miller N, et al (2018). The prevalence of depression in axial spondyloarthritis and its association with disease activity: a systematic review and meta-analysis. <i>Arthritis Res Ther</i> , 20(1): 140.
TBA	Zhao SS, Duffield SJ, Goodson NJ (2019). The prevalence and impact of comorbid fibromyalgia in inflammatory arthritis. <i>Best Pract Res Clin Rheumatol</i> , 33(3): 101423.
TBA	Zhao SS, Goodson NJ, Robertson S, et al (2020). Smoking in spondyloarthritis: unravelling the complexities. <i>Rheumatology (Oxford)</i> , 59(7): 1472-81.
TBA	Zhu W, He X, Cheng K, et al (2019). Ankylosing spondylitis: etiology, pathogenesis, and treatments. <i>Bone Res</i> , 7: 22.
TBA	Ziebolz D, Douglas D, Douglas D, et al (2018). Periodontal condition is associated with disease duration and motoric disabilities in patients with ankylosing spondylitis: results of a cross-sectional study. <i>Rheumatol Int</i> , 38(5): 855-63.
TBA	Zochling J, Bohl-Buhler MH, Baraliakos X, et al (2006). Infection and work stress are potential triggers of ankylosing spondylitis. <i>Clin Rheumatol</i> , 25(5): 660-6.
TBA	Zurita Prada PA, Urrego Laurin CL, Guillen Astete CA, et al (2020). Influence of smoking and obesity on treatment response in patients with axial spondyloarthritis: a systematic literature review. <i>Clin Rheumatol</i> : Online ahead of print.