



ALZHEIMER-TYPE DEMENTIA

RMA ID Number	Reference List for RMA044-8 as at February 2019
---------------	---

19463	Abuelo DN, Seltzer W, Ott BR, et al (1998). Premature Alzheimer disease was not due to trauma: molecular biology revises diagnosis 15 years after patient's autopsy. <i>Arch Neurol</i> , 55: 1155.
53298	Access Economics Pty Ltd for Alzheimer's Australia (2005). Dementia estimates and projections: Australian states and territories: i-31.
10069	Adle-Biassette H, Duyckaerts C, Wasowicz M, et al (1996). BetaAP deposition and head trauma. <i>Neurobiol Aging</i> , 17(3): 415-9.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
86680	Afzal S, Bojesen SE, Nordestgaard BG (2014). Reduced 25-hydroxyvitamin D and risk of Alzheimer's disease and vascular dementia. <i>Alzheimer's & Dementia</i> , 10(3): 296-302.
53328	Aggarwal NT, Bienias JL, Bennett DA, et al (2006). The relation of cigarette smoking to incident Alzheimer's disease in a biracial urban community population. <i>Neuroepidemiology</i> , 26: 140-6.
86246	Ahlskog JE (2011). Does vigorous exercise have a neuroprotective effect in Parkinson disease? <i>Neurology</i> , 77: 288-294.
87023	Ahmed H, Abushouk A, Gabr M, et al (2017). Parkinson's disease and pesticides: A meta-analysis of disease connection and genetic alterations. <i>Biomed Pharmacol</i> , 90: 638-49.
55036	Aho L, Karkola K, Juusela J, et al (2009). Heavy alcohol consumption and neuropathological lesions: a post-mortem human study. <i>J Neurosci Res</i> , 87(12): 2786-92.
67479	Ahtiluoto S, Polvikoski T, Peltonen M, et al (2010). Diabetes, Alzheimer's disease, and vascular dementia. <i>Neurology</i> , 75: 1195-202.
86666	Akintola AA, Jansen SW, van Bodegom D, et al (2015). Subclinical hypothyroidism and cognitive function in people over 60 years: a systematic review and meta-analysis. <i>Frontiers in Aging Neuroscience</i> , 7(Article 150).
53117	Akomolafe A, Beiser A, Meigs JB, et al (2006). Diabetes mellitus and risk of developing Alzheimer disease: results from the Framingham Study. <i>Arch Neurol</i> , 63(11): 1551-5.
86103	Albert D, Block AM, Bruce BB, et al (2011). <i>Dorland's Illustrated Medical Dictionary</i> . 32nd Edition. Dorland's Illustrated Medical Dictionary, 56, 485, 1032. Elsevier.
12500	Albert MS (1995). How does education affect cognitive function? <i>Ann Epidemiol</i> , 5(1): 76-8.

86102	Albert MS, DeKosky ST, Dickson D, et al (2011). The diagnosis of mild cognitive impairment due to Alzheimer's disease: Recommendations from the National Institute on Aging- Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. <i>Alzheimers Dement</i> , 7(3): 270-9.
19539	Albert MS, Drachman DA (2000). Alzheimer's disease: What is it, how many people have it, and why do we need to know? <i>Neurology</i> , 55: 166-8.
55516	Alberti KG, Eckel RH, Grundy SM, et al (2009). Harmonizing the metabolic syndrome. A joint interim statement of the international diabetes federation task force on epidemiology and prevention; National Heart, Lung, and Blood Institute; American Heart Association; World Heart Federation; International Atherosclerosis Society; and International Association for the study of obesity. <i>Circulation</i> , 120: 1640-45.
3126	Alfrey AC, Le Gendre GR, Kaehny WD (1976). The dialysis encephalopathy syndrome: possible aluminum intoxication. <i>NEJM</i> , 294(4): 184-8.
79897	Alibhai SM, Breunis H, Timilshina N, et al (2010). Impact of androgen-deprivation therapy on cognitive function in men with nonmetastatic prostate cancer. <i>J Clin Oncol</i> , 28(34): 5030-7.
53178	Almeida OP, Hulse GK, Lawrence D, et al (2002). Smoking as a risk factor for Alzheimer's disease: contrasting evidence from a systemic review of case-control and cohort studies. <i>Addiction</i> , 97: 15-28.
55056	Alonso A, Mosley TH Jr, Gottesman RF, et al (2009). Risk of dementia hospitalisation associated with cardiovascular risk factors in midlife and older age: the Atherosclerosis Risk in communities (ARIC) study. <i>J Neurol Neurosurg Psychiatry</i> , 80(11): 1194-201.
55144	Amaducci LA, Fratiglioni L, Rocca WA, et al (1986). Risk factors for clinically diagnosed Alzheimer's disease: a case-control study of an Italian population. <i>Neurology</i> , 36(7): 922-31.
86799	American Psychiatric Association (2013). Mild neurocognitive disorder. Retrieved 24 May 2018, from https://dsm.psychiatryonline.org/doi/full/10.1176/appi.books.9780890425596.dsm17#x106986.2817018
20201	American Psychiatric Association (1987). Diagnostic criteria for delirium. <i>Diagnostic and Statistical Manual of Mental Disorders, Third Edition - Revised</i> ,: 103-7. American Psychiatric Association: Washington, DC.
86797	American Psychiatric Association (2013). Major and mild neurocognitive disorders. Retrieved 24 May 2018, from https://dsm.psychiatryonline.org/doi/full/10.1176/appi.books.9780890425596.dsm17#x106986.2817018
86710	American Psychiatric Association (2016). Major or mild neurocognitive disorder due to Alzheimer's disease. <i>Alzheimers's disease criteria</i> . Retrieved 23 May 2018, from http://www.wikidoc.org/index.php/Major_or_mild_neurocognitive_disorder_due_to_Alzheimer%27s_disease
55515	American Psychiatric Association (2007). Practice guideline for the treatment of patients with Alzheimer's disease and other dementias. Retrieved 3 July 2009, from http://www.psychiatryonline.com/pracGuide/pracGuideTopic_3.aspx
55558	American Psychiatric Association (2000). Dementia of the Alzheimer's type. <i>Diagnostic and Statistical Manual of Mental Disorders. DSM-IV-TR, 4, Text Revision, 294.1x</i> : 154-58. American Psychiatric Association, Washington DC.
69324	American Psychiatric Association (2013). Major and mild neurocognitive disorders. <i>Diagnostic and Statistical Manual of Mental Disorders, 5th Edition</i> , 602-11. American Psychiatric Publishing, Inc.

54856	Amieva H, Le Goff M, Millet X, et al (2008). Prodromal Alzheimer's disease: Successive emergence of the clinical symptoms. <i>Ann Neurol</i> , 64(5): 492-8.
86042	Amieva H, Ouvrard C, Giulioli C, et al (2015). Self-reported hearing loss, hearing aids, and cognitive decline in elderly adults: A 25 year study. <i>Journal of the American Geriatrics Society</i> , 63(10): 2099-104.
19451	Amouyel P, Richard F, Berr C, et al (2000). The renin angiotensin system and Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , 903: 437-41.
86247	Anang J, Gagnon J-F, Bertrand J-A, et al (2014). Predictors of dementia in Parkinson disease. <i>Neurology</i> , 83: 1253-60.
85875	Anastasiou CA, Yannakoulia M, Kosmidis MH, et al (2017). Mediterranean diet and cognitive health: Initial results from the Hellenic Longitudinal Investigation of Ageing and Diet. <i>PLoS One</i> , 12(8): e0182048.
86401	Andel R, Crowe M, Feychting M, et al (2010). Work-related exposure to extremely low-frequency magnetic fields and dementia: results from the population-based study of dementia in Swedish twins. <i>Journal of Gerontology</i> , 65A(11): 1220-7.
54857	Andel R, Crowe M, Pedersen NL, et al (2008). Physical exercise at midlife and risk of dementia three decades later: A population-based study of Swedish twins. <i>J Gerontology</i> , 63(1): 62-6.
12459	Andersen K, Launer LJ, Ott A, et al (1995). Do nonsteroidal anti-inflammatory drugs decrease the risk for Alzheimer's disease? <i>Neurology</i> , 45: 1441-5.
19700	Andersen K, Launer LJ, Dewey ME, et al (1999). Gender differences in the incidence of AD and vascular dementia: the Eurodem studies. <i>Neurology</i> , 53: 1992-7.
53177	Andersen K, Lolk A, Kragh-Sorensen P, et al (2005). Depression and the risk of Alzheimer disease. <i>Epidemiology</i> , 16: 233-8.
55560	Anderson DM, Keith J, Novak PD (Lexicographers) (2007). <i>Dementia</i> . <i>Dorland's Illustrated Medical Dictionary</i> , 31st Edition: 492. W B Saunders Philadelphia.
70290	Anderson HS, Hoffmann M (2013). Alzheimer disease. . Retrieved 4 December 2013, from http://emedicine.medscape.com/article/1134817-overview#showall
19708	Annegers JF, Grabow JD, Kurland LT, et al (1980). The incidence, causes, and secular trends of head trauma in Olmstead County, Minnesota, 1935-1974. <i>Neurology</i> , 30: 912-9.
54849	Annerbo S, Kivipelto M, Lökk J (2009). A prospective study on the development of Alzheimer's disease with regard to thyroid-stimulating hormone and homocysteine. <i>Dement Geriatr Cogn Disord</i> , 28: 275-80.
54841	Annerbo S, Wahlund LO, Lökk J (2006). The significance of thyroid-stimulating hormone and homocysteine in the development of Alzheimer's disease in mild cognitive impairment. A 6-year follow-up study. <i>Am J Alzheimers Dis Other Demen</i> , 21(3): 182-8.
86364	Anninos P, Adamopoulos A, Kotini A, et al (2016). MEG evaluation of picoesla external TMS on multiple sclerosis patients. <i>Multiple Sclerosis and Related Disorders</i> , 8: 45-53.
12494	Anonymous (1995). EMFs and Alzheimer's. <i>Environ Health Perspect</i> , 103(1): 18.
85876	Anstey KH, Ashby-Mitchell K, Peters R (2017). Updating the evidence on the association between serum cholesterol and risk of late-life dementia: Review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 56: 215-28.
71163	Anstey KJ, Cherbuin N, Budge M, et al (2011). Body mass index in midlife and late-life as a risk factor for dementia: a meta-analysis of prospective studies. <i>Obes Rev</i> , 12(5): e426-37.

53190	Anstey KJ, Lipnicki DM, Low LF (2008). Cholesterol as a risk factor for dementia and cognitive decline: a systemic review of prospective studies with meta-analysis. <i>Am J Geriatr Psychiatry</i> , 16: 343-54.
54852	Anstey KJ, Mack HA, Cherbuin N (2009). Alcohol consumption as a risk factor for dementia and cognitive decline: meta-analysis of prospective study. <i>Am J Geriatr Psychiatry</i> , 17(7): 542-55.
45017	Anstey KJ, von Sanden C, Salim A, et al (2007). Smoking as a risk factor for dementia and cognitive decline: a meta-analysis of prospective studies. <i>Am J Epidemiol</i> , 166(4): 367-78.
55043	Arendash GW, Mori T, Cao C, et al (2009). Caffeine reverses cognitive impairment and decreases brain amyloid-b levels in aged Alzheimer's disease mice. <i>J Alzheimers Dis</i> , 17(3): 661-80.
55394	Arendash GW, Sanchez-Ramos J, Mori T, et al (2010). Electromagnetic field treatment protects against and reverses cognitive impairment in Alzheimer's disease mice. <i>J Alzheimers Dis</i> , 19(1): 191-210.
86055	Areosa Sastre A, Vernooij RW, Gonzalez-Colaco Harmand M, et al (2017). Effect of the treatment of Type 2 diabetes mellitus on the development of cognitive impairment and dementia. <i>Cochrane Database of Systematic Reviews</i> , 2017: CD003804.
67435	Aretz S (2010). The differential diagnosis and surveillance of hereditary gastrointestinal polyposis syndromes. <i>Dtsch Arztebl Int</i> , 107(10): 163-73.
12575	Armstrong RA, Winsper SJ, Blair JA (1996). Aluminium and Alzheimer's disease: review of possible pathogenic mechanisms. <i>Dementia</i> , 7(1): 1-9.
80745	ARPANSA (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
89221	ARPANSA (2018). Extremely low frequency electric and magnetic fields. Retrieved 26 September 2018, from https://www.arpansa.gov.au/understanding-radiation/what-is-radiation/non-ionising-radiation/low-frequency-electric-magnetic-fields
86372	Arrive E, Letenneur L, Matharan F, et al (2012). Oral health condition of French elderly and risk of dementia: a longitudinal cohort study. <i>Community Dentistry & Oral Epidemiology</i> , 40(3): 230-8.
53184	Arvanitakis Z, Wilson RS, Bienias JL, et al (2004). Diabetes mellitus and risk of Alzheimer disease and decline in cognitive function. <i>Arch Neurol</i> , 61: 661-6.
19335	Asada T, Yamagata Z, Motonaga T, et al (1998). Smoking and risk of Alzheimer's disease. <i>Lancet</i> , 352(9130): 818-9.
86104	Ashby-Mitchell K, Burns R, Shaw J, et al (2017). Proportion of dementia in Australia explained by common modifiable risk factors. <i>Alzheimer's Research & Therapy</i> , 9(11): s13195.
53413	Ashford JW, Mortimer JA (2002). Non-familial Alzheimer's disease is mainly due to genetic factors. <i>J Alzheimers Dis</i> , 4: 169-77.
55499	Australian Energy Regulator (2010). About transmission. Retrieved 30 September 2009, from http://www.aer.gov.au/content/index.phtml/itemId/658679
86686	Australian Government Department of Health and National Health and Medical Research Council (2015). Serve sizes. Retrieved 22 May 2018, from https://www.eatforhealth.gov.au/food-essentials/how-much-do-we-need-each-day/serve-sizes
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA.

80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units/cfm
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
55497	Australian Radiation Protection and Nuclear Safety Agency (2010). Radiation Protection. Magnetic and electric fields from power lines. Retrieved 9 February 2010, from http://www.arpansa.gov.au/RadiationProtection/Factsheets/is_emf.cfm#note2
55510	Australian Radiation Protection and Nuclear Safety Agency (2010). Radiation Protection. Electricity and Health. Retrieved 4 February 2010, from http://www.arpansa.gov.au/radiationprotection/FactSheets/is_electricity.cfm
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
19316	Bacon KB & Harrison JK (2000). Chemokines and their receptors in neurobiology: perspectives in physiology and homeostasis. <i>J Neuroimmunol</i> , 104: 92-7.
79893	Bagcchi S (2016). ADT in prostate cancer and risk of Alzheimer's disease. <i>Lancet Oncol</i> , 17(1): e12.
86194	Baker KG (2016). Evaluation of DSM-5 and IWG-2 criteria for the diagnosis of Alzheimer's disease and dementia with Lewy bodies. <i>Diagnosis</i> , 3(1): 9-12.
33800	Baldi I, Lebaillly P, Mohammed-Brahim B, et al (2003). Neurodegenerative diseases and exposure to pesticides in the elderly. <i>Am J Epidemiol</i> , 157(5): 409-14.
20188	Balin BJ, Gerard HC, Arking EJ, et al (1998). Identification and localization of chlamydia pneumoniae in the Alzheimer's brain. <i>Med Microbiol Immunol</i> , 187(1): 23-42.
86602	Ballard C, Nannery ML, Theodoulou M, et al (2009). The dementia antipsychotic withdrawal trial (DART-AD): long-term follow-up of a randomised placebo-controlled trial. <i>The Lancet Neurology</i> , 8(2): 151-7.
19695	Ballard C, Shaw F, McKeith I, et al (1998). High prevalence of neurovascular instability in neurodegenerative dementias. <i>Neurology</i> , 51: 1760-2.
19597	Ballard CG, Shaw F, Lowery K, et al (1999). The prevalence, assessment and associations of falls in dementia with Lewy Bodies and Alzheimer's disease. <i>Dement Geriatr Cogn Disord</i> , 10(2): 97-103.
55052	Bandeem-Roche K, Glass TA, Bolla KI, et al (2009). Cumulative lead dose and cognitive function in older adults. <i>Epidemiology</i> , 20(6): 831-9.

85961	Bansal D, Dudala K (2013). [Comment] Statistical issues in the interpretation of diabetes as a risk factor for dementia. <i>Internal Medicine Journal</i> , 43(5): 612.
85868	Barber R, Panikkar A, McKeith IG (2001). Dementia with Lewy bodies: diagnosis and management. <i>International Journal of Geriatric Psychiatry</i> , 16(Suppl 1): S12-18.
54855	Barberger-Gateau P, Raffaitin C, Letenneur L, et al (2007). Dietary patterns and risk of dementia. The Three-City cohort study. <i>Neurology</i> , 69: 1921-30.
86105	Barca LM, Engedal K, Laks J, et al (2012). Factors associated with a depressive disorder in Alzheimer's disease are different from those found for other dementia disorders. <i>Dement Geriatr Cogn Disord Extra</i> , 2: 19-28.
86106	Barnard ND, Bunner AE, Agarwal U (2014). Saturated and trans fats and dementia: a systematic review. <i>Neurobiol Aging</i> , 35: S65-73.
85877	Barnes DE, Yaffe K, Byers AL, et al (2012). Mid-life versus late-life depressive symptoms and risk of dementia: Differential effects for Alzheimer's disease and vascular dementia. <i>Arch Gen Psychiatry</i> , 69(5): 493-8.
12442	Barnhart RL, van Belle G, Edland SD, et al (1997). [Comment] Referral bias in Alzheimer's disease. <i>J Clin Epidemiol</i> , 50(3): 365-6.
53295	Barranco Quintana JL, Allam MF, Serrano Del Castillo A, et al (2007). Alzheimer's disease and coffee: a quantitative review. <i>Neurol Res</i> , 29(1): 91-5.
24559	Barrett DH, Morris RD, Akhtar FZ, et al (2001). Serum dioxin and cognitive functioning among veterans of operation ranch hand. <i>Neurotoxicology</i> , 22(4): 491-502.
54705	Barrett-Conner E, Laughlin GA (2009). Endogenous and exogenous estrogen, cognitive function and dementia in postmenopausal women: evidence from epidemiologic studies and clinical trials. <i>Semin Reprod Med</i> , 27(3): 275-82.
54848	Barrett-Connor E, Laughlin GA (2009). Endogenous and exogenous estrogen, cognitive function and dementia in postmenopausal women: evidence from epidemiologic studies and clinical trials. <i>Semin Reprod Med</i> , 27(3): 275-82.
39818	Bates MN, Fawcett J, Garrett N, et al (2004). Health effects of dental amalgam exposure: a retrospective cohort study. <i>Int J Epidemiol</i> , 33(4): 894-902.
86402	Batty GD, Li Q, Huxley R, et al (2013). Oral disease in relation to future risk of dementia and cognitive decline: prospective cohort study based on the ADVANCE (Action in Diabetes and Vascular Disease: Preterax and Diamicron Modified-Release Controlled Evaluation) trial. <i>Eur Psychiatry</i> , 28(1): 49-52.
19375	Beard CM, Kokmen E, O'Brien PC, et al (1997). Risk of Alzheimer's disease among elderly patients with anemia: population-based investigations in Olmsted County, Minnesota. <i>Ann Epidemiol</i> , 7: 219-4.
12443	Beard CM, Kokmen E, O'Brien PC, et al (1997). Risk of Alzheimer's disease among elderly patients with anemia: population-based investigations in Olmsted County, Minnesota. <i>Ann Epidemiol</i> , 7: 219-24.
3127	Beard CM, Kokmen E, Offord KP, et al (1992). Lack of association between Alzheimer's disease and education, occupation, marital status or living arrangement. <i>Neurology</i> , 42: 2063-8.
54850	Becker JT, Chang YF, Lopez OL, et al (2009). Depressed mood is not a risk factor for incident dementia in a community-based cohort. <i>Am J Geriatr Psychiatry</i> , 17(8): 653-63.
86667	Beckett MW, Arden CI, Rotondi MA (2015). A meta-analysis of prospective studies on the role of physical activity and the prevention of Alzheimer's disease in older adults. <i>BMC Geriatr</i> , 15(9): s12877.

53134	Beekly DL, Ramos EM, Lee WW, et al (2007). The National Alzheimer's Coordinating Center (NACC) database: the uniform data set. <i>Alzheimer Dis Assoc Disord</i> , 21(3): 249-58.
20187	Beffert U, Bertrand P, Champagne D, et al (1998). HSV-1 in brain and risk of Alzheimer's disease. <i>Lancet</i> , 351(9112): 1330-1.
69462	Begum N, Wang B, Mori M, et al (2012). Does ionizing radiation influence Alzheimer's disease risk? <i>J Radiat Res</i> , 53(6): 815-22.
84397	Bellou V, Belbasis L, Tzoulaki I, et al (2017). Systematic evaluation of the associations between environmental risk factors and dementia: An umbrella review of systematic reviews and meta-analyses. <i>Alzheimer's & Dementia</i> , 13(4): 406-18.
85956	Bennett S, Thomas AJ (2014). Depression and dementia: cause, consequence or coincidence. <i>Maturitas</i> , 79(2): 184-90.
46635	Bentham PW, Jones S, Hodges JR (1997). A comparison of semantic memory in vascular dementia and dementia of Alzheimer's type. <i>International Journal of Geriatric Psychiatry</i> , 12: 575-80.
12462	Bergem ALM, Engedal K, Kringlen E (1997). The role of heredity in late-onset Alzheimer disease and vascular dementia. <i>Arch Gen Psychiatry</i> , 54: 264-70.
85932	Bergland AK, Dalen I, Larsen AL, et al (2017). Effect of vascular risk factors on the progression of mild alzheimer's disease and lewy body dementia. <i>Journal of Alzheimer's Disease</i> , 56(2): 575-84.
53293	Bergmann C, Sano M (2006). Cardiac risk factors and potential treatments in Alzheimer's disease. <i>Neurol Res</i> , 28: 595-604.
53299	Berr C, Wancata J, Ritchie K (2005). Prevalence of dementia in the elderly in Europe. <i>European Neuropsychopharmacology</i> , 15: 463-71.
53326	Beydoun MA, Beydoun HA, Wang Y (2008). Obesity and central obesity as risk factors for incident dementia and its subtypes: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 9: 204-18.
86107	Beydoun MA, Beydoun HA, Gamaldo AA, et al (2014). Epidemiologic studies of modifiable factors associated with cognition and dementia: systematic review and meta-analysis. <i>BMC Public Health</i> , 14: 643.
53415	Bienias JL, Beckett LA, Bennett DA, et al (2003). Design of the Chicago Health and Aging Project (CHAP). <i>J Alzheimers Dis</i> , 5: 349-55.
55555	Bierman EJM, Comijs HC, Jonker C, et al (2007). Symptoms of anxiety and depression in the course of cognitive decline. <i>Dement Geriatr Cogn Disord</i> , 24: 213-19.
53272	Biessels GJ, Kappelle LJ (2005). Increased risk of Alzheimer's disease in Type II diabetes: insulin resistance of the brain or insulin-induced amyloid pathology? <i>Biochemical Society Transactions</i> , 33(5): 1041-4.
70282	Biessels GJ, Staekenborg S, Brunner E, et al (2006). Risk of dementia in diabetes mellitus: a systematic review. <i>Lancet Neurol</i> , 5(1): 64-74. Erratum: <i>Lancet Neurol</i> (2006) 5(2): 113.
3128	Birchall JD, Chappell JS (1988). Aluminium, chemical physiology, and Alzheimer's disease. <i>Lancet</i> , 2(8618): 1008-10.
86409	Bird SM, Sohrabi HR, Sutton TA, et al (2016). Cerebral amyloid-B accumulation and deposition following traumatic brain injury--A narrative review and meta-analysis of animal studies. <i>Neuroscience and Biobehavioral Reviews</i> , 64: 215-28.
19685	Bird TD (1998). Alzheimer's disease and other primary dementias. <i>Harrison's Principles of Internal Medicine</i> , 14th Edition, Vol 2: 2348-56. McGraw-Hill, New York.
55561	Bird TD (2001). Alzheimer's disease and other primary dementias. <i>Harrison's Internal Medicine</i> , 31st Edition, Chapter 369: 2391-95.
19428	Birge SJ (1997). Introduction. <i>American Journal of Medicine</i> , 103(3A): 1S-2S.

55556	Blacker D, Haines JL, Rodes L, et al (1997). ApoE-4 and age at onset of Alzheimer's disease: The NIHM Genetics Initiative. <i>Neurology</i> , 48(1): 139-47.
85878	Blanc F, Mahmoudi R, Jonveasu T, et al (2017). Long-term cognitive outcome of Alzheimer's disease and dementia with Lewy bodies: dual disease is worse. <i>Alzheimer's Research & Therapy</i> , 9(47): s13195.
86248	Bleckwenn M, Kleineidam L, Wagner M, et al (2017). Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. <i>Br J Gen Pract</i> , 2016: e11-7.
86108	Bliwise DL, Mercaldo ND, Avidan AY, et al (2011). Sleep disturbance in dementia with Lewy bodies and Alzheimer's disease: A multicenter analysis. <i>Dement Geriatr Cogn Disord</i> , 31: 239-46.
85934	Blom K, Emmelot-Vonk HL (2013). The influence of vascular risk factors on cognitive decline in patients with dementia: a systematic review. <i>Maturitas</i> , 76(2): 113-7.
86660	Boccia M, Acierno M, Piccardi L (2015). Neuroanatomy of Alzheimer's disease and late-life depression: A coordinate-based meta-analysis of MRI studies. <i>Journal of Alzheimer's Disease</i> , 46: 963-70.
69849	Boerrigter ME (1993). Studies on DNA repair defects in degenerative brain disease. <i>Age Ageing</i> , 21(1): S44-52.
3233	Bohnen N, Warner MA, Kokmen E, et al (1994). Early and midlife exposure to anesthesia and age of onset of Alzheimer's disease. <i>Int J Neurosci</i> , 77: 181-5.
3129	Bohnen NI, Warner MA, Kokmen E, et al (1994). Prior blood transfusions and Alzheimer's disease. <i>Neurology</i> , 44(6): 1159-60.
12618	Bohnen NI, Wijdicks EF, Kokmen E, et al (1996). Prior intra-operative hypotension is not a risk factor for development of Alzheimer's disease. <i>Can J Neurol Sci</i> , 23(1): 57-8.
85873	Bonanni L, Thomas A, Tiraboschi P, et al (2008). EEG comparisons in early Alzheimer's disease, dementia with Lewy bodies and Parkinson's disease with dementia patients with a 2-year follow-up. <i>Brain</i> , 131(Pt 3): 690-705.
86110	Boot BP, Orr CF, Ahlskog JE, et al (2013). Risk factors for dementia with Lewy bodies. <i>Neurology</i> , 81: 833-40.
53158	Boothby LA, Doering PL (2005). Vitamin C and vitamin E for Alzheimer's disease. <i>Ann Pharmacother</i> , 39: 2073-80.
67368	Borson S (2010). Posttraumatic stress disorder and dementia: a lifelong cost of war? <i>JAGS</i> , 58: 1797-8.
76027	Bosco C, Crawley D, Adolfsson J, et al (2015). Quantifying the evidence for the risk of metabolic syndrome and its components following androgen deprivation therapy for prostate cancer: a meta-analysis. <i>PLoS One</i> , 10(3): e0117344.
54273	Bosma H, van Boxtel MP, Ponds RW, et al (2000). Pesticide exposure and risk of mild cognitive dysfunction. <i>The Lancet</i> , 356: 912-3.
54064	Bosma H, van Boxtel MPJ, Ponds RWHM, et al (2000). [Comment] Pesticide exposure and risk of mild cognitive dysfunction. <i>The Lancet</i> , 356: 912-3.
79901	Bowen RL, Butler T, Atwood CS (2016). [Comment] Not all androgen deprivation therapies are created equal: leuprolide and the decreased risk of developing Alzheimer's disease. <i>J Clin Oncol</i> , 34(23): 2800-1. Comment on ID: 79900.
79891	Bowen RL, Verdile G, Liu T, et al (2004). Luteinizing hormone, a reproductive regulator that modulates the processing of amyloid-beta precursor protein and amyloid-beta deposition. <i>Journal of Biological Chemistry</i> , 279(19): 20539-45.

19416	Bowler JV, Munoz DG, Merskey H, et al (1998). Factors affecting the age of onset and rate of progression of Alzheimer's disease. <i>J Neurol Neurosurg Psychiatry</i> , 65: 184-90.
86327	Bowman JD, Touchstone JA, Yost MG (2007). A population-based job exposure matrix for power-frequency magnetic fields. <i>Journal of Occupational and Environmental Hygiene</i> , 4(9): 715-28.
20156	Boyd E, Calinas-Correia J, Doll R, et al (2000). [Comments] Smoking and dementia in male British doctors. <i>BMJ</i> , 321: 378-9.
55498	Boyle PA, Buchman AS, Wilson RS, et al (2009). Association of muscle strength with the risk of Alzheimer Disease and the rate of cognitive decline in community-dwelling older persons. <i>Arch Neurol</i> , 66(11): 1339-44.
67404	Bracha HS, Garcia-Rill E, Mrak RE, et al (2005). Postmortem locus coeruleus neuron count in three American veterans with probable or possible war-related PTSD. <i>J Neuropsychiatry Clin Neurosci</i> , 17(4): 503-9.
79937	Brady C, O'Connor K, Power DG (2016). Androgen deprivation therapy and risk of Alzheimer's disease: importance of holistic geriatric oncology assessment. <i>J Clin Oncol</i> , 34(23): 2803-4.
56072	Braunwald E, Fauci AS (2001). Traumatic injuries of the head and spine. Types of head injuries. Penetrating injuries, compressions, and lacerations, Traumatic vascular dissection and occlusion. <i>Harrison's Internal Medicine</i> , 15th Edition, Chapter 369: 2438.
53409	Breed S, Sacks A, Ashman TA, et al (2008). Cognitive functioning among individuals with traumatic brain injury, Alzheimer's disease, and no cognitive impairments. <i>J Head Trauma Rehabil</i> , 23(3): 149-57.
12272	Breitner JC, Welsh KA (1995). Genes and recent developments in the epidemiology of Alzheimer's disease and related dementia. <i>Epidemiol Rev</i> , 17(1): 39-47.
19420	Breitner JCS (1998). Exposure classification: the bugbear of dementia epidemiology. <i>Neurobiol Aging</i> , 19: 613-4.
12498	Breitner JCS, Welsh KA, Gau BA, et al (1995). Alzheimer's disease in the national academy of sciences-national research council registry of aging twin veterans. <i>Arch Neurol</i> , 52: 763-71.
86249	Breitve MH, Chwiszczuk LJ, Hynninen MJ, et al (2014). A systematic review of cognitive decline in dementia with Lewy bodies versus Alzheimer's disease. <i>Alzheimer's Research & Therapy</i> , 6(53): 1-13.
85879	Breitve MH, Hynninen MJ, Bronnick K, et al (2016). A longitudinal study of anxiety and cognitive decline in dementia with Lewy bodies and Alzheimer's disease. <i>Alzheimer's Research & Therapy</i> , 8(3): s13195.
19704	Brenner S (1999). Prevalence of AD and other dementias in rural India. <i>Neurology</i> , 52: 1517.
9864	Breteler MM, Claus JJ, van Duijn CM, et al (1992). Epidemiology of Alzheimer's Disease. <i>Epidemiol Rev</i> , 14: 59-82.
85908	Brodaty H, Seeher K, Gibson L (2012). Dementia time to death: a systematic literature review on survival time and years of life lost in people with dementia. <i>International Psychogeriatrics</i> , 24(7): 1034-45.
3130	Broe GA, Henderson AS, Creasey H, et al (1990). A case-control study of Alzheimer's disease in Australia. <i>Neurology</i> , 40(11): 1698-1707.
86659	Brown EE, Iwata Y, Chung JK, et al (2016). Tau in late-life depression: A systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 54: 615-33.
19453	Brown WR, Moody DM, Tytell M, et al (1997). Microembolic brain injuries from cardiac surgery: are they seeds of future Alzheimer's disease? <i>Annals of the New York Academy of Sciences</i> , 826: 386-9.
86049	Bubu OM, Brannick M, Mortimer J, et al (2017). Sleep, cognitive impairment, and Alzheimer's disease: A systematic review and meta-analysis. <i>Sleep</i> , 40(1): zsw032.

86111	Buchman AS, Boyle PA, Yu L, et al (2012). Total daily physical activity and the risk of AD and cognitive decline in older adults. <i>Neurology</i> , 78: 1323-9.
53155	Buchman AS, Schneider JA, Wilson RS, et al (2006). Body mass index in older persons is associated with Alzheimer disease pathology. <i>Neurology</i> , 67: 1949-54.
53161	Buchman AS, Wilson RS, Bienias JL, et al (2005). Change in body mass index and risk of incident Alzheimer disease. <i>Neurology</i> , 65: 892-7.
55565	Burda H, Begall S, Cerveny J, et al (2009). Extremely low-frequency electromagnetic fields disrupt magnetic alignment of ruminants. <i>PNAS</i> , 106(14): 5708-13.
86150	Burnes DP, Burnette D (2013). Broadening the etiological discourse on Alzheimer's disease to include trauma and posttraumatic stress disorder as psychosocial risk factors. <i>Journal of Aging Studies</i> , 27(3): 218-24.
67707	Burri A, Maercker A, Krammer S, et al (2013). Childhood trauma and PTSD symptoms increase the risk of cognitive impairment in a sample of former indentured child laborers in old age. <i>PLoS One</i> , 8(2): e57826.
86250	Butler R, Radhakrishnan R (2012). Dementia. <i>Clinical Evidence</i> , 09: 1001.
19461	Buttini M, Orth M, Bellosta S, et al (1999). Expression of human apolipoprotein E3 or E4 in the brains of apoE -/- mice: Isoform-specific effects on neurodegeneration. <i>Journal of Neuroscience</i> , 19: 4867-80.
86112	Byers AL, Yaffe K (2014). Depression and dementias among military veterans. <i>Alzheimer's & Dementia</i> , 10: S166-73.
53143	Caamano-Isorna F, Corral M, Montes-Martinez A, et al (2006). Education and dementia: A meta-analysis study. <i>Neuroepidemiology</i> , 26: 226-32.
86113	Calderon J, Perry RJ, Erzincliglu SW, et al (2001). Perception, attention, and working memory are disproportionately impaired in dementia with Lewy bodies compared with Alzheimer's disease. <i>J Neurol Neurosurg Psychiatry</i> , 70: 157-64.
53945	Calvert GM, Mueller CA, Fajen JM, et al (1998). Health effects associated with sulfuryl fluoride and methyl bromide exposure among structural fumigation workers. <i>Am J Public Health</i> , 88(12): 1774-80.
54276	Campbell A, Becaria A, Lahiri DK, et al (2004). Chronic exposure to aluminium in drinking water increases inflammatory parameters selectively in the brain. <i>J Neurosci Res</i> , 75: 565-72.
86114	Campdelacreu J (2014). Parkinson's disease and Alzheimer's disease: environmental risk factors. <i>Neurologia</i> , 29(9): 541-9.
46636	Cannata AP, Alberoni M, Franceschi M, et al (2002). Frontal impairment in subcortical ischemic vascular dementia in comparison to Alzheimer's disease. <i>Dement Geriatr Cogn Disord</i> , 13: 101-11.
55042	Cao C, Cirrito JR, Lin X, et al (2009). Caffeine suppresses amyloid-B levels in plasma and brain of Alzheimer's disease transgenic mice. <i>J Alzheimers Dis</i> , 17: 681-97.
54486	Cao D, Lu H, Lewis TL, et al (2007). Intake of sucrose-sweetened water induces insulin resistance and exacerbates memory deficits and amyloidosis in a transgenic mouse model of Alzheimer disease. <i>Journal of Biological Chemistry</i> , 282(50): 36275-82.
84124	Cao L, Tan L, Wang HF, et al (2016). Dietary patterns and risk of dementia: A systematic review and meta-analysis of cohort studies. <i>Molecular Neurobiology</i> , 53(9): 6144-54.
86700	Carbone I, Lazzarotto T, Ianni M, et al (2014). Herpes virus in Alzheimer's disease: relation to progression of the disease. <i>Neurobiology of Aging</i> , 35(1): 122-9.
86650	Carcaillon L, Brailly-Tabard S, Ancelin ML, et al (2014). Low testosterone and the risk of dementia in elderly men: Impact of age and education. <i>Alzheimer's & Dementia</i> , 10(Suppl 5): s306-14.

43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Research</i> , 167(4): 396-416.
19337	Carr DB, Goate A, Phil D, et al (1997). Current concepts in the pathogenesis of Alzheimer's disease. <i>Am J Med</i> , 103(3A): 3S-10S.
19427	Carr DB, Goate A, Phil D, et al (1997). Current concepts in the pathogenesis of Alzheimer's disease. <i>American Journal of Medicine</i> , 103(3A): 3S-10S.
19506	Carrasco J, Giralt M, Molinero A, et al (1999). Metallothionein (MT)-III: Generation of polyclonal antibodies, comparison with MT- I + II in the freeze lesioned rat brain and in a bioassay with astrocytes, and analysis of Alzheimer's disease brains. <i>Journal of Neurotrauma</i> , 16(11): 1115-29.
53406	Carroll LJ, Cassidy JD, Holm L, et al (2004). Methodological issues and research recommendations for mild traumatic brain injury: the WHO Collaborating Centre Task Force on mild traumatic brain injury. <i>J Rehabil Med, Suppl 43</i> : 113-25.
53401	Carroll LJ, Cassidy JD, Peloso PM, et al (2004). Prognosis for mild traumatic brain injury: results of the WHO Collaborating Centre Task Force on mild traumatic brain injury. <i>J Rehabil Med, Suppl 43</i> : 84-105.
80746	Carter M, Robotham R, Wise K, et al (2006). Australian participants in British nuclear tests in Australia. Department of Veterans' Affairs, Vol 1: Dosimetry. Commonwealth of Australia.
86053	Cass SP (2017). Alzheimer's Disease and Exercise: A Literature Review. <i>Current Sports Medicine Reports</i> , 16(1): 19-22.
86115	Castiglione A, Benatti A, Velardita C, et al (2016). Aging, cognitive decline and hearing loss: effects of auditory rehabilitation and training with hearing aids and cochlear implants on cognitive function and depression among older adults. <i>Audiol Neurootol</i> , 21(Suppl 1): 21-8.
86117	Cataldo JK, Prochaska JJ, Glantz SA (2010). Cigarette smoking is a risk factor for Alzheimer's disease: An analysis controlling for tobacco industry affiliation. <i>J Alzheimers Dis</i> , 19(2): 465-80.
53294	Cechetto DF, Hachinski V, Whitehead SN (2008). Vascular risk factors and Alzheimer's disease. <i>Expert Rev Neurother</i> , 8(5): 743-50.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
89230	Cerutti-Kopplin D, Jeine J, Padilha DM, et al (2016). Tooth loss increases the risk of diminished cognitive function: A systematic review and meta-analysis. <i>JDR Clinical & Translational Research</i> , 1(1): 10-9.
86118	Chan KY, Wang W, Wu JJ, et al (2013). Epidemiology of Alzheimer's disease and other forms of dementia in China, 1990-2010: a systematic review and analysis. <i>The Lancet</i> , 381: 2016-23.
86119	Chan PC, Wei CY, Hung GU, et al (2018). Reduced vascular risk factors in Parkinson's disease dementia and dementia with Lewy bodies compared to Alzheimer's disease. <i>Brain and Behavior</i> , 8: e00916.
19703	Chandra V, Ganguli M, Pandav R, et al (1998). Prevalence of Alzheimer's disease and other dementias in rural India: the Indo-US study. <i>Neurology</i> , 51: 1000-8.
3131	Chandra V, Kokmen E, Schoenberg BS, et al (1989). Head trauma with loss of consciousness as a risk factor for Alzheimer's disease. <i>Neurology</i> , 39(12): 1576-8.
86668	Chang KH, Chang MY, Muo CH, et al (2014). Increased risk of dementia in patients exposed to nitrogen dioxide and carbon monoxide: A population-based retrospective cohort study. <i>PLoS One</i> , 9(8): e103078.

85959	Chang-Quan H, Hui W, Chao-Min W, et al (2011). The association of antihypertensive medication use with risk of cognitive decline and dementia: a meta-analysis of longitudinal studies. <i>International Journal of Clinical Practice</i> , 65(12): 1295-305.
12566	Charlton RC (1995). The onset of dementia following bereavement. <i>Aust Fam Physician</i> , 24(7): 1233-6.
86120	Chatterjee S, Peters SAE, Woodward M, et al (2016). Type 2 diabetes as a risk factor for dementia in women compared with men: A pooled analysis of 2.3 million people comprising more than 100,000 cases of dementia. <i>Diabetes Care</i> , 39: 300-7.
19591	Chemerinski E, Petracca G, Manes F, et al (1998). Prevalence and correlates of anxiety in Alzheimer's disease. <i>Depress Anxiety</i> , 7: 166-70.
19897	Chen P, Ganguli M, Mulsant BH, et al (1999). The temporal relationship between depressive symptoms and dementia: a community-based prospective study. <i>Archives of General Psychiatry</i> , 56: 261-6.
86122	Chen WW, Zhang X, Huang WJ (2016). Role of physical exercise in Alzheimer's disease (Review). <i>Biomedical Reports</i> , 4: 403-7.
55044	Chen X, Gawryluk JW, Wagener JF, et al (2008). Caffeine blocks disruption of blood brain barrier in a rabbit model of Alzheimer's disease. <i>J Neuroinflammation</i> , 5: 12.
86121	Chen X, Guo X, Huang R, et al (2014). Serum uric acid levels in patients with Alzheimer's disease: A meta analysis. <i>PLoS One</i> , 9(4): e94084.
19321	Chen Y, Lomnitski L, Michaelson DM, et al (1997). Motor and cognitive deficits in apolipoprotein E-deficient mice after closed head injury. <i>Neuroscience</i> , 80: 1255-62.
12688	Chen Y, Lomnitski L, Michaelson DM, et al (1997). Motor and cognitive deficits in apolipoprotein e-deficient mice after closed head injury. <i>Neuroscience</i> , 80(4): 1255-62.
67425	Cheng D, Noble J, Tang MX, et al (2011). Type 2 diabetes and late-onset Alzheimer's disease. <i>Dement Geriatr Cogn Disord</i> , 31: 424-30.
71170	Cheng G, Haung C, Deng H, et al (2012). Diabetes as a risk factor for dementia and mild cognitive impairment: a meta-analysis of longitudinal studies. <i>Intern Med J</i> , 42(5): 484-91.
86123	Cherbuin N, Kim S, Anstey K (2015). Dementia risk estimates associated with measures of depression: a systematic review and meta-analysis. <i>BMJ Open</i> , 5: e008853.
69461	Cherry JD, Liu B, Frost JL, et al (2012). Galactic cosmic radiation leads to cognitive impairment and increased Ab plaque accumulation in a mouse model of Alzheimer's disease. <i>PLoS One</i> , 7(12): Epub.
86238	Chi S, Wang C, Jiang T, et al (2015). The prevalence of depression in Alzheimer's disease: A systematic review and meta-analysis. <i>Current Alzheimer Research</i> , 12(2): 189-98.
53329	Chiang CJ, Yip PK, Wu SC, et al (2007). Midlife risk factors for subtypes of dementia: a nested case-control study in Taiwan. <i>Am J Geriatr Psychiatry</i> , 15(9): 762-71.
85991	Chiba Y, Fujishiro H, Iseki E, et al (2012). Retrospective survey of prodromal symptoms in dementia with Lewy bodies: comparison with Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 33(4): 273-81.
86124	Chin-Chan M, Navarro-Yepes J, Quintanilla-Vega B (2015). Environmental pollutants as risk factors for neurodegenerative disorders: Alzheimer and Parkinson diseases. <i>Frontiers in Cellular Neuroscience</i> , 9: Article 124.
86125	Chiu PY, Wang CW, Tsai CT, et al (2017). Depression in dementia with Lewy bodies: A comparison with Alzheimer's disease. <i>PLoS One</i> , 12(6): e0179399.

55045	Cho ES, Jang YJ, Hwang MK, et al (2009). Attenuation of oxidative neuronal cell death by coffee phenolic phytochemicals. <i>Mutation Research</i> , 661: 18-24.
89231	Chuang YF, Elango P, Gonzalez CE, et al (2017). Midlife anticholinergic drug use, risk of Alzheimer's disease, and brain atrophy in community-dwelling older adults. <i>Alzheimer's & Dementia</i> , 3(3): 471-9.
86126	Chung EJ, Babulal GM, Monsell SE, et al (2015). Clinical features of Alzheimer disease with and without Lewy bodies. <i>JAMA Neurol</i> , 72(7): 789-96.
79934	Chung SD, Lin HC, Tsai MC, et al (2016). Androgen deprivation therapy did not increase the risk of Alzheimer's and Parkinson's disease in patients with prostate cancer. <i>Andrology</i> , 4(3): 481-5.
53301	Clare L, Woods B (2009). Cognitive rehabilitation and cognitive training for early-stage Alzheimer's disease and vascular dementia. <i>Cochrane Database Syst Rev</i> , (2): CD003260.
3132	Clark RF, Goate AM (1993). Molecular genetics of Alzheimer's disease. <i>Arch Neurol</i> , 50: 1164-72.
86127	Clarke R, Bennett D, Parish S, et al (2014). Effects of homocysteine lowering with B vitamins on cognitive aging: meta-analysis of 11 trials with cognitive data on 22,000 individuals. <i>Am J Clin Nutr</i> , 100: 657-66.
86251	Cleary EG, Cifuentes M, Grinstein, et al (2018). Association of low-level ozone with cognitive decline in older adults. <i>J Alzheimers Dis</i> , 61(1): 67-78.
86227	Clifford A, Lang L, Chen R, et al (2016). Exposure to air pollution and cognitive functioning across the life course - A systematic literature review. <i>Environmental Research</i> , 147: 383-98.
12460	Cobb JL, Wolf PA, Au R, et al (1995). The effect of education on the incidence of dementia and Alzheimer's disease in the Framingham study. <i>Neurology</i> , 45: 1707-12.
85869	Collerton D, Burn D, McKeith I, et al (2003). Systematic review and meta-analysis show that dementia with Lewy bodies is a visual-perceptual and attentional-executive dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 16(4): 229-37.
3133	Collinge J, Owen F, Poulter M, et al (1990). Prion dementia without characteristic pathology. <i>Lancet</i> , 336(8706): 7-9.
54704	Colucci M, Cammarata S, Assini A, et al (2006). The number of pregnancies is a risk factor for Alzheimer's disease. <i>Eur J Neurol</i> , 13: 1374-7.
47578	Committee to review the health effects in Vietnam veterans of exposure to herbicides (sixth biennial update) (2007). <i>Veterans and Agent Orange: update 2006</i> , Chapter 9: 645-6. The National Academies Press, Washington DC.
86021	Cooper B, Holmes C (1998). Previous psychiatric history as a risk factor for late-life dementia: a population-based case-control study. <i>Age and Ageing</i> , 27(2): 181-8.
85964	Cooper C, Sommerlad A, Lyketsos CG, et al (2015). Modifiable predictors of dementia in mild cognitive impairment: a systematic review and meta-analysis. <i>American Journal of Psychiatry</i> , 172(4): 323-34.
53154	Corder EH, Beaumont H (2007). Susceptibility groups for Alzheimer's disease (OPTIMA cohort): Integration of gene variants and biochemical factors. <i>Mechanisms of Ageing and Development</i> , 128: 76-82.
19509	Corrigan FM, Weinburg CL, Shore RF, et al (2000). Organochlorine insecticides in substantia nigra in Parkinson's disease. <i>Journal of Toxicology and Environmental Health Part A</i> , 59(4): 229-34.
10209	Cotton P (1994). Constellation of risks and processes seen in search for Alzheimer's clues. <i>JAMA</i> , 271(2): 89-91.

55047	Craft S (2006). Insulin resistance syndrome and Alzheimer disease: pathophysiologic mechanisms and therapeutic implications. <i>Alzheimer Dis Assoc Disord</i> , 20(4): 298-301.
86128	Crane PK, Gibbons LE, Dams-O'Connor K, et al (2016). Association between traumatic brain injury and late life neurodegenerative conditions and neuropathological findings. <i>JAMA Neurol</i> , 73(9): 1062-9.
12475	Crawford JG (1996). Alzheimer's disease risk factors as related to cerebral blood flow. <i>Med Hypotheses</i> , 46: 367-77.
19464	Crawford JG (1998). Alzheimer's disease risk factors as related to cerebral blood flow: additional evidence. <i>Medical Hypotheses</i> , 50: 25-36.
86130	Cruz-Haces M, Tang J, Acosta G, et al (2017). Pathological correlations between traumatic brain injury and chronic neurodegenerative diseases. <i>Translational Neurodegeneration</i> , 6: 20.
12687	Cuajungco MP, Lees GJ (1997). Zinc and Alzheimer's disease: is there a direct link? <i>Brain Res Brain Res Rev</i> , 23(3): 219-36.
69464	Cui H, Kong Y, Zhang H (2011). Oxidative Stress, Mitochondrial Dysfunction, and Aging. <i>Journal of Signal Transduction</i> , 2012: Epub.
54861	Cunnane SC, Plourde M, Pifferi F, et al (2009). Fish, docosahexaenoic acid and Alzheimer's disease. <i>Prog Lipid Res</i> , 48: 239-56.
70283	Curb JD, Rodriguez BL, Abbott RD, et al (1999). Longitudinal association of vascular and Alzheimer's dementias, diabetes, and glucose tolerance. <i>Neurology</i> , 52(5): 971-75. [Abstract]
53189	Dai Q, Borenstein AR, Wu Y, et al (2006). Fruit and vegetable juices and Alzheimer's disease: The Kame Project. <i>Am J Med</i> , 119(9): 751-9.
55545	Dal Forno G, Palermo TM, Donohue JE, et al (2005). Depressive symptoms, sex, and risk for Alzheimer's disease. <i>Ann Neurol</i> , 57(3): 381-87.
79896	D'Amico AV, Braccioforte MH, Moran BJ, et al (2010). Luteinizing-hormone releasing hormone therapy and the risk of death from Alzheimer disease. <i>Alzheimer Dis Assoc Disord</i> , 24(1): 85-9.
86131	Dams-O'Connor K, Gibbons LE, Bowen JD, et al (2013). Risk for late-life re-injury, dementia and death among individuals with traumatic brain injury: a population-based study. <i>J Neurol Neurosurg Psychiatry</i> , 84(2): 177-82.
86305	Davanipour Z, Tseng C-C, Lee P-J, et al (2014). Severe cognitive dysfunction and occupational extremely low frequency magnetic field exposure among elderly Mexican Americans. <i>Br J Med Med Res</i> , 4(8): 1641-62.
55520	Davanipour Z, Tseng C-C, Lee P-J, et al (2007). A case-control study of occupational magnetic field exposure and Alzheimer's disease: results from the California Alzheimer's Disease Diagnosis and Treatment Centers. <i>BMC Neurol</i> , 9(7): 13.
86132	Davies HR, Cadar D, Herbert A, et al (2017). Hearing impairment and incident dementia: Findings from the English longitudinal study of ageing. <i>JAGS</i> , 65(9): 2074-81.
86252	Daviglus ML, Bell CC, Berrettini W, et al (2010). NIH consensus development conference statement on preventing Alzheimer's disease and cognitive decline. <i>NIH Consens State Sci Statements</i> , 27(4): 1-30.
86253	Davydow DS, Hough CL, Levine DA, et al (2013). Functional disability, cognitive impairment, and depression following hospitalization for pneumonia. <i>Am J Med</i> , 126(7): 615-24.
86577	de Jong FJ, den Heijer T, Visser TJ, et al (2006). Thyroid hormones, dementia, and atrophy of the medial temporal lobe. <i>The Journal of Clinical Endocrinology & Metabolism</i> , 91(7): 2569-73.
53144	de Jong FJ, Masaki K, Chen H, et al (2009). Thyroid function, the risk of dementia and neuropathologic changes: The Honolulu-Asia Aging Study. <i>Neurobiology of Aging</i> , 30: 600-6.

85933	de la Torre JC (2010). Vascular risk factor detection and control may prevent Alzheimer's disease. <i>Ageing Research Reviews</i> , 9(3): 218-25.
3134	De la Torre JC, Mussivand T (1993). Can disturbed brain microcirculation cause Alzheimer's disease? <i>Neurol Res</i> , 15: 146-53.
86254	de Labra C, Guimaraes-Pinheiro C, Maseda A, et al (2015). Effects of physical exercise interventions in frail older adults: a systematic review of randomized controlled trials. <i>BMC Geriatrics</i> , 15(154): 1-16.
85990	De Reuck J, Deramecourt V, Cordonnier C, et al (2013). Prevalence of cerebrovascular lesions in patients with Lewy body dementia: A neuropathological study. <i>Clinical Neurology and Neurosurgery</i> , 115(7): 1094-7.
86257	Deal JA, Albert MS, Arnold M, et al (2017). A randomized feasibility pilot trial of hearing treatment for reducing cognitive decline: Results from the Aging and Cognitive Health Evaluation in Elders Pilot Study. <i>Alzheimer's & Dementia</i> , 3: 410-5.
85958	Deal JA, Betz J, Yaffe K, et al (2017). Hearing impairment and incident dementia and cognitive decline in older adults: The health ABC study. <i>The Journals of Gerontology</i> , 72(5): 703-9.
86256	Deal JA, Sharrett AR, Albert MS, et al (2015). Hearing impairment and cognitive decline: A pilot study conducted within the atherosclerosis risk in communities neurocognitive study. <i>American Journal of Epidemiology</i> , 181(9): 860-90.
35949	DeAngelis LM, Delattre JY, Posner JB (1989). Radiation-induced dementia in patients cured of brain metastases. <i>Neurology</i> , 39: 789-796.
53152	Debanne SM, Bielefeld RA, Cheruvu VK, et al (2007). Alzheimer's disease and smoking: bias in cohort studies. <i>J Alzheimers Disease</i> , 11: 313-21.
19598	Debanne SM, Rowland DY, Riedel TM, et al (2000). Association of Alzheimer's disease and smoking: the case for sibling controls. <i>J Am Geriatr Soc</i> , 48: 800-6.
86258	Deckers K, Camerino I, van Boxtel M, et al (2017). Dementia risk in renal dysfunction: A systematic review and meta-analysis of prospective studies. <i>Neurology</i> , 10: 198-208.
86133	Deckers K, Scheivink SHJ, Rodriquez MMF, et al (2017). Coronary heart disease and risk for cognitive impairment or dementia: Systematic review and meta-analysis. <i>PLoS One</i> , 12(9): e0184244.
53368	DeKosky ST, Abrahamson EE, Ciallella JR, et al (2007). Association of increased cortical soluble AB42 levels with diffuse plaques after severe brain injury in humans. <i>Arch Neurol</i> , 64: 541-4.
85866	Del Ser T, Hachinski V, Merskey H, et al (2001). Clinical and pathologic features of two groups of patients with dementia with Lewy bodies: effect of coexisting Alzheimer-type lesion load. <i>Alzheimer Dis Assoc Disord</i> , 15(1): 31-4.
12767	Deloncle R, Guillard O, Huguet F, et al (1995). Modification of the blood-brain barrier through chronic intoxication by aluminum glutamate: possible role in the etiology of Alzheimer's disease. <i>Biol Trace Elem Res</i> , 47(1-3): 227-33.
53196	Deng J (2006). A 2-year follow-up study of cigarette smoking and risk of dementia. <i>Ann Gen Psychiatry</i> , 5(Suppl 1): S194.
86244	Denkinger MD, Nikolaus T, Denkinger C, et al (2012). Physical activity for the prevention of cognitive decline. <i>Z Gerontol Geriat</i> , 45(1): 11-16.
86187	Deschaintre Y, Richard F, Leys D, et al (2009). Treatment of vascular risk factors is associated with slower decline in Alzheimer disease. <i>Neurology</i> , 73(9): 674-80.
54845	Devore EE, Grodstein F, van Rooij FJ, et al (2009). Dietary intake of fish and omega-3 fatty acids in relation to long-term dementia risk. <i>Am J Clin Nutr</i> , 90: 170-6.

19417	Diaz-Arrastia R (1998). Hyperhomocysteinemia: a new risk factor for Alzheimer disease? <i>Arch Neurol</i> , 55: 1407-8.
67428	Dickstein DL, Walsh J, Brautigam H, et al (2010). Role of vascular risk factors and vascular dysfunction in Alzheimer's disease. <i>Mount Sinai Journal of Medicine</i> , 77: 82-102.
71174	Diniz BS, Butters MA, Albert SM, et al (2013). Late-life depression and risk of vascular dementia and Alzheimer's disease: systematic review and meta-analysis of community-based cohort studies. <i>Br J Psychiatry</i> , 202: 329-35.
86196	Dintica CS, Rizzuto D, Marseglia A, et al (2018). Tooth loss is associated with accelerated cognitive decline and volumetric brain differences: a population-based study. <i>Neurobiology of Aging</i> , 67: 23-30.
55559	Dobert N, Hamscho N, Menzel C, et al (2003). Subclinical hyperthyroidism in dementia and correlation of the metabolic index in FDG-PET. <i>Acta Med Austriaca</i> , 30(5): 130-33. [Abstract]
20185	Dobson CB, Itzhaki RF (1999). Herpes simplex virus type 1 and Alzheimer's disease. <i>Neurobiol Aging</i> , 20(4): 457-65.
3163	Doll R (1993). Review: Alzheimer's disease and environmental aluminium. <i>Age Ageing</i> , 22(2): 138-53.
20154	Doll R, Peto R, Boreham J, et al (2000). Smoking and dementia in male British doctors: prospective study. <i>BMJ</i> , 320: 1097-102.
86259	Donaghy PC, McKeith IG (2014). The clinical characteristics of dementia with Lewy bodies and a consideration of prodromal diagnosis. <i>Alzheimer's Research & Therapy</i> , 6: 46.
85993	Donaghy PC, O'Brien JT, Thomas AJ (2015). Prodromal dementia with Lewy bodies. <i>Psychological Med</i> , 45(2): 259-68.
53772	Dosunmu R, Wu J, Basha MR, et al (2007). Environmental and dietary risk factors in Alzheimer's disease. <i>Expert Rev Neurother</i> , 7(7): 887-900.
86260	Dotson VM, Beydoun MA, Zonderman AB (2010). Recurrent depressive symptoms and the incidence of dementia and mild cognitive impairment. <i>Neurology</i> , 75: 27-34.
85987	Dregan A, Chowienczyk P, Armstrong D (2015). Patterns of anti-inflammatory drug use and risk of dementia: a matched case-control study. <i>European Journal of Neurology</i> , 22(11): 1421-8.
86209	Drew DA, Weiner DE, Tighiouart H, et al (2017). Cognitive decline and its risk factors in prevalent hemodialysis patients. <i>Am J Kidney Dis</i> , 69(6): 780-7.
69669	Dropcho EJ (1991). Central nervous system injury by therapeutic irradiation. <i>Neurol Clin</i> , 9(4): 969-988.
86261	Du K, Liu M, Pan Y, et al (2017). Association of serum manganese levels with Alzheimer's disease and mild cognitive impairment: A systematic review and meta-analysis. <i>Nutrients</i> , 9: 231.
86076	Du N, Xu D, Hou X, et al (2016). Inverse association between serum uric acid levels and Alzheimer's disease risk. <i>Molecular Neurobiology</i> , 53(4): 2594-9.
89232	Dublin S, Walker RL, Gray SL, et al (2017). Use of analgesics (opioids and nonsteroidal anti-inflammatory drugs) and dementia related neuropathology in a community-based autopsy cohort. <i>J Alzheimers Dis</i> , 58(2): 435-8.
86036	Dubois B, Feldman HH, Jacova C, et al (2014). Erratum: Advancing research diagnostic criteria for Alzheimer's disease: the IWG-2 criteria. <i>The Lancet. Neurology</i> , 13(8): 757.
86035	Dubois B, Feldman HH, Jacova C, et al (2014). Advancing research diagnostic criteria for Alzheimer's disease: the IWG-2 criteria. Erratum ID: 86036. <i>The Lancet. Neurology</i> , 13(6): 614-29.

55519	Dufouil C, Richard F, Fievet N, et al (2005). APOE genotype, cholesterol level, lipid-lowering treatment, and dementia. The Three-City Study. <i>Neurology</i> , 64(9): 1531-38.
86262	Dugger BN, Malek-Ahmadi M, Monsell SE, et al (2016). Cross-sectional analysis of late life cardiovascular factors and their relation to clinically defined neurodegenerative diseases. <i>Alzheimer Dis Assoc Disord</i> , 30(3): 223-9.
68274	Dunt D, Doyle C, MacFarlane A, et al (2012). Research Project. The Impact of War Experiences on Dementia in Veterans, Final Report,. The University of Melbourne.
53300	Duron E, Hanon O (2008). Vascular risk factors, cognitive decline, and dementia. <i>Vasc Health Risk Manag</i> , 4(2): 363-81.
53289	Duron E, Hanon O (2008). Vascular risk factors, cognitive decline, and dementia. <i>Vascular Health & Risk Management</i> , 4(2): 363-81.
19462	Eikelenboom P, Rozemuller, van Muiswinkel FL (1998). Inflammation and Alzheimer's disease: relationship between pathogenic mechanisms and clinical expression. <i>Experimental Neurology</i> , 154: 89-98.
19327	Eikelenboom P, Veerhuis R (1999). The importance of inflammatory mechanisms for the development of Alzheimer's disease. <i>Exp Geront</i> , 34: 453-61.
86263	Elder GJ, Colloby SJ, Lett DJ, et al (2016). Depressive symptoms are associated with daytime sleepiness and subjective sleep quality in dementia with Lewy bodies. <i>Int J Geriatr Psychiatry</i> , 31: 765-70.
3170	Emard J-F, Thouez J-P, Gauvreau D (1995). Neurodegenerative diseases and risk factors: A literature review. <i>Soc Sci Med</i> , 40(6): 847-58.
12444	Emard JF, Thouez JP, Gauvreau D (1995). Neurodegenerative diseases and risk factors: a literature review. <i>Soc Sci Med</i> , 40(6): 847-58.
19456	Emmerling MR, Morganti-Kossmann MC, Kossmann T, et al (2000). Traumatic brain injury elevates the Alzheimer's amyloid peptide Abeta42 in human CSF: a possible role for nerve cell injury. <i>Annals of the New York Academy of Sciences</i> , 903: 118-22.
85955	Emmerzaal TL, Kiliaan AJ, Gustafson DR (2015). 2003-2013: a decade of body mass index, Alzheimer's disease, and dementia. <i>Journal of Alzheimer's Disease</i> , 43(3): 739-55.
53131	Engelhart MJ, Geerlings MI, Ruitenberg A, et al (2002). Dietary intake of antioxidants and risk of Alzheimer disease. <i>JAMA</i> , 287(24): 3223-9.
53145	Erten-Lyons D, Woltjer RL, Dodge H, et al (2009). Factors associated with resistance to dementia despite high Alzheimer disease pathology. <i>Neurology</i> , 72: 354-60.
19426	Esiri MM, Biddolph SC, Morris CS (1998). Prevalence of Alzheimer plaques in AIDS. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 65: 29-33.
54847	Eskelinen MH, Ngandu T, Tuomilehto J, et al (2009). Midlife coffee and tea drinking and the risk of late-life dementia: A population-based CAIDE study. <i>J Alzheimers Dis</i> , 16: 85-91.
19527	Espino DV, Lewis R (1998). Dementia in older minority populations: issues of prevalence, diagnosis, and treatment. <i>Am J Geriatr Psychiatry</i> , 6: S19-S25.
53133	Etminan M, Gill S, Samii A (2003). Effect of non-steroidal anti-inflammatory drugs on risk of Alzheimer's disease: systematic review and meta-analysis of observational studies. <i>BMJ</i> , 327(7417): 128.
12453	Evans DA, Beckett LA, Field TS, et al (1997). Apolipoprotein E e4 and incidence of Alzheimer disease in a community population of older persons. <i>JAMA</i> , 277(10): 822-4.

86446	Evans RW, Aminoff MJ, Wilterdink JL (2018). Sequelae of mild traumatic. Retrieved 23 April 2018, from https://www.uptodate.com/contents/sequelae-of-mild-traumatic-brain-injury?search=Sequelae%20of%20mild%20traumatic&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1#H2788307954
53273	Evatt ML, DeLong MR, Khazai N, et al (2008). Prevalence of vitamin D insufficiency in patients with Parkinson disease and Alzheimer disease. <i>Arch Neurol</i> , 65(10): 1348-52.
86205	Evered LA, Silbert BS, Scott DA (2016). Prevalence of dementia 7.5 years after coronary artery bypass graft surgery. <i>Anesthesiology</i> , 125(1): 62-71.
12472	Exley C (1996). Amyloid, aluminium and the aetiology of Alzheimer's disease. <i>MJA</i> , 164: 252-3.
19326	Exley C (1999). A molecular mechanism of aluminium-induced Alzheimer's Disease? <i>J Inorg Biochem</i> , 76(2): 133-40.
19412	Exley C (1999). A molecular mechanism of aluminium-induced Alzheimer's disease? <i>J Inorg Biochem</i> , 76: 133-40.
53952	Exley C (2007). [Comment] Aluminium, tau and Alzheimer's disease. <i>J Alzheimers Dis</i> , 12: 313-5. Comment on ID: 53951.
12573	Fallin D, Gauntlett AC, Scibelli P, et al (1997). No association between the very low density lipoprotein receptor gene and late-onset Alzheimer's Disease nor interaction with the apolipoprotein E Gene in population-based and clinic samples. <i>Genet Epidemiol</i> , 14(3): 299-305.
85953	Farina N, Llewellyn D, Isaac MG, et al (2017). Vitamin E for Alzheimer's dementia and mild cognitive impairment. <i>Cochrane Database of Systematic Reviews</i> , 2017: CD002854.
19578	Farlow MR (1998). Etiology and pathogenesis of Alzheimer's disease. <i>Am J Health-Syst Pharm</i> , 55(Suppl2): S5-10.
86266	Farlow MR, DeKosky ST, Wilterdink JL (2018). Prognosis and treatment of dementia with Lewy bodies. Retrieved 17 April 2018, from https://www.uptodate.com/contents/prognosis-and-treatment-of-dementia-with-lewy-bodies
86267	Farlow MR, DeKosky ST, Wiltersink JL (2018). Clinical features and diagnosis of dementia with Lewy bodies. Retrieved 17 April 2018, from https://www.uptodate.com/contents/clinical-features-and-diagnosis-of-dementia-with-lewy-bodies
86265	Farlow MR, DeKosky ST, Wilterdink JL (2018). Epidemiology, pathology, and pathogenesis of dementia with Lewy bodies. Retrieved 17 April 2018, from https://www.uptodate.com/contents/epidemiology-pathology-and-pathogenesis-of-dementia-with-lewy-bodies
19596	Farooqui AA, Horrocks LA (1998). Lipid peroxides in the free radical pathophysiology of brain disease. <i>Cell Mol Neurobiol</i> , 18: 599-608.
19322	Farooqui AA, Yang H-C, Horrocks L (1997). Involvement of phospholipase A2 in neurodegeneration. <i>Neurochem Int</i> , 30(6): 517-22.
3135	Farrar G, Altmann P, Welch S, et al (1990). Defective gallium-transferrin binding in Alzheimer disease and Down Syndrome: possible mechanism for accumulation of aluminium in brain. <i>Lancet</i> , 335: 747-50.
86787	FDA (2012). FDA drug safety communication: Important safety label changes to cholesterol-lowering statin drugs. Retrieved 24 May 2018, from https://www.fda.gov/Drugs/DrugSafety/ucm293101.htm
55521	Feart C, Samieri C, Barberger-Gateau P (2009). Mediterranean diet and cognitive function in older adults. <i>Curr Opin Clin Nutr Metab Care</i> , [Epub ahead of print].
86268	Feart C, Samieri C, Rondeau V, et al (2009). Mediterranean diet, cognitive decline, and risk of dementia. <i>JAMA</i> , 302(6): 638-48.
20189	Federoff HJ (1999). An infectious conspiracy: the case for HSV-1 and APOE epsilon 4 in Alzheimer's disease. <i>Neurobiology of Aging</i> , 20: 467-8.

67409	Fei M, Yan Ping Z, Ru Juan M, et al (2013). Risk factors for dementia with type 2 diabetes mellitus among elderly people in China. <i>Age and Ageing</i> , Jan 7: Epub ahead of print.
86269	Fernandez Martinez M, Castro Flores J, Heras S, et al (2008). Risk factors for dementia in the epidemiological study of Mungualde County (Basque Country-Spain). <i>BMC Neurology</i> , 8: 39.
53297	Ferri CP, Prince M, Brayne C, et al (2005). Global prevalence of dementia: a Delphi consensus study. <i>Lancet</i> , 366: 2112-7.
38185	Feychting M, Jonsson F, Pedersen NL, et al (2003). Occupational magnetic field exposure and neurodegenerative disease. <i>Epidemiology</i> , 14(4): 413-9.
53274	Feychting M, Pedersen NL, Svedberg P, et al (1998). Dementia and occupational exposure to magnetic fields. <i>Scand J Work Environ Health</i> , 24(1): 46-53.
53159	Fillenbaum GG, Kuchibhatla MN, Hanlon JT, et al (2005). Dementia and Alzheimer's disease in community-dwelling elders taking Vitamin C and/or Vitamin E. <i>Ann Pharmacother</i> , 39: 2009-14.
12567	Filley CM (1997). Alzheimer's disease in women. <i>Am J Obstet Gynecol</i> , 176(No 1 Part 1): 1-7.
86454	Fischer CE, Qian W, Schweizer TA, et al (2015). Lewy bodies, vascular risk factors, and subcortical arteriosclerotic leukoencephalopathy, but not Alzheimer pathology, are associated with development of psychosis in Alzheimer's disease. <i>J Alzheimers Dis</i> , 50(1): 283-95.
86453	Fischer ME, Cruickshanks KJ, Schurbert CR, et al (2016). Age-related sensory impairments and risk of cognitive impairment. <i>J Am Geriatr Soc</i> , 64(10): 1981-7.
54491	Fitzpatrick AL, Kuller LH, Lopez AL, et al (2009). Midlife and late-life obesity and the risk of dementia. <i>Arch Neurol</i> , 66(3): 336-42.
53947	Flaten TP (2001). Aluminium as a risk factor in Alzheimer's disease, with emphasis on drinking water. <i>Brain Research Bulletin</i> , 55(2): 187-96.
86151	Flatt JD, Gilsanz P, Quesenberry CP Jr, et al (2018). Post-traumatic stress disorder and risk of dementia among members of a health care delivery system. <i>Alzheimer's & Dementia</i> , 14(1): 28-34.
53183	Fleminger S, Oliver DL, Lovestone S, et al (2003). Head injury as a risk factor for Alzheimer's disease: the evidence 10 years on; a partial replication. <i>J Neur, Neurosurg & Psych</i> , 74: 857-62.
86270	Fleminger S, Oliver DL, Lovestone S, et al (2003). Head injury as a risk factor for Alzheimer's disease: the evidence 10 years on; a partial replication. <i>J Neurosurg Psychiatry</i> , 74: 857-62.
55522	Flood VM, Smith WT, Webb KL, et al (2006). Prevalence of low serum folate and vitamin B12 in an older Australian population. <i>Aust N Z J Public Health</i> , 30: 38-41.
19317	Floyd RA (1999). Neuroinflammatory processes are important in neurodegenerative diseases: an hypothesis to explain the increased formation of reactive oxygen and nitrogen species as major factors involved in neurodegenerative disease development. <i>Free Radic Biol Med</i> , 26(9-10): 1346-55.
86030	Fluegge K, Fluegge K (2018). Antecedent ADHD, dementia, and metabolic dysregulation: A U.S. based cohort analysis. <i>Neurochem Int</i> , 112: 255-8.
56114	Focke F, Schuermann D, Kuster N, et al (2010). DNA fragmentation in human fibroblasts under extremely low frequency electromagnetic field exposure. <i>Mutat Res</i> , 683: 74-83.
86271	Foley NC, Affoo RH, Martin RE (2015). A systematic review and meta-analysis examining pneumonia-associated mortality in dementia. <i>Dement Geriatr Cogn Disord</i> , 39: 52-67.
12440	Folstein M (1997). Nutrition and Alzheimer's disease. <i>Nutr Rev</i> , 55(1 Pt 1): 23-5. Review.

19423	Forbes WF, Gentleman JF (1998). Risk factors, causality, and policy initiatives: the case of aluminium and mental impairment. <i>Experimental Gerontology</i> , 33: 141-54.
20155	Forbes WF, McLachlan DRC (1996). [Comment] Further thoughts on the aluminum-Alzheimer's disease link. <i>J Epidemiol Community Health</i> , 50: 401-3.
86670	Formiga F, Ferrer A, Padros G, et al (2014). Thyroid status and functional and cognitive status at baseline and survival after 3 years of follow-up: the OCTABAIX study. <i>European Journal of Endocrinology</i> , 170: 69-75.
86585	Forti P, Olivelli V, Rietti E, et al (2012). Serum thyroid-stimulating hormone as a predictor of cognitive impairment in an elderly cohort. <i>Gerontology</i> , 58(1): 41-9.
86272	Fortunato S, Forli F, Guglielmi V, et al (2016). A review of new insights on the association between hearing loss and cognitive decline in ageing. <i>Acta Otorhinolaryngol Ital</i> , 36: 155-66.
86039	Foubert-Samier A, Le Goff M, Helmer C, et al (2014). Change in leisure and social activities and risk of dementia in elderly cohort. <i>The Journal of Nutrition, Health & Aging</i> , 18(10): 876-82.
3136	Francis PT, Palmer AM, Sims NR, et al (1985). Neurochemical studies of early-onset Alzheimer's disease. Possible influence on treatment. <i>NEJM</i> , 313: 7-11.
3137	Fratiglioni L (1993). Epidemiology of Alzheimer's disease. Issues of etiology and validity. <i>Acta Neurol Scand Suppl</i> , 145: 1-70.
9911	Fratiglioni L, Ahlborn A, Viitanen M, et al (1993). Risk factors for late-onset Alzheimer's disease: A population-based case-control study. <i>Ann Neurol</i> , 33: 258-66.
3138	Fratiglioni L, Ahlborn A, Viitanen M, et al (1993). Risk factors for late-onset Alzheimer's disease: a population-based, case-control study. <i>Ann Neurol</i> , 33(3): 258-66.
19535	Fratiglioni L, Launer LJ, Andersen K, et al (2000). Incidence of dementia and major subtypes in Europe: a collaborative study of population-based cohorts. <i>Neurology</i> , 54(Suppl 5): S10-5.
54862	Fratiglioni L, Paillard-Borg S, Winblad B (2004). An active and socially integrated lifestyle in late life might protect against dementia. <i>The Lancet</i> , 3: 343-53.
86820	Frei P, Poulsen AH, Mezei G, et al (2013). Residential distance to high-voltage power lines and risk of neurodegenerative diseases: a Danish population-based case-control study. <i>American Journal of Epidemiology</i> , 177(9): 970-8.
53146	Freitag MH, Peila R, Masaki K, et al (2006). Midlife pulse pressure and incidence of dementia. The Honolulu-Asia Aging Study. <i>Stroke</i> , 37: 33-7.
86831	French LR, Schuman LM, Mortimer JA, et al (1985). A case-control study of dementia of the Alzheimer type. <i>American Journal of Epidemiology</i> , 121(3): 414-21.
86403	Fried PH, Jannati A, Davila-Perez P, et al (2017). Reproducibility of single-pulse, paired-pulse, and intermittent theta-burst TMS measures in healthy aging, Type-2 diabetes, and Alzheimer's disease. <i>Front. Aging Neurosci</i> , 9(263): 1-13.
19334	Friedrich MJ (1999). Mild cognitive impairment raises Alzheimer disease risk. <i>JAMA</i> , 282: 621-2.
86273	Frigerio R, Fujishiro H, Maraganore DM, et al (2009). Is incidental Lewy body disease related to Parkinson disease? Comparison of risk factor profiles. <i>Arch Neurol</i> , 66(9): 1114.
85937	Frisardi V, Panza F, Seripa D, et al (2010). Nutraceutical properties of Mediterranean diet and cognitive decline: possible underlying mechanisms. <i>Journal of Alzheimer's Disease</i> , 22(3): 715-40.

86274	Fritze T, Teipel S, Ovari A, et al (2016). Hearing impairment affects dementia incidence. An analysis based on longitudinal health claims data in Germany. <i>PLoS One</i> , 11(7): e0156876.
79938	Froehner M, Wirth MP (2016). [Comment] Androgen deprivation therapy and Alzheimer's disease. <i>J Clin Oncol</i> , 34(23): 2801-2. Comment on ID: 79254.
86275	Fu C, Chute DJ, Farag ES, et al (2004). Comorbidity in dementia. <i>Arch Pathol Lab Med</i> , 128: 32-8.
46625	Fuh J-L, Wang S-J, Cummings JL (2005). Neuropsychiatric profiles in patients with Alzheimer's disease and vascular dementia. <i>J Neurol Neurosurg Psychiatry</i> , 76: 1337-41.
85992	Fujishiro H, Iseki E, Nakamura S, et al (2013). Dementia with Lewy bodies: early diagnostic challenges. <i>Psychogeriatrics</i> , 13(2): 128-38.
12496	Fung YK, Meade AG, Rack EP, et al (1997). Brain mercury in neurodegenerative disorders. <i>Clin Toxicol</i> , 35(1): 49-54.
86276	Gabin JM, Tambs K, Saltvedt I, et al (2017). Association between blood pressure and Alzheimer disease measured up to 27 years prior to diagnosis: the HUNT Study. <i>Alzheimer's Research & Therapy</i> , 9: 37.
86031	Galasko D (2017). Lewy body disorders. <i>Neurologic Clin</i> , 35(2): 325-38.
86041	Gallacher J, Bayer A, Fish M, et al (2009). Does anxiety affect risk of dementia? Findings from the Caerphilly prospective study. <i>Psychosomatic Medicine</i> , 71(6): 659-66.
86190	Gallacher J, Ilubaera V, Ben-Shlomo Y, et al (2012). Auditory threshold, phonologic demand, and incident dementia. <i>Neurology</i> , 79(15): 1583-90.
12562	Gambert SR (1997). Alzheimer's disease for the primary care physician. <i>Compr Ther</i> , 23(3): 174-8.
19330	Gantier R, Gilbert D, Dumanchin C, et al (2000). The pathogenic L392V mutation of presenilin 1 decreases the affinity to glycogen synthase kinase-3 beta. <i>Neurosci Lett</i> , 283(3): 217-20.
19332	Gao S, Hendrie HC, Hall K, et al (1998). The relationship between age, sex and the incidence of dementia and Alzheimer disease: a meta-analysis. <i>Arch Gen Psychiatry</i> , 55: 809-15.
86662	Gao Y, Huang C, Zhao K, et al (2013). [Comment] Retraction statement: "Depression as a risk factor for dementia and mild cognitive impairment: a meta-analysis of longitudinal studies". <i>Int J Geriatr Psychiatry</i> , 30(4): 435. Comment on ID: 71178.
71178	Gao Y, Huang C, Zhao K, et al (2013). Depression as a risk factor for dementia and mild cognitive impairment: a meta-analysis of longitudinal studies. <i>RETRACTION IN: Int J Geriatr Psychiatry</i> . 2015. 30 (4):435. <i>Int J Geriatr Psychiatry</i> , 28: 441-9.
53204	Garcia AM, Sisternas A, Hoyos SP (2008). Occupational exposure to extremely low frequency electric and magnetic fields and Alzheimer disease: a meta-analysis. <i>Int J Epidemiol</i> , 37(2): 329-40.
67706	Garcia-Lara JM, Aguilar-Navarro S, Gutierrez-Robledo LM, et al (2010). The metabolic syndrome, diabetes, and Alzheimer's disease. <i>Rev Invest Clin</i> , 62(4): 343-9.
67417	Gardener S, Gu Y, Rainey-Smith SR, et al (2012). Adherence to a Mediterranean diet and Alzheimer's disease risk in an Australian population. <i>Trans Psychiatry</i> , 2: e164.
79898	Gardiner RA, Yaxley J, Pakenham KI, et al (2015). [Comment] Patients who receive androgen deprivation therapy risk adverse cognitive changes. <i>J Clin Oncol</i> , 33(36): 4314-5.
86277	Gardner RC, Yaffe K (2015). Epidemiology of mild traumatic brain injury and neurodegenerative disease. <i>Mol Cell Neurosci</i> , 66(0 0): 75-80.
86278	Gates GA, Anderson ML, McCurry SM, et al (2011). Central auditory dysfunction as a harbinger of Alzheimer's dementia. <i>Arch Otolaryngol Head Neck Surg</i> , 137(4): 390-5.

85997	Gates GA, Beiser A, Rees TS, et al (2002). Central auditory dysfunction may precede the onset of clinical dementia in people with probable Alzheimer's disease. <i>Journal of the American Geriatrics Society</i> , 50(3): 482-8.
55523	Gatz JL, Tyas SL, St John P, et al (2005). Do depressive symptoms predict Alzheimer's disease and dementia? <i>J Gerontol A Biol Sci Med Sci</i> , 60(6): 744-47.
86370	Gatz M, Mortimer JA, Fratiglioni L, et al (2006). Potentially modifiable risk factors for dementia in identical twins. <i>Alzheimer's & Dementia</i> , 2(2): 110-7.
53147	Gatz M, Prescott CA, Pedersen NL (2006). Lifestyle risk and delayed factors. <i>Alzheimer Dis Assoc Disord</i> , 20(Suppl 2): S84-8.
53132	Gatz M, Reynolds CA, Fratiglioni L, et al (2006). Role of genes and environments for explaining Alzheimer disease. <i>Arch Gen Psychiatry</i> , 63(2): 168-74.
53713	Gauthier E, Fortier I, Courchesne F, et al (2001). Environmental pesticide exposure as a risk factor for Alzheimer's disease: a case-control study. <i>Environmental Research</i> , 86: 37-45.
19460	Geddes JF, Vowles GH, Nicoll JA, et al (1999). Neuronal cytoskeletal changes are an early consequence of repetitive head injury. <i>Acta Neuropathol</i> , 98: 171-8.
12434	Geerlings MI, Deeg DJH, Schmand B, et al (1997). Increased risk of mortality in Alzheimer's disease patients with higher education? a replication study. <i>Neurology</i> , 49: 798-802.
54780	Geerlings MI, Launer LJ, de Jong FH, et al (2003). Endogenous estradiol and risk of dementia in women and men: the Rotterdam Study. <i>Ann Neurol</i> , 53: 607-15.
19524	Geerlings MI, Schmand B, Jonker C, et al (1999). Education and incident Alzheimer's disease: a biased association due to selective attrition and use of a two-step diagnostic procedure? <i>International Journal of Epidemiology</i> , 28: 492-7.
54781	Geerlings MI, Strozyk D, Masaki K, et al (2006). Endogenous sex hormones, cognitive decline, and future dementia in old men. <i>Ann Neurol</i> , 60: 346-55.
10115	Gentleman SM, Graham DI, Roberts GW (1993). Molecular pathology of head trauma: altered beta APP metabolism and the aetiology of Alzheimer's disease. <i>Prog Brain Res</i> , 96: 237-46.
3164	Gentleman SM, Graham DI, Roberts GW (1993). Molecular pathology of head trauma: altered beta APP metabolism and the aetiology of Alzheimer's disease. <i>Prog Brain Res</i> , 96: 237-46.
19579	Gentleman SM, Greenberg BD, Savage MJ, et al (1997). ABeta42 is the predominant form of amyloid Beta-protein in the brains of short-term survivors of head injury. <i>NeuroReport</i> , 8: 1519-22.
55035	Gerard HC, Wildt KL, Whittum-Hudson JA, et al (2005). The load of chlamydia pneumoniae in the Alzheimer's brain varies with APOE genotype. <i>Microbial Pathogenesis</i> , 39: 19-26.
85867	Geser F, Wenning GK, Poewe W, et al (2005). How to diagnose dementia with Lewy bodies: State of the art. <i>Movement Disorders</i> , 12: S11-20.
53949	Gibbs GW, Armstrong B, Sevigny M (2007). Mortality and cancer experience of Quebec aluminum reduction plant workers, part 2: mortality of three cohorts hired on or before January 1, 1951. <i>JOEM</i> , 49(10): 1105-23.
20184	Gieffers J, Reusche E, Solbach W, et al (2000). Failure to detect chlamydia pneumoniae in brain sections of Alzheimer's disease patients. <i>J Clin Microbiol</i> , 38: 881-2.

80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
86445	Gilbert M, Snyder C, Corcoran C, et al (2014). The association of traumatic brain injury with rate of progression of cognitive and functional impairment in a population based cohort of Alzheimer's disease: The Cache County Dementia Progression Study. <i>Int Psychogeriatr</i> , 26(10): 1593-1601.
86279	Gill DP, Hubbard RA, Koepsell TD, et al (2013). Differences in rate of functional decline across three dementia types. <i>Alzheimers Dement</i> , 9(0): S63-71.
12461	Gilman S (1997). Alzheimer's Disease. <i>Perspect Biol Med</i> , 40(2): 230-45.
46634	Giovannetti T, Schmidt KS, Gallo JL, et al (2006). Everyday action in dementia: evidence for differential deficits in Alzheimer's disease versus subcortical vascular dementia. <i>Journal of the International Neuropsychological Society</i> , 12: 45-53.
86147	Girard TD, Self WH, Edwards KM, et al (2018). Long-term cognitive impairment after hospitalization for community-acquired pneumonia: a prospective cohort study. <i>J Gen Intern Med</i> , : Epub ahead of print.
12571	Glatt SL, Hubble JP, Lyons K, (1996). Risk factors for dementia in Parkinson's disease: effect of education. <i>Neuroepidemiology</i> , 15(1): 20-5.
86043	Glick H, Sharma A (2017). Cross-modal plasticity in developmental and age-related hearing loss: Clinical implications. <i>Hearing Research</i> , 343: 191-201.
3139	Godec MS, Asher DM, Masters CL, et al (1991). Evidence against the transmissibility of Alzheimer's disease. <i>Neurology</i> , 41(8): 1320.
53148	Goldbourt U, Schnaider-Beeri M, Davidson M (2007). Socioeconomic status in relationship to death of vascular disease and late-life dementia. <i>J Neurol Sci</i> , 257: 177-81.
46628	Golden Z, Bouvier M (2005). Differential performance of Alzheimer's and vascular dementia patients on a brief battery of neuropsychological tests. <i>Intern J Neuroscience</i> , 115: 1569-77.
53495	Golden Z, Golden CJ (2003). The differential impacts of Alzheimer's dementia, head injury, and stroke on personality dysfunction. <i>Int J Neurosci</i> , 113: 869-78.
86280	Goldman JG, Williams-Gray C, Barker RA, et al (2014). The spectrum of cognitive impairment in Lewy body diseases. <i>Mov Disord</i> , 29(5): 608-21.
85996	Golimstok A (2014). Risk factors for dementia with Lewy bodies: a case-control study. <i>Neurology</i> , 82(15): 1384-5.
85995	Golimstok A, Rojas JI, Romano M, et al (2011). Previous adult attention-deficit and hyperactivity disorder symptoms and risk of dementia with Lewy bodies: a case-control study. <i>European Journal of Neurology</i> , 18(1): 78-84.
85985	Golub JS, Luchsinger JA, Manly JJ, et al (2017). Observed hearing loss and incident dementia in a multiethnic cohort. <i>Journal of the American Geriatrics Society</i> , 65(8): 1691-9.
86281	Gomperts SN (2016). Lewy body dementias: Dementia with Lewy bodies and Parkinson disease dementia. <i>Continuum (Minneapolis)</i> , 22(2): 435-63.
79892	Gonzalez BD, Jim HS, Booth-Jones M, et al (2015). Course and predictors of cognitive function in patients with prostate cancer receiving androgen-deprivation therapy: a controlled comparison. <i>J Clin Oncol</i> , 33(18): 2021-7.
86074	Goodwill AM, Szoek C (2017). A systematic review and meta-analysis of the effect of low vitamin D on cognition. <i>Journal of the American Geriatrics Society</i> , 65(10): 2161-8.
67433	Gorelick PB, Scuteri A, Black SE, et al (2011). Vascular contributions to cognitive impairment and dementia: a statement for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , 42: 2672-713.

86282	Gorevic PD, Schur PH, Romain PL (2018). Overview of amyloidosis. Retrieved 17 April 2018, from https://www.uptodate.com/contents/overview-of-amyloidosis?search=overview%20of%20amyloidosis&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1
86299	Graff-Radford J, Aakre J, Savica R, et al (2017). Duration and pathologic correlates of Lewy body disease. <i>JAMA Neurol</i> , 74(3): 310-5.
86298	Graff-Radford NR (2011). Can aerobic exercise protect against dementia? <i>Alzheimer's Research & Therapy</i> , 3: 1-6.
53370	Grafman JH (2007). Vietnam Head Injury Study - Phase III: a 30-year post-injury follow-up study. The Henry M Jackson Foundation, U.S. Army Medical Research and Materiel Command.
10316	Graham D I, Gentleman SM, Nicoll JAR, et al (1996). Altered Beta-APP metabolism after head injury and its relationship to the aetiology of Alzheimer's Disease. <i>Acta Neurochir Suppl</i> , 66: 96-102.
19595	Graham DI, Gentleman SM, Nicoll JAR, et al (1999). Is there a genetic basis for the deposition of Beta-amyloid after fatal head injury? <i>Cell Mol Neurobiol</i> , 19(1): 19-30.
19594	Graham DI, Horsburgh K, Nicoll JA, et al (1999). Apolipoprotein E and the response in brain to injury. <i>Acta Neurochir</i> , 73(Suppl): 89-92.
46626	Graham NL, Emery T, Hodges JR (2004). Distinctive cognitive profiles in Alzheimer's disease and subcortical vascular dementia. <i>J Neurol Neurosurg Psychiatry</i> , 75: 61-71.
86283	Granic A, Davies K, Adamson A, et al (2016). Dietary patterns high in red meat, potato, gravy, and butter are associated with poor cognitive functioning but not with rate of cognitive decline in very old adults. <i>J Nutr</i> , 146: 265-74.
20191	Grant WB (1997). Dietary links to Alzheimer's disease. <i>Alzheimer's Disease Review</i> , 2: 42-55.
55049	Grant WB, Gustafson D, Skoog I (2004). [Comments] Obesity and Alzheimer disease: roles of diet and genetics. <i>Arch Intern Med</i> , 164: 109-10. Comments on ID: 55048.
54279	Graves AB, Rosner D, Echeverria D, et al (1998). Occupational exposures to solvents and aluminium and estimated risk of Alzheimer's disease. <i>Occup Environ Med</i> , 55: 627-33.
19870	Graves AB, Rosner D, Echeverria D, et al (1999). Occupational exposure to electromagnetic fields and Alzheimer disease. <i>Alzheimer Dis Assoc Disord</i> , 13: 165-70.
53275	Graves AB, Van Duijn CM, Chandra V, et al (1991). Occupational exposures to solvents and lead as risk factors for Alzheimer's disease: a collaborative re-analysis of case-control studies. <i>Int J Epidemiol</i> , 20(2): S58-61.
3141	Graves AB, White E, Koepsell TD, et al (1990). A case-control study of Alzheimer's disease. <i>Ann Neurol</i> , 28(6): 766-74.
3140	Graves AB, White E, Koepsell TD, et al (1990). The association between head trauma and Alzheimer's disease. <i>Am J Epidemiol</i> , 131(3): 491-501.
53946	Graves AB, White E, Koepsell TD, et al (1990). The association between aluminum-containing products and Alzheimer's disease. <i>J Clin Epidemiol</i> , 43(1): 35-44.
89233	Gray SL, Anderson ML, Dublin S, et al (2015). Cumulative use of strong anticholinergics and incident dementia: a prospective cohort study. <i>JAMA Intern Med</i> , 175(3): 401-7.
54834	Green RC, Cupples LA, Kurz A, et al (2003). Depression as a risk factor for Alzheimer disease. <i>Arch Neurol</i> , 60: 753-9.
69463	Greene-Schloesser D, Robbins ME, Peiffer AM, et al (2012). Radiation-induced brain injury: A review. <i>Front Oncol</i> , 2(Article 73): Epub.

70281	Green-Schloesser D, Robbins ME (2012). Radiation-induced cognitive impairment--from bench to bedside. <i>Neuro Oncol</i> , 14 Suppl 4: iv37-44.
67406	Grieger TA (2011). Veterans with post-traumatic stress disorder are at increased risk of developing dementia. <i>EBMH</i> , 14(1): 12.
86655	Groot C, Hooghiemstra AM, Raijmakers PGHM, et al (2016). The effect of physical activity on cognitive function in patients with dementia: A meta-analysis of randomized control trials. <i>Ageing Research Reviews</i> , 25: 13-23.
86671	Grosso G, Godos J, Galvano F, et al (2017). Coffee, caffeine, and health outcomes: An umbrella review. <i>Annu Rev Nutr</i> , 37: 131-56.
54851	Grunblatt E, Zehetmayer S, Bartl J, et al (2009). Genetic risk factors and markers for Alzheimer's disease and/or depression in the VITA study. <i>J Psychiat Res</i> , 43: 298-308.
85960	Guan JW, Huang CQ, Li YJ, et al (2011). No association between hypertension and risk for Alzheimer's disease: a meta-analysis of longitudinal studies. <i>Journal of Alzheimer's Disease</i> , 27(4): 799-807.
86672	Gudala K, Bansal D, Schifano F, et al (2013). Diabetes mellitus and risk of dementia: A meta-analysis of prospective observational studies. <i>Journal of Diabetes Investigation</i> , 4(6): 640-50.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian participants in British nuclear tests in Australia. Vol 2: Mortality and cancer incidence. Department of Veterans' Affairs, Canberra.
19868	Gun RT, Korten AE, Jorm AF, et al (1997). Occupational risk factors for Alzheimer disease: a case-control study. <i>Alzheimer Disease and Associated Disorders</i> , 11: 21-27.
12616	Gun RT, Korten AE, Jorm AF, et al (1997). Occupational risk factors for Alzheimer disease: a case-control study. <i>Alzheimer Dis Assoc Disord</i> , 11(1): 21-7.
87024	Gunnarsson LG, Bodin L (2017). Parkinson's disease and occupational exposures: a systematic literature review and meta-analyses. <i>Scand J Work Environ Health</i> , 43(3): 197-209.
19871	Guo Z, Cupples LA, Kurz A, et al (2000). Head injury and the risk of AD in the MIRAGE study. <i>Neurology</i> , 54(6): 1316-23.
19411	Guo Z, Fratiglioni L, Zhu L, et al (1999). Occurrence and progression of dementia in a community population aged 75 years and older: relationship of antihypertensive medication use. <i>Arch Neurol</i> , 56: 991-6.
20542	Guo Z, Fratiglioni L, Vitonen M, et al (2001). Apolipoprotein E genotypes and the incidence of Alzheimer's disease among persons aged 75 years and older: variation by use of antihypertensive medication? <i>American Journal of Epidemiology</i> , 153: 225-31.
85986	Gurgel RK, Ward PD, Schwartz S, et al (2014). Relationship of hearing loss and dementia: a prospective, population-based study. <i>Otology & Neurotology</i> , 35(5): 775-81.
85874	Gurnani AS, Gavett BE (2017). The differential effects of Alzheimer's disease and Lewy body pathology on cognitive performance: A meta-analysis. <i>Neuropsychology Review</i> , 27(1): 1-17.
53407	Guskiewicz KM, Marshall SW, Bailes J, et al (2005). Association between recurrent concussion and late-life cognitive impairment in retired professional football players. <i>Neurosurgery</i> , 57(4): 719-26.
54837	Gusseklou J, van Exel E, de Craen AJ, et al (2004). Thyroid status, disability and cognitive function, and survival in old age. <i>JAMA</i> , 292(21): 2591-9.
55048	Gustafson D, Rothenberg E, Blennow K, et al (2003). An 18-year follow-up of overweight and risk of Alzheimer disease. <i>Arch Intern Med</i> , 163: 1524-8.

85982	Gustafson DR, Backman K, Joas E, et al (2012). 37 years of body mass index and dementia: observations from the prospective population study of women in Gothenburg, Sweden. <i>Journal of Alzheimer's Disease</i> , 28(1): 163-71.
12437	Gustafson L (1996). What is dementia? <i>Acta Neurol Scand Suppl</i> , 168: 22-4.
53280	Haan MN (2006). Therapy insight: type 2 diabetes mellitus and the risk of late-onset Alzheimer's disease. <i>Nature Clin Pract Neurol</i> , 2(3): 159-66.
55557	Hagnelius N-O, Wahlund L-O, Nilsson TK (2008). CSF/serum folate gradient: physiology and determinants with special reference to dementia. <i>Dement Geriatr Cogn Disord</i> , 25(6): 516-23.
66762	Half E, Bercovich D, Pozen P (2009). Familial adenomatous polyposis. <i>Orphanet J Rare Dis</i> , 4: 22.
55524	Hall K, Murrell J, Ogunniyi A, et al (2006). Cholesterol, APOE genotype, and Alzheimer disease. <i>Neurology</i> , 66: 223-27.
19699	Hall KS, Gao S, Unverzagt FW, et al (2000). Low education and childhood rural residence: risk for Alzheimer's disease in African Americans. <i>Neurology</i> , 54: 95-99.
53149	Hamer M, Chida Y (2009). Physical activity and risk of neurodegenerative disease: a systemic review of prospective evidence. <i>Psychol Med</i> , 39(1): 3-11.
67415	Hamilton JD, Workman RH Jr (1998). Persistence of combat-related posttraumatic stress symptoms for 75 years. <i>J Trauma Stress</i> , 11(4): 763-8.
54611	Hanon O, Latour F, Suex M-L, et al (2005). Evolution of blood pressure in patients with Alzheimer's disease: a one year survey of a French cohort (REAL.FR). <i>Journal of Nutrition, Health & Aging</i> , 9(2): 106-11.
86408	Hansson P, Eriksson Sorman D, Bergdahl J, et al (2014). [Comment] Dental status is unrelated to risk of dementia: a 20-year prospective study. <i>JAGS</i> , 62(5): 979-81.
86284	Hardy CJ, Marshall CR, Golden HL, et al (2016). Hearing and dementia. <i>J Neurol</i> , 263: 2339-54.
12457	Hardy J (1997). The Alzheimer family of diseases: many etiologies, one pathogenesis? <i>Proc Natl Acad Sci USA</i> , 94: 2095-7.
12620	Harman D (1996). A hypothesis on the pathogenesis of Alzheimer's disease. <i>Ann N Y Acad Sci</i> , 786: 152-68.
54779	Harper PC, Roe CM (2009). Thyroid medication use and subsequent development of dementia of the Alzheimer type. <i>J Geriatr Psychiatry Neurol</i> , : [Epub ahead of print].
53357	Harrington CR (2000). [Comment] APOE genotype and Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 11(4): 238. Comment on ID: 53358.
53164	Harris SE, Fox H, Wright AF, Hayward C, et al (2007). A genetic association analysis of cognitive ability and cognitive ageing using 325 markers for 109 genes associated with oxidative stress or cognition. <i>BMC Genetics</i> , 8: 43.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
53122	Harvey RJ, Skelton-Robinson M, Rossor MN (2003). The prevalence and caused of dementia in people under the age of 65 years. <i>J Neurol Neurosurg Psychiatry</i> , 74: 1206-9.
19707	Harwood DG, Barker WW, Loewenstein DA, et al (1999). A cross-ethnic analysis of risk factors for AD in white Hispanics and white non-Hispanics. <i>Neurology</i> , 52(3): 551-6.

67402	Hasegawa T (2007). Prolonged stress will induce Alzheimer's disease in elderly people by increased release of homocysteic acid. <i>Med Hypotheses</i> , 69: 1135-9.
54489	Hassing LB, Dahl, Thorvaldsson V, et al (2009). Overweight in midlife and risk of dementia: a 40-year follow-up study. <i>Int J Obesity</i> , 33: 893-8.
53165	Haupt M, Cruz-Jentoft A, Jeste D (2006). Mortality in elderly dementia patients treated with risperidone. <i>J Clin Psychopharmacol</i> , 26(6): 566-70.
37552	Havlik RJ, Foley DJ, Sayer B, et al (2002). Variability in midlife systolic blood pressure is related to late-life brain white matter lesions. <i>Stroke</i> , 33: 26-30.
86216	Hay JR, Johnson VE, Young AM, et al (2015). Blood-brain barrier disruption is an early event that may persist for many years after traumatic brain injury in humans. <i>J Neuropathol Exp Neurol</i> , 74(12): 1147-57.
86673	Hayden KM, Norton MC, Darcey D, et al (2010). Occupational exposure to pesticides increases the risk of incident AD: The Cache County study. <i>Neurology</i> , 74: 1524-30.
53166	Hayden KM, Zandi PP, Lyketsos CG, et al (2006). Vascular risk factors for incident Alzheimer disease and vascular dementia. <i>Alzheimer Dis Assoc Disord</i> , 20(2): 93-100.
3142	Hebert LE, Scherr PA, Beckett LA, et al (1992). Relation of smoking and alcohol consumption to incident Alzheimer's disease. <i>Am J Epidemiol</i> , 135(4): 347-55.
20543	Hebert LE, Scherr PA, McCann JJ, et al (2001). Is the risk of developing Alzheimer's disease greater for women than for men? <i>American Journal of Epidemiology</i> , 153: 132-6.
19315	Hegedus ZL (2000). The probable involvement of soluble and deposited melanins, their intermediates and the reactive oxygen side-products in human diseases and aging. <i>Toxicology</i> , 145: 85-101.
19701	Helmer C, Damon D, Letenneur L, et al (1999). Marital status and risk of Alzheimer's disease: a French population-based cohort study. <i>Neurology</i> , 53: 1953-8.
10208	Henderson AS, Eastel S, Jorm AF, et al (1995). Apolipoprotein E allele epsilon 4, dementia, and cognitive decline in a population sample. <i>Lancet</i> , 246(8987): 1387-90.
12458	Hendrie HC (1997). Epidemiology of Alzheimer's disease. <i>Geriatrics</i> , 52(Suppl 2): S4-8.
19526	Hendrie HC (1998). Epidemiology of dementia and Alzheimer's disease. <i>Am J Geriatr Psychiatry</i> , 6: S3-S18.
53202	Hernan MA, Alonso A, Logroscino G (2008). Cigarette smoking and dementia. Potential selection bias in the elderly. <i>Epidemiology</i> , 19(3): 448-50.
86047	Hernandorena I, Duron E, Vidal JS, et al (2017). Treatment options and considerations for hypertensive patients to prevent dementia. <i>Expert Opinion on Pharmacotherapy</i> , 18(10): 989-1000.
85949	Heser K, Tebarth F, Wiese B, et al (2013). Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>Psychological Medicine</i> , 43(8): 1597-1610.
53167	Heun R, Kolsch H, Jessen F (2006). Risk factors and early signs of Alzheimer's disease in a family study sample. <i>Risk of AD. Eur Arch Psychiatry Clin Neurosci</i> , 256: 28-36.
86019	Heywood R, Gao Q, Nyunt MSZ, et al (2017). Hearing loss and risk of mild cognitive impairment and dementia: Findings from the Singapore longitudinal ageing study. <i>Dementia and Geriatric Cognitive Disorders</i> , 43(5-6): 259-68.
19409	Hillen T, Lun A, Reischies FM, et al (2000). DHEA-S plasma levels and incidence of Alzheimer's disease. <i>Biol Psychiatry</i> , 47: 161-3.

19328	Hillen T, Lun A, Reischies FM, et al (2000). DHEA-S plasma levels and incidence of Alzheimer's disease. <i>Biol Psychiatry</i> , 47: 161-3.
53361	Himanan L, Portin R, Isoniemi H, et al (2006). Longitudinal cognitive changes in traumatic brain injury. A 30-year follow-up study. <i>Neurology</i> , 66: 187-92.
71182	Ho RC, Cheung MW, Fu E, et al (2011). Is high homocysteine level a risk factor for cognitive decline in elderly? A systematic review, meta-analysis, and meta-regression. <i>Am J Geriatr Psychiatry</i> , 19(7): 607-17.
19338	Hofman A, Ott A, Breteler M, et al (1997). Atherosclerosis, apolipoprotein E, and prevalence of dementia and Alzheimer's disease in the Rotterdam Study. <i>Lancet</i> , 349(9046): 151-4.
19374	Hofman A, Ott A, Breteler MM, et al (1997). Atherosclerosis, apolipoprotein E, and prevalence of dementia and Alzheimer's disease in the Rotterdam Study. <i>Lancet</i> , 349: 151-4.
12449	Hofman A, Ott A, Breteler MM, et al (1997). Atherosclerosis, apolipoprotein E, and prevalence of dementia and Alzheimer's disease in the Rotterdam Study. <i>Lancet</i> , 349: 151-4.
3143	Hofman A, Schulte W, Tanja TA, et al (1989). History of dementia and Parkinson's disease in 1st-degree relatives of patients with Alzheimer's disease. <i>Neurology</i> , 39(12): 1589-92.
48671	Hoge CW, McGurk D, Thomas JL, et al (2008). Mild traumatic brain injury in U.S. soldiers returning from Iraq. <i>NEJM</i> , 358(5): 453-63.
54482	Hogervorst E, Bendelow S, Combrinck M, et al (2004). Low free testosterone is an independent risk factor for Alzheimer's disease. <i>Experimental Gerontology</i> , 39: 1633-9.
86652	Hogervorst E, Matthews FE, Brayne C (2010). Are optimal levels of testosterone associated with better cognitive function in healthy older women and men? <i>Biochim Biophys Acta</i> , 1800(10): 1145-52.
19418	Holscher C (1998). Possible cause of Alzheimer's disease: amyloid fragments, free radicals, and calcium homeostasis. <i>Neurobiol Dis</i> , 5: 129-41.
53121	Honig LS, Tang MX, Albert S, et al (2003). Stroke and the risk of Alzheimer disease. <i>Arch Neurol</i> , 60: 1707-12.
19331	Hoogendijk WJG, Sommer IEC, Pool CW, et al (1999). Lack of association between depression and loss of neurons in the locus coeruleus in Alzheimer disease. <i>Arch Gen Psychiatry</i> , 56: 45-51.
53168	Hooijmans CR, Kiliaan AJ (2008). Fatty acids, lipid metabolism and Alzheimer pathology. <i>Eur J Pharmacol</i> , 585: 176-96.
10212	Hopkins KD (1997). Adult onset diabetes associates with dementia. <i>Lancet</i> , 349(9051): 545.
55495	Horsburgh K, McCarron MO, White F, et al (2000). The role of apolipoprotein E in Alzheimer's disease, acute brain injury and cerebrovascular disease: evidence of common mechanisms and utility of animal models. <i>Neurobiol Aging</i> , 21(2): 245-55.
86288	Hort J, O'Brien JT, Gainotti G, et al (2010). EFNS guidelines for the diagnosis and management of Alzheimer's disease. <i>European Journal of Neurology</i> , 17: 1236-48.
67431	Hough CJ, Ursano RJ (2006). A guide to the genetics of psychiatric disease. <i>Psychiatry</i> , 69(1): 1-20.
19465	Houston AS, Kemp PM, Macleod MA, et al (1998). Use of significance imae to determine patterns of cortical blood flow abnormality in pathological and at-risk groups. <i>J Nucl Med</i> , 39: 425-30.
19593	Hoyer S (1998). Risk factors for Alzheimer's disease during aging. Impacts of glucose/energy metabolism. <i>J Neural Transm Suppl</i> , 54: 187-94.
9863	Hozumi I, Inuzuka T, Hiraiwa M, et al (1995). Changes of growth inhibitory factor after stab wounds in rat brain. <i>Brain Res</i> , 688(1-2): 143-8.

80091	Hsu B, Cumming RG, Waite LM, et al (2015). Longitudinal relationships between reproductive hormones and cognitive decline in older men: The Concord Health and Ageing in Men Project. <i>J Clin Endocrinol Metab</i> , 100(6): 2223-30.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
86184	Hu CJ, Liao CC, Chang CC, et al (2012). Postoperative adverse outcomes in surgical patients with dementia: a retrospective cohort study. <i>World Journal Of Surgery</i> , 36(9): 2051-8.
86058	Hu Q, Teng W, Li J, et al (2016). Homocysteine and Alzheimer's disease: Evidence for a causal link from mendelian randomization. <i>Journal of Alzheimer's Disease</i> , 52(2): 747-56.
86674	Hu Yao, Wang ZC, Guo QH, et al (2016). Is thyroid status associated with cognitive impairment in elderly patients in China? <i>BMC Endocrine Disorders</i> , 16(11): s12902.
80057	Hua JT, Hildreth KL, Pelak VS (2016). Effects of testosterone therapy on cognitive function in aging: a systematic review. <i>Cogn Behav Neurol</i> , 29: 122-38.
79994	Huang G, Wharton W, Bhasin S, et al (2016). Effects of long-term testosterone administration on cognition in older men with low or low-to-normal testosterone concentrations: a prespecified secondary analysis of data from the randomised, double-blind, placebo-controlled TEAAM trial. <i>Lancet Diabetes Endocrinol</i> , 4(8): 657-65.
53169	Huang TL, Zandi PP, Tucker KL, et al (2005). Benefits of fatty fish on dementia risk are stronger for those without APOE e4. <i>Neurology</i> , 65: 1409-14.
54332	Hug K, Roosli M, Rapp R (2006). Magnetic field exposure and neurodegenerative diseases - recent epidemiological studies. <i>Soz Praventiv Med</i> , 51: 210-20.
53150	Hughes TF, Borenstein AR, Schofield E, et al (2009). Association between late-life body mass index and dementia. The Kane Project. <i>Neurology</i> , 72: 1741-6.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>BJC</i> , 109(7): 1989-96.
54331	Huss A, Spoerri A, Egger M, et al (2008). Residence near power lines and mortality from neurodegenerative diseases: longitudinal study of the Swiss population. <i>Am J Epidemiol</i> , 169(2): 167-75.
86531	Huss A, Vermeulen R (2014). Neurodegenerative diseases and ELF-EMF. <i>Epidemiology of Electromagnetic Fields</i> , Chapter 11: 185-203.
86289	Hussain M, Berger M, Eckenhoff R, et al (2014). General anesthetic and the risk of dementia in elderly patients: current insights. <i>Clinical Interventions in Aging</i> , 9: 1619-28.
19538	Hy LX, Keller DM (2000). Prevalence of AD among whites: a summary by levels of severity. <i>Neurology</i> , 55: 198-204.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
55571	ICNIRP (2009). Exposure to high frequency electromagnetic fields, biological effects and health consequences (100 kHz-300 GHz). P Vecchia, R Matthes, G Ziegelberger, J Lin, et al (Eds). International Commission on Non-Ionizing Radiation Protection 2009, 16/2009.
19694	Idiaquez J, Sandoval E (1999). High prevalence of neurovascular instability in neurodegenerative dementias. <i>Neurology</i> , 53: 1610.

53414	Imamura T, Hirono N, Hashimoto M, et al (2000). Fall-related injuries in dementia with Lewy bodies (DLB) and Alzheimer's disease. <i>Eur J Neurol</i> , 7: 77-9.
67420	Imfeld P, Bodmer M, Jick SS, et al (2012). Metformin, other antidiabetic drugs, and risk of Alzheimer's disease: a population-based case-control study. <i>J Am Geriatr Soc</i> , 60: 916-21.
19422	In 't Veld BA, Launer LJ, Hoes AW, et al (1998). NSAIDs and incident Alzheimer's disease. The Rotterdam Study. <i>Neurobiol Aging</i> , 19(6): 607-11.
85871	Ince PG, Perry EK, Morris CM (1998). Dementia with Lewy bodies. A distinct non-Alzheimer dementia syndrome? <i>Brain Pathol</i> , 8(2): 299-324.
86290	Inskip M, Mavros Y, Sachdev PS, et al (2016). Exercise for Individuals with Lewy Body Dementia: A Systematic Review. <i>PLoS One</i> , 11(6): e0156520.
51844	Institute of Medicine (2009). Long-Term Consequences of Traumatic Brain Injury. <i>Gulf War and Health</i> , Volume 7. National Academy Press, Washington, D.C.
80754	International Atomic Energy Agency (undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. <i>Journal of the ICRU</i> , Report 86, 11(2): 33-8.
54439	Irie F, Fitzpatrick AL, Lopez OL, et al (2008). Enhanced risk for Alzheimer disease in persons with type 2 diabetes and APOE e4: the Cardiovascular Health Study Cognition Study. <i>Arch Neurol</i> , 65(1): 89-93.
54840	Irie F, Masaki KH, Petrovitch H, et al (2008). Apolipoprotein E e4 allele genotype and the effect of depressive symptoms on the risk of dementia in men. The Honolulu-Asia Aging Study. <i>Arch Gen Psychiatry</i> , 65(8): 906-12.
42153	Iseki E (2004). Dementia with Lewy bodies: Reclassification of pathological subtypes and boundary with Parkinson's disease or Alzheimer's disease. <i>Neuropathology</i> , 24(1): 72-8.
10211	Itzhaki RF, Lin W-R, Shang D, et al (1997). Herpes simplex virus type 1 in brain and risk of Alzheimer's disease. <i>Lancet</i> , 349(9047): 241-244.
20186	Itzhaki RF, Lin W-R, Shang D, et al (1997). Herpes simplex virus type 1 in brain and risk of Alzheimer's disease. <i>Lancet</i> , 349(9047): 241-4.
53151	Itzhaki RF, Wozniak MA (2008). Herpes simplex virus type 1 in Alzheimer's disease: the enemy within. <i>J Alzheimers Dis</i> , 13: 393-405.
86306	Jack CR, Albert M, Knopman DS, et al (2011). Introduction to revised criteria for the diagnosis of Alzheimer's disease: National Institute on Aging and the Alzheimer Association Workgroups. <i>Alzheimers Dement</i> , 7(3): 257-62.
3144	Jacqmin H, Commenges D, Letenneur L, et al (1994). Components of drinking water and risk of cognitive impairment in the elderly. <i>Am J Epidemiol</i> , 139(1): 48-57.
19536	Jagger C, Andersen K, Breteler MM, et al (2000). Prognosis with dementia in Europe: a collaborative study of population-based cohorts. <i>Neurology</i> , 54(Suppl 5): S16-20.
53176	Jalbert JJ, Daiello LA, Lapane KL (2008). Dementia of the Alzheimer type. <i>Epidemiol Rev</i> , 30: 15-34.
86066	Jalilian H, Teshnizi SH, Roosli M, et al (2017). Occupational exposure to extremely low frequency magnetic fields and risk of Alzheimer disease: A systematic review and meta-analysis. <i>Neurotoxicology</i> , 2017: [Epub ahead of print].
19581	Janciauskiene S, Wright HT (1998). Inflammation, antichymotrypsin, and lipid metabolism: autogenic etiology of Alzheimer's disease. <i>BioEssays</i> , 20: 1039-46.

55525	Janson J, Laedtke T, Parisi JE, et al (2004). Increased risk of type 2 diabetes in Alzheimer disease. <i>Diabetes</i> , 53(2): 474-81.
66969	Jasperson KW, Tuohy TM, Neklason DW, et al (2010). Hereditary and familial colon cancer. <i>Gastroenterology</i> , 138: 2044-58.
86022	Jellinger KA (2003). Age-associated prevalence and risk factors of Lewy body pathology in a general population. <i>Acta Neuropathol</i> , 106(4): 383-4.
53364	Jellinger KA (2004). Head injury and dementia. <i>Curr Opin Neurol</i> , 17: 719-23.
53188	Jellinger KA (2004). [Comment] Traumatic brain injury as a risk factor for Alzheimer's disease. <i>J Neur, Neurosurg & Psych</i> , 75: 511-2. Comment on ID: 53183.
85920	Jellinger KA (2018). Dementia with Lewy bodies and Parkinson's disease-dementia: current concepts and controversies. <i>Journal of Neural Transmission</i> , 125: 615-50.
86195	Jellinger KA, Attems J (2008). Prevalence and impact of vascular and Alzheimer pathologies in Lewy body disease. <i>Acta Neuropathol</i> , 115(4): 427-36.
86293	Jellinger KA, Korczyn AD (2018). Are dementia with Lewy bodies and Parkinson's disease dementia the same disease? <i>BMC Medicine</i> , 16(34): s12916.
53281	Jellinger KA, Paulus W, Wrocklage C, et al (2001). Effects of closed traumatic brain injury and genetic factors on the development of Alzheimer's disease. <i>Eur J Neurol</i> , 8(6): 707-10.
55530	Jellinger KA, Paulus W, Wrocklage C, et al (2001). Traumatic brain injury as a risk factor for Alzheimer disease. Comparison of two retrospective autopsy cohorts with evaluation of ApoE genotype. <i>BMC Neurology</i> , 1: 1-4.
87019	Jessen F, Kaduszkiewicz H, Daerr M, et al (2010). Anticholinergic drug use and risk for dementia: target for dementia prevention. <i>Eur Arch Psychiatry Clin Neurosci</i> , 260(Suppl 2): S111-5.
86294	Jiang X, Huang J, Song D, et al (2017). Increased consumption of fruit and vegetables is related to a reduced risk of cognitive impairment and dementia: Meta analysis. <i>Front Aging Neurosci</i> , 9(Article 18): 1-11.
85909	Johansen KK, White LR, Sando SB, et al (2010). Biomarkers: Parkinson disease with dementia and dementia with Lewy bodies. <i>Parkinsonism and Related Disorders</i> , 16(5): 307-15.
86591	Johansson L (2014). Can stress increase Alzheimer's disease risk in women? <i>Expert Rev Neurotherapeutics</i> , 14(2): 123-5.
54778	Johnson KC, Margolis KL, Espeland MA, et al (2008). A prospective study of the effect of hypertension and baseline blood pressure on cognitive decline and dementia in postmenopausal women: the Women's Health Initiative Memory Study. <i>J Am Geriatr Soc</i> , 56: 1449-58.
67367	Johnston D (2000). A series of cases of dementia presenting with PTSD symptoms in World War II combat veterans. <i>J Am Geriatr Soc</i> , 48(1): 70-2.
85979	Jongstra S, Harrison JK, Quinn TJ (2016). Antihypertensive withdrawal for the prevention of cognitive decline. <i>Cochrane Database Systematic Reviews</i> , 11: CD011971.
19466	Jorm AF (1997). Alzheimer's disease: risk and protection. <i>MJA</i> , 167: 443-6.
3166	Jorm AF, Van Duijn CM, Chandra V, et al (1991). Psychiatric history and related exposures as risk factors for Alzheimer's disease: a collaborative re-analysis of case-control studies. EURODEM Risk Factors Research Group. <i>Int J Epidemiol</i> , 20(Suppl 2): S43-7.
19403	Joseph L, Wolfson DB, Belisle P, et al (1999). Taking account of between-patient variability when modeling decline in Alzheimer's disease. <i>Am J Epidemiol</i> , 149: 963-73.

36354	Juan D, Zhou DHD, Li J, et al (2004). A 2-year follow-up study of cigarette smoking and risk of dementia. <i>Eur J Neurol</i> , 11: 277-82.
10407	Jucker M, Tian M, Ingram DK (1996). Laminins in the adult and aged brain. <i>Mol Chem Neuropathol</i> , 28: 209-18.
86600	Jung CR, Lin YT, Hwang BF (2015). Ozone, particulate matter, and newly diagnosed Alzheimer's disease: a population based study in Taiwan. <i>Journal of Alzheimer's Disease</i> , 44(2): 573-84.
86292	Justice NJ, Huang L, Tian JB, et al (2015). Posttraumatic stress disorder-like induction elevates B-Amyloid levels, which directly activates corticotropin-releasing factor neurons to exacerbate stress responses. <i>The Journal of Neuroscience</i> , 35(6): 2612-23.
86291	Jutkowitz E, MacLehose RF, Gaugler JE, et al (2017). Risk factors associated with cognitive, functional, and behavioral trajectories of newly diagnosed dementia patients. <i>J Gerontol A Biol Sci Med Sci</i> , 72(2): 251-8.
12438	Kalaria RN (1997). Arteriosclerosis, apolipoprotein E, and Alzheimer's disease. <i>Lancet</i> , 349: 1174.
53330	Kalaria RN (2003). Vascular factors in Alzheimer's disease. <i>International Psychogeriatrics</i> , 15(Suppl 1): 47-52.
19425	Kalaria RN, Ogeng'o JA, Patel NB, et al (1997). Evaluation of risk factors for Alzheimer's disease in elderly East Africans. <i>Brain Research Bulletin</i> , 44: 573-7.
67419	Kalkonde YV, Jawaid A, Qureshi SU, et al (2012). Medical and environmental risk factors associated with frontotemporal dementia: a case-control study in a veteran population. <i>Alzheimer's & Dementia</i> , 8: 204-10.
36356	Kalmijn S, Foley D, White L, et al (2000). Metabolic cardiovascular syndrome and risk of dementia in Japanese-American elderly men: the Honolulu-Asia Aging Study. <i>Arterioscler Thromb Vasc Biol</i> , 20: 2255-60.
54843	Kalmijn S, Mehta KM, Pols HA, et al (2000). Subclinical hyperthyroidism and the risk of dementia. The Rotterdam study. <i>Clin Endocrinol (Oxf)</i> , 53: 733-7.
10070	Kanayama G, Takeda M, Niigawa H, et al (1996). The effects of repetitive mild brain injury on cytoskeletal protein and behavior. <i>Methods Find Exp Clin Pharmacol</i> , 18(2): 105-15.
86024	Kapasi A, DeCarli C, Schneider JA (2017). Impact of multiple pathologies on the threshold for clinically overt dementia. <i>Acta Neuropathol</i> , 134(2): 171-86.
55564	Karipidis KK, Martin LJ (2005). Pilot study of residential power frequency magnetic fields in Melbourne. Technical Report Series No:14. Retrieved 4 February 2010, from http://arpansa.gov.au/pubs/technicalreports/tr142.pdf
53170	Karp A, Kareholt I, Qiu C, et al (2004). Relation of education and occupation-based socioeconomic status to incident Alzheimer's disease. <i>Am J Epidemiol</i> , 159: 175-83.
9913	Katzman R et al (1996). [Comment] Apolipoprotein-epsilon4 and head trauma: synergistic or addictive risks? <i>Neurology</i> , 46(3): 889-91.
55493	Katzman R, Fox PJ (1999). The world-wide impact of dementia. Projections of prevalence and costs. R Mayeux, Y Christen (Eds). <i>Epidemiology of Alzheimer's Disease: From Gene to Prevention</i> , Chapter 1: 1-17. Springer-Verlag Berlin Heidelberg New York.
86295	Kawai Y, Miura R, Tsujimoto M, et al (2013). Neuropsychological differentiation between Alzheimer's disease and dementia with Lewy bodies in a memory clinic. <i>Psychogeriatrics</i> , 13: 157-63.
19532	Kawas C, Gray S, Brookmeyer R, et al (2000). Age-specific incidence rates of Alzheimer's disease: the Baltimore longitudinal study of aging. <i>Neurology</i> , 54: 2072-7.

19995	Kawas CH (1999). Inflammation, anti-inflammatory drugs and Alzheimer's disease. R Mayeux, Y Christen (Eds). <i>Epidemiology of Alzheimer's Disease: From gene to Prevention</i> , 65:72. Springer-Verlag, New York.
86296	Kawas CH, Kim RC, Sonnen JA, et al (2015). Multiple pathologies are common and related to dementia in the oldest-old: The 90+ study. <i>American Academy of Neurology</i> , 85: 535-42.
12615	Kazee AM, Cox C, Richfield EK (1995). Substantia nigra lesions in Alzheimer disease and normal aging. <i>Alzheimer Dis Assoc Disord</i> , 9(2): 61-7.
86297	Keene CD, Montine TJ, Kuller LH (2018). Epidemiology, pathology, and pathogenesis of Alzheimer disease. Retrieved 17 April 2018, from https://www.uptodate.com/contents/epidemiology-pathology-and-pathogenesis-of-alzheimer-disease
53402	Kemp S, Goulding P, Spencer J, et al (2005). Unusually rapid and severe cognitive deterioration after mild traumatic brain injury. <i>Brain Injury</i> , 19(14): 1269-76.
86656	Kempf SJ, Azimzadeh O, Atkinson MJ, et al (2013). Long-term effects of ionising radiation on the brain: cause for concern? <i>Radiat Environ Biophys</i> , 52: 5-16.
86675	Kempf SJ, Janik D, Barjaktarovic Z, et al (2016). Chronic low-dose-rate ionising radiation affects the hippocampal phosphoproteome in the ApoE-/- Alzheimer's mouse model. <i>Oncotarget</i> , 7(44): 71817-32.
86676	Kempuraj D, Selvakumar GP, Thangavel R, et al (2017). Mast cell activation in brain injury, stress, and post-traumatic stress disorder and Alzheimer's disease pathogenesis. <i>Frontiers in Neuroscience</i> , 11: Article 703.
46638	Kertesz A, Clydesdale S (1994). Neuropsychological deficits in vascular dementia vs Alzheimer's disease. Frontal lobe deficits prominent in vascular dementia. <i>Arch Neurol</i> , 51: 1226-31.
86677	Kessing LV, Andersen PK (2004). Does the risk of developing dementia increase with the number of episodes in patients with depressive disorder and in patients with bipolar disorder. <i>J Neurol Neurosurg Psychiatry</i> , 75: 1662-6.
86300	Khachaturian AS (2014). Military risk factors for Alzheimer's dementia and neurodegenerative disease. <i>Alzheimer's & Dementia</i> , 10: S90-1.
86301	Khondoker M, Rafnsson SB, Morris S, et al (2017). Positive and negative experiences of social support and risk of dementia in later life: An investigation using the English longitudinal study of ageing. <i>Journal of Alzheimer's Disease</i> , 58: 99-108.
86045	Kiely KM, Gopinath B, Mitchell P, et al (2012). Cognitive, health, and sociodemographic predictors of longitudinal decline in hearing acuity among older adults. <i>Journals of Gerontology</i> , 67(9): 997-1003.
86679	Kim YS, Kwak SM, Myung SK (2015). Caffeine intake from coffee or tea and cognitive disorders: A meta-analysis of observational studies. <i>Neuroepidemiology</i> , 44: 51-63.
19542	Kivela SL, Viramo P, Pahkala K (2000). Factors prediction the relapse of depression in old age. <i>International Journal of Geriatric Psychiatry</i> , 15: 112-19.
55526	Kivipelto M, Annerbo S, Hultdin J, et al (2009). Homocysteine and holotranscobalamin and the risk of dementia and Alzheimers disease: a prospective study. <i>Eur J Neurol</i> , 16(7): 808-13.
53182	Kivipelto M, Helkala EL, Laakso MP, et al (2001). Midlife vascular risk factors and Alzheimer's disease in later life: longitudinal, population based study. <i>BMJ</i> , 322: 1447-51.
53333	Kivipelto M, Ngandu T, Laatikainen T, et al (2006). Risk score for the prediction of dementia risk in 20 years among middle aged people: a longitudinal, population-based study. <i>Lancet Neurol</i> , 5: 735-41.

54485	Kivipelto M, Ngandu T, Fratiglioni L, et al (2005). Obesity and vascular risk factors at midlife and the risk of dementia and Alzheimer disease. <i>Arch Neurol</i> , 62: 1556-60.
54854	Kivipelto M, Rovio S, Ngandu T, et al (2008). Apolipoprotein E e4 magnifies lifestyle risks for dementia: a population-based study. <i>J Cell Mol Med</i> , 12(6B): 2762-71.
53290	Kivipelto M, Solomon A (2006). Cholesterol as a risk factor for Alzheimer's disease - epidemiological evidence. <i>Acta Neurol Scand</i> , 114(Suppl 185): 50-7.
86285	Koeman T, Schouten LJ, van den Brandt PA, et al (2015). Occupational exposures and risk of dementia-related mortality in the prospective Netherlands cohort study. <i>American Journal of Industrial Medicine</i> , 58: 625-35.
86302	Koepsell TD, Gill DP, Chen B (2013). Stability of clinical etiologic diagnosis in dementia and mild cognitive impairment: Results from a multi-center longitudinal database. <i>Am J Alzheimers Dis Other Demen</i> , 28(8): 1-18.
12471	Kokmen E, Beard CM, O'Brien PC, et al (1996). Epidemiology of dementia in Rochester, Minnesota. <i>Mayo Clin Proc</i> , 71: 275-82.
3145	Kokmen E, Beard CM, Bergstralh E, et al (1990). Alzheimer's disease and prior therapeutic radiation exposure: a case-control study. <i>Neurology</i> , 40(9): 1376-9.
12441	Kokmen E, Ozarfati Y, Beard CM, et al (1996). Impact of referral bias on clinical and epidemiological studies of Alzheimer's disease. <i>J Clin Epidemiol</i> , 49(1): 79-83.
12447	Korczyn AD (1996). High blood pressure and dementia. <i>Lancet</i> , 348: 65-66.
26553	Korczyn AD (2002). Mixed dementia - the most common cause of dementia. <i>Ann N Y Acad Sci</i> , 977: 129-34.
12501	Kosunen O, Talasniemi S, Lehtovirta M, et al (1995). Relation of coronary atherosclerosis and apolipoprotein E genotypes in Alzheimer patients. <i>Stroke</i> , 26: 743-8.
86303	Kramberger MG, Auestad B, Garcia-Porte S, et al (2017). Long-term cognitive decline in DLB in a large multicentre, international cohort. <i>J Alzheimers Dis</i> , 57(3): 787-95.
9910	Krausz Y, Bonne O, Marciano R, et al (1996). Brain SPECT imaging of neuropsychiatric disorders. <i>Eur J Radiol</i> , 21(3): 183-7.
86304	Kraybill ML, Larson EB, Tsuang DW, et al (2005). Cognitive differences in dementia patients with autopsy-verified AD, Lewy body pathology, or both. <i>Neurology</i> , 64(12): 2069-73.
86037	Kuiper JS, Zuidersma M, Oude Voshaar RC, et al (2015). Social relationships and risk of dementia: A systematic review and meta-analysis of longitudinal cohort studies. <i>Ageing Research Reviews</i> , 22: 39-57.
53171	Kukull WA (2001). The association between smoking and Alzheimer's disease: Effects of study design and bias. <i>Biol Psychiatry</i> , 49: 194-9.
12445	Kukull WA, Larson EB, Bowen JD, et al (1995). Solvent exposure as a risk factor for Alzheimer's Disease: a case-control study. <i>Am J Epidemiol</i> , 141(11): 1059-71.
3234	Kukull WA, Larson EB, Bowen JD, et al (1995). Solvent exposure as a risk factor for Alzheimer's disease: A case-control study. <i>Am J Epidemiol</i> , 141(11): 1059-71.
67423	Kuljis RO, Salkovic-Petrusic M (2011). Dementia, diabetes, Alzheimer's disease, and insulin resistance in the brain: progress, dilemmas, new opportunities, and a hypothesis to tackle intersecting epidemics. <i>J Alzheimers Dis</i> , 25: 29-41.
53172	Kuller LH, Lopez OL, Jagust WJ, et al (2005). Determinants of vascular dementia in the Cardiovascular Health Cognition Study. <i>Neurology</i> , 64: 1548-52.

86307	Kushwaha S, Talwar P, Anthony A, et al (2017). Clinical spectrum, risk factors, and behavioral abnormalities among dementia subtypes in a North Indian population: A hospital-based study. <i>Dement Geriatr Cogn Disord Extra</i> , 7: 257-3.
86308	Kuzma E, Airdrie J, Littlejohns TJ, et al (2017). Coronary artery bypass graft surgery and dementia risk in the cardiovascular health study. <i>Alzheimer Dis Assoc Disord</i> , 31: 120-7.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
19507	Kyle DJ, Schaefer E, Patton G, et al (1999). Low serum docosahexaenoic acid is a significant risk factor for Alzheimer's dementia. <i>Lipids</i> , 34: S245.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
86309	LaCroix AZ, Hubbard RA, Gray SL, et al (2017). Trajectories of physical function prior to death and brain neuropathology in a community-based cohort: the act study. <i>BMC Geriatrics</i> , 17: 258.
86310	Lafortune L, Martin S, Kelly S, et al (2016). Behavioural risk factors in mid-life associated with successful ageing, disability, dementia and frailty in later life: A rapid systematic review. <i>PLoS One</i> , 11(2): e0144405.
86381	Lambon Ralph MA, Powell J, Howard D, et al (2001). Semantic memory is impaired in both dementia with Lewy bodies and dementia of Alzheimer's type: a comparative neuropsychological study and literature review. <i>J Neurol Neurosurg Psychiatry</i> , 70: 149-56.
3146	Landin K, Blennow K, Wallin A, et al (1993). Low blood pressure and blood glucose levels in Alzheimer's disease. Evidence for a hypometabolic disorder? <i>J Intern Med</i> , 233(4): 357-63.
12607	Larner AJ (1995). Catastrophe and Alzheimer's disease. <i>Journal of the Royal College of Physicians of London</i> , 29(6): 549.
12478	Larner AJ (1995). Catastrophe and Alzheimer's disease. <i>J R Coll Physicians Lond</i> , 29(6): 549.
12477	Larner AJ (1996). Alzheimer's disease, Kuf's disease, tellurium and selenium. <i>Med Hypotheses</i> , 47: 73-5.
53173	Larson EB, Wang L, Bowen JD, et al (2006). Exercise is associated with reduced risk for incident dementia among persons 65 years of age and older. <i>Ann Intern Med</i> , 144: 73-81.
12448	Latchman DS (1997). Herpes simplex virus and risk of Alzheimer's disease. <i>Lancet</i> , 349: 1101-2.
19705	Launer LJ, Andersen K, Dewey ME, et al (1999). Rates and risk factors for dementia and Alzheimer's disease: results from EURODEM pooled analyses. <i>Neurology</i> , 52: 78-84.
19533	Launer LJ, Hofman A (2000). Frequency and impact of neurologic diseases in the elderly of Europe: a collaborative study of population-based cohorts. <i>Neurology</i> , 54(Suppl 5): S1-S3.
19421	Launer LJ, In't Veld BA (1998). NSAIDs and Alzheimer's disease: contribution of observational epidemiologic studies. <i>Neurobiol Aging</i> , 19(6): 617-8.
12503	Launer LJ, Jama JW, Ott A, et al (1997). Histamine H2 blocking drugs and the risk for Alzheimer's disease: the Rotterdam study. <i>Neurobiol Aging</i> , 18(2): 257-9.
54481	Launer LJ, Petrovitch H, Webster Ross G, et al (2008). AD brain pathology: vascular origins? Results from the HAAS autopsy study. <i>Neurobiology of Aging</i> , 29: 1587-90.
19329	Launer LJ, Webster RG, Petrovitch H, et al (2000). Midlife blood pressure and dementia: the Honolulu-Asia aging study. <i>Neurobiol Aging</i> , 21: 49-55.

36363	Laurin D, Masaki KH, Foley DJ, et al (2003). Midlife dietary intake of antioxidants and risk of late-life incident dementia - the Honolulu-Asia Aging Study. <i>Am J Epidemiol</i> , 159(10): 959-67.
53174	Laurin D, Verreault R, Lindsay J, et al (2003). Omega-3 fatty acids and risk of cognitive impairment and dementia. <i>J Alzheimers Disease</i> , 5: 315-22.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
53129	Lehmann DJ, Worwood M, Ellis R, et al (2006). Iron genes, iron load and risk of Alzheimer's disease. <i>J Med Genet</i> , 43(10): e52.
86592	Lehrer S, Rheinstein PH, Rosenzweig KE (2017). Association of radon background and total background ionizing radiation with Alzheimer's disease deaths in U.S. States. <i>Journal of Alzheimer's Disease</i> , 59(2): 737-41.
19523	Leibovici D, Ritchie K, Ledesert B, et al (1999). The effects of wine and tobacco consumption on cognitive performance in the elderly: a longitudinal study of relative risk. <i>International Journal of Epidemiology</i> , 28: 77-81.
10919	Leibson CL, Rocca WA, Hanson VA, et al (1997). Risk of dementia among persons with diabetes mellitus: a population-based cohort study. <i>Am J Epidemiol</i> , 145(4): 301-8.
19454	Leibson CL, Rocca WA, Hanson VA, et al (1997). The risk of dementia among persons with diabetes mellitus: a population-based cohort study. <i>Annals of the New York Academy of Sciences</i> , 826: 422-7.
12499	Leibson CL, Rocca WA, Hanson VA, et al (1997). Risk of dementia among persons with diabetes mellitus: a population-based cohort study. <i>Am J Epidemiol</i> , 145(4): 301-8.
19582	Leissring MA, Sugarman MC, LaFerla FM (1998). Herpes simplex virus infections and Alzheimer's disease: implications for drug treatment and immunotherapy. <i>Drugs & Aging</i> , 13: 193-8.
86311	Lekoubou A, Echouffo-Tcheugui JB, Kengne AP (2014). Epidemiology of neurodegenerative diseases in sub-Saharan Africa: a systematic review. <i>BMC Public Health</i> , 14: 653.
67413	Lemke SP, Schaefer JA (2010). Recent changes in the prevalence of psychiatric disorders among VA nursing home residents. <i>Psychiatric Services</i> , 61(4): 356-63.
85944	Lemstra AW, de Beer MH, Teunissen CE, et al (2017). Concomitant AD pathology affects clinical manifestation and survival in dementia with Lewy bodies. <i>J Neurol Neurosurg Psychiatry</i> , 88(2): 113-8.
12452	Lendon CL, Ashall F, Goate AM (1997). Exploring the etiology of Alzheimer disease using molecular genetics. <i>JAMA</i> , 277: 825-31.
79899	Leow JJ, Cole AP, Sun M, et al (2016). [Comment] Association of androgen deprivation therapy with Alzheimer's disease: unmeasured confounders. <i>J Clin Oncol</i> , 34(23): 2801-3.
55528	Lesser GT, Haroutunian V, Purohit DP, et al (2009). Serum lipids are related to Alzheimer's pathology in nursing home residents. <i>Dement Geriatr Cogn Disord</i> , 27(1): 42-49.
19405	Letenneur L, Gilleron V, Commenges D, et al (1999). Are sex and educational level independent predictors of dementia and Alzheimer's disease? Incidence data from the PAQUID project. <i>J Neurol Neurosurg Psychiatry</i> , 66: 177-83.
53438	Letenneur L, Larrieu S, Barberger-Gateau P (2004). Alcohol and tobacco consumption as risk factors of dementia: a review of epidemiological studies. <i>Biomed Pharmacother</i> , 58: 95-9.
19413	Letenneur L, Launer LJ, Andersen K, et al (2000). Education and the risk for Alzheimer's disease: sex makes a difference. EURODEM pooled analyses. <i>Am J Epidemiol</i> , 151(11): 1064-71.

54858	Letenneur L, Peres K, Fleury H, et al (2008). Seropositivity to herpes simplex virus antibodies and risk of Alzheimer's disease: A population-based cohort study. <i>PLoS One</i> , 3(11): e3637.
54783	Lethaby A, Hogervorst E, Richards M, et al (2008). Hormone replacement therapy for cognitive function in postmenopausal women. <i>Cochrane Database Syst Rev</i> , (4): CD003312.
12454	Levallois P (1997). Alzheimer's disease and aluminum. <i>Neurology Vol 48</i> pp 1141-2.
54479	Levallois P, McLachlan, et al (1997). [Comments] Alzheimer's disease and aluminum. <i>Neurology</i> , 48: 1141-2. Comments on ID: 54478.
53410	Levin HS, Gary HE Jr, Eisenberg HM, et al (1990). Neurobehavioral outcome 1 year after severe head injury. <i>J Neurosurg</i> , 73: 699-709.
67430	Levine J, Timinsky I, Vishne T, et al (2008). Elevated serum homocysteine levels in male patients with PTSD. <i>Depress Anxiety</i> , 25: E154-7.
53412	Levy G, Tang M-X, Cote LJ, et al (2002). Do risk factors for Alzheimer's disease predict dementia in Parkinson's disease? An exploratory study. <i>Movement Disorders</i> , 17(2): 250-7.
55527	Li C-Y, Sung F-C, Wu SC (2002). Risk of cognitive impairment in relation to elevated exposure to electromagnetic fields. <i>J Occup Environ Med</i> , 44(1): 66-72.
86404	Li DD, Zhang W, Wang ZY, et al (2017). Serum copper, Zinc, and iron levels in patients with Alzheimer's disease: A meta-analysis of case-control studies. <i>Front. Aging Neurosci</i> , 9(300): 1-13.
86083	Li FJ, Shen L, Ji HF (2012). Dietary intakes of vitamin E, vitamin C, and B-carotene and risk of Alzheimer's Disease: a meta-analysis. <i>Journal of Alzheimer's Disease</i> , 31(2): 253-8.
53160	Li G, Shofer JB, Kukull WA, et al (2005). Serum cholesterol and risk of Alzheimer's disease. <i>Neurology</i> , 65: 1045-50.
67480	Li J, Wang YJ, Zhang M, et al (2011). Vascular risk factors promote conversion from mild cognitive impairment to Alzheimer disease. <i>Neurology</i> , 76: 1485-91.
86077	Li JQ, Tan L, Wang HF, et al (2016). Risk factors for predicting progression from mild cognitive impairment to Alzheimer's disease: a systematic review and meta-analysis of cohort studies. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 87(5): 476-84.
86657	Li L, Wang W, Welford S, et al (2014). Ionizing radiation causes increased tau phosphorylation in primary neurons. <i>Journal of Neurochemistry</i> , 131: 86-93.
86405	Li T, Xie Y, Bowe B, et al (2017). Serum phosphorus levels and risk of incident dementia. <i>PLoS One</i> , 12(2): e0171377.
86406	Li W, Huang E (2016). An update on Type 2 diabetes mellitus as a risk factor for dementia. <i>Journal of Alzheimer's Disease</i> , 53(2): 393-402.
86312	Li Y, Li Y, Li X, et al (2017). Head injury as a risk factor for dementia and Alzheimer's disease: A systematic review and meta-analysis of 32 observational studies. <i>PLoS One</i> , 12(1): e0169650.
86447	Lighthart SA, Moll van Charante EP, Van Gool WA, et al (2010). Treatment of cardiovascular risk factors to prevent cognitive decline and dementia: a systematic review. <i>Vascular Health and Risk Management</i> , 6: 775-85.
19325	Lilius L, Froelich Fabre S, et al (1999). Tau gene polymorphisms and apolipoprotein E epsilon4 may interact to increase risk for Alzheimer's disease. <i>Neurosci Lett</i> , 277(1): 29-32.
86450	Lin FR (2011). Hearing loss and cognition among older adults in the United States. <i>J Gerontol A Biol Sci Med Sci</i> , 66A(10): 1131-6.
86452	Lin FR, Ferrucci L, Metter EJ, et al (2011). Hearing loss and cognition in the Baltimore longitudinal study of aging. <i>Neuropsychology</i> , 25(6): 763-70.
86451	Lin FR, Metter EJ, O'Brien RJ, et al (2011). Hearing loss and incident dementia. <i>Arch Neurol</i> , 68(2): 214-20.

86448	Lin FR, Yaffe K, Xia J, et al (2013). Hearing loss and cognitive decline among older adults. <i>JAMA Intern Med</i> , 173(4): 1-14.
53199	Lindsay J, Laurin D, Verreault R, et al (2001). Risk factors for Alzheimer's disease: A prospective analysis from the Canadian Study of Health and Aging. <i>Am J Epidemiol</i> , 156(5): 445-53.
12465	Lithner F (1996). Diabetes mellitus and Alzheimer's disease. <i>Diabetologia</i> , 39(10): 1242.
12603	Lithner FG (1995). Diabetes and dementia. <i>Diabet Med</i> , 12(2): 180.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
56109	Little MP (2009). Cancer and non-cancer effects in Japanese atomic bomb survivors. <i>J Radiol Prot</i> , 29(2A): A43-59.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.
89235	Littlejohns TJ, Henley WE, Lang IA, et al (2014). Vitamin D and the risk of dementia and Alzheimer disease. <i>Neurology</i> , 83(10): 920-8.
86213	Littlejohns TJ, Kos K, Henley WE, et al (2016). Vitamin D and dementia. <i>The Journal of the Prevention of Alzheimer's Disease</i> , 3(1): 43-52.
12729	Liu HC, Lin KN, Teng EL, et al (1995). Prevalence and subtypes of dementia in Taiwan: a community survey of 5297 individuals. <i>J Am Geriatr Soc</i> , 43(2): 144-9.
84413	Liu QP, Wu YF, Cheng HY, et al (2016). Habitual coffee consumption and risk of cognitive decline/dementia: A systematic review and meta-analysis of prospective cohort studies. <i>Nutrition</i> , 32(6): 628-36.
85903	Livingston G, Sommerlad A, Orgeta V, et al (2017). Dementia prevention, intervention, and care. <i>Lancet</i> , 390: 2673-734.
67424	Llibre Jde J, Valhuerdi A, Calvo M, et al (2011). Dementia and other chronic diseases in older adults in Havana and Matanzas: the 10/66 study in Cuba. <i>MEDICC Review</i> , 13(4): 30-7.
19534	Lobo A, Launer LJ, Fratiglioni L, et al (2000). Prevalence of dementia and major subtypes in Europe: a collaborative study of population-based cohorts. <i>Neurology</i> , 54(Suppl 5): S4-9.
86199	LoBue C, Callum CM, Didehban N, et al (2018). Neurodegenerative dementias after traumatic brain injury. <i>J Neuropsychiatry Clin Neurosci</i> , 30(1): 7-13.
86444	Lohr JB, Palmer BW, Eidt CA, et al (2015). Is Post-Traumatic Stress Disorder associated with premature senescence? A review of the literature. <i>Am J Geriatr Psychiatry</i> , 23(7): 709-25.
86681	Loop MS, Kent ST, Al-Hamdan MZ, et al (2013). Fine particulate matter and incident cognitive impairment in the reasons for geographic and racial differences in stroke (REGARDS) cohort. <i>PLoS One</i> , 8(9): e75001.
86067	Lopes da Silva S, Vellas B, Elemans S, et al (2014). Plasma nutrient status of patients with Alzheimer's disease: Systematic review and meta-analysis. <i>Alzheimer's & Dementia</i> , 10(4): 485-502.
53140	Lopez-Arrieta J, Sanz FJFJS (2009). Nicotine for Alzheimer's disease (Review). <i>Cochrane Database Syst Rev</i> , (2): CD001749.
86018	Loughrey DG, Kelly ME, Kelley GA, et al (2018). Association of age-related hearing loss with cognitive function, cognitive impairment, and dementia: A systematic review and meta-analysis. <i>JAMA Otolaryngology</i> , 144(2): 115-26.
85935	Lourida I, Soni M, Thompson-Coon J, et al (2013). Mediterranean diet, cognitive function, and dementia: a systematic review. <i>Epidemiol</i> , 24(4): 479-89.

69551	Lowe XR, Bhattacharya S, Marchetti F, et al (2009). Early brain response to low-dose radiation exposure involves molecular networks and pathways associated with cognitive functions, advanced aging and Alzheimer's disease. <i>Radiat Res</i> , 171(1): 53-65.
67705	Lu FP, Lin KP, Kuo HK (2009). Diabetes and the risk of multi-system aging phenotypes: a systematic review and meta-analysis. <i>PLoS One</i> , 4(1): e4144.
53198	Luchsinger J, Reitz C, Honig LS, et al (2005). Aggregation of vascular risk factors and risk of incident Alzheimer's disease. <i>Neurology</i> , 65(4): 545-51.
53191	Luchsinger JA (2008). Adiposity, hyperinsulinemia, diabetes and Alzheimer's disease. An epidemiological perspective. <i>Eur J Pharmacol</i> , 585(1): 119-29.
67481	Luchsinger JA (2010). Insulin resistance, type 2 diabetes, and AD. <i>Neurology</i> , 75: 758-9.
67421	Luchsinger JA (2012). Type 2 diabetes and cognitive impairment: linking mechanisms. <i>J Alzheimers Dis</i> , 30: S185-98.
54484	Luchsinger JA, Gustafson DR (2009). Adiposity, type 2 diabetes, and Alzheimer's disease. <i>J Alzheimers Dis</i> , 16: 693-704.
53282	Luchsinger JA, Mayeux R (2004). Dietary factors and Alzheimer's disease. <i>The Lancet Neurology</i> , 3: 579-87.
53283	Luchsinger JA, Mayeux R (2004). Cardiovascular risk factors and Alzheimer's disease. <i>Curr Atheroscler Rep</i> , 6: 261-6.
54483	Luchsinger JA, Patel B, Tang MX, et al (2008). Body mass index, dementia, and mortality in the elderly. <i>J Nutr</i> , 12(2): 127-31.
54487	Luchsinger JA, Patel B, Tang M-X, et al (2007). Measures of adiposity and dementia risk in elderly persons. <i>Arch Neurol</i> , 64: 392-8.
53296	Luchsinger JA, Tang MX, Mayeux R (2007). Glycemic load and risk of Alzheimer's disease. <i>J Nutrition Health Aging</i> , 11(3): 238-41.
53139	Luchsinger JA, Tang MX, Stern Y, et al (2001). Diabetes mellitus and risk of Alzheimer's disease and dementia with stroke in a multiethnic cohort. <i>Am J Epidemiol</i> , 154(7): 635-41.
86443	Luo J, Wu B, Zhao Q, et al (2015). Association between tooth loss and cognitive function among 3063 Chinese older adults: A Community-based study. <i>PLoS One</i> , 10(3): e0120986.
54277	Luukinen H, Viramo P, Herala M, et al (2005). Fall-related brain injuries and the risk of dementia in elderly people: a population-based study. <i>Eur J Neurol</i> , 12: 86-92.
79951	Lv W, Du N, Liu Y, et al (2016). Low testosterone level and risk of Alzheimer's disease in the elderly men: a systematic review and meta-analysis. <i>Mol Neurobiol</i> , 53(4): 2679-84.
53163	Lye TC, Shores EA (2000). Traumatic brain injury as a risk factor for Alzheimer's disease: A review. <i>Neuropsychology Review</i> , 10(2): 115-29.
85962	Ma F, Wu T, Miao R, et al (2015). Conversion of mild cognitive impairment to dementia among subjects: a population-based study of incidence and risk factors with five years of follow-up. <i>Journal of Alzheimer's Disease</i> , 43(4): 1441-9.
86063	Ma LL, Yu JT, Wang HF, et al (2014). Association between cancer and Alzheimer's disease: systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 42(2): 565-73.
86428	Ma QP, Huang C, Cui QY, et al (2016). Meta-analysis of the association between tea intake and the risk of cognitive disorders. <i>PLoS One</i> , 11(11): e0165861.
77177	Macedo AF, Taylor FC, Casas JP, et al (2014). Unintended effects of statins from observational studies in the general population: systematic review and meta-analysis. <i>BMC Medicine</i> , 12: 51.

54698	MacKnight C, Rockwood K, Awalt E, et al (2002). Diabetes mellitus and the risk of dementia, Alzheimer's disease and vascular cognitive impairment in the Canadian Study of Health and Aging. <i>Dement Geriatr Cogn Disord</i> , 14: 77-83.
86141	Magierski R, Klozewska I, Sobow TM (2010). The influence of vascular risk factors on the survival rate of patients with dementia with Lewy bodies and Alzheimer disease. <i>Neurol Neurochir Pol</i> , 44(2): 139-47.
86078	Maheshwari P, Eslick GD (2015). Bacterial infection and Alzheimer's disease: a meta-analysis. <i>Journal of Alzheimer's Disease</i> , 43(3): 957-66.
85989	Manabe T, Mizukami K, Akatsu H, et al (2016). Influence of pneumonia complications on the prognosis of patients with autopsy-confirmed Alzheimer's disease, dementia with Lewy bodies, and vascular dementia. <i>Psychogeriatrics</i> , 16(5): 305-14.
86449	Manabe T, Mizukami K, Akatsu H, et al (2016). Prognostic factors related to dementia with Lewy bodies complicated with pneumonia: An autopsy study. <i>Intern Med</i> , 55: 2771-6.
12605	Mangano WE, Montine TJ, Hulette CM (1997). Pathologic assessment of cerebellar atrophy following acute lithium intoxication. <i>Clin Neuropathol</i> , 16(1): 30-3.
69598	Manton KG, Volovik S, Kulminski A (2004). ROS effects on neurodegeneration in Alzheimer's disorders: on environmental stresses of ionizing radiation. <i>Curr Alzheimer Res</i> , 1(4): 277-93.
56071	Marchionni I, Paffi A, Pellegrino M, et al (2006). Comparison between low-level 50 Hz and 900 MHz electromagnetic stimulation on single channel ionic currents and on firing frequency in dorsal root ganglion isolated neurons. <i>Biochim Biophys Acta</i> , 1758(5): 597-605. [Abstract]
86137	Marder K, Flood P, Cote L, et al (1990). A pilot study of risk factors for dementia in Parkinson's disease. <i>Movement Disorders</i> , 5(2): 156-61.
67399	Marin MF, Lord C, Andrews J, et al (2011). Chronic stress, cognitive functioning and mental health. <i>Neurobiology of Learning and Memory</i> , 96: 583-95.
86427	Marioni RE, Prous-Lima C, Amieva H, et al (2015). Social activity, cognitive decline and dementia risk: a 20-year prospective cohort study. <i>BMC Public Health</i> , 15(1089): S12889.
86426	Markesbery WR, Jicha GA, Liu H, et al (2009). Lewy body pathology in normal elderly subjects. <i>J Neuropathol Exp Neurol</i> , 68(7): 816-22.
86665	Marples B (2016). [Comment] Cranial irradiation significantly reduces beta amyloid plaques in the brain and improves cognition in a murine model of Alzheimer's Disease (AD). , 118: 579-80. Comment on ID: 86664.
86664	Marples B, McGee M, Callan S, et al (2016). Cranial irradiation significantly reduces beta amyloid plaques in the brain and improves cognition in a murine model of Alzheimer's Disease (AD). <i>Radiation and Oncology</i> , 118: 43-51.
85943	Martinez-Lapiscina EH, Clavero P, et al (2013). Mediterranean diet improves cognition: the PREDIMED-NAVARRA randomised trial. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 84(12): 1318-25.
53284	Martins IJ, Hone E, Foster JK, et al (2006). Apolipoprotein E, cholesterol metabolism, diabetes, and the convergence of risk factors for Alzheimer's disease and cardiovascular disease. <i>Molecular Psychiatry</i> , 11: 721-36.
79894	Martins RN, Gandy S (2016). Prostate cancer: increased dementia risk following androgen deprivation therapy? <i>Nat Rev Urol</i> , 13(4): 188-9.
3147	Martyn CN, Barker DPJ, Osmond C, et al (1989). Geographical relation between Alzheimer's disease and aluminum in drinking water. <i>Lancet</i> , 333(8629): 59-62.
19505	Martyn CN, Coggon DN, Inskip H, et al (1997). Aluminium concentrations in drinking water and risk of Alzheimer's disease. <i>Epidemiology</i> , 8: 281-6.

12505	Martyn CN, Coggon DN, Inskip H, et al (1997). Aluminum concentrations in drinking water and risk of Alzheimer's disease. <i>Epidemiology</i> , 8(3): 281-6.
3148	Masters CL (1994). Alzheimer's disease: A clearer definition of the genetic components. <i>MJA</i> , 160: 243-4.
86020	Masters CL, Bateman R, Blennow K, et al (2015). Alzheimer's disease. <i>Nature Reviews. Disease Primers</i> , 1: 1-18.
19583	Masullo C, Daniele A, Seripa D, et al (1998). Apolipoprotein E genotype in sporadic early- and late-onset Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 9: 121-5.
46971	Matsuda O, Saito M, Sugishita M (1998). Cognitive deficits of mild dementia: a comparison between dementia of the Alzheimer's type and vascular dementia. <i>Psychiatry and Clinical Neurosciences</i> , 52: 87-91.
55627	Matsui T, Nemoto M, Maruyama M, et al (2005). Plasma homocysteine and risk of coexisting silent brain infarction in Alzheimer's disease. <i>Neurodegener Dis</i> , 2(6): 299-304.
86425	Mavrodaris A, Powell J, Thorogood M (2013). Prevalences of dementia and cognitive impairment among older people in sub-Saharan Africa: a systematic review. <i>Bull World Health Organ</i> , 91: 773-83.
86163	Mawanda F, Wallace RB, McCoy K, et al (2017). PTSD, psychotropic medication use, and the risk of dementia among US veterans: A retrospective cohort study. <i>J Am Geriatr Soc</i> , 65(5): 1043-50.
86424	Mawanda F, Wallace RB, McCoy K, et al (2016). Systemic and localized extra-central nervous system bacterial infections and the risk of dementia among US veterans: A retrospective cohort study. <i>Alzheimer's & Dementia</i> , 4: 109-17.
10076	May PC (1993). Sulfated glycoprotein-2: an emerging molecular marker for neurodegeneration. <i>Ann N Y Acad Sci</i> , 679: 235-44.
12504	Mayeux R (1996). Development of a national prospective study of Alzheimer disease. <i>Alzheimer Dis Assoc Disord</i> , 10(Suppl 1): 38-44.
3165	Mayeux R, Ottman R, Maestre G, et al (1995). Synergistic effects of traumatic head injury and apolipoprotein-epsilon 4 in patients with Alzheimer's disease. <i>Neurology</i> , 45(3 Pt 1): 555-7.
9912	Mayeux R, Ottman R, Tang M, et al (1993). Genetic susceptibility and head injury as risk factors for Alzheimer's disease among community-dwelling elderly person and their first degree relatives. <i>Ann Neurol</i> , 33(5): 494-501.
53367	McAllister TW (2008). Neurobehavioural sequelae of traumatic brain injury: evaluation and management. <i>World Psychiatry</i> , 7: 3-10.
19410	McCaddon A, Davies G, Hudson P (2000). Nutritionally independent B12 deficiency and Alzheimer's disease. <i>Arch Neurol</i> , 57: 607-8.
19457	McCarron MO, Nicoll JA (2000). Apolipoprotein E genotype and cerebral amyloid angiopathy-related hemorrhage. <i>Annals of the New York Academy of Sciences</i> , 903: 176-9.
86423	McCarter SJ, St Louis EK, Boeve BF (2012). REM sleep behavior disorder and REM sleep without atonia as an early manifestation of degenerative neurological disease. <i>Curr Neurol Neurosci Rep</i> , 12(2): 182-92.
53634	McCarthy S, Somayajulu M, Sikorska M, et al (2004). Paraquat induces oxidative stress and neuronal cell death; neuroprotection by water-soluble Coenzyme Q10. <i>Toxicology and Applied Pharmacology</i> , 201: 21-31.
3149	McGeer PL, McGeer E, Rogers J, et al (1990). Anti-Inflammatory drugs and Alzheimer's disease. <i>Lancet</i> , 335(8696): 1037.
12433	McGeer PL, Schulzer M, McGeer EG (1996). Arthritis and anti-inflammatory agents as possible protective factors for Alzheimer's disease: a review of 17 epidemiologic studies. <i>Neurology</i> , 478: 425-32.

79895	McGinty HL (2016). Unlocking electronic medical record data to identify possible connections between cancer and cognitive declines. <i>J Clin Oncol</i> , 34(6): 530-2.
60960	McGinty HL, Phillips KM, Jim HS, et al (2014). Cognitive functioning in men receiving androgen deprivation therapy for prostate cancer: a systematic review and meta-analysis. <i>Support Care Cancer</i> , 22(8): 2271-80.
55533	McGuinness B, Todd S, Passmore P, et al (2009). Blood pressure lowering in patients without prior cerebrovascular disease for prevention of cognitive impairment and dementia. <i>Cochrane Database Syst Rev</i> , (4): CD004034.
27289	McIlroy SP, Dynan KB, Lawson JT, et al (2002). Moderately elevated plasma homocysteine, methylenetetrahydrofolate reductase genotype, and risk for stroke, vascular dementia, and Alzheimer disease in Northern Ireland. <i>Stroke</i> , 33: 2351-6.
86422	McKee AC, Daneshvar DH (2015). The neuropathology of traumatic brain injury. <i>Handb Clin Neurol</i> , 127: 45-66.
86421	McKeith IG, Boeve BF, Dickson DW, et al (2017). Diagnosis and management of dementia with Lewy bodies: Fourth consensus report of the DLB Consortium. <i>Neurology</i> , 89: 88-100.
84116	McKeith IG, Burn DJ, Ballard CG, et al (2003). Dementia with Lewy bodies. <i>Seminars in Clinical Neuropsychiatry</i> , 8(1): 46-57.
86420	McKhann GM, Knopman DS, Chertkow H, et al (2011). The diagnosis of dementia due to Alzheimer's disease: Recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. <i>Alzheimers Dement</i> , 7(3): 263-9.
54478	McLachlan DRC, Bergeron C, Smith JE, et al (1996). Risk for neuropathologically confirmed Alzheimer's disease and residual aluminum in municipal drinking water employing weighted residential histories. <i>Neurology</i> , 46: 401-5.
53408	McMurtray A, Clark DG, Christine D, et al (2006). Early-onset dementia: frequency and causes compared to late-onset dementia. <i>Dement Geriatr Cogn Disord</i> , 21: 59-64.
86682	McRobb LS, McKay MJ, Gamble JR, et al (2017). Ionizing radiation reduces ADAM10 expression in brain microvascular endothelial cells undergoing stress-induced senescence. <i>Aging</i> , 9(4): 1248-62.
53302	McShane R, Areosa Sastre A, Minakaran N (2009). Memantine for dementia (Review). <i>Cochrane Database Syst Rev</i> , (2): CD003154.
19706	Mehta KM, Ott A, Kalmijn S, et al (1999). Head trauma and the risk of dementia and Alzheimer's disease: the Rotterdam study. <i>Neurology</i> , 53: 1959-62.
19458	Meier-Ruge WA, Bertoni-Freddari C (1997). Pathogenesis of decreased glucose turnover and oxidative phosphorylation in ischemic and trauma-induced dementia of the Alzheimer type. <i>Annals of the New York Academy of Sciences</i> , 826: 229-241.
85947	Mendez MF (2017). What is the relationship of traumatic brain injury to dementia? <i>Journal of Alzheimer's Disease</i> , 57(3): 667-81.
3150	Mendez MF, Underwood KL, Zander BA, et al (1992). Risk factors in Alzheimer's disease: a clinicopathologic study. <i>Neurology</i> , 42(4): 770-5.
86079	Meng XF, Yu JT, Wang HF, et al (2014). Midlife vascular risk factors and the risk of Alzheimer's disease: a systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 42(4): 1295-310.
19693	Merchant C, Tang M-X, Albert S, et al (1999). The influence of smoking on the risk of Alzheimer's disease. <i>Neurology</i> , 52: 1408-12.
85872	Metzler-Baddeley C (2007). A review of cognitive impairments in dementia with Lewy bodies relative to Alzheimer's disease and Parkinson's disease with dementia. <i>Cortex</i> , 43(5): 583-600.

19452	Meyer JS, Rauch GM, Rauch RA, et al (2000). Cardiovascular and other risk factors for Alzheimer's disease and vascular dementia. <i>Annals of the New York Academy of Sciences</i> Vol 903 pp 411-23.
86419	Meziab O, Kirby KA, Williams B, et al (2014). Prisoner of war status, posttraumatic stress disorder, and dementia in older veterans. <i>Alzheimer's & Dementia</i> , 10: S236-41.
86418	Middleton LE, Grinberg LT, Miller B, et al (2011). Neuropathologic features associated with Alzheimer disease diagnosis. <i>Neurology</i> , 77: 1737-44.
53175	Miekle MM, Zandi PP, Sjogren M, et al (2005). High total cholesterol levels in late life associated with a reduced risk of dementia. <i>Neurology</i> , 64: 1689-95.
53416	Millar K, Nicoll JAR, Thornhill S, et al (2003). Long term neuropsychological outcome after head injury: relation to APOE genotype. <i>J Neurol Neurosurg Psychiatry</i> , 74: 1047-52.
53363	Millar K, Nicoll JAR, Thornhill S, et al (2003). Long term neuropsychological outcome after head injury: relation to APOE genotype. <i>J Neurol Neurosurg Psychiatry</i> , 74: 1047-52.
85907	Mishima A, Nihashi T, Ando Y, et al (2016). Biomarkers Differentiating Dementia with Lewy Bodies from Other Dementias: A Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 50(1): 161-74.
86417	Mitolo M, Hamilton JM, Landy KM, et al (2016). Visual perceptual organization ability in autopsy-verified dementia with Lewy bodies and Alzheimer's disease. <i>J Int Neuropsychol Soc</i> , 22(6): 609-19.
67408	Mittal D, Torres R, Abashidze A, et al (2001). Worsening of post-traumatic stress disorder symptoms with cognitive decline: case series. <i>J Geriatr Psychiatry Neurol</i> , 14: 17-20.
54274	Miu AC, Andreescu CE (2003). A behavioral and histological study of the effects of long-term exposure of adult rats to aluminum. <i>Intern J Neurosci</i> , 113: 1197-211.
53950	Miu AC, Benga O (2006). Aluminum and Alzheimer's disease: a new look. <i>J Alzheimers Dis</i> , 10: 179-201.
86223	Miwa K, Tanaka M, Okazaki S, et al (2016). Increased total homocysteine levels predict the risk of incident dementia independent of cerebral small-vessel diseases and vascular risk factors. <i>Journal of Alzheimer's Disease</i> , 49(2): 503-513.
53951	Mizoroki T, Meshitshuka S, Maeda S, et al (2007). Aluminum induces tau aggregation in vitro but not in vivo. <i>J Alzheimers Dis</i> , 11: 419-27.
19577	Mjoberg B, Hellquist E, Mallmin H, et al (1997). Aluminium, Alzheimer's disease and bone fragility. <i>Acta Orthop Scand</i> , 68(6): 511-4.
19696	Mocerri VM, Kukull WA, Emmanuel I, et al (2000). Early risk factors and the development of Alzheimer's disease. <i>Neurology</i> , 54: 415-20.
53197	Moffat SD, Zonderman AB, Metter EJ, et al (2004). Free testosterone and risk for Alzheimer disease in older men. <i>Neurology</i> , 62: 188-93.
86683	Mohlenhoff BS, O'Donovan A, Weiner MW, et al (2018). Dementia risk in posttraumatic stress disorder: the relevance of sleep-related abnormalities in brain structure, amyloid, and inflammation. <i>Curr Psychiatry Rep</i> , 19(11): 89.
69613	Momcilovic B, Lykken GI, Cooley M (2006). Natural distribution of environmental radon daughters in the different brain areas of an Alzheimer disease victim. <i>Mol Neurodegener</i> , 1: 11, Epub.
86416	Montine TJ, Phelps CH, Beach TG, et al (2012). National Institute on Aging-Alzheimer's Association guidelines for the neuropathologic assessment of Alzheimer's disease: a practical approach. <i>Acta Neuropathol</i> , 123(1): 1-11.

86576	Moon JH, Park YJ, Kim TH (2014). Lower-but-normal serum TSH level is associated with the development or progression of cognitive impairment in elderly: Korean Longitudinal Study on Health and Aging (KLoSHA). <i>J Clin Endocrinol Metab</i> , 99(2): 424-432.
67422	Moreira PI (2012). Alzheimer's disease and diabetes: an integrative view of the role of mitochondria, oxidative stress, and insulin. <i>J Alzheimers Dis</i> , 30: S199-215.
86415	Moreno Cervantes C, Mimenza Alvarado A, Aguilar Navarro S, et al (2017). Factors associated with mixed dementia vs Alzheimer disease in elderly Mexican adults. <i>Neurologia</i> , 32(5): 309-15.
54668	Moroz N, Tong M, Longato L, et al (2008). Limited Alzheimer-type neurodegeneration in experimental obesity and type 2 diabetes mellitus. <i>J Alzheimers Dis</i> , 15: 29-44.
86245	Morrin H, Fang T, Servant D, et al (2018). Systematic review of the efficacy of non-pharmacological interventions in people with Lewy body dementia. <i>International Psychogeriatrics</i> , 30(3): 395-407.
54844	Morris MC, Evans DA, Schneider JA, et al (2006). Dietary folate and vitamins B-12 and B-6 not associated with incident Alzheimer's disease. <i>J Alzheimers Dis</i> , 9: 435-43.
53126	Morris MC, Evans DA, Bienias JL, et al (2002). Dietary intake of antioxidant nutrients and the risk of incident Alzheimer disease in a Biracial Community Study. <i>JAMA</i> , 287: 3230-7.
53119	Morris MC, Evans DA, Tangney CC, et al (2005). Fish consumption and cognitive decline with age in a large community study. <i>Arch Neurol</i> , 62(12): 1849-53.
54860	Morris MS, Jacques PF, Rosenberg IH, et al (2007). Folate and vitamin B-12 status in relation to anemia, macrocytosis, and cognitive impairment in older Americans in the age of folic acid fortification. <i>Am J Clin Nutr</i> , 85: 193-200.
12451	Morrison-Bogorad M, Phelps C, Buckholtz N (1997). Alzheimer disease research comes of age. The pace accelerates. <i>JAMA</i> , 277(10): 837-40.
12574	Mortel KF, Meyer JS, Herod B, et al (1995). Education and occupation as risk factors for dementias of the Alzheimer and ischemic vascular types. <i>Dementia</i> , 6(1): 55-62.
19419	Mortimer JA (1998). New findings consistent with Alzheimer's-NSAIDs link. <i>Neurobiol Aging</i> , 19: 615-6.
53157	Mortimer JA, Borenstein AR (2006). Tools of the epidemiologist. <i>Alzheimer Dis Assoc Disord</i> , 20(Suppl 2): S35-41.
9566	Mortimer JA, Van Duijn CM, Chandra V, et al (1991). Head trauma as a risk factor for Alzheimer's disease: A collaborative re-analysis of case-control Studies. <i>International Journal of Epidemiology</i> , 20(2): S28-35.
86044	Mosnier I, Bebear JP, Marx M, et al (2015). Improvement of cognitive function after cochlear implantation in elderly patients. <i>JAMA Otolaryngology</i> , 141(5): 442-50.
82940	Mottaghi T, Amirabdollahian F, Haghghatdoost F (2017). Fruit and vegetable intake and cognitive impairment: a systematic review and meta-analysis of observational studies. <i>European Journal of Clinical Nutrition</i> , 71: s41430.
53948	Moulin JJ, Clavel T, Buclez B, et al (2000). A mortality study among workers in a French aluminium reduction plant. <i>Int Arch Occup Environ Health</i> , 73: 323-30.
86414	Moulin S, Leys D (2017). Stroke occurring in patients with cognitive impairment or dementia. <i>Arq Neuropsiquiatr</i> , 75(2): 117-21.
85966	Mourao RJ, Mansur G, Malloy-Diniz LF, et al (2016). Depressive symptoms increase the risk of progression to dementia in subjects with mild cognitive impairment: systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 31(8): 905-11.

19521	Mrak RE, Griffin WST (1997). The role of chronic self-propagating glial responses in neurodegeneration: Implications for long-lived survivors of human immunodeficiency virus. <i>Journal of NeuroVirology</i> , 3: 241-46.
86413	Mrak RE, Griffin WST (2007). Dementia with Lewy bodies: Definition, diagnosis, and pathogenic relationship to Alzheimer's disease. <i>Neuropsychiatric Disease and Treatment</i> , 3(5): 619-25.
53116	Mukamal KJ, Kuller LH, Fitzpatrick AL, et al (2003). Prospective study of alcohol consumption and risk of dementia in older adults. <i>JAMA</i> , 289(11): 1405-13.
19408	Mukherjee P, Pasinetti GM (2000). The role of complement anaphylatoxin C5a in neurodegeneration: implications in Alzheimer's disease. <i>J Neuroimmunol</i> , 105: 124-30.
54706	Muller M, Schupf N, Manly JJ, et al (2008). Sex hormone binding globulin and incident Alzheimer's disease in elderly men and women. <i>Neurobiol Aging</i> , [Epub ahead of print].
54777	Muller M, Tang M-X, Schupf N, et al (2007). Metabolic syndrome and dementia risk in a multiethnic elderly cohort. <i>Dement Geriatr Cogn Disord</i> , 24: 185-92.
86651	Muller M, van den Beid AW, Grobbee DE, et al (2009). Sex hormones and cognitive decline in elderly men. <i>Psychoneuroendocrinology</i> , 34(1): 27-31.
12576	Murman DL, Foster NL, Kilgore SP, et al (1996). Apolipoprotein E and Alzheimer's disease: strength of association is related to age at onset. <i>Dementia</i> , 7(5): 251-5.
19424	Murphy GM Jr, Lim KO, Wieneke M, et al (1998). No neuropathologic evidence for an increased frequency of Alzheimer's disease among elderly schizophrenics. <i>Biol Psychiatry</i> , 43: 205-9.
19320	Myhrer T (1998). Adverse psychological impact, glutamatergic dysfunction, and risk factors for Alzheimer's disease. <i>Neurosci Biobehav Rev</i> , 23(1): 131-9.
53403	Nandoe RDS, Scheltens P, Eikelenboom P (2002). Head trauma and Alzheimer's disease. <i>J Alzheimers Dis</i> , 4: 303-8.
28388	National Academy of Sciences (2003). Insecticides and Solvents. <i>Gulf War and Health</i> , Volume 2: 111-2, 144-7, 327-8, 335-8, 347-51. National Academy Press, Washington, DC.
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP.
55494	National Institute of Environment Health Sciences of the National Institutes of Health and the Department of Energy (2002). Electric and magnetic fields associated with the use of electric power. Retrieved 25 September 2009, from http://www.niehs.nih.gov/health/docs/emf-02.pdf
3151	Navaratnam DS, Priddle JD, McDonald B, et al (1991). Anomalous molecular form of acetylcholinesterase in cerebrospinal fluid in histologically diagnosed Alzheimer's disease. <i>Lancet</i> , 337(8739): 447-50.
80811	Nead KT, Gaskin G, Chester C, et al (2017). Association between androgen deprivation therapy and risk of dementia. <i>JAMA Oncology</i> , 3(1): 49-55.
79900	Nead KT, Gaskin G, Chester C, et al (2016). Influence of age on androgen deprivation therapy-associated Alzheimer's disease. <i>Scientific Reports</i> , 6: 35695.
79254	Nead KT, Gaskin G, Chester C, et al (2016). Androgen deprivation therapy and future Alzheimer's disease risk. <i>J Clin Oncol</i> , 34(6): 566-71.
79902	Nead KT, Gaskin G, Chester C, et al (2016). [Comment] Reply to RL Bowen et al, M Froehner et al, JL Leow et al, and C Brady et al. <i>J Clin Oncol</i> , 34(23): 2804-5. Comment on ID: 79901.

19586	Nee LE, Lippa CF (1999). Alzheimer's disease in 22 twin pairs - 13-year follow-up: hormonal, infectious and traumatic factors. <i>Dementia and Geriatric Cognitive Disorders</i> , 10: 148-51.
86412	Nelson PT, Kryscio RJ, Jicha GA, et al (2009). Relative preservation of MMSE scores in autopsy-proven dementia with Lewy bodies. <i>Neurology</i> , 73: 1127-33.
19319	Nemetz PN, Leibson C, Naessens JM, et al (1999). Traumatic brain injury and time to onset Alzheimer's disease: a population-based study. <i>Am J Epidemiol</i> , 149: 32-40.
53141	Nepal B, Brown L, Ranmuthugala G (2008). Years of life lived with and without dementia in Australia, 2004-2005: a population health measure. <i>Aust N Z J Public Health</i> , 32(6): 565-8.
53180	Nepal B, Ranmuthugala G, Brown L, et al (2008). Modelling costs of dementia in Australia: evidence, gaps, and needs. <i>Aust Health Rev</i> , 32(3): 479-87.
85963	Ng TP, Feng L, Nyunt MS, et al (2016). Metabolic syndrome and the risk of mild cognitive impairment and progression to dementia. <i>JAMA Neurol</i> , 73(4): 456-63.
10077	Nicoll JA, Roberts GW, Graham DI (1996). Amyloid beta-protein, APOE genotype and head injury. <i>Ann N Y Acad Sci</i> , 777: 271-5.
10068	Nicoll JAR, Roberts GW, Graham DI (1995). Apolipoprotein E epsilon4 allele is associated with deposition of amyloid beta-protein following head injury. <i>Nat Med</i> , 1(2): 135-7.
69616	Nieder C, Leicht A, Motaref B, (1999). Late radiation toxicity after whole brain radiotherapy: the influence of antiepileptic drugs. <i>Am J Clin Oncol</i> , 22(6): 573-9.
67436	Nielsen M, Bik E, Hes FJ, et al (2007). Genotype-phenotype correlations in 19 Dutch cases with APC gene deletions and a literature review. <i>European Journal of Human Genetics</i> , 15: 1034-42.
86365	Nilsson H, Berglund J, Renvert S (2014). Tooth loss and cognitive functions among older adults. <i>Acta Odontol Scand</i> , 72(8): 639-44.
55546	Nilsson K, Gustafson L, Hultberg B (2006). Plasma Homocysteine, cobalamin/folate status, and vascular disease in a large population of psychogeriatric patients. <i>Dement Geriatr Cogn Disord</i> , 22(4): 358-66.
86411	Ninomiya T, Ohara T, Hirakawa Y, et al (2011). Midlife and late-life blood pressure and dementia in Japanese elderly: The Hisayama Study. <i>Hypertension</i> , 58: 22-8.
19530	Nishiyama M, Kato Y, Hashimoto M, et al (2000). Apolipoprotein E, Methylenetetrahydrofolate Reductase (MTHFR) mutation and the risk of senile dementia - an epidemiological study using the polymerase chain reaction (PCR) method. <i>J Epidemiol</i> , 10: 163-72.
85870	Noe E, Marder K, Bell KL, et al (2004). Comparison of dementia with Lewy bodies to Alzheimer's disease and Parkinson's disease with dementia. <i>Movement Disorders</i> , 19(1): 60-7.
86410	Noguchi-Shinohara M, Yuki S, Dohmoto C, et al (2014). Consumption of green tea, but not black tea or coffee, is associated with reduced risk of cognitive decline. <i>PLoS One</i> , 9(5): e96013.
44603	Noonan CW, Reif JS, Yost M, et al (2002). Occupational exposure to magnetic fields in case-referent studies of neurodegenerative diseases. <i>Scand J Work Environ Health</i> , 28(1): 42-8.
53327	Nooyens AC, van Gelder BM, Verschuren WM (2008). Smoking and cognitive decline among middle-aged men and women: the Doetinchem Cohort Study. <i>Am J Public Health</i> , 98(12): 2244-50.
86684	Norton K, Norton L, Sadgrove D (2010). Position statement on physical activity and exercise intensity terminology. <i>Journal of Science and Medicine in Sport</i> , 13: 496-502.

86046	Norton S, Matthews FE, Barnes DE, et al (2014). Potential for primary prevention of Alzheimer's disease: an analysis of population-based data. <i>The Lancet Neurology</i> , 13(8): 788-94.
56113	Notkola IL, Sulkava R, Pekkanen J, et al (1998). Serum total cholesterol, apolipoprotein E epsilon 4 allele, and Alzheimer's disease. <i>Neuroepidemiology</i> , 17(1): 14-20. [Abstract]
53291	Nourhashemi F, Gillette-Guyonnet S, Andrieu S, et al (2000). Alzheimer disease: protective factors. <i>Am J Clin Nutr</i> , 71(Suppl 2): 643S-9S.
12565	Obadia Y, Rotily M, Degrand-Guillaud A, et al (1997). The PREMAP study: Prevalence and risk factors of dementia and clinically diagnosed Alzheimer's disease in Provence, France. <i>Eur J Epidemiol</i> , 13(3): 247-53.
19525	Obadia Y, Rotily M, Degrand-Guillaud A, et al (1997). The PREMAP study: Prevalence and risk factors of dementia and clinically diagnosed Alzheimer's disease in Provence, France. <i>European Journal of Epidemiology</i> , 13: 247-53.
86407	O'Brien J, Jackson JW, Grodstein F, et al (2014). Postmenopausal hormone therapy is not associated with risk of all-cause dementia and Alzheimer's disease. <i>Epidemiol Rev</i> , 36: 83-103.
67482	Ohara T, Doi Y, Ninomiya T, et al (2011). Glucose tolerance status and risk of dementia in the community: the Hisayama Study. <i>Neurology</i> , 77: 1126-34.
85954	Ohara T, Ninomiya T, Hata J, et al (2015). Midlife and late-life smoking and risk of dementia in the community: The Hisayama study. <i>The American Geriatrics Society</i> , 63(11): 2332-9.
3169	Oken RJ (1995). Antihistamines, a possible risk factor for Alzheimer's disease. <i>Med Hypotheses</i> , 44: 47-8.
12497	Oken RJ (1995). Antihistamines, a possible risk factor for Alzheimer's disease. <i>Med Hypotheses</i> , 44: 47-8.
55040	Okun MS, DeLong MR, Hanfelt J, et al (2004). Plasma testosterone levels in Alzheimer and Parkinson diseases. <i>Neurology</i> , 62: 411-3.
86400	Olichney JM, Murphy C, Hofstetter CR, et al (2005). Anosmia is very common in the Lewy body variant of Alzheimer's disease. <i>J Neurol Neurosurg Psychiatry</i> , 76: 1342-7.
12450	O'Meara ES, Kukull WA, Sheppard L, et al (1997). Head injury and risk of Alzheimer's disease by apolipoprotein E genotype. <i>Am J Epidemiol</i> , 146(5): 373-84.
12569	O'Meara ES, Kukull WA, Schellenberg GD, et al (1997). Alzheimer's disease and history of blood transfusion by apolipoprotein-E genotype. <i>Neuroepidemiology</i> , 16(2): 86-93.
46632	Oosterman JM, Scherder EJA (2006). Distinguishing between vascular dementia and Alzheimer's disease by means of the WAIS: a meta-analysis. <i>J Clin Exp Neuropsychology</i> , 28: 1158-75.
12502	Orgogozo JM, Dartigues JF, Lafont S, et al (1997). Wine consumption and dementia in the elderly: a prospective community study in the Bordeaux area. <i>Rev Neurol (Paris)</i> , 153: 185-92.
3168	Orrell MW, O'Dwyer A (1995). Dementia, ageing, and the stress control system. <i>Lancet</i> , 345: 666-7.
57458	O'Toole BI, Catts SV, Outram S, et al (2009). The physical and mental health of Australian Vietnam veterans 3 decades after the war and its relation to military service, combat, and post-traumatic stress disorder. <i>Am J Epidemiol</i> , Epub ahead of print.
19333	Ott A, Slioter AJC, Hofman A, et al (1998). Smoking and risk of dementia and Alzheimer's disease in a population-based cohort study: The Rotterdam Study. <i>Lancet</i> , 351(9119): 1840-3.
12495	Ott A, Stolk RP, Hofman A, et al (1996). Association of diabetes mellitus and dementia: the Rotterdam study. <i>Diabetologia</i> , 39: 1392-7.

53270	Ott A, Stolk RP, van Harskamp F, et al (1999). Diabetes mellitus and the risk of dementia: The Rotterdam Study. <i>Neurology</i> , 53(9): 1937-42.
86399	Ott BR, Daiello LA, Dahabreh IJ, et al (2014). Do statins impair cognition? A systematic review and meta-analysis of randomized controlled trials. <i>J Gen Intern Med</i> , 30(3): 348-58.
86685	Oudin A, Forsberg B, Adolfsson AN, et al (2016). Traffic-related air pollution and dementia incidence in Northern Sweden: A longitudinal study. <i>Environmental Health Perspectives</i> , 124(3): 306-12.
86973	Ounanian A, Guilbert B, Renversez JC, et al (1990). Antibodies to viral antigens, xenoantigens, and autoantigens in Alzheimer's disease. <i>Journal of Clinical Laboratory Analysis</i> , 4(5): 367-75.
53118	Ownby RL, Crocco E, Acevedo A, et al (2006). Depression and risk for Alzheimer disease: systematic review, meta-analysis, and metaregression analysis. <i>Arch Gen Psychiatry</i> , 63(5): 530-8.
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
54715	Pagana KD, Pagana TJ (2006). <i>Mosby's Manual of Diagnostic and Laboratory Tests</i> , 3rd Edition, Mosby Elsevier, St Louis.
86366	Paganini-Hill A, White SC, Atchison KA (2012). Dentition, dental health habits, and dementia: The leisure world cohort study. <i>JAGS</i> , 60(8): 1556-63.
85939	Panza F, Capurso C, D'Introno A, et al (2009). Alcohol drinking, cognitive functions in older age, predementia, and dementia syndromes. <i>Journal of Alzheimer's Disease</i> , 17(1): 7-31.
55548	Panza F, Capurso C, D'Introno A, et al (2008). Impact of depressive symptoms on the rate of progression to dementia in patients affected by mild cognitive impairment. The Italian Longitudinal Study on Aging. <i>Int J Geriatr Psychiatry</i> , 23(7): 726-34.
55055	Panza F, D'Introno A, Colacicco AM, et al (2006). Lipid metabolism in cognitive decline and dementia. <i>Brain Research Reviews</i> , 51: 275-92.
55529	Panza F, Solfrizzi V, D'Introno A, et al (2009). [Comment] Higher total cholesterol, cognitive decline, and dementia. <i>Neurobiology of Aging</i> , 30(4): 546-48.
86065	Papageorgakopoulos TN, Moraitou D, Papanikolaou M, et al (2017). The association between Alzheimer's disease and cancer: Systematic review - meta-analysis. <i>Hell J Nucl Med Suppl</i> , 2017: 45-57.
12625	Papolla MA, Sos M, Omar RA, et al (1996). The heat shock/oxidative stress connection. Relevance to Alzheimer disease. <i>Mol Chem Neuropathol</i> , 28(1-3): 21-34.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection.
55034	Paradowski B, Jaremko M, Dobosz T, et al (2007). Evaluation of CSF-Chlamydia pneumoniae, CSF-tau, and CSF-Abeta42 in Alzheimer's disease and vascular dementia. <i>J Neurol</i> , 254: 154-9.
69653	Parihar VK, Limoli CL (2013). Cranial irradiation compromises neuronal architecture in the hippocampus. . Retrieved 3 October 2013, from http://www.pnas.org/content/early/2013/07/10/1307301110
38184	Park RM, Schulte PA, Bowman JD, et al (2005). Potential occupational risks for neurodegenerative diseases. <i>Am J Ind Med</i> , 48: 63-77.
84746	Pasqualetti G, Caraccio N, Dell Agnello U, et al (2016). Cognitive function and the ageing process: The peculiar role of mild thyroid failure. <i>Recent Patents on Endocrine, Metabolic & Immune Drug Discovery</i> , 10(1): 4-10.

84850	Pasqualetti G, Pagano G, Rengo G, et al (2015). Subclinical hypothyroidism and cognitive impairment: Systematic review and meta-analysis. <i>The Journal of Clinical Endocrinology & Metabolism</i> , 100(11): 4240-8.
53192	Patterson C, Feightner J, Garcia A, et al (2007). General risk factors for dementia: A systematic evidence review. <i>Alzheimer's & Dementia</i> , 3: 341-7.
53195	Patterson C, Feightner JW, Garcia A, et al (2008). Diagnosis and treatment of dementia: 1. Risk assessment and primary prevention of Alzheimer disease. <i>CMAJ</i> , 178(5): 548-56.
54836	Paul CA, Au R, Fredman L, et al (2008). Association of alcohol consumption with brain volume in the Framingham Study. <i>Arch Neurol</i> , 65(10): 1363-7.
86397	Peavy GM, Edland SD, Toole BM, et al (2016). Phenotypic differences based on staging of Alzheimer's neuropathology in autopsy-confirmed dementia with Lewy bodies. <i>Parkinsonism Relat Disord</i> , 31: 72-8.
85981	Peditizi E, Peters R, Beckett N (2016). [Erratum] Corrigendum to 'The risk of overweight/obesity in mid-life and late life for the development of dementia: a systematic review and meta-analysis of longitudinal studies'. <i>Age and Ageing</i> , 45(5): 740. ID: 85980.
85980	Peditizi E, Peters R, Beckett N (2016). The risk of overweight/obesity in mid-life and late life for the development of dementia: a systematic review and meta-analysis of longitudinal studies. Erratum 45(5): 740. <i>Age and Ageing</i> , 45(1): 14-21.
86287	Pedersen C, Poulsen AH, Rod NH, et al (2017). Occupational exposure to extremely low-frequency magnetic fields and risk for central nervous system disease: an update of a Danish cohort study among utility workers. <i>Int Arch Occup Environ Health</i> , 90(7): 619-28.
54443	Peila R, Rodriguez BL, Launer LJ (2002). Type 2 diabetes, APOE gene, and the risk for dementia and regulated pathologies. <i>The Honolulu-Asia Aging Study</i> . <i>Diabetes</i> , 51: 1256-62.
79935	Penson DF (2016). [Comment] Socioeconomic factors, urological epidemiology and practice patterns. <i>J Urol</i> , 196(4): 1126-7. Comment on ID: 79254.
86396	Peracino A (2014). Hearing loss and dementia. <i>Audiol Neurotol</i> , 19(Suppl 1): 6-9.
86395	Perera T, George MS, Grammer G, et al (2016). The clinical TMS society consensus review and treatment recommendations for TMS therapy for major depressive disorder. <i>Brain Stimulation</i> , 9: 336-46.
86369	Peres MA, Bastos JL, Watt RG, et al (2015). Tooth loss is associated with severe cognitive impairment among older people: findings from a population-based study in Brazil. <i>Aging & Mental Health</i> , 19(10): 876-84.
53142	Perl DP (1985). Relationship of aluminium to Alzheimer's disease. <i>Environ Health Perspect</i> , 63: 149-53.
53944	Perl DP, Moalem S (2006). Aluminum and Alzheimer's disease, a personal perspective after 25 years. <i>J Alzheimers Dis</i> , 9: 291-300.
85988	Perri R, Monaco M, Fadda L, et al (2014). Neuropsychological correlates of behavioral symptoms in Alzheimer's disease, frontal variant of frontotemporal, subcortical vascular, and Lewy body dementia: a matched case-control study. <i>Journal of Alzheimer's Disease</i> , 39(3): 669-77.
86394	Perry DC, Sturm VE, Peterson MJ, et al (2016). Traumatic brain injury is associated with subsequent neurologic and psychiatric disease: a meta-analysis. <i>J Neurosurg</i> , 124(2): 511-26.
87020	Perry EK, Kilford L, Lees AJ, et al (2003). Increased Alzheimer pathology in Parkinson's disease related to antimuscarinic drugs. <i>Annals of Neurology</i> , 54(2): 235-8.

19407	Perry G, Raina AK, Nunomura A, et al (2000). How important is oxidative damage? Lessons from Alzheimer's disease. <i>Free Radic Biol Med</i> , 28(5): 831-4. Review.
86687	Perry-Keene D (2014). Low testosterone in men. <i>Aust Prescr</i> , 37: 196-200.
86140	Pervin F, Edwards C, Lippa CF (2016). Dementia with Lewy body: impacts of surgery. <i>Am J Alzheimers Dis Other Demen</i> , 31(1): 5-17.
86225	Peters R, Peters J, Booth A, et al (2015). Is air pollution associated with increased risk of cognitive decline? A systematic review. <i>Age and Ageing</i> , 44(5): 755-60.
53203	Peters R, Peters J, Warner J, et al (2008). Alcohol, dementia and cognitive decline in the elderly: a systematic review. <i>Age and Ageing</i> , 37(5): 505-12.
53207	Peters R, Poulter R, Warner J, et al (2008). Smoking, dementia and cognitive decline in the elderly, a systematic review. <i>BMC Geriatr</i> , 8: 36.
3152	Peterson C, Gibson GE, Blass JP (1985). Altered calcium uptake in cultured skin fibroblasts from patients with Alzheimer's disease. <i>NEJM</i> , 312(16): 1063-5.
86393	Peterson SD, Philippou (2016). Mediterranean diet, cognitive function, and dementia: A systematic review of the evidence. <i>American Society for Nutrition</i> , 7: 889-904.
54785	Petitti DB, Crooks VC, Chiu V, et al (2008). Incidence of dementia in long-term hormone users. <i>Am J Epidemiol</i> , 167(6): 692-700.
86025	Phung TK, Waltoft BL, Laursen TM, et al (2010). Hysterectomy, Oophorectomy and risk of dementia: a nationwide historical cohort study. <i>Dementia and Geriatric Cognitive Disorders</i> , 30(1): 43-50.
12564	Piccini C, Bracco L, Falcini M, et al (1995). Natural history of Alzheimer's disease: prognostic value of plateaux. <i>J Neurol Sci</i> , 131(2): 177-82.
55038	Pike CJ, Rosario ER, Nguyen T-VV (2006). Androgens, aging, and Alzheimer's disease. <i>Endocrine</i> , 29(2): 233-41.
86191	Plassman BL, Grafman J (2015). Traumatic brain injury and late-life dementia. <i>Handbook of Clinical Neurology</i> , 128: 711-22.
20027	Plassman BL, Havlik RJ, Steffens DC, et al (2000). Documented head injury in early adulthood and risk of Alzheimer's disease and other dementias. <i>Neurology</i> , 55: 1158-1166.
54275	Podewils LJ, Guallar E, Beauchamp N, et al (2007). Physical activity and white matter lesion progression. Assessment using MRI. <i>Neurology</i> , 68: 1223-6.
53153	Podewils LJ, Guallar E, Beauchamp N, et al (2007). Physical activity and white matter lesion progression. Assessment using MRI. <i>Neurology</i> , 68: 1223-6.
9860	Poirier J (1994). Apolipoprotein E in animal models of CNS injury and in Alzheimer's disease. <i>Trends Neurosci</i> , 17(12): 525-30.
55039	Ponholzer A, Madersbacher S, Rauchenwald M, et al (2009). Serum androgen levels and their association to depression and Alzheimer dementia in a cohort of 75-year-old men over 5 years: results of the VITA study. <i>Int J Impotence Res</i> , 21: 187-91.
86392	Poole R, Kennedy OJ, Roderick P, et al (2017). Coffee consumption and health: umbrella review of meta-analyses of multiple health outcomes. <i>BMJ</i> , 359: j5024.
86386	Postuma RB, Gagnon JF, Vendette M, et al (2009). Quantifying the risk of neurodegenerative disease in idiopathic REM sleep behavior disorder. <i>Neurology</i> , 72: 1296-300.
86390	Povova J, Ambroz P, Bar M, et al (2012). Epidemiological of and risk factors for Alzheimer's disease: A review. <i>Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub</i> , 156(2): 108-14.

86384	Power MC, Adar SD, Yanosky JD, et al (2016). Exposure to air pollution as a potential contributor to cognitive function, cognitive decline, brain imaging, and dementia: a systematic review of epidemiologic research. <i>Neurotoxicology</i> , 56: 235-53.
86385	Power MC, Weuve J, Gagne JJ, et al (2011). The association between blood pressure and incident Alzheimer disease: a systematic review and meta-analysis. <i>Epidemiology</i> , 22(5): 646-59.
12606	Prelevic GM, Jacobs HS (1997). New developments in postmenopausal hormone replacement therapy. <i>Current Opinion in Obstetrics and Gynecology</i> , 9: 207-12.
86383	Press D, Alexander M (2018). Treatment of dementia. Retrieved 19 April 2018, from https://www.uptodate.com/contents/treatment-of-dementia?search=treatment%20of%20dementia&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiation Research</i> , 168: 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Research</i> , 160: 381-407.
19504	Prince M (1998). Is chronic low-level lead exposure in early life an etiologic factor in Alzheimer's disease? <i>Epidemiology</i> , 9: 618-21.
19698	Prince M, Lovestone S, Cervilla J, et al (2000). The association between APOE and dementia does not seem to be mediated by vascular factors. <i>Neurology</i> , 54: 397-402.
53285	Pritchard A, Harris J, Pritchard CW, et al (2005). Association study and meta-analysis of low-density lipoprotein receptor related protein in Alzheimer's disease. <i>Neuroscience Letters</i> , 382: 221-6.
22794	Priyadarshi A, Khuder SA, Schaub EA, et al (2000). A meta-analysis of Parkinson's disease and exposure to pesticides. <i>Neurotoxicology</i> , 21(4): 435-40.
54612	Profenno LA, Faraone SV (2008). Diabetes and overweight associate with non-APOE4 genotype in an Alzheimer's disease population. <i>Am J Med Genet B Neuropsychiatr Genet</i> , 147B: 822-9.
86070	Profenno LA, Porsteinsson AP, Faraone SV (2010). Meta-analysis of Alzheimer's disease risk with obesity, diabetes, and related disorders. <i>Biological Psychiatry</i> , 67(6): 505-12.
86661	Psaltopoulou T, Sergentanis TN, Panagiotakos DB, et al (2013). Mediterranean diet, stroke, cognitive impairment, and depression: A meta-analysis. <i>Ann Neurol</i> , 74: 580-91.
54707	Ptok U, Barkow K, Heun R (2002). Fertility and number of children in patients with Alzheimer's disease. <i>Arch Womens Ment Health</i> , 5: 83-6.
54490	Purnell C, Gao S, Callahan CM, et al (2009). Cardiovascular risk factors and incident Alzheimer disease. A systematic review of the literature. <i>Alzheimer Dis Assoc Disord</i> , 23: 1-10.
54330	Qiu C, Fratiglioni L, Karp A, et al (2004). Occupational exposure to electromagnetic fields and risk of Alzheimer's disease. <i>Epidemiology</i> , 15: 687-94.
53268	Qiu C, Kivipelto M, Aguero-Torres H, et al (2004). Risk and protective effects of the APOE gene towards Alzheimer's disease in the Kungsholmen project: variation by age and sex. <i>J Neur, Neurosurg & Psych</i> , 75: 828-33.
53185	Qiu C, von Strauss E, Winblad B, et al (2004). Decline in blood pressure over time and risk of dementia. A longitudinal study from the Kungsholmen project. <i>Stroke</i> , 35: 1810-5.
53186	Qiu C, Winblad B, Marengoni A, et al (2006). Heart failure and risk of dementia and Alzheimer disease. <i>Arch Intern Med</i> , 166: 1003-8.

36971	Quadri P, Fragiaco C, Pezzati R, et al (2004). Homocysteine, folate, and vitamin B-12 in mild cognitive impairment, Alzheimer disease, and vascular dementia. <i>Am J Clin Nutr</i> , 80(1): 114-122.
65042	Qureshi SU, Kimbrell T, Pyne JM, et al (2010). Greater prevalence and incidence of dementia in older veterans with posttraumatic stress disorder. <i>JAGS</i> , 58: 1627-33.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
86148	Rafferty LA, Cawkill PE, Stevelink SA, et al (2018). Dementia, post-traumatic stress disorder and major depressive disorder: a review of the mental health risk factors for dementia in the military veteran population. <i>Psychol Med</i> , Epub ahead of print.
12602	Raiha I, Kaprio J, Koskenvuo M, et al (1996). Alzheimer's disease in Finnish twins. <i>Lancet</i> , 347(9001): 573-8.
86382	Rakesh G, Szabo ST, Alexopoulos GS, et al (2017). Strategies for dementia prevention: latest evidence and implications. <i>Ther Adv Chronic Dis</i> , 8(8-9): 121-36.
3167	Ramsay R, Fahy T (1995). Recent advances - psychiatry. <i>BMJ</i> , 311: 167-70.
53635	Rapoport MJ, Herrmann N, Shammi P, et al (2006). Outcome after traumatic brain injury sustained in older adulthood: a one-year longitudinal study. <i>Am J Geriatr Psychiatry</i> , 14: 456-65.
9859	Rasmusson DX, Brandt J, Martin DB, et al (1995). Head injury as a risk factor in Alzheimer's disease. <i>Brain Injury</i> , 9(3): 213-9.
55549	Ravaglia G, Forti P, Maioli F, et al (2005). Homocysteine and folate as risk factors for dementia and Alzheimer disease. <i>Am J Clin Nutr</i> , 82(3): 636-43.
54782	Ravaglia G, Forti P, Lucicesare A, et al (2008). Physical activity and dementia risk in the elderly. Findings from a prospective Italian study. <i>Neurology</i> , 70: 1786-94.
53276	Ravaglia G, Forti P, Maioli F, et al (2007). Endogenous sex hormones as risk factors for dementia in elderly men and women. <i>J Gerontology</i> , 62A(9): 1035-41.
86200	Rawlings AM, Sharrett AR, Mosley TH, et al (2017). Glucose peaks and the risk of dementia and 20-year cognitive decline. <i>Diabetes Care</i> , 40(7): 879-86.
86038	Rawtaer I, Gao Q, Nyunt MS, et al (2017). Psychosocial risk and protective factors and incident mild cognitive impairment and dementia in community dwelling elderly: Findings from the Singapore longitudinal ageing study. <i>Journal Of Alzheimer's Disease</i> , 57(2): 603-11.
53774	Raymont V, Greathouse A, Reding K, et al (2008). Demographic, structural and genetic predictors of late cognitive decline after penetrating head injury. <i>Brain</i> , 131: 543-58.
53125	Rea TD, Breitner JC, Psaty BM, et al (2005). Statin use and the risk of incident dementia. the Cardiovascular Health Study. <i>Arch Neurol</i> , 62(7): 1047-51.
53200	Reitz C, den Heijer T, van Duijn C, et al (2007). Relation between smoking and risk of dementia and Alzheimer disease. <i>Neurology</i> , 69: 998-1005.
55552	Reitz C, Tang M-X, Manly J, et al (2007). Hypertension and the risk of mild cognitive impairment. <i>Arch Neurol</i> , 64(12): 1734-40.
53187	Reitz C, Tang MX, Luchsinger J, et al (2004). Relation of plasma lipids to Alzheimer disease and vascular dementia. <i>Arch Neurol</i> , 61: 705-14.

86029	Rektor I, Goldemund D, Sheardova K, et al (2010). [Comment] Answer to Letter to the Editor: Vascular risk factors do not contribute to motor and cognitive impairment in Parkinson's Disease by Dr Slawek J, et al. <i>Parkinsonism and Related Disorders</i> , 16(1): 75-6. Comment on ID: 86026.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs.
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs.
53292	Reyes AJ (2006). [Comment] Heart failure, dementia, and diuretics: is uric acid involved? <i>Arch Intern Med</i> , 166: 2286-7.
53135	Rich JB, Rasmusson DX, Folstein MF, et al (1995). Nonsteroidal anti-inflammatory drugs in Alzheimer's disease. <i>Neurology</i> , 45: 51-5.
19455	Richardson JS (1997). Cerebral microischaemia as a potential precipitant of the neurodegenerative cascade of Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , 826: 437-9.
89236	Richardson K, Fox C, Maidment I, et al (2018). Anticholinergic drugs and risk of dementia: case-control study. <i>BMJ</i> , 361: k1315.
86186	Richardson K, Schoen M, French B, et al (2013). Statins and cognitive function. <i>Annals of Internal Medicine</i> , 159(10): 688-97.
69465	Richardson RB (2009). Ionizing radiation and aging: rejuvenating an old idea. <i>Aging</i> , 1(11): 887-902.
86586	Rieben C, Segna D, Da Costa BR, et al (2016). Subclinical thyroid dysfunction and the risk of cognitive decline: a meta-analysis of prospective cohort studies. <i>J Clin Endocrinol Metab</i> , 101(12): 4945-54.
3153	Rifat SL, Eastwood MR, McLachlan DR, Corey PN (1990). Effect of exposure of miners to aluminium powder. <i>Lancet</i> , 336(8724): 1162-5.
12604	Riggs JE (1996). The "protective" influence of cigarette smoking on Alzheimer's and Parkinson's disease. Quagmire or opportunity for neuroepidemiology? <i>Neuroepidemiology</i> , 14(2): 353-8.
19531	Riggs JE (2000). The influence of smoking on the risk of Alzheimer's disease. <i>Neurology</i> , 154: 777-78.
86380	Riley DE, Espay AJ (2018). Cognitive fluctuations in Parkinson's disease dementia: blood pressure lability as an underlying mechanism. <i>Journal of Clinical Movement Disorders</i> , 5(1): s40734.
55041	Ritchie K, Carriere I, de Mendonca A, et al (2007). The neuroprotective effects of caffeine. A prospective population study (the Three City Study). <i>Neurology</i> , 69(6): 536-45.
69566	Riudavets MA, Mena H, Bouffard JP, et al (2005). Relationship between radiation injury and Alzheimer-related neurodegenerative changes. <i>Clin Neuropathol</i> , 24(5): 236-8.
86090	Rizzi L, Rosset I, Roriz-Cruz M (2014). Global epidemiology of dementia: Alzheimer's and vascular types. <i>Biomed Res Int</i> , 2014: 90815.
85906	Rizzo G, Arcuti S, Copetti M, et al (2018). Accuracy of clinical diagnosis of dementia with Lewy bodies: a systematic review and meta-analysis. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 89(4): 358-66.
9909	Roberts GW, Gentleman SM, Lynch A, et al (1994). Beta amyloid protein deposition in the brain after severe head injury: implications for the pathogenesis of Alzheimer's disease. <i>J Neurol Neurosurg Psychiatry</i> , 57(4): 419-25.
9861	Roberts GW, Gentleman SM, Lynch A, et al (1994). Beta amyloid protein deposition in the brain after severe head injury: implications for the pathogenesis of Alzheimer's disease. <i>J Neurol Neurosurg Psychiatry</i> , 57: 419-25.
3154	Roberts GW, Gentleman SM, Lynch A, et al (1991). Beta A4 amyloid protein deposition in brain after head trauma. <i>Lancet</i> , 338: 1422-3.

3155	Roberts GW, Lofthouse R, Brown R, et al (1986). Prion-protein immunoreactivity in human transmissible dementias. <i>NEJM</i> , 315(19): 1231-3.
54776	Roberts RO, Cha RH, Knopman DS, et al (2006). Postmenopausal estrogen therapy and Alzheimer disease: overall negative findings. <i>Alzheimer Dis Assoc Disord</i> , 20(3): 141-6.
19537	Rocca WA (2000). Dementia, Parkinson's disease, and stroke in Europe: a commentary. <i>Neurology</i> , 54(Suppl 5): S38-S40.
3156	Rocca WA, Bonaiuto S, Lippi A, et al (1990). Prevalence of clinically diagnosed Alzheimer's disease and other dementing disorders: a door-to-door survey in Appignano, Macerata Province, Italy. <i>Neurology</i> , 40(4): 626-31.
19414	Rocca WA, Cha RH, Waring SC, Kokmen E (1998). Incidence of dementia and Alzheimer's disease: a reanalysis of data from Rochester, Minnesota, 1975-1984. <i>Am J Epidemiol</i> , 148: 51-62.
3157	Rocca WA, Hofman A, Brayne C, et al (1991). Frequency and distribution of Alzheimer's disease in Europe: a collaborative study of 1980-1990 prevalence findings. The EURODEM-Prevalence Research Group. <i>Ann Neurol</i> , 30(3): 381-90.
67427	Rocca WA, Petersen RC, Knopman DS, et al (2011). Trends in the incidence and prevalence of Alzheimer's disease, dementia, and cognitive impairment in the United States. <i>Alzheimer's & Dementia</i> , 7: 80-93.
53277	Rocca WA, Van Duijn CM, Clayton D, et al (1991). Maternal age and Alzheimer's disease: a collaborative re-analysis of case-control studies. <i>Int J Epidemiol</i> , 20(Suppl 2): S21-7.
86085	Rockwood K, Darvesh S (2003). The risk of dementia in relation to statins and other lipid lowering agents. <i>Neurological Research</i> , 25(6): 601-4.
20190	Rogers MAM, Simon DG (1999). A preliminary study of dietary aluminium intake and risk of Alzheimer's disease. <i>Age and Ageing</i> , 28: 205-9.
85865	Rolinski M, Fox C, Maidment I, et al (2012). Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. <i>The Cochrane Database of Systematic Reviews</i> , 3: CD006504.
69615	Roman DD, Sperduto PW (1995). Neuropsychological effects of cranial radiation: current knowledge and future directions. In <i>J Radiat Oncol Biol Phys</i> , 31(4): 983-98.
26526	Roman GC (2002). Defining dementia: clinical criteria for the diagnosis of vascular dementia. <i>Acta Neurol Scand</i> , 106(Suppl 178): 6-9.
36013	Rondeau V (2002). A review of epidemiologic studies on aluminum and silica in relation to Alzheimer's Disease and associated disorders. <i>Rev Environ Health</i> , 17(2): 107-21.
19318	Rondeau V, Commenges D, Jacquim-Gadda H, et al (2000). Relation between aluminium concentrations in drinking water and Alzheimer's disease: an 8-year follow-up study. <i>Am J Epidemiol</i> , 152: 59-66.
53201	Rondeau V, Iron A, Letenneur L, et al (2006). Analysis of the effect of aluminium in drinking water and transferrin C2 allele on Alzheimer's disease. <i>Eur J Neurol</i> , 13: 1022-5.
53888	Rondeau V, Jacqmin-Gadda H, Commenges D, et al (2009). Aluminium and silica in drinking water and the risk of Alzheimer's disease or cognitive decline: findings from a 15-year follow-up of the PAQUID cohort. <i>Am J Epidemiol</i> , 169(4): 489-96.
53179	Rondeau V, Jacqmin-Gadda H, Commenges D, et al (2001). [Comment] Re: aluminium in drinking water and cognitive decline in elderly subjects: the Paquid cohort. <i>Am J Epidemiol</i> , 154(3): 288-90.
86972	Roosli M (2007). Mortality from neurodegenerative disease and exposure to extremely low-frequency magnetic fields: 31 years of observations on Swiss railway employees. <i>Neuroepidemiology</i> , 28(4): 197-206.

55562	Ropper AH (2005). Traumatic injuries of the head and spine. Harrison's Internal Medicine, 31st Edition, Chapter 369: 2434-42.
56073	Ropper AH, Brown RH (2005). Major categories of neurologic disease. Craniocerebral Trauma. Pathologic changes associated with severe head injury. Adams and Victor's Principles of Neurology, 8th Edition, Chapter 35: 751-52. McGraw Hill, New York.
55535	Ropper AH, Brown RH (2005). Major categories of neurologic disease. Adams and Victor's Principles of Neurology, 8th Edition, Part 4, Chapter 35: 748. MacGraw Hill.
55496	Ropper AH, Brown RH (2005). Reactive depression, endogenous depression, and manic-depressive disease. Adams and Victor's Principles of Neurology, 8th Edition, Part 6, Chapter 57: 1308-17. McGraw Hill.
56074	Ropper AH, Brown RH (2005). Major categories of neurologic disease. Degenerative diseases of the nervous system. Diseases characterized mainly by progressive dementia. Adams and Victor's Principles of Neurology, 8th Edition, Chapter 35: 898-906. McGraw Hill, New York.
55037	Rosario ER, Chang L, Head EH, et al (2009). Brain levels of sex steroid hormones in men and women during normal aging and in Alzheimer's disease. Neurobiology of Aging, [Epub ahead of print].
54838	Rosario ER, Chang L, Pike CJ (2004). [Comment] Age-related testosterone depletion and the development of Alzheimer disease. JAMA, 292(12): 1431-2.
86138	Rosengarten B, Dannhardt V, Burr O, et al (2010). Neurovascular coupling in Parkinson's disease patients: effects of dementia and acetylcholinesterase inhibitor treatment. J Alzheimers Dis, 22(2): 415-21.
86379	Ross GW, Duda JE, Abbott RD, et al (2012). Brain organochlorines and Lewy pathology: The Honolulu-Asia aging study. Mov Disord, 27(11): 1418-24.
85978	Rouch L, Cestac P, Hanon O, et al (2015). Antihypertensive drugs, prevention of cognitive decline and dementia: a systematic review of observational studies, randomized controlled trials and meta-analyses, with discussion of potential mechanisms. CNS Drugs, 29(2): 113-30.
86164	Roughead EE, Pratt NL, Kalisch Ellett LM, et al (2017). Posttraumatic stress disorder, antipsychotic use and risk of dementia in veterans. J Am Geriatr Soc, 65(7): 1521-6.
55550	Rovio S, Kareholt I, Helkala E, et al (2005). Leisure-time physical activity at midlife and the risk of dementia and Alzheimer's disease. Lancet Neurol, 4: 705-11.
19541	Rozemuller JM, van Muiswinkel FL (2000). Microglia and neurodegeneration. European Journal of Clinical Investigation, 30: 469-70.
53358	Rubinsztein DC, Easton DF (1999). Apolipoprotein E genetic variation and Alzheimer's disease. Dementia and Geriatric Cognitive Disorders, 10: 199-209.
53331	Rusanen M (2008). The impact of midlife smoking on the development of dementia and Alzheimer's disease later in life: a population-based study. Alzheimer's & Dementia, 4(4): T195-6. [Conference Abstract]
71321	Rusanen M, Kivipelto M, Quesenberry CP Jr, et al (2011). Heavy smoking in midlife and long-term risk of Alzheimer disease and vascular dementia. Arch Intern Med, 171(4): 333-9.
86378	Russ TC, Batty GD, Hearnshaw GF, et al (2012). Geographical variation in dementia: systematic review with meta-analysis. International Journal of Epidemiology, 41: 1012-32.
53437	Sabbagh MN, Tyas SL, Emery SC, et al (2005). Smoking affects the phenotype of Alzheimer disease. Neurology, 64: 1301-3.
86377	Sabia S, Dugravot A, Dartigues JF, et al (2017). Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. BMJ, 357: j2709.

54853	Sabia S, Nabi H, Kivimaki M, et al (2009). Health behaviors from early to late midlife as predictors of cognitive function. <i>The Whitehall II Study. Am J Epidemiol</i> , 170(4): 428-37.
86040	Saczynski JS, Pfeifer LA, Masaki K, et al (2006). The effect of social engagement on incident dementia: the Honolulu-Asia Aging Study. <i>American Journal of Epidemiology</i> , 163(5): 433-40.
86376	Sade D, Shaham-Niv S, Arnon ZA, et al (2017). Seeding of proteins into amyloid structures by metabolite assemblies may clarify certain unexplained epidemiological associations. <i>Open Biol</i> , 8: 170229.
12568	Salib E, Hillier V (1997). A case-control study of smoking and Alzheimer's disease. <i>Int J Geriatr Psychiatry</i> , 12(3): 295-300.
12476	Salib E, Hillier V (1996). A case-control of Alzheimer's disease and aluminium occupation. <i>Br J Psychiatry</i> , 168: 244-9.
12572	Salib E, Hillier V (1997). Head injury and the risk of Alzheimer's disease: a case control study. <i>Int J Geriatr Psychiatry</i> , 12(3): 363-8.
19576	Samatovicz RA (2000). Genetics and brain injury: Apolipoprotein E. <i>Journal of Head Trauma and Rehabilitation</i> , 15(3): 869-74.
67398	Sani G, Serra G, Kotzalidis GD, et al (2012). The role of memantine in the treatment of psychiatric disorders other than the dementias. <i>CNS Drugs</i> , 26(8): 663-90.
53130	Santibanez M, Bolumar F, Garcia AM (2007). Occupational risk factors in Alzheimer's disease: a review assessing the quality of published epidemiological studies. <i>Occup Environ Med</i> , 66(11): 723-32.
84141	Santos C, Costa J, Santos J, et al (2010). Caffeine intake and dementia: systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 20(Suppl 1): S187-204.
86189	Sanz C, Andrieu S, Sinclair A, et al (2009). Diabetes is associated with a slower rate of cognitive decline in Alzheimer disease. <i>Neurology</i> , 73(17): 1359-66.
53417	Saunders AM, Strittmatter WJ, Schmechel D, et al (1993). Association of apolipoprotein E allele E4 with late-onset familial and sporadic Alzheimer's disease. <i>Neurology</i> , 43: 1467-72.
3158	Saunders PA, Copeland JR, Dewey ME, et al (1991). Heavy drinking as a risk factor for depression and dementia in elderly men. Findings from the Liverpool longitudinal community study. <i>Br J Psychiatry</i> , 159: 213-6.
86139	Savica R, Bradley BF, Mielke MM (2018). When do a-synucleinopathies start? An epidemiological timeline. A review. <i>JAMA Neurol</i> , Epub ahead of print.
86362	Savica R, Grossardt BR, Bower JH, et al (2013). Incidence of dementia with Lewy bodies and Parkinson's disease dementia. <i>JAMA Neurol</i> , 70(11): 1396-402.
86375	Savica R, Petersen RC (2011). Prevention of dementia. <i>Psychiatr Clin North Am</i> , 34(1): 127-45.
16530	Savitz DA, Checkoway H, Loomis DP (1998). Magnetic field exposure and neurodegenerative disease mortality among electric utility workers. <i>Epidemiology</i> , 9(4): 398-404.
30523	Savitz DA, Loomis DP, Tse CKJ (1998). Electrical occupations and neurodegenerative disease: analysis of US mortality data. <i>Arch Environ Health</i> , 53(1): 71-4.
19528	Savolainen S, Paljarvi L, Vapalahti M (1999). Prevalence of Alzheimer's disease in patients investigated for presumed normal pressure hydrocephalus: a clinical and neuropathological study. <i>Acta Neurochirurgica</i> , 4: 849-53.
12619	Savory J, Exley C, Forbes WF, et al (1996). Can the controversy of the role of aluminum in Alzheimer's disease be resolved? What are the suggested approaches to this controversy and methodological issues to be considered? <i>J Toxicol Environ Health</i> , 48(6): 615-35.

53954	Savory J, Ghribi O (2007). [Comment] Can studies of aluminum toxicity in vivo and in vitro provide relevant information on the pathogenesis and etiology of Alzheimer's disease? <i>J Alzheimers Dis</i> , 11: 429-30. Comment on ID: 53951.
53439	Savva GM, Wharton SB, Ince PG, et al (2009). Age, neuropathology, and dementia. <i>NEJM</i> , 360(22): 2302-9.
67407	Saxon AJ, McFall ME (2010). [Comment] Tobacco use data questioned in veterans study. <i>Arch Gen Psychiatry</i> , 67(12): 1324; Author's reply: 1324-5.
53136	Scarmeas N, Levy G, Tang MX, et al (2001). Influence of leisure activity on the incidence of Alzheimer's disease. <i>Neurology</i> , 57(12): 2236-42.
54859	Scarmeas N, Luchsinger JA, Schupf N, et al (2009). Physical activity, diet, and risk of Alzheimer's disease. <i>JAMA</i> , 302(6): 627-37.
53137	Scarmeas N, Luchsinger JA, Mayeux R, et al (2007). Mediterranean diet and Alzheimer disease mortality. <i>Neurology</i> , 69(11): 1084-93.
53278	Scarmeas N, Stern Y, Mayeux R, et al (2009). Mediterranean diet and mild cognitive impairment. <i>Arch Neurol</i> , 66(2): 216-25.
53127	Scarmeas N, Stern Y, Mayeux R, et al (2006). Mediterranean diet, Alzheimer disease, and vascular mediation. <i>Arch Neurol</i> , 63(12): 1709-17.
53269	Schaefer EJ, Bongard V, Beiser AS, et al (2006). Plasma phosphatidylcholine docosahexaenoic acid content and risk of dementia and Alzheimer disease. <i>Arch Neurol</i> , 63: 1545-50.
86361	Schelp AO, Mendes-Chiloff CK, Bazan R, et al (2012). Metabolic syndrome and dementia associated with Parkinson's disease: impact of age and hypertension. <i>Arq Neuropsiquiatr</i> , 70(2): 114-8.
86360	Schenning KJ, Murchison CF, Mattek NC, et al (2016). Surgery is associated with ventricular enlargement, cognitive and functional decline. <i>Alzheimers Dement</i> , 12(5): 590-7.
86229	Schikowski T, Vossoughi M, Vierkotter A, et al (2015). Association of air pollution with cognitive functions and its modification by APOE gene variants in elderly women. <i>Environmental Research</i> , 142: 10-6.
86359	Schilling S, Tzourio C, Soumare A, et al (2017). Differential associations of plasma lipids with incident dementia and dementia subtypes in the 3C Study: A longitudinal, population based prospective cohort study. <i>PLoS Med</i> , 14(3): e1002265.
86601	Schneider LS, Dagerman KS, Insel P (2005). Risk of death with atypical antipsychotic drug treatment for dementia: meta-analysis of randomized placebo-controlled trials. <i>JAMA</i> , 294(15): 1934-43.
53365	Schofield PW, Tang M, Marder K, et al (1997). Alzheimer's disease after remote head injury: an incidence study. <i>J Neurol Neurosurg Psychiatry</i> , 62: 119-24.
10207	Schofield RW, Tang M, Marder K, et al (1997). Alzheimer's disease after remote head injury: an incidence study. <i>J Neurol Neurosurg Psychiatry</i> , 62: 119-24.
67483	Schrijvers EM, Witteman JC, Sijbrands EJ, et al (2010). Insulin metabolism and the risk of Alzheimer disease. The Rotterdam Study. <i>Neurology</i> , 75: 1982-7.
12436	Schulte PA, Burnett CA (1997). EMF's and Alzheimer's disease. <i>Neurology</i> , 49: 312-3.
12474	Schulte PA, Burnett CA, Boeniger MF, et al (1996). Neurodegenerative diseases: Occupational occurrence and potential risk factors, 1982-1991. <i>Am J Public Health</i> , 86(9): 1281-8.
53193	Schuz J, Waldemar G, Olsen JH, et al (2009). Risks for central nervous system diseases among mobile phone subscribers: A Danish retrospective cohort study. <i>PLoS One</i> , 4(2): e4389.

86358	Seeley WW, Miller BL (2014). Alzheimer's disease and other dementias. Retrieved 18 April 2018, from http://accessmedicine.mhmedical.com/content.aspx?bookid=1130&sectionid=79755539
53128	Seidler A, Geller P, Nienhaus A, et al (2007). Occupational exposure to low frequency magnetic fields and dementia: a case-control study. <i>Occup Environ Med</i> , 64(2): 108-14.
86134	Seitz DP, Shah PS, Herrmann N, et al (2011). Exposure to general anesthesia and risk of Alzheimer's disease: a systematic review and meta-analysis. <i>BMC Geriatr</i> , 11: 83.
85967	Sepehry AA, Hsiung GR (2016). Risk of progression to dementia from MCI, how significant is the impact of depression? A sensitivity report. <i>International Journal of Geriatric Psychiatry</i> , 31(11): 1255-7.
86357	Serrano-Pozo A, Frosch MP, Masliah E, et al (2011). Neuropathological alterations in Alzheimer disease. <i>Cold Spring Harb Perspect Med</i> , 1: a006189.
36965	Seshadri S, Beiser A, Selhub J, et al (2002). Plasma homocysteine as a risk factor for dementia and Alzheimer's disease. <i>NEJM</i> , 346(7): 476-483.
86356	Shah FA, Pike F, Alvarez K, et al (2013). Bidirectional relationship between cognitive function and pneumonia. <i>Am J Respir Crit Care Med</i> , 188(5): 586-92.
85968	Shah K, Qureshi SU, Johnson M, et al (2009). Does use of antihypertensive drugs affect the incidence or progression of dementia? A systematic review. <i>The American Journal of Geriatric Pharmacotherapy</i> , 7(5): 250-61.
86355	Shakersain B, Santoni G, Larsson SC, et al (2016). Prudent diet may attenuate the adverse effects of Western diet on cognitive decline. <i>Alzheimer's & Dementia</i> , 12: 100-9.
3159	Shalat SL, Seltzer B, Pidcock C, et al (1987). Risk factors for Alzheimer's disease: a case-control study. <i>Neurology</i> , 37(10): 1630-3.
86354	Sharma M, Tiwari M, Tiwari RK (2015). Hyperhomocysteinemia: Impact on neurodegenerative diseases. <i>Basic & Clinical Pharmacology & Toxicology</i> , 117: 287-96.
69617	Shaw EG, Robbins ME (2006). The management of radiation-induced brain injury. <i>Cancer Treat Res</i> , 128: 7-22.
69614	Shaw EG, Rosdhal R, D'Agostino RB Jr, et al (2006). Phase II study of donepezil in irradiated brain tumor patients: effect on cognitive function, mood, and quality of life. <i>J Clin Oncol</i> , 24(9): 1415-20.
9862	Shea TB (1995). Role of glial-derived nexin in neuronal differentiation and in acute brain injury and potential involvement in exacerbation of neurodegeneration in Alzheimer's disease. <i>Brain Res Brain Res Rev</i> , 20(2): 171-84.
55568	Shea TB, Rogers E (2002). [Comment] Homocysteine and dementia. <i>N Engl J Med</i> , 346(25): 2007.
85946	Shea YF, Ha J, Chu LW (2015). Comparisons of clinical symptoms in biomarker-confirmed Alzheimer's disease, dementia with Lewy bodies, and frontotemporal dementia patients in a local memory clinic. <i>Psychogeriatrics</i> , 15(4): 235-41.
86353	Shen L, Hong-Fang J (2015). Vitamin D deficiency is associated with increased risk of Alzheimer's disease and dementia: evidence from meta-analysis. <i>Nutrition Journal</i> , 14(76): s12937.
86536	Shen L, Ji HF (2015). Associations between homocysteine, folic acid, vitamin B12 and Alzheimer's disease: Insights from meta-analyses. <i>Journal of Alzheimer's Disease</i> , 46(3): 777-90.
86197	Shen T, Lv J, Wang L, et al (2016). Association between tooth loss and dementia among older people: a meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 31(8): 953-5.

86080	Shi HB, Tang B, Liu YW, et al (2015). Alzheimer disease and cancer risk: a meta-analysis. <i>J Cancer Res Clin Oncol</i> , 141(3): 485-94.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
86371	Shimazaki Y, Soh I, Saito T, et al (2001). Influence of dentition status on physical disability, mental impairment, and mortality in institutionalized elderly people. <i>Journal of Dental Research</i> , 80(1): 340-5.
86056	Shindler-Itskovitch T, Ravona-Springer R, Leibovitz A, et al (2016). A systematic review and meta-analysis of the association between helicobacter pylori Infection and dementia. <i>Journal of Alzheimer's Disease</i> , 52(4): 1431-42.
86328	Shively S, Scher AI, Perl DP, et al (2012). Dementia resulting from traumatic brain injury. <i>Arch Neurol</i> , 69(10): 1245-51.
54835	Shumaker SA, Legault C, Rapp SR, et al (2003). Estrogen plus progestin and the incidence of dementia and mild cognitive impairment in postmenopausal women. <i>JAMA</i> , 289(20): 2651-62.
86342	Sibener L, Zaganjor I, Snyder HM, et al (2014). Alzheimer's Disease prevalence, costs, and prevention for military personnel and veterans. <i>Alzheimer's & Dementia</i> , 10: S105-10.
69468	Sibley RF, Moscato BS, Wilkinson GS, et al (2003). Nested case-control study of external ionizing radiation dose and mortality from dementia within a pooled cohort of female nuclear weapons workers. <i>Am J Ind Med</i> , 44(4): 351-8.
67416	Sierles FS, Chen JJ, McFarland RE, et al (1983). Posttraumatic stress disorder and concurrent psychiatric illness: a preliminary report. <i>Am J Psychiatry</i> , 140(9): 1177-9.
17370	Simon H, Etkin MJ, Godine JE, et al (1999). Alzheimer's Disease. Well-Connected, Report 2: (Received with Scientific American update).
86329	Simpson JR (2014). DSM-5 and Neurocognitive disorders. <i>J Am Acad Psychiatry Law</i> , 42: 159-64.
46629	Simpson S, Allen H, Tomenson B, et al (1999). Neurological correlates of depressive symptoms in Alzheimer's disease and vascular dementia. <i>Journal of Affective Disorders</i> , 53(2): 129-36.
67432	Sims-Robinson C, Kim B, Rosko A, et al (2010). How does diabetes accelerate Alzheimer disease pathology? <i>Nature Reviews Neurology</i> , 6: 551-9.
86351	Singh B, Parsaik AK, Mielke MM, et al (2014). Association of Mediterranean diet with mild cognitive impairment and Alzheimer's disease: A systematic review and meta-analysis. <i>J Alzheimers Dis</i> , 39(2): 271-82.
12617	Singh VK (1997). Neuroautoimmunity: pathogenic implications for Alzheimer's disease. <i>Gerontology</i> , 43(1-2): 79-94.
84222	Singh-Manoux A, Dugravot A, Fourier A, et al (2017). Trajectories of depressive symptoms before diagnosis of dementia: A 28-year follow-up study. <i>JAMA Psychiatry</i> , 74(7): 712-8.
86343	Sink KM, Espeland MA, Castro CM, et al (2015). Effect of a 24-month physical activity intervention compared to health education on cognitive outcomes in sedentary older adults: the LIFE Randomized Trial. <i>JAMA</i> , 314(8): 781-910.
53271	Sjogren M, Blennow K (2005). The link between cholesterol and Alzheimer's disease. <i>World J Biol Psychiatry</i> , 6(2): 85-97.
19336	Sjorgren B, Ljunggren KG, Basun H, et al (1999). Reappraisal of aluminosis and dementia. <i>Lancet</i> , 354(9189): 1559.
19508	Skoog I (1997). [Comment] Elevated blood pressure and Alzheimer's disease. <i>Hosp Pract</i> , 32(4): 13-4, 16, 21.

12563	Skoog I (1997). Elevated blood pressure and Alzheimer's disease. <i>Hospital Practice</i> , 32(4): 13-14, 16, 21.
55051	Skoog I (1999). Possibilities for secondary prevention of Alzheimer's disease. R Mayeux, Y Christen (Eds). <i>Epidemiology of Alzheimer's Disease: From Gene to Prevention</i> . Springer-Verlag, Berlin.
19869	Skoog I, Kalaria RN, Breteler MB (1999). Vascular factors and Alzheimer disease. <i>Alzheimer Disease and Associated Disorders</i> , 13(suppl 3): S106-S114.
12479	Skoog I, Lernfelt B, Landahl S, et al (1996). 15-year longitudinal study of blood pressure and dementia. <i>Lancet</i> , 347: 1141-45.
86026	Slawek J, Wieczorek D, Derejko M, et al (2010). [Comment] Vascular risk factors do not contribute to motor and cognitive impairment in Parkinson's disease. Reply on ID: 86026. <i>Parkinsonism and Related Disorders</i> , 16(1): 73-4.
86341	Smith AD, Refsum H, Bottiglieri T, et al (2018). Homocysteine and dementia: An International consensus statement. <i>Journal of Alzheimer's Disease</i> , 62: 561-70.
12464	Smith MA, Sayre LM, Perry G (1996). Diabetes mellitus and Alzheimer's disease: glycation as a biochemical link. <i>Diabetologia</i> , 39(2): 247.
19540	Smits HA, Boven LA, Peireira CF, et al (2000). Role of macrophage activation in the pathogenesis of Alzheimer's disease and human immunodeficiency virus type 1-associated dementia. <i>Eur J Clin Invest</i> , 30: 526-35.
12463	Snowdon DA (1997). Aging and Alzheimer's disease: lessons from the Nun Study. <i>Gerontologist</i> , 37(2): 150-6.
12446	Sobel E, Davanipour Z, Sulkava R, et al (1995). Occupations with exposure to electromagnetic fields: a possible risk factor for Alzheimer's disease. <i>Am J Epidemiol</i> , 142(5): 515-24.
12456	Sobel E, Dunn M, Davanipour Z, et al (1996). Elevated risk of Alzheimer's disease among workers with likely electromagnetic field exposure. <i>Neurology</i> , 47: 1477-81.
85965	Sobow T, Fendler W, Magierski R (2014). Body mass index and mild cognitive impairment-to-dementia progression in 24 months: a prospective study. <i>European Journal of Clinical Nutrition</i> , 68(11): 1216-9.
54775	Sobow T, Kloszewska I (2004). [Comment] Parity, number of pregnancies, and the age of onset of Alzheimer's disease. <i>J Neuropsychiatry Clin Neurosci</i> , 16(1): 120-1.
54846	Sofi F, Cesari F, Abbate R, et al (2008). Adherence to Mediterranean diet and health status: meta-analysis. <i>BMJ</i> , 337: a1344.
56070	Sofi F, Cesari F, Abbate R, et al (2008). Adherence to Mediterranean diet and health status: meta-analysis. <i>BMJ</i> , 337: a1344.
86337	Sofi F, Valecchi D, Bacci D, et al (2011). Physical activity and risk of cognitive decline: a meta-analysis of prospective studies. <i>J Intern Med</i> , 269: 107-17.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> : Epub ahead of print.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.
85938	Solfrizzi V, Capurso C, D'Introno A, et al (2008). Lifestyle-related factors in predementia and dementia syndromes. <i>Expert Review On Neurotherapeutics</i> , 8(1): 133-58.

86188	Solfrizzi V, D'Introno A, Colacicco AM, et al (2007). Alcohol consumption, mild cognitive impairment, and progression to dementia. <i>Neurology</i> , 68(21): 1790-9.
85942	Solfrizzi V, Frisardi V, Capurso C, et al (2010). Dietary fatty acids in dementia and predementia syndromes: Epidemiological evidence and possible underlying mechanisms. <i>Ageing Research Reviews</i> , 9(2): 184-99.
85936	Solfrizzi V, Panza F, Frisardi V, et al (2011). Diet and Alzheimer's disease risk factors or prevention: the current evidence. <i>Neurotherapeutics</i> , 11(5): 677-708.
53773	Solomon A, Kivipelto M, Wolozin B, et al (2009). Midlife serum cholesterol and increased risk of Alzheimer's and vascular dementia three decades later. <i>Dement Geriatr Cogn Disord</i> , 28: 75-80.
86340	Sommer I, Griebler U, Kien C, et al (2017). Vitamin D deficiency as a risk factor for dementia: a systematic review and meta-analysis. <i>BMC Geriatrics</i> , 17(16): s12877.
54480	Song I-U, Kim J-S, Kim Y-I, et al (2007). Clinical significance of silent cerebral infarctions in patients with Alzheimer disease. <i>Cog Behav Neurol</i> , 20(2): 93-8.
86286	Sorahan T, Mohammed N (2014). Neurodegenerative disease and magnetic field exposure in UK electricity supply workers. <i>Occupational Medicine</i> , 64(6): 454-60.
86032	Sorbi S, Hort J, Erkinjuntti T, et al (2012). EFNS-ENS Guidelines on the diagnosis and management of disorders associated with dementia. <i>European Journal of Neurology</i> , 19(9): 1159-79.
86663	Sotiropoulos I, Cerqueira JJ, Catania C, et al (2008). Stress and glucocorticoid footprints in the brain - The path from depression to Alzheimer's disease. <i>Neurosci Biobehav Rev</i> , 32: 1161-73.
3235	Spencer PS, Ludolph AC, Kisby GE (1992). Are human neurodegenerative disorders linked to environmental chemicals with excitotoxic properties? <i>Ann N Y Acad Sci</i> , 648: 154-60.
86339	Sperling RA, Aisen PS, Beckett LA, et al (2011). Toward defining the preclinical stages of Alzheimer's disease: Recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. <i>Alzheimers Dement</i> , 7(3): 280-92.
67400	Sperling W, Kreil SK, Biermann T (2011). Posttraumatic stress disorder and dementia in holocaust survivors. <i>J Nerv Ment Dis</i> , 199(3): 196-8.
19339	Square D (1997). Amyloid beta protein and Alzheimer disease. <i>CMAJ</i> , 156: 1040-2.
53404	Starkstein SE, Jorge R (2005). Dementia after traumatic brain injury. <i>International Psychogeriatrics</i> , 17(Suppl): S93-107.
86071	Steel AJ, Slick GD (2015). Herpes viruses increase the risk of Alzheimer's disease: A meta -analysis. <i>Journal of Alzheimer's Disease</i> , 47(2): 351-64.
54667	Steen E, Terry BM, Rivera EJ, et al (2005). Impaired insulin and insulin-like growth factor expression and signaling mechanisms in Alzheimer's disease - is this type 3 diabetes? <i>J Alzheimers Dis</i> , 7: 63-80.
86338	Steenland K, Macneil J, Seals R, et al (2010). Factors affecting survival of patients with neurodegenerative disease. <i>Neuroepidemiology</i> , 35: 28-35.
19898	Steffens DC, Plassman BL, Helms MJ, et al (1997). A twin study of late-onset depression and Apolipoprotein E epsilon 4 as risk factors for Alzheimer's disease. <i>Biol Psychiatry</i> , 41: 851-6.
86373	Stein PA, Desrosiers M, Donegan SJ, et al (2007). Tooth loss, dementia and neuropathology in the Nun Study. <i>Journal of the American Dental Association</i> , 138(10): 1314-22.
19580	Stephenson D, Rash K, Smalstig B, et al (1999). Cytosolic phospholipase A2 is induced in reactive glia following different forms of neurodegeneration. <i>Glia</i> , 27: 110-28.

53286	Stern Y, Folstein M, Albert M, et al (1993). Multicenter study of predictors of disease course in Alzheimer disease (the "predictors study"). I. Study design, cohort description, and intersite comparisons. <i>Alzheimer Dis Assoc Disord</i> , 7(1): 3-21.
53120	Stern Y, Gurland B, Tatemichi TK, et al (1994). Influence of education and occupation on the incidence of Alzheimer's disease. <i>JAMA</i> , 271: 1004-10.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. The International Commission on Radiological Protection.
19415	Stewart R (1998). Cardiovascular factors in Alzheimer's disease. <i>J Neurol Neurosurg Psych</i> , 65: 143-7.
46627	Stewart R (2004). [Comment] Depressive symptoms and cognitive decline - disentangling the effect of affect. Time to take depression seriously? <i>J Neurol Neurosurg Psychiatry</i> , 75(75): 4-5.
53115	Stewart R, Masaki K, Zue QL, et al (2005). A 32-year prospective study of change in body weight and incident dementia. <i>Arch Neurol</i> , 62(1): 55-60.
54842	Stewart R, Xue QL, Masaki K, et al (2009). Change in blood pressure and incident dementia: a 32-year prospective study. <i>Hypertension</i> , 54(2): 233-40.
53138	Stewart WF, Kawas C, Corrada M, et al (1997). Risk of Alzheimer's disease and duration of NSAID use. <i>Neurology</i> , 48(3): 626-32.
12578	Storey E, Masters CL (1995). Amyloid, aluminium and the aetiology of Alzheimer's disease. <i>MJA</i> , 163: 256-9.
53360	Stozicka Z, Zilka N, Novak M (2007). Risk and protective factors for sporadic Alzheimer's disease. <i>Acta Virologica</i> , 51: 205-22.
55033	Strozyk D, White LR, Petrovitch H, et al (2007). Sex hormones and neuropathology in elderly men: the HAAS. <i>Neurobiology of Aging</i> , 28: 62-8.
85994	Stubendorff K, Hansson O, Minthon L, et al (2011). Differences in survival between patients with dementia with Lewy bodies and patients with Alzheimer's disease -measured from a fixed cognitive level. <i>Dementia and Geriatric Cognitive Disorders</i> , 32(6): 408-16.
86048	Subota A, Pham T, Jette N, et al (2017). The association between dementia and epilepsy: A systematic review and meta-analysis. <i>Epilepsia</i> , 58(6): 962-72.
69796	Sugihara S (1995). Cerebral beta amyloid deposition in patients with malignant neoplasms: its prevalence with aging and effects of radiation therapy on vascular amyloid. <i>Acta Neuropathol</i> , 90(2): 135-41.
12439	Suh YH (1997). An etiology role of amyloidogenic carboxyl-terminal fragments of the beta-amyloid precursor protein in Alzheimer's disease. <i>J Neurochem</i> , 68(5): 1781-91.
54278	Suhanov AV, Pilipenko PI, Korczyn AD, et al (2006). Risk factors for Alzheimer's disease in Russia: a case-control study. <i>Eur J Neurol</i> , 13: 990-5.
55050	Sullivan P, Petitti D, Barbaccia J (1987). [Comment] Head trauma and age of onset of dementia of the Alzheimer type. <i>JAMA</i> , 257(17): 2289-90.
3160	Summers WK, Majovski LV, Marsh GM, et al (1986). Oral tetrahydroaminoacridine in long-term treatment of senile dementia, Alzheimer type. <i>NEJM</i> , 315(20): 1241-5.
12888	Sutker PB, Galina ZH, West JA (1990). Trauma-induced weight loss and cognitive deficits among former prisoners of war. <i>Journal of Consulting and Clinical Psychology</i> , 58(3): 323-28.
19529	Swanwick G, Lawlor BA (1999). Is female gender a risk factor for Alzheimer's disease? <i>International Psychogeriatrics</i> , 11: 219-22.

86086	Swiger KJ, Manalac RJ, Blumenthal RS, et al (2013). Statins and cognition: a systematic review and meta-analysis of short- and long-term cognitive effects. <i>Mayo Clin Proc</i> , 88(11): 1213-21.
53362	Szczygielski J, Mautes A, Steudel WI, et al (2005). Traumatic brain injury: cause or risk of Alzheimer's disease? A review of experimental studies. <i>J Neural Transm</i> , 112: 1547-64.
53411	Tagliaferri F, Compagnone C, Korsic M, et al (2006). A systematic review of brain injury epidemiology in Europe. <i>Acta Neurochir (Wien)</i> , 148: 255-68.
86091	Takahashi S, Mizukami K, Arai T, et al (2016). Ventilatory response to hypercapnia predicts dementia with Lewy bodies in late-onset major depressive disorder. <i>Journal of Alzheimer's Disease</i> , 50(3): 751-8.
86350	Takahashi S, Mizukami K, Yasuno F, et al (2009). Depression associated with dementia with Lewy bodies (DLB) and the effect of somatotherapy. <i>Psychogeriatrics</i> , 9: 56-61.
53955	Takashima A (2007). [Comment] Does aluminum contribute to Alzheimer disease directly, indirectly, or at all? <i>J Alzheimers Dis</i> , 11: 431-2. Comment on ID: 53954.
86198	Takeuchi K, Ohara T, Furuta M, et al (2017). Tooth loss and risk of dementia in the community: the Hisayama study. <i>J Am Geriatr Soc</i> , 65(5): e95-100.
53953	Takshima A (2007). [Comment] Study of aluminum on the pathology of Alzheimer's disease: in vitro versus in vivo evidence. <i>J Alzheimers Dis</i> , 12: 317-8. Comment on ID: 53952.
85984	Talijaard DS, Olaithe M, Brennan-Jones CG, et al (2016). The relationship between hearing impairment and cognitive function: a meta-analysis in adults. <i>Clinical Otolaryngology</i> , 41(6): 718-29.
54703	Tan ZS, Beiser A, Vasani RS, et al (2008). Thyroid function and the risk of Alzheimer's disease: the Framingham Study. <i>Arch Intern Med</i> , 168(14): 1514-20.
53181	Tan ZS, Seshadri S, Beiser A, et al (2005). Bone mineral density and the risk of Alzheimer's disease. <i>Arch Neurol</i> , 62: 107-11.
55551	Tan ZS, Seshardi S, Beiser A, et al (2003). Plasma total cholesterol level as a risk factor for Alzheimer disease. <i>Arch Intern Med</i> , 163(9): 1053-57.
53287	Tan ZS, Vasani RS (2009). Thyroid function and Alzheimer's disease. <i>J Alzheimers Dis</i> , 16: 503-7.
79936	Taneja SS (2016). [Comment] Re: Androgen deprivation therapy and future Alzheimer's disease risk. <i>J Urol</i> , 196(1): 101. Comment on ID: 79254.
86336	Tang E, Amiesimaka O, Harrison SL, et al (2018). Longitudinal effect of stroke on cognition: A systematic review. <i>JAMA</i> , 7: e006443.
10078	Tang MX, Maestre G, Tsai WY, et al (1996). Effect of age, ethnicity, and head injury on the association between APOE genotypes and Alzheimer's disease. <i>Ann N Y Acad Sci</i> , 802: 6-15.
86349	Tate JA, Snitz BE, Alvarez KA, et al (2014). Infection Hospitalization increases risk of dementia in the elderly. <i>Crit Care Med</i> , 42(5): 1037-46.
54773	Taubes G (2003). Insulin insults may spur Alzheimer's disease. <i>Science</i> , 301(5629): 40-1.
12435	Taylor GA, Newens AJ, Edwardson JA, et al (1995). Alzheimer's disease and the relationship between silicon and aluminium in water supplies in Northern England. <i>J Epidemiol Community Health</i> , 49: 323-4.
85957	Teipel S, Fritze T, Ovari A, et al (2015). Regional pattern of dementia and prevalence of hearing impairment in Germany. <i>Journal of the American Geriatrics Society</i> , 63(8): 1527-33.
53405	Testa JA, Malec JF, Moessner AM, et al (2005). Outcome after traumatic brain injury: effects of aging on recovery. <i>Arch Phys Med Rehabil</i> , 86: 1815-23.

54329	The Canadian Study of Health and Aging (1994). The Canadian Study of Health and Aging: risk factors for Alzheimer's disease in Canada. <i>Neurology</i> , 44: 2073-80.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP.
86696	The Royal College of Pathologists of Australia (2015). Folate. Retrieved 22 May 2018, from http://www.rcpa.edu.au/Library/Practising-Pathology/RCPA-Manual/Items/Pathology-Tests/F/Folate
86697	The Royal College of Pathologists of Australia (2015). Homocysteine. Retrieved 22 May 2018, from http://www.rcpa.edu.au/Library/Practising-Pathology/RCPA-Manual/Items/Pathology-Tests/H/Homocysteine
86699	The Royal College of Pathologists of Australia (2015). Vitamin D. Retrieved 22 May 2018, from http://www.rcpa.edu.au/Library/Practising-Pathology/RCPA-Manual/Items/Pathology-Tests/V/Vitamin-D
89237	The Royal College of Pathologists of Australia (RACP) (2015). Copper. Retrieved 2 October 2018, from https://www.rcpa.edu.au/Library/practising-pathology/rcpa-manual/items/pathology-tests/c/copper
86698	The Royal College of Pathologists of Australia (2017). Thyroid stimulating hormone. Retrieved 22 May 2018, from http://www.rcpa.edu.au/Library/Practising-Pathology/RCPA-Manual/Items/Pathology-Tests/T/Thyroid-stimulating-hormone
85902	Thomson RS, Audong P, Miller AT, et al (2017). Hearing loss as a risk factor for dementia: A systematic review. <i>Laryngoscope Investigative Otolaryngology</i> , 2: 69-79.
46631	Tierney MC, Black SE, Szalai JP, et al (2001). Recognition memory and verbal fluency differentiate probable Alzheimer disease from subcortical ischemic vascular dementia. <i>Arch Neurol</i> , 58(10): 1654-9.
19404	Toji H, Maruyama H, Sasaki K, et al (1999). Apolipoprotein E promoter polymorphism and sporadic Alzheimer's disease in a Japanese population. <i>Neurosci Lett</i> , 259: 56-8.
55566	Tol J, Slooter AJC, van Duijn CM (1999). Genetic factors in early- and late-onset Alzheimer's disease. R Mayeux, Y Christen (Eds). <i>Epidemiology of Alzheimer's Disease: From Gene to Prevention</i> , Chapter 33: 33-39. Springer-Verlag Berlin Heidelberg New York.
86335	Toledo JB, Arnold SE, Raible K, et al (2013). Contribution of cerebrovascular disease in autopsy confirmed neurodegenerative disease cases in the National Alzheimer's Coordinating Centre. <i>Brain</i> , 136: 2697-706.
86334	Tosto G, Bird T, Bennett DA (2016). The role of cardiovascular risk factors and stroke in familial Alzheimer Disease. <i>JAMA Neurol</i> , 73(10): 1231-7.
67426	Townsend MK, Okereke OI, Xia W, et al (2012). Relation between insulin, insulin-related factors, and plasma amyloid beta peptide levels at midlife in a population-based study. <i>Alzheimer Dis Assoc Disord</i> , 26(1): 50-4.
46637	Traykov L, Baudic S, Thibaudet M-C, et al (2002). Neuropsychological deficit in early subcortical vascular dementia: comparison to Alzheimer's disease. <i>Dement Geriatr Cogn Disord</i> , 14: 26-32.
46630	Traykov L, Baudic S, Raoux N, et al (2005). Patterns of memory impairment and perseverative behaviour discriminate early Alzheimer's disease from subcortical vascular dementia. <i>Journal of the Neurological Sciences</i> , 229-230: 75-9.
55553	Treiber KA, Lyketsos CG, Corcoran C, et al (2008). Vascular factors and risk for neuropsychiatric symptoms in Alzheimer's disease: The Cache County Study. <i>Int Psychogeriatr</i> , 20(3): 538-53.

86333	Tripodis Y, Alosco ML, Ziropiannis N, et al (2017). The effect of traumatic brain injury history with loss of consciousness on rate of cognitive decline among older adults with normal cognition and Alzheimer's disease dementia. <i>J Alzheimers Dis</i> , 59(1): 251-63.
67401	Tsolaki M, Eleftheriou M, Karavida N (2009). Alzheimer's dementia and post-traumatic stress disorder; differences and similarities in neuroimaging. <i>Hell J Nucl Med</i> , 12(1): 41-6.
19590	Tsolaki M, Fountoulakis K, Chantzi E, et al (1997). Risk factors for clinically diagnosed Alzheimer's disease: a case-control study of a Greek population. <i>Int Psychogeriatr</i> , 9: 327-41.
86332	Tsuang D, Larson EB, Li G, et al (2010). Association between lifetime cigarette smoking and Lewy body accumulation. <i>Brain Pathol</i> , 20(2): 412-8.
86059	Tully PJ, Hanon O, Cosh S, et al (2016). Diuretic antihypertensive drugs and incident dementia risk: a systematic review, meta-analysis and meta-regression of prospective studies. <i>Journal of Hypertension</i> , 34(6): 1027-35.
53205	Tyas SL, Manfreda J, Strain LA, et al (2001). Risk factors for Alzheimer's disease: a population-based, longitudinal study in Manitoba, Canada. <i>Int J Epidemiol</i> , 30: 590-7.
53332	Tyas SL, White LR, Petrovitch H, et al (2003). Mid-life smoking and late-life dementia: the Honolulu-Asia Aging Study. <i>Neurobiology of Aging</i> , 24: 589-96.
86346	Ubhi K, Peng K, Lessig S, et al (2010). Neuropathology of dementia with Lewy bodies in advanced age: A comparison with Alzheimer disease. <i>Neurosci Lett</i> , 485(3): 222-7.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1.
89238	UnitsLab (2018). Testosterone. Internet laboratory calculator converter. Retrieved 2 October 2018, from http://unitslab.com/node/136
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
19584	Urakami K, Adachi Y, Wakutani Y, et al (1998). Epidemiologic and genetic studies of dementia of the Alzheimer type in Japan. <i>Dementia and Geriatric Cognitive Disorders</i> , 9: 294-8.
53887	Uryu K, Laurer H, McIntosh T, et al (2002). Repetitive mild brain trauma accelerates AB deposition, lipid peroxidation, and cognitive impairment in a transgenic mouse model of Alzheimer amyloidosis. <i>J Neuro Sci</i> , 22(2): 446-54.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01-Doses to organs from intake of radioactive materials. DTRA/NTPR-Standard Operating Procedures Manual.
86082	Vagelatos NT, Eslick GD (2013). Type 2 diabetes as a risk factor for Alzheimer's disease: The confounders, interactions, and neuropathology associated with this relationship. <i>Epidemiologic Rev</i> , 35: 152-60.
86345	Valls-Pedret C, Sala-Vila A, Serra-Mir M, et al (2015). Mediterranean diet and age-related cognitive decline a randomized clinical trial. <i>JAMA Intern Med</i> , 175(7): 1094-103.
86084	Van Dam F, Van Gool WA (2009). Hyperhomocysteinemia and Alzheimer's disease: A systematic review. <i>Archives of Gerontology and Geriatrics</i> , 48(3): 425-30.

86255	van de Rest O, Berendsen A, Haveman-Nies A, et al (2015). Dietary patterns, cognitive decline, and dementia: A systematic review. <i>American Society for Nutrition</i> , 6: 154-68.
53369	Van Den Heuvel C, Thornton E, Vink R (2007). Traumatic brain injury and Alzheimer's disease: a review. <i>Progress in Brain Research</i> , 161: 303-16.
19323	van Dortmont LMC, Douw CM, van Breukelen AMA, et al (2000). Outcome after hemi-arthroplasty for displaced intracapsular femoral neck fracture related to mental state. <i>Injury</i> , 31(5): 327-31.
12473	van Duijn CM (1996). Epidemiology of the dementias: recent developments and new approaches. <i>J Neurol Neurosurg Psychiatry</i> , 60: 478-88.
53279	Van Duijn CM, Clayton D, Chandra V, et al (1991). Familial aggregation of Alzheimer's disease and related disorders: a collaborative re-analysis of case-control studies. <i>Int J Epidemiol</i> , 20(Suppl 2): S13-20.
19520	Van Hoesen GW (1997). Ventromedial temporal lobe anatomy, with comments on Alzheimer's disease and temporal injury. <i>Journal of Neuropsychiatry</i> , 9: 331-41.
19459	Van Hoesen GW, Augustinack JC, Redman SJ (1999). Ventromedial temporal lobe pathology in dementia, brain trauma, and schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 877: 575-94.
72817	Van Maele-Fabry G, Hoet P, Vilain F, et al (2012). Occupational exposure to pesticides and Parkinson disease: A systematic review and meta-analysis of cohort studies. <i>Environ Int</i> , 46: 30-43.
53162	van Osch LA, Hogervorst E, Combrinck M, et al (2004). Low thyroid-stimulating hormone as an independent risk factor for Alzheimer disease. <i>Neurology</i> , 62(11): 1967-71.
55554	van Reekum R, Binns M, Clarke D, et al (2005). Is late-life depression a predictor of Alzheimer's disease? Results from a historical cohort study. <i>Int J Geriatr Psychiatry</i> , 20(1): 80-82.
86344	van Rooij FG, Tuladhar AM, Kessels RPC, et al (2015). Cohort study ON Neuroimaging, Etiology and Cognitive consequences of Transient neurological attacks (CONNECT): study rationale and protocol. <i>BMC Neurology</i> , 15(36): s12883.
33804	Vanacore N, Nappo A, Gentile M, et al (2002). Evaluation of risk of Parkinson's disease in a cohort of licensed pesticide users. <i>Neurol Sci</i> , 23(Suppl 2): S119-S120.
54488	Vanhanen M, Koivisto K, Moilanen L, et al (2006). Association of metabolic syndrome with Alzheimer disease. A population-based study. <i>Neurology</i> , 67: 843-7.
84890	Veitch DP, Friedl KE, Weiner MW (2013). Military risk factors for cognitive decline, dementia and Alzheimer's disease. <i>Current Alzheimer Research</i> , 10(9): 907-30.
86081	Vergara X, Kheifets L, Greenland S, et al (2013). Occupational exposure to extremely low-frequency magnetic fields and neurodegenerative disease: a meta-analysis. <i>Journal of Occupational & Environmental Medicine</i> , 55(2): 135-46.
67410	Vergheze J (2000). PTSD, dementia, and sleep disorder: a possible association. <i>J Am Geriatr Soc</i> , 48(9): 1169-70.
12570	Verhey FRJ, Lodder J, Rozendaal N, et al (1996). Comparison of seven sets of criteria used for the diagnosis of vascular dementia. <i>Neuroepidemiology</i> , 15(3): 166-72.
67414	Verma S, Orengo CA, Maxwell R, et al (2001). Contribution of PTSD/POW history to behavioral disturbances in dementia. <i>Int J Geriatr Psychiatry</i> , 16: 356-60.
45939	Veterans and Agent Orange Update (2004). Neurologic disorders. Retrieved 26 November 2007, from http://books.nap.edu/openbook.php?record_id=11242&page=429

6899	Vickers JC, Chin D, Edwards A, et al (1996). Dystrophic Neurite formation associated with age-related B amyloid deposition in the neocortex: Clues to the genesis of neurofibrillary pathology. <i>Exp Neurol</i> , 141(1): 1-11.
19324	Vickers JC, Dickson TC, Adlard PA, et al (2000). The cause of neuronal degeneration in Alzheimer's disease. <i>Prog Neurobiol</i> , 60(2): 139-65.
37109	Vigliani MC, Duyckaerts C, Hauw JJ, et al (1999). Dementia following treatment of brain tumors with radiotherapy administered alone or in combination with nitrosourea-based chemotherapy: a clinical and pathological study. <i>J Neuro-Oncol</i> , 41(2): 137-49.
70288	Vikolinsky R, Titova E, Krucker T, et al (2010). Exposure to 56Fe-particle radiation accelerates electrophysiological alterations in the hippocampus of APP23 transgenic mice. <i>Radiat Res</i> , 173(3): 342-52. [Abstract]
85950	Vilalta-Franch J, Lopez-Pousa S, Llinas-Regla J, et al (2013). Depression subtypes and 5-year risk of dementia and Alzheimer disease in patients aged 70 years. <i>International Journal of Geriatric Psychiatry</i> , 28(4): 341-50.
46639	Villardita C (1993). Alzheimer's disease compared with cerebrovascular dementia. Neuropsychological similarities and differences. <i>Acta Neurol Scand</i> , 87: 299-308.
82957	Vincent AS, Roebuck-Spencer TM, Cernich A (2014). Cognitive changes and dementia risk after traumatic brain injury: implications for aging military personnel. <i>Alzheimer's and Dementia</i> , 10(Suppl 3): S174-87.
86062	Virk SA, Eslick GD (2015). Meta-analysis of antacid use and Alzheimer's disease: Implications for the aluminium hypothesis. <i>Epidemiology</i> , 26(5): 769-73.
86061	Virk SA, Eslick GD (2015). Occupational Exposure to Aluminum and Alzheimer Disease: A Meta-Analysis. <i>Journal of Occupational & Environmental Medicine</i> , 57(8): 893-6.
19585	Visser FE, Aldenkamp AP, van Huffelen AC, et al (1997). Prospective study of the prevalence of Alzheimer-type dementia in institutionalized individuals with Down syndrome. <i>American Journal on Mental Radiation</i> , 101: 400-12.
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
79946	Wahjoepramono EJ, Asih PR, Aniwiyanti V, et al (2016). The effects of testosterone supplementation on cognitive functioning in older men. <i>CNS Neurol Disord Drug Targets</i> , 15(3): 337-43.
86023	Wakisaka Y, Furuta A, Tanizaki Y, et al (2003). Age-associated prevalence and risk factors of Lewy body pathology in a general population. <i>Acta Neuropathol</i> , 106(4): 374-82.
12482	Walton JR (1996). Amyloid, aluminium and the aetiology of Alzheimer's disease. <i>MJA</i> , 164: 382-3.
53288	Wang B, Jin F, Yang Z, Lu Z, et al (2006). The insertion polymorphism in angiotensin-converting enzyme gene associated with the APOE e4 allele increases the risk of late-onset Alzheimer disease. <i>J Mol Neurosci</i> , 30: 267-71.
69466	Wang B, Tanaka K, Ji B, et al (2013). Total body 100-mGy X-irradiation does not induce Alzheimer's disease-like pathogenesis or memory impairment in mice. Epub. Retrieved 19 September 2013, from http://jrr.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=23908553
86326	Wang C, Gao S, Hendrie H, et al (2016). Antidepressant use in the elderly is associated with an increased risk of dementia. <i>Alzheimer Dis Assoc Disord</i> , 30(2): 99-104.
19406	Wang H-X, Fratiglioni L, Frisoni GB, et al (1999). Smoking and the occurrence of Alzheimer's disease: Cross-sectional and longitudinal data in a population-based study. <i>Am J Epidemiol</i> , 149: 640-4.

86073	Wang J, Tan L, Wang HF, et al (2015). Anti-inflammatory drugs and risk of Alzheimer's disease: an updated systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 44(2): 385-96.
67418	Wang KC, Woung LC, Tsai MT, et al (2012). Risk of Alzheimer's disease in relation to diabetes: a population-based cohort study. <i>Neuroepidemiology</i> , 38(4): 237-44.
86149	Wang TY, Wei HT, Liou YJ, et al (2016). Risk for developing dementia among patients with posttraumatic stress disorder: a nationwide longitudinal study. <i>J Affect Disord</i> , 205: 306-10.
86075	Wang Y, Sheng Q, Hou X, et al (2016). Thyrotropin and Alzheimer's disease risk in the elderly: a systematic review and meta-analysis. <i>Molecular Neurobiology</i> , 53(2): 1229-36.
86060	Wang Z, Wei X, Yang J, et al (2016). Chronic exposure to aluminum and risk of Alzheimer's disease: A meta-analysis. <i>Neuroscience Letters</i> , 610: 200-6.
19702	Waring SC, Roca WA, Petersen RC, et al (1999). Postmenopausal estrogen replacement therapy and risk of AD. <i>Neurology</i> , 52: 965-70.
86325	Washington PM, Villapol S, Burns MP (2016). Polypathology and dementia after brain trauma: Does brain injury trigger distinct neurodegenerative diseases, or should it be classified together as traumatic encephalopathy? <i>Exp Neurol</i> , 275(0 3): 381-8.
86322	Watson R, Blamire AM, O'Brien JT (2009). Magnetic resonance imaging in Lewy body dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 28: 493-506.
19867	Weatherell JL, Gatz M, Johansson B, et al (1999). History of depression and other psychiatric illness as risk factors for Alzheimer Disease in a Twin sample. <i>Alzheimer Disease and Associated Disorders</i> , 13: 47-52.
67434	Wehbi M, Katz J (2011). Familial adenomatous polyposis. . Retrieved 13 November 2012, from http://emedicine.medscape.com/article/175377-overview
86348	Wei J, Hu Y, Zhang L, et al (2017). Hearing impairment, mild cognitive impairment, and dementia: A meta-analysis of cohort studies. <i>Dement Geriatr Cogn Disord Extra</i> , 7: 440-52.
86347	Weil RS, Lashley TL, Bras J, et al (2017). Current concepts and controversies in the pathogenesis of Parkinson's disease dementia and dementia with Lewy bodies. <i>F1000 Research</i> , 6(F1000 Faculty Rev): 1604.
85948	Weiner MW, Friedl KE, Pacifico A, et al (2013). Military risk factors for Alzheimer's disease. <i>Alzheimer's & Dementia</i> , 9(4): 445-51.
86330	Weiner MW, Harvey D, Hayes J, et al (2017). Effects of traumatic brain injury and posttraumatic stress disorder on development of Alzheimer's disease in Vietnam Veterans using the Alzheimer's Disease Neuroimaging Initiative: Preliminary report. <i>Alzheimer's & Dementia</i> , 3: 177-88.
86331	Weiner MW, Veitch DP, Hayes J, et al (2014). Effects of traumatic brain injury and posttraumatic stress disorder on Alzheimer's disease in veterans, using the Alzheimer's Disease Neuroimaging Initiative. <i>Alzheimers Dement</i> , 10(3 0): S226-35.
86324	Weinstein G, Wolf PA, Beiser A, et al (2013). Risk estimations, risk factors and genetic variants associated with Alzheimer Disease in selected publications from the Framingham Heart Study. <i>J Alzheimers Dis</i> , 33(Suppl 1): S439-45.
55053	Weuve J, Korrick SA, Weisskopf MA, et al (2009). Cumulative exposure to lead in relation to cognitive function in older women. <i>Environ Health Perspect</i> , 117(4): 574-80.
87021	Whalley LJ, Sharma S, Fox HC, et al (2012). Anticholinergic drugs in late life: adverse effects on cognition but not on progress to dementia. <i>Journal of Alzheimer's Disease</i> , 30(2): 253-61.

12480	Whalley LJ, Thomas BM, Starr JM (1995). Epidemiology of presenile Alzheimer's disease in Scotland (1974-88). II. Exposures to possible risk factors. <i>Br J Psychiatry</i> , 167: 732-8.
12481	Whalley LJ, Thomas BM, Starr JM (1995). Epidemiology of presenile Alzheimer's disease in Scotland (1974-88). I. Non-random geographical variation. <i>Br J Psychiatry</i> , 167: 728-31.
89229	Whitbread D (2018). Top 10 foods highest in zinc. Retrieved 2 October 2018, from https://www.myfooddata.com/articles/high-zinc-foods.php
89239	Whitbread D (2018). Top 10 foods highest in manganese. Retrieved 2 October 2018, from www.myfooddata.com/articles/foods-high-in-manganese.php
53156	White L, Launer L (2006). Relevance of cardiovascular risk factors and ischemic cerebrovascular disease to the pathogenesis of Alzheimer disease. <i>Alzheimer Dis Assoc Disord</i> , 20: S79-83.
12455	Whitehouse PJ (1997). Genesis of Alzheimer's disease. <i>Neurology</i> , 48(5 Suppl 7): S2-7.
53356	Whitmer RA, Gunderson EP, Quesenberry CP Jr, et al (2007). Body mass index in midlife and risk of Alzheimer diseases and vascular dementia. <i>Current Alzheimer Research</i> , 4: 103-9.
55570	WHO (2007). Electromagnetic fields and public health. World Health Organization, Fact sheet number 322.
86688	Wijsman LW, de Craen AJM, Trompet S, et al (2013). Subclinical thyroid dysfunction and cognitive decline in old age. <i>PLoS One</i> , 8(3): e59199.
55563	Wikipedia (2009). Radio spectrum. Retrieved 23 September 2009, from http://en.wikipedia.org/wiki/Radio_spectrum
55567	Wikipedia (2010). Homocysteine. Retrieved 4 February 2010, from http://en.wikipedia.org/wiki/Homocysteine
55569	Wikipedia (2010). Radio frequency. Retrieved 4 February 2010, from http://en.wikipedia.org/wiki/Radio_frequency
3161	Williams DB, Annegers JF, Kokmen E, et al (1991). Brain injury and neurologic sequelae: a cohort study of dementia, parkinsonism, and amyotrophic lateral sclerosis. <i>Neurology</i> , 41(10): 1554-7.
67704	Williams JW, Plassman BL, Burke J, et al (2010). Preventing Alzheimer's disease and cognitive decline. Duke Evidence-based Practice Center. 57-61. Retrieved 13 May 2013, from http://www.ahrq.gov/research/findings/evidence-based-reports/alzco-evidence-report.pdf
86658	Wilson GD, Marples B (2016). A new use for an old treatment: Radiation therapy and Alzheimer's disease. <i>Radiation Res</i> , 185: 443-8.
53366	Wilson JTL (2003). [Comment] Head injury and Alzheimer's disease. <i>J Neurol Neurosurg Psychiatry</i> , 74: 841.
53194	Wilson JTL (2003). [Comment] Head injury and Alzheimer's disease. <i>J Neur, Neurosurg & Psych</i> , 74: 841. Comment on ID: 53183.
54839	Wilson RS, Arnold SE, Beck TL, et al (2008). Change in depressive symptoms during the prodromal phase of Alzheimer disease. <i>Arch Gen Psychiatry</i> , 65(4): 439-46.
53124	Wilson RS, Krueger KR, Arnold SE, et al (2007). Loneliness and risk of Alzheimer disease. <i>Arch Gen Psychiatry</i> , 64(2): 234-40.
53123	Wilson RS, Mendes de Leon, CF, Barnes LL, et al (2002). Participation in cognitively stimulating activities and risk of incident Alzheimer disease. <i>JAMA</i> , 287(6): 742-8.
53359	Wilson RS, Scherr PA, Hoganson G, et al (2005). Early life socioeconomic status and late life risk of Alzheimer's disease. <i>Neuroepidemiology</i> , 25: 8-14.
55046	Wilson RS, Schneider JA, Bienias JL, et al (2003). Depressive symptoms, clinical AD, and cortical plaques and tangles in older persons. <i>Neurology</i> , 61: 1102-7.

86323	Wolk DA, Dickerson BS, DeKosky ST, et al (2018). Clinical features and diagnosis of Alzheimer disease. Retrieved 18 April 2018, from https://www.uptodate.com/contents/clinical-features-and-diagnosis-of-alzheimer-disease?search=Clinical%20features%20and%20diagnosis%20of%20Alzheimer%20disease&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
3171	Wostyn P (1994). Intracranial pressure and Alzheimer's disease: A hypothesis. <i>Med Hypotheses</i> , 43: 219-22.
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
55054	Wu J, Basha R, Brock B, et al (2008). Alzheimer's disease (AD)-like pathology in aged monkeys after infantile exposure to environmental metal lead (Pb): evidence for a developmental origin and environmental link for AD. <i>Journal of Neuroscience</i> , 28(1): 3-9.
84225	Wu L, Dun D, He Y (2017). Coffee intake and the incident risk of cognitive disorders: A dose-response meta-analysis of nine prospective cohort studies. <i>Clinical Nutrition</i> , 36(3): 730-6.
86320	Wu L, Sun D (2016). Adherence to Mediterranean diet and risk of developing cognitive disorders: An updated systematic review and meta-analysis of prospective cohort studies. <i>Scientific Reports</i> , 4: 41317.
86321	Wu L, Sun D (2016). Meta-analysis of milk consumption and the risk of cognitive disorders. <i>Nutrients</i> , 8(824): 1-12.
82654	Wu L, Sun D, Tan Y (2017). Intake of fruit and vegetables and the incident risk of cognitive disorders: A systematic review and meta-analysis of cohort studies. <i>The Journal of Nutrition, Health & Aging</i> , 21(10): 1284-90.
84699	Wu L, Sun D, Tan Y (2017). A systematic review and dose-response meta-analysis of sleep duration and the occurrence of cognitive disorders. <i>Sleep Breath</i> , 2017: s11325.
86052	Wu S, Ding Y, Wu F, et al (2015). Omega-3 fatty acids intake and risks of dementia and Alzheimer's disease: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 48: 1-9.
86779	Wu Y, Pei Y, Wang F, et al (2016). Higher FT4 or TSH below the normal range are associated with increased risk of dementia: a metaanalysis of 11 studies. <i>Scientific Reports</i> , 6: 31975.
19522	Xia MQ & Hyman BT (1999). Chemokines/Chemokine receptors in the central nervous system and Alzheimer's disease. <i>Journal of NeuroVirology</i> , 5: 32-41.
86319	Xiang J (2017). Carotid atherosclerosis promotes the progression of Alzheimer's disease: A three-year prospective study. <i>Experimental and Therapeutic Medicine</i> , 14: 1321-6.
80097	Xu J, Xia LL, Song N, et al (2016). Testosterone, estradiol, and sex hormone-binding globulin in Alzheimer's disease: a meta-analysis. <i>Current Alzheimer Research</i> , 13: 215-22.
86318	Xu W, Caracciolo B, Wang H-X, et al (2010). Accelerated progression from mild cognitive impairment to dementia in people with diabetes. <i>Diabetes</i> , 59: 2928-35.
54772	Xu W, Qiu C, Gatz M, et al (2009). Mid- and late-life diabetes in relation to the risk of dementia. A population-based twin study. <i>Diabetes</i> , 58: 71-7.
54441	Xu W, Qiu C, Winblad B, et al (2007). The effect of borderline diabetes on the risk of dementia and Alzheimer's disease. <i>Diabetes</i> , 56: 211-6.
86072	Xu W, Tan L, Wang HF, et al (2015). Meta-analysis of modifiable risk factors for Alzheimer's disease. <i>J Neurol Neurosurg Psychiatry</i> , 86(12): 1299-306.

86050	Xu W, Wang H, Wan Y, et al (2017). Alcohol consumption and dementia risk: a dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 32(1): 31-42.
54440	Xu WL, Qiu CX, Wahlin A, et al (2004). Diabetes mellitus and risk of dementia in the Kungsholmen project. A 6-year follow-up study. <i>Neurology</i> , 63: 1181-6.
54442	Xu WL, von Strauss E, Qiu CX, et al (2009). Uncontrolled diabetes increases the risk of Alzheimer's disease: a population-based cohort study. <i>Diabetologia</i> , 52: 1031-9.
86317	Xu Y, Yang J, Shang H (2016). Meta-analysis of risk factors for Parkinson's disease dementia. <i>Translational Neurodegeneration</i> , 5(11): s40035.
57089	Yaffe K, Vittinghoff E, Lindquist K, et al (2010). Posttraumatic stress disorder and risk of dementia among US veterans. <i>Arch Gen Psychiatry</i> , 67(6): 608-13.
69467	Yamada M, Kasagi F, Mimori Y, et al (2009). Incidence of dementia among atomic-bomb survivors--Radiation Effects Research Foundation Adult Health Study. <i>J Neurol Sci</i> , 281(1-2): 11-14.
36404	Yamada M, Kasagi F, Sasaki H, et al (2003). Association between dementia and midlife risk factors: the Radiation Effects Research Foundation Adult Health Study. <i>J Am Geriatr Soc</i> , 51: 410-4.
19599	Yamada M, Sasaki H, Mimori Y, et al (1999). Prevalence and risk of dementia in the Japanese population: RERF's Adult Health Study Hiroshima subjects. <i>J Am Geriatr Soc</i> , 47: 189-95.
86367	Yamamoto T, Kondo K, Hirai H, et al (2012). Association between self-reported dental health status and onset of dementia: a 4-year prospective cohort study of older Japanese adults from the Aichi Gerontological Evaluation Study (AGES) Project. <i>Psychosomatic Medicine</i> , 74(3): 241-8.
87022	Yan D, Zhang Y, Liu L, et al (2018). Pesticide exposure and risk of Parkinson's disease: Dose-response meta-analysis of observational studies. <i>Regulatory Toxicology & Pharmacology</i> , 96: 57-63.
86690	Yan D, Zhang Y, Liu L, et al (2016). Pesticide exposure and risk of Alzheimer's disease: a systematic review and meta-analysis. <i>Scientific Reports</i> , 6: Article 32222.
86316	Yang C, Hao Z, Tian J, et al (2018). Does antipsychotic drug use increase the risk of long term mortality? A systematic review and meta-analysis of observational studies. <i>Oncotarget</i> , 9(19): 15101-10.
86689	Yasar S, Xia J, Yao W, et al (2013). Antihypertensive drugs decrease risk of Alzheimer disease: Ginkgo evaluation of memory study. <i>Neurology</i> , 81: 896-903.
86069	Ye F, Luo YJ, Xiao J, et al (2016). Impact of insulin sensitizers on the incidence of dementia: A meta-analysis. <i>Dementia and Geriatric Cognitive Disorders</i> , 41(5-6): 251-60.
86587	Yong-Hong L, Xiao-Dong P, Chang-Quan H, et al (2013). Hypothalamic-pituitary-thyroid axis in patients with Alzheimer disease (AD). <i>J Investig Med</i> , 61(3): 578-81.
85863	Yoon JH, Kim M, Moon SY, et al (2015). Olfactory function and neuropsychological profile to differentiate dementia with Lewy bodies from Alzheimer's disease in patients with mild cognitive impairment: A 5-year follow-up study. <i>Journal of Neurological Science</i> , 355(1-2): 174-9.
3162	Yoshimasu F, Kokmen E, Hay ID, et al (1991). The association between Alzheimer's disease and thyroid disease in Rochester, Minnesota. <i>Neurology</i> , 41(11): 1745-7.
54477	Yoshitake T, Kiyohara Y, Kato I, et al (1995). Incidence and risk factors of vascular dementia and Alzheimer's disease in a defined elderly Japanese population: the Hisayama Study. <i>Neurology</i> , 45(6): 1161-8.

89240	Yoshiyama Y, Kojima A, Itoh K, et al (2015). Does anticholinergic activity affect neuropathology? Implication of neuroinflammation in Alzheimer's disease. <i>Neurodegener Dis</i> , 15(3): 140-8.
86315	Yu L, Boyle PA, Leurgans S, et al (2015). Effect of common neuropathologies on progression of late life cognitive impairment. <i>Neurobiol Aging</i> , 36(7): 2225-31.
54784	Yue X, Lu M, Lancaster T, et al (2005). Brain estrogen deficiency accelerates AB plaque formation in an Alzheimer's disease animal model. <i>PNAS</i> , 102(52): 19198-203.
46633	Yuspeh RL, Vanderploeg RD, Crowell TA, et al (2002). Differences in executive functioning between Alzheimer's disease and subcortical ischemic vascular dementia. <i>J Clin Exp Neuropsychology</i> , 24(6): 745-54.
54708	Zandi PP, Carlson MC, Plassman BL, et al (2002). Hormone replacement therapy and incidence of Alzheimer disease in older women. The Cache County Study. <i>JAMA</i> , 288: 2123-9.
54458	Zawia NH, Basha MR (2005). Environmental risk factors and the developmental basis for Alzheimer's disease. <i>Rev Neurosci</i> , 16: 325-37.
86057	Zhai Y, Yin S, Zhang D (2016). Association between antipsychotic drugs and mortality in older persons with Alzheimer's disease: A systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 52(2): 631-9.
86314	Zhang B, Ferman TJ, Boeve BF, et al (2015). MRS in mild cognitive impairment: Early differentiation of dementia with Lewy bodies and Alzheimer's disease. <i>J Neuroimaging</i> , 25(2): 269-74.
67403	Zhang H, Ozbay F, Lappalainen J, et al (2006). Brain derived neurotrophic factor gene (BDNF) variants and Alzheimer's disease, affective disorders, posttraumatic stress disorder, schizophrenia and substance dependence. <i>Am J Genet B Neuropsychiatr Genet</i> , 141B(4): 387-93.
86051	Zhang J, Chen C, Hua S, et al (2017). An updated meta-analysis of cohort studies: Diabetes and risk of Alzheimer's disease. <i>Diabetes Res Clin Pract</i> , 124: 41-47.
86064	Zhang Q, Guo S, Zhang X, et al (2015). Inverse relationship between cancer and Alzheimer's disease: a systemic review meta-analysis. <i>Neurological Sciences</i> , 36(11): 1987-94.
82585	Zhang Y, Chen J, Qiu J, et al (2016). Intakes of fish and polyunsaturated fatty acids and mild-to-severe cognitive impairment risks: a dose-response meta-analysis of 21 cohort studies. <i>The American Journal of Clinical Nutrition</i> , 103(2): 330-40.
85983	Zheng Y, Fan S, Liao W, et al (2017). Hearing impairment and risk of Alzheimer's disease: a meta-analysis of prospective cohort studies. <i>Neurological Sciences</i> , 38(2): 233-9.
86313	Zhong G, Want Y, Zhang Y, et al (2015). Smoking is associated with an increased risk of dementia: A meta-analysis of prospective cohort studies with investigation of potential effect modifiers. <i>PLoS One</i> , 10(3): e0118333.
85864	Zhong X, Shi H, Shen Z, et al (2014). 1H-proton magnetic resonance spectroscopy differentiates dementia with Lewy bodies from Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 40(4): 953-66.
86068	Zhou J, Yu JT, Wang HF, et al (2015). Association between stroke and Alzheimer's disease: systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 43(2): 479-89.
83587	Zhuang S, Wang HF, Wang X, et al (2016). The association of renin-angiotensin system blockade use with the risks of cognitive impairment of aging and Alzheimer's disease: A meta-analysis. <i>Journal of Clinical Neuroscience</i> , 33: 32-8.
68271	Zilkens RR, Davis WA, Spilbury K, et al (2013). Earlier age of dementia onset and shorter survival times in dementia patients with diabetes. <i>Am J Epidemiol</i> , 177(11): 1246-54.

54774	Zonderman AB (2005). Predicting Alzheimer's disease in the Baltimore Longitudinal Study of Aging. <i>J Geriatr Psychiatry Neurol</i> , 18: 192-5.
53206	Zubenko GS, Winwood E, Jacobs B, et al (1999). Prospective study of risk factors for Alzheimer's disease: Results at 7.5 years. <i>Am J Psychiatry</i> , 156: 50-7.
19543	Zunaunegul MV, Caudra PG, Beland F, et al (2000). Development of simple cognitive function measures in a community dwelling population of elderly in Spain. <i>Int J Geriatr Psychiatry</i> , 15: 130-40.