



DECOMPRESSION SICKNESS

RMA ID Number	Reference List for RMA183-2 as at April 2023
---------------	--

40560	Aksoy FG (2003). MR imaging of subclinical cerebral decompression sickness. A case report. <i>Acta Radiol</i> , 44(1): 108-10.
110314	Alea K (2015). Identifying the subtle presentation of decompression sickness. <i>Aerospace Med Hum Perform</i> , 86(12): 1058-62.
109814	Allan GM, Kenny D (2003). High-altitude decompression illness: case report and discussion. <i>CMAJ</i> , 169(8): 803-7.
37331	Allan GM, Kenny D (2003). High-altitude decompression illness: case report and discussion. <i>CMAJ</i> , 169(8): 803-7.
37340	Andersen HL (2002). Decompression sickness during construction of the Great Belt Tunnel, Denmark. <i>Undersea Hyperb Med</i> , 29(3): 172-88.
110315	Anjum I, Almani NF, Zia U (2021). Spontaneous pneumothorax, pneumomediastinum, and subcutaneous emphysema: Rare complications in COVID-19 pneumonia. <i>Turk Thorac J</i> , 22(6): 507-9.
110317	Arieli R (2018). Fatty diet, active hydrophobic spots, and decompression sickness. <i>Diving Hyperb Med</i> , 48(3): 197.
37512	Arness MK (1997). Scuba decompression illness and diving fatalities in an overseas military community. <i>Aviat Space Environ Med</i> , 68(4): 325-33.
110318	Ata N, Karaca E (2021). Investigation of a cluster of decompression sickness cases following a high-altitude chamber flight. <i>Diving Hyperb Med</i> , 51(1): 82-5.
110319	Atwell J, Murphy-Lavoie HM, Hendriksen S, et al (2022). Dysbarism. Retrieved 1 March 2023, from https://pubmed.ncbi.nlm.nih.gov/30725951/
70987	Auten JD, Kuhne MA, Walker HM 2nd, et al (2010). Neurologic decompression sickness following cabin pressure fluctuations at high altitude. <i>Aviat Space Environ Med</i> , 81(4): 427-30.
110320	Balestra C, Germonpre P, Rocco M, et al (2019). Diving physiopathology: the end of certainties? Food for thought. <i>Minerva Anestesiologica</i> , 85(10): 1129-37.
28310	Ball R, Auker CR, Ford GC, et al (1998). Decompression sickness presenting as forearm swelling and peripheral neuropathy: a case report. <i>Aviat Space Environ Med</i> , 69(7): 690-2.
37339	Ball R, Lehner CE, Parker EC (1999). Predicting risk of decompression sickness in humans from outcomes in sheep. <i>J Appl Physiol</i> (1985), 86(6): 1920-9.
37450	Balldin UI, Pilmanis AA, Webb JT (2004). Central nervous system decompression sickness and venous gas emboli in hypobaric conditions. <i>Aviat Space Environ Med</i> , 75(11): 969-72.
40476	Balldin UI, Pilmanis AA, Webb JT (2002). Pulmonary decompression sickness at altitude: early symptoms and circulating gas emboli. <i>Aviat Space Environ Med</i> , 73(10): 996-9.

37452	Barratt DM, Van Meter K (2004). Decompression sickness in Miskito Indian lobster divers: review of 229 cases. <i>Aviat Space Environ Med</i> , 75(4): 350-3.
38224	Bast-Pettersen R (1999). Long-term neuropsychological effects in non-saturation construction divers. <i>Aviat Space Environ Med</i> , 70(1): 51-7.
109817	Beale P, Kitchen L, Graf WR, et al (2019). Abdominal decompression illness following repetitive diving: a case report and review of the literature. <i>Undersea Hyperb Med</i> , 46(2): 211-5.
37341	Beckman TJ (1997). A review of decompression sickness and arterial gas embolism. <i>Arch Fam Med</i> , 6(5): 491-4.
37511	Bendrick GA, Ainscough MJ, Pilmanis AA, et al (1996). Prevalence of decompression sickness among U-2 pilots. <i>Aviat Space Environ Med</i> , 67(3): 199-206.
70988	Bennett MH, Lehm JP, Mitchell SJ, et al (2012). Recompression and adjunctive therapy for decompression illness. <i>Cochrane Database Syst Rev</i> , 2012(5): CD005277.
63345	Bennett MH, Mitchell SJ (2012). Hyperbaric and diving medicine: diving medicine. Chapter e52. Retrieved 13 February 2012, from http://www.accessmedicine.com/content.aspx?aID=9151555
110321	Blake DF, Crowe M, Mitchell SJ, et al (2018). Vibration and bubbles: a systematic review of the effects of helicopter retrieval on injured divers. <i>Diving Hyperb Med</i> , 48(4): 235-40.
110322	Blatteau JE, Gempp E, Constantin P, et al (2011). Risk factors and clinical outcome in military divers with neurological decompression sickness: influence of time to recompression. <i>Diving Hyperb Med</i> , 41(3): 129-34.
70989	Blatteau JE, Hugon J, Castagna O, et al (2013). Submarine rescue decompression procedure from hyperbaric exposures up to 6 bar of absolute pressure in man: effects on bubble formation and pulmonary function. <i>PLoS One</i> , 8(7): e67681.
40291	Bolte H, Koch A, Tetzlaff K, et al (2005). Detection of dysbaric osteonecrosis in military divers using magnetic resonance imaging. <i>Eur Radiol</i> , 15(2): 368-75.
110323	Bosco G, Rizzato A, Moon RE, et al (2018). Environmental physiology and diving medicine. <i>Front Psychol</i> , 9: 72.
40413	Boussuges A, Abdellaoui S, Gardette B, et al (1997). Circulating bubbles and breath-hold underwater fishing divers: a two-dimensional echocardiography and continuous wave Doppler study. <i>Undersea Hyperb Med</i> , 24(4): 309-14.
37519	Bove AA (1997). Nomenclature of pressure disorders. <i>Undersea Hyperb Med</i> , 24(1): 1-2.
40412	Bove AA (1998). Risk of decompression sickness with patent foramen ovale. <i>Undersea Hyperb Med</i> , 25(3): 175-8.
110324	Boyd KL, Wray AA (2022). Inner ear decompression sickness. Retrieved 1 March 2023, from https://pubmed.ncbi.nlm.nih.gov/32491626/
71154	Breedijk JH, Van der Putten GJ, Schrier LM, et al (2009). Evaluation of decompression tables by Doppler technique in caisson work in The Netherlands. <i>Undersea Hyperb Med</i> , 36(1): 19-24.
110325	Brooks CJ (1984). Loss of cabin pressure in Canadian Forces ejection seat aircraft, 1962-1982. <i>Aviat Space Environ Med</i> , 55(12): 1154-63.
40307	Broome J, Pitkin AD (1997). Brain damage in divers. Cross sectional studies are inconclusive, longitudinal studies are more appropriate. <i>BMJ</i> , 314(7096): 1761; author reply 1761-2.
37534	Broome JR (1993). Climatic and environmental factors in the aetiology of decompression sickness in divers. <i>J R Nav Med Serv</i> , 79(2): 68-74.

40402	Broome JR, Dutka AJ, McNamee GA (1995). Exercise conditioning reduces the risk of neurologic decompression illness in swine. <i>Undersea Hyperb Med</i> , 22(1): 73-85.
40632	Brown DW (1999). [Comment] Comments on risk of decompression sickness with patent foramen ovale. <i>Undersea Hyperb Med</i> , 26(1): 49-50.
70990	Brown JR, Antunano MJ (2005). Altitude-induced decompression sickness. Retrieved 20 February 2014, from http://www.faa.gov/pilots/safety/pilotsafetybrochures/media/dcs.pdf
37420	Brubakk AO (2004). Hyperbaric oxygen therapy: oxygen and bubbles. <i>Undersea Hyperb Med</i> , 31(1): 73-9.
110326	Brubakk AO, Ross JA, Thom SR (2014). Saturation diving; physiology and pathophysiology. <i>Compr Physiol</i> , 4(3): 1229-72.
37484	Buch DA, El Moalem H, Dovenbarger JA, et al (2003). Cigarette smoking and decompression illness severity: a retrospective study in recreational divers. <i>Aviat Space Environ Med</i> , 74(12): 1271-4.
70991	Butler GJ, Al-Waili N, Passano DV, et al (2011). Altitude mountain sickness among tourist populations: a review and pathophysiology supporting management with hyperbaric oxygen. <i>J Med Eng Technol</i> , 35(3-4): 197-207.
37460	Butler WP (2002). Epidemic decompression sickness: case report, literature review, and clinical commentary. <i>Aviat Space Environ Med</i> , 73(8): 798-804.
37417	Butler WP (2004). Caisson disease during the construction of the Eads and Brooklyn Bridges: A review. <i>Undersea Hyperb Med</i> , 31(4): 445-59.
37455	Butler WP, Topper SM, Dart TS (2002). USAF treatment table 8: treatment for altitude decompression sickness. <i>Aviat Space Environ Med</i> , 73(1): 46-9.
40231	Carson WK, Mecklenburg B (2005). The role of radiology in dive-related disorders. <i>Mil Med</i> , 170(1): 57-62.
37346	Carturan D, Boussuges A, Vanuxem P, et al (2002). Ascent rate, age, maximal oxygen uptake, adiposity, and circulating venous bubbles after diving. <i>J Appl Physiol</i> (1985), 93(4): 1349-56.
40411	Carturan D, Boussuges A, Burnet H, et al (1999). Circulating venous bubbles in recreational diving: relationships with age, weight, maximal oxygen uptake and body fat percentage. <i>Int J Sports Med</i> , 20(6): 410-4.
110327	Cha SG, Byun YS, Jeon MJ, et al (2019). Diving patterns and decompression sickness among South Korean fishery divers. <i>J Occup Health</i> , 61(1): 143-53.
40522	Chryssanthou CP (1978). Dysbaric osteonecrosis. Etiological and pathogenetic concepts. <i>Clin Orthop Relat Res</i> , (130): 94-106.
110328	Cialoni D, Pieri M, Balestra C, et al (2017). Dive risk factors, gas bubble formation, and decompression illness in recreational SCUBA diving: Analysis of DAN Europe DSL data base. <i>Front Psychol</i> , 8: 1587.
70957	Cimsit M, Ilgezdi S, Cimsit C, et al (2007). Dysbaric osteonecrosis in experienced dive masters and instructors. <i>Aviat Space Environ Med</i> , 78(12): 1150-4.
37361	Claybaugh JR, Lin YC (2004). Exercise and decompression sickness: a matter of intensity and timing. <i>J Physiol</i> , 555(Pt 3): 588.
72719	Conkin J, Gernhardt ML, Abercromby AF, et al (2013). Probability of hypobaric decompression sickness including extreme exposures. <i>Aviat Space Environ Med</i> , 84(7): 661-8.
110329	Conkin J, Sanders RW, Koslovsky MD, et al (2018). A systematic review and meta-analysis of decompression sickness in altitude physiological training. <i>Aerosp Med Hum Perform</i> , 89(11): 941-51.
110330	Cooper JS, Hanson KC (2022). Decompression sickness. Retrieved 1 March 2023, from https://pubmed.ncbi.nlm.nih.gov/30725949/

33267	Cordes P, Keil R, Bartsch T, et al (2000). Neurologic outcome of controlled compressed-air diving. <i>Neurology</i> , 55(11): 1743-5.
38222	Coulthard A, Pooley J, Reed J, et al (1996). Pathophysiology of dysbaric osteonecrosis: a magnetic resonance imaging study. <i>Undersea Hyperb Med</i> , 23(2): 119-20.
37469	Cross S, Jennings K, Thomson L (1994). [Comment] Decompression sickness. Role of patent foramen ovale is limited. <i>BMJ</i> , 309(6956): 743-4.
38154	Curley MD (1988). U.S. Navy saturation diving and diver neuropsychologic status. <i>Undersea Biomed Res</i> , 15(1): 39-50.
110331	DAN (2018). 2016 Diving Fatalities, Injuries and Incidents. Annual Diving Report, 2018th Edition.
27586	Davidson JK (1989). Dysbaric disorders: aseptic bone necrosis in tunnel workers and divers. <i>Baillieres Clin Rheumatol</i> , 3(1): 1-23.
110332	Davis JC, Sheffield PJ, Schuknecht L, et al (1977). Altitude decompression sickness: hyperbaric therapy results in 145 cases. <i>Aviat Space Environ Med</i> , 48(8): 722-30.
110333	de la Cruz RA, Clemente Fuentes RW, Wonnum SJ, et al (2022). Aerospace decompression illness. Retrieved 1 March 2023, from https://www.ncbi.nlm.nih.gov/books/NBK448160/
37351	DeGorordo A, Vallejo-Manzur F, Chanin K, et al (2003). Diving emergencies. <i>Resuscitation</i> , 59(2): 171-80.
40526	Dembert ML, Jekel JF, Mooney LW (1984). Health risk factors for the development of decompression sickness among U.S. Navy divers. <i>Undersea Biomed Res</i> , 11(4): 395-406.
37422	Dey I, Poff D (2004). [Comment] Diving emergencies. <i>Resuscitation</i> , 61(2): 237-8; author reply 239. Comment on ID: 41352.
37478	Dillard TA, Ewald FW Jr (2003). Should divers smoke and vice versa? <i>Aviat Space Environ Med</i> , 74(12): 1275-6.
110334	Dirie AM, Aydin N, Hussein AM, et al (2022). Spontaneous pneumorrhachis, pneumomediastinum, pneumopericardium, and subcutaneous emphysema. Rare features of Hamman Syndrome. <i>Ann Surg Med (Lond)</i> , 74: 103346.
110335	Donald KW (1991). A review of submarine escape trials from 1945 to 1970 with a particular emphasis on decompression sickness. <i>J R Nav Med Serv</i> , 77(3): 171-200.
37345	Donatsch C (2001). Subclinical decompression illness in recreational scuba divers. <i>SPUMS</i> , 31(2): 69-74.
37423	Doolette DJ, Gorman DF (2003). Evaluation of decompression safety in an occupational diving group using self reported diving exposure and health status. <i>Occup Environ Med</i> , 60(6): 418-22.
40238	Doolette DJ, Mitchell SJ (2003). Biophysical basis for inner ear decompression sickness. <i>J Appl Physiol</i> (1985), 94(6): 2145-50.
70970	Doolette DJ, Mitchell SJ (2011). Hyperbaric conditions. <i>Compr Physiol</i> , 1(1): 163-201.
37333	Dowlatzahi D, Hogan MJ, Sharma M, et al (2004). A 32-year-old man with acute bilateral leg weakness following recreational diving. <i>CMAJ</i> , 170(12): 1792.
37344	Dueker CW (2004). Diving emergencies. <i>Resuscitation</i> , 61(2): 239-40; discussion 240; author reply 240.
40351	Dujic Z, Duplancic D, Marinovic-Terzic I, et al (2004). Aerobic exercise before diving reduces venous gas bubble formation in humans. <i>J Physiol</i> , 555(Pt 3): 637-42.
40525	Dunford RG, Vann RD, Gerth WA, et al (2002). The incidence of venous gas emboli in recreational diving. <i>Undersea Hyperb Med</i> , 29(4): 247-59.
40350	Dutka AJ (1999). Alphonse Jaminet on caisson disease: 1871—a commentary. <i>Wilderness Environ Med</i> , 10(2): 110-1.

110336	Edge CJ, Wilmshurst PT (2021). The pathophysiologies of diving diseases. <i>BJA Educ</i> , 21(9): 343-8.
28220	Edmonds C, Boughton J (1985). Intellectual deterioration with excessive diving (punch drunk divers). <i>Undersea Biomed Res</i> , 12(3): 321-6.
70958	Edmonds C, McKenzie B, Thomas R, et al (2013). <i>Diving Medicine for Scuba Divers</i> , 5th Edition, Carl Edmonds.
110339	el-Ghawabi SH, Mansour MB, Youssef FL, et al (1971). Decompression sickness in caisson workers. <i>Br J Ind Med</i> , 28(4): 323-9.
33532	Elliott DH (1989). Long-term sequelae of diving. <i>J R Soc Med</i> , 82(2): 79-80.
37431	Emerson GM (2002). What you need to know about diving medicine but won't find in a textbook. <i>Emerg Med (Fremantle)</i> , 14(4): 371-6.
110341	Ercan E (2021). Effects of aerospace environments on the cardiovascular system. <i>Anatol J Cardiol</i> , 25(Suppl 1): 3-6.
110340	Ercan E, Demir AE, Sabaner E, et al (2020). Incidence of decompression sickness in hypobaric hypoxia training. <i>Undersea Hyperb Med</i> , 47(2): 203-10.
30623	Expert Committee to Review SAS Veterans' Health Concerns (2003). Final Report of the Expert Panel to Review SAS Veterans' Health Concerns. A report prepared for the Minister for Veterans' Affairs, Commonwealth of Australia.
37515	Fabian BG (1998). Case report: inflight decompression sickness affecting the temporomandibular joint. <i>Aviat Space Environ Med</i> , 69(5): 517-8.
37363	Feinstein SB (2004). The powerful microbubble: from bench to bedside, from intravascular indicator to therapeutic delivery system, and beyond. <i>Am J Physiol Heart Circ Physiol</i> , 287(2): H450-7.
110342	Feldman J, Cooper JS (2022). Flying after diving. Retrieved 1 March 2023, from https://www.ncbi.nlm.nih.gov/books/NBK499855/
110343	Ferrer I, Vidal N (2017). Neuropathology of cerebrovascular diseases. <i>Handb Clin Neurol</i> , 145: 79-114.
37453	Files DS, Webb JT, Pilmanis AA (2005). Depressurization in military aircraft: rates, rapidity, and health effects for 1055 incidents. <i>Aviat Space Environ Med</i> , 76(6): 523-9.
38167	Foster PP, Boriek AM, Butler BD, et al (2003). Patent foramen ovale and paradoxical systemic embolism: a bibliographic review. <i>Aviat Space Environ Med</i> , 74(6 Pt 2): B1-64.
70993	Foster PP, Butler BD (2009). Decompression to altitude: assumptions, experimental evidence, and future directions. <i>J Appl Physiol</i> (1985), 106(2): 678-90.
37356	Foster PP, Feiveson AH, Boriek AM (2000). Predicting time to decompression illness during exercise at altitude, based on formation and growth of bubbles. <i>Am J Physiol Regul Integr Comp Physiol</i> , 279(6): R2317-28.
37430	Francis J (2002). Decompression sickness. <i>Emerg Med (Fremantle)</i> , 14(4): 358-63.
110739	Francis TJ, Mitchell SJ (2003). Manifestations of decompression disorders. <i>Bennett and Elliot's Physiology and Medicine of Diving</i> , 5th Edition, 578-87. Saunders, Edinburgh.
37459	Freiberger JJ, Denoble PJ, Pieper CF, et al (2002). The relative risk of decompression sickness during and after air travel following diving. <i>Aviat Space Environ Med</i> , 73(10): 980-4.
37449	Freiberger JJ, Lyman SJ, Denoble PJ, et al (2004). Consensus factors used by experts in the diagnosis of decompression illness. <i>Aviat Space Environ Med</i> , 75(12): 1023-8.
40346	Fueredi GA, Czarnecki DJ, Kindwall EP (1991). MR findings in the brains of compressed-air tunnel workers: relationship to psychometric results. <i>AJNR Am J Neuroradiol</i> , 12(1): 67-70. [Abstract]

110344	Garcia E, Mitchell SJ (2020). Bubbles in the skin microcirculation underlying cutis marmorata in decompression sickness: Preliminary observations. <i>Diving Hyperb Med</i> , 50(2): 173-7.
70994	Gempp E, Blatteau JE (2010). Risk factors and treatment outcome in scuba divers with spinal cord decompression sickness. <i>J Crit Care</i> , 25(2): 236-42.
41531	Gempp E, Louge P (2005). [Early detection of asymptomatic dysbaric osteonecrosis of the shoulder after type 1 decompression sickness: a case report]. <i>Rev Med Interne</i> , 26(6): 514-7. [Article in French]. [Abstract]
79724	Gempp E, Louge P, Blatteau JE, et al (2011). Descriptive epidemiology of 153 diving injuries with rebreathers among French military divers from 1979 to 2009. <i>Mil Med</i> , 176(4): 446-50.
110345	Gempp E, Peny C (2016). Yo-yo diving and risk of decompression sickness in trainee military divers. <i>J Occup Environ Med</i> , 58(9): e336-7.
37426	Germonpre P (2005). Patent foramen ovale and diving. <i>Cardiol Clin</i> , 23(1): 97-104.
37362	Germonpre P, Balestra C (2004). Risk of decompression illness among 230 divers in relation to the presence and size of patent foramen ovale. <i>Eur Heart J</i> , 25(23): 2173-4.
27857	Germonpre P, Dendale P, Unger P, et al (1998). Patent foramen ovale and decompression sickness in sports divers. <i>J Appl Physiol</i> (1985), 84(5): 1622-6.
110346	Germonpre P, Lafere P, Portier W, et al (2021). Increased risk of decompression sickness when diving with a right-to-left shunt: Results of a prospective single-blinded observational study (The "Carotid Doppler" Study). <i>Front Physiol</i> , 12: 763408.
37427	Gill AL, Bell CN (2004). Hyperbaric oxygen: its uses, mechanisms of action and outcomes. <i>QJM</i> , 97(7): 385-95.
70995	Goldman S (2007). A new class of biophysical models for predicting the probability of decompression sickness in scuba diving. <i>J Appl Physiol</i> (1985), 103(2): 484-93.
41293	Goupille P, Fouquet B, Cotty P, et al (1991). [Comment] Dysbaric osteonecrosis. <i>AJR Am J Roentgenol</i> , 156(6): 1327-8.
110347	Haas RM, Hannam JA, Sames C, et al (2014). Decompression illness in divers treated in Auckland, New Zealand, 1996-2012. <i>Diving Hyperb Med</i> , 44(1): 20-5.
110348	Hadanny A, Fishlev G, Bechor Y, et al (2015). Delayed recompression for decompression sickness: retrospective analysis. <i>PLoS One</i> , 10(4): e0124919.
37416	Hagberg M, Ornhagen H (2003). Incidence and risk factors for symptoms of decompression sickness among male and female dive masters and instructors--a retrospective cohort study. <i>Undersea Hyperb Med</i> , 30(2): 93-102.
110349	Hall J (2014). The risks of scuba diving: a focus on decompression illness. <i>Hawaii J Med Public Health</i> , 73(11 Suppl 2): 13-6.
110740	Hamilton RW, Thalmann ED (2003). Decompression practice. Bennett and Elliot's Physiology and Medicine of Diving, 5th Edition, 456, 460-1. Saunders, Edinburgh.
110350	Harris RJ, Frawley G, Devaney BC, et al (2015). A 10-year estimate of the incidence of decompression illness in a discrete group of recreational cave divers in Australia. <i>Diving Hyperb Med</i> , 45(3): 147-53.
110351	Harrison MF, Butler WP, Murad MH, et al (2021). Decompression sickness risk assessment and awareness in general aviation. <i>Aerospace Med Hum Perform</i> , 92(3): 138-45.
37458	Haske TL, Pilmanis AA (2002). Decompression sickness latency as a function of altitude to 25,000 feet. <i>Aviat Space Environ Med</i> , 73(11): 1059-62.

70996	Hawes J, Massey EW (2008). Neurologic injuries from scuba diving. <i>Neurol Clin</i> , 26(1): 297-308; xii.
110352	Hexdall EJ, Cooper JS (2022). Chokes. Retrieved 1 March 2023, from https://www.ncbi.nlm.nih.gov/books/NBK430898/
40512	Hierholzer J, Tempka A, Stroszczynski C, et al (2000). MRI in decompression illness. <i>Neuroradiology</i> , 42(5): 368-70.
38225	Hodgson M, Golding JF (1991). Psychometric evaluation of divers performing a series of heliox non-saturation dives. <i>Aviat Space Environ Med</i> , 62(5): 407-13.
110353	Houston S, Wilkinson E (2016). Flying after conducting an aircraft excessive cabin leakage test. <i>Aerosp Med Hum Perform</i> , 87(9): 816-20.
41252	Hovens MM, ter Riet G, Visser GH (1995). [Comment] Long-term adverse effects of scuba diving. <i>Lancet</i> , 346(8971): 384.
40414	Huang KL, Lee HC, Huang GB, et al (1998). Diving pattern and work schedule of construction well divers in Taiwan. <i>Undersea Hyperb Med</i> , 25(2): 99-109.
110354	Huchim-Lara O, Chin W, Salas S, et al (2017). Decompression sickness among diving fishermen in Mexico: observational retrospective analysis of DCS in three sea cucumber fishing seasons. <i>Undersea Hyperb Med</i> , 44(2): 149-56.
70997	Hundemer GL, Jersey SL, Stuart RP, et al (2012). Altitude decompression sickness incidence among U-2 pilots: 1994-2010. <i>Aviat Space Environ Med</i> , 83(10): 968-74.
40486	Hutter CD (2000). Dysbaric osteonecrosis: a reassessment and hypothesis. <i>Med Hypotheses</i> , 54(4): 585-90.
27856	Hutzelmann A, Tetzlaff K, Reuter M, et al (2000). Does diving damage the brain? MR control study of divers' central nervous system. <i>Acta Radiol</i> , 41(1): 18-21.
37474	Ikeda M (2000). Delayed onset pulmonary barotrauma or decompression sickness? A case report of decompression-related disorder. <i>Aviat Space Environ Med</i> , 71(8): 849-50.
70998	Irgens A, Gronning M, Troland K, et al (2007). Reduced health-related quality of life in former North Sea divers is associated with decompression sickness. <i>Occup Med (Lond)</i> , 57(5): 349-54.
37475	Ito M, Domoto H, Tadano Y, et al (1999). Three cases of spinal decompression sickness treated by U.S. Navy Treatment Table 7. <i>Aviat Space Environ Med</i> , 70(2): 141-5.
37520	Jacobsen G, Jacobsen JE, Peterson RE, et al (1997). Decompression sickness from saturation diving: a case control study of some diving exposure characteristics. <i>Undersea Hyperb Med</i> , 24(2): 73-80.
35496	Jaffee MS (2005). The neurology of aviation, underwater, and space environments. <i>Neurol Clin</i> , 23(2): 541-52.
37470	James PB (1993). [Comment] Dysbarism: the medical problems from high and low atmospheric pressure. <i>J R Coll Physicians Lond</i> , 27(4): 367-74.
70999	Jersey SL, Jesinger RA, Palka P (2013). Brain magnetic resonance imaging anomalies in U-2 pilots with neurological decompression sickness. <i>Aviat Space Environ Med</i> , 84(1): 3-11.
40355	Jiang CQ, Wang B, Yu CF, et al (2005). Dysbaric osteonecrosis by X-ray and CT scan in Chinese divers. <i>Undersea Hyperb Med</i> , 32(3): 169-74.
110355	Jitsuiki K, Kushida Y, Nishio R, et al (2021). Gas in joints after diving: Computed tomography may be useful for diagnosing decompression sickness. <i>Wilderness Environ Med</i> , 32(1): 70-3.
37457	Johnson EG (2002). Possible decompression sickness. <i>Aviat Space Environ Med</i> , 73(8): 825-6.
71153	Johnson-Arbor K (2012). Type II decompression sickness in a hyperbaric inside attendant. <i>Undersea Hyperb Med</i> , 39(5): 915-9.

71000	Johnston MJ (2008). Loss of cabin pressure in a military transport: a mass casualty with decompression illnesses. <i>Aviat Space Environ Med</i> , 79(4): 429-32.
40563	Jones JP, Ramirez S, Doty SB (1993). The pathophysiologic role of fat in dysbaric osteonecrosis. <i>Clin Orthop Relat Res</i> , (296): 256-64.
110356	Jurd KM, Seddon FM, Thacker JC, et al (2014). Submarine 'safe to escape' studies in man. <i>Undersea Hyperb Med</i> , 41(4): 307-14.
38223	Kang JF, Zhang LD, Zhang H (1992). Delayed occurrence of dysbaric osteonecrosis: 17 cases. <i>Undersea Biomed Res</i> , 19(2): 143-5.
37521	Kindwall EP (1997). Compressed air tunneling and caisson work decompression procedures: development, problems, and solutions. <i>Undersea Hyperb Med</i> , 24(4): 337-45.
110358	Kirby J (2019). The diagnosis of decompression sickness in sport divers. <i>Mo Med</i> , 116(3): 195-7.
70992	Klingmann C, Gonnermann A, Dreyhaupt J, et al (2008). Decompression illness reported in a survey of 429 recreational divers. <i>Aviat Space Environ Med</i> , 79(2): 123-8.
37580	Klos R, Nishi R, Olszanski R (2002). Validation of diving decompression tables. <i>Int Marit Health</i> , 53(1-4): 77-92.
110360	Kluis L, Diaz-Artiles A (2021). Revisiting decompression sickness risk and mobility in the context of the SmartSuit, a hybrid planetary spacesuit. <i>NPJ Microgravity</i> , 7(1): 46.
27858	Knauth M, Ries S, Pohimann S, et al (1997). Cohort study of multiple brain lesions in sport divers: role of a patent foramen ovale. <i>BMJ</i> , 314(7082): 701-5.
40357	Koch AE, Kampen J, Tetzlaff K, et al (2004). Incidence of abnormal cerebral findings in the MRI of clinically healthy divers: role of a patent foramen ovale. <i>Undersea Hyperb Med</i> , 31(2): 261-8.
40358	Kohshi K, Wong RM, Abe H, et al (2005). Neurological manifestations in Japanese Ama divers. <i>Undersea Hyperb Med</i> , 32(1): 11-20.
110361	Kolesari GL, Kindwall EP (1982). Survival following accidental decompression to an altitude greater than 74,000 feet (22,555 m). <i>Aviat Space Environ Med</i> , 53(12): 1211-4.
110366	Kot J, Lenkiewicz E, Lizak E, et al (2021). Spinal cord decompression sickness in an inside attendant after a standard hyperbaric oxygen treatment session. <i>Diving Hyperb Med</i> , 51(1): 103-6.
110368	Kovacevic H, Markovic JF (2018). A unique case of a 70-hour decompression sickness latency. <i>Arh Hig Rada Toksikol</i> , 69(4): 350-3.
110370	Kulkarni AC (2017). Compressed air working in Chennai during metro tunnel construction: Occupational health problems. <i>Indian J Occup Environ Med</i> , 21(3): 105-8.
37516	Kumar KV, Billica RD (1995). [Comment] Classification of decompression sickness. <i>Aviat Space Environ Med</i> , 66(9): 912.
37514	Kumar KV, Waligora JM, Powell MR (1993). Epidemiology of decompression sickness under simulated space extravehicular activities. <i>Aviat Space Environ Med</i> , 64(11): 1032-9.
40490	Kuo DC, Jerrard DA (2003). Environmental insults: smoke inhalation, submersion, diving, and high altitude. <i>Emerg Med Clin North Am</i> , 21(2): 475-97.
40349	Laden GD, Grout P (2004). Aseptic bone necrosis in an amateur scuba diver. <i>Br J Sports Med</i> , 38(5): E19.
37429	Laden GD (1997). Patent foramen ovale and decompression illness in divers. <i>Lancet</i> , 349(9047): 288.
110371	Lafere P, Guerrero F, Germonpre P, et al (2021). Comparison of insulation provided by dry or wetsuits among recreational divers during cold water immersion (< 5°C). <i>Int Marit Health</i> , 72(3): 217-22.

110372	Lairez O, Cournot M, Minville V, et al (2009). Risk of neurological decompression sickness in the diver with a right-to-left shunt: literature review and meta-analysis. <i>Clin J Sport Med</i> , 19(3): 231-5.
40475	Lam TH, Yau KP (1992). Dysbaric osteonecrosis in a compressed air tunnelling project in Hong Kong. <i>Occup Med (London)</i> , 42(1): 23-9.
31659	Lauritsen LP, Pfitzner J (2003). Pressure breathing in fighter aircraft for G accelerations and loss of cabin pressurization at altitude--a brief review. <i>Can J Anaesth</i> , 50(4): 415-9.
110564	Lee CT (1999). Cerebral arterial gas embolism in air force ground maintenance crew--a report of two cases. <i>Aviat Space Environ Med</i> , 70(7): 698-700.
37483	Lee V, St Leger Dowse M, Edge C, et al (2003). Decompression sickness in women: a possible relationship with the menstrual cycle. <i>Aviat Space Environ Med</i> , 74(11): 1177-82.
40477	Leffler CT (2001). Effect of ambient temperature on the risk of decompression sickness in surface decompression divers. <i>Aviat Space Environ Med</i> , 72(5): 477-83.
40627	Leffler CT (2001). [Erratum] Effect of ambient temperature on the risk of decompression sickness in surface decompression divers. <i>Aviat Space Environ Med</i> , 72(7): 671. ID: 40477.
40514	Lehner CE, Adams WM, Dubielzig RR, et al (1997). Dysbaric osteonecrosis in divers and caisson workers. An animal model. <i>Clin Orthop Relat Res</i> , (344): 320-32.
71001	Lemaitre F, Fahlman A, Gardette B, et al (2009). Decompression sickness in breath-hold divers: a review. <i>J Sports Sci</i> , 27(14): 1519-34.
70932	Levett DZ, Millar IL (2008). Bubble trouble: a review of diving physiology and disease. <i>Postgrad Med J</i> , 84(997): 571-8.
37355	Lillo RS, Himm JF, Weathersby PK, et al (2002). Using animal data to improve prediction of human decompression risk following air-saturation dives. <i>J Appl Physiol</i> (1985), 93(1): 216-26.
110374	Lindfors OH, Lundell RV, Arola OJ, et al (2021). Inner ear decompression sickness in Finland: a retrospective 20-year multicenter study. <i>Undersea Hyperb Med</i> , 48(4): 399-408.
110375	Loveman GA, Seddon EM, Thacker JC, et al (2014). Submarine tower escape decompression sickness risk estimation. <i>Undersea Hyperb Med</i> , 41(4): 315-29.
110376	MacDonald RD, O'Donnell C, Allan GM, et al (2006). Interfacility transport of patients with decompression illness: literature review and consensus statement. <i>Prehosp Emerg Care</i> , 10(4): 482-7.
110742	Macmillan AJ (1995). Decompression sickness. <i>Aviation Medicine</i> , 23. Butterworth Heinemann, Oxford, United Kingdom.
37575	Madsen J, Hink J, Hyldegaard O (1994). Diving physiology and pathophysiology. <i>Clin Physiol</i> , 14(6): 597-626.
110378	Mahon RT, Regis DP (2014). Decompression and decompression sickness. <i>Compr Physiol</i> , 4(3): 1157-75.
110380	Mancini S, Crotty AM, Cook J (2018). Triage and treatment of mass casualty decompression sickness after depressurization at 6400 m. <i>Aerospace Med Hum Perform</i> , 89(12): 1085-8.
33763	McQueen D, Kent G, Murison A (1994). Self-reported long-term effects of diving and decompression illness in recreational scuba divers. <i>Br J Sports Med</i> , 28(2): 101-4.
110384	Medical Research Council (1971). Decompression sickness and aspetic necrosis of bone. Investigations carried out during and after the construction of the Tyne Road Tunnel (1962-66). Report of Decompression Sickness Panel, Medical Research Council. <i>Br J Ind Med</i> , 28(1): 1-21.

110386	Mendez-Dominguez N, Huchim-Lara O, Chin W, et al (2018). Body mass index in association with decompression sickness events: cross-sectional study among small-scale fishermen-divers in southeast Mexico. <i>Undersea Hyperb Med</i> , 45(4): 445-51.
110389	Mitchell SJ (2019). DCS or DCI? The difference and why it matters. <i>Diving Hyperb Med</i> , 49(3): 152-3.
110390	Mitchell SJ, Bennett MH, Moon RE (2022). Decompression sickness and arterial gas embolism. <i>N Engl J Med</i> , 386(13): 1254-64.
110388	Mitchell SJ, Bennett MH, Bryson P, et al (2018). Consensus guideline: Pre-hospital management of decompression illness: expert review of key principles and controversies. <i>Undersea Hyperb Med</i> , 45(3): 273-86.
40511	Miyanishi K, Kamo Y, Ihara H, et al (2006). Risk factors for dysbaric osteonecrosis. <i>Rheumatology (Oxford)</i> , 45(7): 855-8.
37334	Molenat F, Boussuges A (2002). Operation Everest III (Comex'97): altitude-induced decompression sickness during a hypobaric chamber experiment: necessity for circulating venous gas emboli monitoring for the investigators. <i>Chest</i> , 121(1): 173-7.
40359	Moon RE (1997). Classification of the decompression disorders: time to accept reality. <i>Undersea Hyperb Med</i> , 24(1): 2-4.
37348	Moon RE, Vann RD, Bennett PB (1995). The physiology of decompression illness. <i>Sci Am</i> , 273(2): 70-7.
40353	Moore MJ, Early GA (2004). Cumulative sperm whale bone damage and the bends. <i>Science</i> , 306(5705): 2215.
63004	Morgagni F, Autore A, Landolfi A, et al (2010). Altitude chamber related adverse effects among 1241 airmen. <i>Aviat Space Environ Med</i> , 81(9): 873-7.
28193	Mork SJ, Morild I, Brubakk AO, et al (1994). A histopathologic and immunocytochemical study of the spinal cord in amateur and professional divers. <i>Undersea Hyperb Med</i> , 21(4): 391-402.
110393	Motes A, Laooveravat P, Thongtan T, et al (2020). Marijuana use-induced spontaneous pneumomediastinum. <i>Proc (Bayl Univ Med Cent)</i> , 34(2): 274-5.
37479	Muehlberger PM, Pilmanis AA, Webb JT, et al (2004). Altitude decompression sickness symptom resolution during descent to ground level. <i>Aviat Space Environ Med</i> , 75(6): 496-9.
110394	Murray DH, Pilmanis AA, Blue RS, et al (2013). Pathophysiology, prevention, and treatment of ebullism. <i>Aviat Space Environ Med</i> , 84(2): 89-96.
33508	Murrison A, Glasspool E, Francis J, et al (1995). Somatosensory evoked potentials in acute neurological decompression illness. <i>J Neurol</i> , 242(10): 669-76.
27476	Murrison AW, Glasspool E, Pethybridge RJ, et al (1994). Neurophysiological assessment of divers with medical histories of neurological decompression illness. <i>Occup Environ Med</i> , 51(11): 730-4.
37425	Muth CM, Ehrmann U, Radermacher P (2005). Physiological and clinical aspects of apnea diving. <i>Clin Chest Med</i> , 26(3): 381-94, v.
37428	Nakayama H, Shibayama M, Yamami N, et al (2003). Decompression sickness and recreational scuba divers. <i>Emerg Med J</i> , 20(4): 332-4.
37466	Nakayama H, Smerz RW (2003). Descriptive epidemiological analysis of diving accidents in Hawaii from 1983 to 2001. <i>Hawaii Med J</i> , 62(8): 165-70.
40565	NASA (1965). Atmosphere. Retrieved 17 August 2006, from http://www.hq.nasa.gov/office/hqlibrary/aerospacedictionary/508/a.html
110395	National Library of Medicine (2022). Decompression sickness. Retrieved 2 March 2023, from https://www.ncbi.nlm.nih.gov/mesh/?term=decompression+sickness

37332	Neuman TS (2002). Arterial gas embolism and decompression sickness. <i>News Physiol Sci</i> , 17: 77-81.
37352	Newton HB (2001). Neurologic complications of scuba diving. <i>Am Fam Physician</i> , 63(11): 2211-8.
37343	Nikolaev VP (2002). Cumulative probability of decompression sickness. <i>Dokl Biol Sci</i> , 386: 395-9.
40344	Nikolaev VP (2004). Probabilistic model of decompression sickness based on stochastic models of bubbling in tissues. <i>Aviat Space Environ Med</i> , 75(7): 603-10.
110396	Ninokawa S, Nordham K (2021). Discovery of caisson disease: a dive into the history of decompression sickness. <i>Proc (Bayl Univ Med Cent)</i> , 35(1): 129-32.
40515	Ota Y, Matsunaga H (1974). Bone lesions in divers. <i>J Bone Joint Surg Br</i> , 56(1): 3-16.
110397	Okalyi Z (1969). Occupational mortality and morbidity among divers in the Torres Straits. <i>Med J Aust</i> , 1(24): 1239-42.
110398	ONeill OJ, Haftel A, Murphy-Lavoie HM (2022). Hyperbaric treatment of compressed air workers, caissons, tunneling, bounce diving, and saturation diving. Retrieved 2 March 2023, from https://www.ncbi.nlm.nih.gov/books/NBK542203/
40513	Ozdoba C, Weis J, Plattner T, et al (2005). Fatal scuba diving incident with massive gas embolism in cerebral and spinal arteries. <i>Neuroradiology</i> , 47(6): 411-6.
110399	Ozgul HA, Peker A, Basara Akin I, et al (2021). Retroperitoneal extensive free air bubbles due to decompression illness. <i>Ulus Travma Acil Cerrahi Derg</i> , 27(1): 151-3.
37347	Ozturk C, Sen A, Akin A, et al (2004). Cardiac decompression sickness after hypobaric chamber training: case report of a coronary gas embolism. <i>Anadolu Kardiyol Derg</i> , 4(3): 256-8.
110400	Parker EC, Ball R, Tibbles PM, et al (2000). Escape from a disabled submarine: decompression sickness risk estimation. <i>Aviat Space Environ Med</i> , 71(2): 109-14.
37342	Parker EC, Survanshi SS, Massell PB, et al (1998). Probabilistic models of the role of oxygen in human decompression sickness. <i>J Appl Physiol</i> (1985), 84(3): 1096-102.
110401	Patrician A, Dujic I, Spajic B, et al (2021). Breath-hold diving - The physiology of diving deep and returning. <i>Front Physiol</i> , 12: 639377.
110424	Perez MF, Ongkeko Perez JV, Serrano AR, et al (2017). Delayed hyperbaric intervention in life-threatening decompression illness. <i>Diving Hyperb Med</i> , 47(4): 257-9.
37480	Pickard BJ (2003). Altitude decompression sickness in a pilot wearing a pressure suit above 70,000 feet. <i>Aviat Space Environ Med</i> , 74(4): 357-9.
37476	Pilmanis AA, Olson RM, Fischer MD, et al (1999). Exercise-induced altitude decompression sickness. <i>Aviat Space Environ Med</i> , 70(1): 22-9.
37454	Pilmanis AA, Petropoulos LJ, Kannan N, et al (2004). Decompression sickness risk model: development and validation by 150 prospective hypobaric exposures. <i>Aviat Space Environ Med</i> , 75(9): 749-59.
37335	Pilmanis AA, Sears WJ (2003). Physiological hazards of flight at high altitude. <i>Lancet</i> , 362(Suppl): s16-7.
37464	Pilmanis AA, Webb JT, Kannan N, et al (2002). The effect of repeated altitude exposures on the incidence of decompression sickness. <i>Aviat Space Environ Med</i> , 73(6): 525-31.
37481	Pilmanis AA, Webb JT, Kannan N, et al (2003). The risk of altitude decompression sickness at 12,000 m and the effect of ascent rate. <i>Aviat Space Environ Med</i> , 74(10): 1052-7.

110425	Piwinski SE, Mitchell RA, Goforth GA, et al (1986). A blitz of bends: decompression sickness in four students after hypobaric chamber training. <i>Aviat Space Environ Med</i> , 57(6): 600-2.
37471	Pollard AJ, Pollard RC (1994). Decompression sickness on mountains. <i>J R Coll Physicians Lond</i> , 28(1): 88-9.
110426	Pollock NW, Buteau D (2017). Updates in decompression illness. <i>Emerg Med Clin North Am</i> , 35(2): 301-19.
37482	Pollock NW, Natoli MJ, Gerth WA, et al (2003). Risk of decompression sickness during exposure to high cabin altitude after diving. <i>Aviat Space Environ Med</i> , 74(11): 1163-8.
110427	Posselt BN, Hodkinson PD (2019). Aviation medicine considerations in parachuting operations. <i>J R Army Med Corps</i> , 165(6): 455.
110428	Pougnet R, Henckes A, Pougnet L, et al (2015). Occupational accidents among attendants inside hyperbaric chambers in France. <i>Med Lav</i> , 106(1): 17-22.
89145	Pougnet R, Pougnet L, Lucas D, et al (2018). Health effects of hyperbaric exposure on chamber attendants: a literature review. <i>Int Marit Health</i> , 69(1): 58-62.
110429	Puri C, Rhee K, Harish VK, et al (2021). Marijuana induced spontaneous pneumomediastinum. <i>J Community Hosp Intern Med Perspect</i> , 11(4): 516-7.
110430	Querido AL (2017). Diving and antidepressants. <i>Diving Hyperb Med</i> , 47(4): 253-6.
110431	Reid MP, Fock A, Doolette DJ (2017). Decompressing recompression chamber attendants during Australian submarine rescue operations. <i>Diving Hyperb Med</i> , 47(3): 168-72.
110432	Reid MP, Fock A, Doolette DJ (2017). Decompressing rescue personnel during Australian submarine rescue operations. <i>Diving Hyperb Med</i> , 47(3): 159-67.
8067	Reul J, Weis J, Jung A, et al (1995). Central nervous system lesions and cervical disc herniations in amateur divers. <i>Lancet</i> , 345(8962): 1403-5.
38151	Reuter M, Tetzlaff K, Hutzemann A, et al (1997). MR imaging of the central nervous system in diving-related decompression illness. <i>Acta Radiol</i> , 38(6): 940-4.
38226	Rice GM, Moore JL Jr (2005). Type II decompression sickness in naval hypobaric chambers: A case of mistaken identity? <i>Aviat Space Environ Med</i> , 76(9): 841-6.
40521	Rinck PA, Svhuis R, de Francisco P (1991). MR imaging of the central nervous system in divers. <i>J Magn Reson Imaging</i> , 1(3): 293-9.
110433	Risberg J (2021). Acclimatization to diving: a systematic review. <i>Undersea Hyperb Med</i> , 48(2): 127-47.
110434	Robinson T, Evangelista JS 3rd, Latham E, et al (2016). Recurrence of neurological deficits in an F/A-18D pilot following loss of cabin pressure at altitude. <i>Aerospace Med Hum Perform</i> , 87(8): 740-4.
33713	Rostain JC, Gardette-Chauffour MC, Lemaire C, et al (1988). Effects of a H ₂ -He-O ₂ mixture on the HPNS up to 450 msw. <i>Undersea Biomed Res</i> , 15(4): 257-70.
37517	Ryles MT, Pilmanis AA (1996). The initial signs and symptoms of altitude decompression sickness. <i>Aviat Space Environ Med</i> , 67(10): 983-9.
110439	Saadi A, Ferenczi EA, Reda H (2019). Spinal decompression sickness in an experienced scuba diver: A case report and review of literature. <i>Neurohospitalist</i> , 9(4): 235-8.
37465	Saary MJ, Gray GW (2001). A review of the relationship between patent foramen ovale and type II decompression sickness. <i>Aviat Space Environ Med</i> , 72(12): 1113-20.
40410	Sallusti R, Ferrau S, Lozano Valdes, et al (2001). Altitude decompression sickness. Case presentation. <i>Minerva Anestesiolog</i> , 67(10): 737-43.

110441	Sanchez-Villalobos JM, Fortuna-Alcaraz ML, Serrano-Velasco L, et al (2022). Breath-hold diving-related decompression sickness with brain involvement: From neuroimaging to pathophysiology. <i>Tomography</i> , 8(3): 1172-83.
33574	Sander HW (1999). Mononeuropathy of the medial branch of the deep peroneal nerve in a scuba diver. <i>J Peripher Nerv Syst</i> , 4(2): 134-7.
110443	Savioli G, Alfano C, Zanza C, et al (2022). Dysbarism: An overview of an unusual medical emergency. <i>Medicina (Kaunas)</i> , 58(1): 104.
110445	Scarpa A, Ralli M, De Luca P, et al (2021). Inner ear disorders in SCUBA divers: A review. <i>J Int Adv Otol</i> , 17(3): 260-4.
71002	Schipke JD, Gams E, Kallweit O (2006). Decompression sickness following breath-hold diving. <i>Res Sports Med</i> , 14(3): 163-78.
38308	Schrantz WF, Goral A, Bosse M, et al (1993). Dysbaric osteonecrosis of the femoral diaphysis. <i>Mil Med</i> , 158(5): 352-5.
110447	Schwarte LA, van der Werf HJ, Ridderikhof ML, et al (2022). Exceptional survival of an airplane stowaway, treated successfully with hyperbaric oxygen. <i>Am J Emerg Med</i> , 59: 215.e7-9.
37359	Schwerzmann M, Seiler C, Lipp E, et al (2001). Relation between directly detected patent foramen ovale and ischemic brain lesions in sport divers. <i>Ann Intern Med</i> , 134(1): 21-4.
37424	Schwerzmann M, Seiler C (2001). Recreational scuba diving, patent foramen ovale and their associated risks. <i>Swiss Med Wkly</i> , 131(25-26): 365-74.
37472	Sheridan RL, Shank ES (1999). Hyperbaric oxygen treatment: a brief overview of a controversial topic. <i>J Trauma</i> , 47(2): 426-35.
110448	Sherrier D, Lizardo RE (2020). Spontaneous pneumopericardium in a U.S. marine: Do not lose heart. <i>Mil Med</i> , 185(3-4): e518-e21.
40485	Shinoda S, Hasegawa Y, Kawasaki S, et al (1997). Magnetic resonance imaging of osteonecrosis in divers: comparison with plain radiographs. <i>Skeletal Radiol</i> , 26(6): 354-9.
110446	Siewiera J, Szalanski P, Tomaszewski D, et al (2020). High-altitude decompression sickness treated with hyperbaric therapy and extracorporeal oxygenation. <i>Aerospace Med Hum Perform</i> , 91(2): 106-9.
110451	Singla M, Potocko J, Sanstead J, et al (2012). Ooh-rah! An unusual cause of spontaneous pneumomediastinum. <i>Mil Med</i> , 177(11): 1396-8.
40348	Sipinen SA, Ahovuo J, Halonen JP (1999). Electroencephalography and magnetic resonance imaging after diving and decompression incidents: a controlled study. <i>Undersea Hyperb Med</i> , 26(2): 61-5.
110452	Slaughter JM Jr, Roppolo L (2017). "Screaming your lungs out!" A case of boy band-induced pneumothorax, Pneumomediastinum, and pneumoretropharyngeum. <i>J Emerg Med</i> , 53(5): 762-4.
40375	Slosman DO, De Ribaupierre S, Chicherio C, et al (2004). Negative neurofunctional effects of frequency, depth and environment in recreational scuba diving: the Geneva "memory dive" study. <i>Br J Sports Med</i> , 38(2): 108-14.
40240	Smerz R (2005). Epidemiology and treatment of decompression illness in children and adolescents in Hawaii, 1983-2003. <i>SPUM</i> , 35(1): 5-10.
41427	Sphar RL, Hunter WL, Viersner RJ, et al (1977). Aseptic bone necrosis in US Navy divers prevalence and associated factors. <i>Med Aero Spat Med Subaq Hyp</i> , 64: 402-4.
33602	Spira A (1999). Diving and marine medicine review part II: diving diseases. <i>J Travel Med</i> , 6(3): 180-98.
37463	St Leger Dowse M, Bryson P, Gunby A, et al (2002). Comparative data from 2250 male and female sports divers: diving patterns and decompression sickness. <i>Aviat Space Environ Med</i> , 73(8): 743-9.
37360	Strauss MB, Borer RC Jr (2001). Diving medicine: contemporary topics and their controversies. <i>Am J Emerg Med</i> , 19(3): 232-8.

37518	Sulaiman ZM, Pilmanis AA, O'Connor RB (1997). Relationship between age and susceptibility to altitude decompression sickness. <i>Aviat Space Environ Med</i> , 68(8): 695-8.
110453	Sun Q, Gao G (2017). Decompression sickness. <i>N Engl J Med</i> , 377(16): 1568.
110454	Sundal E, Lygre SH, Irgens A, et al (2022). Long-term neurological sequelae after decompression sickness in retired professional divers. <i>J Neurol Sci</i> , 434: 120181.
110455	Suzuki N, Yagishita K, Togawa S, et al (2014). A case-control study evaluating relative risk factors for decompression sickness: a research report. <i>Undersea Hyperb Med</i> , 41(6): 521-30.
110456	Suzuki N, Yagishita K, Enomoto M, et al (2018). A case-control questionnaire survey of decompression sickness risk in Okinawa divers. <i>Undersea Hyperb Med</i> , 45(1): 41-8.
110457	Svendsen Juhl C, Hedetoft M, Bidstrup D, et al (2016). Decompression illness treated in Denmark 1999-2013. <i>Diving Hyperb Med</i> , 46(2): 87-91.
37353	Sykes JJ (1994). Medical aspects of scuba diving. <i>BMJ</i> , 308(6942): 1483-8.
33596	Taylor DM, O'Toole KS, Ryan CM (2003). Experienced scuba divers in Australia and the United States suffer considerable injury and morbidity. <i>Wilderness Environ Med</i> , 14(2): 83-8.
33699	Taylor GN (2000). Cases from the aerospace medicine residents' teaching file. Decompression sickness. <i>Aviat Space Environ Med</i> , 71(12): 1252-3.
27470	Tetzlaff K, Friege L, Hutzelmann A, et al (1999). Magnetic resonance signal abnormalities and neuropsychological deficits in elderly compressed-air divers. <i>Eur Neurol</i> , 42(4): 194-9.
39927	Tetzlaff K, Reuter M, Leplow B, et al (1997). Risk factors for pulmonary barotrauma in divers. <i>Chest</i> , 112(3): 654-9.
39928	Tetzlaff K, Thorsen E (2005). Breathing at depth: physiologic and clinical aspects of diving while breathing compressed gas. <i>Clin Chest Med</i> , 26(3): 355-80, v.
40265	The Undersea and Hyperbaric Medicine Society (2003). [Comment] High-altitude decompression illness: case report and discussion. <i>CMAJ</i> , 169(11): 1149.
110741	Tikuisis P, Gerth WA (2003). Decompression theory. <i>Bennett and Elliot's Physiology and Medicine of Diving</i> , 5th Edition, 419. Saunders, Edinburgh.
33700	Todnem K, Knudsen G, Riise T, et al (1989). Nerve conduction velocity in man during deep diving to 360 msw. <i>Undersea Biomed Res</i> , 16(1): 31-40.
33698	Todnem K, Nyland H, Riise T, et al (1990). Analysis of neurologic symptoms in deep diving: implications for selection of divers. <i>Undersea Biomed Res</i> , 17(2): 95-107.
33782	Todnem K, Nyland H, Skeidsvoll H, et al (1991). Neurological long term consequences of deep diving. <i>Br J Ind Med</i> , 48(4): 258-66.
33781	Todnem K, Nyland H, Kampestad BK, et al (1990). Influence of occupational diving upon the nervous system: an epidemiological study. <i>Br J Ind Med</i> , 47(10): 708-14.
40345	Toklu AS, Cimsit M (2001). Dysbaric osteonecrosis in Turkish sponge divers. <i>Undersea Hyperb Med</i> , 28(2): 83-8.
110458	Torp KD, Murphy-Lavoie HM (2022). Return to diving. Retrieved 6 March 2023, from https://www.ncbi.nlm.nih.gov/books/NBK500022/
37337	Torti SR, Billinger M, Schwerzmann M, et al (2004). Risk of decompression illness among 230 divers in relation to the presence and size of patent foramen ovale. <i>Eur Heart J</i> , 25(12): 1014-20.

70983	Tourigny PD, Hall C (2012). Diagnosis and management of environmental thoracic emergencies. <i>Emerg Med Clin North Am</i> , 30(2): 501-28, x.
38589	Tripodi D, Dupas B, Potiron M, et al (2004). Brain magnetic resonance imaging, aerobic power, and metabolic parameters among 30 asymptomatic scuba divers. <i>Int J Sports Med</i> , 25(8): 575-81.
110459	Tso JV, Powers JM, Kim JH (2022). Cardiovascular considerations for scuba divers. <i>Heart</i> , 108(14): 1084-9.
109816	Tuominen LJ, Sokolowski S, Lundell RV, et al (2022). Decompression illness in Finnish technical divers: a follow-up study on incidence and self-treatment. <i>Diving Hyperb Med</i> , 52(2): 78-84.
110467	U.S. Navy (2011). U.S. Navy Diving Manual. Revision 7. Retrieved 6 March 2023, from https://www.navsea.navy.mil/Portals/103/Documents/SUPSLV/Diving/US%20DIVING%20MANUAL_REV7.pdf?ver=2017-01-11-102354-393
33696	Vaernes RJ, Bergan T, Warncke M (1988). HPNS effects among 18 divers during compression to 360 msw on heliox. <i>Undersea Biomed Res</i> , 15(4): 241-55.
33697	Vaernes RJ, Klove H, Ellertsen B (1989). Neuropsychologic effects of saturation diving. <i>Undersea Biomed Res</i> , 16(3): 233-51.
40498	Van Blarcom ST, Czarnecki DJ, Fueredi GA, et al (1990). Does dysbaric osteonecrosis progress in the absence of further hyperbaric exposure? A 10-year radiologic follow-up of 15 patients. <i>AJR Am J Roentgenol</i> , 155(1): 95-7.
37354	Van Liew HD, Flynn ET (2005). Decompression tables and dive-outcome data: graphical analysis. <i>Undersea Hyperb Med</i> , 32(4): 187-98.
40347	Van Liew HD, Flynn ET (2005). Probability of decompression sickness in no-stop air diving and subsaturation diving. <i>Undersea Hyperb Med</i> , 32(5): 375-90.
110460	van Ooij PJ (2018). Decompression sickness, fatness and active hydrophobic spots. <i>Diving Hyperb Med</i> , 48(3): 130-1.
70984	Vann RD, Butler FK, Mitchell SJ, et al (2010). Decompression illness. <i>Lancet</i> , 377(9760): 153-64.
37418	Vann RD, Gerth WA, Denoble PJ, et al (2004). Experimental trials to assess the risks of decompression sickness in flying after diving. <i>Undersea Hyperb Med</i> , 31(4): 431-44.
71003	Vann RD, Moon RE, Freiberger JJ, et al (2008). Decompression illness diagnosis and decompression study design. <i>Aviat Space Environ Med</i> , 79(8): 797-8.
40564	Vogt L, Wenzel J, Skoog AI, et al (1991). European EVA decompression sickness risks. <i>Acta Astronaut</i> , 23: 195-205.
37477	Webb JT, Balldin UI, Pilmanis AA (1993). Prevention of decompression sickness in current and future fighter aircraft. <i>Aviat Space Environ Med</i> , 64(11): 1048-50.
110461	Webb JT, Beckstrand DP, Pilmanis AA, et al (2005). Decompression sickness during simulated extravehicular activity: ambulation vs. non-ambulation. <i>Aviat Space Environ Med</i> , 76(8): 778-81.
37461	Webb JT, Kannan N, Pilmanis AA (2003). Gender not a factor for altitude decompression sickness risk. <i>Aviat Space Environ Med</i> , 74(1): 2-10.
37462	Webb JT, Krause KM, Pilmanis AA, et al (2001). The effect of exposure to 35,000 ft on incidence of altitude decompression sickness. <i>Aviat Space Environ Med</i> , 72(6): 509-12.
71004	Webb JT, Krock LP, Gernhardt ML (2010). Oxygen consumption at altitude as a risk factor for altitude decompression sickness. <i>Aviat Space Environ Med</i> , 81(11): 987-92.

71005	Webb JT, Pilmanis AA (2011). Fifty years of decompression sickness research at Brooks AFB, TX: 1960-2010. <i>Aviat Space Environ Med</i> , 82(Suppl 5): A1-25.
37451	Webb JT, Pilmanis AA, Balldin UI (2004). Altitude decompression sickness at 7620 m following prebreathe enhanced with exercise periods. <i>Aviat Space Environ Med</i> , 75(10): 859-64.
37448	Webb JT, Pilmanis AA (2005). Altitude decompression sickness between 6858 and 9144 m following a 1-h prebreathe. <i>Aviat Space Environ Med</i> , 76(1): 34-8.
37447	Webb JT, Pilmanis AA, Balldin UI, et al (2005). Altitude decompression sickness susceptibility: influence of anthropometric and physiologic variables. <i>Aviat Space Environ Med</i> , 76(6): 547-51.
37419	West JB (2004). Paralysis and blindness during a balloon ascent to high altitude. <i>High Alt Med Biol</i> , 5(4): 453-6.
40241	Westin AA, Asvall J, Idrovo G, et al (2005). Diving behaviour and decompression sickness among Galapagos underwater harvesters. <i>Undersea Hyperb Med</i> , 32(3): 175-84.
40478	Williamson AM, Clarke B, Edmonds C (1987). Neurobehavioural effects of professional abalone diving. <i>Br J Ind Med</i> , 44(7): 459-66.
37468	Wilmshurst P (1994). Medical aspects of scuba diving. Decompression sickness may be due to paradoxical embolism. <i>BMJ</i> , 309(6950): 340.
27860	Wilmshurst P (1997). Brain damage in divers. <i>BMJ</i> , 314(7082): 689-90.
37349	Wilmshurst P (1998). Cardiovascular problems in divers. <i>Heart</i> , 80(6): 537-8.
38153	Wilmshurst P (2004). Large right-to-left shunts are associated with both spinal and cerebral decompression illness. <i>Crit Care Med</i> , 32(9): 1983; author reply 1983.
110463	Wilmshurst P (2019). Risk mitigation in divers with persistent (patent) foramen ovale. <i>Diving Hyperb Med</i> , 49(2): 77-8.
37338	Wilmshurst P, Bryson P (2000). Relationship between the clinical features of neurological decompression illness and its causes. <i>Clin Sci (Lond)</i> , 99(1): 65-75.
8068	Wilmshurst P, Edge CJ, Bryson P (1995). [Comment] Long-term adverse effects of scuba diving. <i>Lancet</i> , 346(8971): 384.
110462	Wilmshurst PT (2015). The role of persistent foramen ovale and other shunts in decompression illness. <i>Diving Hyperb Med</i> , 45(2): 98-104.
40479	Wilmshurst P, Ross K (1998). Dysbaric osteonecrosis of the shoulder in a sport scuba diver. <i>Br J Sports Med</i> , 32(4): 344-5. [Abstract]
109815	Wirjosemito SA, Touhey JE, Workman WT (1989). Type II altitude decompression sickness (DCS): U.S. Air Force experience with 133 cases. <i>Aviat Space Environ Med</i> , 60(3): 256-62.
71056	Witucki P, Duchnick J, Neuman T, et al (2013). Incidence of DCS and oxygen toxicity in chamber attendants: a 28-year experience. <i>Undersea Hyperb Med</i> , 40(4): 345-50.
40567	Wolfe CJ, Taylor-Butler KL (2000). Avascular necrosis. A case history and literature review. <i>Arch Fam Med</i> , 9(3): 291-4.
37513	Worf N (2002). Scuba-diving injuries. <i>Emerg Med Serv</i> , 31(10): 147-9.
110468	WorkSafe Queensland (2023). Decompression management. Retrieved 7 March 2023, from https://www.worksafe.qld.gov.au/safety-and-prevention/hazards/workplace-hazards/diving-and-snorkelling/decompression-diving
110465	Xu W, Liu W, Huang G, et al (2012). Decompression illness: clinical aspects of 5278 consecutive cases treated in a single hyperbaric unit. <i>PLoS One</i> , 7(11): e50079.
40625	Xue HL (1988). Dysbaric osteonecrosis and its radiographic classification in China. <i>Undersea Biomed Res</i> , 15(5): 389-95.

38227	Yanagawa Y, Okada Y, Terai C, et al (1998). MR imaging of the central nervous system in divers. <i>Aviat Space Environ Med</i> , 69(9): 892-5.
27859	Yates PO (1997). [Comment] Brain damage in divers. The risk has been underestimated. <i>BMJ</i> , 314(7096): 1761; author reply: 1761-2.
40398	Yildiz S, Cimsit C, Toklu AS, et al (2004). Dysbaric osteonecrosis screening in submarine escape instructors. <i>Aviat Space Environ Med</i> , 75(8): 673-5.
110466	Zhang JX, Berry JR, Beckstrand DP (2016). Explosive decompression with resultant air gas embolism is a fourth generation fighter at ground level. <i>Aerospace Med Hum Perform</i> , 87(11): 963-7.
40626	Zhang LD, Kang JF, Xue HL (1990). Distribution of lesions in the head and neck of the humerus and the femur in dysbaric osteonecrosis. <i>Undersea Biomed Res</i> , 17(4): 353-8.
37358	Zorpette G (1997). Flying and the bends. <i>Sci Am</i> , 277(3): 22, 24.