



## DIABETES MELLITUS

RMA ID Number	Reference List for RMA086-15 as at June 2020
---------------	--

58633	Aarnisalo J, Veijola R, Vainionpaa R, et al (2008). Cytomegalovirus infection in early infancy: risk of induction and progression of autoimmunity associated with type 1 diabetes. <i>Diabetologia</i> , 51(5): 769-72.
93602	Abdullah A, Peeters A, de Courten M, et al (2010). The magnitude of association between overweight and obesity and the risk of diabetes: A meta-analysis of prospective cohort studies. <i>Diabet Res Clin Pract</i> , 89(3): 309-19.
2643	Abu-Bakare A, Gill GV, Taylor R, et al (1986). Tropical or Malnutrition-Related Diabetes: A Real Syndrome? <i>Lancet</i> , 1(8490): 135-8.
93603	Abud R, Salgueiro M, Drake L, et al (2019). Efficacy of continuous positive airway pressure (CPAP) preventing type 2 diabetes mellitus in patients with obstructive sleep apnea hypopnea syndrome (OSAHS) and insulin resistance: a systematic review and meta-analysis. <i>Sleep Med</i> , 62: 14-21.
58580	Access Medicine (2008). Diabetes mellitus. Chapter 338, Retrieved 22 September 2010, from <a href="http://proxy14.use.hcn.com.au/popup.aspx?alID=2891139&amp;print=yes_chapter">http://proxy14.use.hcn.com.au/popup.aspx?alID=2891139&amp;print=yes_chapter</a>
58424	Adams LA, Waters OR, Knuiman MW, et al (2009). NAFLD as a risk factor for the development of diabetes and the metabolic syndrome: an eleven-year follow-up study. <i>Am J Gastroenterol</i> , 104(4): 861-7.
57570	Afridi HI, Kazi TG, Kazi N, et al (2008). Evaluation of status of toxic metals in biological samples of diabetes mellitus patients. <i>Diabet Res Clin Pract</i> , 80(2): 280-8.
71257	Agyemang C, Goosen S, Anujoo K, et al (2012). Relationship between post-traumatic stress disorder and diabetes among 105,180 asylum seekers in the Netherlands. <i>Eur J Public Health</i> , 22(5): 658-62.
26614	Ajani UA, Hennekens CH, Spelsberg A, et al (2000). Alcohol consumption and risk of type 2 diabetes mellitus among US male physicians. <i>Arch Intern Med</i> , 160(7): 1025-30.
15199	Ajlouni K, Jaddou H, Batieha A (1998). Diabetes and impaired glucose tolerance in Jordan: prevalence and associated risk factors. <i>J Intern Med</i> , 244(4): 317-23.
29572	Akbar DH (2003). Diabetes mellitus and viral hepatitis: the unsolved mystery. <i>Acta Diabetol</i> , 40(2): 77-9.
93604	Akter S, Goto A, Mizoue T (2017). Smoking and the risk of type 2 diabetes in Japan: A systematic review and meta-analysis. <i>J Epidemiol</i> , 27(12): 553-61.
56857	Al Lawati NM, Patel SR, Ayas NT (2009). Epidemiology, risk factors, and consequences of obstructive sleep apnea and short sleep duration. <i>Prog Cardiovasc Dis</i> , 51(4): 285-93.
56855	Alaei M, Negro F (2008). Hepatitis C virus and glucose and lipid metabolism. <i>Diabetes Metab</i> , 34(6 Pt 2): 692-700.

93607	Al-Ahmadi, Ahmed N (2008). Outcomes after pancreatic trauma: experience at a single institution. <i>Can J Surg</i> , 51(2): 118-24.
15450	Albanese RA (1991). The chemical 2,3,7,8-tetrachlorodibenzo-p-dioxin and U.S. Army Vietnam-era Veterans. <i>Chemosphere</i> , 22(5-6): 597-603.
71466	Albert SG, Grossberg GT, Thaipisuttikul PJ, et al (2009). Atypical antipsychotics and the risk of diabetes in an elderly population in long-term care: a retrospective nursing home chart review study. <i>J Am Med Dir Assoc</i> , 10(2): 115-9.
13938	Alberti KG, Zimmet PZ (1998). Definition, diagnosis and classification of diabetes mellitus and its complications. Part 1: Diagnoses and classification of diabetes mellitus. Provisional report of a WHO consultation. <i>Diabet Med</i> , 15(7): 539-53.
57561	Albertsen PC (2010). [Comment] Does the benefit justify the risk? <i>J Natl Cancer Inst</i> , 102(1): 4-5. Comment on ID: 57560.
75257	Albertsen PC, Klotz L, Tombal B, et al (2014). Cardiovascular morbidity associated with gonadotropin releasing hormone agonists and an antagonist. <i>Eur Urol</i> , 65(3): 565-73.
56863	Alderman MH (2008). New onset diabetes during antihypertensive therapy. <i>Am J Hypertens</i> , 21(5): 493-9.
28711	AlDosary AA, Ramji AS, Elliott TG, et al (2002). Post-liver transplantation diabetes mellitus: an association with hepatitis C. <i>Liver Transpl</i> , 8(4): 356-61.
58309	Alibegovic AC, Sonne MP, Hojbjerre L, et al (2010). Insulin resistance induced by physical inactivity is associated with multiple transcriptional changes in skeletal muscle in young men. <i>Am J Physiol Endocrinol Metab</i> , 299(5): E752-63.
76022	Allan CA, Collins VR, Frydenberg M, et al (2014). Androgen deprivation therapy complications. <i>Endocr Relat Cancer</i> , 21(4): T119-29.
15106	al-Mahroos F, McKeigue PM (1998). High prevalence of diabetes in Bahrainis. Associations with ethnicity and raised plasma cholesterol. <i>Diabetes Care</i> , 21(6): 936-42.
74573	Alonso-Magdalena P, Quesada I, Nadal A (2011). Endocrine disruptors in the etiology of type 2 diabetes mellitus. <i>Nat Rev Endocrinol</i> , 7(6): 346-53.
76091	Alshaarawy O, Elbaz HA (2015). Serum cotinine levels and diabetes mellitus in never smokers. <i>J Diabetes Complications</i> , 29(8): 1032-6.
43833	Altobelli E, Petrocelli R, Verrotti A, et al (2003). Infections and risk of type I diabetes in childhood: A population-based case-control study. <i>Eur J Epidemiol</i> , 18(5): 425-30.
56966	Amarapurkar DN, Choksi M (2007). Genotype III - HCV infection. <i>Trop Gastroenterol</i> , 28(2): 58-63.
71356	Amed S, Dean H, Sellers EA, et al (2011). Risk factors for medication-induced diabetes and type 2 diabetes. <i>J Pediatr</i> , 159(2): 291-6.
93606	American Diabetes Association (2018). 2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2018. <i>Diabetes Care</i> , 41(Supp 1): S13-27.
15062	Amini M, Afshin-Nia F, Bashardoust N, et al (1997). Prevalence and risk factors of diabetes mellitus in the Isfahan city population (aged 40 or over) in 1993. <i>Diabetes Res Clin Pract</i> , 38(3): 185-90.
52864	Anderson RJ, Grigsby AB, Freedland K, et al (2002). Anxiety and poor glycemic control: A meta-analytic review of the literature. <i>Int J Psychiatry Med</i> , 32(3): 235-47.
71258	Andrade SE, Lo JC, Roblin D, et al (2011). Antipsychotic medication use among children and risk of diabetes mellitus. <i>Pediatrics</i> , 128(6): 1135-41.
43884	Andreolelli L, Hober D, Hober-Vandenbergh C, et al (1998). Coxsackie B virus infection and B cell autoantibodies in newly diagnosed IDDM adult patients. <i>Clin Diagn Virol</i> , 9(2-3): 125-33.

2670	Anon (1994). Guide to the Assessment of Rates of Veterans' Pensions. Guide to the Assessment of Rates of Veterans' Pensions, 4th Edition, 10-7. Australian Government Publishing Service, Canberra.
93609	Anothaisintawee T, Reutrakul S, Van Cauter E, et al (2016). Sleep disturbances compared to traditional risk factors for diabetes development: Systematic review and meta-analysis. <i>Sleep Med Rev</i> , 30: 11-24.
76025	Ansari MA, Dhar M, Spieker S, et al (2004). Modulation of diabetes with gonadotropin-releasing hormone antagonists in the nonobese mouse model of autoimmune diabetes. <i>Endocrinology</i> , 145(1): 337-42.
93610	Antonelli A, Ferrari SM, Giuggioli D, et al (2014). Hepatitis C virus infection and type 1 and type 2 diabetes mellitus. <i>World J Diabetes</i> , 5(5): 586-600.
71387	Argo T, Carnahan R, Barnett M, et al (2011). Diabetes prevalence estimates in schizophrenia and risk factor assessment. <i>Ann Clin Psychiatry</i> , 23(2): 117-24.
57419	Arroyo C, Colditz GA, Hu FB, et al (2004). Depressive symptoms and risk of type 2 diabetes in women. <i>Diabetes Care</i> , 27(1): 129-33.
58439	Athyros VG, Tziomalos K, Karagiannis A, et al (2010). Lipid-lowering agents and new onset diabetes mellitus. <i>Expert Opin Pharmacother</i> , 11(12): 1965-70.
13837	Attvall S, Fowelin J, Lager I, et al (1993). Smoking induces insulin resistance - a potential link with the insulin resistance syndrome. <i>J Intern Med</i> , 233(4): 327-32.
93611	Aune D, Norat T, Romundstad P, et al (2014). Breastfeeding and the maternal risk of type 2 diabetes: A systematic review and dose-response meta-analysis of cohort studies. <i>Nutr Metab Cardiovasc Dis</i> , 24(2): 107-15.
58502	Australian Institute of Health and Welfare and National Heart Foundation of Australia (2004). The relationship between overweight, obesity and cardiovascular disease. <i>Cardiovascular Disease Series</i> , Number 23. Australian Institute of Health and Welfare, Canberra.
14328	Axelson O, Persson B, Wingren G (1998). Dioxin and diabetes mellitus. <i>Epidemiology</i> , 9(3): 358-9.
58423	Aytaman A, McFarlane SI (2006). Hepatitis C and the risk of cardiovascular disease: an evolving epidemic? <i>Expert Rev Cardiovasc Ther</i> , 4(4): 439-42.
2693	Badewitz-Dodd LH (Ed) (1994). MIMS Annual, 18th Edition: 2-50, 2-94, 3-253, 6-371, 6-375, 18-835. MIMS Australia, Crows Nest (NOT HELD).
93613	Bai YA, Su TP, Chen MH, et al (2013). Risk of developing diabetes mellitus and hyperlipidemia among patients with bipolar disorder, major depressive disorder, and schizophrenia: A 10-year nation wide population-based prospective cohort study. <i>J Affect Disord</i> , 150(1): 57-62.
2644	Bajaj JS, Agrawal R (1984). Malnutrition Diabetes. Recent Knowledge on Aetiology. Complication and Treatment. S Baba, MK Gould, P Zimmet (Eds). <i>Diabetes Mellitus</i> , Chapter 9: 73-86. Academic Press, Sydney.
57422	Baker KS, Ness KK, Steinberger J, et al (2007). Diabetes, hypertension, and cardiovascular events in survivors of hematopoietic cell transplantation: a report from the bone marrow transplantation survivor study. <i>Blood</i> , 109(4): 1765-72.
71259	Baker RA, Pikalov A, Tran QV, et al (2009). Atypical antipsychotic drugs and diabetes mellitus in the US Food and Drug Administration Adverse Event database: a systematic Bayesian signal detection analysis. <i>Psychopharmacol Bull</i> , 42(1): 11-31.
58615	Balakrishnan V (2002). Fibrocalculous pancreatopathy. <i>Int J Diabetes Dev Ctries</i> , 22(3): 81-90.
8122	Balakrishnan V, Sauniere JF, Hariharan M, et al (1988). Diet, pancreatic function, and chronic pancreatitis in South India and France. <i>Pancreas</i> , 3(1): 30-5.

93614	Ballestri S, Zona S, Targher G, et al (2016). Nonalcoholic fatty liver disease is associated with an almost twofold increased risk of incident type 2 diabetes and metabolic syndrome. Evidence from a systematic review and meta-analysis. <i>J Gastroenterol Hepatol</i> , 31(5): 936-44.
74577	Banout J, Urban O, Musil V, et al (2014). Agent Orange footprint still visible in rural areas of central Vietnam. <i>J Environ Public Health</i> , 2014: 528965.
13393	Baranski S, Czerski P (1976). Safe exposure limits and prevention of health hazards. <i>Biological Effects of Microwaves</i> , Chapter 6: 170-87. Dowden, Hutchinson and Ross, Pennsylvania, USA.
57411	Basaria S (2008). Androgen deprivation therapy, insulin resistance, and cardiovascular mortality: an inconvenient truth. <i>J Androl</i> , 29(5): 534-9.
93618	Batabyal P, Hoorn SV, Christoffi C, et al (2014). Association of diabetes mellitus and pancreatic adenocarcinoma: a meta-analysis of 88 studies. <i>Ann Surg Oncol</i> , 21(7): 2453-62.
61193	Batterman AR, Cook PM, Lodge KB, et al (1989). Methodology used for a laboratory determination of relative contributions of water, sediment and food chain routes of uptake for 2,3,7,8-TCDD bioaccumulation by lake trout in Lake Ontario. <i>Chemosphere</i> , 19(1-6): 451-8.
15120	Batty D (1998). [Comment] Measurement of physical activity exposure. <i>Int J Epidemiol</i> , 27(2): 335-6.
61194	Baughman R, Meleson M (1973). An analytical method for detecting TCDD (dioxin): Levels of TCDD in samples from Vietnam. <i>Environ Health Perspect</i> , 5: 27-35.
57581	Baz-Hecht M, Goldfine AB (2010). The impact of vitamin D deficiency on diabetes and cardiovascular risk. <i>Curr Opin Endocrinol Diabetes Obes</i> , 17(2): 113-9.
2645	Beardsley G, Goldstein MG (1993). Psychological factors affecting physical condition. Endocrine disease literature review. <i>Psychosomatics</i> , 34(1): 12-9.
93620	Bell JA, Kivimaki M, Hamer M (2014). Metabolically healthy obesity and risk of incident type 2 diabetes: a meta-analysis of prospective cohort studies. <i>Obes Rev</i> , 15(6): 504-15.
15365	Bell PM (1997). Dietary and lifestyle factors contributing to insulin resistance. <i>Proc Nutr Soc</i> , 56(1B): 263-72.
93642	Bellou V, Balbasis L, Tzoulaki I, et al (2018). Risk factors for type 2 diabetes mellitus: An exposure-wide umbrella review of meta-analyses. <i>PLoS One</i> , 13(3): e0194127.
2646	Bengtsson C, Blohme G, Lapidus L, et al (1992). Diabetes incidence in users and non-users of antihypertensive drugs in relation to serum insulin, glucose tolerance and degree of adiposity: A 12-year prospective population study of women in Gothenburg, Sweden. <i>J Intern Med</i> , 231(6): 583-8.
58482	Ben-Haroush A, Yoge Y, Fisch B (2004). Insulin resistance and metformin in polycystic ovary syndrome. <i>Eur J Obstet Gynecol Reprod Biol</i> , 115(2): 125-33.
28738	Benjamin AL (2001). Community screening for diabetes in the National Capital District, Papua New Guinea: is betelnut chewing a risk for diabetes? <i>P N G Med J</i> , 44(3-4): 101-7.
76094	Benowitz NL, Bernert JT, Caraballo RS, et al (2008). Optimal serum cotinine levels for distinguishing cigarette smokers and nonsmokers within different racial/ethnic groups in the United States between 1999 and 2004. <i>Am J Epidemiol</i> , 169(2): 236-48.
93646	Bent-Ennakhil N, Perier MC, Sobocki P, et al (2019). Incidence of cardiovascular diseases and type-2-diabetes mellitus in patients with psychiatric disorders. <i>Nord J Psychiatry</i> , 72(7): 455-61.

14329	Bertazzi PA, Bernucci I, Brambilla G, et al (1998). The Seveso studies on early and long-term effects of dioxin exposure: a review. <i>Environ Health Perspect</i> , 106(Suppl 2(Suppl 2)): 625-33.
93648	Bevis M, Blagojevic-Bucknall M, Mallen C, et al (2018). Comorbidity clusters in people with gout: an observational cohort study with linked medical record review. <i>Rheumatology (Oxford)</i> , 57(8): 1358-63.
58432	Bhatia L, Byrne CD (2010). There is a slight increase in incident diabetes risk with the use of statins, but benefits likely outweigh any adverse effects in those with moderate-to-high cardiovascular risk. <i>Evid Based Med</i> , 15(3): 84-5.
71338	Bhattacharjee S, Bhattacharya R, Kelley GA, et al (2013). Antidepressant use and new-onset diabetes: a systematic review and meta-analysis. <i>Diabetes Metab Res Rev</i> , 29(4): 273-84.
93653	Bhattamisra SK, Siang TC, Rong CY, et al (2019). Type-3c diabetes mellitus, diabetes of exocrine pancreas - An update. <i>Curr Diabetes Rev</i> , 15(5): 382-94.
2647	Black HR (1994). Hypertension1994. RE Rakel (Ed). Conn's Current Therapy, Section 4: 283-95. WB Saunders Co. Philadelphia.
26610	Blackburn D, Hux J, Mamdani M (2002). Quantification of the risk of corticosteroid-induced diabetes mellitus among the elderly. <i>J Gen Intern Med</i> , 17(9): 717-20.
43780	Blom L, Nystrom L, Dahlquist G (1991). The Swedish childhood diabetes study. Vaccinations and infections as risk determinants for diabetes in childhood. <i>Diabetologia</i> , 34(3): 176-81.
71595	Bobo WV, Cooper WO, Stein CM, et al (2013). Antipsychotics and the risk of type 2 diabetes mellitus in children and youth. <i>JAMA Psychiatry</i> , 70(10): 1067-75.
71260	Boden R, Lundgren M, Brandt L, et al (2012). Antipsychotics during pregnancy: relation to fetal and maternal metabolic effects. <i>Arch Gen Psychiatry</i> , 69(7): 715-21.
56838	Bodziak KA, Hricik DE (2009). New-onset diabetes mellitus after solid organ transplantation. <i>Transpl Int</i> , 22(5): 519-30.
93664	Boerner BP, Shivaswamy V, Wolatz E, et al (2018). Post-transplant diabetes: diagnosis and management. <i>Minerva Endocrinol</i> , 43(2): 198-211.
58311	Bolland MJ, Bacon CJ, Horne AM, et al (2010). Vitamin D insufficiency and health outcomes over 5 y in older women. <i>Am J Clin Nutr</i> , 91(1): 82-9.
265	Bookman JJ, Drachman SR, Schaefer LE, et al (1953). Steroid diabetes in man: the development of diabetes during treatment with cortisone and corticotropin. <i>Diabetes</i> , 2(2): 100-11.
24368	Boscarino JA (1996). Posttraumatic stress disorder, exposure to combat, and lower plasma cortisol among Vietnam Veterans: findings and clinical implications. <i>J Consult Clin Psychol</i> , 64(1): 191-201.
49509	Boscarino JA (2004). Posttraumatic stress disorder and physical illness: results from clinical and epidemiologic studies. <i>Ann N Y Acad Sci</i> , 1032: 141-53.
48930	Boscarino JA (2008). A prospective study of PTSD and early-age heart disease mortality among Vietnam Veterans: implications for surveillance and prevention. <i>Psychosom Med</i> , 70(6): 668-76.
24365	Boscarino JA, Chang J (1999). Higher abnormal leukocyte and lymphocyte counts 20 years after exposure to severe stress: research and clinical implications. <i>Psychosom Med</i> , 61(3): 378-86.
74846	Bosco C, Bosnyak Z, Malmberg A, et al (2015). Quantifying observational evidence for risk of fatal and nonfatal cardiovascular disease following androgen deprivation therapy for prostate cancer: a meta-analysis. <i>Eur Urol</i> , 68(3): 386-96.

76027	Bosco C, Crawley D, Adolfsson J, et al (2015). Quantifying the evidence for the risk of metabolic syndrome and its components following androgen deprivation therapy for prostate cancer: a meta-analysis. <i>PLoS One</i> , 10(3): e0117344.
15516	Bouchard PH, Sai P, Reach G, et al (1982). Diabetes mellitus following pentamidine-induced hypoglycemia in humans. <i>Diabetes</i> , 31(1): 40-5.
58613	Boule NG, Haddad E, Kenny GP, et al (2001). Effects of exercise on glycemic control and body mass in type 2 diabetes mellitus. <i>JAMA</i> , 286(10): 1218-27.
71261	Boyko EJ, Jacobson IG, Smith B, et al (2010). Risk of diabetes in U.S. military service members in relation to combat deployment and mental health. <i>Diabetes Care</i> , 33(8): 1771-7.
93667	Broder MS, Sarsour K, Chang E, et al (2016). Corticosteroid-related adverse events in patients with giant cell arteritis: A claims-based analysis. <i>Semin Arthritis Rheum</i> , 46(2): 246-52.
71448	Brooks JO, Chang HS, Krasnykh O (2009). Metabolic risks in older adults receiving second-generation antipsychotic medication. <i>Curr Psychiatry Rep</i> , 11(1): 33-40.
57416	Brown LC, Newman SC, Majumdar SR, et al (2005). History of depression increases risk of type 2 diabetes in younger adults. <i>Diabetes Care</i> , 28(5): 1063-7.
56577	Brown TT (2008). Approach to the human immunodeficiency virus-infected patient with lipodystrophy. <i>J Clin Endocrinol Metab</i> , 93(8): 2937-45.
56865	Buchanan TA, Xiang A, Kjos SL, et al (2007). What is gestational diabetes? <i>Diabetes Care</i> , 30(Suppl 2): S105-11.
56502	Burns CJ, Collins JJ, Humphry N, et al (2010). Correlates of serum dioxin to self-reported exposure factors. <i>Environ Res</i> , 110(2): 131-6.
28280	Buse JB, Cavazzoni P, Hornbuckle K, et al (2003). A retrospective cohort study of diabetes mellitus and antipsychotic treatment in the United States. <i>J Clin Epidemiol</i> , 56(2): 164-70.
43727	Cainelli F, Manzaroli D, Renzini C, et al (2000). Coxsackie B virus-induced autoimmunity to GAD does not lead to type 1 diabetes. <i>Diabetes Care</i> , 23(7): 1021-2.
93675	Calkin CV, Ruzickova M, Uher R, et al (2015). Insulin resistance and outcome in bipolar disorder. <i>Br J Psychiatry</i> , 206(1): 52-7.
58431	Cannon CP (2010). [Comment] Balancing the benefits of statins versus a new risk - diabetes. <i>Lancet</i> , 375(9716): 700-1. Comment on ID: 58429.
15163	Carey VJ, Walters EE, Colditz GA, et al (1997). Body fat distribution and risk of non-insulin-dependent diabetes mellitus in women. <i>Am J Epidemiol</i> , 145(7): 614-9.
28705	Carlsson S, Hammar N, Efendic S, et al (2000). Alcohol consumption, type 2 diabetes mellitus and impaired glucose tolerance in middle-aged Swedish men. <i>Diabet Med</i> , 17(11): 776-81.
93677	Carmean CM, Seino S (2019). Braving the element: Pancreatic B-cell dysfunction and adaptation in response to arsenic exposure. <i>Front Endocrinol (Lausanne)</i> , 10: 344.
57417	Carnethon MR, Biggs ML, Barzilay JI, et al (2007). Longitudinal association between depressive symptoms and incident type 2 diabetes mellitus in older adults. <i>Arch Intern Med</i> , 167(8): 802-7.
28691	Carnethon MR, Kinder LS, Fair JM, et al (2003). Symptoms of depression as a risk factor for incident diabetes: findings from the National Health & Nutrition Examination Epidemiologic Follow-Up Study, 1971-1992. <i>Am J Epidemiol</i> , 158(5): 416-23.
28284	Caro JJ, Ward A, Levinton C, et al (2002). The risk of diabetes during olanzapine use compared with risperidone use: a retrospective database analysis. <i>J Clin Psychiatry</i> , 63(12): 1135-9.

56964	Carpenter DO (2008). Environmental contaminants as risk factors for developing diabetes. <i>Rev Environ Health</i> , 23(1): 59-74.
26603	Cassidy F, Ahearn E, Carroll BJ (1999). Elevated frequency of diabetes mellitus in hospitalized manic-depressive patients. <i>Am J Psychiatry</i> , 156(9): 1417-20.
93680	Casteels K, Van Damme-Lombaerts R (2006). Recurrence of diabetes after diarrhea-associated hemolytic uremic syndrome. <i>Diabetes Care</i> , 29(4): 947-8.
71340	Castilla-Puentes R (2007). Effects of psychotropics on glycosylated hemoglobin (HbA1c) in a cohort of bipolar patients. <i>Bipolar Disord</i> , 9(7): 772-8.
93682	Casula M, Mozzanica F, Scotti L, et al (2017). Statin use and risk of new-onset diabetes: A meta-analysis of observational studies. <i>Nutr Metab Cardiovasc Dis</i> , 27(5): 397-406.
76087	Centers for Disease Control and Prevention (CDC) (2013). National Biomonitoring Program, Biomonitoring Summary, Cotinine. Retrieved 12 October 2015, from <a href="http://www.cdc.gov/biomonitoring/Cotinine_BiomonitoringSummary.html">http://www.cdc.gov/biomonitoring/Cotinine_BiomonitoringSummary.html</a>
93685	Cha J, Khurram M, Gellert L, et al (2018). Case of reversible diabetes mellitus in the setting of benign Pheochromocytoma. <i>J Clin Transl Endocrinol Case Rep</i> , 10: 1-3.
58523	Chan JC, Cockram CS, Critchley JA (1996). Drug-induced disorders of glucose metabolism. Mechanisms and management. <i>Drug Saf</i> , 15(2): 135-57.
58314	Chan NN, Osaki R, et al (2002). [Comments] Drug-related hyperglycemia. <i>JAMA</i> , 287(6): 714; Author reply 715. Comments on ID: 58313.
55298	Chang JW, Chen HL, Su HJ, et al (2010). Dioxin exposure and insulin resistance in Taiwanese living near a highly contaminated area. <i>Epidemiology</i> , 21(1): 56-61.
93687	Chang S, Jiang J (2018). Association of body mass index and the risk of new-onset diabetes after kidney transplantation: A meta-analysis. <i>Transplant Proc</i> , 50(5): 1316-25.
8119	Chari ST, Jayanthi MV, Snehalatha C, et al (1992). Comparative study of the clinical profiles of alcoholic chronic pancreatitis and tropical chronic pancreatitis in Tamil Nadu, South India. <i>Pancreas</i> , 7(1): 52-8.
93690	Charles EF, Lambert CG, Kerner B (2016). Bipolar disorder and diabetes mellitus: evidence for disease-modifying effects and treatment implications. <i>Int J Bipolar Disord</i> , 4(1): 13.
15113	Chasan-Taber L, Willett WC, Stampfer MJ, et al (1997). A prospective study of oral contraceptives and NIDDM among US women. <i>Diabetes Care</i> , 20(3): 330-5.
7976	Chattopadhyay PS, Gupta SK, Chattopadhyay R, et al (1995). Malnutrition-related diabetes mellitus (MRDM), not diabetes-related malnutrition. A report on genuine MRDM. <i>Diabetes Care</i> , 18(2): 276-7.
56864	Chen CJ, Wang SL, Chiou JM, et al (2007). Arsenic and diabetes and hypertension in human populations: A review. <i>Toxicol Appl Pharmacol</i> , 222(3): 298-304.
93691	Chen DC, Du XD, Yin GZ, et al (2016). Impaired glucose tolerance in first-episode drug-naïve patients with schizophrenia: relationships with clinical phenotypes and cognitive deficits. <i>Psychol Med</i> , 46(15): 3219-30.
56852	Chen HL, Su HJ, Guo YL, et al (2006). Biochemistry examinations and health disorder evaluation of Taiwanese living near incinerators and with low serum PCDD/Fs levels. <i>Sci Total Environ</i> , 366(2-3): 538-48.
93716	Chen L, Kuang J, Pei JH, et al (2017). Continuous positive airway pressure and diabetes risk in sleep apnea patients: A systemic review and meta-analysis. <i>Eur J Intern Med</i> , 39: 39-50.

93717	Chen T, Jia H, Li J, et al (2009). New onset diabetes mellitus after liver transplantation and hepatitis C virus infection: meta-analysis of clinical studies. <i>Transpl Int</i> , 22(4): 408-15.
59788	Cheng P, Neugaard B, Foulis P, et al (2011). Hemoglobin A as a predictor of incident diabetes. <i>Diabetes Care</i> , 34(3): 610-5.
58506	Chern JP, Lin KH, Lu MY, et al (2001). Abnormal glucose tolerance in transfusion-dependent B-thalassemic patients. <i>Diabetes Care</i> , 24(5): 850-4.
93719	Cheungpasitporn W, Thongprayoon C, Vijayvargiya P, et al (2016). The risk for new-onset diabetes mellitus after kidney transplantation in patients with autosomal dominant polycystic kidney disease: a systematic review and meta-analysis. <i>Can J Diabetes</i> , 40(6): 521-8.
71353	Chien IC, Chang KC, Lin CH, et al (2010). Prevalence of diabetes in patients with bipolar disorder in Taiwan: a population-based national health insurance study. <i>Gen Hosp Psychiatry</i> , 32(6): 577-82.
58426	Chitturi S, Farrell GC (2007). [Comment] Fatty liver now, diabetes and heart attack later? The liver as a barometer of metabolic health. <i>J Gastroenterol Hepatol</i> , 22(7): 967-9. Comment on ID: 58425.
54631	Choi HK, De Vera MA, Krishnan E (2008). Gout and the risk of type 2 diabetes among men with a high cardiovascular risk profile. <i>Rheumatology (Oxford)</i> , 47(10): 1567-70.
56960	Choquette M, Goebel JW, Campbell KM (2010). Nonimmune complications after transplantation. <i>Pediatr Clin North Am</i> , 57(2): 505-21.
93722	Chou CY, Liang CC, Kuo HL, et al (2014). Comparing risk of new onset diabetes mellitus in chronic kidney disease patients receiving peritoneal dialysis and hemodialysis using propensity score matching. <i>PLoS One</i> , 9(2): e87891.
2648	Chou P, Chen HH, Hsiao KJ (1992). Community-based epidemiological study on diabetes in Pu-Li, Taiwan. <i>Diabetes Care</i> , 15(1): 81-9.
56965	Choudhuri G, Lakshmi CP, Goel A (2009). Pancreatic diabetes. <i>Trop Gastroenterol</i> , 30(2): 71-5.
15156	Chronister CL, Gurwood AS (1998). Type 2 diabetes in association with HIV-1 protease inhibitors in HIV-infected patients. <i>J Am Optom Assoc</i> , 69(11): 695-8.
52928	Chrousos GP (1995). The hypothalamic-pituitary-adrenal axis and immune-mediated inflammation. <i>New Engl J Med</i> , 332(20): 1351-62.
57577	Chu SY, Kim SY, Lau J (2009). [Comment] Prepregnancy BMI and the risk of gestational diabetes: a systematic review of the literature with meta-analysis. <i>Obesity Reviews</i> , 10: 487-8. Comment on ID: 57576.
93723	Chwastiak LA, Davydow DS, McKibbin CL, et al (2014). The effect of serious mental illness on the risk of rehospitalization among patients with diabetes. <i>Psychosomatics</i> , 55(2): 134-43.
8125	Clark A, deKoning EJ, Hattersley AT, et al (1995). Pancreatic pathology in non-insulin dependent diabetes (NIDDM). <i>Diabetes Res Clin Pract</i> , 28(Suppl): S39-47.
2649	Clark CG, Mitchell PE (1961). Diabetes mellitus and primary carcinoma of the pancreas. <i>Br J Med</i> , 2(5262): 259-62.
44025	Classen JB (2004). [Comments] Pertussis infections, vaccines and type 1 diabetes. <i>Diabet Med</i> , 21(4): 397-9; author reply 398-9.
43774	Classen JB, Classen DC (1999). [Comment] Immunisation and type 1 diabetes mellitus. Is there a link? <i>Drug Saf</i> , 21(5): 423-5.
44026	Classen JB, Classen DC (2002). Clustering of cases of insulin dependent diabetes (IDDM) occurring three years after hemophilus influenza B (HiB) immunization support causal relationship between immunization and IDDM. <i>Autoimmunity</i> , 35(4): 247-53.

43848	Classen JB, Classen DC (2003). Clustering of cases of type 1 diabetes mellitus occurring 2-4 years after vaccination is consistent with clustering after infections and progression to type 1 diabetes mellitus in autoantibody positive individuals. <i>J Pediatr Endocrinol Metab</i> , 16(4): 495-508.
93725	Cloostermans L, Wendel-Vos W, Doornbos G, et al (2015). Independent and combined effects of physical activity and body mass index on the development of type 2 diabetes - a meta-analysis of 9 prospective cohort studies. <i>Int J Behav Nutr Phys Act</i> , 12: 147.
58422	Clore JN, Thurby-Hay L (2009). Glucocorticoid-induced hyperglycemia. <i>Endocr Pract</i> , 15(5): 469-74.
58508	Colagiuri S, Davies D, Grgis S, et al (2009). National Evidence Based Guideline for Case Detection and Diagnosis of Type 2 Diabetes, Diabetes Australia and the NHMRC, Canberra.
15201	Colditz GA, Coakley E (1997). Weight, weight gain, activity, and major illnesses: The Nurses' Health Study. <i>Int J Sports Med</i> , 18(Suppl 3): S162-70.
58504	Cole TJ, Bellizzi MC, Flegal KM, et al (2000). Establishing a standard definition for child overweight and obesity worldwide: international survey. <i>BMJ</i> , 320(7244): 1240-3.
8302	Collins VR, Dowse GK, Toelope PM, et al (1994). Increasing prevalence of NIDDM in the Pacific Island population of Western Samoa over a 13-year period. <i>Diabetes Care</i> , 17(4): 288-96.
13052	Commonwealth Department of Veteran's Affairs (1998). Male Vietnam veterans - survey and community comparison outcomes. Morbidity of Vietnam Veterans: A study of the health of Australia's Vietnam veteran community, Vol 1.
26608	Conigrave KM, Hu BF, Camargo CA, et al (2001). A prospective study of drinking patterns in relation to risk of type 2 diabetes among men. <i>Diabetes</i> , 50(10): 2390-5.
8781	Cook JT, Levy JC, Page RC, et al (1993). Association of low birth weight with beta cell function in the adult first degree relatives of non-insulin dependent diabetic subjects. <i>BMJ</i> , 306(6873): 302-6.
8127	Cooles P (1988). Diabetes and cassava in Dominica. <i>Trop Geogr Med</i> , 40(3): 272-3.
57572	Coronado-Gonzalez JA, Del Razo LM, Garcia-Vargas G, et al (2007). Inorganic arsenic exposure and type 2 diabetes mellitus in Mexico. <i>Environ Res</i> , 104(3): 383-9.
93726	Coto-Segura P, Eiris-Salvado N, Gonzalez-Lara L, et al (2013). Psoriasis, psoriatic arthritis and type 2 diabetes mellitus: a systematic review and meta-analysis. <i>Br J Dermatol</i> , 169(4): 783-93.
31370	Coughlin SS, Calle EE, Teras LR, et al (2004). Diabetes mellitus as a predictor of cancer mortality in a large cohort of US adults. <i>Am J Epidemiol</i> , 159(12): 1160-7.
71385	Coulson M, Agius M, Zaman R (2012). The effect of psychiatric condition and medication on the prevalence of diabetes in a psychiatric out-patient clinic: an audit. <i>Psychiatr Danub</i> , 24(Suppl 1): S128-9.
2650	Coustan, DR, Carpenter MW, O'Sullivan PS, et al (1993). Gestational diabetes: Predictors of subsequent disordered glucose metabolism. <i>Am J Obstet Gynecol</i> , 168(4): 1139-44; discussion 1144-5.
74571	Cranmer M, Louie S, Kennedy RH, et al (2000). Exposure to 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) is associated with hyperinsulinemia and insulin resistance. <i>Toxicol Sci</i> , 56(2): 431-6.
58483	Cutfield WS, Wilton P, Benmarker H, et al (2000). Incidence of diabetes mellitus and impaired glucose tolerance in children and adolescents receiving growth-hormone treatment. <i>Lancet</i> , 355(9204): 610-3.

56834	Czako L, Hegyi P, Rakonczay Z, et al (2009). Interactions between the endocrine and exocrine pancreas and their clinical relevance. <i>Pancreatology</i> , 9(4): 351-9.
2651	Dahlquist G (1993). Etiological aspects of insulin-dependent diabetes mellitus: an epidemiological perspective. <i>Autoimmunity</i> , 15(1): 61-5.
43781	Dahlquist G, Frisk G, Ivarsson SA, et al (1995). Indications that maternal coxsackie B virus infection during pregnancy is a risk factor for childhood-onset IDDM. <i>Diabetologia</i> , 38(11): 1371-3.
58490	Dahmer S, Schiller RM (2008). Glucosamine. <i>Am Fam Physician</i> , 78(4): 471-6.
93727	Das SL, Singh P, Phillips AR, et al (2014). Newly diagnosed diabetes mellitus after acute pancreatitis: a systematic review and meta-analysis. <i>Gut</i> , 63(5): 818-31.
51854	David D, Woodward C, Esquenazi J, et al (2004). Comparison of comorbid physical illnesses among veterans with PTSD and veterans with alcohol dependence. <i>Psychiatr Serv</i> , 55(1): 82-5.
8094	Davidson JC (1979). [Comment] Cyanide, cassava, and diabetes. <i>Lancet</i> , 2(8143): 635.
93728	Davies MJ, D'Alessio DA, Fradkin J, et al (2018). Management of hyperglycemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> , 12: 2669-701.
74576	De Tata V (2014). Association of dioxin and other persistent pollutants (POPs) with diabetes: epidemiological evidence and new mechanisms of beta cell dysfunction. <i>Int J Mol Sci</i> , 15(5): 7787-811.
93731	de Vathaire F, El-Fayech C, Ben Ayed FF, et al (2012). Radiation dose to the pancreas and risk of diabetes mellitus in childhood cancer survivors: a retrospective cohort study. <i>Lancet Oncol</i> , 13(10): 1002-10.
14913	de Vegt F, Dekker JM, Stehouwer CD, et al (1998). The 1997 American diabetes association criteria versus the 1985 World Health Organization criteria for the diagnosis of abnormal glucose tolerance: poor agreement in the Hoorn Study. <i>Diabetes Care</i> , 21(10): 1686-90.
28533	de Vegt F, Dekker JM, Groeneveld WJ, et al (2002). Moderate alcohol consumption is associated with lower risk for incident diabetes and mortality: the Hoorn Study. <i>Diabetes Res Clin Pract</i> , 57(1): 53-60.
14919	DECODE Study Group (1998). Will new diagnostic criteria for diabetes mellitus change phenotype of patients with diabetes? Reanalysis of European epidemiological data. <i>BMJ</i> , 317(7155): 371-5.
57575	Demakakos P, Pierce MB, Hardy R (2010). Depressive symptoms and risk of type 2 diabetes in a national sample of middle-aged and older adults. <i>Diabetes Care</i> , 33(4): 792-7.
70298	Demicheli V, Rivetti A, Debalini MG, et al (2012). Vaccines for measles, mumps and rubella in children. <i>Cochrane Database Syst Rev</i> , 2012(2): CD004407.
93760	den Braver NR, Lakerveld J, Rutters F, et al (2018). Built environmental characteristics and diabetes: a systematic review and meta-analysis. <i>BMC Med</i> , 16(1): 12.
26609	Dendukuri N, Blais L, LeLorier J (2002). Inhaled corticosteroids and the risk of diabetes among the elderly. <i>Br J Clin Pharmacol</i> , 54(1): 59-64.
93762	Deng T, Liao B, Tian Y, et al (2015). New-onset diabetes mellitus after shock wave lithotripsy for urinary stone: a systematic review and meta-analysis. <i>Urolithiasis</i> , 43(3): 227-31.
74572	Department of Veterans Affairs (2001). Disease associated with exposure to certain herbicide agents: Type 2 diabetes. <i>Federal Register</i> , 66(89): 23166-9.

43719	DeStefano F, Mullooly JP, Okoro CA, et al (2007). Childhood vaccinations, vaccination timing, and risk of type 1 diabetes mellitus. <i>Pediatrics</i> , 108(6): E112.
15254	Dierkx RI, van de Hoek W, Hoekstra JB, et al (1996). Smoking and diabetes mellitus. <i>Neth J Med</i> , 48(4): 150-62.
2652	DiMagno EP (1991). Pancreatic Adenocarcinoma. T Yamada (Ed). <i>Textbook of Gastroenterology</i> , Vol 2 Chapter 90: 1893-1911. Lippincott Co. Philadelphia.
57694	Dimitraidis GD, Raptis SA (2001). Thyroid hormone excess and glucose intolerance. <i>Exp Clin Endocrinol Diabetes</i> , 109(Suppl 2): S225-39.
15205	Dispenzieri A, Loprinzi CL (1997). Chemotherapy-induced insulin-dependent diabetes mellitus. <i>J Clin Oncol</i> , 15(3): 1287.
2653	Dodge JA, Morrison G (1992). Diabetes mellitus in cystic fibrosis: a review. <i>J R Soc Med</i> , 85(Suppl 19): 25-8.
93764	Dong J, Yang ZK, Chen Y (2016). Older age, higher body mass index and inflammation increase the risk for new-onset diabetes and impaired glucose tolerance in patients on peritoneal dialysis. <i>Perit Dial Int</i> , 36(3): 277-83.
68437	Dorman JS, McCarthy BJ, O'Leary LA, et al (1995). Risk factors for insulin-dependent diabetes. <i>Diabetes in America</i> , 2nd Edition, Chapter 8: 165-78.
8779	Dowse G, Zimmet P (1993). The thrifty genotype in non-insulin dependent diabetes. <i>BMJ</i> , 306(6877): 532-3.
93766	Dragomir M, Petrescu GE, Manga G, et al (2016). Patients after splenectomy: old risks and new perspectives. <i>Chirurgia (Bucur)</i> , 111(5): 393-9.
70299	Duderstadt SK, Rose CE, Real TM, et al (2012). Vaccination and risk of type 1 diabetes mellitus in active component U.S. Military, 2002-2008. <i>Vaccine</i> , 30(4): 813-9.
8783	Duncan IL, Greenwood JH, Johnson TL, et al (1985). Morbidity in ex-prisoners of war.
55879	Dunstan DW, Barr EL, Healy GN, et al (2010). Television viewing time and mortality. <i>The Australian Diabetes, Obesity and Lifestyle Study (AusDiab)</i> . <i>Circulation</i> , 121(3): 384-91.
93768	Durnwald C (2019). Diabetes mellitus in pregnancy: Screening and diagnosis. Retrieved 29 October 2019, from <a href="https://www.uptodate.com/contents/diabetes-mellitus-in-pregnancy-screening-and-diagnosis">https://www.uptodate.com/contents/diabetes-mellitus-in-pregnancy-screening-and-diagnosis</a>
93769	Durnwald C (2019). Gestational diabetes mellitus: Glycemic control and maternal prognosis. Retrieved 23 October 2019, from <a href="https://www.uptodate.com/contents/gestational-diabetes-mellitus-glycemic-control-and-maternal-prognosis">https://www.uptodate.com/contents/gestational-diabetes-mellitus-glycemic-control-and-maternal-prognosis</a>
93772	Dzhambov AM (2015). Long-term noise exposure and the risk for type 2 diabetes: A meta-analysis. <i>Noise Health</i> , 17(74): 23-33.
15117	Earle KA, Morocutti A, Viberti GC (1997). Permissive role of hypertension in the development of proteinuria and progression of renal disease in insulin-dependent diabetic patients. <i>J Hypertens</i> , 15(2): 191-6.
15207	Eastone JA, Decker CF (1997). New-onset diabetes mellitus associated with use of protease inhibitor. <i>Ann Intern Med</i> , 127(10): 948.
57573	Eaton WW, Arementer H, Gallo J, et al (1996). Depression and risk for onset of type II diabetes. A prospective population-based study. <i>Diabetes Care</i> , 19(10): 1097-102.
93775	Echecopar-Sabogal J, D'Angelo-Piaggio L, Chaname-Baca DM, et al (2018). Association between the use of protease inhibitors in highly active antiretroviral therapy and incidence of diabetes mellitus and/or metabolic syndrome in HIV-infected patients: A systematic review and meta-analysis. <i>Int J STD AIDS</i> , 29(5): 443-52.

15103	Edelstein SL, Knowler WC, Bain RP, et al (1997). Predictors of progression from impaired glucose tolerance to NIDDM: An analysis of six prospective studies. <i>Diabetes</i> , 46(4): 701-10.
56836	Edwards JR, Prozialeck WC (2009). Cadmium, diabetes and chronic kidney disease. <i>Toxicol Appl Pharmacol</i> , 238(3): 289-93.
93776	Edwards MJ, Crudo DF, Carlson TL, et al (2013). Pancreatic atrophy and diabetes mellitus following blunt abdominal trauma. <i>J Pediatr Surg</i> , 48(2): 432-5.
59085	Ehrlich SF, Quesenberry CP, Van Den Eeden SK, et al (2010). Patients diagnosed with diabetes are at increased risk for asthma, chronic obstructive pulmonary disease, pulmonary fibrosis, and pneumonia but not lung cancer. <i>Diabetes Care</i> , 33(1): 55-60.
26607	Ehrmann DA, Barnes RB, Rosenfield RL, et al (1999). Prevalence of impaired glucose tolerance and diabetes in women with polycystic ovary syndrome. <i>Diabetes Care</i> , 22(1): 141-6.
2654	Ekstrand AV, Eriksson JG, Gronhagen-Riska C, et al (1992). Insulin resistance and insulin deficiency in the pathogenesis of posttransplantation diabetes in man. <i>Transplant</i> , 53(3): 563-9.
93778	El-Gabalawy R, Blaney C, Tsai J, et al (2018). Physical health conditions associated with full and subthreshold PTSD in U.S. military veterans: Results from the National Health and Resilience in Veterans Study. <i>J Affect Disord</i> , 227: 849-53.
58217	Elliott WJ (2005). Differential effects of antihypertensive drugs on new-onset diabetes? <i>Curr Hypertens Rep</i> , 7(4): 249-56.
28831	el-Zayadi AR, Selim OE, Hamdy H, et al (1998). Association of chronic hepatitis C infection and diabetes mellitus. <i>Trop Gastroenterol</i> , 19(4): 141-4.
93779	Emdin CA, Anderson SG, Woodward M, et al (2015). Usual blood pressure and risk of new-onset diabetes: evidence from 4.1 million adults and a meta-analysis of prospective studies. <i>J Am Coll Cardiol</i> , 66(14): 1552-62.
14688	Enan E, Liu PC, Matsumura F (1992). 2,3,7,8-tetrachlorodibenzo-p-dioxin causes reduction of glucose transporting activities in the plasma membranes of adipose tissue and pancreas from the guinea pig. <i>J Biol Chem</i> , 267(28): 18785-91.
14687	Enan E, Matsumura F (1994). 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) induced changes in glucose transporting activity in guinea pigs, mice, and rats <i>in vivo</i> and <i>in vitro</i> . <i>J Biochem Toxicol</i> , 9(2): 97-106.
93781	Enger C, Jones ME, Kryzhanovskaya L, et al (2013). Risk of developing diabetes and dyslipidemia among adolescents with bipolar disorder or schizophrenia. <i>Int J Adolesc Med Health</i> , 25(1): 3-11.
71381	Erickson SC, Le L, Zakharyan A, et al (2012). New-onset treatment-dependent diabetes mellitus and hyperlipidemia associated with atypical antipsychotic use in older adults without schizophrenia or bipolar disorder. <i>J Am Geriatr Soc</i> , 60(3): 474-9.
2655	Eriksson J, Doeppel M, Widen E, et al (1992). Pancreatic surgery, not pancreatitis, is the primary cause of diabetes after acute fulminant pancreatitis. <i>Gut</i> , 33(6): 843-7.
2656	Etxabe J, Varquey JA (1994). Morbidity and mortality in Cushing's disease. <i>Clin Endocrinol</i> , 40(4): 479-84.
93782	Evangelou E, Ntritsos G, Chondrogiorgi M, et al (2016). Exposure to pesticides and diabetes: A systematic review and meta-analysis. <i>Environ Int</i> , 91: 60-8.
56848	Everett CJ, Frithsen IL, Diaz VA, et al (2007). Association of a polychlorinated dibenzo-p-dioxin, a polychlorinated biphenyl, and DDT with diabetes in the 1999-2002 National Health and Nutrition Examination Study. <i>Environ Res</i> , 103(3): 413-8.

74578	Everett CJ, Thompson OM (2014). Dioxins, furans and dioxin-like PCBs in human blood: causes or consequences of diabetic nephropathy? <i>Environ Res</i> , 132: 126-31.
2657	Everhart JE, Pettitt DJ, Bennett PH, et al (1992). Duration of obesity increases the incidence of NIDDM. <i>Diabetes</i> , 41(2): 235-40.
93783	Ewald N, Kaufmann C, Raspe A, et al (2012). Prevalence of diabetes mellitus secondary to pancreatic diseases (type 3c). <i>Diabetes Metab Res Rev</i> , 28(4): 338-42.
76092	Eze IC, Schaffner E, Zemp E, et al (2014). Environmental tobacco smoke exposure and diabetes in adult never-smokers. <i>Environ Health</i> , 13: 74.
93784	Fabiani S, Fallahi P, Ferrari SM, et al (2018). Hepatitis C virus infection and development of type 2 diabetes mellitus: Systematic review and meta-analysis of the literature. <i>Rev Endocr Metab Disord</i> , 19(4): 405-20.
56961	Fabrizi F, Messa P, Martin P, et al (2008). Hepatitis C virus infection and post-transplant diabetes mellitus among renal transplant patients: a meta-analysis. <i>Int J Artif Organs</i> , 31(8): 675-82.
13836	Facchini FS, Hollenbeck CB, Jeppesen J, et al (1992). Insulin resistance and cigarette smoking. <i>Lancet</i> , 339(8802): 1128-30.
56830	Fagard RH, Nilsson PM (2009). Smoking and diabetes - The double health hazard! <i>Prim Care Diabetes</i> , 3(4): 205-9.
58441	Fallo F, Veglio F, Bertello C, et al (2006). Prevalence and characteristics of the metabolic syndrome in primary aldosteronism. <i>J Clin Endocrinol Metab</i> , 91(2): 454-9.
12284	Falorni A, Kockum I, Sanjeevi CB, et al (1995). Pathogenesis of insulin-dependent diabetes mellitus. <i>Baillieres Clin Endocrinol Metab</i> , 9(1): 25-46.
58425	Fan JG, Li F, Cai XB, et al (2007). Effects of nonalcoholic fatty liver disease on the development of metabolic disorders. <i>J Gastroenterol Hepatol</i> , 22(7): 1086-91.
93786	Fankhauser CD, Mohebbi N, Grogg J, et al (2018). Prevalence of hypertension and diabetes after exposure to extracorporeal shock-wave lithotripsy in patients with renal calculi: a retrospective non-randomized data analysis. <i>Int Urol Nephrol</i> , 50(7): 1227-33.
93787	Farahvar S, Walfisch A, Sheiner E (2019). Gestational diabetes risk factors and long-term consequences for both mother and offspring: a literature review. <i>Expert Rev Endocrinol Metab</i> , 14(1): 63-74.
58522	Faris JE, Smith MR (2010). Metabolic sequelae associated with androgen deprivation therapy for prostate cancer. <i>Curr Opin Endocrinol Diabetes Obes</i> , 17(3): 240-6.
93791	Fathallah N, Slim R, Larif S, et al (2015). Drug-induced hyperglycaemia and diabetes. <i>Drug Saf</i> , 38(12): 1153-68.
58494	Faul JL, Tormey W, Tormey V, et al (1998). High dose inhaled corticosteroids and dose dependent loss of diabetic control. <i>BMJ</i> , 317(7171): 1491.
93911	Faurschou M, Ahlstrom MG, Lindhardsen J, et al (2017). Risk of diabetes mellitus among patients diagnosed with giant cell arteritis or granulomatosis with polyangiitis: comparison with the general population. <i>J Rheumatol</i> , 44(1): 78-83.
93913	Fazekas-Lavu M, Reyes M, Malouf M, et al (2018). High prevalence of diabetes before and after lung transplantation: target for improving outcome? <i>Intern Med J</i> , 48(8): 916-24.
58524	Ferner RE (1992). Drug-induced diabetes. <i>Baillieres Clin Endocrinol Metab</i> , 6(4): 849-66.
14912	Ferrannini E, Camasta S (1998). Relationship between impaired glucose tolerance, non-insulin-dependent diabetes mellitus and obesity. <i>Eur J Clin Invest</i> , 28(Suppl 2): 3-6; discussion 6-7.

2658	Ferris TF (1994). Medical disorders during pregnancy. Diabetes mellitus. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 6: 20. McGraw-Hill, New York.
2659	Feskens EJ, Kromhout D (1989). Cardiovascular risk factors and the 25-year incidence of diabetes mellitus in middle-aged men. <i>Am J Epidemiol</i> , 130(6): 1101-8.
58493	Fiedorowicz JG, Palagummi NM, Forman-Hoffman VL, et al (2008). Elevated prevalence of obesity, metabolic syndrome, and cardiovascular risk factors in bipolar disorder. <i>Ann Clin Psychiatry</i> , 20(3): 131-7.
56959	Fierens S, Mairesse H, Heilier JF, et al (2003). Dioxin/polychlorinated biphenyl body burden, diabetes and endometriosis: findings in a population-based study in Belgium. <i>Biomarkers</i> , 8(6): 529-34.
15514	Fisch A, Prazuck T, Malkin JE, et al (1990). Diabetes mellitus in a patient with AIDS after treatment with pentamidine aerosol. <i>BMJ</i> , 301(6756): 875.
56860	Ford ES, Li C, Sattar N (2008). Metabolic syndrome and incident diabetes: Current state of the evidence. <i>Diabetes Care</i> , 31(9): 1898-904.
59092	Ford ES, Mannino DM (2004). Prospective association between lung function and the incidence of diabetes. Findings from the National Health and Nutrition Examination Survey, Epidemiologic Follow-up Study. <i>Diabetes Care</i> , 27(12): 2966-70.
15248	Ford ES, Williamson DF, Liu S (1997). Weight change and diabetes incidence: findings from a national cohort of US adults. <i>Am J Epidemiol</i> , 146(3): 214-22.
43722	Forrest JM, Turnbull FM, Sholler GF, et al (2002). Gregg's congenital rubella patients 60 years later. <i>Med J Aust</i> , 177(11-12): 664-7.
2660	Foster DW (1994). Diabetes mellitus. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 337: 1979-80. McGraw Hill. New York.
1377	Foster DW (1994). Diabetes mellitus. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 337: 1979-85. McGraw Hill.
69470	Foulis AK, McGill M, Farquharson MA, et al (1997). A search for evidence of viral infection in pancreases of newly diagnosed patients with IDDM. <i>Diabetologia</i> , 40(1): 53-61.
93912	Friedman DN, Moskowitz CS, Hilden P, et al (2020). Radiation dose and volume to the pancreas and subsequent risk of diabetes mellitus: a report from the childhood cancer survivor study. <i>J Natl Cancer Inst</i> , 112(5): djz152.
2661	Frisch RE, Whysak G, Albright TE, et al (1986). Lower prevalence of diabetes in female former college athletes compared with non-athletes. <i>Diabetes</i> , 35(10): 1101-5.
2662	Fujimoto WY, Leonetti DL, Bergstrom RW, et al (1990). Cigarette smoking, adiposity, non-insulin-dependent diabetes, and coronary heart disease in Japanese-American men. <i>Am J Med</i> , 89(6): 761-71.
58485	Fukui M, Abbott J, et al (2000). [Comments] Growth-hormone treatment and risk of diabetes. <i>Lancet</i> , 355(9218): 1912-3; author reply 1913-4.
43892	Gale EA, Atkinson M (2004). [Comment] A piece of nucleic acid surrounded by controversy: coxsackievirus and the causes of type 1 diabetes. <i>Diabet Med</i> , 21(6): 503-6.
93914	Galli L, Salpietro S, Pellicciotta G, et al (2012). Risk of type 2 diabetes among HIV-infected and healthy subjects in Italy. <i>Eur J Epidemiol</i> , 27(8): 657-65.
93915	Galling B, Roldan A, Nielsen RE, et al (2016). Type 2 diabetes mellitus in youth exposed to antipsychotics: a systematic review and meta-analysis. <i>JAMA Psychiatry</i> , 73(3): 247-59.
57695	Gamberini MR, Fortini M, De Sanctis V, et al (2004). Diabetes mellitus and impaired glucose tolerance in thalassaemia major: incidence, prevalence, risk factors and survival in patients followed in the Ferrara Center. <i>Ped Endocrinol Rev</i> , 2(Suppl 2): 285-91.

58435	Gamble JM, Majumdar SR (2010). [Comment] ACP Journal Club. Review: Statin use increases risk for diabetes. <i>Ann Intern Med</i> , 152(6): JC6-7.
93916	Gan Y, Yang C, Tong X, et al (2015). Shift work and diabetes mellitus: a meta-analysis of observational studies. <i>Occup Environ Med</i> , 72(1): 72-8.
93917	Gao Y, Gan T, Jiang L, et al (2020). Association between shift work and risk of type 2 diabetes mellitus: a systematic review and dose-response meta-analysis of observational studies. <i>Chronobiol Int</i> , 37(1): 29-46.
56839	Garcia-Compean D, Jaquez-Quintana JO, Maldonado-Garza H (2009). Hepatogenous diabetes. Current views of an ancient problem. <i>Ann Hepatol</i> , 8(1): 13-20.
93918	Gatwood J, Chisholm-Burns M, Davis R, et al (2018). Evidence of chronic kidney disease in veterans with incident diabetes mellitus. <i>PLoS One</i> , 13(2): e0192712.
8330	Geldof AA, Becking JL, De Vries CD, et al (1992). Histopathological changes in rat pancreas after fasting and cassava feeding. <i>In Vivo</i> , 6(5): 545-51.
29980	Gentile S, Loguercio C, Marmo R, et al (1993). Incidence of altered glucose tolerance in liver cirrhosis. <i>Diabetes Res Clin Pract</i> , 22(1): 37-44.
93919	Geraci MJ, Cole M, Davis P (2011). New onset diabetes associated with bovine growth hormone and testosterone abuse in a young body builder. <i>Hum Exp Toxicol</i> , 30(12): 2007-12.
2663	Gerling I, Chatterjee NK (1990). Autoantigen (64000-Mr) expression in coxsackievirus B4-Induced experimental diabetes. <i>Curr Top Microbiol Immunol</i> , 156: 55-62.
58442	Giacchetti G, Turchi F, Boscaro M, et al (2009). Management of primary aldosteronism: its complications and their outcomes after treatment. <i>Curr Vasc Pharmacol</i> , 7(2): 244-9.
93920	Giannakou K, Evangelou E, Yiallouros P, et al (2019). Risk factors for gestational diabetes: An umbrella review of meta-analyses of observational studies. <i>PLoS One</i> , 14(4): e0215372.
43792	Gibbon C, Smith T, Egger P, et al (1997). Early infection and subsequent insulin dependent diabetes. <i>Arch Dis Child</i> , 77(5): 384-5.
15161	Godsland IF, Leyva F, Walton C, et al (1998). Associations of coronary heart disease and diabetes in the first follow-up cohort of the heart disease and diabetes risk indicators in a screened cohort study (HDDRISC-1). <i>J Intern Med</i> , 244(1): 33-41.
93921	Goffin L, Lolin K, Janssen F, et al (2006). Insulin-dependent diabetes mellitus as long term complication of haemolytic-uraemic syndrome. <i>Diabetes Metab</i> , 32(3): 276-8.
45093	Goldacre MJ, Wotton CJ, Yeates D, et al (2005). Hospital admission for selected single virus infections prior to diabetes mellitus. <i>Diabetes Res Clin Pract</i> , 69(3): 256-61.
56969	Golden S (2007). A review of the evidence for a neuroendocrine link between stress, depression and diabetes mellitus. <i>Curr Diabetes Rev</i> , 3(4): 252-9.
57418	Golden SH, Williams JE, Ford DE, et al (2004). Depressive symptoms and the risk of type 2 diabetes. The atherosclerosis risk in communities study. <i>Diabetes Care</i> , 27(2): 429-35.
93922	Goldie C, Taylor AJ, Nguyen P, et al (2016). Niacin therapy and the risk of new-onset diabetes: a meta-analysis of randomised controlled trials. <i>Heart</i> , 102(3): 198-203.
93923	Goldman RH (2019). Arsenic exposure and poisoning. Retrieved 7 January 2020, from <a href="http://www.uptodate.com/contents/arsenic-exposure-and-poisoning">www.uptodate.com/contents/arsenic-exposure-and-poisoning</a>
93924	Goldmannova D, Karasek D, Krystynik O, et al (2016). New-onset diabetes mellitus after renal transplantation. <i>Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub</i> , 160(2): 195-200.

93925	Goodman M, Narayan KM, Flanders D, et al (2015). Dose-response relationship between serum 2,3,7,8-tetrachlorodibenzo-p-dioxin and diabetes mellitus: a meta-analysis. <i>Am J Epidemiol</i> , 181(6): 374-84.
52863	Goodwin RD, Davidson JR (2005). Self-reported diabetes and posttraumatic stress disorder among adults in the community. <i>Prev Med</i> , 40(5): 570-4.
15187	Goodyear LJ, Kahn BB (1998). Exercise, glucose transport, and insulin sensitivity. <i>Annu Rev Med</i> , 49: 235-61.
93926	Gorczyński P, Firth J, Stubbs B, et al (2017). Are people with schizophrenia adherent to diabetes medication? A comparative meta-analysis. <i>Psychiatry Res</i> , 250: 17-24.
69471	Goto A, Takahashi Y, Kishimoto M, et al (2008). A case of fulminant type 1 diabetes associated with significant elevation of mumps titers. <i>Endocr J</i> , 55(3): 561-4.
55960	Gotshall RW, Aten LA, Yumikura S (1994). Difference in the cardiovascular response to prolonged sitting in men and women. <i>Can J Appl Physiol</i> , 19(2): 215-25.
93927	Goueslard K, Petit JM, Cottenet J, et al (2018). Increased risk of rehospitalization for acute diabetes complications and suicide attempts in patients with type 1 diabetes and comorbid schizophrenia. <i>Diabetes Care</i> , 41(11): 2316-21.
910	Goulston KJ, Dent OF, Chapuis PH, et al (1985). Gastrointestinal morbidity among World War II prisoners of war: 40 years on. <i>Med J Aust</i> , 143(1): 6-10.
2664	Grahame-Smith DG, Aronson JK (Eds) (1992). <i>Pharmacopoeia, Corticosteroids</i> . Oxford textbook of clinical pharmacology and drug therapy, 2nd Edition, Part IV: 584-8. Oxford University Press Oxford.
57574	Grandinetti A, Koholokula JK, Chang HK (2000). [Comment] Delineating the relationship between stress, depressive symptoms, and glucose intolerance. <i>Diabetes Care</i> , 23(9): 1443-4. Comment on ID: 57573.
2665	Grant PT, Oats JN, Beischer NA (1986). The long-term follow-up of women with gestational diabetes. <i>Aust N Z J Obstet Gynaecol</i> , 26(1): 17-22.
43891	Green J, Casabonne D, Newton R (2004). Coxsackie B virus serology and type 1 diabetes mellitus: a systematic review of published case-control studies. <i>Diabet Med</i> , 21(6): 507-14.
56579	Greenberg JA, Boozer CN, Gelieber A (2006). Coffee, diabetes, and weight control. <i>Am J Clin Nutr</i> , 84(4): 682-93.
2666	Greenberger NJ, Toskes PP, Isselbacher KR (1994). Acute and chronic pancreatitis. <i>Acute Pancreatitis</i> . Harrison's Principles of Internal Medicine, 13th Edition, Chapter 274: 1530. McGraw Hill, New York.
93928	Greenwood DC, Threapleton DE, Evan CE, et al (2014). Association between sugar-sweetened and artificially sweetened soft drinks and type 2 diabetes: systematic review and dose-response meta-analysis of prospective studies. <i>Br J Nutr</i> , 112(5): 725-34.
2667	Grendell JH, Cello JP (1993). Chronic Pancreatitis. <i>Sleisenger &amp; Fordtran</i> (Eds.). <i>Gastrointestinal Disease</i> , 5th Edition, 2 81: 1654-81. Saunders, Philadelphia.
2668	Gries FA, Kleophas W (1990). Effects of diuretics on insulin and glucose disposal. <i>Horm Metab Res Suppl</i> , 22: 33-8.
56842	Grinspoon S (2009). Diabetes mellitus, cardiovascular risk, and HIV disease. <i>Circulation</i> , 119(6): 770-2.
15089	Grodzicki T, Palmer A, Bulpitt CJ (1997). Incidence of diabetes and gut in hypertensive patients during 8 years of follow-up. The General Practice Hypertension Study Group. <i>J Hum Hypertens</i> , 11(9): 583-5.

58440	Gronbaek H, Thomsen KL, Rungby J, et al (2008). Role of nonalcoholic fatty liver disease in the development of insulin resistance and diabetes. <i>Expert Rev Gastroenterol Hepatol</i> , 2(5): 705-11.
93929	Groot HJ, Gietema JA, Aleman BM, et al (2018). Risk of diabetes after para-aortic radiation for testicular cancer. <i>Br J Cancer</i> , 119(7): 901-7.
2669	Guest CS, O'Dea K (1992). Diabetes in Aborigines and other Australian populations. <i>Aust J Public Health</i> , 16(4): 340-9.
8785	Guest CS, Venn AJ (1992). Mortality of former prisoners of war and other Australian veterans. <i>Med J Aust</i> , 157(2): 132-5.
57414	Guh DP, Zhang W, Bansback N, et al (2009). The incidence of comorbidities related to obesity and overweight: a systematic review and meta-analysis. <i>BMC Public Health</i> , 9: 88.
58312	Gulati R, Bhatia V, Agarwal SS (2000). Early onset of endocrine abnormalities in beta-thalassemia major in a developing country. <i>J Pediatr Endocrinol Metab</i> , 13(6): 651-6.
2671	Gullo L, Pezzilli R, Morselli-Labate AM, et al (1994). Diabetes and the risk of pancreatic cancer. <i>N Engl J Med</i> , 331(2): 81-4.
2673	Gullo L, Sipahi HM, Pezzilli R (1994). Pancreatitis in the elderly. <i>J Clin Gastroenterol</i> , 19(1): 64-8.
93930	Gupta S, Pollack T, Fulkerson C, et al (2018). Hyperglycemia in the posttransplant period: NODAT vs posttransplant diabetes mellitus. <i>J Endocr Soc</i> , 2(11): 1314-9.
58571	Guyton JR (2007). Niacin in cardiovascular prevention: mechanisms, efficacy, and safety. <i>Curr Opin Lipidol</i> , 18(4): 415-20.
13595	Haapanen N, Miilunpalo S, Vuori I, et al (1997). Association of leisure time physical activity with the risk of coronary heart disease, hypertension and diabetes in middle-aged men and women. <i>Int J Epidemiol</i> , 26(4): 739-47.
15208	Haapanen N, Miilunpalo S, Vuori I, et al (1998). Measurement of physical activity exposure. <i>Int J Epidemiol</i> , 27(2): 335-6.
93931	Hadigan C (2014). Diabetes mellitus type 2 and abnormal glucose metabolism in the setting of human immunodeficiency virus. <i>Endocrinol Metab Clin North Am</i> , 43(3): 685-96.
15202	Haffner SM, Miettinen H, Stern MP (1997). Are risk factors for conversion to NIDDM similar in high and low populations? <i>Diabetologia</i> , 40(1): 62-6.
2674	Hagglof B, Blom L, Dahlquist G, et al (1991). The Swedish childhood diabetes study: indications of severe psychological stress as a risk factor for Type 1 (insulin-dependent) diabetes mellitus in childhood. <i>Diabetologia</i> , 34(8): 579-83.
57565	Haidar A, Yassin A, Saad F, et al (2007). Effects of androgen deprivation on glycaemic control and on cardiovascular biochemical risk factors in men with advanced prostate cancer with diabetes. <i>Aging Male</i> , 10(4): 189-96.
8155	Hales CN, Barker DJ, Clark PM, et al (1991). Fetal and infant growth and impaired glucose tolerance at age 64. <i>BMJ</i> , 303(6809): 1019-22.
44027	Halsey NA (2003). [Comment] Clustering of cases of insulin dependent diabetes (IDDM) occurring three years after hemophilus influenza B (HiB) immunization support causal relationship between immunization and IDDM. <i>Autoimmunity</i> , 36(3): 123.
15110	Han TS, Feskens EJ, Lean ME, et al (1998). Associations of body composition with type 2 diabetes mellitus. <i>Diabet Med</i> , 15(2): 129-35.
58574	Hanly EJ, Cooperman M, Marohn MR, et al (2010). Somatostatinomas. Retrieved 21 July 2010, from <a href="http://emedicine.medscape.com/article/182841-print">http://emedicine.medscape.com/article/182841-print</a>
15112	Harris MI, Eastman RC, Cowie CC, et al (1997). Comparison of diabetes diagnostic categories in the US population according to 1997 American Diabetes Association and 1980-1985 World Health Organization diagnostic criteria. <i>Diabetes Care</i> , 20(12): 1859-62.

93932	Hart PA, Bellin MD, Andersen DK, et al (2016). Type 3c (pancreatogenic) diabetes mellitus secondary to chronic pancreatitis and pancreatic cancer. <i>Lancet Gastroenterol Hepatol</i> , 1(3): 226-37.
93933	Hasan SS, Clavarino AM, Mamun AA, et al (2013). Population impact of depression either as a risk factor or consequence of type 2 diabetes in adults: a meta-analysis of longitudinal studies. <i>Asian J Psychiatr</i> , 6(6): 460-72.
93934	Hashimoto Y, Hamaguchi M, Tanaka M, et al (2018). Metabolically healthy obesity without fatty liver and risk of incident type 2 diabetes: A meta-analysis of prospective cohort studies. <i>Obes Res Clin Pract</i> , 12(1): 4-15.
15102	Haverkos HW (1997). Could the aetiology of IDDM be multifactorial? <i>Diabetologia</i> , 40(10): 1235-40.
28707	Hayashi T, Tsumura K, Suematsu C, et al (1999). High normal blood pressure, hypertension, and the risk of type 2 diabetes in Japanese men. <i>The Osaka Health Survey. Diabetes Care</i> , 22(10): 1683-7.
26604	Hayashi T, Tsumura K, Suematsu C, et al (1999). High normal blood pressure, hypertension, and the risk of Type 2 diabetes in Japanese men. <i>Diabetes Care</i> , 22(10): 1683-7.
56869	Hayashino Y, Fukuhara S, Okamura T, et al (2008). A prospective study of passive smoking and risk of diabetes in a cohort of workers. The high-risk and population strategy for Occupational Health Promotion (HIPPOP-OHP) study. <i>Diabetes Care</i> , 31(4): 732-4.
71382	Heal DJ, Gosden J Jackson HC, et al (2012). Metabolic consequences of antipsychotic therapy: preclinical and clinical perspectives on diabetes, diabetic ketoacidosis and obesity. <i>Handb Exp Pharmacol</i> , (212): 135-64.
59062	Healy GN, Dunstan DW, Salmon J, et al (2008). Breaks in sedentary time: beneficial associations with metabolic risk. <i>Diabetes Care</i> , 31(4): 661-6.
15121	Helmrich SP, Ragland DR, Leung RW, et al (1991). Physical activity and reduced occurrence of non-insulin dependent diabetes mellitus. <i>N Engl J Med</i> , 325(3): 147-52.
2675	Helz JW, Templeton B (1990). Evidence of the role of psychosocial factors in diabetes mellitus: A review. <i>Am J Psychiatry</i> , 147(10): 1275-82.
74574	Henley P, Hill J, Moretti ME, et al (2012). Relationships between exposure to polyhalogenated aromatic hydrocarbons and organochlorine pesticides and the risk for developing type 2 diabetes: a systematic review and a meta-analysis of exposures to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Toxicol Environ Chem</i> , 94(5): 814-45.
14331	Henriksen GL, Ketchurn NS, Michalek JE, et al (1997). Serum dioxin and diabetes mellitus in veterans of Operation Ranch Hand. <i>Epidemiology</i> , 8(3): 252-8.
2676	Henry OA, Beischer NA (1991). Long-term implications of gestational diabetes for the mother. <i>Baillieres Clin Obstet Gynaecol</i> , 5(2): 461-83.
43894	Hiltunen M, Hyoty H, Karjalainen J, et al (1995). Serological evaluation of the role of cytomegalovirus in the pathogenesis of IDDM: a prospective study. <i>Diabetologia</i> , 38(6): 705-10.
43917	Hiltunen M, Hyoty H, Knip M, et al (1997). Islet cell antibody seroconversion in children is temporally associated with enterovirus infections. <i>J Infect Dis</i> , 175(3): 554-60.
43773	Hiltunen M, Lonnrot M, Hyoty H (1999). Immunisation and type 1 diabetes mellitus. Is there a link? <i>Drug Saf</i> , 20(3): 207-12.
43810	Hindersson M, Elshebani A, Orn A, et al (2005). Simultaneous type 1 diabetes onset in mother and son coincident with an enteroviral infection. <i>J Clin Virol</i> , 33(2): 158-67. Erratum, 34(2): 160.
93936	Hirst JA, Aronson JK, Feakins BG, et al (2017). Short- and medium-term effects of light to moderate alcohol intake on glycaemic control in diabetes mellitus: a systematic review and meta-analysis of randomized trials. <i>Diabet Med</i> , 34(5): 604-11.

93937	Hirst JA, Farmer AJ, Feakins BG, et al (2015). Quantifying the effects of diuretics and b-adrenoceptor blockers on glycaemic control in diabetes mellitus - a systematic review and meta-analysis. <i>Br J Clin Pharmacol</i> , 79(5): 733-43.
58521	Hober D, Sauter P (2010). Pathogenesis of type 1 diabetes mellitus: interplay between enterovirus and host. <i>Nat Rev Endocrinol</i> , 6(5): 279-89.
8301	Hodge AM, Dowse GK, Alberti GM, et al (1996). Relationship of insulin resistance to weight gain in nondiabetic Asian Indian, Creole, and Chinese Mauritians. <i>Metabolism</i> , 45(5): 627-33.
8304	Hodge AM, Montgomery J, Dowse GK, et al (1996). A case-control study of diet in newly diagnosed NIDDM in the Wanigela people of Papua New Guinea. <i>Diabetes Care</i> , 19(5): 457-62.
57571	Hoffmeister PA, Storer BE, Sanders JE (2004). Diabetes mellitus in long-term survivors of pediatric hematopoietic cell transplantation. <i>J Pediatr Hematol Oncol</i> , 26(2): 81-90.
93938	Hofmann M, Kohler B, Leichsenring F, et al (2013). Depression as a risk factor for mortality in individuals with diabetes: a meta-analysis of prospective studies. <i>PLoS One</i> , 8(11): e79809.
28713	Holbrook TL, Barrett-Connor E, Wingard DL (1990). A prospective population-based study of alcohol use and non-insulin-dependent diabetes mellitus. <i>Am J Epidemiol</i> , 132(5): 902-9.
29864	Holstein A, Hinze S, Thiessen E, et al (2002). Clinical implications of hepatogenous diabetes in liver cirrhosis. <i>J Gastroenterol Hepatol</i> , 17(6): 677-81.
56867	Houston TK, Person SK, Pletcher MJ, et al (2006). Active and passive smoking and development of glucose intolerance among young adults in a prospective cohort: CARDIA study. <i>BMJ</i> , 332(7549): 1064-9.
28285	Howard AA, Klein RS, Schoenbaum EE (2003). Association of hepatitis C infection and antiretroviral use with diabetes mellitus in drug users. <i>Clin Infect Dis</i> , 36(10): 1318-23.
71262	Hsu JH, Chien IC, Lin CH, et al (2011). Incidence of diabetes in patients with schizophrenia: a population-based study. <i>Can J Psychiatry</i> , 56(1): 19-26.
60086	Hu FB, Leitzmann MF, Stampfer MJ, et al (2001). Physical activity and television watching in relation to risk for type 2 diabetes mellitus in men. <i>Arch Intern Med</i> , 161(12): 1542-8.
28530	Hu FB, Li TY, Colditz GA, et al (2003). Television watching and other sedentary behaviors in relation to risk of obesity and type 2 diabetes mellitus in women. <i>JAMA</i> , 289(14): 1785-91.
28526	Hu FB, Manson JE, Stampfer MJ, et al (2001). Diet, lifestyle, & the risk of type 2 diabetes mellitus in women. <i>N Engl J Med</i> , 345(11): 790-7.
93939	Huai P, Han H, Reilly KH, et al (2016). Leisure-time physical activity and risk of type 2 diabetes: a meta-analysis of prospective cohort studies. <i>Endocrine</i> , 52(2): 226-30.
93940	Huang CY, Wu CL, Yang YC, et al (2015). Association between dioxin and diabetes mellitus in an endemic area of exposure in Taiwan: a population-based study. <i>Medicine (Baltimore)</i> , 94(42): e1730.
93941	Huang J, Wang X, Zhang Y (2017). Specific types of alcoholic beverage consumption and risk of type 2 diabetes: A systematic review and meta-analysis. <i>J Diabetes Investig</i> , 8(1): 56-68.
93942	Huang XL, Pan JH, Chen D, et al (2016). Efficacy of lifestyle interventions in patients with type 2 diabetes: A systematic review and meta-analysis. <i>Eur J Intern Med</i> , 27: 37-47.
93943	Huffhines L, Noser A, Patton SR (2016). The link between adverse childhood experiences and diabetes. <i>Curr Diab Rep</i> , 16(6): 54.

43718	Hummel M, Schenker M, Fuchtenbusch M, et al (2000). No major association of breast-feeding, vaccinations, and childhood viral diseases with early islet autoimmunity in the German BABYDIAB Study. <i>Diabetes Care</i> , 23(7): 969-74.
58224	Hur NW, Kim HC, Nam CM, et al (2007). Smoking cessation and risk of type 2 diabetes mellitus: Korea Medical Insurance Corporation Study. <i>Eur J Cardiovasc Prev Rehabil</i> , 14(2): 244-9.
43809	Hviid A (2006). Postlicensure epidemiology of childhood vaccination: the Danish experience. <i>Expert Rev Vaccines</i> , 5(5): 641-9.
43725	Hviid A, Stellfeld M, Wohlfahrt J, et al (2004). Childhood vaccination and type 1 diabetes. <i>N Engl J Med</i> , 350(14): 1398-404.
15107	Hwa FH, Yang YC, Wu JS, et al (1998). A population-based study of the prevalence and associated factors of diabetes mellitus in southern Taiwan. <i>Diabet Med</i> , 15(7): 564-72.
52958	Hyoty H (2004). Environmental causes: viral causes. <i>Endocrinol Metab Clin North Am</i> , 33(1): 27-44.
43772	Hyoty H, Hiltunen M, Reunanan A, et al (1993). Decline of mumps antibodies in type 1 (insulin-dependent) diabetic children and a plateau in the rising incidence of type 1 diabetes after introduction of the mumps-measles-rubella vaccine in Finland. <i>Diabetologia</i> , 36(12): 1303-8.
93944	Imamura F, O'Connor L, Ye Z, et al (2015). Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. <i>BMJ</i> , 351: h3576.
61195	Institute of Medicine (2011). Blue Water Navy Vietnam Veterans and Agent Orange Exposure. National Academies Press - Washington, DC.
56717	Institute of Medicine (2009). Committee to review the health effects in Vietnam veterans of exposure to herbicides. <i>Veterans and Agent Orange Update 2008, Seventh biennial update</i> , The National Academies Press, Washington DC.
29493	Institute of Medicine (2003). <i>Veterans and Agent Orange Update 2002</i> , National Academy Press, Washington, D.C.
19992	Institute of Medicine (2000). <i>Herbicide/dioxin exposure and type 2 diabetes</i> . Veterans and Agent Orange, National Academies Press - Washington, DC.
93945	Isa SE, Oche AO, Kang'ombe AR, et al (2016). Human immunodeficiency virus and risk of type 2 diabetes in a large adult cohort in Jos, Nigeria. <i>Clin Infect Dis</i> , 63(6): 830-5.
43893	Ivarsson SA, Lindberg B, Nilsson KO, et al (1993). The prevalence of type 1 diabetes mellitus at follow-up of Swedish infants congenitally infected with cytomegalovirus. <i>Diabet Med</i> , 10(6): 521-3.
93946	Jaacks LM, Staimez LR (2015). Association of persistent organic pollutants and non-persistent pesticides with diabetes and diabetes-related health outcomes in Asia: A systematic review. <i>Environ Int</i> , 76: 57-70.
58577	Jacobs-van der Bruggen MA, Spijkerman A, van Baal PH, et al (2010). Weight change and incident diabetes: addressing an unresolved issue. <i>Am J Epidemiol</i> , 172(3): 263-70.
58514	Jaidane H, Sane F, Gharbi J, et al (2009). Coxsackievirus B4 and type 1 diabetes pathogenesis: contribution of animal models. <i>Diabet Metab Res Rev</i> , 25(7): 591-603.
93947	Jain V, Patel RK, Kapadia Z, et al (2017). Drugs and hyperglycemia: A practical guide. <i>Maturitas</i> , 104: 80-3.
71504	Jalbert JJ, Daiello LA, Eaton CB, et al (2011). Antipsychotic use and the risk of diabetes in nursing home residents with dementia. <i>Am J Geriatr Pharmacother</i> , 9(3): 153-63.

14916	James SA, Jamjoum L, Raghunathan TE, et al (1998). Physical activity and NIDDM in African-Americans: the Pitt County Study. <i>Diabetes Care</i> , 21(4): 555-62.
3009	Jarrett RJ, Shipley MJ, Hunt R (1986). Physical activity, glucose tolerance and diabetes mellitus: the Whitehall study. <i>Diabet Med</i> , 3(6): 549-51.
58484	Jeffcocke W (2000). [Comment] Can growth hormone therapy cause diabetes? <i>Lancet</i> , 355(9204): 589-90. Comment on ID: 58483.
93948	Jepson C, Hsu JY, Fischer MJ, et al (2019). Incident type 2 diabetes among individuals with CKD: findings from the chronic renal insufficiency cohort (CRIC) study. <i>Am J Kidney Dis</i> , 73(1): 72-81.
15517	Jha TK, Sharma VK (1984). Pentamidine-induced diabetes mellitus. <i>Trans R Soc Trop Med Hyg</i> , 78(2): 252-3.
93949	Jhan JH, Yeh HC, Chang YH, et al (2018). New-onset diabetes after androgen-deprivation therapy for prostate cancer: A nationwide propensity score-matched four-year longitudinal cohort study. <i>J Diabetes Complications</i> , 32(7): 688-92.
93950	Jia Z, Zhang X, Kang S, et al (2011). Serum uric acid levels and incidence of impaired fasting glucose and type 2 diabetes mellitus: a meta-analysis of cohort studies. <i>Diabetes Res Clin Pract</i> , 101(1): 88-96.
93951	Jiang P, Li H, Li X (2015). Diabetes mellitus risk factors in rheumatoid arthritis: a systematic review and meta-analysis. <i>Clin Exp Rheumatol</i> , 33(1): 115-21.
93952	Jiang X, Zhang D, Jiang W (2014). Coffee and caffeine intake and incidence of type 2 diabetes mellitus: a meta-analysis of prospective studies. <i>Eur J Nutr</i> , 53(1): 25-38.
72234	Jibson MD (2013). Second-generation antipsychotic medications: pharmacology, administration and comparative side effects. Retrieved 18 July 2014, from <a href="http://www.uptodate.com/contents/second-generation-antipsychotic-medications-pharmacology-administration-and-comparative-side-effects">http://www.uptodate.com/contents/second-generation-antipsychotic-medications-pharmacology-administration-and-comparative-side-effects</a> ?
2677	Jindal RM, Popescu I, Schwartz ME, et al (1994). Diabetogenicity of FK506 versus cyclosporine in liver transplant recipients. <i>Transplantation</i> , 58(3): 370-2.
57871	Joergensen C, Gall MA, Schmedes A, et al (2010). Vitamin D levels and mortality in type 2 diabetes. <i>Diabetes Care</i> , 33(10): 2238-43.
93953	Jones RC (1978). Management of pancreatic trauma. <i>Ann Surg</i> , 187(5): 555-64.
69472	Jun HS, Yoon JW (2003). A new look at viruses in type 1 diabetes. <i>Diabetes Metab Res Rev</i> , 19(1): 8-31.
94037	Kan C, Silva N, Golden SH, et al (2013). A systematic review and meta-analysis of the association between depression and insulin resistance. <i>Diabetes Care</i> , 36(2): 480-9.
45172	Kang HK, Dalager NA, Needham LL, et al (2006). Health status of Army Chemical Corps Vietnam veterans who sprayed defoliant in Vietnam. <i>Am J Ind Med</i> , 49(11): 875-84.
94038	Kang JS, Jang JY, Kang MJ, et al (2016). Endocrine function impairment after distal pancreatectomy: incidence and related factors. <i>World J Surg</i> , 40(2): 440-6.
26679	Kao WH, Puddey IB, Boland LL, et al (2001). Alcohol consumption and the risk of type 2 diabetes mellitus. <i>Atherosclerosis risk in communities study</i> . <i>Am J Epidemiol</i> , 154(8): 748-57.
43793	Karvonen M, Cepaitis Z, Tuomilehto J (1999). Association between type 1 diabetes and Haemophilus influenzae type b vaccination: birth cohort study. <i>BMJ</i> , 318(7192): 1169-72.
57415	Kawakami N, Shimizu H, Takatsuka N, et al (1999). Depressive symptoms and occurrence of type 2 diabetes among Japanese men. <i>Diabetes Care</i> , 22(7): 1071-6.

10929	Kawakami N, Takatsuka N, Shimizu H, et al (1997). Effects of smoking on the incidence of non-insulin-dependent diabetes mellitus. Replication and extension in a Japanese cohort of male employees. <i>Am J Epidemiol</i> , 145(2): 103-9.
94039	Kawazoe T, Araki M, Lin Y, et al (2012). New-onset type 1 diabetes mellitus and anti-aquaporin-4 antibody positive optic neuritis associated with type 1 interferon therapy for chronic hepatitis C. <i>C. Intern Med</i> , 51(18): 2625-9.
2678	Kaye SA, Folsom AR, Sprafka JM, et al (1991). Increased incidence of diabetes mellitus in relation to abdominal adiposity in older women. <i>J Clin Epidemiol</i> , 44(3): 329-34.
76032	Keating NL, Liu PH, O'Malley AJ, et al (2014). Androgen deprivation therapy and diabetes control among diabetic men with prostate cancer. <i>Eur Urol</i> , 65(4): 816-24.
57566	Keating NL, O'Malley J, Smith MR (2006). Diabetes and cardiovascular disease during androgen deprivation therapy for prostate cancer. <i>J Clin Oncol</i> , 24(27): 4448-56.
57560	Keating NL, O'Malley J, Freedland SJ, et al (2010). Diabetes and cardiovascular disease during androgen deprivation therapy: observational study of veterans with prostate cancer. <i>J Natl Cancer Inst</i> , 102(1): 39-46.
76024	Keating NL, O'Malley AJ, Freedland SJ, et al (2013). Does comorbidity influence the risk of myocardial infarction or diabetes during androgen-deprivation therapy for prostate cancer? <i>Eur Urol</i> , 64(1): 159-66.
56829	Keim V, Klar E, Poll M, et al (2009). Postoperative care following pancreatic surgery. <i>Dtsch Arztebl Int</i> , 106(48): 789-94.
64804	Kerger BD, Scott PK, Pavuk M, et al (2012). Re-analysis of Ranch Hand study supports reverse causation hypothesis between dioxin and diabetes. <i>Crit Rev Toxicol</i> , 42(8): 669-87.
71263	Kessing LV, Thomsen AF, Mogensen UB, et al (2010). Treatment with antipsychotics and the risk of diabetes in clinical practice. <i>Br J Psychiatry</i> , 197(4): 266-71.
94040	Khalid M, Andreoli S (2019). Extrarenal manifestations of the hemolytic uremic syndrome associated with Shiga toxin-producing Escherichia coli (STEC HUS). <i>Pediatr Nephrol</i> , 34(12): 2495-507.
69903	Khoza S, Barner JC, Bohman TM (2012). Use of antidepressant agents and the risk of type 2 diabetes. <i>Eur J Clin Pharmacol</i> , 68(9): 1295-302.
8124	Kiatsayompo, S, Lueprasitsakul W, Bhuripanyo P, et al (1993). Diabetes mellitus in the young in Srinagarind hospital. <i>J Med Assoc Thai</i> , 76(5): 247-51.
58492	Kim C, Siscovick DS, Sidney S, et al (2002). Oral contraceptive use and association with glucose, insulin, and diabetes in young adult women. <i>Diabetes Care</i> , 25(6): 1027-32.
94041	Kim HJ, Kim YM, Kang E, et al (2017). Diabetes mellitus caused by secondary hemochromatosis after multiple blood transfusions in 2 patients with severe aplastic anemia. <i>Ann Pediatr Endocrinol Metab</i> , 22(1): 60-4.
33658	Kim JS, Lim HS, Cho SI, et al (2003). Impact of Agent Orange exposure among Korean Vietnam veterans. <i>Ind Health</i> , 41(3): 149-57.
94042	Kim SC, Liu JL, Solomon DH, et al (2015). Risk of incident diabetes in patients with gout: a cohort study. <i>Arthritis Rheumatol</i> , 67(1): 273-80.
53244	Kimerling R (2004). An investigation of sex differences in nonpsychiatric morbidity associated with posttraumatic stress disorder. <i>J Am Med Womens Assoc</i> (1972), 59(1): 43-7.
76026	Kimura T, Sasaki H, Akazawa K, et al (2015). Gonadotropin-releasing hormone antagonist: a real advantage? <i>Urol Oncol</i> , 33(7): 322-8.
93796	Kirchner VA, Finger EB, Bellin MD, et al (2016). Long-term outcomes for living pancreas donors in the modern era. <i>Transplantation</i> , 100(6): 1322-8.

57579	Kirii K, Mizoue T, Iso H, et al (2009). Calcium, vitamin D and dairy intake in relation to type 2 diabetes risk in a Japanese cohort. <i>Diabetologia</i> , 52(12): 2542-50.
71264	Kisely S, Cox M, Campbell LA, et al (2009). An epidemiologic study of psychotropic medication and obesity-related chronic illnesses in older psychiatric patients. <i>Can J Psychiatry</i> , 54(4): 269-74.
2679	Kissane JM, Lacy PE (1990). Pancreas and Diabetes Mellitus, Endocrine Pancreas Diabetes Mellitus. JM Kissane (Ed). Anderson's Pathology, 9th Edition, Vol 2 (Int Ed.) Chapter 27: 1347-72. CV Mosby Co. St. Louis.
58984	Kivimaki M, Hamer M, Batty GD, et al (2010). Antidepressant medication use, weight gain and risk of type 2 diabetes mellitus: A population-based study. <i>Diabetes Care</i> , 33(12): 2611-6.
71272	Kivimaki M, Hamer M, Batty GD, et al (2010). Online appendix: supplemental data - antidepressant medication use, weight gain, and risk of type 2 diabetes: a population-based study. Retrieved 7 April 2014, from <a href="http://care.diabetesjournals.org/cgi/content/full/dc10-1187/DC1">http://care.diabetesjournals.org/cgi/content/full/dc10-1187/DC1</a>
58829	Kivimaki M, Tabak AG, Lawlor DA, et al (2010). Antidepressant use before and after the diagnosis of type 2 diabetes. <i>Diabetes Care</i> , 33(7): 1471-6.
94044	Kivimaki M, Virtanen M, Kawachi I, et al (2015). Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes Endocrinol</i> , 3(1): 27-34.
14914	Kjos SL, Peters RK, Xiang A, et al (1998). Contraception and the risk of type 2 diabetes mellitus in Latina women with prior gestational diabetes mellitus. <i>JAMA</i> , 280(6): 533-8.
15104	Klein R, Klein BE, Moss SE (1997). Is obesity related to microvascular and macrovascular complications in diabetes? <i>Arch Intern Med</i> , 157(6): 650-6.
28710	Knobler H, Schihmanter R, Zifroni A, et al (2000). Increased risk of type 2 diabetes in noncirrhotic patients with chronic hepatitis C virus infection. <i>Mayo Clin Proc</i> , 75(4): 355-9.
15101	Knobler H, Stagnaro-Green A, Wallenstein S, et al (1998). Higher incidence of diabetes in liver transplant recipients with hepatitis C. <i>J Clin Gastroenterol</i> , 26(1): 30-3.
56862	Knutson KL, Cauter EV (2008). Associations between sleep loss and increased risk of obesity and diabetes. <i>Ann N Y Acad Sci</i> , 1129: 287-304.
28704	Ko GT, Chan JC, Tsang LW, et al (2001). Smoking and diabetes in Chinese men. <i>Postgrad Med J</i> , 77(906): 240-3.
2680	Kobberling J, Tillil H (1990). Genetic and nutritional factors in the etiology and pathogenesis of diabetes mellitus. <i>World Rev Nutr Diet</i> , 63: 102-15.
94049	Kodama S, Horikawa C, Fujihara K, et al (2014). Quantitative relationship between body weight gain in adulthood and incident type 2 diabetes: a meta-analysis. <i>Obes Rev</i> , 15(3): 202-14.
94048	Kodama S, Horikawa C, Fujihara K, et al (2012). Comparisons of the strength of associations with future type 2 diabetes risk among anthropometric obesity indicators, including waist-to-height ratio: a meta-analysis. <i>Am J Epidemiol</i> , 176(11): 959-69.
94046	Kodama S, Saito K, Yachi Y, et al (2009). Association between serum uric acid and development of type 2 diabetes. <i>Diabetes Care</i> , 32(9): 1737-42.
94050	Koenen KC, Sumner JA, Gilsanz P, et al (2017). Post-traumatic stress disorder and cardiometabolic disease: improving causal inference to inform practice. <i>Psychol Med</i> , 47(2): 209-25.
8423	Koffler M, Kisch E (1996). Starvation diet and very-low- calorie diets may induce insulin resistance and overt diabetes mellitus. <i>J Diabetes Complications</i> , 10(2): 109-12.
31369	Koh-Banerjee P, Wang Y, Hu FB, et al (2004). Changes in body weight and body fat distribution as risk factors for clinical diabetes in US men. <i>Am J Epidemiol</i> , 159(12): 1150-9.

2681	Konzen KM, Perrault J, Moir C, et al (1993). Long-term follow-up of young patients with chronic hereditary or idiopathic pancreatitis. Mayo Clin Proc, 68(5): 449-53.
28544	Kornegay CJ, Vasilakis-Scaramozza C, Jick H (2002). Incident diabetes associated with antipsychotic use in the United Kingdom general practice research database. <i>J Clin Psychiatry</i> , 63(9): 758-62.
56971	Kowall B, Rathmann W, Strassburger K, et al (2010). Association of passive and active smoking with incident type 2 diabetes mellitus in the elderly population: the KORA S4/F4 cohort study. <i>Eur J Epidemiol</i> , 25(6): 393-402.
71383	Kozumplik O, Uzun S, Jakovljevic M (2010). Metabolic syndrome in patients with psychotic disorders: diagnostic issues, comorbidity and side effects of antipsychotics. <i>Psychiatr Danub</i> , 22(1): 69-74.
71386	Kozumplik O, Uzun S, Jakovljevic M (2009). Psychotic disorders and comorbidity: somatic illness vs. side effect. <i>Psychiatr Danub</i> , 21(3): 361-7.
26422	Krempf M, Got I, Ziegler O, et al (1994). Minimal model for determination of insulin sensitivity: repeatability in control and obese subjects. <i>Diabetes Res Clin Pract</i> , 26(2): 145-8.
94052	Kyu HH, Bachman VF, Alexander LT, et al (2016). Physical activity and risk of breast cancer, colon cancer, diabetes, ischemic heart disease, and ischemic stroke events: systematic review and dose-response meta-analysis for the Global Burden of Disease Study 2013. <i>BMJ</i> , 354: i3857.
57564	Laaksonen MA, Knekt P, Rissanen H, et al (2010). The relative importance of modifiable potential risk factors of type 2 diabetes: a meta-analysis of two cohorts. <i>Eur J Epidemiol</i> , 25(2): 115-24.
94054	Labarca G, Reyes T, Jorquera J, et al (2018). CPAP in patients with obstructive sleep apnea and type 2 diabetes mellitus: Systematic review and meta-analysis. <i>Clin Respir J</i> , 12(8): 2361-8.
94056	Lai LY, Harris E, West RM, et al (2018). Association between glucocorticoid therapy and incidence of diabetes mellitus in polymyalgia rheumatica and giant cell arteritis: a systematic review and meta-analysis. <i>RMD Open</i> , 4(1): e000521.
2682	Lai MS, Hsueh GM, Chen CJ, et al (1994). Ingested inorganic arsenic and prevalence of diabetes mellitus. <i>Am J Epidemiol</i> , 139(5): 484-92.
43771	Lammi N, Karvonen M, Tuomilehto J (2005). Do microbes have a causal role in type 1 diabetes? <i>Med Sci Monit</i> , 11(3): RA63-9.
2683	Larsen S (1993). Diabetes mellitus secondary to chronic pancreatitis. <i>Dan Med Bull</i> , 40(2): 153-62.
56858	Leahy Y (2008). Risk of metabolic syndrome, cardiovascular disease, and diabetes in androgen deprivation therapy. <i>Clin J Oncol Nurs</i> , 12(5): 771-6.
48157	Leandro G, Mangia A, Hui J, et al (2006). Relationship between steatosis, inflammation, and fibrosis in chronic hepatitis C: A meta-analysis of individual patient data. <i>Gastroenterology</i> , 130(6): 1636-42.
94057	Lee CJ, Iyer G, Liu Y, et al (2017). The effect of vitamin D supplementation on glucose metabolism in type 2 diabetes mellitus: A systematic review and meta-analysis of intervention studies. <i>J Diabetes Complications</i> , 31(7): 1115-26.
57563	Lee CM, Huxley RR, Wildman RP, et al (2008). Indices of abdominal obesity are better discriminators of cardiovascular risk factors than BMI: a meta-analysis. <i>J Clin Epidemiol</i> , 61(7): 646-53.
56575	Lee DH, Lee IK, Song K, et al (2006). A strong dose-response relational between serum concentrations of persistent organic pollutants and diabetes. <i>Diabetes Care</i> , 29(7): 1638-44.
94058	Lee DH, Lind PM, Jacobs DR, et al (2011). Polychlorinated biphenyls and organochlorine pesticides in plasma predict development of type 2 diabetes in the elderly: the prospective investigation of the vasculature in Uppsala Seniors (PIVUS) study. <i>Diabetes Care</i> , 34(8): 1778-84.

58496	Lee DH, Steffes MW, Sjodin A, et al (2010). Low dose of some persistent organic pollutants predicts type 2 diabetes: a nested case-control study. <i>Environ Health Perspect</i> , 118(9): 1235-42.
94060	Lee KW, Ching SM, Ramachandran V, et al (2018). Prevalence and risk factors of gestational diabetes mellitus in Asia: a systematic review and meta-analysis. <i>BMC Pregnancy Childbirth</i> , 18(1): 494.
94061	Lee WG, Wells CI, McCall JL, et al (2019). Prevalence of diabetes in liver cirrhosis: A systematic review and meta-analysis. <i>Diabetes Metab Res Rev</i> , 35(6): e3157.
2684	Lendrum R (1994). Chronic Pancreatitis. JJ Misiewicz, RE Pounder, CW Venables (Eds). <i>Diseases of the Gut and Pancreas</i> , Chap 33: 441-53. Blackwell Scientific Publications Limited, Oxford.
57421	Lenz M, Richter T, Muhlhauser I (2009). The morbidity and mortality associated with overweight and obesity in adulthood. <i>Dtsch Arztebl Int</i> , 106(40): 641-8.
94062	Leopold K, Reif A, Haack S, et al (2016). Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. <i>J Affect Disord</i> , 189: 240-5.
2685	Lester FT (1993). A search for malnutrition-related diabetes mellitus among Ethiopian patients. <i>Diabetes Care</i> , 16(1): 187-92.
94064	Levitsky LL, Misra M (2019). Epidemiology, presentation, and diagnosis of type 1 diabetes mellitus in children and adolescents. Retrieved 16 August 2019, from <a href="https://www.uptodate.com/contents/epidemiology-presentation-and-diagnosis-of-type-1-diabetes-mellitus-in-children-and-adolescents">https://www.uptodate.com/contents/epidemiology-presentation-and-diagnosis-of-type-1-diabetes-mellitus-in-children-and-adolescents</a>
94066	Lew S, Chamberlain RS (2016). Risk of metabolic complications in patients with solid tumors treated with mTOR inhibitors: Meta-analysis. <i>Anticancer Res</i> , 36(4): 1711-8.
94067	Ley EJ, Singer MB, Clond MA, et al (2012). Long-term effect of trauma splenectomy on blood glucose. <i>J Surg Res</i> , 177(1): 152-6.
94068	Li DW, Lu TF, Dai HJ, et al (2015). Risk factors for new onset diabetes mellitus after liver transplantation: A meta-analysis. <i>World J Gastroenterol</i> , 21(20): 6329-40.
94069	Li W, Chen Z, Ruan W, et al (2019). A meta-analysis of cohort studies including dose-response relationship between shift work and the risk of diabetes mellitus. <i>Eur J Epidemiol</i> , 34(11): 1013-24.
94072	Li XH, Yu FF, Zhou YH, et al (2016). Association between alcohol consumption and the risk of incident type 2 diabetes: a systematic review and dose-response meta-analysis. <i>Am J Clin Nutr</i> , 103(3): 818-29.
71354	Liao CH, Chang CS, Wei WC, et al (2011). Schizophrenia patients at higher risk of diabetes, hypertension and hyperlipidemia: A population-based study. <i>Schizophr Res</i> , 126(1-3): 110-6.
58572	Libby A, Meier J, Lopez J, et al (2010). The effect of body mass index on fasting blood glucose and development of diabetes mellitus after initiation of extended-release niacin. <i>Metab Syndr Relat Disord</i> , 8(1): 79-84.
15515	Liegl U, Bogner JR, Goebel FD (1994). Insulin-dependent diabetes mellitus following pentamidine therapy in a patient with AIDS. <i>Clin Investig</i> , 72(12): 1027-9.
94077	Lim CC, Wong MW, Koh HL, et al (2019). New-onset diabetes mellitus among patients with glomerular diseases. <i>Intern Med J</i> , 49(1): 101-8.
94079	Lima C, Grden A, Skare T, et al (2018). Risk factors for new-onset diabetes mellitus after kidney transplantation (NODAT): a Brazilian single center study. <i>Arch Endocrinol Metab</i> , 62(6): 597-601.
94080	Lin CY, Hsieh MC, Kor CT, et al (2019). Association and risk factors of chronic kidney disease and incident diabetes: a nationwide population-based cohort study. <i>Diabetologia</i> , 62(3): 438-47.

94081	Lin SP, Wu Cy, Wang CB, et al (2018). Risk of diabetes mellitus in HIV-infected patients receiving highly active antiretroviral therapy: A nationwide population-based study. <i>Medicine (Baltimore)</i> , 97(36): e12268.
43724	Lindberg B, Ahlfors K, Carlsson A, et al (1999). Previous exposure to measles, mumps, and rubella - but not vaccination during adolescence - correlates to the prevalence of pancreatic and thyroid autoantibodies. <i>Pediatrics</i> , 104(1): e12.
70265	Lipscombe LL, Levesque L, Gruneir A, et al (2009). Antipsychotic drugs and hyperglycemia in older patients with diabetes. <i>Arch Intern Med</i> , 169(14): 1282-9.
58310	Liu E, Meigs JB, Pittas AG, et al (2010). Predicted 25-hydroxyvitamin D score and incident type 2 diabetes in the Framingham Offspring Study. <i>Am J Clin Nutr</i> , 91(6): 1627-33.
94082	Liu MZ, He HY, Luo JQ, et al (2018). Drug-induced hyperglycaemia and diabetes: pharmacogenomics perspectives. <i>Arch Pharm Res</i> , 41(7): 725-36.
94084	Liu XX, Zhu XM, Miao Q, et al (2014). Hyperglycemia induced by glucocorticoids in nondiabetic patients: a meta-analysis. <i>Ann Nutr Metab</i> , 65(4): 324-32.
58512	Longnecker MP (2009). [Comment] On confounded fishy results regarding arsenic and diabetes. <i>Epidemiology</i> , 20(6): 821-3; discussion e1-2. Comment on ID: 58511.
43717	Lonnrot M, Korpela K, Knip M, et al (2000). Enterovirus infection as a risk factor for B-cell autoimmunity in a prospectively observed birth cohort. The Finnish diabetes prediction and prevention study. <i>Diabetes</i> , 49(8): 1314-8.
43779	Lonnrot M, Salminen K, Knip M, et al (2000). Enterovirus RNA in serum is a risk factor for beta-cell autoimmunity and clinical type 1 diabetes: a prospective study. Childhood Diabetes in Finland (DiMe) Study Group. <i>J Med Virol</i> , 61(2): 214-20.
61192	Loonen H, Parsons JR, Govers HA (1994). Effect of sediment on the bioaccumulation of a complex mixture of polychlorinated dibenz-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) by fish. <i>Chemosphere</i> , 28(8): 1433-46.
58525	Lopez LM, Grimes DA, Schulz KF (2009). Steroidal contraceptives: effect on carbohydrate metabolism in women without diabetes mellitus. <i>Cochrane Database Syst Rev</i> , 2019(11).
83070	Louati K, Vidal C, Berenbaum F, et al (2015). Association between diabetes mellitus and osteoarthritis: systematic literature review and meta-analysis. <i>RMD Open</i> , 1(1): e000077.
12297	Lu S, Lotz WG, Michaelson SM (1980). Advances in microwave-induced neuroendocrine effects: The concept of stress. <i>Proceedings of the IEEE</i> , 68(1): 73- 7.
94085	Lucato P, Solmi M, Maggi S, et al (2017). Low vitamin D levels increase the risk of type 2 diabetes in older adults: A systematic review and meta-analysis. <i>Maturitas</i> , 100: 8-15.
52862	Ludman E, Katon W, Russo J, et al (2006). Panic episodes among patients with diabetes. <i>Gen Hosp Psychiatry</i> , 28(6): 475-81.
69894	Lukaschek K, Baumert J, Kruse J, et al (2013). Relationship between posttraumatic stress disorder and type 2 diabetes in a population-based cross-sectional study with 2970 participants. <i>J Psychosom Res</i> , 74(4): 340-5.
58313	Luna B, Feinglos MN (2001). Drug-induced hyperglycemia. <i>JAMA</i> , 286(16): 1945-8.
94086	Lv Q, Meng XF, He FF, et al (2013). High serum uric acid and increased risk of type 2 diabetes: a systemic review and meta-analysis of prospective cohort studies. <i>PLoS One</i> , 8(2): e56864.

43944	Maha MM, Ali MA, Abdel-Rehim SE, et al (2003). The role of coxsackieviruses infection in the children of insulin dependent diabetes mellitus. <i>J Egypt Public Health Assoc</i> , 78(3-4): 305-18. [Abstract]
57693	Majhail NS, Challa TR, Mulrooney DA, et al (2009). Hypertension and diabetes mellitus in adult and pediatric survivors of allogeneic hematopoietic cell transplantation. <i>Biol Blood Marrow Transplant</i> , 15(9): 1100-7.
15198	Maki KC, Davidson MH, McDonald A, et al (1997). [Comments] Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. <i>JAMA</i> , 277(22): 1761; author reply 1762.
15196	Maki KC, Davidson MH, McDonald A, et al (1997). [Comment] Fibre intake and risk of developing non-insulin-dependent diabetes mellitus. <i>JAMA</i> , 277(22): 1761-2; author reply 1762.
94098	Malik VS, Popkin BM, Bray GA, et al (2010). Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. <i>Diabetes Care</i> , 33(11): 2477-83.
14920	Mandrup-Poulsen T (1998). Diabetes. <i>BMJ</i> , 316(7139): 1221-5.
2686	Manson JE, Nathan DM, Krolewski AS, et al (1992). A prospective study of exercise and incidence of diabetes among US male physicians. <i>JAMA</i> , 268(1): 63-7.
2687	Manson JE, Rimm EB, Stampfer MJ, et al (1991). Physical activity and incidence of non-insulin-dependent diabetes mellitus in women. <i>Lancet</i> , 338(8770): 774-8.
2688	Manson JE, Spelsberg A (1994). Primary prevention of non-insulin dependent diabetes mellitus. <i>Am J Prev Med</i> , 10(3): 172-84.
94100	Mantovani A, Byrne CD, Bonora E, et al (2018). Nonalcoholic fatty liver disease and risk of incident type 2 diabetes: a meta-analysis. <i>Diabetes Care</i> , 41(2): 372-82.
58438	Marino MT (2008). Drugs that can worsen diabetes control. <i>Diabetes Self-Management</i> , 25(1): 16, 18-20.
26686	Mason AL, Lau JY, Hoang N, et al (1999). Association of diabetes mellitus and chronic hepatitis C virus infection. <i>Hepatology</i> , 29(2): 328-33.
94101	Matsumoto I, Shinzeki M, Asari S, et al (2014). Evaluation of glucose metabolism after distal pancreatectomy according to the donor criteria of the living donor pancreas transplantation guidelines proposed by the Japanese Pancreas and Islet Transplantation Association. <i>Transplant Proc</i> , 46(3): 958-62.
68439	Mayo Clinic (2013). Type 1 diabetes: Risk factors. Retrieved 2 July 2013, from <a href="http://www.mayoclinic.com/health/type-1-diabetes/DS00329/DSECTION=risk-factors">http://www.mayoclinic.com/health/type-1-diabetes/DS00329/DSECTION=risk-factors</a>
2691	McCarty MF (1993). Insulin resistance in Mexican Americans - A precursor to obesity and diabetes? <i>Med Hypotheses</i> , 41(4): 308-15.
94106	McCulloch CK (2019). Overview of medical care in adults with diabetes mellitus. Retrieved 9 September 2019, from <a href="https://www.uptodate.com/contents/overview-of-medical-care-in-adults-with-diabetes-mellitus">https://www.uptodate.com/contents/overview-of-medical-care-in-adults-with-diabetes-mellitus</a>
94105	McCulloch DK (2018). Clinical presentation and diagnosis of diabetes mellitus in adults. Retrieved 5 February 2020, from <a href="https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-diabetes-mellitus-in-adults">https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-diabetes-mellitus-in-adults</a>
94103	McCulloch DK (2019). Classification of diabetes mellitus and genetic diabetic syndromes. Retrieved 20 August 2019, from <a href="https://www.uptodate.com/contents/classification-of-diabetes-mellitus-and-genetic-diabetic-syndromes">https://www.uptodate.com/contents/classification-of-diabetes-mellitus-and-genetic-diabetic-syndromes</a>
58430	McEvoy JW (2010). [Comment] Statins and risk of incident diabetes. <i>Lancet</i> , 375(9732): 2139-40; author reply 2141-2. Comment on ID: 58429.

43948	McEvoy RC, Fedun B, Cooper LZ, et al (1988). Children at high risk of diabetes mellitus: New York studies of families with diabetes mellitus and of children with congenital rubella syndrome. <i>Adv Exp Med Biol</i> , 246: 221-7.
76023	McGrowder DA, Jackson LA, Crawford TV (2012). Prostate cancer and metabolic syndrome: is there a link? <i>Asian Pac J Cancer Prev</i> , 13(1): 1-13.
56861	McIntyre RS, Nguyen HT, Soczynska JK, et al (2008). Medical and substance-related comorbidity in bipolar disorder: translational research and treatment opportunities. <i>Dialogues Clin Neurosci</i> , 10(2): 203-13.
58830	McIntyre RS, Park KY, Law CW, et al (2010). The association between conventional antidepressants and the metabolic syndrome. A review of the evidence and clinical implications. <i>CNS Drugs</i> , 24(9): 741-53.
7977	McMillan DE, Geevarghese PJ (1979). Dietary cyanide and tropical malnutrition diabetes. <i>Diabetes Care</i> , 2(2): 202-8.
94107	Meacham LR, Sklar CA, Li S, et al (2009). Diabetes mellitus in long-term survivors of childhood cancer. Increased risk associated with radiation therapy: a report for the childhood cancer survivor study. <i>Arch Intern Med</i> , 169(15): 1381-8.
28442	Mealey BL, Rothman MP (2003). Periodontal disease and diabetes mellitus. <i>Dent Today</i> , 22(4): 107-13.
2692	Medalie JH, Papier CM, Goldbourt U, et al (1975). Major factors in the development of diabetes mellitus in 10,000 men. <i>Arch Intern Med</i> , 135(6): 811-7.
71339	Medved V, Jovanovic N, Knapic VP (2009). The comorbidity of diabetes mellitus and psychiatric disorders. <i>Psychiatr Danub</i> , 21(4): 585-8.
28712	Mehta SH, Brancati FL, Sulkowski MS, et al (2000). Prevalence of type 2 diabetes mellitus among persons with hepatitis C virus infection in the United States. <i>Ann Intern Med</i> , 133(8): 592-9.
28352	Mehta SH, Brancati FL, Strathdee SA, et al (2003). Hepatitis C virus infection and incident type 2 diabetes. <i>Hepatology</i> , 38(1): 50-6.
28714	Mehta SH, Strathdee SA, Thomas DL (2001). Association between hepatitis C virus infection and diabetes mellitus. <i>Epidemiol Rev</i> , 23(2): 302-12.
56962	Meisterfeld R, Ehehalt F, Saeger HD, et al (2008). Pancreatic disorders and diabetes mellitus. <i>Exp Clin Endocrinol Diabetes</i> , 116(Suppl 1): S7-12.
56832	Melanson EL, Astrup A, Donahoo WT (2009). The relationship between dietary fat and fatty acid intake and body weight, diabetes, and the metabolic syndrome. <i>Ann Nutr Metab</i> , 55(1-3): 229-43.
58501	Meliiker JR, Wahl RL, Cameron LL, et al (2007). Arsenic in drinking water and cerebrovascular disease, diabetes mellitus, and kidney disease in Michigan: a standardized mortality ratio analysis. <i>Environ Health</i> , 6: 4.
58616	Meslier N, Gagnadoux F, Giraud P, et al (2003). Impaired glucose-insulin metabolism in males with obstructive sleep apnoea syndrome. <i>Eur Respir J</i> , 22(1): 156-60.
94109	Mesmar B, Poola-Kella S, Malek R (2017). The physiology behind diabetes mellitus in patients with pheochromocytoma: a review of the literature. <i>Endocr Pract</i> , 23(8): 999-1005.
18818	Michalek JE, Akhtar FZ, Kiel JL (1999). Serum dioxin, insulin, fasting glucose, and sex hormone-binding globulin in veterans of operation ranch hand. <i>J Clin Endocrinol Metab</i> , 84(5): 1540-3.
56845	Michalek JE, Pavuk M (2008). Diabetes and cancer in veterans of Operation Ranch Hand after adjustment for calendar period, days of spraying, and time spent in Southeast Asia. <i>J Occup Environ Med</i> , 50(3): 330-40.
56844	Mihm S (2010). Hepatitis C virus, diabetes and steatosis: clinical evidence in favor a linkage and role of genotypes. <i>Dig Dis</i> , 28(1): 280-4.

94110	Miller-Archie SA, Jordan HT, Ruff RR, et al (2014). Posttraumatic stress disorder and new-onset diabetes among adult survivors of the World Trade Center disaster. <i>Prev Med</i> , 66: 34-8.
76030	MIMS Online (2013). Firmagon. MIMS Full Prescribing Information. Retrieved 28 September 2015, from <a href="http://mimsconsult.mims.com/Singapore/drug/info/Firmagon/?type=full">http://mimsconsult.mims.com/Singapore/drug/info/Firmagon/?type=full</a>
94112	Mitsuzuka K, Arai Y (2018). Metabolic changes in patients with prostate cancer during androgen deprivation therapy. <i>Int J Urol</i> , 25(1): 45-53.
2694	Moberg E, Kollind M, Lins PE, et al (1994). Acute mental stress impairs insulin sensitivity in IDDM patients. <i>Diabetologia</i> , 37(3): 247-51.
2695	Modan M, Karasik A, Halkin H, et al (1986). Effect of past and concurrent body mass index on prevalence of glucose intolerance and Type 2 (non-insulin-dependent) diabetes and on insulin response. The Israel study of glucose intolerance, obesity and hypertension. <i>Diabetologia</i> , 29(2): 82-9.
71388	Moeller KE, Rigler SK, Mayorga A, et al (2011). Quality of monitoring for metabolic effects associated with second generation antipsychotics in patients with schizophrenia on public insurance. <i>Schizophr Res</i> , 126(1-3): 117-23.
15105	Mohan V, Nagolothimath SJ, Yajnik CS, et al (1998). Fibrocalculous pancreatic diabetes. <i>Diabetes Metab Rev</i> , 14(2): 153-70.
15063	Mohan V, Vijayaprabha R, Rema M, et al (1997). Clinical profile of lean NIDDM in South India. <i>Diabetes Res Clin Pract</i> , 38(2): 101-8.
71289	Moisan J, Turgeon M, Desjardins O, et al (2013). Comparative safety of antipsychotics: another look at the risk of diabetes. <i>Can J Psychiatry</i> , 58(4): 218-24.
71337	Mojtabai R (2013). Antidepressant use and glycemic control. <i>Psychopharmacology (Berlin)</i> , 227(3): 467-77.
44024	Montgomery SM, Ehlin AG, Ekbom A, et al (2002). Pertussis infection in childhood and subsequent type 1 diabetes mellitus. <i>Diabet Med</i> , 19(12): 986-93.
94113	Montonen J, Boeing H, Steffen A, et al (2012). Body iron stores and risk of type 2 diabetes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam study. <i>Diabetologia</i> , 55(10): 2613-21.
28546	Montonen J, Knekt P, Jarvinen R, et al (2003). Whole-grain and fibre intake and the incidence of type 2 diabetes. <i>Am J Clin Nutr</i> , 77(3): 622-9.
15119	Mooy JM, Grootenhuis PA, Vries HD, et al (1995). Prevalence and determinants of glucose intolerance in a Dutch Caucasian population. <i>Diabetes Care</i> , 18(9): 1270-3.
28332	Morales P, Mitchell B, Valdez R, et al (1993). Incidence of NIDDM and impaired glucose tolerance in hypertensive subjects. The San Antonio Heart Study. <i>Diabetes</i> , 42(1): 154-61.
76028	Morgans AK, Fan KH, Koyama T, et al (2015). Influence of age on incident diabetes and cardiovascular disease in prostate cancer survivors receiving androgen deprivation therapy. <i>J Urol</i> , 193(4): 1226-31.
94114	Morita T, Takasu O, Sakamoto T, et al (2017). Long-term outcomes of pancreatic function following pancreatic trauma. <i>Kurume Med J</i> , 63(3.4): 53-60.
71290	Morrato EH, Nicol GE, Maahs D, et al (2010). Metabolic screening in children receiving antipsychotic drug treatment. <i>Arch Pediatr Adolesc Med</i> , 164(4): 344-51.
2696	Morris RD, Rimm AA (1991). Association of waist to hip ratio and family history with the prevalence of NIDDM among 25,272 adult, white, females. <i>Am J Public Health</i> , 81(4): 507-9.
94116	Mostoufi-Moab S, Seidel K, Leisenring WM, et al (2016). Endocrine abnormalities in aging survivors of childhood cancer: A report from the childhood cancer survivor study. <i>J Clin Oncol</i> , 34(27): 3240-7.

94118	Muche AA, Olayemi OO, Gete YK (2019). Prevalence and determinants of gestational diabetes mellitus in Africa based on the updated international diagnostic criteria: a systematic review and meta-analysis. <i>Arch Public Health</i> , 77: 36.
27791	Mueller J, Gaus C, Alberts V, et al (2002). Examination of the potential exposure of Royal Australian Navy (RAN) personnel to polychlorinated dibenzodioxins and polychlorinated dibenzofurans via drinking water, The National Research Centre for Environmental Toxicology.
57323	Mueller JF, Toms LM, Aylward L (2009). Levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin in Australian Vietnam veterans compared to the Australian population. Final Report to Australian Government Department of Veterans' Affairs, National Research Centre for Environmental Toxicology, Australia.
15209	Nadler JL, Balon TW, Rude R (1997). [Comment] Fibre intake and risk of developing non-insulin-dependent diabetes mellitus. <i>JAMA</i> , 277(22): 1761-2; author reply 1762.
94119	Naing C, Mak JW, Ahmed SI, et al (2012). Relationship between hepatitis C virus infection and type 2 diabetes mellitus: meta-analysis. <i>World J Gastroenterol</i> , 18(14): 1642-51.
26613	Nakanishi N, Nakamura K, Matsuo Y, et al (2000). Cigarette smoking and risk for impaired fasting glucose and type 2 diabetes in middle-aged Japanese men. <i>Ann Intern Med</i> , 133(3): 183-91.
26612	Nakanishi N, Nishina K, Matsuo Y, et al (2001). Hours of work and the risk of developing impaired fasting glucose or type 2 diabetes mellitus in Japanese male office workers. <i>Occup Environ Med</i> , 58(9): 569-74.
28282	Nakanishi N, Suzuki K, Tatara K (2003). Alcohol consumption and risk for development of impaired fasting glucose or type 2 diabetes in middle-aged Japanese men. <i>Diabetes Care</i> , 26(1): 48-54.
7956	Narendranathan M, Cherian A (1994). Lack of association between cassava consumption and tropical pancreatitis syndrome. <i>J Gastroenterol Hepatol</i> , 9(3): 282-5.
2734	Nathan DM (1993). Diabetes Mellitus. E Rubenstein and DD Federman (Eds). <i>Scientific American Medicine</i> , Vol 2 Section 9, Chap VI: 1-27. Scientific American Inc, New York.
18002	National Centre for Classification in Health (1998). Australian Modification (ICD-10-AM). <i>The International Statistical Classification of Diseases and Related Health Problems</i> , 10th Revision, Vol i & ii. Faculty of Health Sciences, University of Sydney, NSW.
17995	National Coding Centre (NCC) (1996). Clinical Modification (ICD-9-CM). <i>Australian Version of The International Classification of Diseases</i> , 9th Edition, Vol i, ii, iii & iv: (ICD-9-CM), Second Edition. Faculty of Health Sciences, University of Sydney, NSW.
58576	Navas-Acien A, Silbergeld EK, Pastor-Barriuso, et al (2008). Arsenic exposure and prevalence of type 2 diabetes in US adults. <i>JAMA</i> , 300(7): 814-22.
58511	Navas-Acien A, Silbergeld EK, Pastor-Barriuso R, et al (2009). [Comment] Arsenic exposure and prevalence of type 2 diabetes. Updated findings from the National Health Nutrition and Examination Survey, 2003-2006. <i>Epidemiology</i> , 20(6): 816-20. Comment on ID: 58510.
58500	Navas-Acien A, Silbergeld EK, Streeter RA, et al (2006). Arsenic exposure and type 2 diabetes: a systematic review of the experimental and epidemiologic evidence. <i>Environ Health Perspect</i> , 114(5): 641-8.
94121	Nduka CU, Stranges S, Kimani PK, et al (2017). Is there sufficient evidence for a causal association between antiretroviral therapy and diabetes in HIV-infected patients? A meta-analysis. <i>Diabetes Metab Res Rev</i> , 33(6): 1-14.

29522	Needham LL, Patterson DG, Turner WE (2003). Assessing levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin in selected populations. National Center for Environmental Health, Centers for disease Control & Prevention.
58488	Nelson AL, Le MH, Musherraf Z, et al (2008). Intermediate-term glucose tolerance in women with a history of gestational diabetes: natural history and potential associations with breastfeeding and contraception. <i>Am J Obstet Gynecol</i> , 198(6): 699.e1-7; discussion 699.e7-8.
2697	Nelson MR, Moyle GJ, Gazzard BG (1993). Use of didanosine in zidovudine-intolerant patients infected with human immunodeficiency virus. <i>Clin Infect Dis</i> , 16(Suppl 1): S59-62.
2698	Nestler JE, McClanahan MA (1992). Diabetes and adrenal disease. <i>Baillieres Clin Endocrinol Metab</i> , 6(4): 829-47.
2699	Nettles AT, Weinhandl J (1990). Diabetes secondary to cystic fibrosis: an increasing clinical problem. <i>Diabetes Educ</i> , 16(6): 478-82.
57150	Newcomer JW (2009). Comparing the safety and efficacy of atypical antipsychotics in psychiatric patients with comorbid medical illnesses. <i>J Clin Psychiatry</i> , 70(Suppl 3): 30-6.
12305	Newman JM, Herman WH, Vinicor F (1993). Alternative approaches to public health surveillance of IDDM. <i>Diabetes Care</i> , 16(5): 812-4.
94123	Newsmith JD, Ellis E (2007). Childhood hemolytic uremic syndrome is associated with adolescent-onset diabetes mellitus. <i>Pediatr Nephrol</i> , 22(2): 294-7.
2700	Ng WT, Kong CK, Book KS, et al (1994). [Comment] Isolated ventral chronic calcific pancreatitis in pancreas divisum: an explanation. <i>Gastrointest Endosc</i> , 40(2 Pt 1): 264.
71355	Nielsen J, Skadhede S, Correll CU (2010). Antipsychotics associated with the development of type 2 diabetes in antipsychotic-naive schizophrenia patients. <i>Neuropsychopharmacology</i> , 35(9): 1997-2004.
15720	Nijpels G (1998). Determinants for the progression from impaired glucose tolerance to non-insulin-dependent diabetes mellitus. <i>Eur J Clin Invest</i> , 28(Suppl 2): 8-13.
45018	Niklasson BS, Dobersen MJ, Peters CJ, et al (1985). An outbreak of coxsackievirus B infection followed by one case of diabetes mellitus. <i>Scand J Infect Dis</i> , 17(1): 15-8.
15200	Njolstad I, Arnesen E, Lund-Larsen PP (1998). Sex differences in risk factors for clinical diabetes mellitus in a general population: a 12 year follow-up of the Finmark study. <i>Am J Epidemiol</i> , 147(1): 49-58.
2690	No authors listed (1990). [Comment] Coffee consumption as trigger for diabetes in childhood. <i>BMJ</i> , 300(6730): 1012.
15247	No authors listed (1997). Diabetes, protease-inhibitor link unproved: directorate. <i>CMAJ</i> , 157(5): 502-3.
43934	No authors listed (2000). Infections and vaccinations as risk factors for childhood type 1 (insulin-dependent) diabetes mellitus: a multicentre case-control investigation. <i>EURODIAB Substudy 2 Study Group</i> . <i>Diabetologia</i> , 43(1): 47-53.
94136	Noubissi EC, Katte JC, Sobngwi E (2018). Diabetes and HIV. <i>Curr Diab Rep</i> , 18(11): 125.
43775	Numazaki K, Goldman H, Wong I, et al (1989). Infection of cultured human fetal pancreatic islet cells by rubella virus. <i>Am J Clin Pathol</i> , 91(4): 446-51.
94138	Nyberg ST, Fransson EI, Heikkila K, et al (2014). Job strain as a risk factor for type 2 diabetes: a pooled analysis of 124,808 men and women. <i>Diabetes Care</i> , 37(8): 2268-75.
94139	Oeffinger KC, Sklar CA (2012). Abdominal radiation and diabetes: one more piece in the puzzle. <i>Lancet Oncol</i> , 13(10): 961-2.

94141	Ohara N, Kaneko M, Nishibori T, et al (2016). Fulminant type 1 diabetes mellitus associated with coxsackie virus type A2 infection: A case report and literature review. <i>Intern Med</i> , 55(6): 643-6.
28706	Okada K, Hayashi T, Tsumura K, et al (2000). Leisure-time physical activity at weekends and the risk of type 2 diabetes mellitus in Japanese men: The Osaka Health Survey. <i>Diabet Med</i> , 17(1): 53-8.
28737	Okan V, Araz M, Aktaran S, et al (2002). Increased frequency of HCV but not HBV infection in type 2 diabetic patients in Turkey. <i>Int J Clin Pract</i> , 56(3): 175-7.
71380	Okumura Y, Ito H, Kabayashi M, et al (2010). Prevalence of diabetes and antipsychotic prescription patterns in patients with schizophrenia: a nationwide retrospective cohort study. <i>Schizophr Res</i> , 119(1-3): 145-52.
2701	Olefsky JM (1992). Diabetes Mellitus. JB Wyngaarden, LH Smith, JC Bennett (Eds). <i>Cecil Textbook of Medicine</i> , 19th Edition, Vol 2 Chapter 218: 1291-1310. WB Saunders Co. Philadelphia.
69473	Onel ED, Polat B, Balkan F, et al (2012). Positive measles serology and new onset of type 1 diabetes presented with bilateral facial paralysis: a case report. <i>Braz J Infect Dis</i> , 16(3): 305-6.
14917	O'Rahilly S, Savill J (1997). Science, medicine, and the future non-insulin dependent diabetes mellitus: the gathering storm. <i>BMJ</i> , 314(7085): 955-9.
58434	O'Riordan SM, Robinson PD, Donaghue KC, et al (2009). Management of cystic fibrosis-related diabetes in children and adolescents. <i>Pediatr Diabetes</i> , 10(Suppl 12): 43-50.
58421	Orozco LJ, Buchleitner AM, Gimenez-Perez G, et al (2008). Exercise or exercise and diet for preventing type 2 diabetes mellitus. <i>Cochrane Database Syst Rev</i> , 16(3): CD003054.
58634	Osame K, Takahashi Y, Takasawa H, et al (2007). Rapid-onset type 1 diabetes associated with cytomegalovirus infection and islet autoantibody synthesis. <i>Intern Med</i> , 46(12): 873-7.
56856	Osborn DP, Wright CA, Levy G, et al (2008). Relative risk of diabetes, dyslipidaemia, hypertension and the metabolic syndrome in people with severe mental illnesses: Systemic review and metaanalysis. <i>BMC Psychiatry</i> , 8: 84.
71341	Ostbye T, Curtis LH, Masselink LE, et al (2005). Atypical antipsychotic drugs and diabetes mellitus in a large outpatient population: a retrospective cohort study. <i>Pharmacoepidemiol Drug Saf</i> , 14(6): 407-15.
2702	O'Sullivan JB (1984). Workshop 4: Subsequent morbidity among gestational diabetic women. HW Sutherland, JN Stowes (Eds). <i>Carbohydrate Metabolism in Pregnancy and the Newborn</i> , 174-80. Springer-Verlag, Berlin.
57458	O'Toole BI, Catts SV, Outram S, et al (2009). The physical and mental health of Australian Vietnam veterans 3 decades after the war and its relation to military service, combat, and post-traumatic stress disorder. <i>Am J Epidemiol</i> , 170(3): 318-30.
2703	Owyang C, Levitt M (1991). Chronic Pancreatitis. T Yamada (Ed). <i>Textbook of Gastroenterology</i> , Vol 2 89: 1874-93. Lippincott Co, Philadelphia.
74803	Pagliarulo V, Bracarda S, Eisenberger MA, et al (2012). Contemporary role of androgen deprivation therapy for prostate cancer. <i>Eur Urol</i> , 61(1): 11-25.
58489	Palinkas LA, Lee PP, Barrett-Connor E (2004). A prospective study of type 2 diabetes and depressive symptoms in the elderly: the Rancho Bernardo Study. <i>Diabet Med</i> , 21(11): 1185-91.
69897	Pan A, Sun Q, Okereke OI, et al (2012). Use of antidepressant medication and risk of type 2 diabetes: results from three cohorts of US adults. <i>Diabetologia</i> , 55(1): 63-72.

94142	Pan A, Teng GG, Yuan JM, et al (2016). Bidirectional association between diabetes and gout: the Singapore Chinese Health Study. <i>Sci Rep</i> , 6: 25766.
76043	Pan A, Wang Y, Talaei M, et al (2015). Relation of active, passive, and quitting smoking with incident type 2 diabetes: a systematic review and meta-analysis. <i>Lancet Diabetes Endocrinol</i> , 3(12): 958-67.
15114	Pan XR, Li GW, Hu YH, et al (1997). Effects of diet and exercise in preventing NIDDM in people with impaired glucose tolerance. <i>Diabetes Care</i> , 20(4): 537-44.
56868	Panagiotakos DB, Pitsavos C (2006). [Comment] Passive smoking's role in diabetes. <i>BMJ</i> , 332(7549): 1044-5. Comment on ID: 56867.
15520	Pandit MK, Burke J, Gustafson AB, et al (1993). Drug-induced disorders of glucose tolerance. <i>Ann Intern Med</i> , 118(7): 529-39.
15109	Paolisso G, Howard BV (1998). Role of non-esterified fatty acids in the pathogenesis of type 2 diabetes mellitus. <i>Diabet Med</i> , 15(5): 360-6.
81203	Patel S, Jinjuvadia R, Patel R, et al (2016). Insulin resistance is associated with significant liver fibrosis in chronic hepatitis C patients: A systemic review and meta-analysis. <i>J Clin Gastroenterol</i> , 50(1): 80-4.
58579	Patel VR, Leveilee RJ, Shah AD, et al (2009). Prostate cancer - neoadjuvant androgen deprivation therapy. Retrieved 2 August 2010, from <a href="http://emedicine.medscape.com/article/455994-print">http://emedicine.medscape.com/article/455994-print</a>
94143	Peco-Antic A (2016). Shiga toxin-producing Escherichia coli hemolytic uremic syndrome. <i>Srp Arh Celok Lek</i> , 144(11-12): 664-9.
94146	Pelcl T, Shrka J, Prazny M, et al (2018). Diabetes, cardiovascular disorders and 2,3,7,8-tetrachlorodibenzo-p-dioxin body burden in Czech patients 50 years after the intoxication. <i>Basic Clin Pharmacol Toxicol</i> , 123(3): 356-9.
56963	Pelclova D, Urban P, Preiss J, et al (2006). Adverse health effects in humans exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Rev Environ Health</i> , 21(2): 119-38.
56866	Penfornis A, Kury-Paulin S (2006). Immunosuppressive drug-induced diabetes. <i>Diabetes Metab</i> , 32(5 Pt2): 539-46.
58503	Perlmutter MA, Lepor H (2007). Androgen deprivation therapy in the treatment of advanced prostate cancer. <i>Rev Urol</i> , 9(Suppl 1): S3-8.
2704	Permert J, Adrian TE, Jacobsson P, et al (1993). Is profound peripheral insulin resistance in patients with pancreatic cancer caused by a tumor-associated factor? <i>Am J Surg</i> , 165(1): 61-6; discussion 66-7.
2705	Permert J, Ihse I, Jorfeldt L, et al (1992). Pancreatic cancer is associated with impaired glucose metabolism. <i>Eur J Surg</i> , 159(2): 101-7.
94151	Perry BI, Salimkumar D, Green D, et al (2017). Associated illness severity in schizophrenia and diabetes mellitus: A systematic review. <i>Psychiatry Res</i> , 256: 102-10.
26279	Perry IJ (2001). Commentary: smoking and diabetes - accumulating evidence of a causal link. <i>Int J Epidemiol</i> , 30(3): 554-5.
15108	Perry IJ, Wannamethee SG, Shaper AG (1998). Prospective study of serum gamma-glutamyltransferase and risk of NIDDM. <i>Diabetes Care</i> , 21(5): 732-7.
58223	Persson PG, Carlsson S, Svanstrom L, et al (2000). Cigarette smoking, oral moist snuff use and glucose intolerance. <i>J Intern Med</i> , 248(2): 103-10.
29862	Petrides AS, Schulze-Berge D, Vogt C, et al (1993). Glucose resistance contributes to diabetes mellitus in cirrhosis. <i>Hepatology</i> , 18(2): 284-91.
29863	Petrides AS, Vogt C, Schulze-Berge D, et al (1994). Pathogenesis of glucose intolerance and diabetes mellitus in cirrhosis. <i>Hepatology</i> , 19(3): 616-27.
94153	Pham H, Robinson-Cohen C, Biggs ML, et al (2012). Chronic kidney disease, insulin resistance, and incident diabetes in older adults. <i>Clin J Am Soc Nephrol</i> , 7(4): 588-94.

94155	Pham NM, Nguyen CT, Binns CW, et al (2015). Non-linear association between smoking cessation and incident type 2 diabetes. <i>Lancet Diabetes Endocrinol</i> , 3(12): 932.
58570	Pham T, Cornea A, Blick KE, et al (2007). Oral glucosamine in doses used to treat osteoarthritis worsens insulin resistance. <i>Am J Med Sci</i> , 333(6): 333-9.
2706	Phelps G, Chapman I, Hall P, et al (1989). Prevalence of genetic haemochromatosis among diabetic patients. <i>Lancet</i> , 2(8657): 233-4.
2707	Pibernik-Okanovic M, Roglic G, Prasek M, et al (1993). War-induced prolonged stress and metabolic control in type 2 diabetic patients. <i>Psychol Med</i> , 23(3): 645-51.
94158	Pietropaolo M (2018). Pathogenesis of type 1 diabetes mellitus. Retrieved 18 September 2019, from <a href="https://www.uptodate.com/contents/pathogenesis-of-type-1-diabetes-mellitus">https://www.uptodate.com/contents/pathogenesis-of-type-1-diabetes-mellitus</a>
72235	Pietrzak RH, Goldstein RB, Southwick SM, et al (2011). Medical comorbidity of full and partial posttraumatic stress disorder in United States adults - results from wave 2 of the National Epidemiologic survey on alcohol and related conditions. <i>Psychosom Med</i> , 73(8): 697-707.
94159	Pillinger T, Beck K, Gobjila C, et al (2017). Impaired glucose homeostasis in first-episode schizophrenia: a systematic review and meta-analysis. <i>JAMA Psychiatry</i> , 74(3): 261-9.
58481	Pirkola J, Pouta A, Bloigu A, et al (2010). Prepregnancy overweight and gestational diabetes as determinants of subsequent diabetes and hypertension after 20-year follow-up. <i>J Clin Endocrinol Metab</i> , 95(2): 772-8.
56967	Pi-Sunyer X (2009). The medical risks of obesity. <i>Postgrad Med</i> , 121(6): 21-33.
8123	Pitchumoni CS, Jain NK, Lowenfels AB, et al (1988). Chronic cyanide poisoning: Unifying concept for alcoholic and tropical pancreatitis. <i>Pancreas</i> , 3(2): 220-2.
57582	Pittas AG, Dawson-Hughes B (2010). Vitamin D and diabetes. <i>J Steroid Biochem Mol Biol</i> , 121(1-2): 425-9.
2708	Polak JM, Bloom SR (1992). The Endocrine Pancreas: Diabetes Mellitus. The Endocrine System. JO McGee, PG Issacson, NA Wright, HM Dick, MP Slack (Eds). The Oxford Textbook of Pathology, Vol 2b Chap 26: 2000-1. Oxford University Press, Oxford.
94161	Popescu C, Popsecu GA, Arama V (2013). Type 1 diabetes mellitus with dual autoimmune mechanism related to pegylated interferon and ribavirin treatment for chronic HCV hepatitis. <i>J Gastrointestin Liver Dis</i> , 22(1): 101-4.
15203	Popli AP, Konicki PE, Jurjus GJ, et al (1997). Clozapine and associated diabetes mellitus. <i>J Clin Psychiatry</i> , 58(3): 108-11.
56851	Porta M (2006). [Comment] A strong dose-response relation between serum concentrations of persistent organic pollutants and diabetes: Results from the National Health and Nutrition Examination Survey 1999-2002. , 29(11): 2567; author's reply 2568. Comment on ID: 56850.
2709	Portis M, Meyers P, McDonald JC, et al (1994). Traumatic pancreatitis in a patient with pancreas divisum: clinical and radiographic features. <i>Abdom Imaging</i> , 19(2): 162-4.
2710	Powell LW, Isselbacher KJ (1994). Hemochromatosis. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 345: 2069-71.
94304	Powers AC, Niswender KD, Evans-Molina C (2019). Diabetes Mellitus: Diagnosis, Classification, and Pathophysiology. <i>Harrison's Principles of Internal Medicine</i> , 20th Edition, Chapter 396.

35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: Solid cancer and noncancer disease mortality: 1950-1997. <i>Radiat Res</i> , 160(4): 381-407.
58517	Priest PC (2009). [Comment] Causal interpretation requires appropriate study and design. <i>Diabetologia</i> , 52(7): 1451; author reply 1452-3. Comment on ID: 58516.
94173	Prioreschi A, Munthali RJ, Soepnel L, et al (2017). Incidence and prevalence of type 2 diabetes mellitus with HIV infection in Africa: a systematic review and meta-analysis. <i>BMJ Open</i> , 7(3): e013953.
94305	PubChem (2019). Pyriminil. Retrieved 13 August 2019, from <a href="https://pubchem.ncbi.nlm.nih.gov/compound/Pyriminil#section=MeSH-Entry-Terms">https://pubchem.ncbi.nlm.nih.gov/compound/Pyriminil#section=MeSH-Entry-Terms</a>
43935	Pundziute-Lycka A, Urbonaite B, Dahlquist G (2000). Infections and risk of type 1 (insulin-dependent) diabetes mellitus in Lithuanian children. <i>Diabetologia</i> , 43(10): 1229-34.
58617	Punjabi NM (2004). [Comment] Improvement of metabolic function in sleep apnea. The power of positive pressure. <i>Am J Respir Crit Care Med</i> , 169(2): 139-40.
33613	Punjabi NM, Shahar E, Redline S, et al (2004). Sleep-disordered breathing, glucose intolerance, and insulin resistance. <i>Am J Epidemiol</i> , 160(6): 521-30.
94174	Putcharoen O, Wattanachanya L, Sophonphan J, et al (2017). New-onset diabetes in HIV-treated adults: predictors, long-term renal and cardiovascular outcomes. <i>AIDS</i> , 31(11): 1535-43.
26765	Qureshi H, Ahsan T, Mujeeb SA, et al (2002). Diabetes mellitus is equally frequent in chronic HCV and HBV infection. <i>J Pak Med Assoc</i> , 52(7): 280-3.
58317	Qureshi SU, Pyne JM, Magruder KM, et al (2009). The link between post-traumatic stress disorder and physical comorbidities: a systematic review. <i>Psychiatr Q</i> , 80(2): 87-97.
15519	Rahman M, Axelson O (1995). Diabetes mellitus and arsenic exposure: a second look at case-control data from a Swedish copper smelter. <i>Occup Environ Med</i> , 52(11): 773-4.
14915	Rahman M, Tondel M, Ahmad SA, et al (1998). Diabetes mellitus associated with arsenic exposure in Bangladesh. <i>Am J Epidemiol</i> , 148(2): 198-203.
15518	Rahman M, Wingren G, Axelson O (1995). Diabetes mellitus among Swedish art glass workers - an effect of arsenic exposure. <i>Scand J Work Environ Health</i> , 22(2): 146-9.
94177	Rajkumar AP, Horsdal HT, Wimberley T, et al (2017). Endogenous and antipsychotic-related risks for diabetes mellitus in young people with schizophrenia: a Danish population-based cohort study. <i>Am J Psychiatry</i> , 174(7): 686-94.
94261	Raju K, Venkataramappa SM (2018). Primary hemochromatosis presenting as type 2 diabetes mellitus: a case report with review of literature. <i>Int J Appl Basic Med Res</i> , 8(1): 57-60.
68438	Ramondetti F, Sacco S, Comelli M et al (2012). Type 1 diabetes and measles, mumps and rubella childhood infections within the Italian Insulin-independent Diabetes Registry. <i>Diabet Med</i> , 29(6): 761-6. [Abstract]
58505	Rana JS, Li TY, Manson JE, et al (2007). Adiposity compared with physical inactivity and risk of type 2 diabetes in women. <i>Diabetes Care</i> , 30(1): 53-8.
59090	Rana JS, Mittleman MA, Sheikh J, et al (2004). Chronic obstructive pulmonary disease, asthma, and risk of Type 2 Diabetes in women. <i>Diabetes Care</i> , 27(10): 2478-84.
2711	Rao RH (1988). Diabetes in the undernourished: coincidence or consequence? <i>Endocr Rev</i> , 9(1): 67-87.

2712	Rao RH (1993). Is tropical pancreatic diabetes malnutrition related? <i>Diabetes Care</i> , 16(6): 941-5.
94263	Rashed FK, Ahmadi NR, Zolfaghari A, et al (2017). Prevalence of diabetes mellitus after extra corporeal shock wave lithotripsy in 15 years follow-up. <i>Urol Ann</i> , 9(3): 268-71.
15100	Ravid M, Brosh D, Ravid-Safran D, et al (1998). Main risk factors for nephropathy in type 2 diabetes mellitus are plasma cholesterol levels, mean blood pressure, and hyperglycemia. <i>Arch Intern Med</i> , 158(9): 998-1004.
94264	Rayanagoudar G, Hashi AA, Zamora J, et al (2016). Quantification of the type 2 diabetes risk in women with gestational diabetes: a systematic review and meta-analysis of 95,750 women. <i>Diabetologia</i> , 59(7): 1403-11.
2713	Rayfield EJ (1990). Effects of rubella virus infection on islet function. <i>Curr Top Microbiol Immunol</i> , 156: 63-74.
28529	Regenold WT, Thapar RK, Marano C, et al (2003). [Comment] Corrigendum to "Increased prevalence of type 2 diabetes mellitus among psychiatric inpatients with bipolar I affective & schizoaffective disorders independent of psychotropic drug use. <i>J Affect Disord</i> , 73(3): 301-2.
28528	Regenold WT, Thapar RK, Marano C, et al (2002). Increased prevalence of type 2 diabetes mellitus among psychiatric inpatients with bipolar I affective & schizoaffective disorders independent of psychotropic drug use. <i>J Affect Disord</i> , 70(1): 19-26.
94265	Rehman K, Fatima F, Akash MS (2019). Biochemical investigation of association of arsenic exposure with risk factors of diabetes mellitus in Pakistani population and its validation in animal model. <i>Environ Monit Assess</i> , 191(8): 511.
58618	Reichmuth KJ, Austin D, Skatrud JB, et al (2005). Association of sleep apnea and type II diabetes. <i>Am J Respir Crit Care Med</i> , 172(12): 1590-5.
56854	Remillard RB, Bunce NJ (2002). Use of Haber's Rule to estimate the risk of diabetes from background exposures to dioxin-like compounds. <i>Toxicol Lett</i> , 131(3): 161-6.
28525	Remillard RB, Bunce NJ (2002). Linking dioxins to diabetes: epidemiology & biologic plausibility. <i>Environ Health Perspect</i> , 110(9): 853-8.
56835	Resmini E, Minuto F, Colao A, et al (2009). Secondary diabetes associated with principal endocrinopathies: the impact of new treatment modalities. <i>Acta Diabetol</i> , 46(2): 85-95.
71384	Reynolds GP, Kirk SL (2010). Metabolic side effects of antipsychotic drug treatment - pharmacological mechanisms. <i>Pharmacol Ther</i> , 125(1): 169-79.
2689	Reynolds JEF (Ed) (1993). Martindale: The Extra Pharmacopoeia, 30th Edition: 65-1171. The Pharmaceutical Press, London (NOT HELD).
94269	Reynoso JF, Gruessner CE, Sutherland DE, et al (2010). Short- and long-term outcome for living pancreas donors. <i>J Hepatobiliary Pancreat Sci</i> , 17(2): 92-6.
94271	Rho YH, Lu N, Peloquin CE, et al (2016). Independent impact of gout on the risk of diabetes mellitus among women and men: a population-based, BMI-matched cohort study. <i>Ann Rheum Dis</i> , 75(1): 91-5.
58518	Richardson SJ, Willcox A, Bone AJ, et al (2009). [Comment] Causal interpretation requires appropriate study design. <i>Diabetologia</i> , 52(6): 1143-51. Comment on ID: 58517.
58516	Richardson SJ, Willcox A, Bone AJ, et al (2009). The prevalence of enteroviral capsid protein vp1 immunostaining in pancreatic islets in human type 1 diabetes. <i>Diabetologia</i> , 52(6): 1143-51.
57412	Rignell-Hydbom A, Lidfeldt J, Kiviranta H, et al (2009). Exposure to p,p'-DDE: a risk factor for type 2 diabetes. <i>PLoS One</i> , 4(10): e7503.

2714	Rimm EB, Chan J, Stampfer MJ, et al (1995). Prospective study of cigarette smoking, alcohol use, and the risk of diabetes in men. <i>BMJ</i> , 310(6979): 555-9.
2716	Rimm EB, Manson JE, Stampfer MJ, et al (1993). Cigarette smoking and the risk of diabetes in women. <i>Am J Public Health</i> , 83(2): 211-4.
2715	Rimm EB, Manson JE, Stampfer MJ, et al (1992). Oral contraceptive use and the risk of Type 2 (non-insulin-dependent) diabetes mellitus in a large prospective study of women. <i>Diabetologia</i> , 35(10): 967-72.
94273	Rivara MB, Mehrotra R, et al (2016). New-onset diabetes in peritoneal dialysis patients - which predictors really matter? <i>Perit Dial Int</i> , 36(3): 243-6.
94275	Roberts AL, Agnew-Blais JC, Spiegelman D, et al (2015). Posttraumatic stress disorder and incidence of type 2 diabetes mellitus in a sample of women: a 22-year longitudinal study. <i>JAMA Psychiatry</i> , 72(3): 203-10.
43847	Roberts BW, Cech I (2005). Association of type 2 diabetes mellitus and seroprevalence for cytomegalovirus. <i>South Med J</i> , 98(7): 686-92.
43777	Robles DT, Eisenbarth GX (2001). Type 1A diabetes induced by infection and immunization. <i>J Autoimmun</i> , 16(3): 355-62.
94277	Rogowska-Kalisz A, Tkaczyk M, Szalapska-Zaqodniak M (2010). Diabetes mellitus as a rare complication of hemolytic uremic syndrome - case report [article in Polish]. <i>Pol Merkur Lekarski</i> , 28(163): 46-9. [Abstract]
53208	Rohleder N, Karl A (2006). Role of endocrine and inflammatory alterations in comorbid somatic diseases of post-traumatic stress disorder. <i>Minerva Endocrinol</i> , 31(4): 273-88.
58519	Rovainen M, Klingel K (2009). [Comment] Role of enteroviruses in the pathogenesis of type 1 diabetes. <i>Diabetologia</i> , 52(6): 995-6. Comment on ID: 58516.
94280	Rosenfield RL (2018). Etiology and pathophysiology of polycystic ovary syndrome in adolescents. Retrieved 21 August 2019, from <a href="https://www.uptodate.com/contents/etiology-and-pathophysiology-of-polycystic-ovary-syndrome-in-adolescents">https://www.uptodate.com/contents/etiology-and-pathophysiology-of-polycystic-ovary-syndrome-in-adolescents</a>
58487	Rosenthal AD, Shu XO, Jin F, et al (2004). Oral contraceptive use and risk of diabetes among Chinese women. <i>Contraception</i> , 69(3): 251-7.
89288	Rotella F, Mannucci E (2013). Depression as a risk factor for diabetes: a meta-analysis of longitudinal studies. <i>J Clin Psychiatry</i> , 74(1): 31-7.
94282	Rother KI, Brown RJ, Morales MM, et al (2009). Effect of ingested interferon- $\alpha$ on b-cell function in children with new-onset type 1 diabetes. <i>Diabetes Care</i> , 32(7): 1250-5.
57567	Roubsanthisuk W, Watanakejorn P, Tunlakit M, et al (2006). Hyperthyroidism induced glucose intolerance by lowering both insulin secretion and peripheral insulin sensitivity. <i>J Med Assoc Thai</i> , 89(Suppl 5): S133-40.
94285	Royal College of Pathologists Australia (2019). Urate. Retrieved 10 January 2020, from <a href="https://www.rcpa.edu.au/Manuals/RCPA-Manual/Pathology-Tests/U/Urate">https://www.rcpa.edu.au/Manuals/RCPA-Manual/Pathology-Tests/U/Urate</a>
58298	Rubin RR, Ma Y, Marrero DG, et al (2008). Elevated depression symptoms, antidepressant medicine use, and risk of developing diabetes during the diabetes prevention program. <i>Diabetes Care</i> , 31(3): 420-6.
71266	Rubin RR, Ma Y, Peyrot M, et al (2010). Antidepressant medicine use and risk of developing diabetes during the Diabetes Prevention Program and Diabetes Prevention Program Outcomes Study. <i>Diabetes Care</i> , 33(12): 2549-51.
56970	Rubinstein E, Lavine JE, Schwimmer JB (2008). Hepatic, cardiovascular, and endocrine outcomes of the histological subphenotypes of nonalcoholic fatty liver disease. <i>Semin Liver Dis</i> , 28(4): 380-5.

57410	Ruzzin J, Petersen R, Meugnier E, et al (2010). Persistent organic pollutant exposure leads to insulin resistance syndrome. <i>Environ Health Perspect</i> , 118(4): 465-71.
28876	Ryu KJ, Lee SB, Hong SJ, et al (2001). Association of chronic hepatitis C virus infection and diabetes mellitus in Korean patients. <i>Korean J Intern Med</i> , 16(1): 18-23.
43918	Sadeharju K, Lonnrot M, Kimpimaki T, et al (2001). Enterovirus antibody levels during the first two years of life in prediabetic autoantibody-positive children. <i>Diabetologia</i> , 44(7): 818-23.
94229	Sakhvidi MJ, FZ Sakhvidi F, Mehrparvar AH, et al (2018). Association between noise exposure and diabetes: A systematic review and meta-analysis. <i>Environ Res</i> , 166: 647-57.
15115	Salmeron J, Ascherio A, Rimm EB, et al (1997). Dietary fiber, glycemic load, and risk of NIDDM in men. <i>Diabetes Care</i> , 20(4): 245-50.
15197	Salmeron J, Manson JA, Stampfer MJ, et al (1997). Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. <i>JAMA</i> , 277(6): 472-7.
59067	Salvinelli F, Miele A, Casale M, et al (2004). Hearing thresholds in patients with diabetes. <i>Int J Otorhinolaryngol</i> , 3(1): 1-6.
56841	Samaras K (2009). Prevalence and pathogenesis of diabetes mellitus in HIV-1 infection treated with combined antiretroviral therapy. <i>J Acquir Immune Defic Syndr</i> , 50(5): 499-505.
94289	San Gabriel DE, Slark J (2019). The association of gout with an increased risk of hypertension and diabetes mellitus among stroke survivors in New Zealand: A cross-sectional study using routinely collected electronic health data. <i>JRSM Cardiovasc Dis</i> , 8: 2048004019863239.
2717	Sarles H (1992). Chronic pancreatitis and diabetes. <i>Baillieres Clin Endocrinol Metab</i> , 6(4): 745-75.
7979	Sarles H, Augustine P, Laugier R, et al (1994). Pancreatic lesions and modifications of pancreatic juice in tropical chronic pancreatitis (tropical calcific diabetes). <i>Dig Dis Sci</i> , 39(6): 1337-44.
58429	Sattar N, Preiss D, Murray HM, et al (2010). Statins and risk of incident diabetes: a collaborative meta-analysis of randomised statin trials. <i>Lancet</i> , 375(9716): 735-42.
2718	Saudek CD, Charache S (1992). Haemochromatosis and diabetes. <i>Baillieres Clin Endocrinol Metab</i> , 6(4): 807-17.
58220	Saydah SH, Brancati FL, Golden SH, et al (2003). Depressive symptoms and the risk of type 2 diabetes mellitus in a US sample. <i>Diabetes Metab Res Rev</i> , 19(3): 202-8.
2719	Schacter LP, Rozencweig M, Beltangady M, et al (1992). Effects of therapy with didanosine on hematologic parameters in patients with advanced human immunodeficiency virus disease. <i>Blood</i> , 80(12): 2969-76.
94290	Scherrer JF, Salas J, Lustman PJ, et al (2018). The role of obesity in the association between posttraumatic stress disorder and incident diabetes. <i>JAMA Psychiatry</i> , 75(11): 1189-98.
94291	Scholten L, Mungroop TH, Haijink SA, et al (2018). New-onset diabetes after pancreateoduodenectomy: A systematic review and meta-analysis. <i>Surgery</i> , S0039-6060(18): 30081-3.
2720	Schrantz A, Tuomilehto J, Marti B, et al (1991). Low physical activity and worsening of glucose tolerance: results from a 2-year follow-up of a population sample in Malta. <i>Diabetes Res Clin Pract</i> , 11(2): 127-36.
94268	Schrauben SJ, Jepson C, Hsu JY, et al (2019). Insulin resistance and chronic kidney disease progression, cardiovascular events, and death: findings from the chronic renal insufficiency cohort study. <i>BMC Nephrol</i> , 20(1): 60.

58499	Schreuder TC, Gelderblom HC, Weegink CJ, et al (2008). High incidence of type 1 diabetes mellitus during or shortly after treatment with pegylated interferon $\alpha$ for chronic hepatitis C virus infection. <i>Liver Int</i> , 28(1): 39-46.
58520	Schulte BM, Bakkers J, Lanke KH, et al (2010). Detection of enterovirus RNA in peripheral blood mononuclear cells of type 1 diabetic patients beyond the stage of acute infection. <i>Viral Immunol</i> , 23(1): 99-104.
94270	Schulte BM, Lanke KH, Piganelli JD, et al (2012). Cytokine and chemokine production by human pancreatic islets upon enterovirus infections. <i>Diabetes</i> , 61(8): 2030-6.
58507	Schwartz GG, Il'Yasova D, Ivanova A (2003). Urinary cadmium, impaired fasting glucose, and diabetes in the NHANES III. <i>Diabetes Care</i> , 26(2): 468-70.
58573	Serdar MA, Bakir F, Hasimi A, et al (2009). Trace and toxic element patterns in nonsmoker patients with noninsulin-dependent diabetes mellitus, impaired glucose tolerance, and fasting glucose. <i>Int J Diabetes Dev Ctries</i> , 29(1): 35-40.
2721	Sharp PS, Beshyah SA, Johnston DG (1992). Growth hormone disorders and secondary diabetes. <i>Baillieres Clin Endocrinol Metab</i> , 6(4): 819-28.
15111	Shin CS, Lee HK, Koh CS, et al (1997). Risk factors for the development of NIDDM in Yonchon County, Korea. <i>Diabetes Care</i> , 20(12): 1842-6.
94272	Shirakawa S, Matsumoto I, Toyama H, et al (2012). Pancreatic volumetric assessment as a predictor of new-onset diabetes following distal pancreatectomy. <i>J Gastrointest Surg</i> , 16(12): 2212-9.
2722	Shiu LP, Hui WM, Lam SK (1993). Negative social events, stress, and health in Hong Kong. <i>J Epidemiol Community Health</i> , 47(3): 181-5.
15162	Simon JA, Seeley DG, Lipschutz RC, et al (1997). The relation of smoking to waist-to-hip ratio and diabetes mellitus among elderly women. <i>Prev Med</i> , 26(5 Pt 1): 639-44.
94274	Singh AN, Pal S, Kilambi R, et al (2018). Diabetes after pancreaticoduodenectomy: can we predict it? <i>J Surg Res</i> , 227: 211-9.
15116	Singh RB, Bajaj S, Niaz MA, et al (1998). Prevalence of type 2 diabetes mellitus and risk of hypertension and coronary artery disease in rural and urban population with low rates of obesity. <i>Int J Cardiol</i> , 66(1): 65-72.
43794	Sinha SM, Kapila R (2006). Enteroviruses. Retrieved 18 May 2007, from <a href="http://www.emedicine.com/MED/topic681.htm">http://www.emedicine.com/MED/topic681.htm</a>
69895	Sismanlar SG, Demirbas-Cakir E, Karakaya I, et al (2012). Posttraumatic stress symptoms in children diagnosed with type 1 diabetes. <i>Ital J Pediatr</i> , 38: 13.
94276	Skowsky WR, Siddiqui T, Hodgetts D, et al (1996). A pilot study of chronic recombinant interferon- $\alpha$ 2a for diabetic proliferative retinopathy: Metabolic effects and ophthalmologic effects. <i>J Diabetes Complications</i> , 10(2): 94-9.
14330	Slade BA, Michalek JE (1998). [Comments] Dioxin and diabetes mellitus. <i>Epidemiology</i> , 9(3): 359-60.
15255	Smit AJ (1996). Combined cardiovascular risk factor intervention: A bridge between primary and secondary prevention? <i>Neth J Med</i> , 48(4): 125-7.
94278	Smith AD, Crippa A, Woodcock J, et al (2016). Physical activity and incident type 2 diabetes mellitus: a systematic review and dose-response meta-analysis of prospective cohort studies. <i>Diabetologia</i> , 59(12): 2527-45.
57420	Smith M, Hopkins D, Peveler RC, et al (2008). First- v. second-generation antipsychotics and risk for diabetes in schizophrenia: systematic review and meta-analysis. <i>Br J Psychiatry</i> , 192(6): 406-11.
56968	Smith MR (2008). Androgen deprivation therapy and risk for diabetes and cardiovascular disease in prostate cancer survivors. <i>Curr Urol Rep</i> , 9(3): 197-202.

56827	Smith MR (2008). Treatment-related diabetes and cardiovascular disease in prostate cancer survivors. <i>Ann Oncol</i> , 19(Suppl 7): vii86-vii90.
57413	Smith MR, Lee H, Nathan DM (2006). Insulin sensitivity during combined androgen blockade for prostate cancer. <i>J Clin Endocrinol Metab</i> , 91(4): 1305-8.
68440	Smith-Marsh DE, Walker KA (2010). Type 1 diabetes causes. Retrieved 2 July 2013, from <a href="http://www.endocrineweb.com/conditions/type-1-diabetes/type-1-diabetes-causes">http://www.endocrineweb.com/conditions/type-1-diabetes/type-1-diabetes-causes</a>
94279	Song C, Lyu Y, Li C, et al (2018). Long-term risk of diabetes in women at varying durations after gestational diabetes: a systematic review and meta-analysis with more than 2 million women. <i>Obes Rev</i> , 19(3): 421-9.
94281	Song Y, Chou EL, Baecker A, et al (2016). Endocrine-disrupting chemicals, risk of type 2 diabetes, and diabetes-related metabolic traits: A systematic review and meta-analysis. <i>J Diabetes</i> , 8(4): 516-32.
59054	Song Y, Klevak A, Manson JE, et al (2010). Asthma, chronic obstructive pulmonary disease, and type 2 diabetes in the Women's Health Study. <i>Diabetes Res Clin Pract</i> , 90(3): 365-71.
94283	Song Y, Wang L, Pittas AG, et al (2013). Blood 25-hydroxy vitamin D levels and incident type 2 diabetes. <i>Diabetes Care</i> , 36(5): 1422-8.
2723	Sonksen PH, Russell-Jones D, Jones RH (1993). Growth hormone and diabetes mellitus: a review of sixty-three years of medical research and a glimpse into the future? <i>Horm Res</i> , 40(1-3): 68-79.
28708	Sotiropoulos A, Peppas TA, Skliros E, et al (1999). Low prevalence of hepatitis C virus infection in Greek diabetic patients. <i>Diabetic Med</i> , 16(3): 250-2.
2724	Speigelman D, Israel RG, Bouchard C, et al (1992). Absolute fat mass, percent body fat, and body-fat distribution: which is the real determinant of blood pressure and serum glucose? <i>Am J Clin Nutr</i> , 55(6): 1033-44.
2725	Spellacy WN, Athe MN, Tsibris BA, et al (1994). Carbohydrate metabolism studies after one year of using an oral contraceptive containing gestodene and ethynodiol. <i>Contraception</i> , 49(2): 125-30.
94284	Spinale JM, Ruebner RL, Copelovitch L, et al (2013). Long-term outcomes of Shiga toxin hemolytic uremic syndrome. <i>Pediatr Nephrol</i> , 28(11): 2097-2105.
94286	Spoto B, Pisano A, Zoccali C (2016). Insulin resistance in chronic kidney disease: a systematic review. <i>Am J Physiol</i> , 311(6): F1087-108.
8331	Sridhar BR (1994). Malnutrition related diabetes mellitus. <i>J Assoc Physicians India</i> , 42(7): 561-4.
28527	Stagnaro S, West PJ, Hu FB, et al (2002). [Comments] Diet & risk of type 2 diabetes. <i>N Engl J Med</i> , 346(4): 297-8.
56837	Starrenburg FC, Bogers JP (2009). How can antipsychotics cause diabetes mellitus? Insights based on receptor-binding profiles, humoral factors and transporter proteins. <i>Eur Psychiatry</i> , 24(3): 164-70.
28532	Steenland K, Calvert G, Ketchum N, et al (2001). Dioxin and diabetes mellitus: an analysis of the combined NIOSH and Ranch Hand data. <i>Occup Environ Med</i> , 58(10): 641-8.
58513	Steinmaus C, Yuan Y, Liaw J, et al (2009). [Comment] On arsenic, diabetes, creatinine, and multiple regression modeling. A response to the commentaries on our reanalysis. <i>Epidemiol</i> , 20(6): e1-2.
58510	Steinmaus C, Yuan Y, Liaw J, et al (2009). Low-level population exposure to inorganic arsenic in the United States and diabetes mellitus. A reanalysis. <i>Epidemiology</i> , 20(6): 807-15.
43778	Stephenson J (2000). Vaccines pose no diabetes, bowel disease risk. <i>JAMA</i> , 284(18): 2307-8.
28331	Stolk R, van Splunder I, Schouten J, et al (1993). High blood pressure and the incidence of non-insulin dependent diabetes mellitus: findings in a 11.5 year follow-up study in The Netherlands. <i>Eur J Epidemiol</i> , 9(2): 134-9.

15122	Stolk RP, Pols HA, Lamberts SW, et al (1997). Diabetes mellitus, impaired glucose tolerance, and hyperinsulinemia in an elderly population. <i>Am J Epidemiol</i> , 145(1): 24-32.
94287	Stubbs B, Vancampfort D, De Hert, et al (2015). The prevalence and predictors of type two diabetes mellitus in people with schizophrenia: a systematic review and comparative meta-analysis. <i>Acta Psychiatr Scand</i> , 132(2): 144-57.
58433	Stumpf JL, Lin SW (2006). Effect of glucosamine on glucose control. <i>Ann Pharmacother</i> , 40(4): 694-8.
94288	Su S, Wang W, Sun T, et al (2017). Smoking as a risk factor for diabetic nephropathy:a meta-analysis. <i>Int Urol Nephrol</i> , 49(10): 1801-7.
15253	Sugimori H, Miyakawa M, Yoshida K, et al (1998). Health risk assessment for diabetes mellitus based on longitudinal analysis of MHTS database. <i>J Med Syst</i> , 22(1): 27-32.
94292	Sui H, Sun N, Zhan L, et al (2016). Association between work-related stress and risk for type 2 diabetes: a systematic review and meta-analysis of prospective cohort studies. <i>PLoS One</i> , 11(8): e0159978.
2726	Sumrani NB, Delaney V, Ding Z, et al (1991). Diabetes mellitus after renal transplantation in the cyclosporine rra - An analysis of risk factors. <i>Transplant</i> , 51(2): 343-47.
76938	Sun K, Liu D, Wang C, et al (2014). Passive smoke exposure and risk of diabetes: a meta-analysis of prospective studies. <i>Endocrine</i> , 47(2): 421-27.
94293	Sung TC, Huang JW, Guo HR (2015). Association between arsenic exposure and diabetes: a meta-analysis. <i>Biomed Res Int</i> , 2015: 368087.
94294	Suri RS, Clark WF, Barrowman N, et al (2005). Diabetes during diarrhea-associated hemolytic uremic syndrome: a systematic review and meta-analysis. <i>Diabetes Care</i> , 28(10): 2556-62.
56843	Suri RS, Mahon JL, Clark WF, et al (2009). Relationship between Escherichia coli O157:H7 and diabetes mellitus. <i>Kidney Int Suppl</i> , 112: S44-6.
2728	Surwit RS, Schneider MS, Feinglos MN (1992). Stress and diabetes mellitus. <i>Diabetes Care</i> , 15(10): 1413-22.
2727	Surwit RS, Schneider MS (1993). Role of stress in the etiology and treatment of diabetes mellitus. <i>Psychosom Med</i> , 55(4): 380-93.
57569	Swaddiwudhipong W, Mahasakpan P, Limpatanachote P, et al (2010). Correlations of urinary cadmium with hypertension and diabetes in persons living in cadmium-contaminated villages in northwestern Thailand: a population study. <i>Environ Res</i> , 110(6): 612-6.
2729	Swai AB, Kitange HM, Masuki G, et al (1992). Is diabetes mellitus related to undernutrition in rural Tanzania? <i>BMJ</i> , 305(6861): 1057-62.
8332	Swai AB, McLarty DG, Mtinangi BL, et al (1992). Diabetes is not caused by cassava toxicity: a study in a Tanzanian community. <i>Diabetes Care</i> , 15(10): 1378-85.
56833	Szmuilowicz ED, Stuenkel CA, Seely EW (2009). Influence of menopause on diabetes and diabetes risk. <i>Nat Rev Endocrinol</i> , 5(10): 553-8.
2730	Szopa TM, Titchener PA, Portwood ND, et al (1993). Diabetes mellitus due to viruses - some recent developments. <i>Diabetologia</i> , 36(8): 687-95.
2732	Tai TY, Chuang LM, Wu HP, et al (1992). Association of body build with non-insulin-dependent diabetes mellitus and hypertension among Chinese adults: A 4-year follow-up study. <i>Int J Epidemiol</i> , 21(3): 511-7.
43728	Takasu N, Ikeda T, Komiya I, et al (2005). Forty-year observation of 280 Japanese patients with congenital rubella syndrome. <i>Diabetes Care</i> , 28(9): 2331-2.

94295	Takeno A, Kanazawa I, Morita M, et al (2018). A case report of fulminant type 1 diabetes mellitus associated with drug-induced hypersensitivity syndrome in an elderly patient with coxsackie B4 virus infection and human leukocyte antigen-A24 haplotype. <i>Endocr J</i> , 65(1): 129-32.
58614	Tan AJ, Silverberg MA (2010). Hemolytic uremic syndrome. Retrieved 8 September 2010, from <a href="http://emedicine.medscape.com/article/779218-print">http://emedicine.medscape.com/article/779218-print</a>
58578	Tanaka S, Nishida Y, Aida K, et al (2009). Enterovirus infection, CXC chemokine ligand 10 (CXC10), and CXCR3 circuit: a mechanism of accelerated beta-cell failure in fulminant type 1 diabetes. <i>Diabetes</i> , 58(10): 2285-91.
56859	Tang JP (2008). Obesity and obstructive sleep apnoea hypopnoea syndrome in Singapore children. <i>Ann Acad Med Singapore</i> , 37(8): 710-4.
94296	Tang M, Chen K, Yang F, et al (2014). Exposure to organochlorine pollutants and type 2 diabetes: a systematic review and meta-analysis. <i>PLoS One</i> , 9(10): e85556.
2731	Tappy L, Bovet P, Shamlaye C (1991). Prevalence of diabetes and obesity in the adult population of the Seychelles. <i>Diabet Med</i> , 8(5): 448-52.
74575	Taylor KW, Novak RF, Anderson HA, et al (2013). Evaluation of the association between persistent organic pollutants (POPs) and diabetes in epidemiological studies: a national toxicology program workshop review. <i>Environ Health Perspect</i> , 121(7): 774-83.
70301	Tenconi MT, Devoti G, Comelli M, et al (2007). Major childhood infectious diseases and other determinants associated with type 1 diabetes: a case-control study. <i>Acta Diabetol</i> , 44(1): 14-9.
94298	Teoh JY, Chiu PK, Chan SY, et al (2015). Risk of new-onset diabetes after androgen deprivation therapy for prostate cancer in the Asian population. <i>J Diabetes</i> , 7(5): 672-80.
7958	Teuscher T, Baillod P, Rosman JB, et al (1987). Absence of diabetes in a rural West African population with a high carbohydrate/cassava diet. <i>Lancet</i> , 1(8536): 765-8.
58509	The Diabetes Unit (2009). Overview of Guideline Development Process and Methods. National Evidence Based Guidelines for the Prevention and Management of Type 2 Diabetes, Diabetes Australia and the NHMR, Canberra.
13980	The Expert Committee on the Diagnosis and Classification of Diabetes Mellitus (1997). Report of the expert committee on the diagnosis and classification of diabetes mellitus. <i>Diabetes Care</i> , 20: 1183-97.
59881	The International Expert Committee (2009). International Expert Committee report on the role of the A1C assay in the diagnosis of diabetes. <i>Diabetes Care</i> , 32(7): 1327-34.
58619	The Royal Australian and New Zealand College of Obstetricians and Gynaecologists (2008). Diagnosis of gestational diabetes mellitus. RANZCOG College Statement C-Obs 7.
58216	Theodoraki A, Bouloux P-M (2009). Testosterone therapy in men. <i>Menopause Int</i> , 15(2): 87-92.
94303	Therapeutic Guidelines (2019). Drug-induced hyperglycaemia. Retrieved 11 September 2019, from <a href="https://tgldcdp.tg.org.au/viewTopic?topicfile=drug-induced-hyperglycaemia">https://tgldcdp.tg.org.au/viewTopic?topicfile=drug-induced-hyperglycaemia</a>
28281	Thuluvath PJ, John PR (2003). Association between hepatitis C, diabetes mellitus, and race. a case-control study. <i>Am J Gastroenterol</i> , 98(2): 438-41.
94299	Tien KJ, Lin ZZ, Chio CC, et al (2013). Epidemiology and mortality of new-onset diabetes after dialysis: Taiwan national cohort study. <i>Diabetes Care</i> , 36(10): 3027-32.
94300	Tor O, Garg RK (2010). Atypical diabetes mellitus associated with bone marrow transplantation. <i>Endocr Pract</i> , 16(1): 93-6.

57578	Torloni MR, Betran AP, Horta BL, et al (2009). [Comment] Prepregnancy BMI and the risk of gestational diabetes: a systematic review of the literature with meta-analysis. <i>Obesity Reviews</i> , 10(4): 489-90. Comment on ID: 57577.
57576	Torloni MR, Betran AP, Horta BL, et al (2009). Prepregnancy BMI and the risk of gestational diabetes: a systematic review of the literature with meta-analysis. <i>Obes Rev</i> , 10(2): 194-203.
76029	Tsai HT, Keating NL, Van Den Eeden SK, et al (2015). Risk of diabetes among patients receiving primary androgen deprivation therapy for clinically localized prostate cancer. <i>J Urol</i> , 193(6): 1956-62.
26925	Tseng CH, Tai TY, Chong CK, et al (2000). Long-term arsenic exposure and incidence of non-insulin-dependent diabetes mellitus: a cohort study in arseniasis-hyperendemic villages in Taiwan. <i>Environ Health Perspect</i> , 108(9): 847-51.
94301	Tsilas CS, de Souza RJ, Mejia SB, et al (2017). Relation of total sugars, fructose and sucrose with incident type 2 diabetes. <i>CMAJ</i> , 189(20): E711-20.
26606	Tsumura K, Hayashi T, Suematsu C, et al (1999). Daily alcohol consumption and the risk of type 2 diabetes in Japanese men. <i>The Osaka Health Survey. Diabetes Care</i> , 22(9): 1432-7.
94302	Tung YC, Lee SS, Tsai WC, et al (2016). Association between gout and incident type 2 diabetes mellitus: a retrospective cohort study. <i>Am J Med</i> , 129(11): 1219.e.17-25.
2733	Tuomilehto J, Tuomilehto-Wolf E, Virtala E, et al (1990). Coffee consumption as trigger for insulin dependent diabetes mellitus in childhood. <i>BMJ</i> , 300(6725): 642-3.
58497	Turyk M, Anderson H, Knobeloch L, et al (2009). Organochlorine exposure and incidence of diabetes in a cohort of Great Lakes sport fish consumers. <i>Environ Health Perspect</i> , 117(7): 1076-82.
93935	U.S. National Library of Medicine (2019). Hexachlorobenzene. Retrieved 10 December 2019, from <a href="https://pubchem.ncbi.nlm.nih.gov/compound/Hexachlorobenzene">https://pubchem.ncbi.nlm.nih.gov/compound/Hexachlorobenzene</a>
56846	Uemura H, Arisawa K, Hiyoshi M, et al (2008). Associations of environmental exposure to dioxins with prevalent diabetes among general inhabitants in Japan. <i>Environ Res</i> , 108(1): 63-8.
56831	Utzschneider KM, Kowdley KV (2010). Hereditary hemochromatosis and diabetes mellitus: implications for clinical practice. <i>Nat Rev Endocrinol</i> , 6(1): 26-33.
94215	Vaccarino V, Goldberg J, Magruder KM, et al (2014). Posttraumatic stress disorder and incidence of type-2 diabetes: A prospective twin study. <i>J Psychiatr Res</i> , 56: 158-64.
28534	van Dam RM, Rimm EB, Willett WC, et al (2002). Dietary patterns and risk for type 2 diabetes mellitus in U.S. men. <i>Ann Intern Med</i> , 136(6): 201-9.
58498	van der Linden MW, Penning-van Beest FJ, et al (2009). Topical corticosteroids and the risk of diabetes mellitus. A nested case-control study in the Netherlands. <i>Drug Saf</i> , 32(6): 527-37.
69475	van der Werf N, Kroese FG, Rozing J, et al (2007). Viral infections as potential triggers of type 1 diabetes. <i>Diabet Metab Res Rev</i> , 23(3): 169-83.
94216	van Nimwegen FA, Schaapveld M, Janus CP, et al (2014). Risk of diabetes mellitus in long-term survivors of Hodgkin lymphoma. <i>J Clin Oncol</i> , 32(29): 3257-63.
58486	van Staa TP, Sprafka JM (2009). Study of adverse outcomes in women using testosterone therapy. <i>Maturitas</i> , 62(1): 76-80.
94217	Vancampfort D, Correll CI, Galling B, et al (2016). Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. <i>World Psychiatry</i> , 15(2): 166-74.

94218	Vancampfort D, Mitchell AJ, De Hert M, et al (2015). Prevalence and predictors of type 2 diabetes mellitus in people with bipolar disorder: A systematic review and meta-analysis. <i>J Clin Psychiatry</i> , 76(11): 1490-9.
94219	Vancampfort D, Mitchell AJ, De Hert M, et al (2015). Type 2 diabetes in patients with major depressive disorder: A meta-analysis of prevalence estimates and predictors. <i>Depress Anxiety</i> , 32(10): 763-73.
94220	Vancampfort D, Rosenbaum S, Ward PB, et al (2016). Type 2 diabetes among people with posttraumatic stress disorder: Systematic review and meta-analysis. <i>Psychosom Med</i> , 78(4): 465-73.
71379	Vanderburg D, Keohane D, Karayal ON, et al (2011). Ziprasidone and the relative risk of diabetes. <i>Br J Psychiatry</i> , 198(2): 157-8.
8121	Vannasaeng S, Nitiyanant W, Vichayanrat A (1988). Case-control study on risk factors associated with fibrocalculous pancreatic diabetes. <i>Diabet Med</i> , 5(9): 835-9.
43949	Varela-Calvino R, Sgarbi G, Arif S, et al (2000). T-cell reactivity to the P2C nonstructural protein of a diabetogenic strain of coxsackievirus B4. <i>Virology</i> , 274(1): 56-64.
94221	Vasiliu O, Cameron L, Gardiner J, et al (2006). Polybrominated biphenyls, polychlorinated biphenyls, body weight, and incidence of adult-onset diabetes mellitus. <i>Epidemiology</i> , 17(4): 352-9.
57562	Vazquez G, Duval S, Jacobs DR, et al (2007). Comparison of body mass index, waist circumference, and waist/hip ratio in predicting incident diabetes: a meta-analysis. <i>Epidemiol Rev</i> , 29: 115-28.
14332	Vena J, Boffetta P, Becher H, et al (1998). Exposure to dioxin and nonneoplastic mortality in the expanded IARC international cohort study of phenoxy herbicide and chlorophenol production workers and sprayers. <i>Environ Health Perspect</i> , 106(Suppl 2)(Suppl 2): 645-53.
2735	Venables CW (1994). Surgery for Chronic Pancreatitis. JJ Misiewicz, RE Pounder & CW Venables (Eds). <i>Diseases of the Gut and Pancreas</i> , 2nd Edition, Chapter 34: 455-64. Blackwell Scientific Publications Limited, Oxford.
58219	Venables MC, Jeukendrup AE (2009). Physical inactivity and obesity: links with insulin resistance and type 2 diabetes mellitus. <i>Diabetes Metab Res Rev</i> , 25(Suppl 1): S18-23.
1292	Venn AJ, Guest CS (1991). Chronic morbidity of former prisoners of war and other Australian veterans. <i>Med J Aust</i> , 155(10): 705-7, 710-2.
29979	Vidal J, Ferrer JP, Esmatjes E, et al (1994). Diabetes mellitus in patients with liver cirrhosis. <i>Diabetes Res Clin Pract</i> , 25(1): 19-25.
43791	Viskari HR, Koskela P, Lonnrot M, et al (2000). [Comment] Can enterovirus infections explain the increasing incidence of type 1 diabetes? <i>Diabetes Care</i> , 23(3): 414-6.
15206	Visnegarwala F, Krause KL, Musher DM (1997). Severe diabetes associated with protease inhibitor therapy. <i>Ann Intern Med</i> , 127(10): 947.
58515	von Herrath M (2009). Diabetes: A virus-gene collaboration. <i>Nature</i> , 459(7246): 518-9.
43776	Vreugdenhil GR, Schloot NC, Hoorens A, et al (2000). Acute onset of type 1 diabetes mellitus after severe echovirus 9 infection: putative pathogenic pathways. <i>Clin Infect Dis</i> , 31(4): 1025-31.
94222	Wahid A, Manek N, Nichols M, et al (2016). Quantifying the association between physical activity and cardiovascular disease and diabetes: A systematic review and meta-analysis. <i>J Am Heart Assoc</i> , 5(9): e002495.
2984	Wales JK (1995). Does psychological stress cause diabetes. <i>Diabet Med</i> , 12(2): 109-12.
94223	Wales PW, Shuckett B, Kim PC (2001). Long-term outcome after nonoperative management of complete traumatic pancreatic transection in children. <i>J Pediatr Surg</i> , 36(5): 823-7.

94224	Wandell P, Ljunggren G, Wahlstrom L, et al (2014). Diabetes and psychiatric illness in the total population of Stockholm. <i>J Psychosom Res</i> , 77(3): 169-73.
29656	Wang CS, Wabg ST, Yao WJ, et al (2003). Community-based study of hepatitis C virus infection and type 2 diabetes: an association affected by age and hepatitis severity status. <i>Am J Epidemiol</i> , 158(12): 1154-60.
56824	Wang GJ, Li XK, Sakai K, et al (2008). Low-dose radiation and its clinical implications: diabetes. <i>Hum Exp Toxicol</i> , 27(2): 135-42.
94226	Wang H, Sun X, Xhao L, et al (2016). Androgen deprivation therapy is associated with diabetes: Evidence from meta-analysis. <i>J Diabetes Investig</i> , 7(4): 629-36.
94227	Wang IK, Lin CL, Chen HC, et al (2018). Risk of new-onset diabetes in end-stage renal disease patients undergoing dialysis: analysis from registry data of Taiwan. <i>Nephrol Dial Transplant</i> , 33(4): 670-5.
28286	Wang L, Folsom AR, Zheng ZJ, et al (2003). Plasma fatty acid composition and incidence of diabetes in middle-aged adults: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Am J Clin Nutr</i> , 78(1): 91-8.
28910	Wang L, Yamaguchi T, Yoshimine T, et al (2002). A case-control study of risk factors for development of type 2 diabetes: emphasis on physical activity. <i>J Epidemiol</i> , 12(6): 424-30.
94239	Wang M, Yu M, Fang L, et al (2015). Association between sugar-sweetened beverages and type 2 diabetes: A meta-analysis. <i>J Diabetes Investig</i> , 6(3): 360-6.
94240	Wang S, Cai R, Yuan Y, et al (2017). Association between reductions in low-density lipoprotein cholesterol with statin therapy and the risk of new-onset diabetes: a metaanalysis. <i>Sci Rep</i> , 7: 39982.
15099	Wang SL, Pan WH, Hwu CM, et al (1997). Incidence of NIDDM and the effects of gender, obesity and hyperinsulinaemia in Taiwan. <i>Diabetologia</i> , 40(12): 1431-8.
56574	Wang SL, Tsai PC, Yang CY, et al (2008). Increased risk of diabetes and polychlorinated biphenyls and dioxins: a 24-year follow-up study of the Yucheng cohort. <i>Diabetes Care</i> , 31(8): 1574-9.
94241	Wang W, Xie Z, Lin Y, et al (2014). Association of inorganic arsenic exposure with type 2 diabetes mellitus: a meta-analysis. <i>J Epidemiol Comm Health</i> , 68(2): 176-84.
94242	Wang X, Bi Y, Zhang Q, et al (2013). Obstructive sleep apnoea and the risk of type 2 diabetes: A meta-analysis of prospective cohort studies. <i>Respirology</i> , 18(1): 140-6.
94243	Wang X, Tian J, Jiang J, et al (2014). Effects of green tea or green tea extract on insulin sensitivity and glycaemic control in populations at risk of type 2 diabetes mellitus: a systematic review and meta-analysis of randomised controlled trials. <i>J Hum Nutr Diet</i> , 27(5): 501-12.
76097	Wang Y, Ji J, Liu Y, et al (2013). Passive smoking and risk of type 2 diabetes mellitus: a meta-analysis of prospective cohort studies. <i>PLoS One</i> , 8(7): e69915.
28545	Wannamethee SG, Camargo CA, Manson JE, et al (2003). Alcohol drinking patterns and risk of type 2 diabetes mellitus among younger women. <i>Arch Intern Med</i> , 163(11): 1329-36.
28531	Wannamethee SG, Shaper AG, Perry IJ (2001). Smoking as a modifiable risk factor for type 2 diabetes in middle-aged men. <i>Diabetes Care</i> , 24(9): 1590-5.
26605	Wannamethee SG, Shaper AG (1999). Weight change and duration of overweight and obesity in the incidence of type 2 diabetes. <i>Diabetes Care</i> , 22(8): 1266-72.

15406	Wannamethee SG, Shaper G, Walker M, et al (1998). Lifestyle and 15-year survival free of heart attack, stroke, and diabetes in middle-aged British men. <i>Arch Intern Med</i> , 158(22): 2433-40.
28709	Wannamethee SG, Shaper AG, Perry IJ, et al (2002). Alcohol consumption and the incidence of type II diabetes. <i>J Epidemiol Community Health</i> , 56(7): 542-8.
14918	Wareham NJ, O'Rahilly S (1998). The changing classification and diagnosis of diabetes. New classification is based on pathogenesis, not insulin dependence. <i>BMJ</i> , 317(7155): 359-60.
94244	Warner M, Mocarelli P, Brambilla P, et al (2013). Diabetes, metabolic syndrome, and obesity in relation to serum dioxin concentrations: The Seveso Women's Health Study. <i>Environ Health Perspect</i> , 121(8): 906-11.
43726	Wasfy JH (2004). [Comment] Childhood vaccination and type 1 diabetes. <i>N Engl J Med</i> , 351(3): 298.
26611	Watanabe M, Barzi F, Neal B, et al (2002). Alcohol consumption and the risk of diabetes by body mass index levels in a cohort of 5,636 Japanese. <i>Diabetes Res Clin Pract</i> , 57(3): 191-7.
76095	Wei X, E M, Yu S (2015). A meta-analysis of passive smoking and risk of developing type 2 diabetes mellitus. <i>Diabetes Res Clin Pract</i> , 107(1): 9-14.
53245	Weisberg RB, Bruce SE, Machan JT, et al (2002). Nonpsychiatric illness among primary care patients with trauma histories and posttraumatic stress disorder. <i>Psychiatr Serv</i> , 53(7): 848-54.
68847	West R, Colle E, Belmonte MM (1981). Prospective study of insulin-dependent diabetes mellitus. <i>Diabetes</i> , 30(7): 584-9.
56840	White DL, Ratziu V, El-Serag HB (2008). Hepatitis C infection and risk of diabetes: a systematic review and meta-analysis. <i>J Hepatol</i> , 49(5): 831-44.
58491	WHO (2006). Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia. World Health Organization, Geneva.
8157	Wilkin TJ (1993). Early nutrition and diabetes mellitus. <i>BMJ</i> , 306(6873): 283-4.
2736	Wilkin TJ, Stutchfield P, Smith CS, et al (1987). Autoimmunity, diabetes, and cystic fibrosis. <i>Lancet</i> , 2(8551): 157.
69934	Wilkins TL, Sambamoorthi U (2011). Antidepressant use, depression, lifestyle factors, and new-onset diabetes. <i>Int Clin Psychopharmacol</i> , 26(3): 159-68.
26278	Will JC, Galuska DA, Ford ES, et al (2001). Cigarette smoking and diabetes mellitus: evidence of a positive association from a large prospective cohort study. <i>Int J Epidemiol</i> , 30(3): 540-6.
15210	Willett WC, Salmeron J (1997). [Comment] Fibre intake and risk of developing non-insulin-dependent diabetes mellitus. <i>JAMA</i> , 227(22): 1762.
58575	Willi C, Bodenmann P, Ghali WA, et al (2007). Active smoking and the risk of type 2 diabetes: A systematic review and meta-analysis. <i>JAMA</i> , 298(22): 2654-64.
2737	Williams GH, Kluhy RG (1994). Diseases of the adrenal cortex. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 335: 1974. McGraw Hill.
94248	Wilmot EG, Edwardson CL, Achana FA, et al (2012). Sedentary time in adults and the association with diabetes, cardiovascular disease and death: systematic review and meta-analysis. <i>Diabetologia</i> , 55(11): 2895-905.
94249	Wilson JC, Sarsour K, Gale S, et al (2019). Incidence and risk of glucocorticoid-associated adverse effects in patients with rheumatoid arthritis. <i>Arthritis Care Res (Hoboken)</i> , 71(4): 498-511.
2738	Wilson PW, Anderson KM, Kannel WB (1986). Epidemiology of diabetes mellitus in the elderly. The Framingham Study. <i>Am J Med</i> , 80(5A): 3-9.

2739	Winter WE, Funahashi M, Koons J (1992). Encainide-induced diabetes: analysis of islet cell function. <i>Res Commun Chem Pathol Pharmacol</i> , 76(3): 259-68.
8120	Wiyono P, Morimoto Y, Taniguchi H (1989). Case Report: The presence of islet cell antibodies in malnutrition-related diabetes mellitus. <i>Diabetes Res Clin Pract</i> , 6(1): 75-8.
2740	Wood AJJ (1994). Adverse reactions to drugs. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 67: 407. McGraw Hill.
59882	World Health Organization (2011). Use of glycated haemoglobin (HbA1c) in the diagnosis of diabetes mellitus. Abbreviated Report of a WHO Consultation, World Health Organization.
58612	World Health Organization (2009). Diabetes. Retrieved 9 August 2010, from <a href="http://www.who.int/mediacentre/factsheets/fs312/en/print.html">http://www.who.int/mediacentre/factsheets/fs312/en/print.html</a>
94250	World Health Organization (2019). Classification of Diabetes Mellitus 2019. Department for Management of Noncommunicable Diseases, Disability, Violence and Injury Prevention. <a href="https://www.who.int/health-topics/diabetes">https://www.who.int/health-topics/diabetes</a> .
22786	World Health Organization (WHO) (1999). Diagnosis and classification of diabetes mellitus. Definition, diagnosis and classification of diabetes mellitus and its complications, Part 1. World Health Organization, Geneva.
57568	Wright PR, Rattray R, Lalor G, et al (2010). Minimal health impact from exposure to diet-sourced cadmium on a population in central Jamaica. <i>Environ Geochem Health</i> , 32(6): 567-81.
94251	Wu H, Bertrand KA, Choi AL, et al (2013). Persistent organic pollutants and type 2 diabetes: A prospective analysis in the Nurses' Health Study and meta-analysis. <i>Environ Health Perspect</i> , 121(2): 153-61.
94252	Wu PP, Kor CT, Hsieh MC, et al (2018). Association between end-stage renal disease and incident diabetes mellitus-A nationwide population-based cohort study. <i>J Clin Med</i> , 7(10): E343.
94253	Wu SC, Fu CY, Muo CH, et al (2014). Splenectomy in trauma patients is associated with an increased risk of postoperative type II diabetes: a nationwide population-based study. <i>Am J Surg</i> , 208(5): 811-6.
94254	Wu VC, Chueh SJ, Chen L, et al (2017). Risk of new-onset diabetes mellitus in primary aldosteronism: a population study over 5 years. <i>J Hypertens</i> , 35(8): 1698-708.
94256	Xie Y, Bowe B, Li T, et al (2018). Higher blood urea nitrogen is associated with increased risk of incident diabetes mellitus. <i>Kidney Int</i> , 93(3): 741-52.
94255	Xie Y, Bowe B, Li T, et al (2018). Blood urea nitrogen and risk of insulin use among people with diabetes. <i>Diab Vasc Dis Res</i> , 15(5): 409-16.
94257	Xu T, Mangnusson Hanson LL, Lange T, et al (2018). Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , 61(1): 75-83.
94258	Xu YL, Xu KF, Bai JL, et al (2016). Elevation of serum uric acid and incidence of type 2 diabetes: A systematic review and meta-analysis. <i>Chronic Dis Transl Med</i> , 2(2): 81-91.
94259	Xue C, Gu YY, Cui CJ, et al (2019). New-onset glucose disorders in peritoneal dialysis patients: a meta-analysis and systematic review. <i>Nephrol Dial Transplant</i> , 2019: 1-8.
94260	Yagyu H, Okada K, Sato S, et al (2012). Pegylated interferon-a2b and ribavirin combination therapy induces Hashitoxicosis followed by type 1 diabetes mellitus. <i>Diabet Res Clin Pract</i> , 95(3): e52-4.
2741	Yajnik CS (1992). Diabetes secondary to tropical calcific pancreatitis. <i>Baillieres Clin Endocrinol Metab</i> , 6(4): 777-96.
7978	Yajnik CS, Shelgikar KM (1993). Fibrocalculous pancreatic diabetes in Pune, India. <i>Diabetes Care</i> , 16(6): 916-21.

2742	Yamamoto H, Akazawa S, Yamaguchi Y, et al (1991). Effects of cyclosporin A and low dosages of steroid on posttransplantation diabetes in kidney transplant recipients. <i>Diabetes Care</i> , 14(10): 867-70.
89651	Yamamoto K, Kudo M, Arito H, et al (2015). A cross-sectional analysis of dioxins and health effects in municipal and private waste incinerator workers in Japan. <i>Ind Health</i> , 53(5): 465-79.
58495	Yamazaki M, Sato A, Takeda T, et al (2010). Distinct clinical courses in type 1 diabetes mellitus induced by peg-interferon-a treatment for chronic hepatitis C. <i>Intern Med</i> , 49(5): 403-7.
94262	Yarragudi R, Gessl A, Vychytal A (2019). New-onset diabetes mellitus in peritoneal dialysis and hemodialysis patients: Frequency, risk factors, and prognosis-A review. <i>Ther Apher Dial</i> , 23(6): 497-506.
58427	Yeh HC, Duncan BB, Schmidt MI, et al (2010). Smoking, smoking cessation, and risk for type 2 diabetes mellitus: A cohort study. <i>Ann Intern Med</i> , 152(1): 10-7.
59091	Yeh HC, Punjabi NM, Wang NY (2005). Vital capacity as a predictor of incident type 2 diabetes. <i>Diabetes Care</i> , 28(6): 1472-9.
94266	Yeung WC, Rawlinson WD, Craig ME (2011). Enterovirus infection and type I diabetes mellitus: systematic review and meta-analysis of observational molecular studies. <i>BMJ</i> , 342: d35.
74579	Yi SW, Hong JS, Ohrr H, et al (2014). Agent Orange exposure and disease prevalence in Korean Vietnam veterans: the Korean veterans health study. <i>Environ Res</i> , 133: 56-65.
43716	Yin H, Berg AK, Turomo T, et al (2002). Enterovirus RNA is found in peripheral blood mononuclear cells in a majority of type 1 diabetic children at onset. <i>Diabetes</i> , 51(6): 1964-71.
71288	Yood MU, Delorenze GN, Quesenberry CP, et al (2011). Association between second-generation antipsychotics and newly diagnosed treated diabetes mellitus: does the effect differ by dose? <i>BMC Psychiatry</i> , 11: 197.
94267	Yoon JM, Cho EG, Lee HK, et al (2013). Antidepressant use and diabetes mellitus risk: A meta-analysis. <i>Korean J Fam Med</i> , 34(4): 228-40.
2743	Young DR, Haskell WL, Jatulis DE, et al (1993). Associations between changes in physical activity and risk factors for coronary heart disease in a community-based sample of men and women: The Stanford Five-City Project. <i>Am J Epidemiol</i> , 138(4): 205-15.
94228	Yu M, Zhang X, Lu F, et al (2015). Depression and risk for diabetes: A meta-analysis. <i>Can J Diabetes</i> , 39(4): 266-72.
29861	Zein NN, Abdulkarim AS, Wiesner RH, et al (2000). Prevalence of diabetes mellitus in patients with end-stage liver cirrhosis due to hepatitis C, alcohol, or cholestatic disease. <i>J Hepatol</i> , 32(2): 209-17.
76456	Zhang L, Curhan GC, Hu FB, et al (2011). Association between passive and active smoking and incident type 2 diabetes in women. <i>Diabetes Care</i> , 34(4): 892-7.
94230	Zhao Z, Li S, Liu G, et al (2012). Body iron stores and heme-iron intake in relation to risk of type 2 diabetes: A systematic review and meta-analysis. <i>PLoS One</i> , 7(7): e41641.
94231	Zhao Z, Lin F, Wang B, et al (2016). Residential proximity to major roadways and risk of type 2 diabetes mellitus: A meta-analysis. <i>Int J Environ Res Public Health</i> , 14(1): 3.
94232	Zhi M, Zhu X, Lugea A, et al (2019). Incidence of new onset diabetes mellitus secondary to acute pancreatitis: A systematic review and meta-analysis. <i>Front Physiol</i> , 10: 637.
94233	Zhou PZ, Zhu YM, Zou GH, et al (2016). Relationship between glucocorticoids and insulin resistance in healthy individuals. <i>Med Sci Monit</i> , 22: 1887-94.

94234	Zhu B, Ma C, Chaiard J, et al (2018). Effect of continuous positive airway pressure on glucose metabolism in adults with type 2 diabetes: a systematic review and meta-analysis of randomized controlled trials. <i>Sleep Breath</i> , 22(2): 287-95.
94235	Zhu B, Wu X, Wang X, et al (2014). The association between passive smoking and type 2 diabetes: A meta-analysis. <i>Asia Pac J Public Health</i> , 26(3): 226-37.
94236	Zhu X, Liu D, Wei Q, et al (2019). New-onset diabetes mellitus after chronic pancreatitis diagnosis. <i>Pancreas</i> , 48(7): 868-75.
94237	Zhuang QS, Shen L, Ji HF, et al (2017). Quantitative assessment of the bidirectional relationships between diabetes and depression. <i>Oncotarget</i> , 8(14): 23389-400.
58428	Ziegelstein RC (2010). [Comments] Smoking cessation and the risk for type 2 diabetes mellitus. <i>Ann Intern Med</i> , 152(11): 754; author reply 755-6. Comments on ID: 58427.
56576	Zillich AJ, Garg J, Basu S, et al (2006). Thiazide diuretics, potassium, and the development of diabetes: a quantitative review. <i>Hypertension</i> , 48(2): 219-24.
13937	Zimmet P, Alberti G, de Courten MP (1998). New classification and criteria for diabetes: moving the goalposts closer. <i>Med J Aust</i> , 168(12): 593-4.
8303	Zimmet PZ (1995). The pathogenesis and prevention of diabetes in adults: Genes, autoimmunity, and demography. <i>Diabetes Care</i> , 18(7): 1050-64.
58222	Zirbes J, Milla CE (2009). Cystic fibrosis related diabetes. <i>Paediatric Respir Rev</i> , 10(3): 118-23; quiz 123.
94238	Zou Z, Cai W, Cai M, et al (2016). Influence of the intervention of exercise on obese type II diabetes mellitus: A meta-analysis. <i>Prim Care Diabetes</i> , 10(3): 186-201.
69896	Zung A, Blumenfeld O, Shehadeh N, et al (2012). Increase in the incidence of type 1 diabetes in Israeli children following the Second Lebanon War. <i>Pediatr Diabetes</i> , 13(4): 326-33.