



ATHEROSCLEROTIC PERIPHERAL VASCULAR DISEASE

RMA ID Number	Reference List for RMA140-4 as at June 2017
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). . Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
61335	Aichberger KJ, Herndlhofer S, Schernthaner G-H, et al (2011). Progressive peripheral arterial occlusive disease and other vascular events during nilotinib therapy in CML. <i>Am J Hematol</i> , 86: 533-9.
24136	Albert MA, Ridker PM (1999). The role of C-reactive protein in cardiovascular disease risk. <i>Current Cardiology Reports</i> , 1(2): 99-104.
61336	Al-Delaimy WK, Merchant AT, Rimm EB, Willett WC, et al (2004). Effect of type 2 diabetes and its duration on the risk of peripheral arterial disease among men. <i>Am J Med</i> , 116: 236-40.
13981	Andros G, Schneider PA, Harris RW, et al (1996). Management of arterial occlusive disease following radiation therapy. <i>Cardiovascular Surgery</i> , 4(2): 135-42.
24153	Anonymous (1998). C-reactive protein: a predictor of peripheral artery disease. <i>Harvard Heart Letter</i> , 8(11): 6-7.
24072	Aronow WS, Ahn C (1998). Association between plasma homocysteine and peripheral arterial disease in older persons. <i>Coronary Artery Disease</i> , 9(1): 49-50.
80745	ARPANSA (2012). Radiation protection: Beta particles. . Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
23862	Asakawa H, Tokunaga K and Kawakami F (2000). Comparison of risk factors of macrovascular complications: Peripheral vascular disease, cerebral vascular disease, and coronary heart disease in Japanese Type 2 diabetes mellitus patients. <i>Journal of Diabetes and its Complications</i> , 14: 307-13.
61001	Asfar S, Safar HA (2007). Homocysteine levels and peripheral arterial occlusive disease: a prospective cohort study and review of the literature. <i>J Card Surg</i> , 48(5): 601-5.
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units/cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. . Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm

80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA, . .
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
61117	Baerlocher MO, Rajan DK, Ing DJ, Rubin BB (2004). Primary stenting of bilateral radiation-induced external iliac stenoses. <i>J Vasc Surg</i> , 40: 1028-31.
23921	Bainton D, Sweetnam P, Baker I and Elwood P (1994). Peripheral vascular disease: consequence for survival and association with risk factors in the Speedwell prospective heart disease study. <i>British Heart Journal</i> , 72: 128-32.
62045	Baker JV, Henry WK, Patel P, Bush TJ, et al (2011). Progression of caotid intima-media thickness in a contemporary HIV cohort. <i>Clinical Infect Dis</i> , 22 August 2011: [Epub ahead of print].
62076	Barbaro G (2010). Heart and HAART: two sides of the coin for HIV-associated cardiology issues. <i>World J Cardiol</i> , 2(3): 53-7.
24020	Barzilay JI, Spiekerman CF, Kuller LH, Burke GL, n Bittner V, Gottdiener JS, Brancati FL, Orchard TJ, O'Leary D and Savage PJ (2001). Prevalence of clinical and isolated subclinical cardiovascular disease in older adults with glucose disorders: The Cardiovascular Health Study. <i>Diabetes Care</i> , 24(7): 1233-9.
24505	Basili S, Milani M, Longoni A, Vieri M, Iuliano L, Violi F (1998). Determinants of fibronogen in an Italian population suffering from claudication. Lower fibrinogen in the south compared to middle and north Italy. <i>The ADEP Group. Haematologica</i> , 83(8): 701-7.
60911	Beckman JA, Creager MA, Libby P (2002). Diabetes and atherosclerosis. <i>Epidemiology, pathophysiology and management. JAMA</i> , 287(19): 2570-81.
24628	Becquemin J-P, Gasparino LF, Etienne G (1994). Carotido-brachial artery bypass for radiation induced injury of the subclavian artery. The value of a lateral mid-arm approach. <i>J Cardiovascular Surgery</i> , 35: 321-4.
23919	Beks PJ, Mackaay AJC, de Neeling JND, de Vries H, Bouter LM and Heine RJ (1995). Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. <i>Diabetologia</i> , 38: 86-96.
24451	Bergmark C, Mansoor MA, Swedenborg J, deFaire U, Svardal AM, Ueland PM (1993). Hyperhomocysteinemia in patients operated for lower extremity ischaemia below the age of 50: effect of smoking and ectent of disease. <i>Eur J Vasc Surg</i> , 7: 391-6.
61762	Beutler E, Waalen J, Gelbart (2005). Chronic inflammation does not appear to modify the homozygous hereditary hemochromatosis phenotype. <i>Blood Cells Mol Dis</i> , 35: 326-7.
8495	Bhuripanyo P, Suwanwatana C, Kiatsayampoo S, Graisopa S, et al (1992). Vascular Complications in Noninsulin Dependent Diabetes Mellitus (NIDDM) in Srinagarind Hospital, Khon Kaen. <i>Journal of the Medical Association of Thailand</i> , 75(10): 570-7.
24149	Binaghi F, Fronteddu PF, Cannas F, Caredda E, Uras A, darau P, Pitzus F (1994). Prevalence of peripheral arterial occlusive disease and associated risk facotrs in a sample of southern Sardinian population. <i>International Angiology</i> , 13(3): 233-45.

62035	Bongiovanni M, Casana M, Cicconi P, Pisacreta M, et al (2008). Predictive factors of vascular intima media thickness in HIV-positive subjects. <i>Journal of Antimicrobial Chemotherapy</i> , 61: 195-9.
24009	Bostom AG (1998). [Letter]. Elevated total homocysteine levels increased the risk for vascular disease. <i>ACP Journal Club</i> , 1-3: 21.
24437	Boushey CJ, Beresford SAA, Omenn GS, Motulsky AG (1995). A quantitative assessment of plasma homocysteine as a risk factor for vascular disease. Probable benefits of increasing folic acid intakes. <i>JAMA</i> , 274: 1049-57.
24014	Bowlin SJ, Medalie JH, Flocke SA, Zyzanski J and Goldbourt U (1994). Epidemiology of intermittent claudication in middle-aged men. <i>American Journal of Epidemiology</i> , 140(5): 418-30.
24013	Boyko EJ, Ahroni JH, Davignon D, Stensel V, Prigeon RL and Smith DG (1997). Diagnostic utility of the history and physical examination for peripheral vascular disease among patients with diabetes mellitus. <i>Journal of Clinical Epidemiology</i> , 50(6): 659-68.
80727	Braby et al (2011). 3. Radiation exposure from internally deposited radionuclides. , Report 86, 11(2): 33-8. Retrieved 6 February 2017, from <i>Journal of the ICRU</i>
60999	Bradberry JC (2004). Peripheral arterial disease: pathophysiology, risk factors, and role of antithrombotic therapy. <i>J Am Pharm Assoc</i> , 44(2 Suppl 1): S37-45.
23918	Brand FN, Kannel WB, Evans J, Larson MG and Wolf PA (1998). Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: The Framingham Study. <i>American Heart Journal</i> , 136(5): 919-27.
24152	Braunlich S, Kroger K, Massalha K, Rudofsky G (1999). Ergotamine-induced intermittent claudication. <i>Vasa</i> , 28(2): 123-6.
61841	Brewer LC, Michos ED, Reis J (2011). Vitamin D in atherosclerosis, vascular disease, and endothelial function. <i>Current Drug Targets</i> , 12: 54-60.
61763	Bruce IN (2005). 'Not only... but also': factors that contribute to accelerated atherosclerosis and premature coronary heart disease in systemic lupus erythematosus. <i>Rheumatology</i> , 44: 1492-502.
61896	Byhardt RW, Moss WT (2003). The blood vessels and heart. <i>Radiation Oncology: Rationale, Technique, Results</i> , 8th Edition, Chapter 16: 387-98. Mosby Elsevier, St Louis.
24431	Camargo CA Jr, Stampfer MJ, Glynn RJ, Gaziano JM, Manson JE, Golhaber SZ, Hennekens CH (1997). Prospective study of moderate alcohol of moderate alcohol consumption and risk of peripheral arterial disease in US male physicians. <i>Circulation</i> , 95: 577-80.
61766	Campean V, Neureiter D, Varga I, Runk F, et al (2005). Atherosclerosis and vascular calcification in chronic renal failure. <i>Kidney Blood Press Res</i> , 28: 280-9.
24428	Cantin B, Moorjani S, Dagenais GR & Lupien P-J (1995). Lipoprotein(a) distribution in a French Canadian population and its relation to intermittent claudication (The Quebec cardiovascular study). <i>Am J Cardiol</i> , 75: 1224-8.
43945	Cardis E, Vrijheid M, Blettner M, Gilbert E, Hakama M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Research</i> , 167(4): 396-416.
80746	Carter M, Robothem R, Wise K, et al (2006). Australian participants in British nuclear tests in Australia. Department of Veterans' Affairs, Vol 1: Dosimetry. Commonwealth of Australia.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. . Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp

61802	Chen YW, Umeda M, Nagasawa T, Takeuchi Y (2008). Periodontitis may increase the risk of peripheral arterial disease. <i>Eur J Endovasc Surg</i> , 35: 153-8.
24629	Cheng SWK, Ting ACW & Wong J (1997). Lipoprotein (a) and its relationship to risk factors and severity of atherosclerotic peripheral vascular disease. <i>European Journal of Vascular & Endovascular Surgery</i> , 14: 17-23.
24025	Cheng SWK, Ting ACW, Lau H and Wong J (1999). Epidemiology of atherosclerotic peripheral arterial occlusive disease in Hong Kong. <i>World Journal of Surgery</i> , 23(2): 202-6.
8496	Chiang VL, Castleden WM, Leahy MF (1992). Detection of reversible platelet aggregates in the blood of smokers and ex-smokers with peripheral vascular disease. <i>The Medical Journal of Australia</i> , 156: 601.
23917	Clark CM and Perry RC (1998). A "touch of sugar" can be fatal. <i>American Heart Journal</i> , 136(5): 762-4.
8497	Clarke R, Daly L, Robinson K, Naughten E, et al (1991). Hyperhomocysteinemia: An independent risk factor for vascular disease. <i>NEJM</i> , 324(17): 1149-50.
8498	Cole CW, Hill GB, Farzad E, Bouchard A, et al (1993). Cigarette Smoking and Peripheral Arterial Occlusive Disease. <i>Surgery</i> , 114: 753-6. Retrieved 8 December 1994, from 753-756
62072	Coll B, Parra S, Alonso-Villaverde C, Aragones G, et al (2007). The role of immunity and inflammation in the progression of atherosclerosis in patients with HIV infection. <i>Stroke</i> , 38: 2477-87.
61135	Conen D, Everett BM, Kurth T, Creager MA, et al (2011). Smoking, smoking status, and risk for symptomatic peripheral artery disease in women. A cohort study. <i>Ann Intern Med</i> , 154: 719-26.
8499	Coni N, Tennison B, Troup M (1992). Prevalence of lower extremity arterial disease among elderly people in the community. <i>British Journal of General Practice</i> , 42: 149-50.
24728	Coronary Drug Project Research Group (1973). The Coronary Drug Project: Findings leading to discontinuation of the 2.5-mg/day Estrogen Group. <i>JAMA</i> , 226(6): 652-7.
61348	Craft LL, Guralnik JM, Ferrucci L, Liu K, et al (2008). Physical activity during daily life and circulating biomarker levels in patients with peripheral arterial disease. <i>Am J Cardiol</i> , 102: 1263-8.
25252	Creager M (2001). Peripheral arterial disease. D Dale and D Federman (Eds). <i>Scientific American Medicine</i> , XVI, 1: 1-9. .
25253	Creager M, Dzau V (2001). Vascular diseases of the extremities. <i>Harrison's Principles of Internal Medicine</i> , 15th Edition, 248: 1434-9. McGraw-Hill Medical Publishing Division: New York.
61329	Creager MA, Loscalzo J (2011). Peripheral arterial disease. Retrieved 22 July 2011, from http://www.accessmedicine.com/content.aspx?aID=2880274
8500	Criqui MH, Browner D, Fronck A, Klauber MR, et al (1989). Peripheral Arterial Disease in Large Vessels is Epidemiologically Distinct from Small Vessel Disease. An Analysis of Risk Factors. <i>American Journal of Epidemiology</i> , 129(6): 1110-9.
61840	Cui R, Iso H, Yamagishi K, Tanigawa T, et al (2006). Relationship of smoking and smoking cessation with ankle-to-arm blood pressure index in elderly Japanese men. <i>Eur J Cardiovasc Prev Rehabil</i> , 13: 243-8.
23907	Curb JD, Masaki K, Rodriguez BL, Abbott RD, Burchfiel CM, Chen R, Petrovitch H, Sharp D and Yano K (1995). Peripheral artery disease and cardiovascular risk factors in the elderly: the Honolulu Heart Program. <i>Arterioscler Thromb Vasc Biol</i> , 15: 1495-500.
62077	Currier JS, Kendall MA, Henry WK, Alston-Smith B, et al (2007). Progression of carotid artery intima - media thickening in HIV-infected and uninfected adults. <i>AIDS</i> , 21: 1137-45.

62004	Currier JS, Kendall MA, Zackin R, Henry WK, et al (2005). Carotid artery intima-media thickness and HIV infection: traditional risk factors overshadow impact of protease inhibitor exposure. <i>AIDS</i> , 19(9): 927-33.
24235	Cutler JA (1996). High blood pressure and end-organ damage. <i>Journal of Hypertension</i> , 14(6): S3-S6.
24448	Dagenais GR, Maurice S, Robitaille NM, Gingras S, Lupien PJ (1991). Intermittent claudication in Quebec men from 1974-1986: the Quebec Cardiovascular Study. <i>Clin Invest Med</i> , 14: 93-100.
24128	Daly RJ, Blann AD (1996). Self-reported smoking in vascular disease: the need for biochemical confirmation. <i>British Journal of Biomedical Science</i> , 53(3): 204-8.
25254	Danzl D (2001). Hypothermia and frostbite. <i>Harrison's Principles of Internal Medicine</i> , 15th Edition, Chapter 20: 110-1. .
61006	Deedwania P, Srikanth S (2008). Diabetes and vascular disease. <i>Exp Rev Cardiovasc Ther</i> , 6(1): 127-38.
60902	DeLoach SS, Mohler ER III (2007). Peripheral arterial disease: a guide for nephrologists. <i>Clin J Am Soc Nephrol</i> , 2: 839-46.
62078	Depairon M, Chessex S, Sudre P, Rodondi N, et al (2001). Premature atherosclerosis in HIV-infected individuals - focus on protease inhibitor therapy. <i>AIDS</i> , 15: 329-34.
61773	Didion SP (2008). Chlamydia pneumoniae and endothelial activation: the smoke that precedes the fire of atherosclerosis? <i>Circulation</i> , 102: 861-3.
23904	Djousse L, Levy D, Murabito JM, Cupples LA and Ellison RC (2000). Alcohol consumption and risk of intermittent claudication in the Frammingham Heart Study. <i>Circulation</i> , 102: 3092-7.
24529	Dormandy J, Heeck L, Vig S (1999). Predictors of early disease in the lower limbs. <i>Seminars in Vascular Surgery</i> , 12(2): 109-7.
23933	Drexel H, Steurer J, Muntwyler J, Meienberg S, Schmid HR, Schneider E, Grochenig E and Amann FW (1996). Predictors of the presence and extent of peripheral arterial occlusive disease. <i>Circulation</i> , 94(2): 199-205.
61004	Duncan K, Aronow WS, Babu S (2010). Prevalence of moderate or severe chronic kidney disease in patients with severe peripheral arterial disease versus mild or moderate peripheral arterial disease. <i>Med Sci Monit</i> , 16(12): CR584-7.
8501	Ernst E (1994). Fibrinogen: Its Emerging Role as a Cardiovascular Risk Factor. <i>Angiology</i> , 45(2): 87.
24010	Ernst E, Koenig W (1997). Fibrinogen and cardiovascular risk. <i>Vascular Medicine</i> , 2: 115-25.
8519	Expert Panel on Detection, Evaluation, & Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel II, or ATP II) (1993). Summary of the second report of the National Cholesterol Education Program (NCEP). <i>JAMA</i> , 269(23): 3015-22.
61770	Fahrleitner A, Dobnig H, Obernosterer A, Pilger E, et al (2002). Vitamin D deficiency and secondary hyperparathyroidism are common complications in patients with peripheral arterial disease. <i>J Gen Intern Med</i> , 17: 663-9.
61082	Farrugia M, Gowda KMS, Cheatle TR, Ashok TP (2006). Radiotherapy-related axillary artery occlusive disease: percutaneous transluminal angioplasty and stenting. Two case reports and review of the literature. <i>Cardiovasc Intervent Radiol</i> , 29: 1144-7.
61895	Farrugia PM, Lucariello R, Coppola JT (2009). Human immunodeficiency virus and atherosclerosis. <i>Cardiol Rev</i> , 17(5): 211-5.
8502	Fernando DJS, Siribaddana S, Perera N, Perera S, de Silva D (1993). The prevalence of macrovascular disease and lipid abnormalities amongst diabetic patients in Sri Lanka. <i>Postgraduate Medical Journal</i> , 69: 557-9.
24587	Fletcher SW and Colditz GA (2002). Failure of estrogen plus progestin therapy for prevention. <i>JAMA</i> , 288(3): 366-8.

8503	Fowkes FGR (1989). [Comment] Aetiology of peripheral atherosclerosis. <i>British Medical Journal</i> , 298: 405-6.
23910	Fowkes FGR, Dunbar JT and Lee AJ (1995). Risk factor profile of nonsmokers with peripheral arterial disease. <i>The Journal of Vascular Diseases</i> , 46(8): 657-62.
8504	Fowkes FGR, Housley E, Riemersma RA, Macintyre CCA, et al (1992). Smoking, Lipids, Glucose Intolerance, and Blood Pressure as Risk Factors for Peripheral Atherosclerosis Compared with Ischemic Heart Disease in the Edinburgh Artery Study. <i>American Journal of Epidemiology</i> , 135(4): 331-4.
61330	Fowler B, Jamrozik K, Norman P, Allen Y (2002). Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. <i>Aust N Z J Public Health</i> , 26(3): 219-24.
61083	Friedlander AH, Freymiller EG (2003). Detection of radiation-accelerated atherosclerosis of the carotid artery by panoramic radiography. A new opportunity for dentists. <i>JADA</i> , 134: 1361-5.
61353	Fung ET, Wilson AM, Zhang F, Harris N, et al (2008). A biomarker panel for peripheral arterial disease. <i>Vasc Med</i> , 13: 217-24.
24207	Gallotta G, Iazzetta N, Milan G, Ruocco A, Napoli C, Postiglione A (1997). Prevalence of peripheral arterial disease in an elderly rural population of Southern Italy. <i>Gerontology</i> , 43: 289-95.
24238	Garcia GD, Goff JM, Hadro NC, O'Donnell SD, Greatorex PS (2000). Chronic ergot toxicity: a rare cause of lower extremity ischemia. <i>J Vasc Surg</i> , 31: 1245-7.
24155	Gardner AW (1996). The effect of cigarette smoking on exercise capacity in patients with intermittent claudication. <i>Vascular Medicine</i> , 1(3): 181-6.
24004	Gardner AW, Montgomery PS, Womack CJ, Killewich LA (1999). Smoking history is related to free-living daily physical activity in claudicants. <i>Medicine & Science in Sports & Exercise</i> , 31(7): 980-6.
23924	Gardner AW, Sieminski DJ, Killewich LA (1997). The effect of cigarette smoking on free-living daily physical activity in older claudication patients. <i>The Journal of Vascular Diseases</i> , 48(11): 947-55.
60990	Garofolo L, Barros N Jr, Miranda F Jr, D'Almeida V, et al (2007). Association of increased levels of homocysteine and peripheral arterial disease in a Japanese-Brazilian population. <i>Eur J Vasc Endovasc Surg</i> , 34: 23-8.
24017	Gaylis H; Geiss LS, Gregg E, Engelgau MM, Ram RP, Eberhardt MS & Burt VL; Merenstein JH; Jimbo M; Fried RE; Hirsch AT, Hiatt WR & Criqui MH; Ouriel K (2002). [Comments] Diagnosis and treatment of peripheral arterial disease. <i>JAMA</i> , 287(3): 313-6.
23912	Gervaise N, Garrigue MA, Lasfargues G, Lecomte P (2000). Triglycerides, apo C3 and Lp B:C3 and cardiovascular risk in Type II diabetes. <i>Diabetologia</i> , 43: 703-8.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
24432	Girolami B, Bernardi E, Prins MH, ten Cate JW, Hettiarachchi R, Prandoni P, Girolami A, Buller HR (1999). Treatment of intermittent claudication with physical training, smoking cessation, pentoxifylline, or nafronyl. A meta-analysis. <i>Archives of Internal Medicine</i> , 159: 337-45.
61349	Glaesmer H, Brahler E, Gundel H, Riedel-Heller SG (2011). The association of traumatic experiences and posttraumatic stress disorder with physical morbidity in old age: a German population-based study. <i>Psychosom Med</i> , 73: 401-6.
8505	Glantz SA, Parmley WW (1991). Passive Smoking and Heart disease: Epidemiology, Physiology, and Biochemistry. <i>Circulation</i> , 83(1): 4.

24434	Gofin R, Kark JD, Friedlander Y, Lewis BS, Witt H, Stein Y, Gotsman MS (1987). Peripheral vascular disease in a middle-aged population sample. The Jerusalem Lipid Research Clinic Prevalence Study. <i>Israel Journal of Medical Sciences</i> , 23: 157-67.
61839	Gouni-Berthold I, Krone W, Berthold HK (2009). Vitamin D and cardiovascular disease. <i>Current Vascular Pharmacology</i> , 7: 414-22.
24588	Grady D, Herrington D, Bittner V, Blumenthal R, et al (2002). Cardiovascular disease outcomes during 6.8 years of hormone therapy: heart and estrogen/progestin replacement study follow-up (HERS II). <i>JAMA</i> , 288(1): 49-57.
24011	Graham IM, Daly LE, Refsum HM, Robinson K, Brattstrom LE, Ueland PM, et al (1997). Plasma homocysteine as a risk factor for vascular disease. <i>JAMA</i> , 277(22): 1775-81.
62032	Grunfeld C, Delaney JA, Wanke C, Currier JS, et al (2009). Pre-clinical atherosclerosis due to HIV infection: carotid intima-medial thickness measurements from the FRAM study. <i>AIDS</i> , 23(14): 1841-9.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian participants in British nuclear tests in Australia. Vol 2: Mortality and cancer incidence. Department of Veterans' Affairs, Canberra, . .
60910	Gupta S (2009). [Comment] Endurance and strength training have different benefits for people with peripheral arterial disease, but both improve quality of life. <i>Aust J Physiother</i> , 55(1): 63. Comment on ID: 60908.
61754	Gutierrez J, de Dios Luna J, Linares J, del Rosario Montes M, et al (2005). Relationship between peripheral arterial occlusive disease (PAOD) and chronic Chlamydia (Chylamydia) pneumoniae infection. A meta-analysis. <i>Thromb Haemost</i> , 93(6): 1153-60.
8506	Hackel DB, Reimer KA (1990). Heart. <i>Anderson's Pathology</i> . JM Kissane (Ed). <i>Anderson's Pathology</i> , 9th Edition, Vol 1 15: 619. St. Louis: The C.V. Mosby Co.
61115	Halle M, Hall P, Tornvall P (2011). Cardiovascular disease associated with radiotherapy: activation of nuclear factor kappa-B. <i>J Int Med</i> , 269(5): 469-77.
61351	Hallett JW Jr (2008). Peripheral arterial disease. . Retrieved 14 July 2011, from http://www.merckmanuals.com/professional/print/sec07/ch085/ch085e.html
24056	Haltmayer M, Mueller T, Horvath W, Luft C, Poelz W, Haidinger D (2001). Impact of atherosclerotic risk factors on the anatomical distribution of peripheral arterial disease. <i>International Angiology</i> , 20(3): 200-7.
23909	Handa K, Takao M, Nomoto J, Oku K, Shirai K, Saku K, Arakawa K (1996). Evaluation of the coagulation and fibrinolytic systems in men with intermittent claudication. <i>The Journal of Vascular Diseases</i> , 47(6): 543-8.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
60903	He Y, Jiang Y, Wang J, Fan L, Li X, Hu FB (2006). Prevalence of peripheral arterial disease and its association with smoking in a population-based study in Beijing, China. <i>J Vasc Surg</i> , 44: 333-8.
60913	He Y, Lam TH, Jiang B, Wang J, et al (2008). Passive smoking and risk of peripheral arterial disease and ischemic stroke in Chinese women who never smoked. <i>Circulation</i> , 118: 1535-40.
60989	Henke P (2010). [Comment] Incidence and risk factors of peripheral arterial occlusive disease in a prospective cohort of 700 adult elderly men followed for 5 years. <i>World J Surg</i> , 34: 1980-1. Comment on ID: 60988.
24154	Henriksson P, Linde B (1994). Deteriorated arterial supply to the lower limb during oral oestrogen therapy of patients with prostatic carcinoma. <i>Urologia Internationalis</i> , Vol 53(2) pp 74-8

23931	Hiatt WR, Hoag S, Hamman RF (1995). Effect of diagnostic criteria on the prevalence of peripheral arterial disease: the San Luis Valley Diabetes Study. <i>Circulation</i> , Vol 91: 1472-9.
24016	Hirsch AT, Criqui MH, Treat-Jacobson D, Regensteiner JG, et al (2001). Peripheral arterial disease detection, awareness, and treatment in primary care. <i>JAMA</i> , 286(11): 1317-24.
24015	Hirsch AT, Halverson SL, Treat-Jacobson D, Hotvedt PS, Lunzer MM, Krook S, Rajala S, Hunninghake DB (2001). The Minnesota regional peripheral arterial disease screening program: toward a definition of community standards of care. <i>Vascular Medicine</i> , 6: 87-96.
61114	Hirsch AT, Haskal ZJ, Hertzner NR, et al (2006). ACC/AHA 2005 guidelines for management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): executive summary. <i>J Am Coll Cardiol</i> , 47(6): 1239-312.
24120	Hooi JD, Kester AD, Stoffers HE, Overdijk MM, van Ree JW, Knottnerus JA (2001). Incidence of and risk factors for asymptomatic peripheral arterial occlusive disease: a longitudinal study. <i>American Journal of Epidemiology</i> , 153(7): 666-72.
24139	Hooi JD, Stoffers HE, Kester AD, Rinkens PE, Kaiser V, van Ree JW, Knottnerus JA (1998). Risk factors and cardiovascular diseases associated with asymptomatic peripheral arterial occlusive disease. The Limburg PAOD Study. <i>Peripheral Arterial Occlusive Disease. Scandinavian Journal of Primary Health Care</i> , 16(3): 177-82.
8507	Housley E, Leng GC, Donnan PT, Fowkes FGR (1993). Physical activity and risk of peripheral arterial disease in the general population: Edinburgh Artery Study. <i>Journal of Epidemiology and Community Health</i> , 47: 475-8.
61199	Hoving S, Heeneman s, Gubels MJJ, Te Poele JAM, et al (2008). Single-dose and fractionated irradiation promote initiation and progression of atherosclerosis and induce an inflammatory plaque phenotype in apoe-/- mice. <i>Int J Radiat Oncol Biol Phys</i> , 71(3): 848-57.
60945	Hsia J, Criqui MH, Herrington DM, Manson JE, et al (2006). Conjugated equine estrogens and peripheral arterial disease risk: The Women's Health Initiative. <i>Am Heart J</i> , 152: 170-6.
61602	Hsia J, Criqui MH, Rodabough RJ, Langer RD, et al (2004). Estrogen plus progestin and the risk of peripheral arterial disease. The Women's Health Initiative. <i>Circulation</i> , 109: 620-6.
23934	Hsia J, Simon JA, Lin F, Applegate WB, Vogt MT, Hunninghake D, Carr M (2000). Peripheral arterial disease in randomized trial of estrogen with progestin in women with coronary heart disease: the Heart and Estrogen/Progestin Replacement Study. <i>Circulation</i> , 102: 2228-32.
72597	Hsu WL, Preston DL, Soda M et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
62044	Hsue PY, Lo JC, Franklin A, Bolger AF, et al (2004). Progression of atherosclerosis as assess by carotid intima-media thickness in patients with HIV infection. <i>Circulation</i> , 109: 1603-8.
8508	Hughson WG, Mann JI, Garrod A (1978). Intermittent claudication: prevalence and risk factors. <i>British Medical Journal</i> , 1(6124): 1379-81.
61799	Hulten E, Mitchell J, Scally J, Gibbs B, Villines TC (2009). HIV positivity, protease inhibitor exposure and subclinical atherosclerosis: a systemic review and meta-analysis of observational studies. <i>Heart</i> , 95: 1826-35.
61769	Hung H, Willett W, Merchant A, Rosner BA, et al (2003). Oral health and peripheral arterial disease. <i>Circulation</i> , 107: 1152-7.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>BJC</i> , 109(7): 1989-96.

71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
24006	Ingolfsson IO, Sigurdsson G, Sigvaldason H, Thorgeirsson G, Sigfusson N (1994). A marked decline in the prevalence and incidence of intermittent claudication in Icelandic men 1968-1986: a strong relationship to smoking and serum cholesterol - the Reykjavik Study. <i>Journal of Clinical Epidemiology</i> , 47(11): 1237-43.
80754	International Atomic Energy Agency (undated). Glossary. . Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
61346	Ix JH, Allison MA, Denenberg JO, Cushman M, Criqui MH (2008). Novel cardiovascular risk factors do not completely explain the higher prevalence of peripheral arterial disease among African Americans. <i>J Am Coll Cardiol</i> , 51(24): 2347-54.
61000	Ix JH, Criqui MH (2008). Epidemiology and diagnosis of peripheral arterial disease in patients with chronic kidney disease. <i>Advances in Chronic Kidney Disease</i> , 15(4): 378-83.
60921	Jacobs M, van Greevenbroek MJ, van der Kallen CJ, Ferreira I, et al (2011). The association between the metabolic syndrome and peripheral, but not coronary, artery disease is partly mediated by endothelial dysfunction: the CODAM study. <i>Eur J Clin Invest</i> , 41(2): 167-75.
61603	Jaff MR, Dale RA, Creager MA, Lipicky RJ, et al (2009). Anti-chlamydial antibiotic therapy for symptom improvement in peripheral artery disease. Prospective evaluation of rifalazil effect on vascular symptoms of intermittent claudication and other endpoints in chlamydia pneumoniae seropositive patients (PROVIDENCE-1). <i>Circulation</i> , 119: 452-8.
23920	James RW, Boemi M, Sirolla C, Amadio L, Fumelli P and Pometta D (1995). Lipoprotein (a) and vascular disease in diabetic patients. <i>Diabetologia</i> , 38: 711-4.
24142	Jepson RG, Fowkes FG, Donnan PT, Housley E (1995). Alcohol intake as a risk factor for peripheral arterial disease in the general population in the Edinburgh Artery Study. <i>European Journal of Epidemiology</i> , 11(1): 9-14.
61600	Joensen JB, Juul S, Henneberg E, Thomsen G, et al (2008). Can long-term antibiotic treatment prevent progression of peripheral arterial occlusive disease? A large, randomized, double-blinded, placebo-controlled trial. <i>Atherosclerosis</i> , 196: 937-42.
24433	Joesoef MR, Wetterhall SF, DeStefano F, Stroup NE, Fronck A (1989). The association of peripheral arterial disease with hostility in a young, healthy veteran population. <i>Psychosomatic Medicine</i> , 51: 285-9.
24430	Johansson J, Egberg N, Johnsson H, Carlson LA (1993). Serum lipoproteins and hemostatic function in intermittent claudication. <i>Arteriosclerosis & Thrombosis</i> , 13: 1441-8.
61801	Johns K, Saeedi R, Mancini J, Bondy G (2010). Ankle brachial index screening for occult vascular diseases is not useful in HIV-positive patients. <i>AIDS Research and Human Retroviruses</i> , 26: 955-9.
23915	Jude EB, Oyibo SO, Chalmers N, Boulton AJM (2001). Peripheral arterial disease in diabetic and nondiabetic patients: a comparison of severity and outcome. <i>Diabetes Care</i> , 24: 1433-7.
60904	Jurado JA, Bashir R, Burket MW (2008). Radiation-induced peripheral artery disease. <i>Catheter Cardiovasc Interv</i> , 72: 563-8.
13921	Kalman PG, Lipton IH, Provan JL, Walker PM, Miles JT, Yeung HP (1983). Radiation damage to large arteries. <i>The Canadian Journal of Surgery</i> , 26(1): 88-91.

24024	Kalofoutis A, Papapanagiotou A, Tzivras M (1999). Clinical significance of plasma HDL subfractions (HDL2, HDL3) in patients with peripheral arterial disease (PAD) in the Greek population. <i>Clinical Biochemistry</i> , 32(2): 149-52.
24236	Kan C, Akimoto S, Abe M, Okada K, Ishikawa O (2002). Preliminary thermographic evaluation of new nitroglycerine tape on the peripheral circulatory disturbance in systemic sclerosis. <i>Ann Rheum Dis</i> , 61: 177-9.
24129	Kannel WB (1994). Risk factors for arterosclerotic cardiovascular outcomes in different arterial territories. <i>Journal of Cardiovascular Risk</i> , 1(4): 333-9.
24450	Kannel WB, D'Agostino RB, Belanger AJ (1992). Update on fibrinogen as a cardiovascular risk factor. <i>Ann Epidemiol</i> , 2: 457-66.
8509	Kannel WB, McGee DL (1985). Update on Some Epidemiologic Features of Intermittent Claudication: The Framingham Study. <i>Journal of the American Geriatrics Society</i> , 33(1): 13-5.
24736	Kannel WB, Sorlie P (1979). Some health benefits of physical activity. The Framingham Study. <i>Archives of Internal Medicine</i> , 139: 857-61.
24278	Katsilambros NL, Tsapogas PC, Arvanitis MP, Tritos NA, Alexiou ZP, Rigas KL (1996). Risk factors for lower extremity arterial disease in non-insulin-dependent diabetic persons. <i>Diabetic Medicine</i> , 13: 243-6.
24585	Keys A, Aravanis C, Blackburn HW, van Buchem FSP, Buzina R, Djordjevic BS, Dontas AS, Fidanza F, Karvonen MJ, Kimura N, Lekos D, Monti M, Puddu V, Taylor HL (1966). Epidemiological studies related to coronary heart disease: characteristics of men aged 40-59 in seven countries. <i>Acta Medica Scandinavica</i> , 460(Suppl): 169-90.
23922	Khaira H, Tisi P, Shearman C (1995). [Comment] Peripheral vascular disease: consequence for survival and association with risk factors in the Speedwell prospective heart disease study. <i>British Heart Journal</i> , 73: 199.
61772	Khairy P, Rinfret S, Tardif J, Marchand R, et al (2003). Absence of association between infectious agents and endothelial function in healthy young men. <i>Circulation</i> , 107: 1966-71.
36695	Khan S, Cleanthis M, Smout J, et al (2005). Life-style modification in peripheral arterial disease. <i>Eur J Vasc Endovasc Surg</i> , 29: 2-9.
61897	Khandanpour N, Loke YK, Meyer FJ, Jennings B, Armon MP (2009). Homocysteine and peripheral arterial disease: systemic review and meta-analysis. <i>Eur J Vasc Endovasc Surg</i> , 38: 316-22.
60909	Khatti S (2009). [Comment] Treadmill exercise or resistance training in patients with peripheral arterial disease. <i>JAMA</i> , 301(19): 1986; Author's reply: 1986-7. Comment on ID: 60908.
61339	Kim DH, Sabour S, Sagar UN, Adams S, Whellan DJ (2008). Prevalence of hypovitaminosis D in cardiovascular disease (from the National Health and Nutrition Examination Survey 2001 to 2004). <i>Am J Cardiol</i> , 102: 1540-4.
60915	Kollerits B, Heinrich J, Pichler M, Rantner B, et al (2008). Intermittent claudication in the Erfurt Male Cohort (ERFORT) Study: Its determinants and the impact on mortality. A population-based prospective cohort study with 30 years of follow-up. <i>Atherosclerosis</i> , 198: 214-22.
13954	Kramarova E, Kogevinas M, Anh CT, Cay HD, et al (1998). Exposure to agent and occurrence of soft-tissue sarcomas or non-Hodgkin lymphomas: an ongoing study in Vietnam. <i>Environmental Health Perspectives</i> , 106(Suppl 2): 671-8.
24005	Kroon AA, Ajubi N, van Asten WN, Stalenhoef AF (1995). The prevalence of peripheral vascular disease in familial hypercholesterolaemia. <i>Journal of Internal Medicine</i> , 238: 451-9.
61764	Kumar V, Abbas AK, Fausto N, Mitchell RN (2007). <i>Atherosclerosis</i> . Robbins Basic Pathology, 8th Edition, Chapter 10: 343-53. Saunders Elsevier, Philadelphia.
40058	Kuppuswamy VC, Gupta S (2006). Antibiotic therapy for coronary heart disease: the myth and the reality. <i>Timely Top Med Cardiovasc Dis</i> , 10: e2.

80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
8510	Laakso M (1992). Dyslipidaemias, Insulin Resistance and Atherosclerosis. <i>Annals of Medicine</i> , 24: 508.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
60912	Lakshmanan R, Hyde Z, Jamrozik K, Hankey GJ, Norman PE (2010). Population-based observational study of claudication in older men: the Health in Men Study. <i>MJA</i> , 192(11): 641-5.
24057	Landray MJ, Thambyrajah J, McGlynn FJ, Jones HJ, Baigent C, Kendall MJ, Townend JN, Wheeler DC (2001). Epidemiological evaluation of known and suspected cardiovascular risk factors in chronic renal impairment. <i>American Journal of Kidney Diseases</i> , 38(3): 537-46.
61341	Lau JF, Weinberg MD, Olin JW (2011). Peripheral artery disease. Part 1: clinical evaluation and noninvasive diagnosis. <i>Nat Rev Cardiol</i> , 8: 405-18.
55330	Lawlor DA, Son YM, Sung J, Ebrahim S, Smith GD (2008). The association of smoking and cardiovascular disease in a population with low cholesterol levels. A study of 648 346 men from the Korean National Health System Prospective Cohort Study. <i>Stroke</i> , 39: 760-7.
61331	Lawson JA (1985). Surgical treatment of radiation induced atherosclerotic disease of the iliac and femoral arteries. <i>J Cardiovasc Surg</i> , 26: 151-6.
23914	Lee AJ, Fowkes FGR, Lowe GDO, Connor JM, Rumley A (1999). Fibrinogen, factor VII and PAI-1 genotypes and the risk of coronary and peripheral atherosclerosis: Edinburgh Artery Study. <i>Thromb Haemost</i> , 81: 553-60.
24022	Lee AJ, MacGregor AS, Hau CM, Price JF, Rumley A, Lowe GD, Fowkes FG (1999). The role of haematological factors in diabetic peripheral arterial disease: the Edinburgh Artery Study. <i>British Journal of Haematology</i> , 105: 648-54.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
61338	Lee JH, O'Keefe JH, Bell D, Hensrud DD, Holick MF (2008). Vitamin D deficiency. <i>J Am Coll Cardiol</i> , 52(24): 1949-56.
60900	Lee YH, Shin MH, Kweon SS, Choi JS, et al (2011). Cumulative smoking exposure, duration of smoking cessation, and peripheral arterial disease in middle-aged and older Korean men. <i>BMC Public Health</i> , 11: 94.
62034	Lekakis J, Tsiodras S, Ikonomidis I, Palios J, et al (2008). HIV-positive patients treated with protease inhibitors have vascular changes resembling those observed in atherosclerotic cardiovascular disease. <i>Clin Sci</i> , 115: 189-96.
25132	Leng GC, Papacosta O, Whincup P, et al (2000). Femoral atherosclerosis in an older British population: prevalence and risk factors. <i>Atherosclerosis</i> , 152: 167-74.
24376	Levy PJ (2002). Premature lower extremity atherosclerosis: clinical aspects. <i>American Journal of the Medical Sciences</i> , 323(1): 11-6.
61765	Libby P (2011). The pathogenesis, prevention, and treatment of atherosclerosis. <i>Harrison's Principles of Internal Medicine</i> , 18th Edition, Chapter 241: 1983-92. .
61699	Linares-Palomino JP, Gutierrez J, Lopez-Espada C, Luna J, et al (2004). Genomic, serologic, and clinical case-control study of Chlamydia pneumoniae and peripheral artery occlusive disease. <i>J Vasc Surg</i> , 40: 359-66.

24138	Lippi G, Arosio E, Prior M, Guidi G (2001). Biochemical risk factors for cardiovascular disease in an aged male population: emerging vascular pathogens. <i>Angiology</i> , 52(10): 681-7.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.
24504	Liu XF, van Melle G, Bogousslavsky J (2000). Heart and carotid artery disease in stroke patients with intermittent claudication. <i>European Journal of Neurology</i> , 7(5): 459-63.
24377	London GM, Marchais SJ, Metivier F, Guerin AP (2000). Cardiovascular risk in end-stage renal disease: vascular aspects. <i>Nephrology Dialysis Transplantation</i> , 15(Suppl 5): 97-104.
8511	Lowe GDO, Fowkes FGR, Dawes J, et al (1993). Blood Viscosity, Fibrinogen, and Activation of Coagulation and Leukocytes in Peripheral Arterial Disease and the Normal Population in the Edinburgh Artery Study. <i>Circulation</i> , 89(6): 1915-9.
36775	Lu JT, Creager MA (2004). The relationship of cigarette smoking to peripheral arterial disease. <i>Reviews in Cardiovascular Medicine</i> , 5(4): 189-93.
24241	Makin A, Lip GYH, Silverman S, Beevers DG (2001). Peripheral vascular disease and hypertension: a forgotten association? <i>Journal of Human Hypertension</i> , 15: 447-54.
8512	Malinow MR (1990). Hyperhomocysteinemia: A Common and Easily Reversible Risk Factor for Occlusive Atherosclerosis. <i>Circulation</i> , 81(6): 2004-6.
61803	Mangili A, Polak JF, Skinner S, Gerrior J, et al (2011). HIV infection and progression of carotid and coronary atherosclerosis: the CARE Study. <i>J Acquir Immune Defic Syndr</i> , Epub ahead of print: .
61771	Mascitelli L, Goldstein MR, Grant WB (2010). [Comment] Does Vitamin D have a role in reducing the risk of peripheral artery disease? <i>Mayo Clin Proc</i> , 85(11): 1058-9.
60908	McDermott MM, Ades P, Guralnik JM, Dyer A, et al (2009). Treadmill exercise and resistance training in patients with peripheral arterial disease with and without intermittent claudication. <i>JAMA</i> , 301(2): 165-74.
24018	McDermott MM, Greenland P, Liu K, Guralnik JM, et al (2001). Leg symptoms in peripheral arterial disease: associated clinical characteristics and functional impairment. <i>JAMA</i> , 286(13): 1599-606.
61570	McDermott MM, Lloyd-Jones DM (2009). The role of biomarkers and genetics in peripheral arterial disease. <i>J Am Coll Cardiol</i> , 54(14): 1228-37.
8513	McGill HC (1988). The Cardiovascular Pathology of Smoking. <i>American Heart Journal</i> , 115: 250-1.
61605	McGrae McDermott M, Greenland P, Guralnik JM, et al (2003). Depressive symptoms and lower extremity functioning in men and women with peripheral arterial disease. <i>J Gen Intern Med</i> , 18: 461-7.
24021	Meijer WT, Grobbee DE, Hunink M, Hofman A, Hoes AW (2000). Determinants of peripheral arterial disease in the elderly: The Rotterdam Study. <i>Archives of Internal Medicine</i> , 160: 2934-8.
23923	Meijer WT, Hoes AW, Rutgers D, Bots ML, Hofman A, Grobbee DE (1998). Peripheral arterial disease in the elderly: The Rotterdam Study. <i>Arterioscler Thromb Vasc Biol</i> , 18: 185-92.
61340	Melamed ML, Muntner P, Michos ED, Uribarri J, et al (2008). Serum 25-hydroxyvitamin D levels and the prevalence of peripheral arterial disease. Results from NHANES 2001 to 2004. <i>Arterioscler Thromb Vasc Biol</i> , 28: 1179-85.

13953	Melliere D, Becquemin JP, Berrahal D, Desgranges P, Cavillion A (1997). Management of radiation-induced occlusive arterial disease: a reassessment. <i>Journal of Cardiovascular Surgery</i> , 38: 261-9.
61350	Melliere D, Desgranges P, Berrahal D, Allaire E, et al (2000). Radiation-induced aorto-ilio-femoral arterial arteritis. Mediocrity of the long-term results after conventional surgery. <i>J Mal Vasc</i> , 25(5): 332-5. [Abstract]
24007	Mendez MV, Scott T, LaMorte W, Vokonas P, Menzoian JO and Garcia R (1998). An association between periodontal disease and peripheral vascular disease. <i>The American Journal of Surgery</i> , 176: 153-7.
24137	Menotti A, Lanti M, Puddu PE (2000). Twenty-five-year cardiovascular disease incidence among middle-aged men. Disease burden, time shape, predictors, risk probabilities. <i>Italian Heart Journal</i> , 1(11): 749-57.
62043	Mercie P, Thiebaut R, Aurillac-Lavignolle V, Pellegrin JL, et al (2005). Carotid intima-media thickness is slightly increased over time in HIV-1-infected patients. <i>HIV Medicine</i> , 6: 380-7.
60988	Merino J, Planas A, Elosua R, de Moner A, et al (2010). Incidence and risk factors of peripheral arterial occlusive disease in a prospective cohort of 700 adult elderly men followed for 5 years. <i>World J Surg</i> , 34: 1975-9.
61768	Meurman JH, Sanz M, Janket S (2001). Oral health, atherosclerosis, and cardiovascular disease. <i>Crit Rev Oral Biol Med</i> , 15(6): 403-13.
24151	Migdalis IN, Dimakopoulos N, Kourti A, et al (1994). The prevalence of peripheral vascular disease in type 2 diabetic patients with and without proteinuria. <i>International Angiology</i> , 13(3): 229-32.
8514	Migdalis IN, Kourti A, Zachariadis D, Voudouris G, Samartzis M (1992). Peripheral vascular disease in newly diagnosed non-insulin-dependent diabetics. <i>International Angiology</i> , 11(3): 230-2.
60901	Milani RV, Lavie CJ (2007). The role of exercise training in peripheral arterial disease. <i>Vascular Medicine</i> , 12: 351-8.
24506	Minakata K, Konishi Y, Matsumoto M, Aota M, Sugimoto A, Nonaka M, Yamada N (2000). Influence of peripheral vascular occlusive disease on the morbidity and mortality of coronary artery bypass grafting. <i>Japanese Circulation Journal</i> , 64(12): 905-8.
61571	Mitchel REJ, Hasu M, Bugden M, Wyatt H, et al (2011). Low-dose radiation exposure and atherosclerosis in ApoE ^{-/-} mice. <i>Rad Res</i> , 175: 665-76.
24073	Mohan V, Premalatha G, Sastry NG (1995). Peripheral vascular disease in non-insulin-dependent diabetes mellitus in south India. <i>Diabetes Research and Clinical Practice - Supplement</i> , 27(3): 235-40.
24436	Molgaard J, Malinow MR, Lassvik C, Holm AC, Upson B, Olsson AG (1992). Hyperhomocyst (e)inaemia: an independent risk factor for intermittent claudication. <i>Journal of Internal Medicine</i> , 231: 273-9.
24033	Moore PA, Weyant RJ, Mongelluzzo MB, Myers DE, Rossie K, Guggenheimer J, Hubar H, Block HM, Orchard T (1998). Type 1 diabetes mellitus and oral health: assessment of tooth loss and edentulism. <i>J Public Health Dent</i> , 58(2): 135-42.
61116	Moutardier V, Christophe M, Lelong B, Houvenaeghel G, Delpero JR (2002). Iliac atherosclerotic occlusive disease complicating radiation therapy for cervix cancer: a case series. <i>Gynecologic Oncology</i> , 84: 456-9.
61800	Mu H, Chai H, Lin PH, Yao Q, Chen C (2007). Current update on HIV-associated vascular disease and endothelial dysfunction. <i>World J Surg</i> , 31: 632-43.
60905	Muir RL (2009). Peripheral arterial disease: pathophysiology, risk factors, diagnosis, treatment, and prevention. <i>J Vasc Nurs</i> , 27: 26-30.
60906	Mukherjee D (2009). Peripheral and cerebrovascular atherosclerotic disease in diabetes mellitus. <i>Best Pract Res Clin Endocrinol Metab</i> , 23: 335-45.

23928	Murabito JM, D'Agostino RB, Silbershatz H, Wilson PWF (1997). Intermittent claudication: a risk profile from the Framingham Heart Study. <i>Circulation</i> , 96(1): 44-9.
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP, . .
61959	Navas-Acien A, Sharrett AR, Silbergeld EK, Schwartz BS, et al (2005). Arsenic exposure and cardiovascular disease: a systematic review of the epidemiologic evidence. <i>Am J Epidemiol</i> , 162: 1037-49.
24051	Ness J, Aronow WS, Ahn C (2000). Risk factors for symptomatic peripheral arterial disease in older persons in an academic hospital-based geriatrics practice. <i>J Am Geriatr Soc</i> , 48: 312-4.
24429	Newman AB, Siscovick DS, Manolio TA, Polak J, Fried LP, Borhani NO, Wofson SK (1993). Ankle-arm index as a marker of atherosclerosis in the cardiovascular health study. <i>Circulation</i> , 88: 837-45.
61334	Norgren L, Hiatt WR, Dormandy JA, Nehler MR, et al (2007). Inter-society consensus for the management of peripheral arterial disease (TASC II). <i>J Vasc Surg</i> , 45(1 Suppl S): S5A-67.
13951	Nylander G, Pettersson F, Swedenborg J (1978). Localized arterial occlusions in patients treated with pelvic field radiation for cancer. <i>Cancer</i> , 41: 2158-61.
24074	Ogren M, Hedblad B, Janzon L (1996). Biased risk factor assessment in prospective studies of peripheral arterial disease due to change in exposure and selective mortality of high-risk individuals. <i>Journal of Cardiovascular Risk</i> , 3(6): 523-8.
61405	O'Hare AM, Vittinghoff E, Hsia J, Shlipak MG (2004). Renal insufficiency and the risk of lower extremity peripheral arterial disease: results from the Heart and Estrogen/Progestin Replacement Study (HERS). <i>J Am Soc Nephrol</i> , 15: 1046-51.
61767	Ohnishi H, Sawayama Y, Furusyo N, Maeda S, et al (2010). Risk factors for and the prevalence of peripheral arterial disease and its relationship to carotid atherosclerosis: the Kyushu and Okinawa population study (KOPS). <i>J Atheroscler Thromb</i> , 17: 751-8.
61119	Olin JW, Allie DE, Belkin M, Bonow RO, et al (2010). ACCF/AHA/ACR/SCAI/SIR/SVM/SVN/SVS 2010 performance measures for adults with peripheral artery disease. <i>J Vasc Surg</i> , 52(5): 1616-52.
61844	Olin JW, Sealove B (2010). [Comment] Does vitamin D have a role in reducing the risk of peripheral artery disease? - Reply. <i>Mayo Clin Proc</i> , 85(11): 1059-60.
61598	Olin JW, Sealove BA (2010). Peripheral artery disease: current insight into the disease and its diagnosis and management. <i>Mayo Clin Proc</i> , 85(7): 678-92.
23929	Omenn GS, Beresford SA, Motulsky AG (1998). Preventing coronary heart disease: B vitamins and homocysteine. <i>Circulation</i> , 97: 421-4.
24002	Ouriel K (2001). Peripheral arterial disease. <i>The Lancet</i> , 358: 1257-64.
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
24050	Pantoni L, Sarti C, Pracucci G, Di Carlo A, Vanni P, Inzitari D (2001). Lipoprotein(a) serum levels and vascular diseases in an older caucasian population cohort. <i>J Am Geriatr Soc</i> , 49: 117-25.
80756	Paquet F, Etherington G, Bailey MR, et al. On behalf of ICRP (2015). <i>Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection, . .</i>

24135	Passos VM, Barreto SM, Guerra HL, Firmo JO, Vidigal PG, Lima-Costa MF (2001). The Bambui health and aging study (BHAS). Prevalence of intermittent claudication in the aged population of the community of Bambui and its associated factors. <i>Arquivos Brasileiros de Cardiologia</i> , 77(5): 458-62.
60922	Periard D, Cavassini M, Taffe P, Chevalley M, et al (2008). High prevalence of peripheral arterial disease in HIV-infected persons. <i>Clin Infect Dis</i> , 46: 761-7.
24240	Perkins JMT, Collin J, Creasy TS, Fletcher EWL, Morris PJ (1996). Exercise training versus angioplasty for stable claudication. Long and medium term results of a prospective, randomised trial. <i>Eur J Vasc Endovas Surg</i> , 11: 409-13.
13952	Pettersson F, Swedenborg J (1989). Atherosclerotic occlusive disease after radiation for pelvic malignancies. <i>Acta Chirurgica Scandinavica</i> , 156(5): 367-71.
61002	Pherwani AD, Reid JA, Keane PF, Hannon RJ, et al (2002). Synergism between radiotherapy and vascular risk factors in the accelerated development of atherosclerosis: a report of three cases. <i>Ann Vasc Surg</i> , 16: 671-5.
61333	Picquet J, Thouveny F, Abilez O, Pegis JD, et al (2008). First report of an ilio-popliteal bypass through the greater sciatic foramen. Case report. <i>J Cardiovasc Surg</i> , 49(3): 341-3.
13934	Piedbois P, Becquemin JP, Blanc I, Mazon JJ, Lange F, Melliere D, Le Bourgeois JP (1990). Arterial occlusive disease after radiotherapy: a report of fourteen cases. <i>Radiotherapy and Oncology</i> , 17: 133-40.
23863	Planas A, Clara A, Pou JM, Vidal-Barraquer F, Gasol A, de Moner A, Contreras C and Marrugat J (2001). Relationship of obesity distribution and peripheral arterial occlusive disease in elderly men. <i>International Journal of Obesity</i> , 25: 1068-70.
8515	Postiglione A, Cicerano U, Gallotta G, Gnasso A, et al (1992). Prevalence of peripheral arterial disease and related risk factors in elderly institutionalized subjects. <i>Gerontology</i> , 38(6): 330-7.
23925	Powell JT, Edwards RJ, Worrell PC, Franks PJ, Greenhalgh RM, Poulter NR (1997). Risk factors associated with the development of peripheral arterial disease in smokers: a case-control study. <i>Atherosclerosis</i> , 129: 41-8.
61574	Pradhan AD, Shrivastava S, Cook NR, Rifai N, et al (2008). Symptomatic peripheral arterial disease in women. Nontraditional biomarkers of elevated risk. <i>Circulation</i> , 117: 823-31.
61604	Pratt AG, Norris ER, Kaufmann M (2005). Peripheral vascular disease and depression. <i>J Vasc Nurs</i> , 23: 123-7.
23911	Premalatha G, Shanthirani S, Deepa R, Markovitz J, Mohan V (2000). Prevalence and risk factors of peripheral vascular disease in a selected South Indian population: The Chennai Urban Population Study. <i>Diabetes Care</i> , 23: 1295-300.
45968	Preston DL, Ron E, Tokuoka S, Funamoto S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiation Research</i> , 168: 1-64.
36148	Preston DL, Shimizu Y, Pierce DA, Suyama A, Mabuchi K (2003). Studies of mortality of atomic bomb survivors. Report 13: Solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Research</i> , 160: 381-407.
35442	Preston DL, Shimizu Y, Pierce DA, Suyama A, Mabuchi K (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Research</i> , 160: 381-407.
24144	Price JF, Mowbray PI, Lee AJ, Rumley A, Lowe GD, Fowkes FG (1999). Relationship between smoking and cardiovascular risk factors in the development of peripheral arterial disease and coronary artery disease: Edinburgh Artery Study. <i>European Heart Journal</i> , 20(5): 344-53.

24150	Prior M, Arosio E, Ferrari M, et al (1995). Lipoprotein (a) and general risk factors in patients with angiographically assessed peripheral arterial disease. <i>International Angiology</i> , 14(4): 357-63.
61597	Prodanovich S, Kirsner RS, Kravetz JD, Ma F, et al (2009). Association of psoriasis with coronary artery, cerebrovascular, and peripheral vascular diseases and mortality. <i>Arch Dermatol</i> , 145(6): 700-3.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. . Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
24008	Refsum H, Ueland PM, Nygard O, Vollset SE (1998). Homocysteine and cardiovascular disease. <i>Annual Review of Medicine</i> , 49: 31-62.
24237	Regensteiner JG, Hiatt WR (2002). Current medical therapies for patients with peripheral arterial disease: a critical review. <i>American Journal of Medicine</i> , 112: 49-57.
61352	Reis JP, Michos ED, von Muhlen D, Miller ER III (2008). Differences in vitamin D status as a possible contributor to the racial disparity in peripheral arterial disease. <i>Am J Clin Nutr</i> , 88: 1469-77.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs, : .
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs, : .
23930	Ridker PM, Cushman M, Stampfer MJ, Tracy RP, Hennekens CH (1998). Plasma concentration of C-reactive protein and risk of developing peripheral vascular disease. <i>Circulation</i> , 97: 425-8.
24019	Ridker PM, Stampfer MJ, Rifai N (2001). Novel risk factors for systemic atherosclerosis: a comparison of C-Reactive protein, fibrinogen, homocysteine, lipoprotein(a), and standard cholesterol screening as predictors of peripheral arterial disease. <i>JAMA</i> , 285(19): 2481-5.
8516	Robbins JM, Austin CL (1993). Common peripheral vascular diseases. <i>Clinics in Podiatric Medicine and Surgery</i> , 10(2): 205-19.
23932	Robinson K, Arheart K, Refsum H, et al (1998). Low circulating folate and vitamin B6 concentrations: risk factors for stroke, peripheral vascular disease, and coronary artery disease. <i>Circulation</i> , 97: 437-43.
24627	Rosenfeld JC, Savarese RP, De Laurentis DA (1987). Management of extremity ischemia secondary to radiation therapy. <i>J Cardiovascular Surgery</i> , 28: 266-9.
24586	Rossouw JE, Anderson GL, Prentice RL, et al (2002). Risks and benefits of estrogen plus progestin in healthy postmenopausal women: principal results from the Women's Health Initiative Randomized Controlled Trial. <i>JAMA</i> , 288(3): 321-3.
61761	Rowe VL (2011). Peripheral arterial occlusive disease. Retrieved 10 August 2011, from http://emedicine.medscape.com/article/460178-overview
61988	Sankatsing RR, Wit FW, Vogel M, de Groot E, et al (2009). Increased carotid intima-media thickness in HIV patients treated with protease inhibitors as compared to non-nucleoside reverse transcriptase inhibitors. <i>Atherosclerosis</i> , 202(2): 589-95.
61749	Scannapieco FA, Bush RB, Paju S (2003). Associations between periodontal disease and risk for atherosclerosis, cardiovascular disease, and stroke. A systematic review. <i>Ann Periodontol</i> , 8(1): 38-53.
23926	Scheffler P, de la Hamette D, Gross J, Mueller H, Schieffer H (1994). Intensive vascular training in stage IIB of peripheral arterial occlusive disease: the additive effects of intravenous prostaglandin E1 or intravenous pentoxifylline during training. <i>Circulation</i> , 90(2): 818-22.
23927	Scheffler P, Gross J (1995). [Comment] Vascular training with drug therapy in peripheral arterial occlusive disease. <i>Circulation</i> , 91(10): 2681.

61573	Schiffrin EL, Lipman ML, Mann JFE (2007). Chronic kidney disease. Effects on cardiovascular system. <i>Circulation</i> , 116: 85-97.
60914	Selvin E, Erlinger TP (2004). Prevalence of and risk factors for peripheral arterial disease in the United States. <i>Circulation</i> , 110: 738-43.
61750	Sessa R, Nicoletti M, Di Pietro M, Schiavoni G, et al (2009). Chlamydia pneumoniae and atherosclerosis: current state and future prospectives. <i>International Journal of Immunopathology and Pharmacology</i> , 22(1): 9-14.
61009	Shammas NW (2007). Epidemiology, classification, and modifiable risk factors of peripheral arterial disease. <i>Vasc Health Risk Manag</i> , 36(2): 229-34.
61774	Shankar A, Li J, Nieto J, Klein BE, Klein R (2007). Association between c-reactive protein level and peripheral arterial disease among US adults without cardiovascular disease, diabetes, or hypertension. <i>American Heart Journal</i> , 154(3): 495-501.
60923	Sharma A, Holman S, Pitts R, Minkoff HL, DeHovitz JA, Lazar J (2007). Peripheral arterial disease in HIV-infected and uninfected women. <i>HIV Medicine</i> , 8: 555-60.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
61891	Signorelli SS, et al (2010). High frequency of Chlamydia pneumoniae infections: patients with peripheral arterial disease and those with risk factors for cardiovascular disease compared to normal subjects. <i>J Chemother</i> , 22(6): 392-6.
61007	Sigvant B, Wilberg-Hedman K, Bergqvist D, et al (2009). Risk factor profiles and use of cardiovascular drug prevention in women and men with peripheral arterial disease. <i>Eur J Cardiovasc Prev Rehabil</i> , 16: 39-46.
24052	Simonsick EM, Guralnik JM, Hennekens CH, Wallace RB, Ostfeld AM (1995). Intermittent claudication and subsequent cardiovascular disease in the elderly. <i>Journal of Gerontology</i> , 50A(1): M17-22.
60919	Skilton MR, Chin-Dusting JP, Dart AM, Brazionis L, et al (2011). Metabolic health, obesity and 9-year incidence of peripheral arterial disease: The D.E.S.I.R. study. <i>Atherosclerosis</i> , 216: 471-6.
24140	Smith FB, Lee AJ, Hau CM, Rumley A, Lowe GD, Fowkes FG (2000). Plasma fibrinogen, haemostatic factors and prediction of peripheral arterial disease in the Edinburgh Artery Study. <i>Blood Coagulation & Fibrinolysis</i> , 11(1): 43-50.
24427	Smith GD, Shipley MJ, Rose G (1990). Intermittent claudication, heart disease risk factors, and mortality. The Whitehall Study. <i>Circulation</i> , 82: 1925-31.
24239	Smith I, Franks PJ, Greenhalgh RM, Poulter NR, Powell JT (1996). The influence of smoking cessation and hypertriglyceridaemia on the progression of peripheral arterial disease and the onset of critical ischaemia. <i>Eur J Vasc Endovas Surg</i> , 11: 402-8.
8524	Sniderman A, Cianflone K, Kwiterovich P, Hutchinson T, et al (1987). Hyperapobetalipoproteinemia: the major dyslipoproteinemia in patients with chronic renal failure treated with chronic ambulatory peritoneal dialysis. <i>Atherosclerosis</i> , 65: 257-64.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , [Epub ahead of print]: .
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
59534	Sokolnikov ME, Gilbert ES, Preston DL, Ron E, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.

61337	Spitzer C, Barnow S, Yolzke H, John U, et al (2009). Trauma, posttraumatic stress disorders, and physical illness: findings from the general population. <i>Psychosom Med</i> , 71: 1012-7.
61005	Stack AG (2005). Coronary artery disease and peripheral vascular disease in chronic kidney disease: an epidemiological perspective. <i>Cardiol Clin</i> , 23: 285-98.
8517	Steinberg D, Witztum J (1990). Lipoproteins and Atherogenesis: Current Concepts. <i>JAMA</i> , 264(23): 3047.
24003	Stewart AH, Lamont PM (2001). Exercise for intermittent claudication: supervised programmes should be universally available. <i>British Medical Journal</i> , 323: 703-4.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. <i>The International Commission on Radiological Protection</i> , . .
61572	Stewart FA, Heeneman S, te Poele J, Kruse J, et al (2006). Ionizing radiation accelerates the development of atherosclerotic lesions in ApoE-/- mice and predisposes to an inflammatory plaque phenotype prone to hemorrhage. <i>Am J Pathol</i> , 168(2): 649-58.
61118	Stillman RM (2011). Infrainguinal occlusive disease treatment & management. . Retrieved 1 July 2011, from http://emedicine.medscape.com/article/460965-treatment
60920	St-Pierre AC, Cantin B, Lamarche B, Auger D, Despres JP, Dagenais GR (2010). Intermittent claudication: From its risk factors to its long-term prognosis in men. The Quebec Cardiovascular Study. <i>Can J Cardiol</i> , 26(1): 17-21.
8518	Strano A, Novo S, Avellone G, et al (1993). Hypertension and Other Risk Factors in Peripheral Arterial Disease. <i>Clinical and Experimental Hypertension</i> , 15(S): 71-84.
23905	Suurkula M, Fagerberg B, Wendelhag I, Agewall S, Wikstrand J (1996). Atherosclerotic disease in the femoral artery in hypertensive patients at high cardiovascular risk: the value of ultrasonographic assessment of intima-media thickness and plaque occurrence. <i>Arterioscler Thromb Vasc Biol</i> , 16: 971-7.
8520	Svendsen KH, Kuller LH, et al (1987). Effects of Passive Smoking in the Multiple Risk Factor Intervention Trial. <i>American Journal of Epidemiology</i> , 26(5): 783.
60916	Tapp RJ, Balkau B, Shaw JE, Valensi P, et al (2007). Association of glucose metabolism, smoking and cardiovascular risk factors with incident peripheral arterial disease: The DESIR study. <i>Atherosclerosis</i> , 190: 84-9.
8521	Taylor AE, Johnson DC, Kazemi H (1992). Environmental Tobacco Smoke and Cardiovascular Disease: A Position Paper From the Council on Cardiopulmonary and Critical Care, American Heart Association. <i>Circulation</i> , 86(2): 700.
24503	Taylor LM Jr, Defrang RD, Harris J Jr, Porter JM (1991). The association of elevated plasma homocyst(e)ine with progression of symptomatic peripheral arterial disease. <i>J Vascular Surgery</i> , 13: 128-36.
24630	Taylor PJ, Cooper GG, Sarkar TK (1995). Upper-limb arterial disease in women treated for breast cancer. <i>British Journal of Surgery</i> , 82: 1089-91.
61347	Tefferi A, Letendre L (2011). Nilotinib treatment-associated peripheral artery disease and sudden death: yet another reason to stick to imatinib as front-line therapy for chronic myelogenous leukemia. <i>Am J Hematol</i> , 86(7): 610-11.
61003	Tetik O, Yetkin U, Calli AO, Ilhan G, Gurbuz A (2008). Occlusive arterial disease after radiotherapy for testicular cancer: case report and review of the literature. <i>Vascular</i> , 16(4): 239-41.

80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP, . .
61206	Tiemeier H, van Dijck W, Hofman A, Witteman JCM, Breteler MMB (2004). Relationship between atherosclerosis and late-life depression. Arch Gen Psychiatry, 61: 369-76.
61996	Tseng CH (2002). An overview on peripheral vascular disease in blackfoot disease-hyperendemic villages in Taiwan. Angiology, 53(5): 529-37.
24127	Tseng CH, Chong CK, Lin BJ, Chen CJ, Tai TY (1994). Atherosclerotic risk factors for peripheral vascular disease in non-insulin-dependent diabetic patients. Journal of the Formosan Medical Association, 93(8): 663-7.
61575	Tzoulaki I, Murray GD, Lee AJ, et al (2005). C-reactive protein, interleukin-6, and soluble adhesion molecules as predictors of progressive peripheral atherosclerosis in the general population. Edinburgh Artery Study. Circulation, 112: 976-83.
61120	U.S. Department of Health & Human Services (2011). Cardiovascular Diseases. A Report of the Surgeon General: How Tobacco Smoke Causes Disease, Chapter 6, : 351-434.
60907	Uchin JM, Billings SD (2009). Radiotherapy-associated atypical vascular lesions of the breast. J Cutan Pathol, 36: 87-8.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1. .
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, . Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01-Doses to organs from intake of radioactive materials. DTRA/NTPR- Standard Operating Procedures Manual, . .
24561	US Department of Health and Human Services (CDC) (2001). Women and Smoking: A Report of the Surgeon General-2001. Chapter 3, : 244-8, 368-72. Retrieved 1 July 2002, from http://www.cdc.gov/tobacco/sgr/sgr_forwomen/sgr_women_chapters.htm
233	US Department of Health and Human Services (1990). The health benefits of smoking cessation. Smoking cessation and cardiovascular disease. A Report of the Surgeon General, Chapter 6: 187-274. Office on Smoking and Health, Rockville, Maryland.
25255	US Department of Veterans Affairs (1998). Cold injury. Diagnosis and Management of Long Term Sequelae, . Department of Veterans Affairs, Washington.
24435	Valentine RJ, Kaplan HS, Green R, Jacobsen DW, et al (1996). Lipoprotein (a), homocysteine, and hypercoagulable states in young men with premature peripheral atherosclerosis: a prospective, controlled analysis. J Vascular Surgery, 23: 53-63.
23916	van der Bom JG, Bots ML, Haverkate F, Meijer P, Hofman A, Kluft C, Grobbee DE (2001). Activation products of the haemostatic system in coronary, cerebrovascular and peripheral arterial disease. Thromb Haemost, 85: 234-9.
62033	van Wijk JP, Cabezas MC (2012). Hypertriglyceridemia, metabolic syndrome, and cardiovascular disease in HIV-infected patients: effects of antiretroviral therapy and adipose tissue distribution. International Journal of Vascular Medicine, 2012: 201027.

61344	Vanga SR, Good M, Howard PA, Vacek JL (2010). Role of vitamin D in cardiovascular health. <i>Am J Cardiol</i> , 106: 798-805.
24119	Varona L, Ruiz J, Zarranz JJ, Munoz F, Egurbide MV (1996). Ergotism: an infrequent aetiology of intermittent claudication. <i>Postgraduate Medical Journal</i> , 72: 636.
24048	Vermeulen EG, Niessen HW, Bogels NM, Stehouwer CD, et al (2001). Decreased smooth muscle cell/extracellular matrix ratio of media of femoral artery in patients with atherosclerosis and hyperhomocysteinemia. <i>Arterioscler Thromb Vas Biol</i> , 21: 573-7.
61343	Vidula H, Tian L, Liu K, Criqui MH, et al (2008). Biomarkers of inflammation and thrombosis as predictors of near-term mortality in patients with peripheral arterial disease: a cohort study. <i>Ann Intern Med</i> , 148: 85-93.
24049	Vigna GB, Fellin R (1996). Dyslipidemia in peripheral vascular disease. <i>Current Opinion in Lipidology</i> , 7: 254-9.
61700	Vikatmaa P, Lajunen T, Ikonen TS, Pussinen P (2010). Chlamydial lipopolysaccharide (cLPS) is present in atherosclerotic and aneurysmal arterial wall-cLPS levels depend on disease manifestation. <i>Cardiovascular Pathology</i> , 19: 48-54.
8522	Vogt MT, Cauley JA, Kuller LH, Hulley SB (1993). Prevalence and Correlates of Lower Extremity Arterial Disease in Elderly Women. <i>American Journal of Epidemiology</i> , 137(5): 559-68.
8523	Vogt MT, Wolfson SK, Kuller LH (1992). Lower Extremity Arterial Disease and the Aging Process: A Review. <i>Journal of Clinical Epidemiology</i> , 45(5): 529-42.
61576	Vu JD, Vu JB, Pio JR, Malik S, et al (2005). Impact of C-reactive protein on the likelihood of peripheral arterial disease in United States adults with the metabolic syndrome, diabetes mellitus, and preexisting cardiovascular disease. <i>Am J Cardiol</i> , 96: 655-8.
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
61599	Watson C, Alp NJ (2008). Role of chlamydia pneumoniae in atherosclerosis. <i>Clin Sci</i> , 114: 509-31.
60899	Watson L, Ellis B, Leng GC (2008). Exercise for intermittent claudication (Review). <i>The Cochrane Collaboration</i> , (Issue 4): CD000990.
60917	Wattanakit K, Folsom AR, Selvin E, Weatherley BD, et al (2005). Risk factors for peripheral arterial disease incidence in persons with diabetes: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Atherosclerosis</i> , 180: 389-97.
60998	Wattanakit K, Folsom AR, Selvin E, Coresh J, et al (2007). Kidney function and risk of peripheral arterial disease: results from the Atherosclerosis Risk in Communities (ARIC) Study. <i>J Am Soc Nephrol</i> , 18: 629-36.
61342	Weinberg MD, Lau JF, Rosenfield K, Olin JW (2011). Peripheral artery disease. Part 2: medical and endovascular treatment. <i>Nat Rev Cardiol</i> , : [Epub ahead of print].
24589	Wenger NK, Knatterud GI, Canner PL (2000). [Comment] Early risks of hormone therapy in patients with coronary heart disease. <i>JAMA</i> , 284(1): 41-3.
24023	Whiteman MC, Deary IJ, Fowkes GR (2000). Personality and social predictors of atherosclerotic progression: Edinburgh Artery Study. <i>Psychosomatic Medicine</i> , 62: 703-14.
24449	Widmann MD, Sumpio BE (1993). Lipoprotein (a): a risk factor for peripheral vascular disease. <i>Ann Vasc Surg</i> , 7: 446-51.
24141	Wikblad K, Smide B, Bergstrom A, Kessi J, Mugusi F (1997). Outcome of clinical foot examination in relation to self-perceived health and glycaemic control in a group of urban Tanzanian diabetic patient. <i>Diabetes Research and Clinical Practice - Supplement</i> , 37(3): 185-92.

61345	Wildman RP, Muntner P, Chen J, et al (2005). Relation of inflammation to peripheral arterial disease in the National Health and Nutrition Examination Survey, 1999-2002. <i>Am J Cardiol</i> , 96: 1579-83.
60918	Willigendael EM, Teijink JA, Bartelink ML, Kuiken BW, et al (2004). Influence of smoking on incidence and prevalence of peripheral vascular disease. <i>J Vasc Surg</i> , 40: 1158-65.
36694	Willigendael EM, Teijink JAW, Bartelink M-L, et al (2004). Influence on smoking on incidence and prevalence of peripheral arterial disease. <i>J Vasc Surg</i> , 40: 1158-65.
23908	Wilt TJ, Davis BR, Meyers DG, Rouleau JL, Sacks FM (1996). Prevalence and correlates of symptomatic peripheral atherosclerosis in individuals with coronary heart disease and cholesterol levels less than 240 mg/dL: baseline results from the Cholesterol and Recurrent Events (CARE) Study. <i>The Journal of Vascular Diseases</i> , 47(6): 533-41.
23913	Wollesen F, Dahlen G, Berglund L, Berne C (1999). Peripheral atherosclerosis and serum lipoprotein(a) in diabetes. <i>Diabetes Care</i> , 22: 93-8.
24012	Woodburn KR, Lowe GD (1997). Fibrinogen, fibrin turnover, endothelial products and vascular surgery. <i>British Journal of Surgery</i> , 84: 1059-64.
80741	World Nuclear Association (2016). Plutonium. . Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
50474	Yamada M, Naito K, Kasagi F, Masunari N, Suzuki G (2005). Prevalence of atherosclerosis in relation to atomic bomb radiation exposure: an RERF Adult Health Study. <i>Int J Radiat Biol</i> , 81(11): 821-6.
61601	Ye Y, Zeng Y, Li X, Zhang S, et al (2010). HIV infection: an independent risk factor of peripheral arterial disease. <i>JAIDS</i> , 53(2): 276-8.
24143	Yeh ST, Morton DJ, Barrett-Connor E (2000). Lower extremity arterial disease in older women: the Rancho Bernardo Study. <i>Journal of Womens Health & Gender-Based Medicine</i> , 9(4): 373-80.
61332	Ylitalo KR, Sowers M, Heeringa S (2011). Peripheral vascular disease and peripheral neuropathy in individuals with cardiometabolic clustering and obesity. <i>Diabetes Care</i> , 34: 1642-7.
62036	Yu HS, Lee CH, Chen GS (2002). Peripheral vascular disease resulting from chronic arsenical poisoning. <i>The Journal of Dermatology</i> , 29: 123-30.
61008	Zheng L, Yu J, Li J, Li X, Luo Y, et al (2008). Prevalence of and risk factors for peripheral arterial disease among Chinese hypertensive patients with and without known cardiovascular disease. <i>Acta Cardiol</i> , 63(6): 693-9.
60991	Zoellner H (2011). Dental infection and vascular disease. <i>Semin Thromb Hemost</i> , 37(3): 181-92.