



MALIGNANT NEOPLASM OF THE KIDNEY

RMA ID Number	Reference List for RMA062-9 as at March 2021
63921	Adami HO, McLaughlin J, Ekblom A, et al (1991). Cancer risk in patients with diabetes mellitus. <i>Cancer Causes Control</i> , 2(5): 307-14.
89533	Abdel-Rahman O, Helbling D, Schöb O, et al (2017). Cigarette smoking as a risk factor for the development of and mortality from hepatocellular carcinoma: An updated systematic review of 81 epidemiological studies. <i>J Evid Based Med</i> , 10(4): 245-54.
TBA	Abid A, Ajaz S, Khan AR, et al (2016). Analysis of the glutathione S-transferase genes polymorphisms in the risk and prognosis of renal cell carcinomas. Case-control and meta-analysis. <i>Urol Oncol</i> , 34(9):419.e1-12.
30409	Adami J, Gabel H, Lindelof B, et al (2003). Cancer risk following organ transplantation: a nationwide cohort study in Sweden. <i>Br J Cancer</i> , 89(7): 1221-7.
63440	Adams KF, Leitzmann MF, Albanes D, et al (2008). Body size and renal cell cancer incidence in a large US cohort study. <i>Am J Epidemiol</i> , 168(3): 268-77.
TBA	Adams SV, Passarelli MN, Newcomb PA (2012). Cadmium exposure and cancer mortality in the Third National Health and Nutrition Examination Survey cohort. <i>Occup Environ Med</i> , 69(2): 153-6.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
56678	Agency for Toxic Substances and Disease Registry (1992). Toxicological Profile for Nitrophenols: 2-Nitrophenol, 4-Nitrophenol. U.S Department of Health and Human Services.
51306	Agency for Toxic Substances and Disease Registry (2007). Toxicological Profile For Arsenic. US Department of Health and Human Services. Public Health Service.
46911	Agency for Toxic Substances and Disease Registry (2007). Toxicological Profile for Lead, US Department of Health & Human Services, Public Health Service.
65763	Agency for Toxic Substances and Disease Registry (2010). Toxicological profile for styrene. Public Health Service. U.S Department of Health and Human Services.
TBA	Agency for Toxic Substances and Disease Registry (2016). Addendum to the toxicological profile for arsenic. Division of Toxicology and Human Health Services, Atlanta Georgia.
TBA	Agency for Toxic Substances and Disease Registry (2016). Toxicological profile for dinitrotoluenes. Division of Toxicology and Human Health Services, Atlanta Georgia.
TBA	Agency for Toxic Substances and Disease Registry (2018). Morbidity study of former Marines, employees, and dependents potentially exposed to contaminated drinking water at US Marine Corps base, Camp Lejeune.

TBA	Agency for Toxic Substances and Disease Registry (2019). Toxicological profile for tetrachloroethylene. Division of Toxicology and Human Health Services, Atlanta Georgia.
TBA	Agency for Toxic Substances and Disease Registry (2019). Toxicological profile for trichloroethylene.
TBA	Agency for Toxic Substances and Disease Registry (2020). Toxicological profile for lead. Division of Toxicology and Human Health Services, Atlanta Georgia.
35227	Agency for Toxic Substances and Disease Registry (ATSDR) (2001). Toxicological Profile for Asbestos. Department of Human Services, Public Health Service, Atlanta, GA.
88801	Agency for Toxic Substances and Disease Registry (ATSDR) (2017). Toxicological profile for JP-5, JP-8 and jet A fuels. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
96770	Agency for Toxic Substances and Disease Registry (ATSDR) (2018). Toxicological profile for Perfluoroalkyls. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
TBA	Agudo A, Bonet C, Travier N, et al (2012). Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>J Clin Oncol</i> , 30(36):4550-7.
71143	Ahn YS, Jeong KS Kim KS (2012). Cancer morbidity of professional emergency responders in Korea. <i>Am J Ind Med</i> , 55(9): 768-78.
TBA	Al Hussein Al Awamlh B, Shoag JE, et al (2019). Association of smoking and death from genitourinary malignancies: analysis of the National Longitudinal Mortality Study. <i>J Urol</i> , 202(6):1248-54.
TBA	Alanee S, Clemons J, Zahnd W, et al (2015). Trichloroethylene Is associated C kidney cancer mortality: A population-based analysis. <i>Anticancer Res</i> , 35(7):4009-13.
97567	Al-Bayati O, Hasan A, Pruthi D, et al (2019). Systematic review of modifiable risk factors for kidney cancer. <i>Urol Oncol</i> , 37(6): 359-71.
44977	Alexander BH, Olsen GW, Burris JM, et al (2003). Mortality of employees of a perfluorooctanesulphonyl. Fluoride manufacturing facility. <i>Occup Environ Med</i> , 60: 722-9.
62582	Alexander DD, Cushing CA (2009). Quantitative assessment of red meat or processed meat consumption and kidney cancer. <i>Cancer Detect Prev</i> , 32(5-6): 340-51.
63373	Allen NE, Balkwill A, Beral V, et al (2011). Fluid intake and incidence of renal cell carcinoma in UK women. <i>Br J Cancer</i> , 104(9): 1487-92.
63374	Allen NE, Roddam AW, Sieri S, et al (2009). A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European prospective J investigation into cancer and nutrition. <i>Int J Cancer</i> , 125(4): 982-7.
TBA	Allison RD, Tong X, Moorman AC, et al (2015). Increased incidence of cancer and cancer-related mortality among persons with chronic hepatitis C infection, 2006-2010. <i>J Hepatol</i> , 63(4): 822-8.
63409	Altman D, Johansson A, Lundholm C, et al (2010). Risk of renal cell carcinoma after hysterectomy. <i>Arch Intern Med</i> , 170(22): 2011-6.
TBA	Alvarez O, Rodriguez MM, Jordan L, et al (2015). Renal medullary carcinoma and sickle cell trait: A systematic review. <i>Pediatr Blood Cancer</i> , 62(10):1694-9.
77550	Amadeo B, Marchand JL, Moisan F, et al (2015). French firefighter mortality: analysis over a 30-year period. <i>Am J Ind Med</i> , 58(4): 437-43.
55809	American Institute for Cancer Research (2007). Food, nutrition, physical activity and the prevention of cancer: a global perspective. World Cancer Research Fund International. IARC, Washington DC.

64872	Amin J, Dore GJ, O'Connell DL, et al (2006). Cancer incidence in people with hepatitis B or C infection: A large community-based linkage study. <i>J Hepatol</i> , 45(2): 197-203.
TBA	Ancona C, Badaloni C, Mataloni F, et al (2015). Mortality and morbidity in a population exposed to multiple sources of air pollution: a retrospective cohort study using dispersion models. <i>Environ Res</i> 137: 467-74.
3361	Anderson GA, Degroot D, Lawson RK (1993). Polycystic renal disease. <i>Urology</i> , 42(4): 358-64.
3374	Anderson, DM, Keith J, Novak PD (Lexicographers) (1994). <i>Dorland's Illustrated Medical Dictionary</i> , 28th Edition: 244-5. WB Saunders, Philadelphia.
65764	Anderson, DM, Keith J, Novak PD (Lexicographers) (2012). Carcinoma. Retrieved 4 July 2012, from www.dorlands.com//def.jsp?id=100017233
89146	Andreotti G, Koutros S, Hofmann J, et al (2018). Glyphosate use and cancer incidence in the Agricultural Health Study. <i>J Natl Cancer Inst</i> , 110(5): 509-16.
3348	Anonymous (1984). Analysis of Recent Literature on Health Effects. Review of Literature on Herbicides, Including Phenoxy Herbicides and Associated Dioxins, Vol III: IV-239-IV30. Agent Orange Projects Office, Dept of Medicine and Surgery, Veterans Admin, Washington DC.
3403	Anonymous (1996). U.S. National Library of Medicine. CD-ROM SET Silverplatter International N.V. using Silverplatter's PC-SPIRS v3.3 software (current to March 1996). Available from Silverplatter Information Inc. Norwood Massachusetts USA.
TBA	Anttila A, Pokhrel A, Heikkila P, et al (2015). Kidney cancer risk in oil refining in Finland: a nested case-referent study. <i>J Occup Environ Med</i> , 57(1): 68-72.
3362	Appel GB (1996). Nephrology: Cystic disease of the kidney DC Dale and DD Federman (Eds). Tubulointerstitial diseases, Chapter 1, Section VIII: 12-3. Scientific American Inc, New York.
63333	Argani P, Lae M, Ballard ET, et al (2006). Translocation carcinomas of the kidney after chemotherapy in childhood. <i>J Clin Oncol</i> , 24(10): 1529-34.
TBA	Arnold M, Freisling H, Stolzenberg-Solomon R, et al (2016). Overweight duration in older adults and cancer risk: a study of cohorts in Europe and the United States. <i>Eur J Epidemiol</i> , 31(9):893-904.
TBA	Arnold M, Jiang L, Stefanick ML, et al (2016). Duration of adulthood overweight, obesity, and cancer risk in the Women's Health Initiative: A longitudinal study from the United States. <i>PLoS Med</i> , 13(8):e1002081.
80745	ARPANSA (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
83738	Arrieta-Cortes et al (2017) Carcinogenic risks of emerging persistent organic pollutant perfluorooctane sulfonate (PFOS): A proposal of classification. <i>Regulatory Toxicology and Pharmacology</i> . Vol 83, 66-80.
97568	Asgharzadeh F, Hashemzahi M, Moradi-Marjaneh R, et al (2020). Angiotensin-converting enzyme inhibitors and angiotensin receptor blockers as therapeutical options in the treatment of renal cancer: a meta-analysis. <i>Life Sci</i> , 242: 117181.
91464	Atchison EA, Gridley G, Carreon JD, et al (2011). Risk of cancer in a large cohort of U.S. veterans with diabetes. <i>Int J Cancer</i> , 128(3): 635-43.
TBA	Atkins B, Choueiri T (2021). Epidemiology, pathology and pathogenesis of renal cell carcinoma. Retrieved 9 March 2021 from, https://www.uptodate.com/contents/epidemiology-pathology-and-pathogenesis-of-renal-cell-carcinoma?
65008	Atkins MB (2012). Clinical manifestations, evaluation, and staging of renal cell carcinoma. Retrieved 12 September 2012, from

	http://www.uptodate.com/contents/clinical-manifestations-evaluation-and-staging-of-renal-cell-carcinoma
65007	Atkins MB (2012). Overview of the treatment of renal cell carcinoma. Retrieved 12 September 2012, from http://www.uptodate.com/contents/overview-of-the-treatment-of-renal-cell-carcinoma
65009	Atkins MB, Choueiri TK (2012). Epidemiology, pathology, and pathogenesis of renal cell carcinoma. Retrieved 12 September 2012, from http://www.uptodate.com/contents/epidemiology-pathology-and-pathogenesis-of-renal-cell-carcinoma
TBA	ATSDR (2019). Toxicological profile for glyphosate. US Department Health and Human Services.
TBA	Atsuta Y, Suzuki R, Yamashita T, et al (2014). Continuing increased risk of oral/esophageal cancer after allogeneic hematopoietic stem cell transplantation in adults in association with chronic graft-versus-host disease. <i>Ann Oncol</i> , 25(2): 435-41.
22743	Augustsson K, Skog K, Jagerstad M, et al (1999). Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a population-based study. <i>Lancet</i> , 353(9154): 703-7.
36638	Australian Institute of Health and Welfare (AIHW) (2003). Cancer Incidence Study 2003: Australian Veterans of the Korean War, AIHW (Canberra).
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA.
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units/cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
91854	Bagnardi V, Rota M, Botteri E, et al (2015). Alcohol consumption and site-specific cancer risk: a comprehensive dose-response meta-analysis. <i>Br J Cancer</i> , 112(3): 580-93.
97596	Bai HW, Qian YY, Shi BY, et al (2013). The association between fish consumption and risk of renal cancer: a meta-analysis of observational studies. <i>PLoS One</i> , 8(11): e81939.
TBA	Baker KS, Leisenring WM, Goodman PJ, et al (2019). Total body irradiation dose and risk of subsequent neoplasms following allogeneic hematopoietic cell transplantation. <i>Blood</i> , 133(26): 2790-9.

58803	Bakke B, De Roos AJ, Barr DB, et al (2009). Exposure to atrazine and selected non-persistent pesticides among corn farmers during a growing season. <i>J Exp Sci Environ Epidemiol</i> , 19(6): 544-54.
TBA	Balakrishnan M, Glover MT, Kanwal F (2017). Hepatitis C and risk of nonhepatic malignancies. <i>Clin Liver Dis</i> , 21(3): 543-54.
TBA	Bao C, Yang X, Xu W, et al (2013). Diabetes mellitus and incidence and mortality of kidney cancer: a meta-analysis. <i>J Diabetes Complications</i> , 27(4): 357-64.
97573	Baravelli CM, Sandberg S, Aarsand AK, et al (2017). Acute hepatic porphyria and cancer risk: a nationwide cohort study. <i>J Intern Med</i> , 282(3): 229-40.
TBA	Baravelli CM, Sandberg S, Aarsand AK, et al (2019). Porphyria cutanea tarda increases risk of hepatocellular carcinoma and premature death: a nationwide cohort study. <i>Orphanet J Rare Dis</i> , 14(1): 77.
TBA	Barbiero F, Zanin T, Pisa FE, et al (2018). Cancer incidence in a cohort of asbestos-exposed workers undergoing health surveillance. <i>Int Arch Occup Environ Health</i> , 91(7):831-41.
TBA	Barry V, Steenland K (2019). Lead exposure and mortality among U.S. workers in a surveillance program: Results from 10 additional years of follow-up. <i>Environ Res</i> , 177: 108625.
88800	Barry V, Winquist A, Steenland K (2013). Perfluorooctanoic acid (PFOA) exposures and incident cancers among adults living near a chemical plant. <i>Environ Health Perspect</i> 121(11-12): 1313-8.
52193	Batty GD, Kivimaki M, Gray L, et al (2008). Cigarette smoking and site-specific cancer mortality: testing uncertain associations using extended follow-up of the original Whitehall study. <i>Ann Oncol</i> , 19(5): 996-1002.
22402	Baynham SA, Katner HP, Cleveland KB (1997). Increased prevalence of renal cell carcinoma in patients with HIV infection. <i>AIDS Patient Care STDs</i> , 11(3): 161-5.
TBA	Behrens G, Leitzmann MF (2013). The association between physical activity and renal cancer: systematic review and meta-analysis. <i>Br J Cancer</i> , 108(4): 798-811.
97574	Bellocco R, Pasquali E, Rota M, et al (2012). Alcohol drinking and risk of renal cell carcinoma: results of a meta-analysis. <i>Ann Oncol</i> , 23(9): 2235-44.
3363	Benhamou S, Lenfant MH, Ory-Paoletti C, et al, (1993). Risk factors for renal-cell carcinoma in a French case-control study. <i>Int J Cancer</i> , 55(1): 32-6.
14684	Benichou J, Chow W, McLaughlin JK et al (1998). Population attributable risk of renal cell cancer in Minnesota. <i>Am J Epidemiol</i> , 148(5): 424-30.
3329	Bennington J, Laubscher F (1968). Epidemiologic studies on carcinoma of the kidney: Association of renal adenocarcinoma with smoking. <i>Cancer</i> , 21(6): 1069-71.
63920	Bergstrom A, Moradi T, Lindblad P, et al (1999). Occupational physical activity and renal cell cancer: a nationwide cohort study in Sweden. <i>Int J Cancer</i> , 83(2): 186-91.
22648	Bergstrom A, Pisani P, Tenet V, et al (2001). Overweight as an avoidable cause of cancer in Europe. <i>Int J Cancer</i> , 91(3): 421-30.
22200	Bergstrom A, Terry P, Lindblad P, et al (2001). Physical activity and risk of renal cell cancer. <i>Int J Cancer</i> , 92(1): 155-7.
22264	Bernstein J, Evan AP, Gardner KD (1987). Human cystic kidney diseases: epithelial hyperplasia in the pathogenesis of cysts and tumors. <i>Pediatr Nephrology</i> , 1(3): 393-6.
63742	Berthe E, Henry-Amar M, Michels JJ, et al (2004). Risk of second primary cancer following differentiated thyroid cancer. <i>Eur J Nucl Med Mol Imaging</i> , 31(5): 685-91.

TBA	Bertke SJ, Lehman EJ, Wurzelbacher SJ, et al (2016). Mortality of lead smelter workers: A follow-up study with exposure assessment. <i>Am J Ind Med</i> , 59(11): 979-86.
63375	Bertoia M, Albanes D, Mayne ST, et al (2010). No association between fruit, vegetables, antioxidant nutrients and risk of renal cell carcinoma. <i>Int J Cancer</i> , 126(60): 1504-12.
TBA	Bigert C, Martinsen JI, Gustavsson P, et al (2020). Cancer incidence among Swedish firefighters: an extended follow-up of the NOCCA study. <i>Int Arch Occup Environ Health</i> , 93(2): 197-204.
63695	Bjerregaard BK, Raaschou-Nielsen O, Sorensen M, et al (2006). The effect of occasional smoking on smoking-related cancers: In the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes Control</i> , 17(10): 1305-9.
TBA	Bjorge T, Haggstrom C, Ghaderi S, et al (2019). BMI and weight changes and risk of obesity-related cancers: a pooled European cohort study. <i>Int J Epidemiol</i> , 48(6):1872-85.
63421	Bjorge T, Tretli S, Engeland A (2004). Relation of height and body mass index to renal cell carcinoma in two million Norwegian men and women. <i>Am J Epidemiol</i> , 160(12): 1168-76.
3330	Blair A, Decoufle P, Grauman D (1979). Causes of death among laundry and dry cleaning workers. <i>Am J Public Health</i> , 69(5): 508-11.
58587	Blair A, Freeman LB (2009). Epidemiologic studies of cancer in agricultural populations: observations and future directions. <i>J Agromedicine</i> , 14(2): 125-31.
3312	Blair A, Zahm SH, Pearce NE, et al (1992). Clues to cancer etiology from studies of farmers. <i>Scand J Work Environ Health</i> , 18(4): 209-15.
70284	Blakely T, Barendregt JJ, Foster RH, et al (2013). The association of active smoking with multiple cancers: national census-cancer registry cohorts with quantitative bias analysis. <i>Cancer Cause Control</i> , 24(6): 1243-55.
56052	Boers D, Portengen L, Bueno-de-Mesquita H, et al (2010). Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. <i>Occup Environ Med</i> , 67(1): 24-31.
70416	Boers D, Portengen L, Turner WE, et al (2012). Plasma dioxin levels and cause-specific mortality in an occupational cohort of workers exposed to chlorophenoxy herbicides, chlorophenols and contaminants. <i>Occup Environ Med</i> , 69(2): 113-8.
63422	Boffetta P, Fontana L, Stewart P, et al (2011). Occupational exposure to arsenic, cadmium, chromium, lead and nickel, and renal cell carcinoma: a case-control study from Central and Eastern Europe. <i>Occup Environ Med</i> , 68(10): 723-8.
59631	Bosetti C, Boffetta P, La Vecchia C (2007). Occupational exposures to polycyclic aromatic hydrocarbons, and respiratory and urinary tract cancers: a quantitative review to 2005. <i>Ann Oncol</i> , 18(3): 431-46.
63487	Bosetti C, Gallus S, La Vecchia C (2006). Aspirin and cancer risk: an updated quantitative review to 2005. <i>Cancer Causes Control</i> , 17(7): 871-88.
70136	Bosetti C, Rosato V, Gallus S, et al (2012). Aspirin and cancer risk: a quantitative review to 2011. <i>Ann Oncol</i> , 23(6): 1403-15.
88844	Bove F, Ruckart P, Maslia M, et al (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. <i>Environ Health</i> 13(1):10.
88845	Bove F, Ruckart P, Maslia M, et al (2014). Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. <i>Environ Health</i> , 13: 68.
3365	Boyle P, La Vecchia C, Maisonneuve P, et al (1995). Cancer epidemiology and prevention. <i>Oxford Textbook of Oncology</i> , Vol 1 Chapter 2.9: 242-3. Oxford University Press Inc. New York.

TBA	Brasky TM, Liu J, White E, et al (2014). Non-steroidal anti-inflammatory drugs and cancer risk in women: results from the Women's Health Initiative. <i>Int J Cancer</i> , 135(8): 1869-83.
TBA	Brasky TM, Potter JD, Kristal AR, et al (2012). Non-steroidal anti-inflammatory drugs and cancer incidence by sex in the VITamins And Lifestyle (VITAL) cohort. <i>Cancer Causes Control</i> , 23(3): 431-44.
63327	Brauch H, Weirich G, Hornauer MA, et al (1999). Trichloroethylene exposure and specific somatic mutations in patients with renal cell carcinoma. <i>J Natl Cancer Inst</i> , 91(10): 854-61.
3366	Brennan JF, Stilmant MM, Babayan RK, et al (1991). Acquired renal cystic disease: implications for the urologist. <i>Br J Urol</i> , 67(4): 342-8.
3331	Bretan PN Jr, Busch MP, Hricak H, et al (1986). Chronic renal failure: a significant risk factor in the development of acquired renal cysts and renal cell carcinoma. Case reports and review of the literature. <i>Cancer</i> , 57(9): 1871-9.
3332	Brown WM, Doll R (1965). Mortality from cancer and other causes after radiotherapy for ankylosing spondylitis. <i>Br Med J</i> , 2(5474): 1327-32.
3430	Brownson RC (1988). A case-control study of renal cell carcinoma in relation to occupation, smoking and alcohol consumption. <i>Arch Environ Health</i> , 43(3): 238-41.
63423	Bruning T, Pesch B, Wiesenhutter B, et al (2003). Renal cell cancer risk and occupational exposure to trichloroethylene: Results of a consecutive case-control study in Arnsberg, Germany. <i>Am J Ind Med</i> , 43(3): 274-85.
25005	Buell JF, Trofe J, Hanaway MJ, et al (2001). Transmission of donor cancer into cardiothoracic transplant recipients. <i>Surgery</i> , 130(4): 660-8.
TBA	Buhagen M, Gronskog A, Ragde SF, et al (2016). Association Between kidney cancer and occupational exposure to trichloroethylene. <i>J Occup Environ Med</i> , 58(9):957-9.
22281	Bulgheroni P, Costa D, Sbarbati M, et al (2000). Tobacco smoking and renal-cell carcinoma. <i>Contrib Nephrol</i> , 130: 134-5.
32444	Buzio L, Tondel M, De Palma G, et al (2002). Occupational risk factors for renal cell cancer. An Italian case-control study. <i>Medi Lav</i> , 93(4): 303-9.
TBA	Callahan CL, Friesen MC, Locke SJ, et al (2019). Case-control investigation of occupational lead exposure and kidney cancer. <i>Occup Environ Med</i> , 76(7): 433-40.
97576	Callahan CL, Hofmann JN, Corley DA, et al (2018). Obesity and renal cell carcinoma risk by histologic subtype: A nested case-control study and meta-analysis. <i>Cancer Epidemiol</i> , 56: 31-7.
64396	Calvert GM, Ruder AM, Petersen MR (2011). Mortality and end-stage renal disease incidence among dry-cleaning workers. <i>Occup Environ Med</i> , 68(10): 709-16.
3367	Cantor KP, Lynch CF, Johnson D (1993). Reproductive factors and risk of brain, colon, and other malignancies in Iowa (United States). <i>Cancer Causes Control</i> , 4(6): 505-11.
83111	Cao L, Tong H, Xu G, et al (2015). Systemic lupus erythematosus and malignancy risk: a meta-analysis. <i>PLoS One</i> , 10(4): e0122964.
TBA	Cao Y, Nishihara R, Wu K, et al (2016). The population impact of long-term use of aspirin and the risk for cancer. <i>JAMA Oncol</i> , 2(6):762-9. Erratum: 5(4):579.
43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiat Res</i> , 167(4): 396-416.
79905	Carter BD, Abnet CC, Feskanich D, et al (2015). Smoking and mortality - beyond established causes. <i>N Engl J Med</i> , 372(7): 631-40.
80746	Carter M, Robotham R, Wise K, et al (2006). Dosimetry. Australian participants in British nuclear tests in Australia, Vol 1. Commonwealth of Australia.

TBA	Casjens S, Bruning T, Taeger D (2020). Cancer risks of firefighters: a systematic review and meta-analysis of secular trends and region-specific differences. <i>Int Arch Occup Environ Health</i> , 93(7): 839-52.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
3368	Cerhan JR, Wallace RB, Folsom AR, et al (1993). Transfusion history and cancer risk in older women. <i>Ann Intern Med</i> , 119(1): 8-15.
90958	Chang C, Benson M, Fam MM (2017). A review of Agent Orange and its associated oncologic risks of genitourinary cancers. <i>Urol Oncol</i> , 35(11): 633-9.
78061	Chang ET, Adami HO, Boffetta P, et al (2014). A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and cancer risk in humans. <i>Crit Rev Toxicol</i> , 44(Suppl 1): 1-81.
63441	Charbotel B, Fevotte J, Hours M, et al (2006). Case-control study on renal cell cancer and occupational exposure to Trichloroethylene. Part II: Epidemiological aspects. <i>Ann Occup Hyg</i> , 50(8): 777-87.
3369	Chen CJ, Chen CW, Wu MM, et al (1992). Cancer potential in liver, lung, bladder and kidney due to ingested inorganic arsenic in drinking water. <i>Br J Cancer</i> , 66(5): 888-92.
63376	Cheung CY, Lam MF, Lee KC, et al (2011). Renal cell carcinoma of native kidney in Chinese renal transplant recipients: a report of 12 cases and a review of the literature. <i>Int Urol Nephrol</i> , 43(3): 675-80.
91104	Cheungpasitporn W, Thongprayoon C, O'Corragain OA, et al (2015). The risk of kidney cancer in patients with kidney stones: a systematic review and meta-analysis. <i>QJM</i> , 108(3): 205-12.
22234	Chiu B CH, Lynch CF, Cerhan JR, et al (2001). Cigarette smoking and risk of bladder, pancreas, kidney, and colorectal cancers in Iowa. <i>Ann Epidemiol</i> , 11(1): 28-37.
63424	Chiu BC, Gapstur SM, Chow WH, et al (2006). Body mass index, physical activity, and risk of renal cell carcinoma. <i>Int J Obes</i> , 30(6): 940-7.
TBA	Chiu HF, Kuo CC, Kuo HW, et al (2014). Parity, age at first birth and risk of death from kidney cancer: a population-based cohort study in Taiwan. <i>Eur J Public Health</i> , 24(2): 249-52.
90180	Chiu WA, Jinot J, Scott CS, et al (2013). Human health effects of trichloroethylene: Key findings and scientific issues. <i>Environ Health Perspect</i> , 121(3): 303-11.
63377	Cho E, Adami HO, Lindblad P (2011). Epidemiology of renal cell cancer. <i>Hematol Oncol Clin North Am</i> , 25(4): 651-65.
63410	Cho E, Curhan G, Hankison SE, et al (2011). Prospective evaluation of analgesic use and renal cell cancer. <i>Arch Intern Med</i> , 171(16): 1487-93.
63328	Choi MY, Jee SH, Sull JW, et al (2005). The effect of hypertension on the risk for kidney cancer in Korean men. <i>Kidney Int</i> , 67(2): 647-52.
37753	Choi Y, Park B, Jeong BC, et al (2013). Body mass index and survival in patients with renal cell carcinoma: a clinical-based cohort and meta-analysis. <i>Int J Cancer</i> , 132(3): 625-34.
TBA	Choi YJ, Myung SK, Lee JH (2018). Light alcohol drinking and risk of cancer: A meta-analysis of cohort studies. <i>Cancer Res Treat</i> , 50(2): 474-87.
97597	Choueiri TK, Je Y, Cho E (2014). Analgesic use and the risk of kidney cancer: a meta-analysis of epidemiologic studies. <i>Int J Cancer</i> , 134(2): 384-96.
22236	Chow W, Gridley G, Fraumeni JF Jr, et al (2000). Obesity, hypertension, and the risk of kidney cancer in men. <i>N Engl J Med</i> 343(18): 1305-11.
3370	Chow WH, McLaughlin JK, Linet MS, et al (1994). Use of analgesics and risk of renal cell cancer. <i>Int J Cancer</i> , 59(4): 467-70.
3371	Chow WH, McLaughlin JK, Mandel JS, et al (1995). Reproductive factors and the risk of renal cell cancer among women. <i>Int J Cancer</i> , 60(3): 321-4.

63378	Chow WH, Devesa SS (2008). Contemporary epidemiology of renal cell cancer. <i>Cancer J</i> , 14(5): 288-301.
22744	Chow WH, Devesa SS, Fraumeni JF Jr (1999). Increasing incidence of renal cell cancer. <i>JAMA</i> , 282(22): 2119.
22742	Chow WH, Devesa SS, Warren JL, et al (1999). Rising incidence of renal cell cancer in the United States. <i>JAMA</i> , 128(17): 1628-31.
58894	Chow WH, Dong LM, Devesa SS (2010). Epidemiology and risk factors for kidney cancer. <i>Nat Rev Urol</i> , 7(5): 245-57.
32379	Chow WH, Gridley G, Fraumeni JF Jr, et al (2000). Obesity, hypertension, and the risk of kidney cancer in men. <i>N Engl J Med</i> , 343(18): 1305-11.
22261	Chow WH, Gridley G, McLaughlin JK, et al (1994). Protein intake and risk of renal cell cancer. <i>J Natl Cancer Inst</i> , 86(15): 1131-9.
22259	Chow WH, Lindblad P, Gridley G, et al (1997). Risk of urinary tract cancers following kidney or ureter stones. <i>J Natl Cancer Inst</i> , 89(19): 1453-7.
22201	Chow WH, McLaughlin JK, Mandel JS, et al (1995). Reproductive factors and the risk of renal cell cancer among women. <i>Int J Cancer</i> , 60(3): 321-4.
22268	Chow WH, McLaughlin JK, Mandel JS, et al (1995). Risk of renal cell cancer in relation to diuretics, antihypertensive drugs, and hypertension. <i>Cancer Epidemiol, Biomarkers Prev</i> , 4(4): 327-31.
22269	Chow WH, McLaughlin JK, Mandel JS, et al (1996). Obesity and risk of renal cell cancer. <i>Cancer Epidemiol, Biomarkers Prev</i> , 5(1): 17-21.
65989	Christensen KY, Vizcaya D, Richardson H, et al (2012). Risk of selected cancers due to occupational exposure to chlorinated solvents in a case-control study in Montreal. <i>J Occup Environ Med</i> : 55(2): 198-208.
3372	Christensen P, Madsen MR, Jensen OM (1981). Latency of thorotrast-induced renal tumours: Survey of the literature and a case report. <i>Scand J Urol Nephrol</i> , 17(1): 127-30.
TBA	Christensson A, Savage C, Sjoberg DD (2013). Association of cancer with moderately impaired renal function at baseline in a large, representative, population-based cohort followed for up to 30 years. <i>Int J Cancer</i> , 133(6):1452-8.
91739	Chuang SC, Gallo V, Michaud D, et al (2011). Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. <i>Cancer Causes Control</i> .
TBA	Chung BI, Hellfritsch M, Ulrichsen SP, et al (2019). Bisphosphonate use and risk of renal cell carcinoma: A population-based case-control study. <i>Basic Clin Pharmacol Toxicol</i> , 124(5): 642-6.
34561	Clifford GM, Polesel J, Rickenbach M, et al (2005). Cancer risk in the Swiss HIV cohort study: associations with immunodeficiency, smoking, and highly active antiretroviral therapy. <i>J Natl Cancer Inst</i> , 97(6): 425-32.
TBA	Cobucci RN, Lima PH, de Souza PC, et al (2015). Assessing the impact of HAART on the incidence of defining and non-defining AIDS cancers among patients with HIV/AIDS: a systematic review. <i>J Infect Public Health</i> , 8(1): 1-10.
89536	Coggon D, Ntani G, Harris EC, et al (2015). Soft tissue sarcoma, non-Hodgkin lymphoma and chronic lymphocytic leukaemia in workers exposed to phenoxy herbicides: Extended follow-up of a UK cohort. <i>Occup Environ Med</i> , 72(6): 435-41.
3333	Cohen AJ, Li FP, Berg S, et al (1979). Hereditary renal-cell carcinoma associated with a chromosomal translocation. <i>N Engl J Med</i> , 301(11): 592-5.
91617	Cohen G, Levy I, Yuval, et al (2018). Chronic exposure to traffic-related air pollution and cancer incidence among 10,000 patients undergoing percutaneous coronary interventions: A historical prospective study. <i>Eur J Prev Cardiol</i> , 25(10): 1117-9.

63425	Cohen HT, McGovern FJ (2005). Renal-cell carcinoma. <i>N Engl J Med</i> , 353(23): 2477-90.
63379	Colli JL, Busby JE, Amling CL (2009). Renal cell carcinoma rates compared with health status and behavior in the United States. <i>Urology</i> , 73(2): 431-6.
56057	Collins JJ, Bodner K, Aylward LL, et al (2009). Mortality rates among workers exposed to dioxins in the manufacture of pentachlorophenol. <i>J Occup Environ Med</i> , 51(10): 1212-9.
83235	Collins JJ, Bodner KM, Aylward LL, et al (2016). Mortality risk among workers with exposure to dioxins. <i>Occup Med (Lond)</i> , 66(9): 706-12.
TBA	Collins JJ, Delzell E (2018). A systematic review of epidemiologic studies of styrene and cancer. <i>Crit Rev Toxicol</i> , 48(6): 443-70.
TBA	Colt JS, Hofmann JN, Schwartz K, et al (2017). Antihypertensive medication use and risk of renal cell carcinoma. <i>Cancer Causes Control</i> , 28(4): 289-97
65029	Committee on Contaminated Drinking Water at Camp Lejeune. Board on Environmental Studies & Toxicology. Division on Earth & Life Studies (2009). Contaminated Water Supplies at Camp Lejeune. Assessing Potential Health Effects. National Research Council of the National Academies.
65032	Committee on Gulf War and Health. Institute of Medicine (2008). Updated Literature Review of Depleted Uranium. Gulf War and Health, The National Academies Press.
65030	Committee on Human Health Risks of Trichloroethylene (2006). Assessing the Human Health risks of Trichloroethylene. Key Scientific Issues. National Research Council of the National Academies, The National Academic Press, Washington DC.
65047	Committee on the Long-Term Health Consequences of Exposure to Burn Pits in Iraq & Afghanistan Board on the Health of Select Populations (2011). Long-Term Health Consequences of Exposure to Burn Pits in Iraq & Afghanistan, The National Academies Press, Washington DC.
65048	Committee to review the health effects in Vietnam veterans of exposure to herbicides (eighth biennial update) (2011). Veterans and Agent Orange Update 2010, The National Academic Press, Washington DC.
90428	Consonni D, Bertazzi PA, Cavalieri D'oro L, et al (2016). Cohort study of the population exposed to dioxin after the Seveso, Italy accident: Mortality (1976-2013) and cancer incidence (1977-2012) preliminary results. <i>Organohalogen Compounds</i> , 78.
91828	Consonni D, Straif K, Symons J, et al (2013). Cancer risk among tetrafluoroethylene synthesis and polymerization workers. <i>Am J Epidemiol</i> 178(3): 350-8.
22706	Constantino JP, Redmond CK, Bearden A (1995). Occupationally related cancer risk among coke oven workers: 30 years of follow-up. <i>J Occup Environ Med</i> , 37(5): 597-604.
TBA	Cook NR, Lee IM, Zhang SM, et al (2013). Alternate-day, low-dose aspirin and cancer risk: long-term observational follow-up of a randomized trial. <i>Ann Intern Med</i> , 159(2): 77-85.
91886	Corbella S, Veronesi P, Gallimberti V, et al (2018). Is periodontitis a risk indicator for cancer? A meta-analysis. <i>PLoS One</i> , 13(4): e0195683.
63496	Corrao G, Scotti L, Bagnardi V, et al (2007). Hypertension, antihypertensive therapy and renal-cell cancer: A meta-analysis. <i>Curr Drug Saf</i> , 2(2): 125-33.
TBA	Cote ML, Colt JS, Schwartz KL, et al (2012). Cigarette smoking and renal cell carcinoma risk among black and white Americans: effect modification by hypertension and obesity. <i>Cancer Epidemiol Biomarkers Prev</i> , 21(5):770-9.
63919	Coughlin SS, Neaton JD, Randall B, et al (1997). Predictors of mortality from kidney cancer in 332,547 men screened for the multiple risk factor intervention trial. <i>Cancer</i> , 79(11): 2171-7.

91667	Cui Y, Liang L, Zhong Q, et al (2017). The association of cancer risks with pentachlorophenol exposure: focusing on community population in the areas along certain section of Yangtze river in China. <i>Environ Pollut</i> 224: 729-38.
90410	Cumberbatch MG, Rota M, Catto JW, et al (2016). The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. <i>Eur Urol</i> , 70(3): 458-66.
63442	Dal Maso L, Zucchetto A, Tavani A, et al (2007). Renal cell cancer and body size at different ages: An Italian multicenter case-control study. <i>Am J Epidemiol</i> , 166(5): 582-91.
TBA	Daniel CR, Cross AJ, Graubard BI, et al (2012). Large prospective investigation of meat intake, related mutagens, and risk of renal cell carcinoma. <i>Am J Clin Nutr</i> , 95(1): 155-62.
TBA	Daniel CR, Park Y, Chow WH, et al (2013). Intake of fiber and fiber-rich plant foods is associated with a lower risk of renal cell carcinoma in a large US cohort. <i>Am J Clin Nutr</i> , 97(5): 1036-43.
63380	Daniel CR, Schwartz KL, Colt JS, et al (2011). Meat-cooking mutagens and risk of renal cell carcinoma. <i>Br J Cancer</i> , 105(7): 1096-104.
71063	Daniels RD, Kubale TL, Yiin JH, et al (2013). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). <i>Occup Environ Med</i> , 71(6): 388-97.
TBA	D'Arcy ME, Castenson D, Lynch CF, et al (2020). Risk of rare cancers among solid organ transplant recipients. <i>J Natl Cancer Inst</i> , 113(2): 199-207.
3373	D'Ardenne AJ (1992). Renal tumours. JO'D McGee, PG Isaacson, NA Wright (Eds). <i>Oxford Textbook of Pathology</i> , Vol 2a Chapter 19.11.2: 1500-3. Oxford University Press.
TBA	Darling AL, Abar L, Norat T (2016). WCRF-AICR continuous update project: Systematic literature review of prospective studies on circulating 25-hydroxyvitamin D and kidney cancer risk. <i>J Steroid Biochem Mol Biol</i> , 164: 85-9.
64873	Das A, Thomas S, Zablotska LB, et al (2006). Association of esophageal adenocarcinoma with other subsequent primary cancers. <i>J Clin Gastroenterol</i> , 40(5): 405-11.
TBA	de Vathaire F, Scwhartz B, El-Fayech C, et al (2015). Risk of a second kidney carcinoma following childhood cancer: Role of chemotherapy and radiation dose to kidneys. <i>J Urol</i> , 194(5): 1390-5.
3355	De Vita V Jr, Hellman S, Rosenberg S [Eds] (1989). <i>Cancer: Principles & Practice of Oncology</i> , 3rd Edition, Vol 1. Lippincott Williams & Wilkins, Philadelphia.
TBA	Deckers IA, van den Brandt PA, van Engeland M, et al (2014). Long-term dietary sodium, potassium and fluid intake; exploring potential novel risk factors for renal cell cancer in the Netherlands Cohort Study on diet and cancer. <i>Br J Cancer</i> , 110(3): 797-801.
97578	Dellavalle CT, Daniel CR, Aschebrook-Kilfoy B, et al (2013). Dietary intake of nitrate and nitrite and risk of renal cell carcinoma in the NIH-AARP Diet and Health Study. <i>Br J Cancer</i> , 108(1): 205-12.
50742	Demers PA, Davies HW, Friesen MC, et al (2006). Cancer and occupational exposure to pentachlorophenol and tetrachlorophenol (Canada). <i>Cancer Causes Control</i> , 17(6): 749-58.
TBA	Deng Y, Zhang Z, Jia X, et al (2018). Oral bisphosphonates and incidence of cancers in patients with osteoporosis: a systematic review and meta-analysis. <i>Arch Osteoporos</i> , 14(1): 1.
32389	Dhote R, Pellicer-Coeuret M, Thiounn N, et al (2000). Risk factors for adult renal cell carcinoma: a systematic review and implications for prevention. <i>BJU Int</i> , 86(1): 20-7.
32423	Dhote R, Thiounn N, Debre B, et al (2004). Risk factors for adult renal cell carcinoma. <i>Urol Clin North Am</i> , 31(2): 237-47.

63493	Doehn C, Fornara P, Fricke L, et al (2001). Laparoscopic nephroureterectomy to exclude upper urinary tract malignancy associated with analgesic nephropathy. <i>J Endourol</i> , 15(8): 809-14.
36241	Doll R, Peto R, Boreham J, et al (2005). Mortality from cancer in relation to smoking: 50 years observations on British doctors. <i>Br J Cancer</i> , 92(3): 426-9.
3323	Doll R, Peto R, Wheatley K, et al (1994). Mortality in relation to smoking: 40 years' observations on male British doctors. <i>BMJ</i> , 309(6959): 901-11.
TBA	Douglas D (2018). Firefighter chemical review. A report prepared for the Commonwealth of Australia.
TBA	Douglas D, Douglas K (2019). Firefighter chemical review – extension to review additional chemical substances – ARP1701. A report prepared for the Commonwealth of Australia.
63495	Drabkin HA, Gemmill RM (2010). Obesity, cholesterol, and clear-cell renal cell carcinoma (RCC). <i>Adv Cancer Res</i> , 107: 39-56.
TBA	Drubay D, Ancelet S, Acker A, et al (2014). Kidney cancer mortality and ionizing radiation among French and German uranium miners. <i>Radiat Environ Biophys</i> , 53(3):505-13.
3334	Duh RW, Asal NR (1984). Mortality among laundry and dry cleaning workers in Oklahoma. <i>Am J Public Health</i> , 74(11): 1278- 80.
74224	Engels EA, Pfeiffer RM, Fraumeni JF (2011). Spectrum of cancer risk among U.S. solid organ transplant recipients: The transplant cancer match study. <i>JAMA</i> , 306(17): 1891-901.
4296	Enterline PE, Hartley J, Henderson V (1987). Asbestos and cancer: a cohort followed up to death. <i>Br J Ind Med</i> , 44(6): 396-401.
TBA	Expert Health Panel for Per- and Poly-Fluoroalkyl Substances (PFAS) Report to the Minister, March 2018.
63489	Faramawi MF, Johnson E, Fry MW, et al (2007). Consumption of different types of meat and the risk of renal cancer: meta-analysis of case-control studies. <i>Cancer Causes Control</i> , 18(2): 125-33.
91040	Fear N, Stevelink S (2016). Review of selected research studies examining the occupational health of fire fighters. Completed for DVA (Australia). King's Centre for Military Research, King's College London, United Kingdom.
TBA	Fear N, Stevelink S, Dyball D (2016). Occupational health research studies review. Examining the occupational health of fire fighters, Phase 1. Completed for DVA (Australia). King's Centre for Military Research, King's College London, United Kingdom.
TBA	Fear N, Stevelink S, Dyball D (2017). Occupational health research studies review. Examining the occupational health of fire fighters, Phase 2. Completed for DVA (Australia). King's Centre for Military Research, King's College London, United Kingdom.
TBA	Ferrante D, Chellini E, Merler E, et al (2017). Italian pool of asbestos workers cohorts: mortality trends of asbestos-related neoplasms after long time since first exposure. <i>Occup Environ Med</i> , 74(12):887-98.
TBA	Ferrari F, Orlando A, Ricci Z, et al (2019). Persistent pollutants: focus on perfluorinated compounds and kidney. <i>Curr Opin Crit Care</i> , 25(6): 539-49.
92843	Ferreccio C, Smith A, Duran V, et al (2013). Case-control study of arsenic in drinking water and kidney cancer in uniquely exposed Northern Chile. <i>Am J Epidemiol</i> , 178(5): 813-8.
63497	Fevotte J, Charbotel B, Muller-Beaute P, et al (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. <i>Ann Occup Hyg</i> , 50(8): 765-75.
TBA	Filippini T, Malavolti M, Borrelli F, et al (2020). [Abstract] Green tea (<i>Camellia senensis</i>) for the prevention of cancer. <i>Cochrane Database of Systematic Reviews</i> . 3(3):CD005004.

3375	Finkel AJ, Hamilton A, Hardy HL (1983). Cadmium. Hamilton and Hardy's Industrial Toxicology, 4th Edition, Chapter 7: 38-47. John Wright PSG Inc. Massachusetts.
3376	Finkle WD, McLaughlin JK, Rasgon SA, et al (1993). Increased risk of renal cell cancer among women using diuretics in United States. <i>Cancer Causes Control</i> , 4(6): 555-8.
TBA	Fisher MT, Tan-Torres SM, Gaworski CL, et al (2019). Smokeless tobacco mortality risks: an analysis of two contemporary nationally representative longitudinal mortality studies. <i>Harm Reduct J</i> , 16(1):27.
63335	Flaherty KT, Fuchs CS, Colditz GA, et al (2005). A prospective study of body mass index, hypertension, and smoking and the risk of renal cell carcinoma (United States). <i>Cancer Causes Control</i> , 16(9): 1099-106.
20069	Fleming LE, Bean JA, Rudolph M, et al (1999). Mortality in a cohort of licenced pesticide applicators in Florida. <i>Occup Environ Med</i> , 56(1): 14-21.
63381	Fleming S (2010). Renal cell carcinoma in acquired cystic kidney disease. , 56(3): 395-400.
22649	Fraumeni JF (1968). Cigarette smoking and cancers of the urinary tract: geographic variation in the United States. <i>J Natl Cancer Inst</i> , 41(5): 1205-11.
TBA	Freedman ND, Abnet CC, Caporaso NE, et al (2016). Impact of changing US cigarette smoking patterns on incident cancer: risks of 20 smoking-related cancers among the women and men of the NIH-AARP cohort. <i>Int J Epidemiol</i> . 2016, 45(3):846-56.
63464	Freeman LE, Rusiecki JA, Hoppin JA, et al (2011). Atrazine and cancer incidence among pesticide applicators in the Agricultural Health Study (1994-2007). <i>Environ Health Perspect</i> , 119(9): 1253-9.
63426	Fryzek J, Poulsen A, Johnsen S, et al (2005). A cohort study of antihypertensive treatments and risk of renal cell cancer. <i>Br J Cancer</i> 92(7): 1302-6.
TBA	Fung C, Fossa SD, Milano MT, et al (2013). Solid tumors after chemotherapy or surgery for testicular nonseminoma: a population-based study. <i>J Clin Oncol</i> , 31(30): 3807-14.
22547	Gago-Domiguez M, Yuan JM, Castela JE, et al (1999). Regular use of analgesics is a risk factor for renal cell carcinoma. <i>Br J Cancer</i> , 81(3): 542-8.
22272	Gago-Dominguez M, Castela JE, Yuan JM, et al (1999). Increased risk of renal cell carcinoma subsequent to hysterectomy. <i>Cancer Epidemiol Biomarkers Prev</i> , 8(11): 999-1003.
63494	Gago-Dominguez M, Yuan JM, Castela JE, et al (2001). Family history and risk of renal cell carcinoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(9): 1001-4.
TBA	Gahr M, Wezel F, Bolenz C, et al (2019). Lithium therapy associated with renal and upper and lower urinary tract tumors: Results from a retrospective single-center analysis. <i>J Clin Psychopharmacol</i> , 39(5): 530-2.
63443	Galeone C, Pelucchi C, Talamini R, et al (2007). Fibre intake and renal cell carcinoma: A case-control study from Italy. <i>Int J Cancer</i> , 121(8): 1869-72.
71141	Garcia-Esquinas E, Pollan M, Tellez-Plaza M, et al (2014). Cadmium exposure and cancer mortality in a prospective cohort: the strong heart study. <i>Environ Health Perspect</i> , 122(4): 363-70.
TBA	Garcia-Esquinas E, Pollan M, Umans JG, et al (2013). Arsenic exposure and cancer mortality in a US-based prospective cohort: the strong heart study. <i>Cancer Epidemiol Biomarkers Prev</i> , 22(11): 1944-53.
TBA	Garcia-Perez J, Fernandez-Navarro P, Castello A, et al (2013). Cancer mortality in towns in the vicinity of incinerators and installations for the recovery or disposal of hazardous waste. <i>Environ Int</i> , 51: 31-44.

22229	Gardener Jr KD (1984). Acquired renal cystic disease and renal adenocarcinoma in patients on long-term hemodialysis. <i>N Engl J Med</i> , 310(6): 390.
3377	Garnick MB, Brenner BM (1994). Tumors of the urinary tract. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 247: 1336-9. .
TBA	Ge F, Li C, Xu X, et al (2020). Cancer risk in heart or lung transplant recipients: A comprehensive analysis of 21 prospective cohorts. <i>Cancer Med</i> , 9(24): 9595-610.
TBA	Gelfond J, Al-Bayati O, Kabra A, et al (2018). Modifiable risk factors to reduce renal cell carcinoma incidence: Insight from the PLCO trial. <i>Urol Oncol</i> , 36(7):340.e1-6.
63382	George SM, Moore SC, Chow WH, et al (2011). A prospective analysis of prolonged sitting time and risk of renal cell carcinoma among 300,000 older adults. <i>Ann Epidemiol</i> , 21(10): 787-90.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
TBA	Girardi P, Merler E (2019). A mortality study on male subjects exposed to polyfluoroalkyl acids with high internal dose of perfluorooctanoic acid. <i>Environ Res</i> , 179(Pt A):108743.
88805	Glass D, Sim M, Pircher S, et al (2015). Defence firefighters' health study. Monash Centre for Occupational and Environmental Health. I
83366	Glass DC, Del Monaco A, Pircher S, et al (2016). Mortality and cancer incidence at a fire training college. <i>Occup Med (Lond)</i> , 66(7): 536-42.
83363	Glass DC, Del Monaco A, Pircher S, et al (2017). Mortality and cancer incidence among male volunteer Australian firefighters. <i>Occup Environ Med</i> , 74(9): 628-38.
95436	Glass DC, Del Monaco A, Pircher S, et al (2019). Mortality and cancer incidence among female Australian firefighters. <i>Occup Environ Med</i> , 76(4): 215-21.
89357	Glass DC, Pircher S, Del Monaco A, et al (2016). Mortality and cancer incidence in a cohort of male paid Australian firefighters. <i>Occup Environ Med</i> , 73(11): 761-71.
22278	Godley PA, Ataga KI (2000). Renal cell carcinoma. <i>Curr Opin Oncol</i> , 12(3): 260-4.
22279	Godley PA, Stinchcombe TE (1999). Renal cell carcinoma. <i>Curr Opin Oncol</i> , 11(3): 213-7.
97570	Golabek T, Bukowczan J, Szopinski T, et al (2016). Obesity and renal cancer incidence and mortality--a systematic review of prospective cohort studies. <i>Ann Agric Environ Med</i> , 23(1): 37-43.
63452	Goldstein MR, Mascitelli L (2011). Increased risk of renal cell carcinoma after hysterectomy: Possible causes and implications. <i>Arch Intern Med</i> , 171(13): 1214-5.
TBA	Gonzalez HC, Lamerato L, Rogers CG, et al (2015). Chronic hepatitis C infection as a risk factor for renal cell carcinoma. <i>Dig Dis Sci</i> , 60(6): 1820-4.
3335	Goodman MT, Morgenstern H, Wynder EL (1986). A case-control study of factors affecting the development of renal cell cancer. <i>Am J Epidemiol</i> , 124(6): 926-41.
63322	Gordon SC, Moonka D, Brown KA, et al (2010). Risk for renal cell carcinoma in chronic hepatitis C infection. <i>Cancer Epidemiol Biomarkers Prev</i> , 19(4): 1066-73.
TBA	Graff RE, Cho E, Preston MA, et al (2018). Dietary acrylamide intake and risk of renal cell carcinoma in two large prospective cohorts. <i>Cancer Epidemiol Biomarkers Prev</i> , 27(8): 979-82
22249	Green LC, Lash TL (1999). Re: Renal cell cancer correlated with occupational exposure to trichloroethene. <i>J Cancer Res Clin Oncol</i> , 125(7): 430-2.

22228	Grossman E, Messerli FH (1999). Diuretics and renal cell carcinoma - What is the risk/benefit ratio? <i>Kidney Int</i> , 56(4): 1603-64.
63427	Grossman E, Messerli FH, Boyko V, et al (2002). Is there an association between hypertension and cancer mortality? <i>Am J Med</i> , 112(6): 479-86.
22400	Grossman E, Messerli FH, Goldbourt U (1999). Carcinogenicity of cardiovascular drugs. <i>Curr Hypertens Repts</i> , 1(3): 212-8.
22246	Grossman E, Messerli FH, Goldbourt U (1999). Does diuretic therapy increase the risk of renal cell carcinoma? <i>Am J Cardiol</i> , 83(7): 1090-3.
40608	Grossman E, Messerli FH, Goldbourt U (2001). Antihypertensive therapy and the risk of malignancies. <i>Eur Heart J</i> , 22(15): 1343-52.
3378	Grove JS, Nomura A, Severson RK, et al (1991). The association of blood pressure with cancer incidence in a prospective study. <i>Am J Epidemiol</i> , 134(9): 942-7.
83167	Grulich AE, Vajdic CM (2015). The epidemiology of cancers in human immunodeficiency virus infection and after organ transplantation. <i>Semin Oncol</i> , 42(2): 247-57.
44963	Grulich AE, van Leeuwen MT, Falster MO, et al (2007). Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. <i>Lancet</i> , 370(9581): 59-67.
97598	Guan HB, Wu QJ, Gong TT (2013). Parity and kidney cancer risk: evidence from epidemiologic studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 22(12): 2345-53.
62336	Guidotti TL (1993). Mortality of urban firefighters in Alberta, 1927-1987. <i>Am J Ind Med</i> , 23(6): 921-40.
72440	Guidotti TL (2014), Health Risks and Occupation as a Firefighter. Consultant's report prepared for the Department of Veterans' Affairs.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 2: Mortality and Cancer Incidence. Department of Veterans' Affairs, Canberra.
TBA	Gupta S (2016). Obesity: The fat advantage. <i>Nature</i> , 537(7620):S100-2.
97509	Gupta S, Gupta R, Sinha DN, et al (2018). Relationship between type of smokeless tobacco & risk of cancer: A systematic review. <i>Indian J Med Res</i> , 148(1): 56-76.
88971	Guyton K, Hogan K, Scott C, et al (2014). Human health effects of tetrachloroethylene: key findings and scientific issues. <i>Environ Health Perspect</i> 122(4): 325-34.
91549	Gwini S, Macfarlane E, Del Monaco A, et al (2012). Cancer incidence, mortality, and blood lead levels among workers exposed to inorganic lead. <i>Ann Epidemiol</i> , 22(4): 270-6.
TBA	Haggstrom C, Rapp K, Stocks T, et al (2013). Metabolic factors associated with risk of renal cell carcinoma. <i>PLoS One</i> , 8(2):e57475.
71144	Hansen J, Sallmen M, Selden AI, et al (2013). Risk of cancer among workers exposed to trichloroethylene: analysis of three Nordic cohort studies. <i>J Natl Cancer Inst</i> , 105(12): 869-77.
63772	Harding AH, Darnton A, Wegerdt J, et al (2009). Mortality among British asbestos workers undergoing regular medical examinations (1971-2005). <i>Occup Environ Med</i> , 66(7): 487-95.
37771	Harrex WK, Horsley KW, Jelfs P, et al (2003). A report of the 2002 retrospective cohort study of Australian veterans of the Korean War. Mortality of Korean War Veterans: the Veteran Cohort Study. Department of Veterans Affairs, Canberra.
89350	Harris MA, Kirkham TL, MacLeod JS, et al (2018). Surveillance of cancer risks for firefighters, police, and armed forces among men in a Canadian census cohort. <i>Am J Ind Med</i> , 61(10): 815-23.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.

48085	Harrison's Principles of Internal Medicine (2006). Bladder and renal cell carcinomas. Chapter 90. Retrieved 4 September 2007, from http://www.accessmedicine.com/content.aspx?aid=2893104
TBA	Harrison's Principles of Internal Medicine (2020). Renal cell carcinoma. Chapter 81. Retrieved 25th August 2020 from, https://accessmedicine.mhmedical.com/content.aspx?sectionid=192016249&bookid=2129#1156514343
40642	Harth V, Bruning T, Bolt HM (2005). Renal carcinogenicity of trichloroethylene: update, mode of action, and fundamental for occupational standard setting. <i>Rev Environ Health</i> , 20(2): 103-18.
TBA	Hashemian M, Sinha R, Murphy G, et al (2019). Coffee and tea drinking and risk of cancer of the urinary tract in male smokers. <i>Ann Epidemiol</i> , 34: 33-9.
22740	Heath CW Jr, Lally CA, Calle EE, et al (1997). Hypertension, diuretics, and antihypertensive medications as possible risk factors for renal cell cancer. <i>Am J Epidemiol</i> , 145(7): 607-13.
63383	Heck JE, Charbotel B, Moore LE, et al (2010). Occupation and renal cell cancer in Central and Eastern Europe. <i>Occup Environ Med</i> , 67(1): 47-53.
91458	Hernández-Ramírez RU, Shiels MS, Dubrow R, et al (2017). Cancer risk in HIV-infected people in the USA from 1996 to 2012: a population-based, registry-linkage study. <i>Lancet HIV</i> , 4(11): e495-e504.
3379	Hiatt RA, Tolan K, Quesenberry CP Jr (1994). Renal cell carcinoma and thiazide use: a historical, case-control study (California, USA). <i>Cancer Causes Control</i> , 5(4): 319-25.
38327	Hidayat K, Du X, Zou SY, et al (2017). Blood pressure and kidney cancer risk: meta-analysis of prospective studies. <i>J Hypertens</i> , 35(7): 1333-44.
TBA	Hoang ML, Chen CH, Chen PC, et al (2016). Aristolochic acid in the etiology of renal cell carcinoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 25(12): 1600-08.
TBA	Hofmann JN, Corley DA, Zhao WK, et al (2015). Chronic kidney disease and risk of renal cell carcinoma: differences by race. <i>Epidemiology</i> , 26(1):59-67.
63384	Hofmann JN, Torner A, Chow WH, et al (2011). Risk of kidney cancer and chronic kidney disease in relation to hepatitis C virus infection: a nationwide register-based cohort study in Sweden. <i>Eur J Cancer Prev</i> , 20(4): 326-30.
22404	Hogan TF, Lamm DL, Ducatman AM (2001). Smoking and renal cell carcinoma. <i>W V Med J</i> , 97(1): 32-5.
3359	Holland JF, Frei E, Bast RC, et al (Eds) (1993). <i>Holland-Frei Cancer Medicine</i> , 3rd Edition, Vol 2. Lea & Febiger, Philadelphia.
63486	Holley JL (2007). Screening, diagnosis, and treatment of cancer in long-term dialysis patients. <i>Clin J Am Soc Nephrol</i> , 2(3): 604-10.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
TBA	Hsueh YM, Chen WJ, Lin YC, et al (2018). Adiponectin gene polymorphisms and obesity increase the susceptibility to arsenic-related renal cell carcinoma. <i>Toxicol Appl Pharmacol</i> , 350: 11-20.
63385	Hu J, La Vecchia C, DesMeules, et al (2008). Nutrient and fiber intake and risk of renal cell carcinoma. <i>Nutr Cancer</i> , 60(6): 720-8.
30443	Hu J, Mao Y, White K (2002). Renal cell carcinoma and occupational exposure to chemicals in Canada. <i>Occup Med</i> 52(3): 157-64.
63428	Hu J, Ugnat AM, Canadian Cancer Registries Epidemiology Research Group (2005). Active and passive smoking and risk of renal cell carcinoma in Canada. <i>Eur J Cancer</i> , 41(5): 770-8.
97599	Hu ZH, Lin YW, Xu X, et al (2013). No association between tea consumption and risk of renal cell carcinoma: a meta-analysis of epidemiological studies. <i>Asian Pac J Cancer Prev</i> , 14(3): 1691-5.

63387	Huang CY, Chu JS, Pu YS, Yang HY et al (2011). Effect of Urinary total arsenic level and estimated glomerular filtration rate on the risk of renal cell carcinoma in a low arsenic exposure area. <i>J Urol</i> , 185(6): 2040-4.
TBA	Huang HB, Jiang SC, Han J, et al (2014). A systematic review of the epidemiological literature on the risk of urological cancers in systemic lupus erythematosus. <i>J Cancer Res Clin Oncol</i> , 140(7): 1067-73.
TBA	Huang RY, Hsieh KP, Huang WW, et al (2016). Use of lithium and cancer risk in patients with bipolar disorder: population-based cohort study. <i>Br J Psychiatry</i> , 209(5):393-9.
TBA	Huang TB, Ding PP, Chen JF, et al (2014). Dietary fiber intake and risk of renal cell carcinoma: evidence from a meta-analysis. <i>Med Oncol</i> , 31(8):125.
97571	Huang W, Shi H, Hou Q, et al (2015). GSTM1 and GSTT1 polymorphisms contribute to renal cell carcinoma risk: evidence from an updated meta-analysis. <i>Sci Rep</i> , 5: 17971.
63429	Hunt JD, van der Hel O, McMillan GP, et al (2005). Renal cell carcinoma in relation to cigarette smoking: meta-analysis of 24 studies. <i>Int J Cancer</i> , 114(1): 101-8.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>Br J Cancer</i> , 109(7): 1989-96.
63386	Hurst FP, Jindal RM, Fletcher JJ, et al (2011). Incidence, predictors and associated outcomes of renal cell carcinoma in long-term dialysis patients. <i>J Urol</i> , 77(6): 1271-6.
63388	Hurst FP, Jindal RM, Graham LJ, et al (2010). Incidence, predictors, costs, and outcome of renal cell carcinoma after kidney transplantation: USRDS Experience. <i>Transplantation</i> , 90(8): 898-904.
22741	IARC Working Group (1987). Phenacetin (Group 2A) and analgesic mixture containing phenacetin (Group 1). IARC Monographs, Suppl 7: 310. World Health Organization, International Agency for Research on Cancer, Lyon France.
65076	IARC working group (1991). Occupational exposures in spraying and application of insecticides. IARC, 53 Section: Insecticides: 45-92. IARC Press, Lyon.
TBA	IARC Working Group (1996). Printing processes and printing inks, carbon black and some nitro compounds. Printing processes and printing inks. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 65: 33-147. World Health Organization, International Agency for Research on Cancer, Lyon France.
65089	IARC working group (1999). Part 2: Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Chapter: Other compounds reviewed in plenary sessions. Section: Polychlorophenols and their sodium salts. IARC, 71: 769-816. IARC Press, Lyon.
60195	IARC Working Group (2010). Painting, Firefighting, and Shiftwork. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 98. World Health Organization, International Agency for Research on Cancer, Lyon France.
60701	IARC Working Group (2010). Some non-heterocyclic polycyclic aromatic hydrocarbons and some related exposures. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 92. World Health Organization, International Agency for Research on Cancer, Lyon France.
64993	IARC Working Group (2012). 2,3,7,8-tetrachlorodibenzo-para-dioxin, 2,3,4,7,8-pentachlorodibenzofuran, and 3,3',4,4',5-pentachlorobiphenyl. Vol 100F: 339-78. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-27.pdf
64999	IARC Working Group (2012). Arsenic and arsenic compounds. Vol 100C: 41-93. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100C/mono100C-6.pdf

67127	IARC Working Group (2012). Arsenic, metals, fibres, and dusts. Arsenic and arsenic compounds IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100C: 41-94. World Health Organization, International Agency for Research on Cancer, Lyon France.
69414	IARC Working Group (2012). Arsenic, metals, fibres, and dusts. Asbestos (chrysotile, amosite, crocidolite, tremolite, actinolite, and anthophyllite). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100C: 219-310. World Health Organization, International Agency for Research on Cancer, Lyon France.
69411	IARC Working Group (2012). Arsenic, metals, fibres, and dusts. Cadmium and cadmium compounds. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100C: 121-146. World Health Organization, International Agency for Research on Cancer, Lyon France.
65001	IARC Working Group (2012). Asbestos (chrysotile, amosite, crocidolite, tremolite, actinolite, and anthophyllite). Vol 100C: 219-309. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100C/mono100C-11.pdf
64401	IARC Working Group (2012). Benzo[a]pyrene. Vol 100F: 111-44. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-14.pdf
65079	IARC Working Group (2012). Biological agents. Chapter: Human immunodeficiency virus. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100 Part B: 215-53. World Health Organization International Agency for Research on Cancer. Lyon France.
TBA	IARC Working Group (2012). Biological Agents. Hepatitis B virus. IARC Monographs, Vol 100B: 93-133. IARC Press, Lyon, France.
TBA	IARC Working Group (2012). Biological Agents. Hepatitis C virus. IARC Monographs, Vol 100B: 135-68. IARC Press, Lyon, France.
65000	IARC Working Group (2012). Cadmium and cadmium compounds. Vol 100C: 121-45. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100C/mono100C-8.pdf
65090	IARC Working Group (2012). Chemical agents and related occupations. Magenta and magenta production. IARC Monographs, 100F: 105-110. IARC Press, Lyon.
65087	IARC working group (2012). Chemical agents and related occupations. Benzo[a]pyrene. IARC Monographs, 100F: 111-44. IARC Press, Lyon.
65086	IARC working group (2012). Chemical agents and related occupations. Vinyl chloride. IARC Monographs, 100F: 451-78. IARC Press, Lyon.
64766	IARC Working group (2012). Chemical agents and related occupations: Benzene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F: 249-94. World Health Organization International Agency for Research on Cancer. Lyon France.
65085	IARC working group (2012). Chemical agents and related occupations. Benzidine. IARC Monographs, 100F: 53-63. IARC Press, Lyon.
65081	IARC working group (2012). Chemical agents and related occupations. Ortho-toluidine. IARC Monographs, 100F: 93-100. IARC Press, Lyon.
65083	IARC working group (2012). Chemical agents and related occupations. Dyes metabolised to benzidine. IARC Monographs, 100F: 65-72. IARC Press, Lyon.
65084	IARC working group (2012). Chemical agents and related occupations. 2-Naphthylamine. IARC Monographs, 100F: 83-92. IARC Press, Lyon.
65080	IARC working group (2012). Chemical agents and related occupations. Auramine and auramine production. IARC Monographs, 100F: 101-10. IARC Press, Lyon.
TBA	IARC Working Group (2012). Chemical agents and related occupations. Occupational exposure as a painter. IARC Monographs on the Evaluation of

	Carcinogenic Risks to Humans. 100F: 509-539. World Health Organization, International Agency for research on Cancer, Lyon France.
TBA	IARC Working Group (2012). Chemical agents and related occupations. Silica dust, crystalline, in the form of quartz or cristobalite. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100F: 355-406. World Health Organization, International Agency for research on Cancer, Lyon France.
65004	IARC Working Group (2012). Ciclosporin. Vol 100A: 339-47. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100A/mono100A-22.pdf
64986	IARC Working Group (2012). Coal gasification. Vol 100F: 145-52. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-15.pdf
64988	IARC Working Group (2012). Coal-tar pitch. Vol 100F: 161-6. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-17.pdf
64989	IARC Working Group (2012). Coke production. Vol 100F: 167-78. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-18.pdf
65002	IARC Working Group (2012). Combined estrogen-progestogen contraceptives. Vol 100A: 251-85. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100A/mono100A-18.pdf
65003	IARC Working Group (2012). Combined estrogen-progestogen menopausal therapy. Vol 100A: 287-320. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100A/mono100A-19.pdf
65078	IARC working group (2012). Estrogen-only menopausal therapy. IARC Monographs, 100A: 219-47. IARC Press, Lyon.
64997	IARC Working Group (2012). Internalized a-particle emitting radionuclides. Vol 100D: 241-83. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100D/mono100D-9.pdf
64998	IARC Working Group (2012). Internalized b-particle emitting radionuclides. Vol 100D: 285-303. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100D/mono100D-10.pdf
64990	IARC Working Group (2012). Mineral oils, untreated or mildly treated. Vol 100F: 179-96. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-19.pdf
64995	IARC Working Group (2012). Occupational exposure as a painter. Vol 100F: 509-39. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-35.pdf
64992	IARC Working Group (2012). Occupational exposures during aluminium production. Vol 100F: 215-24. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-22.pdf
64987	IARC Working Group (2012). Occupational exposures during coal-tar distillation. Vol 100F: 153-60. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-16.pdf
64994	IARC Working Group (2012). Occupational exposures during iron and steel founding. Vol 100F: 497-508. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-34.pdf
65077	IARC Working group (2012). Painting, firefighting, and shiftwork. Second-hand tobacco smoke. IARC Monographs, 100E: 213-63. IARC Press, Lyon.
TBA	IARC Working Group (2012). Personal Habits and indoor combustions. Tobacco smoking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100E: 43-214. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2012). Personal Habits and indoor combustions. Second-hand tobacco smoke. IARC Monographs on the Evaluation of

	Carcinogenic Risks to Humans. 100E: 213-263. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2012). Personal Habits and indoor combustions. Smokeless tobacco. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100E: 265-318. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2012). Personal Habits and indoor combustions. Betel quid and areca nut. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100E: 333-372. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2012). Pharmaceuticals. Ciclosporin. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100(F): 337-345. World Health Organization, International Agency for research on Cancer, Lyon France.
TBA	IARC Working Group (2012). Pharmaceuticals. Plants containing aristolochic. IARC Monographs, Vol 100A: 347-361. IARC Press, Lyon, France.
65005	IARC Working Group (2012). Phenacetin. Vol 100A: 379-400. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100A/mono100A-25.pdf
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
TBA	IARC Working Group (2012). Radiation. Internalized alpha-particle emitting radionuclides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100(D): 241-284. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2012). Radiation. Internalized beta-particle emitting radionuclides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100(D): 285-304. World Health Organization, International Agency for Research on Cancer, Lyon France.
64996	IARC Working Group (2012). Radiation. Part D: X- and y-radiation. Vol 100: 103-229. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100D/mono100D-7.pdf
TBA	IARC Working Group (2012). Radiation. X- and y-radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 100(D): 103-130. World Health Organization, International Agency for Research on Cancer, Lyon France.
64991	IARC Working Group (2012). Soot, as found in occupational exposure of chimney-sweeps. Vol 100F: 209-14. Retrieved 12 September 2012, from http://monographs.iarc.fr/ENG/Monographs/vol100F/mono100F-21.pdf
TBA	IARC Working Group (2014). Bitumens and bitumen emissions and some N- and S-heterocyclic polycyclic aromatic hydrocarbons. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 103. World Health Organization, International Agency for research on Cancer, Lyon France.
TBA	IARC Working Group (2014). Diesel and gasoline engine exhausts and some nitroarenes. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 105. World Health Organization, International Agency for research on Cancer, Lyon France.
TBA	IARC Working Group (2014). Trichloroethylene, tetrachloroethylene, and some chlorinated agents. Tetrachloroethylene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 106: 219-352. World Health Organization, International Agency for research on Cancer, Lyon France.
TBA	IARC Working Group (2014). Trichloroethylene, tetrachloroethylene, and some other chlorinated solvents. Trichloroethylene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 106: 35-218. World Health Organization, International Agency for Research on Cancer, Lyon France.

TBA	IARC Working Group (2015). Outdoor air pollution. Evaluation of Carcinogenic Risks to Humans. 109. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2015). Polychlorinated and polybrominated biphenyls. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 107. World Health Organization, International Agency for research on Cancer, Lyon France.
TBA	IARC Working Group (2015). Some drugs and herbal products. Hydrochlorothiazide. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 108: 285-318. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2015). Some drugs and herbal products. Triamterene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 108: 263-284. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2016). Some chemicals used as solvents and in polymer manufacture. Perfluorooctanoic acid. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 110: 37-110. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2017). Some chemicals used as solvents and in polymer manufacture. Methylene chloride. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 110: 177-255. World Health Organization, International Agency for research on Cancer, Lyon France.
TBA	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Diazinon. Evaluation of Carcinogenic Risks to Humans. 112:223-319. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Malathion. Evaluation of Carcinogenic Risks to Humans. 112:36-159. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Parathion. Evaluation of Carcinogenic Risks to Humans. 112:160-222. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Tetrachlorvinphos. Evaluation of Carcinogenic Risks to Humans. 112:413-449. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Glyphosate. Evaluation of Carcinogenic Risks to Humans. 112:321-412. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2018). Absence of excess bodyweight. IARC Handbook of Cancer Prevention 16: 382-397. World Health Organization, International Agency for Research on Cancer, Lyon France.
TBA	IARC Working Group (2018). Benzene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 120. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2018). DDT, lindane and 2,4-D. 2,4-D. Evaluation of Carcinogenic Risks to Humans. 113:373-498. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2018). DDT, lindane and 2,4-D. DDT. Evaluation of Carcinogenic Risks to Humans. 113:37-266. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2018). DDT, lindane and 2,4-D. Lindane. Evaluation of Carcinogenic Risks to Humans. 113:267-372. World Health Organization, International Agency for Research on cancer, Lyon France.

TBA	IARC Working Group (2018). Drinking coffee, mate and some very hot beverages. Drinking coffee. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 116: 36-426. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2018). Red meat and processed meat. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 114. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2018). Welding, molybdenum trioxide, and indium tin oxide. Welding. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 118: 36-266. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2019). Pentachlorophenol and some related compounds. Pentachlorophenol. Evaluation of Carcinogenic Risks to Humans. 117:33-140. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2019). Pentachlorophenol and some related compounds. 2,4,6-Trichlorophenol. Evaluation of Carcinogenic Risks to Humans. 117:141-168. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2019). Pentachlorophenol and some related compounds. Aldrin and dieldrin. Evaluation of Carcinogenic Risks to Humans. 117:193-322. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2019). Some chemicals that cause tumours of the urinary tract in rodents. Evaluation of Carcinogenic Risks to Humans. 119. World Health Organization, International Agency for Research on cancer, Lyon France.
TBA	IARC Working Group (2019). Styrene and styrene-7,8-oxide. Evaluation of Carcinogenic Risks to Humans. 121:77-296. World Health Organization, International Agency for Research on cancer, Lyon France.
65082	IARC working groups (2012). Chemical agents and related occupation. 4-aminobiphenyl. IARC Monographs, 100F: 41-52. IARC Press, Lyon.
85893	Ide CW (2014). Cancer incidence and mortality in serving whole-time Scottish firefighters 1984-2005. <i>Occup Med (Lond)</i> , 64(6): 421-7.
TBA	Ihira H, Sawada N, Yamaji T, et al (2019). Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. <i>Br J Cancer</i> , 120(5): 571-4.
64874	Ilychova SA, Zaridze DG (2012). Cancer mortality among female and male workers occupationally exposed to inorganic lead in the printing industry. <i>Occup Environ Med</i> , 69(2): 87-92.
TBA	Inamoto Y, Shah NN, Savani BN, et al (2015). Secondary solid cancer screening following hematopoietic cell transplantation. <i>Bone Marrow Transplant</i> , 50(8): 1013-23.
63923	Inoue M, Iwasaki M, Otani T, et al (2006). Diabetes mellitus and the renal cancer. <i>Arch Intern Med</i> , 166(17): 1871-7.
29491	Institute of Medicine (2001). Committee to review the health effects in Vietnam of exposure to herbicides. <i>Veterans and Agent Orange: Update 2000, 3rd Biennial Update</i> , The National Academic Press, Washington DC.
31027	Institute of Medicine (IOM) (2003). Insecticides and solvents. <i>Gulf War and Health, Vol 2</i> . National Academies Press - Washington, DC.
37570	Institute of Medicine (US) (2005). Fuels, combustion products, and propellants. <i>Gulf War and Health, Vol 3</i> . National Academies Press (Washington, DC).

37568	International Agency for Research on Cancer (2002). Some traditional herbal medicines, some mycotoxins, naphthalene and styrene. IARC Monographs, Vol 82. IARC Press, Lyon, France.
80754	International Atomic Energy Agency (undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. Journal of the ICRU, Report 86, 11(2): 33-8.
65031	International Programme on Chemical Safety (IPCS) (2006). Tetrachloroethene No: 68. Concise International Chemical Assessment Document. World Health Organization.
3380	Ishikawa I (1992). Acquired renal cystic disease and its complications in continuous ambulatory peritoneal dialysis patients. Perit Dial Int, 12(3): 292-7.
3381	Ishikawa I (1993). Renal cell carcinoma in chronic hemodialysis patients - a 1990 questionnaire study in Japan. Kidney Int Suppl, 43(Suppl 41): S167-9.
22282	Ishikawa I (1999). Renal cell carcinomas in patients on long-term hemodialysis. Contrib Nephrol, 128: 28-44.
63694	Ishikawa I (2004). Present status of renal cell carcinoma in dialysis patients in Japan: Questionnaire study in 2002. Nephron Clin Pract, 97(1): c11-6.
3382	Ishikawa I, Ishii H, Shinoda A, et al (1991). Renal cell carcinoma of the native kidney after renal transplantation. A case report and review of the literature. Nephron, 58(3): 354-8.
3383	Ishikawa I, Kovacs G (1993). High incidence of papillary renal cell tumours in patients on chronic haemodialysis. Histopathology, 22(2): 135-9.
3384	Ishikawa I, Saito Y, Shikura N, et al (1990). Ten-year prospective study on the development of renal cell carcinoma in dialysis patients. Am J Kidney Dis, 16(5): 452-8.
TBA	Iwatsubo Y, Benezet L, Boutou-Kempf O, et al (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? Occup Environ Med, 71(1): 4-11.
91442	Jalilian H, Ziaei M, Weiderpass E, et al (2019). Cancer incidence and mortality among firefighters. Int J Cancer, 145(10): 2639-46.
TBA	Jargin SV (2015). Renal cell carcinoma after chernobyl: on the role of radiation vs. late detection. Pathol Oncol Res, 21(3):845-6.
TBA	Jelakovic B, Castells X, Tomic K, et al (2015). Renal cell carcinomas of chronic kidney disease patients harbor the mutational signature of carcinogenic aristolochic acid. Int J Cancer, 136(12): 2967-72.
3435	Jelfs P, Giles G, Shugg D, et al (1994). Cancer in Australia 1986-1988: 9. AIHW (Canberra).
3440	Jensen OM, Knudsen JB, McLaughlin JK, et al (1988). The Copenhagen case-control study of renal pelvis and ureter cancer: role of smoking and occupational exposures. Int J Cancer, 41(4): 557-61.
TBA	Jhuang JR, Chiang CJ, Su SY, et al (2019). Reduction in the incidence of urological cancers after the ban on Chinese herbal products containing aristolochic acid: an interrupted time-series analysis. Sci Rep, 9(1): 19860.
63389	Joh HK, Willett WC, Cho E (2011). Type 2 diabetes and the risk of renal cell cancer in women. Diabetes Care, 34(7): 1552-6.
TBA	Johansson M, Carreras-Torres R, Scelo G, et al (2019). The influence of obesity-related factors in the etiology of renal cell carcinoma-A mendelian randomization study. PLoS Med, 16(1): e1002724.
57306	Jones DR, Sutton AJ, Abrams KR, et al (2009). Systemic review and meta-analysis of mortality in crop protection product manufacturing workers. Occup Environ Med, 66(1): 7-15.
59726	Jones R, Barone-Adesi F, Koutors S, et al (2015). Incidence of solid tumors among pesticide applicators exposed to the organophosphate insecticide

	diazinon in the Agricultural Health Study: an updated analysis. <i>Occup Environ Med</i> 72(7): 496-503.
TBA	Kabaria R, Klaassen Z, Terris MK (2016). Renal cell carcinoma: links and risks. <i>Int J Nephrol Renovasc Dis</i> , 9:45-52.
63331	Kabat GC, Silvera SA, Miller AB, et al (2007). A cohort study of reproductive and hormonal factors and renal cell cancer risk in women. <i>Br J Cancer</i> , 96(5): 845-9.
TBA	Kabat GC, Xue X, Kamensky V, et al (2015). Risk of breast, endometrial, colorectal, and renal cancers in postmenopausal women in association with a body shape index and other anthropometric measures. <i>Cancer Causes Control</i> , 26(2):219-29.
TBA	Kabra A, Gelfond J, Liss MA (2018). Hormonal manipulation with finasteride or oral contraception does not influence incidence of renal cell carcinoma. <i>Eur J Cancer Prev</i> , 27(5): 449-52.
3336	Kadamani S, Asal N, Nelson R (1989). Occupational hydrocarbon exposure and risk of renal cell carcinoma. <i>Am J Ind Med</i> , 15(2): 131-41.
TBA	Kamiza AB, Su FH, Wang WC, et al (2016). Chronic hepatitis infection is associated with extrahepatic cancer development: a nationwide population-based study in Taiwan. <i>BMC Cancer</i> , 16(1): 861.
50306	Kang D, Davis LK, Hunt P, et al (2008) Cancer incidence among male Massachusetts fire-fighters, 1987-2003. <i>Am J Ind Med.</i> ; 51(5):329-35.
59931	Kang D, Park SK, Beane-Freeman L, et al (2008). Cancer incidence among pesticide applicators exposed to trifluralin in the Agricultural Health Study. <i>Environ Res</i> , 107(2): 271-6.
TBA	Kang M, Ku JH, Kwak C, et al (2018). Effects of aspirin, nonsteroidal anti-inflammatory drugs, statin, and COX2 inhibitor on the developments of urological malignancies: A population-based study with 10-Year follow-up data in Korea. <i>Cancer Res Treat</i> 50(3): 984-91.
63391	Karamai S, Boffetta P, Brennan P, et al (2011). Renal cancer risk and occupational exposure to polycyclic aromatic hydrocarbons and plastics. <i>J Occup Environ Med</i> , 53(2): 218-23.
63390	Karami S, Boffetta P, Stewart PS, et al (2011). Occupational exposure to dust and risk of renal cell carcinoma. <i>Br J Cancer</i> , 104(11): 1797-803.
97604	Karami S, Daugherty SE, Purdue MP (2014). Hysterectomy and kidney cancer risk: a meta-analysis. <i>Int J Cancer</i> , 134(2): 405-10.
TBA	Karami S, Daugherty SE, Purdue MP (2015). A prospective study of alcohol consumption and renal cell carcinoma risk. <i>Int J Cancer</i> , 137(1): 238-42.
97580	Karami S, Daughtery SE, Schwartz K, et al (2016). Analgesic use and risk of renal cell carcinoma: A case-control, cohort and meta-analytic assessment. <i>Int J Cancer</i> , 139(3): 584-92.
97602	Karami S, Lan Q, Rothman N, et al (2012). Occupational trichloroethylene exposure and kidney cancer risk: a meta-analysis. <i>Occup Environ Med</i> , 69(12):858-67.
TBA	Karami S, Yanik EL, Moore LE, et al (2016). Risk of renal cell carcinoma among kidney transplant recipients in the United States. <i>Am J Transplant</i> , 16(12):3479-89.
3337	Katz RM, Jowett D (1981). Female laundry and dry cleaning workers in Wisconsin: a mortality analysis. <i>Am J Public Health</i> , 71(3): 305-7.
63490	Kelsh MA, Alexander DD, Mink PJ, et al (2010). Occupational trichloroethylene exposure and kidney cancer: A meta-analysis. <i>Epidemiology</i> , 21(1): 95-102.
TBA	Kessing LV, Gerds TA, Feldt-Rasmussen B, et al (2015). Lithium and renal and upper urinary tract tumors - results from a nationwide population-based study. <i>Bipolar Disord</i> , 17(8): 805-13.
75117	Keum N, Greenwood DC, Lee DH, et al (2015). Adult weight gain and adiposity-related cancers: a dose-response meta-analysis of prospective observational studies. <i>J Natl Can Inst</i> , 107(2): djv088.

63450	Khurana V, Caldito G, Ankem M (2008). Statins might reduce risk of renal cell carcinoma in humans: Case-control study of 500,00 veterans. <i>Urology</i> , 71(1): 118-22.
89543	Kim AS, Ko HJ, Kwon JH, et al (2018). Exposure to secondhand smoke and risk of cancer in never smokers: A meta-analysis of epidemiologic studies. <i>Int J Environ Res Public Health</i> , 15(9): E1981.
72927	Kim C, Bi X, Pan D, et al (2013). The risk of second cancers after diagnosis of primary thyroid cancer is elevated in thyroid microcarcinomas. <i>Thyroid</i> , 23(5): 575-82.
91891	Kim HB, Shim JY, Park B, et al (2018). Long-term exposure to air pollutants and cancer mortality: a meta-analysis of cohort studies. <i>Int J Environ Res Public Health</i> , 15(11): 2608.
TBA	Kim MG, Ryoo JH, Chang SJ, et al (2015). Blood lead levels and cause-specific mortality of inorganic lead-exposed workers in South Korea. <i>PLoS One</i> , 10(10): e0140360.
63392	Klatte T and Marberger M (2011). Renal cell carcinoma of native kidneys in renal transplant patients. <i>Curr Opin Urol</i> , 21(5): 376-9.
TBA	Kleine-Dopke D, Oelke M, Schwarz A, et al (2018). Renal cell cancer after kidney transplantation. <i>Langenbecks Arch Surg</i> , 403(5): 631-41.
63492	Klinghoffer Z, Yang B, Kapoor A, et al (2009). Obesity and renal cell carcinoma: epidemiology, underlying mechanisms and management considerations. <i>Expert Rev Anticancer Ther</i> , 9(7): 975-87.
20137	Kogevinas M, Becher H, Benn T, et al (1997). Cancer mortality in workers exposed to phenoxy herbicides, chlorophenols, and dioxins. An expanded and updated international cohort study. <i>Am J Epidemiol</i> , 145(2): 1061-75.
63430	Kojima Y, Takahara S, Miyake O, et al (2006). Renal cell carcinoma in dialysis patients: a single center experience. <i>Int J Urol</i> , 13(8): 1045-8.
3338	Kolonel LN (1976). Association of cadmium with renal cancer. <i>Am J Med</i> , 37(4): 1782-7.
TBA	Kompotiatis P, Thongprayoon C, Manohar S, et al (2019). Association between urologic malignancies and end-stage renal disease: A meta-analysis. <i>Nephrology (Carlton)</i> , 24(1):65-73.
63466	Koutros S, Alavanja MC, Lubin JH, et al (2010). An update of cancer incidence in the Agricultural Health Study. <i>J Occup Environ Med</i> , 52(11): 1098-105.
58802	Koutros S, Lynch CF, Ma X, et al (2009). Heterocyclic aromatic amine pesticide use and human cancer risk: results from the U.S. Agricultural Health Study. <i>Int J Cancer</i> , 124(5): 1206-12.
14985	Kranenborg MH, Boerman OC, Oosterwijk-Wakka JC, et al (1997). Two-step radio-immunotargeting of renal-cell carcinoma xenografts in nude mice with anti-renal-cell-carcinoma x anti-DTPA bispecific monoclonal antibodies. <i>Int J Cancer</i> , 75(1): 74-80.
3385	Kreiger N, Marrett LD, Dodds L, et al (1993). Risk factors for renal cell carcinoma: results of a population-based case-control study. <i>Cancer Causes Control</i> , 4(2): 101-10.
56146	Kross BC, Burmeister LF, Ogilvie LK, et al (1996). Proportionate mortality study of golf course superintendents. <i>Am J Ind Med</i> , 29(5): 501-6.
89715	Kullberg C, Andersson T, Gustavsson P, et al (2018). Cancer incidence in Stockholm firefighters 1958-2012: an updated cohort study. <i>Int Arch Occup Environ Health</i> . 91(3):285-91.
65028	Kumar V, Abbas AK, Fausto N (2005). Malignant tumours: Renal cell carcinoma. <i>Robbins and Cotran Pathologic Basis of Disease</i> , Chapter 20: 1016-8. Elsevier Saunders.
22850	Kurttio P, Pukkala E, Kahelin H, et al (1999). Arsenic concentrations in well water and risk of bladder and kidney cancer in Finland. <i>Environ Health Perspect</i> , 107(9): 705-10.

80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
3340	La Vecchia C; Negri E; D'Avanzo B; et al (1990). Smoking and renal cell carcinoma. <i>Cancer Res</i> , 50(17): 5231-3.
TBA	Laaksonen MA, MacInnis RJ, Canfell K, et al (2020). The future burden of kidney and bladder cancers preventable by behavior modification in Australia: A pooled cohort study. <i>Int J Cancer</i> , 146(3):874-83.
63444	Laber DA (2006). Risk factors, classification, and staging of renal cell cancer. <i>Med Oncol</i> , 23(4): 443-54.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
TBA	Landberg A, Falt A, Montgomery S, et al (2019). Overweight and obesity during adolescence increases the risk of renal cell carcinoma. <i>Int J Cancer</i> , 145(5):1232-7.
58798	Landgren O, Kyle RA, Hoppin JA, et al (2009). Pesticide exposure and risk of monoclonal gammopathy of undetermined significance in the Agricultural Health Study. <i>Blood</i> , 113(25): 6386-91.
22849	Lash LH, Parker JC, Scott CS (2000). Modes of action of trichloroethylene for kidney tumorigenesis. <i>Environ Health Perspect</i> , 108 (Suppl 2): 225-40.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35(4): 891-909.
TBA	Lee DJ, Koru-Sengul T, Hernandez MN, et al (2020). Cancer risk among career male and female Florida firefighters: Evidence from the Florida Firefighter Cancer Registry (1981-2014). <i>Am J Ind Med</i> , 63(4): 285-99.
22247	Lee IM, Hennekens CH (1999). Diuretics and renal cell carcinoma. <i>Am J Cardiol</i> , 83(7): 1094.
63393	Lee JE, Hankinson SE, Cho E (2009). Reproductive factors and risk of renal cell cancer. <i>Am J Epidemiol</i> , 169(10): 1243-50.
63445	Lee JE, Hunter DJ, Spiedelman D, et al (2007). Intakes of coffee, tea, milk, soda and juice and renal cell cancer in a pooled analysis of 13 prospective studies. <i>Int J Cancer</i> , 121(10): 2246-53.
63326	Lee JE, Hunter DJ, Spiegelman D, et al (2007). Alcohol intake and renal cell cancer in a pooled analysis of 12 prospective studies. <i>J Natl Cancer Inst</i> , 99(10): 801-10.
63413	Lee JE, Mannisto S, Spiegelman D, et al (2009). Intakes of fruit, vegetables, and carotenoids and renal cell cancer risk: A pooled analysis of 12 prospective studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(6): 1730-9.
63416	Lee JE, Spiegelman D, Hunter DJ, Albanes D et al (2008). Fat, protein, and meat consumption and renal cell cancer risk: a pooled analysis of 12 prospective studies. <i>J Natl Cancer Inst</i> , 100(23): 1695-706.
91892	Lee P, Thornton A, Hamling J (2016). Epidemiological evidence on environmental tobacco smoke and cancers other than lung or breast. <i>Regul Toxicol Pharmacol</i> , 80: 134-63.
50628	LeMasters GK, Genaidy AM, Succop P, et al (2006). Cancer risk among firefighters: a review and meta-analysis of 32 studies. <i>J Occup Environ Med</i> , 48(11): 1189-202.
91991	Lerro CC, Koutros S, Andreotti G, et al (2019). Cancer incidence in the Agricultural Health Study after 20 years of follow-up. <i>Cancer Causes Control</i> , 30(4): 311-22.
63394	Leveridge M, Musquera M, Evans A, et al (2011). Renal cell carcinoma in the native and allograft kidneys of renal transplant recipients. <i>J Urol</i> , 186(1): 219-23.

3386	Levine E, Slusher SL, Grantham JJ, et al (1991). Natural history of acquired renal cystic disease in dialysis patients: a prospective longitudinal CT study. <i>AJR Am J Roentgenol</i> , 156(3): 501-6.
3387	Levine LA, Gburek BM (1994). Acquired cystic disease and renal adenocarcinoma following renal transplantation. <i>J Urol</i> , 151(1): 129-32.
63330	Lew JQ, Chow WH, Hollenbeck AR, et al (2011). Alcohol consumption and risk of renal cell cancer: the NIH-AARP diet and health study. <i>Br J Cancer</i> , 104(3): 537-41.
90974	Li J, Brackbill R, Liao T, et al (2016). Ten-year cancer incidence in rescue/recovery workers and civilians exposed to the September 11, 2001 terrorist attacks on the World Trade Center. <i>Am J Ind Med</i> 59(9): 709-21.
91287	Li MC, Chen PC, Tsai PC, et al (2015). Mortality after exposure to polychlorinated biphenyls and polychlorinated dibenzofurans: A meta-analysis of two highly exposed cohorts. <i>Int J Cancer</i> , 137(6): 1427-32.
22283	Li MK, Choy DKS, Yip SK (1999). Renal cell carcinoma in patients with chronic renal failure. <i>Ann Acad Med Singap</i> , 28(4): 512-5.
63395	Liang JA, Sun LM, Yeh JJ, et al (2011). The association between malignancy and end-stage renal disease in Taiwan. <i>Jpn J Clin Oncol</i> , 41(6): 752-7.
76686	Liao LM, Friesen MC, Xiang YB, et al (2015). Occupational lead exposure and associations with selected cancers: the Shanghai men's and women's health study cohorts. <i>Environ Health Perspect</i> , 124(1): 97-103.
22231	Liaw KL, Linet MS, McLaughlin JK, et al (1997). Possible relation between hypertension and cancers of the renal pelvis and ureter. <i>Int J Cancer</i> , 70(3): 265-8.
TBA	Licht RW, Grabenhenrich LB, Nielsen RE, et al (2014). Lithium and renal tumors: a critical comment to the report by Zaidan et al. <i>Kidney Int</i> , 86(4): 857.
TBA	Lin CL, Huang WT, Fan WC, et al (2016). Associations between interventions for urolithiasis and urinary tract cancer among patients in Taiwan. <i>Medicine (Baltimore)</i> 95(49): e5594.
TBA	Lin YS, Yeh CC, Lin YC, et al (2017). Kidney cancer linked to chronic hepatitis in the Asia-Pacific: A population-based analysis. <i>Am J Nephrol</i> , 45(1): 22-31.
3388	Linblad P, McLaughlin JK, Mellemegaard A, et al (1993). Risk of kidney cancer among patients using analgesics and diuretics: A population-based cohort study. <i>Int J Cancer</i> , 55(1): 5-9.
3389	Linblad P, Mellemegaard A, Schlehofer B, et al (1995). International renal-cell cancers study. V. reproductive factors, gynaecological operations and exogenous hormones. <i>Int J Cancer</i> , 61(2): 192-8.
22227	Lindblad P, Chow WH, Chan J, et al (1999). The role of diabetes mellitus in the aetiology of renal cell cancer. <i>Diabetologia</i> , 42(1): 107-12.
63922	Lindblad P, Wolk A, Bergstrom, et al (1994). The role of obesity and weight fluctuations in the etiology of renal cell cancer: A population-based case-control study. <i>Cancer Epidemiol Biomarkers Prev</i> , 3(8): 631-9.
22401	Lip GY, Ferner RE (1999). Diuretic therapy for hypertension: a cancer risk? <i>J Hum Hypertens</i> , 13(7): 421-23.
64376	Lipworth L, Sonderman JS, Mumma MT, et al (2011). Cancer mortality among aircraft manufacturing workers. An extended follow-up. <i>J Occup Environ Med</i> , 53(9): 992-1007.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2(4): 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46(4): 299-310.

TBA	Liu B, Mao Q, Wang X, et al (2013). Cruciferous vegetables consumption and risk of renal cell carcinoma: a meta-analysis. <i>Nutr Cancer</i> , 65(5):668-76.
TBA	Liu H, Wang XC, Hu GH, et al (2014). Oral contraceptive use and kidney cancer risk among women: evidence from a meta-analysis. <i>Int J Clin Exp Med</i> , 7(11): 3954-63.
TBA	Liu W, Park Y, Purdue MP, et al (2013). A large cohort study of nonsteroidal anti-inflammatory drugs and renal cell carcinoma incidence in the National Institutes of Health-AARP Diet and Health Study. <i>Cancer Causes Control</i> , 24(10):1865-73.
97581	Liu X, Peveri G, Bosetti C, et al (2019). Dose-response relationships between cigarette smoking and kidney cancer: A systematic review and meta-analysis. <i>Crit Rev Oncol Hematol</i> , 142: 86-93.
97582	Liu X, Sun Q, Hou H, et al (2018). The association between BMI and kidney cancer risk: An updated dose-response meta-analysis in accordance with PRISMA guideline. <i>Medicine (Baltimore)</i> , 97(44): e12860.
63396	Ljungberg B, Campbell SC, Cho HY. et al (2011). The epidemiology of renal cell carcinoma. <i>Eur Urol</i> , 60(4): 615-21.
60049	Lohi J, Kyyronen P, Kauppinen T, et al (2008). Occupational exposure to solvents and gasoline and risk of cancers in the urinary tract among Finnish workers. <i>Am J Ind Med</i> , 51(9): 668-72.
TBA	Loomis D, Guha N, Kogevinas M, et al (2019). Cancer mortality in an international cohort of reinforced plastics workers exposed to styrene: a reanalysis. <i>Occup Environ Med</i> , 76(3): 157-62.
57352	Lope V, Perez-Gomez B, Aragonés N, et al (2008). Occupation, exposure to chemicals, sensitizing agents, and risk of multiple myeloma in Sweden. <i>Cancer Epidemiol Biomarkers Prev</i> , 17(11): 3123-7.
3339	Lornoy W, Because I, de Vleeschouwer M, et al (1986). Renal cell carcinoma, a new complication of analgesic nephropathy. <i>Lancet</i> , 327(8492): 1271-2.
TBA	Louis L, Lerro C, Friesen M, et al (2017). A prospective study of cancer risk among Agricultural Health Study farm spouses associated with personal use of organochlorine insecticides. <i>Environ Health</i> 16(1): 95.
97583	Lowrance WT, Ordonez J, Udaltsova N, et al (2014). CKD and the risk of incident cancer. <i>J Am Soc Nephrol</i> , 25(10): 2327-34.
TBA	Luberto F, Ferrante D, Silvestri S, et al (2019). Cumulative asbestos exposure and mortality from asbestos related diseases in a pooled analysis of 21 asbestos cement cohorts in Italy. <i>Environ Health</i> , 18(1):71.
79864	Lundin JI, Alexander BH, Olsen GW, et al (2009). Ammonium perfluorooctanoate production and occupational mortality. <i>Epidemiology</i> , 20(6): 921-8.
63446	Luo J, Margolis KL, Adami HO, et al (2007). Body size, weight cycling, and risk of renal cell carcinoma among postmenopausal women: The women's health initiative (United States). <i>Am J Epidemiol</i> , 166(7): 752-9.
58799	Lynch SM, Mahajan R, Beane Freeman LE, et al (2009). Cancer incidence among pesticide applicators exposed to butylate in the Agricultural Health Study (AHS). <i>Environ Res</i> , 109(7): 860-8.
42462	Lynge E, Andersen A, Rylander L, et al (2006). Cancer in persons working in dry cleaning in the Nordic countries. <i>Environ Health Perspect</i> , 114(2): 213-9.
64397	Ma J, Lessner L, Schreiber J, et al (2009). Association between residential proximity to PERC dry cleaning establishments and kidney disease in New York City. <i>J Environ Public Health</i> , 2009: 183920.
56151	Macfarlane E, Benke G, Del Monaco A, et al (2010). Causes of death and incidence of cancer in a cohort of Australian pesticide-exposed workers. <i>Ann Epidemiol</i> , 20(4): 273-80.

TBA	Mackenzie IS, Morant SV, Wei L, et al (2017). Spironolactone use and risk of incident cancers: a retrospective, matched cohort study. <i>Br J Clin Pharmacol</i> , 83(3):653-63.
TBA	MacLeod JS, Harris MA, Tjepkema M, et al (2017). Cancer risks among welders and occasional welders in a national population-based cohort study: Canadian Census Health and Environmental Cohort. <i>Saf Health Work</i> , 8(3):258-66.
TBA	Macleod LC, Hotaling JM, Wright JL, et al (2013). Risk factors for renal cell carcinoma in the VITAL study. <i>J Urol</i> , 190(5):1657-61.
3342	Maclure KM, MacMahon B (1985). A case-control study of renal adenocarcinoma. <i>Am J Epidemiol</i> , 122: 520.
3343	Maclure M (1987). Asbestos and renal adenocarcinoma: a case-control study. <i>Environ Res</i> , 42(2): 353-61.
32381	Mahabir S, Leitzmann MF, Pietinen P, et al (2004). Physical activity and renal cell cancer risk in a cohort of male smokers. <i>Int J Cancer</i> , 108(4): 600-5.
TBA	Mahale P, Torres HA, Kramer JR, et al (2017). Hepatitis C virus infection and the risk of cancer among elderly US adults: A registry-based case-control study. <i>Cancer</i> , 123(7): 1202-11.
3341	Malek RS, Omess PJ, Benson RC, et al (1987). Renal cell carcinoma in von Hippel-Lindau Syndrome. <i>Am J Med</i> , 82(2): 236-8.
3344	Malker HR, Malker BK, McLaughlin JK, et al (1984). Kidney cancer among leather workers. <i>Lancet</i> , 323(8367): 56.
3390	Mallofre C, Almira J, Campistol JM, et al (1992). Acquired renal cystic disease in HD: a study of 82 nephrectomies in young patients. <i>Clin Nephrol</i> , 37(6): 297-302.
22198	Mandel JS (2001). [Comment] Renal cell cancer correlated with occupational exposure to trichloroethylene. <i>J Cancer Res Clin Oncol</i> , 127(4): 265-8.
3391	Mandel JS, McLaughlin JK, Schlehoffer B, et al (1995). International renal-cell cancer study. IV. Occupation. <i>Int J Cancer</i> , 61(5): 601-5.
70423	Manuwald U, Velasco Garrido M, Berger J, et al (2012). Mortality study of chemical workers exposed to dioxins: follow-up 23 years after chemical plant closure. <i>Occup Environ Med</i> , 69(9): 636-42.
TBA	Mariusdottir E, Ingimarsson JP, Jonsson E, et al (2016). Occupation as a risk factor for renal cell cancer: a nationwide, prospective epidemiological study. <i>Scand J Urol</i> , 50(3): 181-5.
3392	Marple JT, MacDougall M (1993). Development of malignancy in the end-stage renal disease patient. <i>Semin Nephrol</i> , 13(3): 306-14.
TBA	Martinsson L, Westman J, Hallgren J, et al (2016). Lithium treatment and cancer incidence in bipolar disorder. <i>Bipolar Disord</i> , 18(1): 33-40.
22244	Martorana G, Concetti S, Manferrari F, et al (1999). Anabolic steroid abuse and renal cell carcinoma. <i>J Urol</i> , 162(6): 2089.
91867	Maruzeni S, Nishijo M, Nakamura K, et al (2014). Mortality and causes of deaths of inhabitants with renal dysfunction induced by cadmium exposure of the polluted Jinzu river basin, Toyama, Japan; a 26-year follow-up. <i>Environ Health</i> 13(1):18.
TBA	Masarone M, Persico M (2019). Hepatitis C virus infection and non-hepatocellular malignancies in the DAA era: A systematic review and meta-analysis. <i>Liver Int</i> , 39(7): 1292-306.
3393	Master U, Cruz C, Schmidt R, et al (1992). Renal malignancy in peritoneal dialysis patients with acquired cystic kidney disease. <i>Adv Perit Dial</i> , 8: 145-9.
91833	Mastrantonio M, Bai E, Uccelli R, et al (2017). Drinking water contamination from perfluoroalkyl substances (PFAS): an ecological mortality study in the Veneto region, Italy. <i>Eur J Public Health</i> 28(1): 180-5.

63451	Mattioli S, Truffelli D, Baldasseroni A, et al (2002). Occupational risk factors for renal cell cancer: A case-control study in Northern Italy. <i>J Occup Environ Med</i> , 44(11): 1028-36.
69389	McBride D, Cox B, Broughton J, et al (2013). The mortality and cancer experience of New Zealand Vietnam war veterans: a cohort study. <i>BMJ Open</i> , 3(9): e003379.
TBA	McBride DI, Collins JJ, Bender TJ, et al (2018). Cohort study of workers at a New Zealand agrochemical plant to assess the effect of dioxin exposure on mortality. <i>BMJ Open</i> , 8(10): e019243.
56055	McBride DI, Collins JJ, Humphry NF, et al (2009). Mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin at a trichlorophenol plant in New Zealand. <i>J Occup Environ Med</i> , 51(9): 1049-56.
TBA	McClure LA, Koru-Sengul T, Hernandez MN, et al (2020). Comparing cancer risk estimates using occupational record linkage approaches in male Florida firefighters. <i>Am J Ind Med</i> , 64(2): 78-83.
3394	McCredie M, Pommer W, McLaughlin JK, et al (1995). International renal-cell cancer study. II. Analgesics. <i>Int J Cancer</i> , 60(3): 345-9.
3396	McCredie M, Stewart JH (1992). Risk factors for kidney cancer in New South Wales, Australia. II. Urological disease, hypertension, obesity, and hormonal factors. <i>Cancer Causes Control</i> , 3(4): 323-31.
3395	McCredie M, Stewart JH (1992). Risk factors for kidney cancer in New South Wales. I. Cigarette smoking. <i>Eur J Cancer</i> , 28A(12): 2050-4.
3397	McCredie M, Stewart JH (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. <i>Br J Ind Med</i> , 50(4): 349-54.
3398	McCredie M, Stewart JH, Day NE (1993). Different roles for phenacetin and paracetamol in cancer of the kidney and renal pelvis. <i>Int J Cancer</i> , 53(2): 245-9.
32385	McElduff P, Attia J, Ewald B, et al (2002). Estimating the contribution of individual risk factors to disease in a person with more than one risk factor. <i>J Clin Epidemiol</i> , 55(6): 588-92.
76674	McElvenny DM, Miller BG, MacCalman LA, et al (2015). Mortality of a cohort of workers in Great Britain with blood lead measurements. <i>Occup Environ Med</i> , 72(9): 625-32.
63397	McGuire BB, Fitzpatrick JM (2011). BMI and the risk of renal cell carcinoma. <i>Curr Opin Urol</i> , 21(5): 356-61.
3399	McLaughlin JK (1993). Renal cell carcinoma and exposure to gasoline: A review. <i>Environ Health Perspect</i> , 101(Suppl 6): 111-4.
22273	McLaughlin JK, Blot WJ, Mehl ES, et al (1985). Relation of analgesic use to renal cancer: population-based findings. <i>Natl Cancer Inst Monogr</i> , 69: 217-22.
3347	McLaughlin JK, Blot WJ, Mehl ES, et al (1985). Petroleum-related employment and renal cell cancer. <i>J Occup Med</i> , 27(9): 673-4.
3400	McLaughlin JK, Chow WH, Mandel JS, Mellempgaard A, et al (1995). International renal-cell cancer study. VII. Role of diuretics, other anti-hypertensive medications and hypertension. <i>Int J Cancer</i> , 63(2): 216-21.
4297	McLaughlin JK, Mandel JS, Blot WJ, et al (1984). A population-based case-control study of renal cell carcinoma. <i>J Natl Cancer Inst</i> , 72(2): 275-84.
3401	McLaughlin JK, Gao YT, Gao RN, et al (1992). Risk factors for renal-cell cancer in Shanghai, China. <i>Int J Cancer</i> , 52(4): 562-5.
3438	McLaughlin JK, Hrubec Z, Heineman E, et al (1990). Renal cancer and cigarette smoking in a 26-year follow up of US veterans. <i>Public Health Rep</i> , 105(5): 535-7.
3402	McLaughlin JK, Lindblad P, Mellempgaard A, et al (1995). International renal-cell cancer study. I. Tobacco use. <i>Int J Cancer</i> , 60(2): 194-8.
32390	McLaughlin JK, Lipworth L (2000). Epidemiologic aspects of renal cell cancer. <i>Semin Oncol</i> , 27(2): 115-23.

63454	McLaughlin JK, Lipworth L, Tarone RE (2006). Epidemiologic aspects of renal cell carcinoma. <i>Semin Oncol</i> , 33(5): 527-33.
3346	McLaughlin JK, Malker HS, Stone BJ, et al (1987). Occupational risks for renal cancer in Sweden. <i>Br J Ind Med</i> , 44(2): 119-23.
63431	Mehls O, Wilton P, Lilien M, et al (2002). Does growth hormone treatment affect the risk of post-transplant renal cancer? <i>Pediatr Nephrol</i> , 17(12): 984-9.
22403	Mellemgaard A (1999). Human renal-cell carcinoma - epidemiological and mechanistic aspects. <i>IARC Sci Publ</i> . 147: 69-80.
3404	Mellemgaard A, Engholm G, McLaughlin JK, et al (1994). Occupational risk factors for renal-cell carcinoma in Denmark. <i>Scand J Work Environ Health</i> , 20(3): 160-5.
3405	Mellemgaard A, Engholm G, McLaughlin JK, et al (1994). Risk factors for renal-cell carcinoma in Denmark. III. Role of weight, physical activity and reproductive factors. <i>Int J Cancer</i> , 56(1): 66-71.
3406	Mellemgaard A, Lindblad P, Schlehofer B, et al (1995). International renal-cell cancer study. III. Role of weight, height, physical activity, and use of amphetamines. <i>Int J Cancer</i> , 60(3): 350-4.
3407	Mellemgaard A, Moller H, Jensen OM, et al (1992). Risk of kidney cancer in analgesic users. <i>J Clin Epidemiol</i> , 45(9): 1021-4.
3408	Mellemgaard A, Moller H, Olsen JH, et al (1991). Increased risk of renal cell carcinoma among obese women. <i>J Natl Cancer Inst</i> , 83(21): 1581-4.
3409	Mellemgaard A, Niwa S, Mehl E, et al (1994). Risk factors for renal cell carcinoma in Denmark: role of medication and medical history. <i>Int Epidemiol</i> 23(5): 923-30.
TBA	Mello FW, Melo G, Pasetto JJ, et al (2019). The synergistic effect of tobacco and alcohol consumption on oral squamous cell carcinoma: a systematic review and meta-analysis. <i>Clin Oral Investig</i> , 23(7): 2849-59.
63432	Menezes RJ, Tomlinson G, Kreiger N (2003). Physical activity and risk of renal cell carcinoma. <i>Int J Cancer</i> , 107(4): 642-6.
22581	Messerli FH (1999). Diuretic therapy and renal cell carcinoma - another controversy? <i>Eur Heart J</i> , 20(20): 1441-2.
22616	Messerli FH, Grossman E (1999). Beta blockers and diuretics: to use or not to use. <i>Am J Hypertens</i> , 12(12 Pt 1-2): 157S-63S.
22745	Messerli HF, Grossman E (1998). Antihypertensive agents and the risk of cancer. <i>JAMA</i> , 280(7): 600.
63706	Metso S, Auvinen A, Huhtala H, et al (2007). Increased cancer incidence after radioiodine treatment for hyperthyroidism. <i>Cancer</i> , 109(10): 1972-9.
TBA	Michalek IM, Martinsen JI, Weiderpass E, et al (2019). Heavy metals, welding fumes, and other occupational exposures, and the risk of kidney cancer: A population-based nested case-control study in three Nordic countries. <i>Environ Res</i> , 173:117-23.
91869	Michaud D, Fu Z, Shi J, et al (2017). Periodontal disease, tooth loss and cancer risk. <i>Epidemiol Rev</i> , 39(1): 49-58.
91870	Michaud D, Kelsey K, Papatheanasiou E, et al (2016). Periodontal disease and risk of all cancers among male never smokers: an updated analysis of the Health Professionals Follow-up Study. <i>Ann Oncol</i> , 27: 941-7.
3356	Miller AB (Ed) (1989). Diet and the aetiology of cancer. <i>European School of Oncology Monographs</i> . Springer-Verlag New York.
63398	Miller DC, Ruterbusch J, Colt JS, et al (2010). Contemporary clinical epidemiology of renal cell carcinoma. <i>J Urol</i> , 184(6): 2254-8.
97585	Moch H, Cubilla AL, Humphrey PA, et al (2016). The 2016 WHO classification of tumours of the urinary system and male genital organs-Part A: Renal, penile, and testicular tumours. <i>Eur Urol</i> , 70(1): 93-105.
92246	Mok Y, Matsushita K, Ballew SH, et al (2017). Kidney function, proteinuria, and cancer incidence: The Korean heart study. <i>Am J Kidney Dis</i> , 70(4): 512-21.

64978	Moore LE, Boffetta P, Karami S, et al (2010). Occupational trichloroethylene exposure and renal carcinoma risk: evidence of genetic susceptibility by reductive metabolism gene variants. <i>Cancer Res</i> , 70(16): 6527-36.
91861	Moore S, Lee IM, Weiderpass E, et al (2016). Association of leisure-time physical activity with risk of 26 types of cancer in 1.44 million adults. <i>JAMA Intern Med</i> , 176(6): 816-25.
63447	Moore SC, Chow WH, Schatzkin A, et al (2008). Physical activity during adulthood and adolescence in relation to renal cell cancer. <i>Am J Epidemiol</i> , 168(2): 149-57.
3439	Morrison AS (1987). Epidemiology and environmental factors in urologic cancer. <i>Cancer</i> , 60(3 Suppl): 632-4.
91107	Mostafa MG, Cherry N (2013). Arsenic in drinking water and renal cancers in rural Bangladesh. <i>Occup Environ Med</i> , 70(11): 768-73.
22239	Motzer RJ (2000). Renal cell carcinoma: progress against an elusive tumor. <i>Semin Oncol</i> , 27(2): 113-4.
32422	Moyad MA (2001). Review of potential risk factors for kidney (renal cell) cancer. <i>Semin Urol Oncol</i> , 19(4): 280-93.
TBA	Muegge CM, Zollinger TW, Song Y, et al (2018). Excess mortality among Indiana firefighters, 1985-2013. <i>Am J Ind Med</i> , 61(12): 961-7.
63399	Mulders P, Kirkali Z (2011). Renal cell carcinoma: A changing paradigm with a need for consensus. <i>Eur Urol</i> , 60(4): 613-4.
3410	Muller I, Helmers E, Barchet R, et al (1994). Cadmium concentration in the renal cortex of kidney tumor patients and controls. <i>J Trace Elem Electrolytes Health Dis</i> , 8(3-4): 173-6.
32384	Mundt KA, Bigelow C, van Wijngaarden E (2003). Apportionment of disease in individuals. <i>J Clin Epidemiol</i> , 56(3): 290-1.
64395	Mundt KA, Birk T, Burch MT (2003). Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer. <i>Int Arch Occup Environ Health</i> , 76(7): 473-91.
97572	Mundt KA, Dell LD, Crawford L, et al (2018). Cancer risk associated with exposure to bitumen and bitumen fumes: An updated systematic review and meta-analysis. <i>J Occup Environ Med</i> , 60(1): e6-54.
22237	Munoz JJ, Ellison LM (2000). Upper tract urothelial neoplasms: incidence and survival during the last 2 decades. <i>J Urol</i> , 164(5): 1523-5.
3411	Muscat JE, Hoffmann D, Wynder EL (1995). The epidemiology of renal cell carcinoma: A second look. <i>Cancer</i> , 75(10): 2552-7.
63400	Naito S, Tomita Y, Rha SY, et al (2010). Kidney cancer working group report. <i>Jpn J Clin Oncol</i> , 40(Suppl 1): i51-6.
3412	Nakamoto T, Igawa M, Mitani S, et al (1994). Metastatic renal cell carcinoma arising in a native kidney of a renal transplant recipient. <i>J Urol</i> , 152(3): 943-5.
TBA	Nam GE, Cho KH, Han K, et al (2019). Obesity, abdominal obesity and subsequent risk of kidney cancer: a cohort study of 23.3 million East Asians. <i>Br J Cancer</i> , 121(3):271-7.
TBA	National Academies of Sciences, Engineering, and Medicine (2018). <i>Veterans and Agent Orange: Update 11</i> . Washington, DC: The National Academies Press.
80742	National Council on Radiation Protection & Measurements (2009). <i>Radiation dose reconstruction: principles and practices</i> . Report No. 163. NCRP.
3413	National Heart Foundation of Australia (1983). <i>Risk Factor Prevalence Study No. 2</i> : 31-8. National Heart Foundation, Canberra.
TBA	National Toxicology Program (2016). <i>Report on carcinogens 14th edition</i> . Trichloroethylene. Retrieved 28th October 2020, from https://ntp.niehs.nih.gov/ntp/roc/content/profiles/trichloroethylene.pdf TBA
TBA	National Toxicology Program (2016). <i>Report on carcinogens: Monograph on human immunodeficiency virus type 1</i> . U.S. Department of Health and Human Services.

63456	National Toxicology Program, Department of Health and Human Services (2011). Tetrachloroethylene. Report on Carcinogens, 12th Edition: 398.
TBA	Nayan M, Juurlink DN, Austin PC, et al (2017). Medication use and kidney cancer risk: A population-based study. <i>Eur J Cancer</i> , 83: 203-10.
22265	Nekolla EA, Kellerer AM, Kuse-Isingschulte M, et al (1999). Malignancies in patients treated with high doses of radium - 224. <i>Radiat Res</i> , 152(6 Suppl): S3-7.
63433	Neuzillet Y, Tillou X, Mathieu R, et al (2011). Renal cell carcinoma (RCC) in patients with end-stage renal disease exhibits many favourable clinical, pathologic, and outcome features compared with RCC in the general population. <i>Eur Urol</i> , 60(2): 366-73.
63771	Nicodemus KK, Sweeney C, Folsom AR (2004). Evaluation of dietary, medical and lifestyle risk factors for incident kidney cancer in postmenopausal women. <i>Int J Cancer</i> , 108(1): 115-21.
91862	Nishijo M, Nakagawa H, Suwazono Y, et al (2018). Cancer mortality in residents of the cadmium polluted Jinzu river basin in Toyama Japan. <i>Toxics</i> 6(2): 23.
91962	Ohkuma T, Peters SA, Woodward M (2018). Sex differences in the association between diabetes and cancer: a systematic review and meta-analysis of 121 cohorts including 20 million individuals and one million events. <i>Diabetologia</i> , 61(10): 2140-54.
TBA	O'Keeffe LM, Taylor G, Huxley RR, et al (2018). Smoking as a risk factor for lung cancer in women and men: a systematic review and meta-analysis. <i>BMJ Open</i> , 8(10):e021611.
58801	Oliver J, Delancey L, Alavanja MC, et al (2009). Occupational exposure to metribuzin and the incidence of cancer in the Agricultural Health Study. <i>Ann Epidemiol</i> , 19(6): 388-95.
TBA	Ong JS, Law MH, An J, et al (2019). Association between coffee consumption and overall risk of being diagnosed with or dying from cancer among >300 000 UK Biobank participants in a large-scale Mendelian randomization study. <i>Int J Epidemiol</i> , 48(5): 1447-56.
TBA	Ong WL, King K, Koh TL, et al (2016). HIV and renal cell carcinoma: Experience in an Australian statewide HIV center. <i>Asia Pac J Clin Oncol</i> , 12(2): 188-93.
22202	Outzen HC, Maguire HC (1983). The etiology of renal-cell carcinoma. <i>Semin Oncol</i> , 10(4): 378-84.
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
TBA	Ozerdem A, Ceylan D, Targitay B (2018). The relationship between lithium and cancer proliferation: A case-based review of the literature. <i>Curr Drug Metab</i> , 19(8): 653-62.
64980	Pan SY, DesMeules M, Morrison H, et al (2006). Obesity, high energy intake, lack of physical activity, and the risk of kidney cancer. <i>Cancer Epidemiol, Biomarkers Prev</i> , 15(12): 2453-60.
91611	Pang Q, Qu K, Zhang J, et al (2017). Cigarette smoking increases the risk of mortality from liver cancer: A clinical-based cohort and meta-analysis. <i>J Gastroenterol Hepatol</i> , 30(10): 1450-60.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection.
22277	Parent ME, Hua Y, Siemiatycki J (2000). Occupational risk factors for renal cell carcinoma in Montreal. <i>Am J Ind Med</i> , 38(6): 609-18.
58804	Park SK, Kang D, Beane-Freeman L, et al (2009). Cancer incidence among paraquat exposed applicators in the Agricultural Health Study. Prospective cohort study. <i>Int J Occup Environ Health</i> , 15(3): 274-81.

63434	Parker A, Cerhan, JR, Janney CA, et al (2003). Smoking cessation and renal cell carcinoma. <i>Ann Epidemiol</i> , 13(4): 245-51.
32382	Parker AS, Cerhan JR, Lynch CF, et al (2000). History of urinary tract infection and risk of renal cell carcinoma. <i>Am J Epidemiol</i> , 159(1): 42-8.
32383	Parker AS, Cerhan JR, Lynch CF, et al (2002). Gender, alcohol consumption, and renal cell carcinoma. <i>Am J Epidemiol</i> , 155(5): 455-62.
3414	Partanen T, Heikkilä P, Hernberg S, et al (1991). Renal cell cancer and occupational exposure to chemical agents. <i>Scand J Work Environ Health</i> , 17(4): 231-9.
3360	Pavone-Macaluso M, Smith P (1983). <i>Cancer of the Prostate and Kidney</i> . Plenum Press, New York.
TBA	Pelucchi C, Bosetti C, Galeone C, et al (2015). Dietary acrylamide and cancer risk: an updated meta-analysis. <i>Int J Cancer</i> , 136(12): 2912-22.
32387	Pesch B, Haerting J, Ranft U, et al (2000). Occupational risk factors for renal cell carcinoma: agent-specific results from a case-control study in Germany. MURC Study Group. Multicenter urothelial and renal cancer study. <i>Int J Epidemiol</i> , 29(6): 1014-24.
TBA	Peters CE, Bogaert L, Latifovic L, et al (2019). Exposure to crystalline silica in Canadian workplaces and the risk of kidney cancer. <i>Occup Environ Med</i> , 76(9): 668-71.
TBA	Peters CE, Parent ME, Harris SA, et al (2018). Occupational exposure to diesel and gasoline engine exhausts and the risk of kidney cancer in Canadian men. <i>Ann Work Expo Health</i> , 62(8): 978-89.
89349	Petersen KU, Pedersen JE, Bonde JP, et al (2018). Long-term follow-up for cancer incidence in a cohort of Danish firefighters. <i>Occup Environ Med</i> . 75(4):263-269.
89534	Petrick JL, Campbell PT, Koshiol J, et al (2018). Tobacco, alcohol use and risk of hepatocellular carcinoma and intrahepatic cholangiocarcinoma: The Liver Cancer Pooling Project. <i>Br J Cancer</i> , 118(7): 1005-12.
22274	Petrovich Z, Baert LV, Brady LW, et al (2000). Carcinoma of the kidney, testis, and rare urologic malignancies. <i>Am J Clin Oncol</i> , 23(5): 431-7.
TBA	Pinkerton L, Bertke SJ, Yiin J, et al (2020). Mortality in a cohort of US firefighters from San Francisco, Chicago and Philadelphia: an update. <i>Occup Environ Med</i> , 77(2):84-93.
TBA	Pira E, Romano C, Violante FS, et al (2016). Updated mortality study of a cohort of asbestos textile workers. <i>Cancer Med</i> , 5(9):2623-8.
70819	Pirie K, Peto R, Reeves GK, et al (2013). The 21st century hazards of smoking and benefits of stopping: a prospective study of one million women in the UK. <i>Lancet</i> , 381(9861): 133-41.
TBA	Pirincci N, Gecit I, Gunes M, et al (2013). Levels of serum trace elements in renal cell carcinoma cases. <i>Asian Pac J Cancer Prev</i> , 14(1): 499-502.
63334	Pischon T, Lahmann PH, Boeing H, et al (2006). Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Int J Cancer</i> , 118(3): 728-38.
3415	Poole C, Dreyer NA, Satterfield MH, (1993). Kidney cancer and hydrocarbon exposures among petroleum refinery workers. <i>Environ Health Perspect</i> , 101(Suppl 6): 53-62.
91088	Pottegard A, Hallas J, Jensen BL, et al (2016). Long-term lithium use and risk of renal and upper urinary tract cancers. <i>J Am Soc Nephrol</i> , 27(1): 249-55.
85859	Press DJ, McKinley M, Deapen D, et al (2016). Residential cancer cluster investigation nearby a Superfund Study Area with trichloroethylene contamination. <i>Cancer Causes Control</i> , 27(5): 607-13.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiat Res</i> , 168(1): 1-64.

35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiat Res</i> , 160(4): 381-407.
71064	Pukkala E, Martinsen JI, Weiderpass E, et al (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. <i>Occup Environ Med</i> , 71(6): 398-404
63991	Pukkala E, Poskiparta M, Apter D, et al (1993). Life-long physical activity and cancer risk among Finnish female teachers. <i>Eur J Cancer Prev</i> , 2(5): 369-76.
87590	Purdue MP (2013). [Comment] Trichloroethylene and cancer. <i>J Natl Cancer Inst</i> , 105(12): 844-6.
63573	Purdue MP, Hoppin JA, Blair A, et al (2007). Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. <i>Int J Cancer</i> , 120(3): 642-9.
TBA	Purdue MP, Stewart PA, Friesen MC, et al (2017). Occupational exposure to chlorinated solvents and kidney cancer: a case-control study. <i>Occup Environ Med</i> , 74(4):268-74.
TBA	Qiao Y, Yang T, Gan Y, et al (2018). Associations between aspirin use and the risk of cancers: a meta-analysis of observational studies. <i>BMC Cancer</i> , 18(1):288.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
97586	Raaschou-Nielsen O, Pedersen M, Stafoggia M, et al (2017). Outdoor air pollution and risk for kidney parenchyma cancer in 14 European cohorts. <i>Int J Cancer</i> , 140(7): 1528-37.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
65033	Raghavan D, Stephenson A, Garcia J (2011). Chapter 12 - Oncology. Section XIV - Bladder, renal and testicular cancer. <i>Cancer of the kidney</i> . ACP Medicine, 6-14. Decker Publishing, Philadelphia.
85897	Raleigh KK, Alexander BH, Olsen GW, et al (2014). Mortality and cancer incidence in ammonium perfluorooctanoate production workers. <i>Occup Environ Med</i> , 71(7): 500-6.
TBA	Rashidi M, Alavipanah SK (2016). Relation between kidney cancer and soil leads in Isfahan Province, Iran between 2007 and 2009. <i>J Cancer Res Ther</i> , 12(2): 716-20.
22718	Redmond CK, Ciocco A, Lloyd JW, et al (1972). Long-term mortality study of steelworkers. V1 - mortality from malignant neoplasms among coke oven workers. <i>J Occup Med</i> , 14(8): 621-9.
52305	Renehan AG, Tyson, Egger M, et al (2008). Body-mass index and incidence of cancer: a systematic review and meta-analysis of prospective observational studies. <i>The Lancet</i> , 371(9612): 569-78.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs.
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs.
3416	Rilke F, Pilotti S (1995). Histopathological classification and typing of solid tumours. M Peckham, H Pinedo, U Veronesi (Eds). <i>Oxford Textbook of Oncology</i> , 1 Chapter 3.1: 302-5. Oxford University Press, New York.
TBA	Roh T, Steinmaus C, Marshall G, et al (2018). Age at exposure to arsenic in water and mortality 30-40 years after exposure cessation. <i>Am J Epidemiol</i> , 187(11):2297-305.
TBA	Rohrmann S, Linseisen J, Overvad K, et al (2015). Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>Int J Cancer</i> , 136(5): E423-31.

63435	Romanenko A, Morell-Quadreny LM, Nepomnyaschy V, et al (2001). Radiation sclerosing proliferative atypical nephropathy of peritumoral tissue of renal-cell carcinomas after the Chernobyl accident in Ukraine. <i>Virchows Arch</i> , 438(2): 146-53.
TBA	Romanenko AM, Ruiz-Sauri A, Morell-Quadreny L, et al (2012). Microvessel density is high in clear-cell renal cell carcinomas of Ukrainian patients exposed to chronic persistent low-dose ionizing radiation after the Chernobyl accident. <i>Virchows Arch</i> , 460(6): 611-9.
22276	Rosenberg L, Stephenson WP, Rao RS, et al (1998). The diagnosis of renal cell cancer in relation to hypertension (United States). <i>Cancer Causes & Control</i> , 9(6): 611-4.
3441	Ross RK, Paganini-Hill A, Landolp J, et al (1989). Analgesics, cigarette smoking and other risk factors for cancer of the renal pelvis and ureter. <i>Cancer Res</i> , 49(4): 1045-8.
62855	Ruder AM, Yiin JH (2011). Mortality of US pentachlorophenol production workers through 2005. <i>Chemosphere</i> , 83(6): 851-61.
3417	Rushton L (1993). A 39-year follow-up of the UK oil refinery and distribution centre studies: results for kidney cancer and leukaemia. <i>Environ Health Perspect</i> , 101(Suppl 6): 77-84.
58800	Rusiecki JA, Patel R, Koutros S, et al (2009). Cancer incidence among pesticide applicators exposed to permethrin in the Agricultural Health Study. <i>Environ Health Perspect</i> , 117(4): 581-6.
TBA	Rusyn I, Chiu WA, Lash LH, et al (2014). Trichloroethylene: Mechanistic, epidemiologic and other supporting evidence of carcinogenic hazard. <i>Pharmacol Ther</i> , 141(1):55-68.
90749	Saint-Jacques N, Brown P, Nauta L, et al (2018). Estimating the risk of bladder and kidney cancer from exposure to low-levels of arsenic in drinking water, Nova Scotia, Canada. <i>Environ Health</i> , 110: 95-104.
97588	Saint-Jacques N, Parker L, Brown P, et al (2014). Arsenic in drinking water and urinary tract cancers: a systematic review of 30 years of epidemiological evidence. <i>Environ Health</i> , 13: 44.
22275	Sali D, Boffetta P (2000). Kidney cancer and occupational exposure to asbestos: a meta-analysis of occupational cohort studies. <i>Cancer Causes Control</i> , 11(1): 37-47.
TBA	Sanfilippo KM, McTigue KM, Fidler CJ, et al (2014). Hypertension and obesity and the risk of kidney cancer in 2 large cohorts of US men and women. <i>Hypertension</i> , 63(5): 934-41.
42777	Satoh S, Tsuchiya N, Habuchi T, et al (2005). Renal cell and transitional cell carcinoma in a Japanese population undergoing maintenance dialysis. <i>J Urol</i> , 174(5): 1749-53.
TBA	Sawada N, Iwasaki M, Inoue M, et al (2012). Long-term dietary cadmium intake and cancer incidence. <i>Epidemiology</i> , 23(3): 368-76.
TBA	Sawada N, Iwasaki M, Inoue M, et al (2013). Dietary arsenic intake and subsequent risk of cancer: the Japan Public Health Center-based (JPHC) Prospective Study. <i>Cancer Causes Control</i> , 24(7): 1403-15.
TBA	Scelo G, Larose TL (2018). Epidemiology and risk factors for kidney cancer. <i>J Clin Oncol</i> , 36(36):3574-81.
TBA	Scelo G, Riazalhosseini Y, Greger L, et al (2014). Variation in genomic landscape of clear cell renal cell carcinoma across Europe. <i>Nat Commun</i> , 5: 5135.
65006	Scher HI, Motzer RJ (2012). Renal cell carcinoma. Section1, Part 7. Retrieved 12 September 2012, from http://accessmedicine.com/content.aspx?aID=9116410
3418	Schillinger F (1993). Acquired cystic disease in renal insufficiency: A multicentre study. <i>Eur J Med</i> , 2(8): 457-60.

3419	Schlehofer B, Heuer C, Blettner M, et al (1995). Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. <i>Int J Epidemiol</i> , 24(1): 51-7.
22692	Schlehofer B, Pommer W, Møller A, et al (1996). International renal-cell cancer study. V1. The role of medical and family history. <i>Int J Cancer</i> , 66(6): 723-6.
74442	Schmid D, Leitzmann MF (2014). Television viewing and time spent sedentary in relation to cancer risk: a meta-analysis. <i>J Natl Cancer Inst</i> , 106(7): dju098.
22702	Schmieder RE, Delles C, Messerli FH (2000). Diuretic therapy and the risk for renal cell carcinoma. <i>J Nephrol</i> , 13(5): 343-6.
97589	Schnatter AR, Chen M, DeVilbiss EA, et al (2018). Systematic review and meta-analysis of selected cancers in petroleum refinery workers. <i>J Occup Environ Med</i> , 60(7): e329-42.
3420	Schnatter AR, Katz AM, Nicholich MJ, et al (1993). A retrospective mortality study among Canadian petroleum marketing and distribution workers. <i>Environ Health Perspect</i> , 101(Suppl 6): 85-98.
63436	Schouten LK, van Dijk BA, Oosterwijk E, et al (2005). Hypertension, antihypertensives and mutations in the Von Hippel-Lindau gene in renal cell carcinoma: results from the Netherlands cohort study. <i>J Hypertens</i> , 23(11): 1997-2004.
41492	Scott CS, Chiu WA (2006). Trichloroethylene cancer epidemiology: A consideration of select issues. <i>Environ Health Perspect</i> , 114(9): 1471-78.
83150	Scott CS, Jinot J (2011). Trichloroethylene and cancer: systematic and quantitative review of epidemiologic evidence for identifying hazards. <i>Int J Environ Res Public Health</i> , 8(11): 4238-72.
TBA	Seidler A, Harth V, Taeger D, et al (2014). Dinitrotoluene exposure in the copper mining industry and renal cancer: a case-cohort study. <i>Occup Environ Med</i> , 71(4): 259-65.
63571	Selden AI, Ahlborg G (2011). Cancer morbidity in Swedish dry-cleaners and laundry workers: historically prospective cohort study. <i>Int Arch Occup Environ Health</i> , 84(4): 435-43.
3349	Selikoff I, Hammond E, Seidman H (1979). Mortality experience of insulation workers in the United States and Canada 1943-1976. <i>Ann NY Sci Acad</i> 33: 91-116.
4774	Selikoff I, Seidman H (1991). Asbestos-associated deaths among insulation workers in the United States and Canada, 1967-1987. <i>Ann NY Acad Sci</i> , 643: 1-14.
3349	Selikoff IJ, Hammond EC, Seidman H (1979). Mortality Experience of Insulation Workers in the United States and Canada, 1943-1976. <i>Ann N Y Acad Sci</i> , 330: 91-116.
63414	Setiawan VW, Kolonel LN, Henderson BE (2009). Menstrual and reproductive factors and risk of renal cell cancer in the multiethnic cohort. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(1): 337-40.
63323	Setiawan VW, Stram DO, Nomura AM, et al (2007). Risk factors for renal cell cancer: The Multiethnic Cohort. <i>Am J Epidemiol</i> , 166(8): 932-40.
22271	Shapiro JA, Williams MA, Weiss NS (1999). Body mass index and risk of renal cell carcinoma. <i>Epidemiology</i> , 10(2): 188-91.
22262	Shapiro JA, Williams MA, Weiss NS, et al (1999). Hypertension, antihypertensive medication use, and risk of renal cell carcinoma. <i>Am J Epidemiol</i> , 149(6): 521-30.
22691	Sharpe CR, Rochon JE, Adam JM, et al (1989). Case-control study of hydrocarbon exposures in patients with renal cell carcinoma. <i>CMAJ</i> , 140(11): 1309-18.
TBA	Shen D, Mao W, Liu T, et al (2014). Sedentary behavior and incident cancer: a meta-analysis of prospective studies. <i>PLoS One</i> , 9(8): e105709.

TBA	Shephard E, Neal R, Rose P, et al (2013). Clinical features of kidney cancer in primary care: a case-control study using primary care records. <i>Br J Gen Pract</i> , 63(609): e250-5.
91872	Shih CJ, Chen YT, Ou SM, et al (2014). Urinary calculi and risk of cancer: A nationwide population-based study. <i>Medicine (Baltimore)</i> , 93(29): e342.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
95407	Shrestha S, Parks CG, Keil AP (2019). Overall and cause-specific mortality in a cohort of farmers and their spouses. <i>Occup Environ Med</i> , 76(9): 632-43.
63411	Shupak A, Attias J, Aviv J, et al (1995). Oxygen diving-induced middle ear under-aeration. <i>Acta Otolaryngol</i> , 115(3): 422-6.
85860	Silver SR, Pinkerton LE, Fleming DA, et al (2014). Retrospective cohort study of a microelectronics and business machine facility. <i>Am J Ind Med</i> , 57(4): 412-24.
79868	Sim M, Clarke D, Forbes A, et al (2015). Australian Gulf War Veterans' Follow Up Health Study. Technical Report. Monash University.
97591	Sims JN, Yedjou CG, Abugri D, et al (2018). Racial disparities and preventive measures to renal cell carcinoma. <i>Int J Environ Res Public Health</i> , 15(6): 1089.
91451	Singh A, Zeig-Owens R, Moir W, et al (2018). Estimation of future cancer burden among rescue and recovery workers exposed to the World Trade Centre disaster. <i>JAMA Oncol</i> , 4(6): 828-31.
63773	Sjogren B (2009). [Comment] Mortality among British asbestos workers. <i>Occup Environ Med</i> , 66(12): 854-5. Comment on ID: 63772.
4295	Smith AH, Shearn VI, Wood R (1989). Asbestos and kidney cancer: the evidence supports a causal association. <i>Am J Ind Med</i> , 16(2): 159-66.
3421	Smith AH, Hopenhayn-Rich C, Bates MN, et al (1992). Cancer risks from arsenic in drinking water. <i>Environ Health Perspect</i> , 97: 259-67.
TBA	Smith AH, Marshall G, Roh T, et al (2018). Lung, bladder, and kidney cancer mortality 40 years after arsenic exposure reduction. <i>J Natl Cancer Inst</i> , 110(3):241-9.
63401	Smits KM, Schouten LJ, Hudak E, et al (2010). Body mass index and von Hippel-Lindaur gene mutations in clear-cell renal cancer: Results of the Netherlands cohort study on diet and cancer. <i>Ann Epidemiol</i> , 20(5): 401-4.
TBA	Sogaard KK, Veres K, Norgaard M, et al (2019). Pyelonephritis in persons after age 50 as a clinical marker of urogenital cancer. <i>Clin Microbiol Infect</i> , 25(1): 87-91.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , 56(1): 121-5.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123(4): 905-11.
89410	Solan S, Wallenstein S, Shapiro M, et al (2013). Cancer incidence in world trade center rescue and recovery workers, 2001-2008. <i>Environ Health Perspect</i> , 121(6):699-704.
91873	Sona MF, Myung SK, Park K, et al (2018). Type 1 diabetes mellitus and risk of cancer: a meta-analysis of observational studies. <i>Jpn J Clin Oncol</i> , 48(5): 426-33.
TBA	Song C, Lv J, Liu Y, et al (2019). Associations between hepatitis B virus infection and risk of all cancer types. <i>JAMA Netw Open</i> , 2(6): e195718.
97607	Song DY, Song S, Song Y, et al (2012). Alcohol intake and renal cell cancer risk: a meta-analysis. <i>Br J Cancer</i> , 106(11): 1881-90.

97592	Song Jk, Luo H, Yin Xh, et al (2015). Association between cadmium exposure and renal cancer risk: a meta-analysis of observational studies. <i>Sci Rep</i> , 5: 17976.
96630	Song L, Wang Y, Zhang J, et al (2018). The risks of cancer development in systemic lupus erythematosus (SLE) patients: a systematic review and meta-analysis. <i>Arthritis Res Ther</i> , 20(1): 270.
TBA	Soteriades ES, Kim J, Christophi CA, et al (2019). Cancer incidence and mortality in firefighters: A state-of-the-art review and meta-analysis. <i>Asian Pac J Cancer Prev</i> , 20(11):3221-31.
TBA	Southard EB, Roff A, Fortugno T, et al (2012). Lead, calcium uptake, and related genetic variants in association with renal cell carcinoma risk in a cohort of male Finnish smokers. <i>Cancer Epidemiol Biomarkers Prev</i> , 21(1): 191-201.
3422	Spiegel DM, Yuen-Ko JL, Hou SH, et al (1991). Incidence of renal cell carcinoma and natural history of acquired renal cystic disease in end-stage renal disease. <i>Am J Nephrol</i> , 11(2): 166-7.
63448	Spyridopoulos TN, Petridou ET, Skalkidou A, et al (2007). Low adiponectin levels are associated with renal cell carcinoma: A case-control study. <i>Int J Cancer</i> , 120(7): 1573-8.
3423	Stadler W, Vogelzang NJ (1993). Human renal cancer carcinogenesis: A review of recent advances. <i>Ann Oncol</i> , 4(6): 451-62.
90972	Steenland K, Barry V, Anttila A, et al (2017). A cohort mortality study of lead-exposed workers in the USA, Finland and the UK. <i>Occup Environ Med</i> , 74(11): 785-91.
TBA	Steenland K, Barry V, Anttila A, et al (2019). Cancer incidence among workers with blood lead measurements in two countries. <i>Occup Environ Med</i> , 76(9): 603-10.
24609	Steenland K, Boffetta P (2000). Lead and cancer in humans: where are we now? <i>Am J Ind Med</i> , 38(3): 295-9.
79869	Steenland K, Woskie S (2012). Cohort mortality study of workers exposed to perfluorooctanoic acid. <i>Am J Epidemiol</i> , 176(10): 909-17.
85895	Steenland K, Zhao L, Winquist A (2015). A cohort incidence study of workers exposed to perfluorooctanoic acid (PFOA). <i>Occup Environ Med</i> , 72(5): 373-80; Comment: <i>J Occup Environ Med</i> (2015); 57(6): e60, Authors' reply: e60-1.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. The International Commission on Radiological Protection.
42378	Stewart JH, Bucciante G, Agodoa L, et al (2003). Cancers of the kidney and urinary tract in patients on dialysis for end-stage renal disease: analysis of data from the United States, Europe, and Australia and New Zealand. <i>J Am Soc Nephrol</i> , 14(1): 197-207.
97608	Stojanovic J, Milovanovic S, Pastorino R, et al (2018). Occupational exposures and genetic susceptibility to urinary tract cancers: a systematic review and meta-analysis. <i>Eur J Cancer Prev</i> , 27(5): 468-76.
3424	Sulser T, Fehr JL, Hailemariam S, et al (1993). Papillary renal cell carcinoma associated with autosomal dominant polycystic kidney disease. <i>Urol Int</i> , 51(3): 164-6.
91847	Sun LM, Lin CL, Liang JA, et al (2013). Urinary tract infection increases subsequent urinary tract cancer risk: a population-based cohort study. <i>Cancer Sci</i> , 104(5): 619-23.
TBA	Sundquist K, Sundquist J, Ji J (2014). Risk of hepatocellular carcinoma and cancers at other sites among patients diagnosed with chronic hepatitis B virus infection in Sweden. <i>J Med Virol</i> , 86(1): 18-22.

TBA	Swart A, Burns L, Mao L, et al (2012). The importance of blood-borne viruses in elevated cancer risk among opioid-dependent people: a population-based cohort study. <i>BMJ Open</i> , 2(5): e001755.
TBA	Tahbaz R, Schmid M, Merseburger AS (2018). Prevention of kidney cancer incidence and recurrence: lifestyle, medication and nutrition. <i>Curr Opin Urol</i> , 28(1): 62-79.
22260	Tavani A, Fioretti F, La Vecchia C, et al (1998). Re: risk of urinary tract cancers following kidney or ureter stones. <i>J Natl Cancer Inst</i> , 90(3): 250-1.
22399	Tavani A, La Vecchia C (2000). Coffee and cancer: a review of epidemiological studies, 1990-1999. <i>Eur J Cancer Prev</i> , 9(4): 241-56.
22280	Tavani A, La Vecchia C (2000). Smoking and health, with a note on kidney cancer. <i>Contrib Nephrol</i> , 130: 11-20.
63402	Tavani A, Scotti L, Bosetti C, et al (2010). Aspirin and risk of renal cell cancer in Italy. <i>Eur J Cancer Prev</i> , 19(4): 272-4.
63449	Tavani A, Zucchetto A, Dal Maso, et al (2007). Lifetime physical activity and the risk of renal cell cancer. <i>Int J Cancer</i> , 120(9): 1977-80.
3350	Taylor JS (1972). Carcinoma of the urinary tract and analgesic abuse. <i>Med J Aust</i> , 1(9): 407-9.
95214	Teng CJ, Hu YW, Chen SC, et al (2016). Use of radioactive iodine for thyroid cancer and risk for second primary malignancy: A nationwide population-based study. <i>J Natl Cancer Inst</i> , 108(2): djv314.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP.
63415	Theis RP, Grieb SM, Burr D, et al (2008). Smoking, environmental tobacco smoke, and risk of renal cell cancer: a population-based case-control study. <i>BMC Cancer</i> , 8: 387.
63412	Timpson NJ, Brennan P, Gaborieau V, et al (2010). Can lactase persistence genotype be used to reassess the relationship between renal cell carcinoma and milk drinking? Potentials and problems in the application of mendelian randomization. <i>Cancer Epidemiol Biomarkers Prev</i> , 19(5): 1341-8.
3425	Truong LD, Krishnan B, Cao JT, et al (1995). Renal neoplasm in acquired cystic kidney disease. <i>Am J Kidney Dis</i> , 26(1): 1-12.
76824	Tsai RJ, Luckhaupt SE, Schumacher P, et al (2015). Risk of cancer among firefighters in California 1988-2007. <i>Am J Ind Med</i> , 58(7): 715-29.
63403	Tsaur I, Obermuller N, Jonas D, et al (2010). De novo renal cell carcinoma of native and graft kidneys in renal transplant recipients. <i>BJU Int</i> , 108(2): 229-34.
TBA	Tsivian E, Tsivian M, Sze C, et al (2019). Clinicopathological characteristics of surgically treated localized renal masses in patients previously exposed to chemotherapy. <i>Int Braz J Urol</i> , 45(2): 332-9.
TBA	Tsivian M, Caso JR, Kimura M, et al (2013). Renal tumors in solid organ recipients: clinical and pathologic features. <i>Urol Oncol</i> , 31(2): 255-8.
63332	Tsivian M, Moreira DM, Caso JR, et al (2011). Cigarette smoking is associated with advanced renal cell carcinoma. <i>J Clin Oncol</i> , 29(15): 2027-31.
TBA	Turcotte LM, Liu Q, Yasui Y, et al (2019). Chemotherapy and risk of subsequent malignant neoplasms in the Childhood Cancer Survivor Study cohort. <i>J Clin Oncol</i> , 37(34): 3310-9.
TBA	Turesky RJ, Yun BH, Brennan P, et al (2016). Aristolochic acid exposure in Romania and implications for renal cell carcinoma. <i>Br J Cancer</i> , 114(1): 76-80.
91850	Turner M, Krewski D, Diver W, et al (2017). Ambient air pollution and cancer mortality in the Cancer Prevention Study II. <i>Environ Health Perspect</i> , 125(8): 087013.

TBA	Ugelvig Petersen K, Volk J, Kaerlev L, et al (2018). Cancer incidence among merchant seafarers: an extended follow-up of a Danish cohort. <i>Occup Environ Med</i> , 75(8): 582-5.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1.
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
3357	Upton A, Albert R, Burns, F, et al (Eds) (1986). Radiation Carcinogenesis. Elsevier Health Sciences, New York.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01-Doses to organs from intake of radioactive materials. DTRA/NTPR-Standard Operating Procedures Manual.
91878	US Environment Protection Agency (2012). Toxicological review of tetrachloroethylene (perchloroethylene). US EPA Washington DC.
71508	US Environmental Protection Agency (2011). Toxicological Profile for Trichloroethylene - Sept 2011
22242	Vamvakas S, Bruning T, Bolt HM, et al (2000). Renal cell cancer correlated with occupational exposure to trichloroethene. <i>J Cancer Res Clin Oncol</i> , 126(3): 178-80.
22199	Vamvakas S, Bruning T, Bolt HM, et al (2001). [Comment] Renal cell cancer correlated with occupational exposure to trichloroethylene: reply to letter to the editors. <i>J Cancer Res Clin Oncol</i> , 127: 267-8.
22245	Vamvakas S, Bruning T, Thomasson B, et al (1998). Renal cell cancer correlated with occupational exposure to trichloroethene. <i>J Cancer Res Clin Oncol</i> , 124: 374-82.
63404	van Bommel DM, Boffetta P, Liao LM, et al (2011). Comprehensive analysis of 5-Aminolevulinic Acid Dehydrogenase (ALAD) Variants and renal cell carcinoma risk among individuals exposed to lead. <i>PLoS One</i> , 6(7): e20432.
TBA	van de Pol JA, van den Brandt PA, Schouten LJ (2019). Kidney stones and the risk of renal cell carcinoma and upper tract urothelial carcinoma: the Netherlands Cohort Study. <i>Br J Cancer</i> , 120(3): 368-74.
TBA	Van den Borre L, Deboosere P (2015). Enduring health effects of asbestos use in Belgian industries: a record-linked cohort study of cause-specific mortality (2001-2009). <i>BMJ Open</i> , 5(6):e007384.
63437	van Dijk BA, Schouten LK, Kiemeneij LA, et al (2004). Relation of height, body mass, energy intake, and physical activity to risk of renal cell carcinoma: Results from the Netherlands Cohort study. <i>Am J Epidemiol</i> , 160(12): 1159-67.
63329	Vatten LJ, Trichopoulos D, Holmen J, et al (2007). Blood pressure and renal cancer risk: the HUNT study in Norway. <i>Br J Cancer</i> , 97(1): 112-4.
63405	Vegso G, Toronyi E, Hajdu M, et al (2011). Renal cell carcinoma of the native kidney: A frequent tumor after kidney transplantation with favorable prognosis in case of early diagnosis. <i>Transplant Proc</i> , 43(4): 1261-3.
88836	Vieira V, Hoffman K, Shin H-M, et al (2013). Perfluorooctanoic acid exposure and cancer outcomes in a contaminated community: a geographic analysis. <i>Environ Health Perspect</i> 121(3): 318-23.
85854	Vlaanderen J, Straif K, Pukkala E, et al (2013). Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. <i>Occup Environ Med</i> , 70(6): 393-401.
22243	Vogelzang NJ (1999). [Comment] Re: radiation induced renal cell cancer: a report of 4 cases and review of the literature. <i>J Urol</i> , 162(4): 1388.

22248	Vogelzang NJ, Yang X, Goldman S, et al (1998). Radiation induced renal cell cancer: a report of 4 cases and review of the literature. <i>J Urol</i> , 160(6 Pt 1): 1987-90.
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
64979	Waggoner JK, Kullman GJ Henneberger PK, et al (2011). Mortality in the agricultural health study, 1993-2007. <i>Am J Epidemiol</i> , 173(1): 71-83.
97610	Wang F, Xu Y (2014). Body mass index and risk of renal cell cancer: a dose-response meta-analysis of published cohort studies. <i>Int J Cancer</i> , 135(7):1673-86.
91811	Wang X, Lin S, Yu I, et al (2013). Cause-specific mortality in a Chinese chrysotile textile worker cohort. <i>Cancer Sci</i> , 104(2): 245-9.
63918	Washio M, Mori M, Khan M, et al (2007). Diabetes mellitus and kidney cancer risk: The results of Japan collaborative cohort study for evaluation of cancer risk (JACC Study). <i>Int J Urol</i> , 14(5): 393-7.
TBA	Washio M, Mori M, Mikami K, et al (2014). Cigarette smoking and other risk factors for kidney cancer death in a Japanese population: Japan Collaborative Cohort Study for evaluation of cancer risk (JACC study). <i>Asian Pac J Cancer Prev</i> , 14(11):6523-8
3426	Watson DCT (1995). Mesothelioma. M Peckham, HM Pinedo, U Venonesi (Eds). <i>Oxford Textbook of Oncology</i> , Vol II 11.2: 1558. Oxford University Press, New York.
63325	Weikert S, Boeing H, Pischon T, et al (2008). Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>Am J Epidemiol</i> , 167(4): 438-46.
63406	Weikert S, Ljungberg B (2010). Contemporary epidemiology of renal cell carcinoma: perspectives of primary prevention. <i>World J Urol</i> , 28(3): 247-52.
3427	Weinmann S, Glass AG, Weiss NS, et al (1994). Use of diuretics and other antihypertensive medications in relation to the risk of renal cell cancer. <i>Am J Epidemiol</i> , 140(9): 792-804.
3351	Weir JM, Dunn Jr JE (1970). Smoking and mortality: a prospective study. <i>Cancer</i> , 25(1): 105-12.
TBA	Weiss NS (2016). Use of acetaminophen in relation to the occurrence of cancer: a review of epidemiologic studies. <i>Cancer Causes Control</i> , 27(12):1411-8.
TBA	Wen BW, Tsai CS, Lin CL, et al (2014). Cancer risk among gingivitis and periodontitis patients: a nationwide cohort study. <i>QJM</i> , 107(4): 283-90.
3352	Wenz W (1967). Tumors of the kidney following retrograde pyelography with colloidal thorium dioxide. <i>Ann N Y Acad Sci</i> , 145(3): 807-10.
22233	Whittemore AS, Paffenbarger Jr RS, Anderson K, et al (1984). Early precursors of urogenital cancers in former college men. <i>J Urol</i> , 132(6): 1256-61.
3247	Whittemore AS, Paffenbarger RS Jr, Anderson K, et al (1985). Early precursors of site-specific cancers in college men and women. <i>J Natl Cancer Inst</i> , 74(1): 43-51.
6757	WHO (1989). Occupational exposures in petroleum refining: crude oil and major petroleum fuels. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 45: 105-10, 150-2, 191-4, 234-6, 262-4. IARC, Lyon, France.
35302	Wideroff L, Gridley G, Mellekjær L, et al (1997). Cancer incidence in a population-based cohort of patients hospitalized with diabetes mellitus in Denmark. <i>J Natl Cancer Inst</i> , 89(18): 1360-65.
TBA	Wijarnpreecha K, Nissaisorakarn P, Sornprom S, et al (2016). Hepatitis C infection and renal cell carcinoma: A systematic review and meta-analysis. <i>World J Gastrointest Pathophysiol</i> , 7(4): 314-9.

97611	Wijarnpreecha K, Thongprayoon C, Thamcharoen N, et al (2017). Association between coffee consumption and risk of renal cell carcinoma: a meta-analysis. <i>Intern Med J</i> , 47(12): 1422-32.
TBA	Wilk A, Kalisinka E, Kosik-Bogacka DI, et al (2017). Cadmium, lead and mercury concentrations in pathologically altered human kidneys. <i>Environ Geochem Health</i> , 39(4): 889-99.
3428	Williams JC, Merguerian PA, Schned AR, et al (1995). Acquired renal cystic disease and renal cell carcinoma in an allograft kidney. <i>J Urol</i> , 153(2): 395-6.
TBA	Williams PT (2014). Reduced risk of incident kidney cancer from walking and running. <i>Med Sci Sports Exerc</i> , 46(2):312-7.
97593	Wilson CL, Ness KK, Neglia JP, et al (2013). Renal carcinoma after childhood cancer: a report from the childhood cancer survivor study. <i>J Natl Cancer Inst</i> , 105(7): 504-8.
63407	Wilson RT, Wang J, Chinchilli V, et al (2009). Fish, vitamin D, and flavonoids in relation to renal cell cancer among smokers. <i>Am J Epidemiol</i> , 170(6): 717-29.
3429	Wolk A, Lindblad P, Hans-Olov A (1996). Nutrition and renal cell cancer. <i>Cancer Causes Control</i> , 7(1): 5-18.
TBA	Wong G, Staplin N, Emberson J, et al (2016). Chronic kidney disease and the risk of cancer: an individual patient data meta-analysis of 32,057 participants from six prospective studies. <i>BMC Cancer</i> , 16: 488.
4601	Wong O, Harris F, Smith TJ (1993). Health effects of gasoline exposure. II. Mortality patterns of distribution workers in the United States. <i>Environ Health Perspect</i> , 101(Suppl 6): 63-76.
3260	Wong O, Raabe GK (1989). Critical review of cancer epidemiology in petroleum industry employees, with a quantitative meta-analysis by cancer site. <i>Am J Ind Med</i> , 15(3): 283-310.
22241	Wong O, Trent L, Harris F (1999). Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline. <i>Occup Environ Med</i> , 56(4): 217-21.
TBA	World Cancer Research Fund / American Institute for Cancer Research (2018). Continuous Update Project Expert Report. Diet, nutrition, physical activity and kidney cancer.
65782	World Health Organization (2002). Cancer-preventive effects. <i>IARC Handbooks of Cancer Prevention</i> , 6: 121-4. IARC Press, Lyon.
64981	World Health Organization (2012). Benzidine. <i>IARC Monographs. A Review of Human Carcinogens: Chemical Agents and Related Occupations</i> , Vol 100F: 1-11. IARC Press, Lyon.
65790	World Health Organization (2012). Consumption of alcoholic beverages. <i>IARC Monographs</i> , Vol 100E: 377-503. World Health Organization, International Agency for Research on Cancer. Lyon France.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
97594	Wozniak MB, Brennan P, Brenner DR, et al (2015). Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>Int J Cancer</i> , 137(8): 1953-66.
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28(2): 161-8.
91654	Wu WT, Lin YJ, Li CY, et al (2015). Cancer attributable to asbestos exposure in shipbreaking workers: A matched-cohort study. <i>PLoS One</i> , 10(7): e0133128.
91658	Wu WT, Lin YJ, Shiue HS, et al (2014). Cancer incidence of Taiwanese shipbreaking workers who have been potentially exposed to asbestos. <i>Environ Res</i> , 132: 370-8.

3353	Wynder EL, Mabuchi K, Whitmore WF (1974). Epidemiology of adenocarcinoma of the kidney. <i>J Natl Cancer Inst</i> , 53(6): 1619-32.
91840	Xu J, Ye Y, Huang F, et al (2016). Association between dioxin and cancer incidence and mortality: a meta-analysis. <i>Scientific Reports</i> 6: 38012.
TBA	Xu X, Zhu Y, Zheng X, et al (2015). Does beer, wine or liquor consumption correlate with the risk of renal cell carcinoma? A dose-response meta-analysis of prospective cohort studies. <i>Oncotarget</i> , 6(15): 13347-58.
77892	Yi SW, Ohrr H (2014). Agent Orange exposure and cancer incidence in Korean Vietnam veterans: A prospective cohort study. <i>Cancer</i> , 120(23): 3699-706.
77893	Yi SW, Ryu SY, Ohrr H, et al (2014). Agent Orange exposure and risk of death in Korean Vietnam veterans: Korean Veterans Health Study. <i>Int J Epidemiol</i> , 43(6): 1825-34.
TBA	Yu CY, Saeed O, Goldberg AS, et al (2018). A systematic review and meta-analysis of subsequent malignant neoplasm risk after radioactive iodine treatment of thyroid cancer. <i>Thyroid</i> , 28(12): 1662-73.
32380	Yu MC, Ross RK (2001). Obesity, hypertension, and renal cancer. <i>N Engl J Med</i> , 344(7): 531-2.
3354	Yu MC, Mack TM, Hanisch R, et al (1986). Cigarette smoking, obesity, diuretic use, and coffee consumption as risk factors for renal cell carcinoma. <i>J Natl Cancer Inst</i> , 77(2): 351-6.
TBA	Yu TM, Chuang YW, Yu MC, et al (2016). Risk of cancer in patients with polycystic kidney disease: a propensity-score matched analysis of a nationwide, population-based cohort study. <i>Lancet Oncol</i> , 17(10):1419-25.
22263	Yuan JM, Castelao JE, Gago-Dominguez M, et al (1998). Hypertension, obesity and their medications in relation to renal cell carcinoma. <i>Br J Cancer</i> , 77(9): 1508-13.
22580	Yuan JM, Castelao JE, Gago-Dominguez M, et al (1998). Tobacco use in relation to renal cell carcinoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 7(5): 429-33.
TBA	Zaidan M, Stucker F, Stengel B, et al (2014). Increased risk of solid renal tumors in lithium-treated patients. <i>Kidney Int</i> , 86(1): 184-90.
TBA	Zani C, Toninelli G, Filisetti B, et al (2013). Polychlorinated biphenyls and cancer: an epidemiological assessment. <i>J Environ Sci Health C Environ Carcinog Ecotoxicol Rev</i> , 31(2): 99-144.
63491	Zavos G, Kakisis J, Bokos J, et al (2007). De novo renal cell carcinoma in a kidney allograft 13 years after transplantation: A case report and review of the literature. <i>Urol Int</i> , 78(3): 283-5.
91852	Zeig-Owens R, Webber M, Hall C, et al (2011). Early assessment of cancer outcomes in New York City firefighters after the 9/11 attacks: an observational cohort study. <i>Lancet</i> 378 (9794): 898-905.
97595	Zhang S, Jia Z, Yan Z, et al (2018). Consumption of fruits and vegetables and risk of renal cell carcinoma: a meta-analysis of observational studies. <i>Oncotarget</i> , 8(17): 27892-903.
TBA	Zhang S, Wang Q, He J (2017). Intake of red and processed meat and risk of renal cell carcinoma: a meta-analysis of observational studies. <i>Oncotarget</i> , 8(44): 77942-56.
63438	Zhang Y, Cantor KP, Lynch CF, et al (2004). A population-based case-control study of occupation and renal cell carcinoma risk in Iowa. <i>J Occup Environ Med</i> , 46(3): 235-40.
TBA	Zhao G, Erazo B, Ronda E, et al (2020). Mortality among firefighters in Spain: 10 years of follow-up. <i>Ann Work Expo Health</i> , 64(6): 614-21.
TBA	Zhao J, Zhao L (2013). Cruciferous vegetables intake is associated with lower risk of renal cell carcinoma: evidence from a meta-analysis of observational studies. <i>PLoS One</i> , 8(10):e75732.

91006	Zhivin S, Laurier D, Caer-Lorho S, et al (2013). Impact of chemical exposure on cancer mortality in a French cohort of uranium processing workers. <i>Am J Ind Med</i> , 56(11): 1262-71.
TBA	Zhu X, Wang JZ, Zhang Y, et al (2016). Risk of renal cancer in liver transplant recipients: A systematic review and meta-analysis. <i>Int J Surg</i> , 25: 128-33.
63324	Zucchetto A, Dal Maso L, Tavani A, et al (2007). History of treated hypertension and diabetes mellitus and risk of renal cell cancer. <i>Ann Oncol</i> , 18(3): 596-600.
63439	Zucchetto A, Talamini R, Dal Maso L, et al (2008). Reproductive, menstrual, and other hormone-related factors and risk of renal cell cancer. <i>Int J Cancer</i> , 123(9): 2213-6.