



SHIN SPLINTS

RMA ID Number	Reference List for RMA342-3 as at December 2014
39530	Almeida SA, Trone DW, Leone DM, Shaffer RA, Patheal SL, Long K (1999). Gender differences in musculoskeletal injury rates: a function of symptom reporting. <i>Med Sci Sports Exerc</i> , 31(12) pp 1807-1812.
44721	Alonso-Bartolome P, Martinez-Taboada VM, Canga A, Blanco R (2006). [Letters] Medial tibial stress syndrome due to methotrexate osteopathy. <i>Ann Rheum Dis</i> , Vol 65 pp 832-833.
39532	Aoki Y, Yasuda K, Tohyama H, Ito H, Minami A (2004). Magnetic resonance imaging in stress fractures and shin splints. <i>Clin Orthop Relat Res</i> , Vol 421 pp 260-267.
71223	Aweid O, Del Buono A, Malliaras P, et al (2012). Systematic review and recommendations for intracompartmental pressure monitoring in diagnosing chronic exertional compartment syndrome of the leg. <i>Clin J Sport Med</i> , 22(4): 356-70.
71224	Banerjee P, McLean C (2011). Chronic exertional compartment syndrome with medial tibial stress syndrome in twins. <i>Orthopedics</i> , 34(6): e219-21.
39540	Batt ME (1995). Shin Splints - A review of terminology. <i>Clinical Journal of Sport Medicine</i> , 5(1) pp 53-57.
39542	Beck BR (1998). Tibial Stress Injuries. An aetiological review for the purposes of guiding management. <i>Sports Medicine</i> , 26(4) pp 265-279.
39544	Bennett JE, Reinking MF, Pluemer B, Pentel A, Seaton M, Killian C (2001). Factors contributing to the development of medial tibial stress syndrome in high school runners. <i>J Orthop Sports Phys Ther</i> , 31(9) pp 504-510.
39548	Birtles DB, Rayson Mp, Casey A, Jones DA, Newham DJ (2003). Venous obstruction in healthy limbs: a model for chronic compartment syndrome? <i>Med Sci Sports Exerc</i> , 35(10) pp 1638-1644.
39550	Blackman pp (2000). A review of chronic exertional compartment syndrome in the lower leg. <i>Journal of the American College of Sports Medicine</i> , 32(2) Suppl pp S4-S10.
71292	Brewer RB, Gregory AJ (2012). Chronic lower leg pain in athletes: a guide for the differential diagnosis, evaluation, and treatment. <i>Sports Health</i> , 4(2): 121-7.
39549	Brukner P (2000). Exercise-related lower leg pain: an overview. <i>Journal of the American College of Sports Medicine</i> , 32(2) Suppl pp S1-S3.
71293	Callahan LR (2014). Overview of running injuries of the lower extremity. . Retrieved 9 April 2014, from http://www.uptodate.com/contents/overview-of-running-injuries-of-the-lower-extremity
39552	Cetinus E, Uzel M, Bilgic E, Karaoguz A, Herdem M (2004). Exercise induced compartment syndrome in a professional footballer. <i>BMJ</i> , Vol 38 pp 227-229.
39543	Cone LA, Lamb RB, Graff-Radford A, Rudder J, Bach SA, Hirschberg JA, Feller JF, Lynch RA (1997). Pyomyositis of the anterior tibial compartment. <i>Clinical Infectious Diseases</i> , Vol 25 pp 146-148.

71294	Dahl M, Hansen P, Stal P, et al (2011). Stiffness and thickness of fascia do not explain chronic exertional compartment syndrome. <i>Clin Orthop Rel Res</i> , 469: 3495-500.
71225	Davis DE, Raikin S, Garras DN, et al (2013). Characteristics of patients with chronic exertional compartment syndrome. <i>Foot Ankle International</i> , 34(10): 1349-54.
73348	Department of Veterans' Affairs (1998). <i>Guide to the Assessment of Rates of Veterans' Pensions</i> , 5th Edition, : 24. Department of Veterans' Affairs.
71227	Edmundsson D, Svensson O, Toolanen G (2008). Intermittent claudication in diabetes mellitus due to chronic exertional compartment syndrome of the leg. <i>Acta Orthopaedica</i> , 79(4): 534-9.
71226	Edmundsson D, Toolanen G, Sojka P (2007). Chronic compartment syndrome also affects non-athletic subjects. <i>Acta Orthopaedica</i> , 78(1): 136-42.
39545	Fallon KE (1996). Musculoskeletal injuries in the ultramarathon: the 1990 Westfield Sydney to Melbourne run. <i>British Journal of Sports Medicine</i> , 30(4) pp 319-323.
39535	Fehlandt A, Micheli L (1995). Acute exertional anterior compartment syndrome in an adolescent female. <i>Med Sci Sports Exerc</i> , 27(1) pp 3-7.
71316	Fields KB (2011). Running injuries - changing trends and demographics. <i>Curr Sports Med Rep</i> , 10(5): 299-303.
39537	Fredericson M, Bergman AG, Hoffman KL, Dillingham MS (1995). Tibial stress reaction in runners. Correlation of clinical symptoms and scintigraphy with a new magnetic resonance imaging grading system. <i>Am J Sports Med</i> , 23(4) pp 472-481.
71295	Gallo RA, Plakke M, Silvis ML (2012). Common leg injuries of long-distance runners: anatomical and biomechanical approach. <i>Sports Health</i> , 4(6): 485-95.
39654	Hargrove R, Maclean C (2005). The incidence and risk factors in the development of medial tibial stress syndrome among naval recruits. <i>American Journal of Sports Medicine</i> , 33(3) pp 463-464.
71228	Hutchinson M (2011). Chronic exertional compartment syndrome. <i>Br J Sports Med</i> , 45: 952-3.
71229	Knobloch K, Yoon U, Vogt PM (2008). Acute and overuse injuries correlated to hours of training in master running athletes. <i>Foot Ankle International</i> , 29: 671-6.
39547	Kortebein PM, Kaufman KR, Basford JR, Stuart MJ (2000). Medial tibial stress syndrome. <i>Journal of the American College of Sports Medicine</i> , 32(2) pp S27-S33.
14549	Krivickas LS (1997). Anatomical factors associated with overuse sports injuries. <i>Sports Medicine</i> , 24(2): 132-46.
39541	Locke S (1999). Exercise-related chronic lower leg pain. <i>Australian Family Physician</i> , 28(6) pp 569-573.
39551	Macleod MA, Houston AS, Sanders L, Anagnostopoulos C (1999). Incidence of trauma related stress fractures and shin splints in male and female army recruits: retrospective case study. <i>BMJ</i> , Vol 318 pp 29.
71230	Moen MH, Bongers T, Bakker EW, et al (2012). Risk factors and prognostic indicators for medial tibial stress syndrome. <i>Scand J Med Sci Sports</i> , 22: 34-9.
71231	Newman P, Witchalls J, Waddington G, et al (2013). Risk factors associated with medial tibial stress syndrome in runners: a systematic review and meta-analysis. <i>Open Access Journal of Sports Medicine</i> , 4: 229-41.
73130	Nielsen RO, Parner ET, Nohr EA et al (2014). Excessive Progression in Weekly Running Distance and Risk of Running-related Injuries: An Association Modified by Type of Injury. <i>Journal of Orthopaedic & Sports Physical Therapy</i> , 25: 1-25.
44807	Plisky MS, Rauh MJ, Heiderscheit B, Underwood FB, Tank RT (2007). Medial tibial stress syndrome in high-school cross-country runners: incidence and risk factors. <i>Journal of Orthopaedic & Sports Physical Therapy</i> , 37(2) pp 40-47.

39546	Renstrom P, Johnson RJ (1989). Cross-country skiing injuries and biomechanics. <i>Sports Medicine</i> , 8(6) pp 346-370.
71296	Ringler MD, Litwiller DV, Felmlee JP, et al (2013). MRI accurately detects chronic exertional compartment syndrome: a validation study. <i>Skeletal Radiol</i> , 42: 385-92.
71297	Roberts A, Franklyn-Miller A (2012). The validity of the diagnostic criteria used in chronic exertional compartment syndrome: a systematic review. <i>Scand J Med Sci Sports</i> , 22: 585-95.
39531	Ruohola J-PS, Kiuru MJ, Pihlajamaki HK (2006). Fatigue bone injuries causing anterior lower leg pain. <i>Clinical Orthopaedics and Related Research</i> , Vol 444 pp 216-223.
17649	Schwellnus MP, Jordaan G, Noakes TD (1990). Prevention of common overuse injuries by the use of shock absorbing insoles. A prospective study. <i>American Journal of Sports Medicine</i> , Vol 18(6) pp 636-641.
39536	Sommer HM, Vallentyne SW (1995). Effect of foot posture on the incidence of medial tibial stress syndrome. <i>Med Sci Sports Exerc</i> , 27(6) pp 800-804.
44720	Story J, Cymet TC (2006). Shin splints. Painful to have and to treat. <i>Comp Ther</i> . 32(3) pp 192-195.
39529	Thacker SB, Gilchrist J, Stroup DF, Kimsey CD (2002). The prevention of shin splints in sports: a systematic review of literature. <i>Med Sci Sports Exerc</i> , 34(1) pp 32-40.
71298	Tucker AK (2010). Chronic exertional compartment syndrome of the leg. <i>Curr Rev Musculoskelet Med</i> , 3: 32-7.
39538	Turnipseed WD, Hurschler C, Vanderby R Jr (1995). The effects of elevated compartment pressure on tibial arteriovenous flow and relationship of mechanical and biochemical characteristics of fascia to genesis of chronic anterior compartment syndrome. <i>Journal of Vascular Surgery</i> , 21(5) pp 810-817.
71299	van Gent RN, Siem D, van Middlekoop M, et al (2007). Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review. <i>Br J Sports Med</i> , 41: 469-80.
71300	Waterman BR, Laughlin M, Kilcoyne K, et al (2013). Surgical treatment of chronic exertional compartment syndrome of the leg. <i>J Bone and Joint Surg Am</i> , 95: 592-6.
71301	Waterman BR, Liu J, Newcomb R, et al (2013). Risk factors for chronic exertional compartment syndrome in a physically active military population. <i>Am J Sports Med</i> , 41(11): 2545-9.
39533	Wilder RP, Sethi S (2004). Overuse injuries: tendinopathies, stress fractures, compartment syndrome, and shin splints. <i>Clin Sports Med</i> , 23(1) pp 55-81.
39539	Yates B, Allen MJ, Barnes MR (2003). Outcome of surgical treatment of medial tibial stress syndrome. <i>Journal of Bone and Joint Surgery - American Volume</i> , 85-A(10) pp 1974-1980.
39653	Yates B, White S (2004). The incidence and risk factors in the development of medial tibial stress syndrome among naval recruits. <i>The American Journal of Sports Medicine</i> , 32(3) pp 772-780.
71302	Yeung SS, Yeung EW, Gillespie LD (2011). Interventions for preventing lower limb soft-tissue running injuries. <i>The Cochrane Collaboration</i> , 7: CD001256.