



## DEPRESSIVE DISORDER

RMA ID Number	Reference List for RMA008-7 as at August 2018
---------------	---

72579	Accortt EE, Freeman MP, Allen JJ (2008). Women and major depressive disorder: clinical perspectives on causal pathways. <i>Journal of Women's Health, 17</i> (10): 1583-90.
11031	Adapted from Sadock (1980). From the legal definition of rape in the United States (Brownmiller 1975). <i>Kaplans Comprehensive Textbook of Psychiatry, Third Edition, 1803</i> .
38709	Ahern J, Galea S, Resnick H, et al (2002). Television images and psychological symptoms after the September 11 terrorist attacks. <i>Psychiatry, 65</i> : 289-300.
39280	Ahlborn A (2001). Neurodegenerative diseases, suicide and depressive symptoms in relation to EMF. <i>Bioelectromagnetics, 5</i> , S132-S143.
70500	Ahmed AI, van Mierlo P, Jansen P (2010). Sleep disorders, nightmares, depression and anxiety in an elderly patient treated with low-dose metoprolol. <i>Gen Hosp Psychiatry, 32</i> (6): 646, e5-7.
73944	Ahmedani BK, Peterson EL, Wells KE, et al (2013). Examining the relationship between depression and asthma exacerbations in a prospective follow-up study. <i>Psychosom Med, 75</i> (3): 305-10.
13324	Akiskal HS (1995). <i>Mood Disorders Comprehensive Textbook of Psychiatry, 6th Edition, Volume 1 Chapter 16: 1035-140</i> . Williams and Wilkins, Baltimore, Maryland, USA.
38577	Akiskal HS (2000). Mood disorders: clinical features. <i>Kaplan &amp; Saddock's Comprehensive Textbook of Psychiatry, Seventh Edition, Vol 1 Chapter 15: 1338-77</i> . Lippincott, Williams and Wilkins, London.
38469	Alexopoulos GS, Buckwalter K, Olin J, et al (2002). Comorbidity of late life depression: an opportunity for research on mechanisms and treatment. <i>Biological Psychiatry, 52</i> : 543-58.
54899	Al-Modallal H, Peden A, Anderson D (2008). Impact of physical abuse on adulthood depressive symptoms among women. <i>Issues in Mental Health Nursing, 29</i> : 299-314.
74346	Ameratunga D, Goldin J, Hickey M (2012). Sleep disturbance in menopause. <i>Internal Medicine Journal, 42</i> (7): 742-7.
5841	American Psychiatric Association (1987). <i>Diagnostic and statistical manual of mental disorders, 3rd Edition, (Revised)</i> . American Psychiatric Association, Washington DC. (NOT HELD).
5840	American Psychiatric Association (1980). <i>Diagnostic and statistical manual of mental disorders, 3rd Edition</i> , American Psychiatric Association, Washington DC. (NOT HELD).
74509	American Psychiatric Association (2013). Highlights of changes from DSM-IV to DSM-5. Retrieved 25 July 2013, from <a href="http://www.dsm5.org/Documents/changes%20from%20dsm-iv-tr%20to%20dsm-5.pdf">http://www.dsm5.org/Documents/changes%20from%20dsm-iv-tr%20to%20dsm-5.pdf</a>

38564	Andenaes R (2005). Psychological characteristics of patients with chronic obstructive pulmonary disease: a review. Invited commentary. <i>Journal of Psychosomatic Research</i> , 59: 427-8.
39281	Anderson RJ., Clouse RE, Freedleand KE, et al (2001). The prevalence of comorbid depression in adults with diabetes: a meta-analysis. <i>Diabetes Care</i> , 24: 1069-78.
40799	Andersson S, Krogstad JM, Finset A (1999). Apathy and depressed mood in acquired brain damage: relationship to lesion localization and psychophysiological reactivity. <i>Psychological Medicine</i> , 29: 447-56.
40808	Andrews G, Slade T, Issakidis C (2002). Deconstructing current comorbidity: data from the Australian National Survey of Mental Health and Well-Being. <i>British Journal of Psychiatry</i> , 181: 306-14.
72504	Anglin RE, Garside SL, Tarnopolsky MA et al (2012). The psychiatric manifestations of mitochondrial disorders: a case and review of the literature. <i>Journal of Clinical Psychiatry</i> , 73(4): 506-12.
72472	Anglin RE, Samaan Z, Walter SD et al (2013). Vitamin D deficiency and depression in adults: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 202: 100-7.
38504	Anisman H, Merali Z (2003). Cytokines, stress and depressive illness: brain-immune interactions. <i>Ann Med</i> , 35: 2-11.
5853	Anonymous (1988). Health status of Vietnam veterans. I. Psychosocial characteristics. The Centers for Disease Control Vietnam Experience Study. <i>JAMA</i> , 259(18): 2701-7.
72480	Antonaci F, Nappi G, Galli F (2011). Migraine and psychiatric comorbidity: a review of clinical findings. <i>Journal of Headache and Pain</i> , 12(2): 115-25.
73951	Appiani FJ, Carroll BT (2014). Levonorgestrel intrauterine device (IUD) exacerbation of PMS symptoms. <i>Annals of Clinical Psychiatry</i> , 26(2): 146-7.
40860	Archer JS (1999). NAMS/Solvay Resident Essay Qward. Relationship between estrogen, serotonin, and depression. <i>Menopause</i> , 6: 71-8. [Abstract]
86458	Ariga M, Uehara T, Takeuchi K, et al (2008). Trauma exposure and posttraumatic stress disorder in delinquent female adolescents. <i>Journal of Child Psychology and Psychiatry</i> , 49(1): 79-87.
38573	Armenian HK, Morikawa M, Melkonian AK, et al (2002). Risk factors in the survivors of the 1988 Earthquake in Armenia. <i>Journal of Urban Health: Bulletin of the New York Academy of Medicine</i> , 79: 373-82.
40830	Arseneault L, Cannon M, Witton J, Murray RM (2004). Causal association between cannabis and psychosis: examination of the evidence. <i>British Journal of Psychiatry</i> , 184: 110-17.
25593	Arseneault L, Cannon M, Poulton R, et al (2002). Cannabis use in adolescence and risk for adult psychosis: longitudinal prospective study. <i>BMJ</i> , 325(7374): 1212-13.
38557	Asnis GM, De La Garza R II (2005). Interferon-induced depression: strategies in treatment. <i>Progress in Neuro-Psychopharmacology &amp; Biological Psychiatry</i> , 29: 808-18.
72569	Atlantis E, Baker M (2008). Obesity effects on depression: systematic review of epidemiological studies. <i>International Journal of Obesity</i> , 32(6): 881-91.
74510	Atlantis E, Fahey P, Cochrane B, et al (2013). Bidirectional associations between clinically relevant depression or anxiety and COPD: a systematic review and meta-analysis. <i>Chest</i> , 144(3): 766-77.
72476	Atlantis E, Sullivan T (2012). Bidirectional association between depression and sexual dysfunction: a systematic review and meta-analysis. <i>Journal of Sexual Medicine</i> , 9(6): 1497-507.

40848	Attia JR, D'Este C, Schofield PW, et al (2006). Mental health in F-111 maintenance workers: the Study of Health Outcomes in Aircraft Maintenance Personnel (SHOAMP) General Health and Medical Study. <i>J Occup Environ Med</i> , 48: 682-91.
40828	Australian Bureau of Statistics (2006). <i>Mental Health and Wellbeing: Profile of Adults, Australia, 1997</i> . ABS.
55808	Australian Institute of Health and Welfare (2009). <i>Child Protection Australia 2007-08. Child Welfare Series, No 45</i> . Australian Institute of Health and Welfare, Canberra.
37804	Australian Institute of Health and Welfare (1998). <i>Morbidity of Vietnam veterans: A study of the health of Australia's Vietnam Veteran community: Volume 2 Female Vietnam Veterans. Survey and Community Comparison Outcomes</i> , . Canberra: AIHW.
40809	Australian Institute of Health and Welfare (AIHW). <i>Mental health services in Australia 2003-04</i> . AIHW cat no. HSE 40. <i>Mental Health Series No. 8</i> , Australian Institute of Health and Welfare, Canberra.
72474	Ayerbe L, Ayis S, Wolfe CD et al (2013). Natural history, predictors and outcomes of depression after stroke: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 202(1): 14-21.
74511	Baglioni C, Battagliese G, Feige B, et al (2011). Insomnia as a predictor of depression: A meta-analytic evaluation of longitudinal epidemiological studies. <i>J Affect Disord</i> , 135(1-3): 10-9.
74390	Bailey J, Poole R, Ruben S, et al (2012). Is alcohol consumption irrelevant to outcome in anxiety and depression? <i>Br J Psychiatry</i> , 201: 326-8.
74282	Baipai S, Im KB, Dyken ME (2014). Obstructive sleep apnea and risk for late-life depression. <i>Ann Clin Psychiatry</i> , 26(3): 163-70.
38516	Bair MJ, Robinson RL, Katon W, et al (2003). Depression and pain comorbidity: a literature review. <i>Arch Intern Med</i> , 163: 2433-45.
31745	Baker DG, McQuarrie IG, Murray MG, et al (2001). Diagnostic status and treatment recommendations for Persian Gulf War Veterans with multiple nonspecific symptoms. <i>Military Medicine</i> , 166: 972-80.
40857	Baldwin CM, Bell IR, Guerra S, et al (2004). Associations between chemical odor intolerance and sleep disturbances in community-living adults. <i>Sleep Medicine</i> , 5: 53-9.
38559	Baldwin R, Jeffries S, Jackson A, et al (2005). Neurological findings in late-onset depressive disorder: comparison of individuals with and without depression. <i>British Journal of Psychiatry</i> , 186: 308-13.
38482	Baldwin RC, O'Brien J (2002). Vascular basis of late-onset depressive disorder. <i>British Journal of Psychiatry</i> , 180: 157-60.
73317	Bali SJ, Parmar T, Arora V, et al (2011). Evaluation of major depressive disorder in patients receiving chronic treatment with topical timolol. <i>Ophthalmologica</i> , 226(3): 157-60.
11999	Ball SG, Buchwald AM, Waddell MT, et al (1995). Depression and generalized anxiety symptoms in panic disorder. Implications for comorbidity. <i>Journal of Nervous &amp; Mental Disease</i> , 183(5): 304-8.
73312	Banerjee M, Siddique S, Dutta A, et al (2012). Cooking with biomass increases the risk of depression in pre-menopausal women in India. <i>Soc Sci Med</i> , 75(3): 565-72.
40833	Baran AS, Richert AC (2003). Obstructive sleep apnea and depression. <i>CNS Spectrums</i> , 8: 128-34.
86455	Bardon C, Mishara BL (2015). Systematic review of the impact of suicides and other critical incidents on railway personnel. <i>Suicide and Life-Threatening Behavior</i> , 45(6): 720-31.
40836	Bardwell WA, Berry CC, Ancoli-Israel S, et al (1999). Psychological correlates of sleep apnea. <i>Journal of Psychosomatic Research</i> , 47: 583-96.

73349	Barrimi M, Aalouane R, Aarab C, et al (2013). Prolonged corticosteroid-therapy and anxiety-depressive disorders, longitudinal study over 12 months (Article in French). <i>Encephale</i> , 39(1): 59-65.
38585	Basoglu M, Kilic C, Salcioglu E, et al (2004). Prevalence of posttraumatic stress disorder and comorbid depression in earthquake survivors in Turkey: an epidemiological study. <i>Journal of Traumatic Stress</i> , 17: 133-41.
86478	Baum N (2014). Professionals' double exposure in the shared traumatic reality of wartime: contributions to professional growth and stress. <i>British Journal of Social Work</i> , 44(8): 2113-34.
11998	Bazargan M, Hamm-Baugh VP (1995). The relationship between chronic illness and depression in a community of urban black elderly persons. <i>Journal of Gerontology: Social Sciences</i> , 50B(2): S119-27.
12043	Beaudet MP (1996). Depression. <i>Health Reports</i> , 7(4): 11-24.
5843	Bebbington P, Der G, MacCarthy B, et al (1993). Stress, incubation and the onset of affective disorders. <i>Br J Psychiatry</i> , 162: 358-62.
5842	Bebbington P, Katz R, McGuffin P, et al (1989). The risk of minor depression before age 65: results from a community survey. <i>Psychological Medicine</i> , 19: 393-400.
11989	Beck DA, Koenig HG (1996). Minor depression: a review of the literature. <i>International Journal of Psychiatry in Medicine</i> , 26(2): 177-209.
12014	Beekman ATF, Deeg DJH, Van Limbeek J, et al (1997). Criterion validity of the centre for epidemiologic studies depression scale (CES-D) : results from a community-based sample of older subjects in the Netherlands. <i>Psychological Medicine</i> , 27: 231-5.
76737	Bekhuis E, Boschloo L, Rosmalen J, et al (2015). Differential associations of specific depressive and anxiety disorders with somatic symptoms. <i>J Psychosom Res</i> , 78(2): 116-22.
74283	Belliemi CV, Buonocore G (2013). Abortion and subsequent mental health: review of the literature. <i>Psychiatry Clin Neurosci</i> , 67(5): 301-10.
86475	Ben-Ezra M, Palgi Y, Essar N, et al (2008). Acute stress symptoms, dissociation, and depression among rescue personnel 24 hours after the Bet-Yehoshua train crash: the effects of exposure to dead bodies. <i>Prehosp Disast Med</i> , 23(5): 461-5.
38548	Bennett HA, Einarson A, Taddio A, et al (2004). Prevalence of depression during pregnancy: systematic review. <i>Obstet Gynecol</i> , 103: 698-709.
40846	Bennett P, Williams Y, Page N, et al (2004). Levels of mental health problems among UK emergency ambulance workers. <i>Emerg Med J</i> , 21: 235-6.
38571	Berger M, van Calker D, Riemann D (2003). Sleep and manipulations of the sleep-wake rhythm in depression. <i>Acta Psychiatr Scand</i> , 108(418): 83-91.
74391	Berkowitz RI, Fabricatore AN (2005). Obesity, Psychiatric Status, and Psychiatric Medications. <i>Psychiatr Clin N Am</i> , 34(4): 747-64.
53956	Bernet CZ, Stein MB (1999). Relationship of childhood maltreatment to the onset and course of major depression in adulthood. <i>Depression and Anxiety</i> , 9: 169-74.
83739	Berninger A, Webber MP, Cohen HW, et al (2010). Trends of elevated PTSD risk in firefighters exposed to the World Trade Center disaster: 2001-2005. <i>Public Health Reports</i> , 125(4): 556-66.
73632	Beseler CL, Stallones L, Hoppin JA, et al (2008). Depression and pesticide exposures among private pesticide applicators enrolled in the agricultural health study. <i>Environmental Health Perspect</i> , 116(12): 1713-9.
73335	Beseler CL, Stallones L (2008). A cohort study of pesticide poisoning and depression in Colorado farm residents. <i>Ann Epidemiol</i> , 18(10): 768-74.
40763	Beutel M, Willner H, Deckardt R, et al (1996). Similarities and differences in couples' grief reactions following a miscarriage: results from a longitudinal study. <i>Journal of Psychosomatic Research</i> , 40: 245-53.

73514	Beydoun HA, Beydoun MA, Kaufman JS, et al (2012). Intimate partner violence against adult women and its association with major depressive disorder, depressive symptoms and postpartum depression: systematic review and meta-analysis. <i>Soc Sci Med</i> , 75(6): 959-75.
72481	Bhalerao SU, Geurtjens C, Thomas GR et al (2013). Understanding the neuropsychiatric consequences associated with significant traumatic brain injury. <i>Brain Inj</i> , 27(7-8): 767-74.
38570	Bhugra D (2003). Migration and depression. <i>Acta Psychiatr Scand</i> , 108(418): 67-72.
40782	Bifulco A, Bernazzani O, Moran PM, et al (2000). Lifetime stressors and recurrent depression: preliminary findings of the Adult Life Phase Interview (ALPHI). <i>Soc Psychiatry Psychiatr Epidemiol</i> , 35: 264-75.
31742	Bifulco A, Bernazzani O, Moran PM, Ball C (2000). Lifetime stressors and recurrent depression: preliminary findings of the Adult Life Phase Interview (ALPHI). <i>Soc Psychiatry Psychiatr Epidemiology</i> , 35: 264-75.
53962	Bifulco A, Moran PM, Baines R, et al (2002). Exploring psychological abuse in childhood: II. Association with other abuse and adult clinical depression. <i>Bulletin of the Menninger Clinic</i> , 66(3): 241-58.
40768	Bigrigg A, Nandwani R, Ilett R, et al (2005). Use of a staff administered structured questionnaire to identify relevant lifestyle issues and social-health determinants in a sexual and reproductive health service. <i>European Journal of Contraception and Reproductive Health Care</i> , 10: 66-72.
55148	Binder EB (2009). The role of FKBP5, a co-chaperone of the glucocorticoid receptor in the pathogenesis and therapy of affective and anxiety disorders. <i>Psychoneuroendocrinology</i> , 34S: S186-95.
72662	Bishop SC, Basch S, Futterweit W (2009). Polycystic ovary syndrome, depression and affective disorders. <i>Endocrine Practice</i> , 15(5): 475-82.
40798	Bixler EO, Vgontzas AN, Lim HM, et al (2005). Excessive daytime sleepiness in a general population sample: the role of sleep apnea, age obesity, diabetes, and depression. <i>Journal of Clinical Endocrinology &amp; Metabolism</i> , 90: 4510-5.
40802	Bjerkset O, Nordahl HM, Mykletun A, et al (2005). Anxiety and depression following myocardial infarction: gender differences in a 5-year prospective study. <i>Journal of Psychosomatic Research</i> , 58: 153-61.
74512	Bjorngaard JH, Gunnell D, Elvestad MB, et al (2013). The causal role of smoking in anxiety and depression: a Mendelian randomization analysis of the HUNT study. <i>Psychol Med</i> , 43(4): 711-9.
31720	Black DW, Carney CP, Peloso PM, et al (2004). Gulf War Veterans with anxiety: Prevalence, comorbidity, and risk factors. <i>Epidemiology</i> , 15: 135-42.
39295	Blackburn-Munro G, Blackburn-Munro RE (2001). Chronic pain, chronic stress and depression: coincidence or consequence? <i>Journal of Neuroendocrinology</i> , 13: 1009-23.
38578	Blanchard EB, Rowell D, Kuhn E, et al (2005). Posttraumatic stress and depressive symptoms in a college population one year after the September 11 attacks: the effect of proximity. <i>Behaviour Research and Therapy</i> , 43: 143-50.
73313	Blanco C, Alegría AA, Liu SM, et al (2012). Differences among major depressive disorder with and without co-occurring substance use disorders and substance-induced depressive disorder: results from the National Epidemiologic Survey on alcohol and related conditions. <i>J Clin Psychiatry</i> , 73(6): 865-73.
5782	Bland RC, Orn H, Newman SC (1988). Lifetime prevalence of psychiatric disorders in Edmonton. <i>Acta Psychiatr Scand Suppl</i> , 77(338): 24-32.

6821	Blazer DG, Kessler RC, McGonagle KA, et al (1994). The prevalence and distribution of major depression in a national community sample: The National Comorbidity Survey. <i>American Journal of Psychiatry</i> , 151: 979-86.
38489	Blazer DG, Moody-Ayers S, Craft-Morgan J, et al (2002). Depression in diabetes and obesity: racial/ethnic/gender issues in older adults. <i>Journal of Psychosomatic Research</i> , 53: 913-16.
74513	Boden JM, Fergusson DM (2011). Alcohol and depression. <i>Addiction</i> , 106(5): 906-14.
72464	Borovaya A, Olisova O, Ruzicka T et al (2013). Does isotretinoin therapy of acne cure or cause depression. <i>International Journal of Dermatology</i> , 52(9): 1040-52.
70492	Boschloo L, Vogelzangs N, van den Brink W, et al (2012). Alcohol use disorders and the course of depressive and anxiety disorders. <i>Br J Psychiatry</i> , 200(6): 476-84.
12017	Bosley CM, Corden ZM, Rees PJ, et al (1996). Psychological factors associated with use of home nebulized therapy for COPD. <i>Eur Respir J</i> , 9: 2346-50.
72507	Bottcher B, Radenbach K, Wildt L et al (2012). Hormonal contraception and depression: a survey of the present state of knowledge. <i>Archives of Gynecology &amp; Obstetrics</i> , 286(1): 231-6.
73350	Bourgeois JA, Hategan A (2013). Flunarizine - and topiramate - associated with depression responsive to mirtazapine. <i>Psychosomatics</i> , 54(5): 503-4.
72558	Boyce P, Barriball E (2010). Circadian rhythms and depression. <i>Australian Family Physician</i> , 39(5): 307-10.
39274	Boyce PM (2003). Risk factors for postnatal depression: a review and risk factors in Australian populations. <i>Arch Womens Ment Health</i> , 6(Suppl 2): S43-S50.
40849	Brabbins CJ, Dewey ME, Copeland JRM, et al (1993). Insomnia in the elderly: prevalence, gender differences and relationships with morbidity and mortality. <i>International Journal of Geriatric Psychiatry</i> , 8: 473-80. [Abstract]
63980	Brackbill RM, Hadler JL, DiGrande L, et al (2009). Asthma and posttraumatic stress symptoms 5 to 6 years following exposure to the World Trade Center terrorist attack. <i>JAMA</i> , 302(5): 502-16.
54371	Bradley RG, Binder EB, Epstein MP, et al (2008). Influence of child abuse on adult depression. <i>Arch Gen Psychiatry</i> , 65(2): 190-200.
38574	Breslau N (2002). Epidemiologic studies of trauma, posttraumatic stress disorder, and other psychiatric disorders. <i>Can J Psychiatry</i> , 47: 923-9.
33852	Breslau N, Davis GC, Andreski P, et al (1991). Traumatic events and posttraumatic stress disorder in an urban population of young adults. <i>Arch Gen Psychiatry</i> , 48: 216-22.
13885	Breslau N, Davis GC, Andreski P, Peterson EL, et al (1997). Sex differences in posttraumatic stress disorder. <i>Arch Gen Psychiatry</i> , 54: 1044-8.
40851	Breslau N, Roth T, Rosenthal L, et al (1996). Sleep disturbance and psychiatric disorders: a longitudinal epidemiological study of young adults. <i>Biol Psychiatry</i> , 39: 411-8. [Abstract]
12007	Brewin CR, Hunter E, Carroll F, et al (1996). Intrusive memories in depression: an index of schema activation? <i>Psychological Medicine</i> , 26: 1271-76.
72636	Breyer BN, Shindel AW, Erickson BA et al (2013). The association of depression, anxiety and nocturia: a systematic review. <i>Journal of Urology</i> , 190(3): 953-7.
11993	Brezinka V, Kittel F (1995). Psychosocial factors of coronary heart disease in women: a review. <i>Social Science Medicine</i> , 42(10): 1351-5.

53959	Brodsky BS, Oquendo M, Ellis SP, et al (2001). The relationship of childhood abuse to impulsivity and suicidal behavior in adults with major depression. <i>Am J Psychiatry</i> , 158: 1871-7.
47062	Broen AN, Moum T, Bødtker AS, et al (2006). Predictors of anxiety and depression following pregnancy termination: a longitudinal five-year follow-up study. <i>Acta Obstetrica et Gynecologica</i> , 85: 317-23.
55807	Bromfield L, Irenyi M (2009). Child abuse and neglect statistics. National Child Protection Clearinghouse Resource Sheet, 1: 1-5. Australian Institute of Family Studies.
11994	Brooks R, Kerridge R, Hillman K, et al (1997). Quality of life outcomes after intensive care. Comparison with a community group. <i>Intensive Care Medicine</i> , 23: 581-6.
84406	Brooks SK, Dunn R, Amlot R, et al (2016). Social and occupational factors associated with psychological distress and disorder among disaster responders: a systematic review. <i>BMC Psychology</i> , 4: 18.
5844	Brown G, Harris T (1978). <i>The social origins of depression</i> , . Tavistock Press, London.
13201	Brown GW, Harris TO (1993). Aetiology of anxiety and depressive disorders in an inner-city population. 1. Early adversity. <i>Psychological Medicine</i> , 23: 143-54.
13200	Brown GW, Harris TO, Eales MJ (1993). Aetiology of anxiety and depressive disorders in an inner-city population. 2. Comorbidity and adversity. <i>Psychological Medicine</i> , 23: 155-65.
38470	Bruce ML (2002). Psychosocial risk factors for depressive disorders in late life. <i>Biol Psychiatry</i> , 52: 175-84.
72557	Brummelte S, Galea LA (2010). Depression during pregnancy and postpartum: contribution of stress and ovarian hormones. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 34(5): 766-76.
73633	Brunoni AR, Nunes MA, Pinheiro AP, et al (2014). Bereavement and common mental disorders in middle-aged adults: Results from the Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorder</i> , 152-154: 369-74.
74836	Bryant C (2014). Aspects of mental health care in the gynecological setting. <i>Women's Health</i> , 10(3): 237-54.
53957	Buist A, Janson H (2001). Childhood sexual abuse, parenting and postpartum depression - a 3-year follow-up study. <i>Child Abuse &amp; Neglect</i> , 25: 909-21.
40853	Bukberg J, Penman D, Holland JC (1984). Depression in hospitalized cancer patients. <i>Psychosom Med</i> , 46: 199-212. [Abstract]
49336	Bulik CM, Prescott CA, Kendler KS (2001). Features of childhood sexual abuse and the development of psychiatric and substance abuse disorders. <i>Br J Psychiatry</i> , 179: 444-9.
74392	Bulloch A, Lavorato D, Williams J, et al (2012). Alcohol consumption and major depression in the general population: the critical importance of dependence. <i>Depress Anxiety</i> , 29: 1058-64.
12270	Burvill PW (1995). Recent progress in the epidemiology of major depression. <i>Epidemiologic Reviews</i> , 17(1): 21-31.
74731	Busch AM, Wagener TL, Gregor KL, et al (2011). Utilizing reliable and clinically significant change criteria to assess for the development of depression during smoking cessation treatment: The importance of tracking idiographic change. <i>Addict Behav</i> , 36(12): 1228-32.
54546	Butterfield MI, Lapp KG, Bosworth HB, et al (2005). Lifetime sexual and physical victimization among male veterans with combat-related post-traumatic stress disorder. <i>Military Medicine</i> , 170(9): 787-90.
38513	Campbell LC, Clauw DJ, Keefe FJ (2003). Persistent pain and depression: a biopsychosocial perspective. <i>Biol Psychiatry</i> , 54: 399-409.

5783	Canino GJ, Bird HR, Shrout PE, et al (1987). The prevalence of specific psychiatric disorders in Puerto Rico. <i>Arch Gen Psychiatry</i> , 44: 727-35.
40767	Carrera L, Diez-Domingo J, Montanana V, et al (1998). Depression in women suffering perinatal loss. <i>International Journal of Gynecology &amp; Obstetrics</i> , 62: 149-53.
54372	Carroll BJ, Ressler KJ, et al (2008). [Comments] Child abuse and adult major depression: no evidence to protective gene. <i>Arch Gen Psychiatry</i> , 65(11): 1136-9. Comments on ID: 54371.
39273	Carson AJ, MacHale S, Allen K, et al (2000). Depression after stroke and lesion location: a systematic review. <i>Lancet</i> , 356: 122-6.
47165	Casey EA, Nurius PS (2005). Trauma exposure and sexual revictimization risk. <i>Violence Against Women</i> , 11(4): 505-30.
47171	Caspi A, Sugden K, Moffitt TE, et al (2003). Influence of life stress on depression: moderation by a polymorphism in the 5-HTT gene. <i>Science</i> , 301: 386-9.
38467	Cassano P, Fava M (2002). Depression and public health: an overview. <i>Journal of Psychosomatic Research</i> , 53: 849-57.
13206	Casten RJ, Parmalee PA, Kleban MH, et al (1995). The relationship among anxiety, depression, and pain in a geriatric institutionalized sample. <i>Pain</i> , 61: 271-6.
73943	Castro M, Kraychete D, Caltro C, et al (2009). Comorbid anxiety and depression disorders in patients with chronic pain. <i>Arq Neuropsiquiatr</i> , 67(4): 982-5.
72637	Celano CM, Huffman JC (2011). Depression and cardiac disease: a review. <i>Cardiology in Review</i> , 19(3): 130-42.
74514	Chaiton MO, Cohen JE, O'Loughlin J, et al (2009). A systematic review of longitudinal studies on the association between depression and smoking in adolescents. <i>BMC Public Health</i> , 9(356): .
11992	Chang PP, Ford DE, Mead LA, et al (1997). Insomnia in young men and subsequent depression. The Johns Hopkins precursors study. <i>American Journal of Epidemiology</i> , 146(2): 105-14.
13198	Chang PP, Ford DE, Mead LA, et al (1997). Insomnia in young men and subsequent depression: The John Hopkins Study. <i>American Journal of Epidemiology</i> , 146(2): 105-14.
72561	Chang-Quan H, Xue-Mei Z, Bi-Rong D, et al (2010). Health status and risk for depression among the elderly: a meta-analysis of published literature. <i>Age and Ageing</i> , 39(1): 23-30.
72661	Chang-Quan H, Zheng-Rong W, Yong Hong L et al (2010). Education and risk for late life depression: a meta-anaylsis of published literature. <i>International Journal of Psychiatry in Medicine</i> , 40(1): 109-24.
38561	Chapman DP, Perry GS, Strine TW (2005). The vital link between chronic disease and depressive disorders. . Retrieved 5 May 2006, from <a href="http://www.cdc.gov/pcd/issues/2005/jan/04_0066.htm">http://www.cdc.gov/pcd/issues/2005/jan/04_0066.htm</a>
39305	Chaudron LH, Klein MH, Remington P, et al (2001). Predictors, prodromes and incidence of postpartum depression. <i>J Psychosom Obstet Gynecol</i> , 22: 103-12.
69521	Chen LP, Murad MH, Paras ML, et al (2010). Sexual abuse and lifetime diagnosis of psychiatric disorders: systematic review and meta-analysis. <i>Mayo Clin Proc</i> , 85(7): 618-29.
40800	Chen M-L, Chang H-K, Yeh C-H (2000). Anxiety and depression in Taiwanese cancer patients with and without pain. <i>Journal of Advanced Nursing</i> , 32: 944-51.
11841	Chen YW, Dilsaver SC (1995). Comorbidity of panic disorder in bipolar illness: evidence from the epidemiologic catchment area survey. <i>American Journal of Psychiatry</i> , 152(2): 280-2.
38550	Chiu E (2004). Epidemiology of depression in the Asia Pacific region. <i>Australasian Psychiatry</i> , 12: S4-S10.



73668	Cho JJ, Kim JY, Chang SJ (2008). Occupational stress and depression in Korean employees. <i>Int Arch Occup Environ Health</i> , 82(1): 47-57.
38726	Chou F H-C, Su T T-P, Chou P, et al (2005). Survey of psychiatric disorders in a Taiwanese village population six months after a major earthquake. <i>J Formos Med Assoc</i> , 104: 308-17.
70483	Chu DA, Williams LM, Harris AW, et al (2013). Early life trauma predicts self-reported levels of depressive and anxiety symptoms in nonclinical community adults: relative contributions of early life stressor types and adult trauma exposure. <i>J Psychiatr Res</i> , 47(1): 23-32.
40801	Clarke DM, McLeod JE, Smith GC, et al (2005). A comparison of psychosocial and physical functioning in patients with motor neurone disease and metastatic cancer. <i>Journal of Palliative Care</i> , 21: 173-9.
12016	Clarke DM, Russell PA, Polglase AL, et al (1997). Psychiatric disturbance and acute stress responses in surgical patients. <i>Aust N Z J Surg</i> , 67: 115-8.
41412	Cohen LS, Soares CN, Vitonis AF, et al (2006). Risk of new onset of depression during the menopausal transition: the Harvard Study of Moods and Cycles. <i>Arch Gen Psychiatry</i> , 63: 385-90.
38506	Cole MG, Dendukuri N (2003). Risk factors for depression among elderly community subjects: a systematic review and meta-analysis. <i>Am J Psychiatry</i> , 160: 1147-56.
85892	Compton S, Levy P, Griffin M, et al (2011). Family-witnessed resuscitation: Bereavement outcomes in an urban environment. <i>Journal of Palliative Medicine</i> , 14(6): 715-21.
74515	Conner KR, Piquart M, Holbrook AP (2008). Meta-analysis of depression and substance use and impairment among cocaine users. <i>Drug Alcohol Depend</i> , 98(1-2): 13-23.
73132	Copeland W, Wolke D, Angold A et al (2013). Adult psychiatric and suicide outcomes of bullying and being bullied by peers in childhood and adolescence. <i>JAMA</i> , 70(4): 419-26.
11988	Cornelius JR, Fabrega H, Maher PJ, et al (1997). Age effects on the clinical presentation of alcoholics at a psychiatric hospital. <i>Comprehensive Psychiatry</i> , 38(4): 213-7.
38558	Costello EJ, Foley DL, Angold A (2006). 10-year research update review: The epidemiology of child and adolescent psychiatric disorders: ii. Developmental epidemiology. <i>J Am Acad Child Adolesc Psychiatry</i> , 45: 8-25.
47251	Cogle JR, Reardon DC, Coleman PK (2003). Depression associated with abortion and childbirth: a long-term analysis of the NLSY cohort. <i>Med Sci Monit</i> , 9(4): CR105-12.
13205	Croft PR, Papageorgiou AC, Ferry S, et al (1996). Psychological distress and low back pain: evidence from a prospective study in the general population. <i>Spine</i> , 20(24): 2731-7.
11997	Crowe JM, Runions J, Ebbesen LS, et al (1996). Anxiety and depression after acute myocardial infarction. <i>Heart &amp; Lung</i> , 25(2): 98-107.
38560	Cuijpers P (2005). Depressive disorders in caregivers of dementia patients: a systematic review. <i>Aging &amp; Mental Health</i> , 9: 325-30.
84177	Cukor J, Wyka K, Jayasinghe N, et al (2011). Prevalence and predictors of posttraumatic stress symptoms in utility workers deployed to the World Trade Center following the attacks of September 11, 2001. <i>Depress Anxiety</i> , 28(3): 210-7.
85911	Dai W, Chen L, Lai Z, et al (2016). The incidence of post-traumatic stress disorder among survivors after earthquakes: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 16: 188.

38464	Dalgard OS, Dowrick C, Lehtinen V, et al (2006). Negative life events, social support and gender difference in depression: a multinational community survey with data from the ODIN study. <i>Soc Psychiatry Psychiatr Epidemiol</i> , XX: 1-8.
39286	Dalton EJ, Heinrichs RW (2005). Depression in multiple sclerosis: a quantitative review of the evidence. <i>Neuropsychology</i> , 19: 152-8.
53971	Danese A, Moffitt TE, Pariante CM, et al (2008). Elevated inflammation levels in depressed adults with a history of childhood maltreatment. <i>Arch Gen Psychiatry</i> , 65(4): 409-16.
74556	Dauvilliers Y, Lopez R, Ohayon M, et al (2013). Hypersomnia and depressive symptoms: methodological and clinical aspects. <i>BMC Med</i> , 11(78).
74544	Dawson-Hughes B (2015). Vitamin D deficiency in adults: definition, clinical manifestations and treatment. . Retrieved 18 March 2015, from <a href="http://pmtwww.uptodate.com/contents/vitamin-d-deficiency-in-adults-definition-clinical-manifestations-and-treatment?source=search_result&amp;search=fracture+osteomalacia&amp;selectedTitle=14~150">http://pmtwww.uptodate.com/contents/vitamin-d-deficiency-in-adults-definition-clinical-manifestations-and-treatment?source=search_result&amp;search=fracture+osteomalacia&amp;selectedTitle=14~150</a>
40786	De Beurs E, Beekman A, Geerlings S, et al (2001). On becoming depressed or anxious in late life: similar vulnerability factors by different effects of stressful life events. <i>British Journal of Psychiatry</i> , 179: 426-31.
41573	de Graaf R, Bijl RV, Smit F, et al (2002). Risk factors for 12-month comorbidity of mood, anxiety, and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. <i>Am J Psychiatry</i> , 159: 620-9.
40829	de Irala J, Ruiz-Canela M, Martinez-Gonzalez MA (2005). Causal relationship between cannabis use and psychotic symptoms or depression. Should we wait and see? A public health perspective. <i>Med Sci Monit</i> , 11: RA355-358.
73332	de Mattos Viana B, Prais HA, Daker MV (2009). Melancholic features related to rimonabant. <i>Gen Hosp Psychiatry</i> , 31(6): 583-5.
31748	de Vries M, Soetekouw PMMB, Van der Meer JWM, et al (2001). Natural course of symptoms in Cambodia veterans: a follow-up study. <i>Psychological Medicine</i> , 31: 331-8.
38520	Degenhardt L, Hall W, Lynskey M (2003). Exploring the association between cannabis use and depression. <i>Addiction</i> , 98: 1493-1504.
72463	DeJean D, Giacomini M, Vanstone M et al (2013). Patient experiences of depression and anxiety with chronic disease: a systematic review and qualitative meta-synthesis. <i>Ontario Health Technology Assessment Series</i> , 13(16): 1-33.
72906	Dekel S, Solomon Z, Horesh D, et al (2014). Posttraumatic stress disorder and depressive symptoms: joined or independent sequelae of trauma? <i>J Psychiatr Res</i> , 54: 64-9.
32791	Department of Defence (2004). Report on the General Health and Medical Study. Study of Health Outcomes in Aircraft Maintenance Personnel, Vol 5. Commonwealth of Australia.
74266	Department of Veterans' Affairs (2015). 22 December 2014 - Jet Fuel Exposure Syndrome Study Report. . Retrieved 19 February 2015, from <a href="http://f1111.dva.gov.au/whats_new.htm">http://f1111.dva.gov.au/whats_new.htm</a>
40852	Derogatis LR, Morrow GR, Fetting J, et al (1983). The prevalence of psychiatric disorders among cancer patients. <i>JAMA</i> , 249: 751-7. [Abstract]
38472	Devanand DP (2002). Comorbid psychiatric disorders in late life depression. <i>Biol Psychiatry</i> , 51: 236-42.
73319	Dhir A, Kulkarni SK (2011). Nitric oxide and major depression. <i>Nitric Oxide</i> , 24(3): 125-31.
38552	Dieguez S, Staub F, Bruggimann L, et al (2004). Is poststroke depression a vascular depression? <i>Journal of Neurological Sciences</i> , 226: 53-8.

73323	Diez-Quevedo C, Masnou H, Planas R, et al (2011). Prophylactic treatment with escitalopram of pegylated interferon alfa-2a-induced depression in hepatitis C: a 12-week, randomized, double-blind, placebo-controlled trial. <i>J Clin Psychiatry</i> , 72(4): 522-8.
11985	D'Mello D, Flanagan C (1996). Seasons and depression: the influence of cigarette smoking. <i>Addictive Behaviors</i> , 21(5): 671-4.
85912	Dobashi K, Nagamine M, Shigemura J, et al (2014). Psychological effects of disaster relief activities on Japan ground self-defense force personnel following the 2011 great east Japan earthquake. <i>Psychiatry</i> , 77: 190-9.
74516	Đokovic DD, Jovic JJ, Đokovic JD, et al (2015). Effects of hormone replacement therapy on depressive and anxiety symptoms after oophorectomy. <i>Med Glas (Zenica)</i> , 12(1): 79-85.
74517	Dokras A, Clifton S, Futterweit W, et al (2011). Increased risk for abnormal depression scores in women with polycystic ovary syndrome: a systematic review and meta-analysis. <i>Obstet Gynecol</i> , 117(1): 145-52.
38521	Donald M, Dower J, Lucke J, et al (2001). Prevalence of adverse life events, depression and suicidal thoughts and behaviour among a community sample of young people aged 15-24 years. <i>Aust N Z J Public Health</i> , 25: 426-32.
72568	Dossett EC (2008). Perinatal depression. <i>Obstetrics and Gynecology Clinics of North America</i> , 35(3): 419-34.
74518	Dowlatshahi EA, Wakkee M, Arends LR, et al (2014). The prevalence and odds of depressive symptoms and clinical depression in psoriasis patients: a systematic review and meta-analysis. <i>J Invest Dermatol</i> , 134(6): 1542-51.
38487	Eaton WW (2002). Epidemiological evidence on the comorbidity of depression and diabetes. <i>Journal of Psychosomatic Research</i> , 53: 903-6.
40861	Eaton WW, Armenian H, Gallo J, et al (1996). Depression and risk for type II diabetes. A prospective population-based study. <i>Diabetes Care</i> , 19: 1097-102. [Abstract]
38508	Editor's Correspondence: 1. Daniell HW, 2. Regalbuto G, 3. Beckman TJ. Response Bair MJ, Robinson RL, Katon W, & Kroenke K (2004). 1. Sex hormone deficiency in depressed patients receiving opioids. 2. An obstacle to the treatment of depression. 3. Discussing the depression-pain dyad with patients. <i>Arch Intern Med</i> , 164: 804-5.
85881	Elklit A, Kurdahl S (2013). The psychological reactions after witnessing a killing in public in a Danish high school. <i>European Journal of Psychotraumatology</i> , 4: 1-7.
74080	Ellard R, Ahmed A, Shah R, et al (2014). Suicide and depression in a patient with psoriasis receiving adalimumab: the role of the dermatologist. <i>Clin Exp Dermatol</i> , 39(5): 624-7.
74404	Elovainio M, Teperi J, Aalto AM, et al (2007). Depressive symptoms as predictors of discontinuation of treatment of menorrhagia by levonorgestrel-releasing intrauterine system. <i>Int J Behav Med</i> , 14(2): 70-5.
73333	Embry D, Hankins M, Biglan A, et al (2009). Behavioral and social correlates of methamphetamine use in a population-based sample of early and later adolescents. <i>Addict Behav</i> , 34(4): 343-51.
38575	Engdahl B, Dikel TN, Eberly R, et al (1998). Comorbidity and course of psychiatric disorders in a community sample of former prisoners of war. <i>American Journal of Psychiatry</i> , 155: 1740-5.
40842	Engdahl B, Dikel TN, Eberly R et al (1997). Posttraumatic stress disorder in a community group of former prisoners of war: A normative response to severe trauma. <i>Am J Psychiatry</i> , 154: 1576-81.
40766	Engelhard IM, van den Hout MA, Arntz A (2001). Posttraumatic stress disorder after pregnancy loss. <i>General Hospital Psychiatry</i> , 23: 62-66.
74519	Epstein JF, Induni M, Wilson T (2009). Patterns of clinically significant symptoms of depression among heavy users of alcohol and cigarettes. <i>Prev Chronic Dis</i> , 6(1): A09.

86474	Epstein RS, Fullerton CS, Ursano RJ (1998). Posttraumatic stress disorder following an air disaster: a prospective study. <i>Am J Psychiatry</i> , 155(7): 934-8.
31746	Erickson DJ, Wolfe J, King DW, et al (2001). Posttraumatic stress disorder and depression symptomatology in a sample of Gulf War veterans: a prospective analysis. <i>Journal of Consulting &amp; Clinical Psychology</i> , 69: 41-9.
27136	Erickson DJ, Wolfe J, King DW, et al (2001). Posttraumatic stress disorder and depression symptomatology in a sample of Gulf War veterans: A prospective analysis. <i>Journal of Consulting and Clinical Psychology</i> , 69(1): 41-9.
73321	Eshuis EJ, Magnin KM, Stokkers PC, et al (2010). Suicide attempt in ulcerative colitis patient after 4 months of infliximab therapy - a case report. <i>J Chrons Colitis</i> , 4(5): 591-3.
73513	Espejo E, Hammen C, Brennan PA (2012). Elevated appraisals of the negative impact of naturally occurring life events: a risk factor for depressive and anxiety disorders. <i>J Abnorm Child Psychol</i> , 40(2): 303-15.
85904	Espie E, Gaboulaud V, Baubet V, et al (2009). Trauma-related psychological disorders among Palestinian children and adults in Gaza and West Bank, 2005-2008. <i>International Journal of Mental Health Systems</i> , 3(21): 1-5.
40855	Evans DL, McCartney CF, Nemeroff CB, et al (1986). Depression in women treated for gynecological cancer: clinical and neuroendocrine assessment. <i>Am J Psychiatry</i> , 143: 447-52. [Abstract]
38490	Everson SA, Maty SC, Lynch JW, et al (2002). Epidemiologic evidence for the relation between socioeconomic status and depression, obesity, and diabetes. <i>Journal of Psychosomatic Research</i> , 53: 891-5.
38486	Faith MS, Matz PE, Jorge MA (2002). Obesity - depression associations in the population. <i>Journal of Psychosomatic Research</i> , 53: 935-42.
72784	Fang J, Cheng Q (2009). Etiological mechanisms of post-stroke depression: a review. <i>Neurological Research</i> , 31(9): 904-9.
40847	Faravelli C, Giugni A, Salvatori S, et al (2004). Psychopathology after rape. <i>Am J Psychiatry</i> , 161: 1483-5.
39265	Fava GA (2003). Can long-term treatment with antidepressant drugs worsen the course of depression? <i>J Clin Psychiatry</i> , 64: 123-33.
49512	Felitti VJ, Anda RF, Nordenberg D, et al (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. <i>Am J Prev Med</i> , 14: 245-58.
71879	Fergusson DM, Horwood LJ, Miller AL et al (2011). Life Stress, 5-HTTLPR and mental disorder: findings from a 30-year longitudinal study. <i>The British Journal of Psychiatry</i> , (198): 129-35.
55060	Fergusson DM, Horwood LJ, Kynskey MT (1996). Childhood sexual abuse and psychiatric disorder in young adulthood: II. Psychiatric outcomes of childhood sexual abuse. <i>J Am Acad Child Adolesc Psychiatry</i> , 34(10): 1365-74.
47250	Fergusson DM, Horwood LJ, Ridder EM (2006). Abortion in young women and subsequent mental health. <i>Journal of Child Psychology &amp; Psychiatry</i> , 47(1): 16-24.
50925	Fergusson DM, Horwood J, Boden JM (2008). Abortion and mental health disorders: evidence from a 30-year longitudinal study. <i>The British Journal of Psychiatry</i> , 193: 444-51.
55059	Fergusson DM, Lynskey MT, Horwood LJ (1996). Childhood sexual abuse and psychiatric disorder in young adulthood: I. Prevalence of sexual abuse and factors associated with sexual abuse. <i>J Am Acad Child Adolesc Psychiatry</i> , 34(10): 1355-64.

76736	Ferro MA, Willem Gorter J, Boyle MH (2015). Trajectories of depressive symptoms during the transition to young adulthood: the role of chronic illness. <i>J Affect Disord</i> , 174: 594-601.
85913	Ferry F, Bunting B, Murphy S, et al (2014). Traumatic events and their relative PTSD burden in Northern Ireland: a consideration of the impact of the 'Troubles'. <i>Social Psychiatry &amp; Psychiatric Epidemiology</i> , 49(3): 435-46.
74520	Fiest KM, Dykeman J, Patten SB, et al (2013). Depression in epilepsy: a systematic review and meta-analysis. <i>Neurology</i> , 80(6): 590-9.
72563	Filakovic P, Petek A, Koic O et al (2009). Comorbidity of depressive and dermatologic disorders - therapeutic aspects. <i>Psychiatria Danubina</i> , 21(3): 401-10.
72469	Finan PH, Smith MT (2013). The comorbidity of insomnia, chronic pain and depression: dopamine as a putative mechanism. <i>Sleep Medicine Reviews</i> , 17(3): 173-83.
5785	Finlay-Jones R, Brown GW (1981). Types of stressful life event and the onset of anxiety and depressive disorders. <i>Psychological Med</i> , 11: 803-15.
39293	First MB (2005). Mutually exclusive versus co-occurring diagnostic categories; the challenge of diagnostic comorbidity. <i>Psychopathology</i> , 38: 206-10.
11991	Fishbain DA, Cutler R, Rosomoff HL, et al (1997). Chronic pain-associated depression: antecedent or consequence of chronic pain? a review. <i>The Clinical Journal of Pain</i> , 13: 116-37.
11032	Fitzgerald LF (1993). Sexual harassment. Violence against women in the workplace. <i>American Psychologist</i> , Vol 48(10): 1070-6.
53970	Fletcher JM (2009). Childhood mistreatment and adolescent and young adult depression. <i>Soc Sci Med</i> , 68: 799-809.
40850	Foley DJ, Monhan A, Simonsick EM, et al (1999). Incidence and remission of insomnia among elderly adults: an epidemiologic study of 6,800 persons over three years. <i>Sleep</i> , 22(2): S366-72. [Abstract]
12887	Fontana A, Rosenheck R (1994). Traumatic war stressors and psychiatric symptoms among World War II, Korean, and Vietnam War veterans. <i>Psychology and Aging</i> , 9(1): 27-33.
73515	Fosbol EL, Peterson ED, Weeke P, et al (2013). Spousal depression, anxiety, and suicide after myocardial infarction. <i>Eur Heart J</i> , 34: 649-56.
72582	Fragoso YD, Frota ER, Lopes JS et al (2010). Severe depression, suicide attempts and ideation during the use of interferon beta by patients with multiple sclerosis. <i>Clinical Neuropharmacology</i> , 33(6): 312-6.
34537	Frans O, Rimmo P-A, Aberg L, et al (2005). Trauma exposure and post-traumatic stress disorder in the general population. <i>Acta Psychiatr Scand</i> , 111: 291-9.
13054	Freed G, Stringer PB (1968). Comparative mortality experience 1946-1963 among former Australian prisoners of war of the Japanese. <i>Medical Research Bulletin</i> , No 2. Central Medical Research Advisory Committee.
41411	Freeman EW, Sammel MD, Lin H, et al (2006). Associations of hormones and menopausal status with depressed mood in women with no history of depression. <i>Arch Gen Psychiatry</i> , 63: 375-82.
74523	Friborg O, Martinsen EW, Martinussen M, et al (2014). Comorbidity of personality disorders in mood disorders: a meta-analytic review of 122 studies from 1988 to 2010. <i>J Affect Disord</i> , 152-154: 1-11.
12152	Fujigaki Y (1996). Time series investigation of job-events and depression in computer software engineers. <i>Industrial Health</i> , 34(2): 71-9.
69181	Fullerton CS, Ursano RJ, Reeves J, et al (2006). Perceived safety in disaster workers following 9/11. <i>J Nerv Ment Dis</i> , 194(1): 61-3.
73478	Furukawa M, Kitahara T, Horii A, et al (2013). Psychological condition in patients with intractable Meniere's disease. <i>Acta Otolaryngol</i> , 133(6): 584-9.

70499	Gal G, Levav I, Gross R (2011). Psychopathology among adults abused during childhood or adolescence: results from the Israel-based World Mental Health Survey. <i>J Nerv Ment Dis</i> , 199(4): 222-9.
72477	Gallagher DA, Schrag A (2012). Psychosis, apathy, depression and anxiety in Parkinson's disease. <i>Neurobiology of Disease</i> , 46(3): 581-9.
73322	Gallicchio L, Miller SR, Greene T, et al (2011). Adverse health outcomes among cosmetologists and noncosmetologists in the Reproductive Outcomes of Salon Employees (ROSE) study. <i>J Toxicol Environ Health A</i> , 74(1): 52-61.
73325	Galvão-de Almeida A, Quarantini LC, Batista-Neves S, et al (2010). Is the interferon-a-triggered depressive episode a self-limited kind of depression? Four cases of persistent affective symptoms after antiviral treatment in HCV-infected individuals. <i>World J Biol Psychiatry</i> , 11(7): 914-8.
38499	Garakani A, Win T, Virk S, et al (2003). Comorbidity of irritable bowel syndrome in psychiatric patients: a review. <i>American Journal of Therapeutics</i> , 10: 61-67.
76742	Garcia-Toro M, Rubio JM, Gili M, et al (2013). Persistence of chronic major depression: a national prospective study. <i>J Affect Disord</i> , 151(1): 306-12.
38484	Garfield SA (2002). Depression and mental disorders in patients with diabetes, kidney disease, and obesity and eating disorders. <i>Journal of Psychosomatic Research</i> , 53: 841.
40859	Gaszner P (2005). About the menopausal depression. <i>Neuropsychopharmacol Hung</i> , 7: 208-14. [Abstract]
40760	Gelder M, Harrison P, Cowen P (2006). Classification and diagnosis. <i>Shorter Oxford Textbook of Psychiatry</i> , 5th Edition, Chapter 2. Oxford University Press Inc. New York.
43460	Gelder M, Harrison P, Cowen P (2006). <i>Shorter Oxford Textbook of Psychiatry</i> . Oxford Textbook of Psychiatry, 5th Edition. Oxford University Press.
74524	Gibbs Z, Lee S, Kulkarni J (2012). What factors determine whether a woman becomes depressed during the perimenopause? <i>Arch Womens Ment Health</i> , 15(5): 323-32.
54549	Gillespie CF, Phifer J, Bradley B, et al (2009). Risk and resilience: genetic and environmental influences on development of the stress response. <i>Depression and Anxiety</i> , [Epub ahead of print].
76866	Gilmer WS, Trivedi MH, Rush AJ, et al (2005). Factors associated with chronic depressive episodes: a preliminary report from the STAR-D project. <i>Acta Psychiatr Scand</i> , 112: 425-33.
52091	Gladstone GL, Parker GB, Mitchell PB, et al (2004). Implications of childhood trauma for depressed women: an analysis of pathways from childhood sexual abuse to deliberate self-harm and revictimization. <i>Am J Psychiatry</i> , 161: 1417-25.
50778	Glasner-Edwards S, Mooney LJ, Marinelli-Casey P, et al (2008). Identifying methamphetamine users at risk for major depressive disorder: findings from the methamphetamine treatment project a three-year follow-up. <i>The American Journal of Addictions</i> , 17: 99-102.
72461	Gleason OC, Peirce AM, Walker AE, et al (2013). The two-way relationship between medical illness and late-life depression. <i>Psychiatric Clinics of North America</i> , 36(4): 533-44.
40793	Glenn MB, O'Neil-Pirozzi T, Goldstein R, et al (2001). Depression amongst outpatients with traumatic brain injury. <i>Brain Injury</i> , 15: 811-8.
74525	Godha D, Shi L, Mavronicolas H (2010). Association between tendency towards depression and severity of rheumatoid arthritis from a national representative sample: the Medical Expenditure Panel Survey. <i>Curr Med Res Opin</i> , 26(7): 1685-90.

74393	Godin O, Elbejjani M, Kaufman JS (2012). Body mass index, blood pressure and risk of depression in the elderly: a marginal structural model. <i>Am J Epidemiol</i> , 176(3): 204-13.
38586	Goenjian AK, Molina L, Steinberg AM, et al (2001). Posttraumatic stress and depressive reactions among Nicaraguan adolescents after Hurricane Mitch. <i>American Journal of Psychiatry</i> , 158: 788-94.
38587	Goenjian AK, Walling D, Steinberg AM, et al (2005). A prospective study of posttraumatic stress and depressive reactions among treated and untreated adolescents 5 years after a catastrophic disaster. <i>American Journal of Psychiatry</i> , 162: 2302-8.
11996	Goldberg P, David S, Landre MF, et al (1996). Work conditions and mental health among prison staff in France. <i>Scand J Work Environ Health</i> , 22: 45-54.
11033	Golding JM (1994). Sexual assault history and physical health in randomly selected Los Angeles women. <i>Health Psychology</i> , 13(4): 130-8.
74405	Golding JM, Taylor DL, Menard L, et al (2000). Prevalence of sexual abuse history in a sample of women seeking treatment for premenstrual syndrome. <i>J Psychosom Obstet Gynecol</i> , 21(2): 69-80.
73134	Goldstein RB, Compton WM, Grant B (2010). Antisocial behavioral syndromes and additional psychiatric comorbidity in posttraumatic stress disorder among U.S. adults: Results from Wave 2 of the national epidemiologic survey on alcohol and related conditions. <i>J Am Psychiatr Nurses Assoc</i> , 16(3): 145-65.
76865	Gonzalez A, Boyle MH, Kyu HH, et al (2012). Childhood and family influences on depression, chronic physical conditions and their comorbidity: findings from the Ontario child health study. <i>Journal of Psychiatric Research</i> , 46: 1475-82.
53348	Goodwin RD, Wamboldt MZ, Pine DS (2003). Lung disease and internalizing disorders. Is childhood abuse a shared etiologic factor? <i>J Psychosom Res</i> , 55: 215-9.
40776	Goodyer IM, Herbert J, Tamplin A, et al (2000). Recent life events, cortisol, dehydroepiandrosterone and the onset of major depression in high-risk adolescents. <i>British Journal of Psychiatry</i> , 177: 499-504.
40806	Gorman DM (1992). Distinguishing primary and secondary disorders in studies of alcohol dependence and depression. <i>Drug and Alcohol Review</i> , 11: 23-9.
40773	Grace J, O'Brien JT (2003). Association of life events and psychosocial factors with early but not late onset depression in the elderly: implications for possible differences in aetiology. <i>Int J Geriatr Psychiatry</i> , 18: 473-8.
73137	Grant B, Goldstein RB, Chou SP et al (2009). Sociodemographic and psychopathologic predictors of first incidence of DSM-IV substance use, mood and anxiety disorders: results from the wave 2 national epidemiologic survey on alcohol and related conditions. <i>Mol Psychiatry</i> , 14(11): 1051-66.
34993	Grayson CE, Nolen-Hoeksema S (2005). Motives to drink as mediators between childhood sexual assault and alcohol problems in adult women. <i>Journal of Traumatic Stress</i> , 18: 137-45.
9565	Green BL (1990). Defining trauma: terminology and generic stressor dimensions. <i>J Applied Social Psychology</i> , 20: 1632-42.
38488	Grey M, Wittemore R, Tamborlane W (2002). Depression in Type 1 diabetes in children: natural history and correlates. <i>Journal of Psychosomatic Research</i> , 53: 907-11.
85636	Gross R, Neria Y, Tao XG, et al (2006). Posttraumatic stress disorder and other psychological sequelae among World Trade Center clean up and recovery workers. <i>Ann N Y Acad Sci</i> , 1071: 495-9.

38503	Grren AI, Canuso CM, Brenner MJ, et al (2003). Detection and management of comorbidity in patients with schizophrenia. <i>Psychiatr Clin N Am</i> , 26: 115-39.
40840	Grunau GL, Ratner PA, Goldner EM, et al (2006). Is early- and late-onset depression after acute myocardial infarction associated with long-term survival in older adults? A population-based study. <i>Can J Cardiol</i> , 22: 473-8.
73669	Grynderup MB, Mors O, Hansen AM, et al (2013). Work-unit measures of organisational justice and risk of depression - a 2-year cohort study. <i>Occup Environ Med</i> , 70(6): 380-5.
72580	Gum AM, Cheavens JS (2008). Psychiatric comorbidity and depression in older adults. <i>Current Psychiatry Reports</i> , 10(1): 23-9.
40762	Gunnell D, Saperia J, Ashby D (2005). Selective serotonin reuptake inhibitors (SSRIs) and suicide in adults: meta-analysis of drug company data from placebo controlled, randomised controlled trials submitted to the MHRA's safety review. <i>BMJ</i> , 330: 1-5.
74284	Gupta MA, Knapp K (2014). Cardiovascular and Psychiatric Morbidity in Obstructive Sleep Apnea (OSA) with Insomnia (Sleep Apnea Plus) versus Obstructive Sleep Apnea without Insomnia: A Case-Control Study from a Nationally Representative US Sample. <i>PLoS One</i> , 9(3): e90021.
74313	Gupta MA, Simpson FC (2015). Obstructive sleep apnea and psychiatric disorders: a systematic review. <i>J Clin Sleep Med</i> , 11(2): 165-75. [Abstract]
11983	Gustafson Y, Nilsson I, Mattson M, et al (1995). Epidemiology and treatment of post-stroke depression. <i>Drugs &amp; Aging</i> , 7(4): 298-309.
39267	Hacker Hughes J, Cameron F, Eldridge R, et al (2005). Going to war does not have to hurt: preliminary findings from the British deployment to Iraq. <i>British Journal of Psychiatry</i> , 186: 536-7.
39287	Hackett ML, Yapa C, Parag V, et al (2005). Frequency of depression after stroke: a systematic review of observational studies. <i>Stroke</i> , 36: 1330-40.
73643	Halverson JL, Bhalla RN, Moraille-Bhalla P, et al (2014). Depression. . Retrieved 11 February 2015, from <a href="http://emedicine.medscape.com/article/286759-overview">http://emedicine.medscape.com/article/286759-overview</a>
72553	Hama S, Yamashita H, Yanawaki S et al (2011). Post-stroke depression and apathy: Interactions between functional recovery, lesion location and emotional response. <i>Psychogeriatrics: The official Journal of the Japanese Psychogeriatric Society</i> , 11(1): 68-76.
11034	Hampton H (1995). Care of the woman who has been raped. <i>NEJM</i> , 332(4): 234-7.
73670	Harkness KL, Theriault JE, Stewart JG, et al (2014). Acute and chronic stress exposure predicts 1-year recurrence in adult outpatients with residual depression symptoms following response to treatment. <i>Depression &amp; Anxiety</i> , 31(1): 1-8.
43688	Harkness KL, Wildes JE (2002). Childhood adversity and anxiety versus dysthymia co-morbidity in major depression. <i>Psychological Medicine</i> , 32: 1239-49.
12019	Harris MF, Silove D, Kehag E, et al (1996). Anxiety and depression in general practice patients: prevalence and management. <i>MJA</i> , 164: 526-9.
13199	Hartka E, Johnstone B, Leino EV, et al (1991). The collaborative alcohol-related longitudinal project: a meta-analysis of depressive symptomatology and alcohol consumption over time. <i>British Journal of Addiction</i> , 86: 1283-98.
84414	Hatton AT (2011). The experience of witnessing a stranger's suicide [Excerpt from book]. <i>Dissertation Abstracts International: Section B: The Sciences and Engineering</i> , 74(1-B {E}) [Abstract]
76859	Hauser W, Janke KH, Klump B, et al (2011). Anxiety and depression in patients with inflammatory bowel disease: comparisons with chronic liver disease patients and the general population. <i>Inflamm Bowel Dis</i> , 17(2): 621-32.



73351	Hawthorne G, Korn S, Creamer M (2014). Australian peacekeepers: Long-term mental health status, health service use, and quality of life. Summary Report. Australian Centre for Posttraumatic Mental Health, Department of Psychiatry, The University of Melbourne.
73336	Hawthorne G, Korn S, Creamer M (2014). Australian peacekeepers: Long-term mental health status, health service use, and quality of life. Technical Report. Australian Centre for Posttraumatic Mental Health, Department of Psychiatry, The University of Melbourne.
74285	Hayley AC, Williams LJ, Venugopal K, et al (2015). The relationship between insomnia, sleep apnoea and depression: findings from the American national health and nutrition examination survey, 2005-2008. <i>Aust N Z J Psychiatry</i> , 49(2): 156-70.
74837	Hebert S, Canlon B, Hasson D, et al (2012). Tinnitus Severity Is Reduced with Reduction of Depressive Mood - a Prospective Population Study in Sweden. <i>PLoS One</i> , 7(5): e37733.
43687	Heim C, Nemeroff CB (2001). The role of childhood trauma in the neurobiology of mood and anxiety disorders: preclinical and clinical studies. <i>Biol Psychiatry</i> , 49: 1023-39.
55147	Heim C, Newport DJ, Mletzko T, et al (2008). The link between childhood trauma and depression: insights from HPA axis studies in humans. <i>Psychoneuroendocrinology</i> , 33: 693-710.
39291	Heim C, Plotsky PM, Nemeroff CB (2004). Importance of studying the contributions of early adverse experience to neurobiological finding in depression. <i>Neuropsychopharmacology</i> , 29: 641-8.
11986	Heithoff K (1995). Does the ECA underestimate the prevalence of late-life depression? <i>The American Geriatrics Society</i> , 43: 2-6.
72462	Hellmann-Regen J, Piber D, Hinkelmann K et al (2013). Depressive syndromes in neurological disorders. <i>European Archives of Psychiatry &amp; Clinical Neuroscience</i> , 263(Suppl 2): S123-36.
5846	Helzer JE, Robins LN, Davis DH (1976). Depressive disorders in Vietnam returnees. <i>J Nerv Ment Dis</i> , 163(3): 177-85.
5845	Helzer JE, Robins LN, Wish E, et al (1979). Depression in Vietnam veterans and civilian controls. <i>Am J Psychiatry</i> , 136(4B): 526-9.
12013	Henderson AS, Korten AE, Jacomb PA, et al (1997). The course of depression in the elderly: a longitudinal community-based study in Australia. <i>Psychological Medicine</i> , 27: 119-29.
38710	Henderson S, Andrews G, Hall W (2000). Australia's mental health: an overview of the general population survey. <i>Australian &amp; New Zealand Journal of Psychiatry</i> , 34: 197-205.
39282	Henningsen P, Zimmermann T, Sattel H (2003). Medically unexplained physical symptoms, anxiety, and depression: a meta-analytic review. <i>Psychosomatic Medicine</i> , 65: 528-33.
83743	Hepinstall E, et al (2004). PTSD and depression in refugee children: associations with pre-migration trauma and post-migration stress. <i>European Child and Adolescent Psychiatry</i> , 13(6): 373-80.
76743	Herguner S, Kilic G, Karakoc S, et al (2011). Levels of depression, anxiety and behavioural problems and frequency of psychiatric disorders in children with chronic idiopathic urticaria. <i>Br J Dermatol</i> , 164(6): 1342-7.
74085	Hilgenberg PB, Saldanha AD, Cunha CO, et al (2012). Temporomandibular disorders, otologic symptoms and depression levels in tinnitus patients. <i>J Oral Rehabil</i> , 39(4): 239-44.
53965	Hill J, Pickles A, Rollinson L, et al (2004). Juvenile- versus adult-onset depression: multiple differences imply different pathways. <i>Psychol Med</i> , 34: 1483-93.

38706	Hillegers MH, Burger H, Wals M, et al (2004). Impact of stressful life events, familial loading and their interaction on the onset of mood disorders: Study in a high-risk cohort of adolescent offspring of parents with bipolar disorder. <i>British Journal of Psychiatry</i> , 185: 97-101.
74772	Hitsman B, Papandonatos GD, McChargue DE, et al (2013). Past major depression and smoking cessation outcome: a systematic review and meta-analysis update. <i>Addiction</i> , 108(2): 294-306.
73941	Hoffman JM, Bombardier CH, Graves DE (2011). A longitudinal study of depression from 1 to 5 years after spinal cord injury. <i>Arch Phys Med Rehabil</i> , 92(3): 411-8.
73314	Hofmann P, Conrad R (2012). Citalopram-induced major depression in a patient with panic disorder - a case report. <i>Psychiatr Danub</i> , 24(1): 94-6.
40788	Hoge CW, Auchterlonie JL, Milliken CS (2006). Mental health problems, use of mental health services, and attrition from military service after returning from deployment to Iraq or Afghanistan. <i>JAMA</i> , 295: 1023-32.
31561	Hoge CW, Castro CA, Messer SC, et al (2004). Combat duty in Iraq, Afghanistan, mental health problems, and barriers to care. <i>NEJM</i> , 351(1): 13-22.
40444	Hoge CW, Lesikar SE, Guevara R, et al (2002). Mental disorders among US military personnel in the 1990's: association with high levels of health care utilization and early military attrition. <i>Am J Psychiatry</i> , 159(9): 1576-83.
53967	Holmes WC, Sammel MD (2005). Physical abuse of boys and possible associations with poor adult outcomes. <i>Ann Intern Med</i> , 143: 581-6.
72555	Holzel L, Harter M, Reese C et al (2011). Risk factors for chronic depression - a systematic review. <i>Journal of Affective Disorder</i> , 129(1-3): 1-13.
74394	Hong JP, Park S, Wang H-R, et al (2012). Prevalence, correlates, comorbidities and suicidal tendencies of premenstrual dysphoric disorder in a nationwide sample of Korean women. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 47: 1937-45.
48589	Horwitz AV, Widom CS, McLaughlin J, et al (2001). The impact of childhood abuse and neglect on adult mental health: a prospective study. <i>Journal of Health and Social Behaviour</i> , 42: 184-201.
38700	Hotopf M, Hull L, Fear NT, et al (2006). The health of UK military personnel who deployed to the 2003 Iraq war: a cohort study. <i>Lancet</i> , 367(9524): 1731-41.
57139	Hovens JGFM, Wiersma JE, Giltay EJ, et al (2010). Childhood life events and childhood trauma in adult patients with depressive, anxiety and comorbid disorders vs. controls. <i>Acta Psychiatr Scand</i> , 122: 66-74.
72783	Huang CQ, Dong B, Lu Z, et al (2010). Chronic diseases and the risk for depression in old age: a meta-analysis of published literature. <i>Ageing Research Reviews</i> , 9(2): 131-41.
74526	Huang CQ, Wang ZR, Li YH, et al (2011). Cognitive function and risk for depression in old age: a meta-analysis of published literature. <i>Int Psychogeriatr</i> , 23(4): 516-25.
85400	Huang J, Liu Q, Li X, et al (2013). Post-traumatic stress disorder status in a rescue group after the Wenchuan earthquake relief. <i>Neural Regen Res</i> , 8(20): 1898-1906.
70468	Hunt SC, Orsborn M, Checkoway H, et al (2008). Later life disability status following incarceration as a prisoner of war. <i>Mil Med</i> , 173(7): 613-8.
38563	Hynninen KMJ, Breivte MH, Wiborg AB, et al (2005). Psychological characteristics of patients with chronic obstructive pulmonary disease: a review. <i>Journal of Psychosomatic Research</i> , 59: 429-43.
32984	Ikin JF, Sim MR, Creamer MC, et al (2004). War-related psychological stressors and risk of psychological disorders in Australian veterans of the 1991 Gulf War. <i>British Journal of Psychiatry</i> , 185: 116-26.

40771	Infrasca R (2003). Childhood adversities and adult depression: an experimental study on childhood depressogenic markers. <i>Journal of Affective Disorders</i> , 76: 103-11.
73671	Inoue A, Kawakami N, Haratani T, et al (2010). Job stressors and long-term sick leave due to depressive disorders among Japanese male employees: findings from the Japan Work Stress and Health Cohort study. <i>J Epidemiol Comm Health</i> , 64(3): 229-35.
36029	Institute of Medicine (IOM) (2005). Update 2004. Veterans and Agent Orange, 5th Edition. The National Academic Press, Washington DC.
73310	Irwig MS (2012). Depressive symptoms and suicidal thoughts among former users of finasteride with persistent sexual side effects. <i>J Clin Psychiatry</i> , 73(9): 1220-3.
72522	Irwin MR (2013). Depression and insomnia in cancer: prevalence, risk factors and effects on cancer outcomes. <i>Current Psychiatry Reports</i> , 15(11): 404.
72471	Irwin MR, Olmstead RE, Ganz PA et al (2013). Sleep disturbance, inflammation and depression risk in cancer survivors. <i>Brain Behav Immun</i> , 30: S58-67.
11035	Isac M, Schneider S (1992). Some psychological reactions of rape victims. <i>Medicine and Law</i> , 11: 303-8.
31747	Ismail K, Kent K, Brugha T, et al (2002). The mental health of UK Gulf War veterans: phase 2 of a two phase cohort study. <i>BMJ</i> , 325(7364): 576-9.
38555	Jackson MJ, Turkington D (2005). Depression and anxiety in epilepsy. <i>J Neurol Neurosurg Psychiatry</i> , 75(S 1): i45-i47.
73105	Jacobson IG, Ryan MA, Hooper TI, et al (2008). Alcohol use and alcohol-related problems before and after military combat deployment. <i>JAMA</i> , 300: 663-75.
55058	Jaffee SR, Moffitt TE, Caspi A, et al (2002). Differences in early childhood risk factors for juvenile-onset and adult-onset depression. <i>Arch Gen Psychiatry</i> , 58: 215-22.
73320	Jain S, Ferrando SJ (2011). Manganese neurotoxicity presenting with depression, psychosis and catatonia. <i>Psychosomatics</i> , 52(1): 74-7.
71870	James LM, Van Kampen E, Miller RD et al (2013). Risk and protective factors associated with symptoms of post-traumatic stress, depression and alcohol misuse in OEF/OIF veterans. <i>Military Medicine</i> , 178(2): 159-65.
74773	Jaussent I, Bouyer J, Ancelin M-L, et al (2011). Insomnia and daytime sleepiness are risk factors for depressive symptoms in the elderly. <i>Sleep</i> , 34(8): 1103-10.
54319	Jeffee SR, Moffitt TE, Caspi A, et al (2002). Differences in early childhood risk factors for juvenile-onset and adult-onset depression. <i>Arch Gen Psychiatry</i> , 58: 215-22.
39278	Jick SS, Kremers HM, Vasilakis-Scaramozza C (2000). Isotretinoin use and risk of depression, psychotic symptoms, suicide, and attempted suicide. <i>Arch Dermatol</i> , 136: 1231-36.
38703	Johnson EO, Breslau N (2006). Is the association of smoking and depression a recent phenomenon? <i>Nicotine &amp; Tobacco Research</i> , 8: 257-62.
40764	Johnson MP, Baker SR (2004). Implications of coping repertoire as predictors of men's stress, anxiety and depression following pregnancy, childbirth and miscarriage: a longitudinal study. <i>J Psychosom Obstet Gynecol</i> , 25: 87-98.
53960	Johnson RM, Kotch JB, Catellier DJ, et al (2002). Adverse behavioral and emotional outcomes from child abuse and witnessed violence. <i>Child Maltreatment</i> , 7(3): 179-86.
38581	Joiner Jr TE, Walker RL, Pettit JW, et al (2005). Evidence-based assessment of depression in adults. <i>Psychological Assessment</i> , 17: 267-77.

12000	Jones DA, West RR (1996). Psychological rehabilitation after myocardial infarction: multicentre randomised controlled trial. <i>BMJ</i> , 313: 1517-21.
12044	Jones-Webb R, Jacobs DR, Flack JM et al (1996). Relationships between depressive symptoms, anxiety, alcohol consumption, and blood pressure: results from the CARDIA Study. <i>Coronary Artery Risk Development in Young Adults Study. Alcohol Clin Exp Res</i> , 20(3): 420-7.
39275	Josefson A, Berg G, Nordin C, et al (2001). Prevalence of depressive symptoms in late pregnancy and postpartum. <i>Acta Obstet Gynecol Scand</i> , 80: 251-5.
72499	Ju SY, Lee YJ, Jeong SN (2013). Serum 25-hydroxyvitamin D levels and the risk of depression: a systematic review and meta-analysis. <i>Journal of Nutrition, Health &amp; Aging</i> , 17(5): 447-55.
74558	Ju Y-E S (2013). Rapid eye movement sleep behavior disorder in adults younger than 50 years of age. <i>Sleep Med</i> , 14(8): 768-74.
74527	Jung SJ, Shin A, Kang D (2015). Hormone-related factors and post-menopausal onset depression: Results from KNHANES (2010-2012). <i>J Affect Disord</i> , 175: 176-83.
38569	Kaimal AB, Nair UV (2005). Correspondence: Organic brain dysfunction in late-onset depression. <i>British Journal of Psychiatry</i> , 187: 288-93.
73672	Kaji T, Mishima K, Kitamura S, et al (2010). Relationship between late-life depression and life stressors: Large-scale cross-sectional study of a representative sample of the Japanese general population. <i>Psychiatry and Clinical Neurosciences</i> , 64(4): 426-34.
39290	Kalant H (2004). Adverse effects of cannabis on health: an update of the literature since 1996. <i>Progress in Neuro-Psychopharmacology &amp; Biological Psychiatry</i> , 28: 849-63.
40795	Kales HC, Maixner DF, Mellow AM (2005). Cerebrovascular disease and late-life depression. <i>Am J Geriatr Psychiatry</i> , 13: 88-98.
39369	Kaltman S, Bonanno GA (2003). Trauma and bereavement: examining the impact of sudden and violent deaths. <i>Journal of Anxiety Disorders</i> , 17: 131-47.
39284	Kane P, Garber J (2004). The relations among depression in fathers, children's psychopathology, and father-child conflict: a meta-analysis. <i>Clinical Psychology Review</i> , 24: 339-60.
38514	Kanner AM (2003). Depression in epilepsy: prevalence, clinical semiology, pathogenic mechanisms, and treatment. <i>Biol Psychiatry</i> , 54: 388-98.
66642	Kanner AM (2008). Mood disorder and epilepsy: a neurobiologic perspective of their relationship. <i>Dialogues Clin Neurosci</i> , 10(1): 39-45.
72556	Kanner AM (2011). Depression and epilepsy: A bidirectional relation? <i>Epilepsia</i> , 52(Suppl 1): 21-7.
74286	Kanner AM (2013). The treatment of depressive disorders in epilepsy: what all neurologists should know. <i>Epilepsia</i> , 54(Suppl 1): 3-12.
31744	Karam E, Ghosn MB (2003). Psychosocial consequences of war among civilian populations. <i>Curr Opin Psychiatry</i> , 16: 413-9.
53320	Kasen S, Chen H, Sneed JR, et al (2009). Earlier stress exposure and subsequent major depression in aging women. <i>Int J Geriatr Psychiatry</i> , Epub ahead of print.
52090	Katerndahl D, Burge S, Kellogg N (2005). Predictors of development of adult psychopathology in female victims of childhood sexual abuse. <i>J Nerv Ment Dis</i> , 193: 258-64.
76739	Katon W, Russo J, Gavin A (2014). Predictors of postpartum depression. <i>J Women's Health</i> , 23(9): 753-9.
13209	Katona CLE, Watkin V (1995). Depression in old age. <i>Reviews in Clinical Gerontology</i> , 5: 427-41.
40862	Kawakmai N, Takatsuka N, Shimizu H, et al (1999). Depressive symptoms and occurrence of type 2 diabetes among Japanese men. <i>Diabetes Care</i> , 22: 1071-6.

12622	Keane TM, King LA, King DW, et al (1998). Do war zone stressors predict the development of psychiatric disorders? RMA Conference Papers.
69571	Keane TM, Marshall AD, Taft CT (2006). Posttraumatic stress disorder: etiology, epidemiology, and treatment outcome. <i>Annu Rev Clin Psychol</i> , 2: 161-97.
73952	Kelderhouse K, Smith Taylor J (2013). A review of treatment and management modalities for premenstrual dysphoric disorder. <i>Nursing for Women's Health</i> , 17(4): 294-305.
13202	Keller MB, Hanks DL, Klein DN (1996). Summary of the DSM-IV mood disorders field trial and issue overview. <i>Psychiatric Clinics of North America</i> , 19(1): 1-28.
56545	Kelsall HL, McKenzie DP, Sim MR, et al (2009). Physical, psychological, and functional comorbidities of multisymptom illness in Australian male veterans of the 1991 Gulf War. <i>Am J Epidemiol</i> , 170(8): 1048-56.
70486	Kelsall HL, McKenzie DP, Forbes AB, et al (2013). Pain-related musculoskeletal disorders, psychological comorbidity and the relationship with physical and mental wellbeing in Gulf War veterans. <i>Pain</i> , Epub ahead of print.
54625	Kendler KS, Gardner CO, Prescott CA (2002). Toward a comprehensive developmental model for major depression in women. <i>Am J Psychiatry</i> , 159: 1133-45.
40769	Kendler KS, Karkowski LM, Prescott CA (1999). Causal relationship between stressful life events and the onset of major depression. <i>Am J Psychiatry</i> , 156: 837-41.
5847	Kendler KS, Kessler RC, Neale MC, et al (1993). The prediction of major depression in women: Toward an integrated etiologic model. <i>Am J Psychiatry</i> , 150(8): 1139-48.
39269	Kendler KS, Kuhn JW, Prescott CA (2004). Childhood sexual abuse, stressful life events and risk for major depression in women. <i>Psychological Medicine</i> , 34: 1475-82.
5787	Kendler KS, Neale MC, Kessler RC, et al (1992). Major depression and generalized anxiety disorder. Same genes, (partly) different environments? <i>Arch Gen Psychiatry</i> , 49(9): 716-22.
40783	Kendler KS, Thornton LM, Gardner CO (2000). Stressful life events and previous episodes in the etiology of major depression in women: an evaluation of the "kindling" hypothesis. <i>Am J Psychiatry</i> , 157: 1243-51.
13776	Kessler RC (1997). The effects of stressful life events on depression. <i>Annual Review of Psychology</i> , 48: 191-214.
53759	Kessler RC, Berglund P, Demler O, et al (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. <i>Arch Gen Psychiatry</i> , 62: 593-602.
72470	Kessler RC, Bromet EJ (2013). The epidemiology of depression across cultures. <i>Annual Review of Public Health</i> , 34: 119-38.
73138	Kessler RC, Gruber M, Hettema J et al (2008). Comorbid major depression and generalised anxiety disorders in the national comorbidity survey follow-up. <i>Psychological Med</i> , 38(3): 365-74.
13877	Kessler RC, Magee WJ, Nelson CB (1996). Analysis of psychosocial stress. <i>Psychosocial Stress: Perspectives on structure theory life course and methods</i> . Orlando, Florida, Academic Press, : 333-66.
7599	Kessler RC, McGonagle KA, Zhao S, et al (1994). Lifetime and 12-Month Prevalence of DSM-III-R Psychiatry Disorders in the United States: Results From the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , 51(1): 8-19.
5848	Kessler RC, McLeod JD (1984). Sex differences in vulnerability to undesirable life events. <i>Am Sociol Rev</i> , 49: 620-31.

12349	Kessler RC, Nelson CB, McGonagle KA, et al (1996). Comorbidity of DSM-III-R major depressive disorder in the general population: Results from the US National Comorbidity Survey. <i>British Journal of Psychiatry</i> , 168(Suppl 30): 17-30.
6745	Kessler RC, Sonnega A, Bromet E, et al (1995). Posttraumatic stress disorder in the national comorbidity survey. <i>Arch Gen Psychiatry</i> , 52(12): 1048-60.
13743	Kessler RC, Zhao S, Blazer DG, Swartz M (1997). Prevalence, correlates, and course of minor depression and major depression in the national comorbidity survey. <i>Journal of Affective Disorders</i> , 45(1-2): 19-30.
74528	Khaled SM, Bulloch AG, Williams JV, et al (2011). Major depression is a risk factor for shorter time to first cigarette irrespective of the number of cigarettes smoked per day: evidence from a National Population Health Survey. <i>Nicotine &amp; Tobacco Research</i> , 13(11): 1059-67.
39285	Kibler JL, Ma M (2004). Depressive symptoms and cardiovascular reactivity to laboratory behavioral stress. <i>International Journal of Behavioral Medicine</i> , 11: 81-7.
72475	Kim HJ, Barsevick AM, Fang CY et al (2012). Common biological pathways underlying the psychoneurological symptom cluster in cancer patients. <i>Cancer Nurs</i> , 35(6): E1-20.
11036	Kimerling R, Calhoun KS (1994). Somatic symptoms, social support and treatment seeking among sexual assault victims. <i>Journal of Consulting and Clinical Psychology</i> , 62(2): 333-40.
38485	Kimmel PL (2002). Depression in patients with chronic renal disease: what we know and what we need to know. <i>Journal of Psychosomatic Research</i> , 53: 951-6.
71887	King LA, King DW, Bolton EE et al (2008). Risk factors for mental, physical and functional health in Gulf War veterans. <i>Journal of Rehabilitation Research &amp; Development</i> , 45(3): 395-407.
73290	Kirilly E, Gonda X, Juhász G, et al (2013). Anxiogenic and depressogenic side-effects of non-psychiatric drugs. <i>Orvosi Hetilap</i> , 154(34): 1327-36.
11947	Kirkpatrick B, Amador XF, Yale SA, et al (1995). The deficit syndrome in the DSM-IV field trials Part II. Depressive episodes and persecutory beliefs. <i>Schizophrenia Research</i> , 20(1-2): 79-90.
38579	Kivela S-L, Luukinen H, Koski K, et al (1998). Early loss of mother or father predicts depression in old age. <i>International Journal of Geriatric Psychiatry</i> , 13: 527-30.
39167	Kivimake M, Virtanen M, Vartia M, et al (2003). Workplace bullying and the risk of cardiovascular disease and depression. <i>Occup Environ Med</i> , 60: 779-83.
40835	Kjelsberg FN, Ruud EA, Stavem K (2005). Predictors of symptoms of anxiety and depression in obstructive sleep apnea. <i>Sleep Medicine</i> , 6: 341-6.
41416	Klungsoyr O, Nygard JF, Sorensen T, et al (2006). Cigarette smoking and incidence of first depressive episode: an 11-year population-based follow-up study. <i>Am J Epidemiol</i> , 163: 421-32.
39165	Knight BG, Gatz M, Heller K, et al (2000). Age and emotional response to the Northridge earthquake: a longitudinal analysis. <i>Psychology and Aging</i> , 15: 627-34.
73289	Kolkow T, Spira JL, Morse JS, et al (2007). Posttraumatic stress disorder and depression in health care providers returning from deployment to Iraq and Afghanistan. <i>Mil Med</i> , 172(5): 451-5.
70493	Kolltveit S, Lange-Nielsen II, Thabet AA, et al (2012). Risk factors for PTSD, anxiety, and depression among adolescents in Gaza. <i>J Trauma Stress</i> , 25(2): 164-70.
73334	Konishi T, Hayashi K, Hayashi M, et al (2008). Depression in patients with subacute myelo-optico-neuropathy (SMON). <i>Intern Med</i> , 47(24): 2127-31.

39289	Kotlyar M, Dysken M, Adson DE (2005). Update on drug-induced depression in the elderly. <i>American Journal of Geriatric Pharmacology</i> , 3: 288-300.
72583	Kouwenhoven SE, Kirkevold M, Engedal K et al (2011). Depression in acute stroke: prevalence, dominant symptoms and associated factors. <i>Disabil Rehabil</i> , 33(7): 539-56.
39270	Kreicbergs U, Valdimarsdottir U, Onelov E, et al (2004). Anxiety and depression in parents 4-9 years after the loss of a child owing to a malignancy: a population-based follow-up. <i>Psychological Medicine</i> , 34: 1431-41.
38471	Krishnan KRK (2002). Biological risk factors in late life depression. <i>Biol Psychiatry</i> , 52: 185-92.
38468	Krishnan KRR, Delong M, Kraemer H, et al (2002). Comorbidity of depression with other medical diseases in the elderly. <i>Biological Psychiatry</i> , 52: 559-88.
73634	Kristensen P, Heir T, Herlofsen P, et al (2012). Parental mental health after the accidental death of a son during military service. <i>Journal of Nervous &amp; Mental Disease</i> , 200(1): 63-8.
73953	Kronfol Z, Litman HJ, Back-Madruga C, et al (2011). No increase in depression with low dose maintenance peginterferon in prior non-responders with chronic hepatitis C. <i>J Affect Disord</i> , 129(1-3): 205-12.
38507	Kuehner C (2003). Gender differences in unipolar depression: an update of epidemiological findings and possible explanations. <i>Acta Psychiatr Scand</i> , 108: 163-74.
40789	Kuhn M, Ehlert U, Rumpf H-J, et al (2006). Onset and maintenance of psychiatric disorders after serious accidents. <i>Eur Arch Psychiatry Clin Neurosci</i> , 20: 1-7.
76741	Kui C, Yingfu P, Chenling X, et al (2014). What are the predictors of major depression in adult patients with epilepsy. <i>Epileptic Disord</i> , 16(1): 74-9.
40807	Kulkarni J, Liew J, Garland KA (2005). Depression associated with combined oral contraceptives. <i>Australian Family Physician</i> , 34: 990.
11037	Kushner MG, Riggs DS, Foa EB, et al (1992). Perceived controllability and the development of posttraumatic stress disorder (PTSD) in crime victims. <i>Behav Res Ther</i> , 31(1): 105-10.
73315	Labay-Kamara U, Manning S, McMahon T (2012). Fluoroquinolone-induced suicidal ideation and suicidality. <i>Psychosomatics</i> , 53(1): 97-8.
73673	LaCoursiere DY, Barrett-Connor E, O'Hara MW, et al (2010). The association between prepregnancy obesity and screening positive for postpartum depression. <i>BJOG</i> , 117(8): 1011-8.
85928	LaFauci Schutt JM, Marotta SA (2011). Personal and environmental predictors of posttraumatic stress in emergency management professionals. <i>Psychological Trauma</i> , 3(1): 8-12.
73139	Lana-Peixoto M, Teixeira Jr. AL, Haase VG (2002). Interferon beta-1A-induced depression and suicidal ideation in multiple sclerosis. <i>Arq Neuropsiquiatr</i> , 60(3-B): 721-4.
70458	Laugharne J, Lillie A, Janca A (2010). Role of psychological trauma in the cause and treatment of anxiety and depressive disorders. <i>Curr Opin Psychiatry</i> , 23(1): 25-9.
38511	Lee HB, Lyketsos CG (2003). Depression in Alzheimer's disease: heterogeneity and related issues. <i>Biol Psychiatry</i> , 54: 353-62.
74529	Legorreta D, Montaña JA, Hernández I, et al (2013). Age at menopause, motives for consultation and symptoms reported by 40-59-year-old Mexican women. <i>Climacteric</i> , 16(4): 417-25.
12280	Lennon MC (1995). Work conditions as explanations for the relation between socioeconomic status, gender, and psychologic disorders. <i>Epidemiologic Reviews</i> , 17(1): 120-28.

74530	Leung YW, Flora DB, Gravely S, et al (2012). The impact of premorbid and postmorbid depression onset on mortality and cardiac morbidity among patients with coronary heart disease: meta-analysis. <i>Psychosom Med</i> , 74(8): 786-801.
11418	Levenstein S, Kaplan GA, Smith MW (1997). Psychological predictors of peptic ulcer incidence in the Alameda County study. <i>Journal of Clinical Gastroenterology</i> , 24(3): 140-6.
43852	Levitan RD, Rector NA, Sheldon T, et al (2003). Childhood adversities associated with major depression and/or anxiety disorders in a community sample of Ontario: issues of co-morbidity and specificity. <i>Depression and Anxiety</i> , 17: 34-42.
73302	Lev-Ryan S, Roerecke M, Le Foll B, et al (2014). The association between cannabis use and depression: a systematic review and meta-analysis of longitudinal studies. <i>Psychol Med</i> , 44(4): 797-810.
49781	Leweke FM, Koethe D (2008). Cannabis and psychiatric disorders: it is not only addiction. <i>Addict Biol</i> , 13: 264-75.
31741	Lewinsohn PM, Allen NB, Gotlib IH, et al (1999). First onset versus recurrence of depression: differential processes of psychosocial risk. <i>Journal of Abnormal Psychology</i> , 108: 483-9.
38583	Lewinsohn PM, Duncan EM, Stanton AK, et al (1986). Age at first onset for nonbipolar depression. <i>Journal of Abnormal Psychology</i> , 95: 378-83.
39368	Li J, Hansen Precht D, Mortensen PB, et al (2003). Mortality in parents after death of a child in Denmark: a nationwide follow-up study. <i>Lancet</i> , 361: 363-7.
70663	Li Y, Mirzaei F, O'Reilly EJ, et al (2012). Prospective study of restless legs syndrome and risk of depression in women. <i>Am J Epidemiol</i> , 176(4): 279-88.
53966	Libby AM, Orton HD, Novins DK, et al (2005). Childhood physical and sexual abuse and subsequent depressive and anxiety disorders for two American Indian tribes. <i>Psychol Med</i> , 35: 329-40.
73954	Lilly SM, Mortensen EM, Frei CR, et al (2014). Comparison of the risk of psychological and cognitive disorders between persistent and nonpersistent statin users. <i>Am J Cardiol</i> , 114(7): 1035-9.
31719	Lindman Port C, Engdahl B, Frazier P (2001). A longitudinal and retrospective study of PTSD among older Prisoners of War. <i>Am J Psychiatry</i> , 158: 1474-9.
85929	Liu B, Tarrigan LH, Bromet EJ, et al (2014). World trade centre disaster exposure-related probable posttraumatic stress disorder among responders and civilians: A meta-analysis. <i>PLoS One</i> , 9(7): e101491.
73674	Liu CH, Tronick ED (2013). Re-conceptualising Prenatal Life Stressors in Predicting Post-partum Depression: cumulative-, Specific-, and Domain-specific Approaches to Calculating Risk. <i>Paediatr Perinat Epidemiol</i> , 27(5): 481-90.
74655	Llaneza P, García-Portilla MP, Llaneza-Suárez D, et al (2012). Depressive disorders and the menopause transition. <i>Maturitas</i> , 71(2): 120-30.
40839	Llewellyn AM, Stowe ZN, Nemeroff CB (1997). Depression during pregnancy and the puerperium. <i>J Clin Psychiatry</i> , 58(15): 26-32.
74311	Loftis JM, Patterson AL, Wilhelm CJ, et al (2013). Vulnerability to somatic symptoms of depression during interferon-alpha therapy for hepatitis C: A 16-week prospective study. <i>Journal of Psychosomatic Research</i> , 74(2013): 57-63.
73955	Loftus EV, Guerin A, Yu AP, et al (2011). Increased risks of developing anxiety and depression in young patients with Crohn's disease. <i>Am J Gastroenterol</i> , 106(9): 1670-7.
73326	Loga S, Loga-Zec S, Spremo M (2010). Cannabis and psychiatric disorders. <i>Psychiatr Danub</i> , 22(2): 296-7.



38554	London L, Flisher AJ, Wessling C, et al (2005). Suicide and exposure to organophosphate insecticide: cause or effect? <i>Am J Ind Med</i> , 47: 308-21.
10876	Long N, MacDonald C, Chamberlain K (1996). Prevalence of posttraumatic stress disorder, depression and anxiety in a community sample of New Zealand Vietnam War veterans. <i>Australian and New Zealand Journal of Psychiatry</i> , 30: 253-6.
39276	Lucht M, Schaub RT, Meyer C, et al (2003). Gender differences in unipolar depression: a general population survey of adults between 18 to 64 of German nationality. <i>Journal of Affective Disorders</i> , 77: 203-11.
72478	Luppa M, Sikorski C, Luck T (2012). Age-and gender-specific prevalence of depression in latest-life - systematic review and meta-analysis. <i>Journal of Affective Disorder</i> , 136(3): 212-21.
72559	Luppino FS, de Wit LM, Bouvy PF (2010). Overweight, obesity and depression: a systematic review and meta-analysis of longitudinal studies. <i>Archives of General Psychiatry</i> , 67(3): 220-29.
74406	Lustyk KB, Widman L, de Laveaga Becker L (2007). Abuse history and premenstrual symptomatology: accessing the mediating role of perceived stress. <i>Women &amp; Health</i> , 46(4): 61-80.
39288	Maag JW, Reid R (2006). Depression among students with learning disabilities: assessing the risk. <i>Journal of Learning Disabilities</i> , 39: 3-10.
31722	MacDonald C, Chamberlain K, Long N, et al (1999). Stress and mental health status associated with Peacekeeping duty for New Zealand Defence Force Personnel. <i>Stress Medicine</i> , 15: 235-41.
40770	Maciejewski PK, Mazure CM (2000). [Comment] Stressful life events and depression. [Dr Kendler and colleagues reply]. <i>American Journal of Psychiatry</i> , 157: 1344-5.
40791	MacLeod J, Oakes R, Copello A, et al (2004). Psychological and social sequelae of cannabis and other illicit drug use by young people: a systematic review of longitudinal, general population studies. <i>Lancet</i> , 363: 1579-88.
49337	MacMillan HL, Fleming JE, Streiner DL, et al (2001). Childhood abuse and lifetime psychopathology in a community sample. <i>Am J Psychiatry</i> , 158: 1878-83.
72924	Maercker A, Gabler I, Schutzwohl M (2013). Course of trauma sequelae in ex-political prisoners in the GDR: a 15-year follow-up study. <i>Nervenarzt</i> , 84(1): 72-8.
40774	Maercker A, Michael T, Fehm L, et al (2004). Age of traumatisation as a predictor of post-traumatic stress disorder or major depression in young women. <i>British Journal of Psychiatry</i> , 184: 482-7.
38568	Magin P, Pond D, Smith W (2005). Isotretinoin, depression and suicide: a review of the evidence. <i>British Journal of General Practice</i> , 55: 134-8.
62539	Maguen S, Lucenko BA, Reger MA, et al (2010). The impact of reported direct and indirect killing on mental health symptoms in Iraq War Veterans. <i>J Trauma Stress</i> , 23(1): 86-90.
72508	Magyar-Russell G, Thombs BD, Cai JX et al (2011). The prevalence of anxiety and depression in adults with implantable cardioverter defibrillators: a systematic review. <i>Journal of Psychosomatic Research</i> , 74(1): 223-31.
39271	Mahan CM, Page WF, Bullman TA, et al (2005). Health effects in army Gulf war veterans possibly exposed to chemical munitions destruction at Khamisiyah, Iraq: Part I. Morbidity associated with potential exposure. <i>Military Medicine</i> , 170: 935-44.
47064	Major B (2003). Psychological implications of abortion - highly charged and rife with misleading research. <i>CMAJ</i> , 168(10): 1257-8.
72482	Marsh L (2013). Depression and Parkinson's disease: current knowledge. <i>Current Neurology and Neuroscience Reports</i> , 13(12): 409.

40838	Marshall RD, Galea S (2004). Science for the community: assessing mental health after 9/11. <i>J Clin Psychiatry</i> , 65(Suppl 1): 37-43.
39371	Martikainen P, Valkonen T (1996). Mortality after the death of a spouse: rates and causes of death in a large Finnish cohort. <i>American Journal of Public Health</i> , 86(8): 1087-93.
74407	Masho SW, Adera T, South-Paul J (2005). Obesity as a risk factor for premenstrual syndrome. <i>J Psychosom Obstet Gynecol</i> , 26(1): 33-9.
38708	Mathers C, Vos T, Stevenson C (1999). The burden of disease and injury in Australia. AIHW cat. No. PHE 17. Canberra: AIHW.
74396	Matsumoto T, Asakura H, Hayashi T (2013). Biopsychosocial aspects of premenstrual syndrome and premenstrual dysphoric disorder. <i>Gynecological Endocrinology</i> , 29(1): 67-73.
74395	Matsumoto T, Azekawa T, Uchikado H, et al (2011). Comparative study of suicide risk in depressive disorder patients with and without problem drinking. <i>Psychiatry and Clinical Neurosciences</i> , 65: 529-32.
12005	Maughan B, McCarthy G (1997). Childhood adversities and psychosocial disorders. <i>British Medical Bulletin</i> , 53(1): 156-69.
40792	Mayers AG, Baldwin DS (2006). The relationship between sleep disturbance and depression. <i>International Journal in Psychiatry in Clinical Practice</i> , 10: 2-16.
73675	McAleer MA, Mason DL, Cunningham S, et al (2011). Alcohol misuse in patients with psoriasis: identification and relationship to disease severity and psychological distress. <i>Br J Dermatol</i> , 64(6): 1256-61.
40845	McClernon FJ, Hiott FB, Westman EC, et al (2006). Transdermal nicotine attenuates depression symptoms in nonsmokers: a double-blind, placebo-controlled trial. <i>Psychopharmacology</i> , 189: 125-33.
38512	McDonald WM, Richard IH, DeLong MR (2003). Prevalence, etiology, and treatment of depression in Parkinson's disease. <i>Biol Psychiatry</i> , 54: 363-75.
73455	McInnes MG, Riba M, Greden JF (2014). Depressive Disorders. <i>Textbook of Psychiatry</i> , 6th Edition, 11: 353-89. American Psychiatric Publishing.
76740	McInnis O, Matheson K, Anisman H (2014). Living with the unexplained: coping, distress, and depression among women with chronic fatigue syndrome and/or fibromyalgia compared to an autoimmune disorder. <i>Anxiety, Stress &amp; Coping</i> , 27(6): 601-18.
72581	McIntyre RS, Rasgon NL, Kemp DE et al (2009). Metabolic syndrome and major depressive disorder: co-occurrence and pathophysiologic. <i>Current Diabetes Reports</i> , 9(1): 51-9.
12004	McKhann GM, Borowicz LM, Goldsborough, et al (1997). Depression and cognitive decline after coronary artery bypass grafting. <i>The Lancet</i> , 349: 1282-84.
39164	McKinnon A, Jorm AF, Hickie IB (2004). A National Depression Index. <i>Medical Journal of Australia</i> , 181: S52-56.
44844	Melchior M, Caspi A, Milne BJ, et al (2007). Work stress precipitates depression and anxiety in young, working women and men. <i>Psychological Medicine</i> , 37: 1119-29.
5856	Mellsop GW, Duraiappah V, Priest J-A J (1995). Psychiatric casualties in the Pacific during World War II: servicemen hospitalised in a Brisbane mental hospital. <i>MJA</i> , 163(4): 619-21.
74774	Mendelsohn C (2012). Smoking and depression. <i>Australian Family Physician</i> , 41(5): 304-7.
11845	Merikangas KR, Angst J, Eaton W, et al (1996). Comorbidity and boundaries of affective disorders with anxiety disorders and substance misuse: results of an international task force. <i>British Journal of Psychiatry</i> , 168(suppl 30): 58-67.

53964	Mezey G, Bacchus L, Bewley S, et al (2005). Domestic violence, lifetime trauma and psychological health of childbearing women. <i>Br J Obstet Gynaecol</i> , 112: 197-204.
74531	Mezuk B, Albrecht S, Eaton WW, et al (2008). Depression and Type 2 Diabetes Over the Lifespan. <i>Diabetes Care</i> , 31: 2383-90.
74838	Michikawa T, Nishiwaki Y, Saito H, et al (2013). Tinnitus preceded depressive symptoms in community-dwelling older Japanese: A prospective cohort study. <i>Preventive Med</i> , 56: 333-6.
38565	Miguel-Tobal JJ, Cano-Vindel A, Gonzalez-Ordi H, et al (2006). PTSD and depression after the Madrid March 11 train bombings. <i>Journal of Traumatic Stress</i> , 19: 69-80.
12006	Milani RV, Lavie CJ, Cassidy MM (1996). Effects of cardiac rehabilitation and exercise training programs on depression in patients after major coronary events. <i>American Heart Journal</i> , 132: 726-32.
11038	Miller BC, Monson BH, Norton MC (1995). The effects of forced sexual intercourse on white female adolescents. <i>Child Abuse &amp; Neglect</i> , 19(10): 1289-01.
12015	Miller NS, Klamen D, Hoffman NG, et al (1996). Prevalence of depression and alcohol and other drug depression dependence in addictions treatment populations. <i>Journal of Psychoactive Drugs</i> , 28(2): 111-24.
38553	Mino Y, Babazono A, Tsuda T, et al (2006). Can stress management at the workplace prevent depression? A randomized controlled trial. <i>Psychother Psychosom</i> , 75: 177-82.
86476	Misra M, Greenberg N, Hutchinson C, et al (2009). Psychological impact upon London ambulance service of the 2005 bombings. <i>Occup Med</i> , 59(6): 428-33.
74532	Mitchell AJ, Ferguson DW, Gill J, et al (2013). Depression and anxiety in long-term cancer survivors compared with spouses and healthy controls: a systematic review and meta-analysis. <i>Lancet Oncol</i> , 14(8): 721-32.
38551	Moldover JE, Goldberg KB, Prout MF (2004). Depression after traumatic brain injury: a review of evidence for clinical heterogeneity. <i>Neuropsychology Review</i> , 14: 143-54.
74302	Molyneaux E, Poston L, Ashurst-Williams S, et al (2014). Obesity and mental disorders during pregnancy and post partum: a systematic review and meta-analysis. <i>Obstet Gynecol</i> , 123(4): 857-67.
38588	Montazeri A, Baradaran H, Omidvari S, et al (2005). Psychological distress among Bam earthquake survivors in Iran: a population-based study. <i>BMC Public Health</i> , 5(4): . Retrieved 11 May 2006, from 4
72566	Moreira FA, Crippa JA (2009). The psychiatric side-effects of rimonabant. <i>Revista Brasileira de Psiquiatria</i> , 31(2): 145-53.
73331	Morgan CJ, Muetzelfeldt L, Curran HV (2010). Consequences of chronic ketamine self-administration upon neurocognitive function and psychological wellbeing: a 1-year longitudinal study. <i>Addiction</i> , 105(1): 121-33.
86129	Morgan PM (2016). The psychological impact of mass casualty incidents on first responders: A systematic review. <i>Journal of Emergency Management</i> , 14: 213-26.
72110	Morina N, Reschke K, Hofmann SG (2011). Long-term outcomes of war-related death of family members in Kosovar civilian war survivors. <i>Death Studies</i> , 35(4): 365-72.
18671	Morris LP, Rushton PJ (2000). Depression and post-traumatic stress disorder. <i>Mental Health Australia</i> , 2(2): 16-21.
13203	Morris PLP, Robinson RG, Raphael B (1993). Emotional lability after stroke. <i>Australian and New Zealand Journal of Psychiatry</i> , 27: 601-5.

73318	Morrison MF, Freeman EW, Lin H, et al (2011). Higher DHEA-S (dehydroepiandrosterone sulfate) levels are associated with depressive symptoms during the menopausal transition: results from the PENN Ovarian Aging Study. <i>Arch Womens Ment Health</i> , 14(5): 375-82.
30334	Morrow LA, Gibson C, Bagovich GR, et al (2000). Increased incidence of anxiety and depressive disorders in persons with organic solvent exposure. <i>Psychosomatic Medicine</i> , 62: 746-50.
40854	Morton RP, Davies AD, Baker J, et al (1984). Quality of life in treated head and neck cancer patients; a preliminary report. <i>Clin Otolaryngol Allied Sci</i> , 9: 181-5. [Abstract]
54547	Moskvina V, Farmer A, Swainson V, et al (2007). Interrelationship of childhood trauma, neuroticism, and depressive phenotype. <i>Depression and Anxiety</i> , 24: 163-8.
72426	Mott JM, Graham DP, Teng EJ (2012). Perceived threat during deployment: risk factors and relation to Axis I disorders. <i>Psychological Trauma: Theory, Research Practice and Policy</i> , 4(6): 587-595.
40781	Moyle RJ (2001). Comment on Assessing stressful life events in relation to liability and compensation. <i>Australian and New Zealand Journal of Psychiatry</i> , 35: 86-90.
11039	Murdoch M, Nichol KL (1995). Women veterans' experiences with domestic violence and with sexual harassment while in the military. <i>Arch Fam Med</i> , 4(5): 411-8.
13180	Murray JB (1996). Depression in Parkinson's disease. <i>The Journal of Psychology</i> , 130(6): 659-67.
74425	Murray SB, Dwight-Johnson M, Levy MR (2010). induced encephalopathy presenting as depression: it's all in the history. <i>Gen Hosp Psychiatry</i> , 32(3): 34 e7-9.
5792	Myers K, Weissman MM, Tischler GL, et al (1984). Six-month prevalence of psychiatric disorders in three communities: 1980-1982. <i>Arch Gen Psychiatry</i> , 41: 959-67.
74087	Nagy E, Claussen CF, Bencze G, et al (2004). Depressive disorders in relation to neurootological complaints. <i>Int Tinnitus J</i> , 10(1): 58-64.
39283	Narushima K, Kosier JT, Robinson RG (2003). A reappraisal of poststroke depression, intra- and inter-hemispheric lesion location using meta analysis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 15: 422-30.
12012	Nazroo JY, Edwards AC, Brown GW (1997). Gender differences in the onset of depression following a shared life event: a study of couples. <i>Psychological Medicine</i> , 27: 9-19.
31749	Nelson BD, Fernandez WG, Galea S, et al (2004). War-related psychological sequelae among emergency department patients in the former Republic of Yugoslavia. <i>BMC Medicine</i> , 2: 22-31.
39264	Nemeroff CB (2004). Neurobiological consequences of childhood trauma. <i>J Clin Psychiatry</i> , 65(Suppl 1): 18-28.
40765	Neugebauer R (2003). Depressive symptoms at two months after miscarriage: interpreting study findings from an epidemiological versus clinical perspective. <i>Depression and Anxiety</i> , 17: 152-161.
73303	Nevoralová Z, Dvorská D (2013). Mood changes, depression and suicide risk during isotretinoin treatment: a prospective study. <i>Int J Dermatol</i> , 52(2): 163-8.
38580	Newmann JP, Klein MH, Jensen JE, et al (1996). Depressive symptom experiences among older women: a comparison of alternative measurement approaches. <i>Psychology and Aging</i> , 11: 112-26.
12018	Newsom JT, Knapp JE, Schulz R (1996). Longitudinal analysis of specific domains of internal control and depressive symptoms in patients with recurrent cancer. <i>Health Psychology</i> , 15(5): 323-31.

12045	Nicol-Smith L (1996). Causality, menopause, and depression: a critical review of the literature. <i>BMJ</i> , 313(7067): 1229-32.
21215	Niedhammer I , Goldberg M, Leclerc A, et al (1998). Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France. <i>J Epidemiol Community Health</i> , 52(2): 93-100.
40843	Niedhammer I, Goldberg M, Leclerc A, et al (1998). Psychosocial factors at work and subsequent depressive symptoms in the Gazel cohort. <i>Scand J Work Environ Health</i> , 24: 197-205.
74424	Nilson LN, Karlson B, Nise G, et al (2010). Delayed manifestations of CNS effects in formerly exposed printers - a 20-year follow-up. <i>Neurotoxicology and Teratology</i> , 32(6): 620-26.
73311	Nordfjærn T (2012). A population-based cohort study of anxiety, depression, sleep and alcohol outcomes among benzodiazepine and z-hypnotic users. <i>Addict Behav</i> , 37(10): 1151-7.
47151	Norris FH (1990). Screening for traumatic stress: a scale for use in the general population. <i>Journal of Applied Social Psychology</i> , 20(20): 1704-18.
38584	Norris FH, Murphy AD, Baker CK, et al (2004). Postdisaster PTSD over four waves of a Panel Study of Mexico's 1999 flood. <i>Journal of Traumatic Stress</i> , 17: 283-92.
13297	North CS, Alpers DH (1994). A review of studies of psychiatric factors in Crohn's disease: Etiologic implications. <i>Annals of Clinical Psychiatry</i> , 6: 117-24.
12003	North CS, Ryall J-E M (1997). Psychiatric illness in female physicians. Are high rates of depression an occupational hazard? <i>Postgraduate Medicine</i> , 101(5): 233-6.
86477	North CS, Tivis L, McMillen JC, et al (2002). Coping, functioning, and adjustment of rescue workers after the Oklahoma City bombing. <i>J Trauma Stress</i> , 15(3): 171-5.
73676	Nosek MA, Hughes RB, Robinson-Whelen S (2008). The complex array of antecedents of depression in women with physical disabilities: implications for clinicians. <i>Disabil Rehabil</i> , 30(3): 174-83.
74533	Nouwen A, Winkley K, Twisk J, et al (2010). Type 2 diabetes mellitus as a risk factor for the onset of depression: a systematic review and meta-analysis. <i>Diabetologia</i> , 53(12): 2480-6.
74303	Novy J, Castelao E, Preisig M, et al (2012). Psychiatric co-morbidities and cardiovascular risk factors in people with lifetime history of epilepsy of an urban community. <i>Clin Neurol Neurosurg</i> , 114(1): 26-30.
72554	Nugent NR, Tyrka AR, Carpenter LL et al (2011). Gene-environment interactions: early life stress and risk for depressive and anxiety disorders. <i>Psychopharmacology</i> , 214(1): 175-96.
5793	Oakley-Browne MA, Joyce PR, Wells JE, et al (1989). Christchurch psychiatric epidemiology study. Part II: Six month and other period prevalences of specific psychiatric disorders. <i>Aust N Z J Psychiatry</i> , 23(3): 327-40.
31724	O'Donnell ML, Creamer M, Pattison P (2004). Posttraumatic stress disorder and depression following trauma: understanding comorbidity. <i>Am J Psychiatry</i> , 161: 1-7.
39162	O'Hara MW, Swain AM (1996). Rates and risk of postpartum depression: A meta-analysis. <i>International Review of Psychiatry</i> , 8: 37-44.
74555	Ohayon MM (2013). Narcolepsy is complicated by high medical and psychiatric comorbidities: a comparison with the general population. <i>Sleep Med</i> , 14(6): 488-92.
73957	Ohayon MM, Schatzberg AF (2010). Chronic pain and major depressive disorder in the general population. <i>J Psychiat Res</i> , 44(7): 454-61.
40778	O'Keane V (2000). Evolving model of depression as an expression of multiple interacting risk factors. <i>British Journal of Psychiatry</i> , 177: 482-3.

72524	Oladeji BD, Gureje O (2013). The comorbidity between depression and diabetes. <i>Current Psychiatry Reports</i> , 15(9): 390.
73942	Oladeji BD, Makanjuola VA, Esan OB, et al (2011). Chronic pain conditions and depression in the Ibadan study of ageing. <i>Int Psychogeriatr</i> , 23(6): 923-9.
86456	Omerov P, Pettersen R, Titelman D, et al (2016). Encountering the body at the site of the suicide: A population-based survey in Sweden. <i>Suicide and Life-Threatening Behavior</i> , 47(1): 38-47.
74083	Ooms E, Meganck R, Vanheule S, et al (2011). Tinnitus severity and the relation to depressive symptoms: a critical study. <i>Otolaryngol Head &amp; Neck Surgery</i> , 145(2): 276-81.
73140	Orlovska S, Pedersen MS, Benros ME et al (2014). Head injury as risk factor for psychiatric disorders: A nationwide register-based follow-up study of 113,906 persons with head injury. <i>American Journal of Psychiatry</i> , 171: 463-9.
31723	Orsillo SM, Roemer L, Litz BT, et al (1998). Psychiatric symptomatology associated with contemporary Peacekeeping: an examination of post-mission functioning among Peacekeepers in Somalia. <i>Journal of Traumatic Stress</i> , 11: 611-25.
57458	O'Toole BI, Catts SV, Outram S, et al (2009). The physical and mental health of Australian Vietnam veterans 3 decades after the war and its relation to military service, combat, and post-traumatic stress disorder. <i>Am J Epidemiol</i> , Epub ahead of print.
3039	O'Toole BI, Marshall RP, Grayson DA, et al (1996). The Australian Vietnam Veterans Health Study: III. Psychological Health of Australian Vietnam Veterans and its relationship to combat. <i>Int J Epidemiol</i> , 25(2): 331-40.
57459	O'Toole BI, Outram S, Catta SV, et al (2009). The mental health of partners of Australian Vietnam veterans three decades after the war and its relation to veteran military service, combat and PTSD. <i>Australian Vietnam Veterans Family Health Study</i> , ANZAC Research Institute, Sydney.
40832	Paffenbarger RS, Lee I-M, Leung R (1994). Physical activity and personal characteristics associated with depression and suicide in American college men. <i>Acta Psychiatr Scand</i> , 377: 16-22.
39272	Page WF, Mahan CM, Kang HK, et al (2005). Health effects in army Gulf war veterans possibly exposed to chemical munitions destruction at Khamisiyah, Iraq: Part II. Morbidity associated with notification of potential exposure. <i>Military Medicine</i> , 170: 945-51.
72466	Palagini L, Mosca M, Tani C (2013). Depression and systemic lupus erythematosus: a systematic review. <i>Lupus</i> , 22(5): 409-16.
63080	Panayiotou A, Jackson M, Crowe SF (2010). A meta-analytic review of the emotional symptoms associated with mild traumatic brain injury. <i>J Clin &amp; Experimental Neuropsych</i> , 32(5): 463-73.
72912	Park CL, Kaiser AP, Spiro A, et al (2012). Does wartime captivity affect late-life mental health? A study of Vietnam-era repatriated prisoners of war. <i>Res Hum Dev</i> , 9(3): 191-209.
72467	Park M, Katon WJ, Wolf FM (2013). Depression and risk of mortality in individuals with diabetes: a meta-analysis and systematic review. <i>General Hospital Psychiatry</i> , 35(3): 217-25.
5849	Parker G (1987). Are the lifetime prevalence estimates in the ECA study accurate? <i>Psycho Med</i> , 17: 275-82.
72638	Parker G, Brotchie H (2010). Gender differences in depression. <i>International Review of Psychiatry</i> , 22(5): 429-36.
29833	Parkinson DK, Bromet EJ, Cohen S, et al (1990). Health effects of long-term solvent exposure among women in blue-collar occupations. <i>American Journal of Industrial Medicine</i> , 17: 661-75.

12119	Parron T, Hernandez AF, Villanueva E (1996). Increased risk of suicide with exposure to pesticides in an intensive agricultural area. A 12-year retrospective study. <i>Forensic Science International</i> , 79(1): 53-63.
74534	Pasco JA, Williams LJ, Jacka FN, et al (2008). Tobacco smoking as a risk factor for major depressive disorder: population-based study. <i>Br J Psychiatry</i> , 193: 322-6.
40784	Paterniti S, Niedhammer I, Lang T, et al (2002). Psychosocial factors at work, personality traits and depressive symptoms: longitudinal results from the GAZEL Study. <i>British Journal of Psychiatry</i> , 181: 111-7.
40761	Patten SB, Barbui C (2004). Drug-induced depression: a systematic review to inform clinical practice. <i>Psychother Psychosom</i> , 73: 207-15.
40790	Patten SB, Lavorato DH (2001). Medication use and major depressive syndrome in a community population. <i>Comprehensive Psychiatry</i> , 42: 124-31.
11987	Patten SB, Love EJ (1997). Drug-induced depression. <i>Psychotherapy and Psychosomatics</i> , 66: 63-73.
11949	Patten SB, Williams JVA, Love EJ (1996). Depressive symptoms attributable to medication exposure in a medical inpatient population. <i>Canadian Journal of Psychiatry</i> , 41(10): 651-4.
40831	Patten SB, Williams JVA, Love EJ (1996). Case-control studies of cardiovascular medications as risk factors for clinically diagnosed depressive disorders in a hospitalized population. <i>Can J Psychiatry</i> , 41: 469-76.
25590	Patton GC, Coffey C, Carlin JB, et al (2002). Cannabis use and mental health in young people: cohort study. <i>BMJ</i> , 325(7374): 1195-8.
38549	Paul RTP, McDonnell AP, Kelly CB (2004). Folic acid: neurochemistry, metabolism and relationship to depression. <i>Hum Psychopharmacol Clin</i> , 19: 477-88.
73316	Pavlovic Z, Delic D, Maric NP, et al (2011). Depressive symptoms in patients with hepatitis C treated with pegylated interferon alpha therapy: a 24-week prospective study. <i>Psychiatr Danub</i> , 23(4): 370-7.
40858	Pearce J, Hawton K, Blake F (1995). Psychological and sexual symptoms associated with the menopause and the effects of hormone replacement therapy. <i>Br J Psychiatry</i> , 167: 163-73. [Abstract]
73807	Perbellini L, Tisato S, Quintarelli E, et al (2012). Mental disorders related to persistent negative working conditions [Article in Italian]. <i>Med Lav</i> , 103(6): 437-48.
72565	Peterlin BL, Katsnelson MJ, Calhoun AH (2009). The associations between migraine, unipolar psychiatric comorbidities and stress-related disorders and the role of estrogen. <i>Current Pain and Headache Reports</i> , 13(5): 404-12.
73645	Peterson BD, Sejbaek C, Pirritano M, et al (2014). Are severe depressive symptoms associated with infertility-related distress in individuals and their partners? <i>Human Reproduction</i> , 29(1): 76-82.
12929	Philipp M, Delmo CD, Buller R, et al (1992). Differentiation between major and minor depression. <i>Psychopharmacology</i> , 106: S75-S78.
11419	Picano JJ, Edwards F (1996). Psychiatric syndromes associated with problems in aeronautical adaption among Military Student Pilots. <i>Aviation, Space, and Environmental Medicine</i> , 67(12): 1119-23.
40841	Piccinelli M, Patteson M, Braithwaite I, et al (1999). Anxiety and depression disorders 5 years after severe injuries: a prospective follow-up study. <i>Journal of Psychosomatic Research</i> , 46: 455-64.
39294	Picciotto MR, Brunzell DH, Caldarone BJ (2002). Effect of nicotine and nicotinic receptors on anxiety and depression. <i>NeuroReport</i> , 13: 1097-1106.
13298	Pierce PF (1997). Physical and emotional health of Gulf War veteran women. <i>Aviation, Space, and Environmental Medicine</i> , 68: 317-21.

86468	Pietrzak RH, Feder A, Singh R, et al (2014). Trajectories of PTSD risk and resilience in World Trade Center responders: an 8-year prospective cohort study. <i>Psychol Med</i> , 44(1): 205-19.
70933	Pietrzak RH, Schechter CB, Bromet EJ, et al (2012). The burden of full and subsyndromal posttraumatic stress disorder among police involved in the World Trade Center rescue and recovery effort. <i>J Psychiatr Res</i> , 46(7): 835-42.
40837	Pillar G, Lavie P (1998). Psychiatric symptoms in sleep apnea syndrome: effects of gender and respiratory disturbance. <i>Chest</i> , 114: 697-703.
40772	Pine DS, Cohen P, Johnson JG, et al (2002). Adolescent life events as predictors of adult depression. <i>Journal of Affective Disorders</i> , 68: 49-57.
73677	Pinheiro RT, Coelho FM, Silva RA, et al (2013). Association of a serotonin transporter gene polymorphism (5-HTTLPR) and stressful life events with postpartum depressive symptoms: a population-based study. <i>J Psychosom Obstet Gynecol</i> , 34(1): 29-33.
38544	Pirl WF (2004). Evidence report on the occurrence, assessment, and treatment of depression in cancer patients. <i>J Natl Cancer Inst Monogr</i> , 32: 32-9.
38501	Pollak Y, Yirmiya R (2002). Cytokine-induced changes in mood and behaviour: implications for 'depression due to a general medical condition', immunotherapy and antidepressive treatment. <i>International Journal of Neuropsychopharmacology</i> , 5: 389-99.
12624	Pollard CA, Pollard HJ, Corn KJ (1989). Panic onset and major events in the lives of agoraphobics: A test of contiguity. <i>Journal of Abnormal Psychology</i> , 98(3): 318-21.
38473	Potash M, Breitbart W (2002). Affective disorders in advanced cancer. <i>Haematol Oncol Clin N Am</i> , 16: 671-700.
74397	Potter J, Bouyer J, Trussell J, et al (2009). Premenstrual syndrome prevalence and fluctuation over time: results from a French population-based survey. <i>Journal of Women's Health</i> , 18(1): 31-9.
72479	Potter R, Ellard D, Rees K (2011). A systematic review of the effects of physical activity on physical functioning, quality of life and depression in older people with dementia. <i>International Journal of Geriatric Psychiatry</i> , 26(10): 1000-11.
74304	Povitz M, Bolo CE, Heitman SJ, et al (2014). Effect of treatment of obstructive sleep apnea on depressive symptoms: systematic review and meta-analysis. <i>PLoS One</i> , 11(11): e1001762.
73938	Priebe S, Bogic M, Ashcroft R, et al (2010). Experience of human rights violations and subsequent mental disorders - a study following the war in the Balkans. <i>Soc Sci Med</i> , 71(2010): 2170-7.
38480	Provinciali L, Coccia M (2002). Post-stroke and vascular depression: a critical review. <i>Neurol Sci</i> , 22: 417-28.
53963	Putnam FW (2003). Ten-year research update review: child sexual abuse. <i>J Am Acad Child Adolesc Psychiatry</i> , 42(3): 269-78.
73648	Quesnel-Vallée A, Maximova K (2009). Mental health consequences of unintended childlessness and unplanned births: gender differences and life course dynamics. <i>Soc Sci Med</i> , 68(5): 850-7.
73330	Rabinak CA, Nirenberg MJ (2010). Dopamine agonist withdrawal syndrome in Parkinson disease. <i>Arch Neurol</i> , 67(1): 58-63.
72505	Rackley S, Bostwick JM (2012). Depression in mentally ill patients. <i>Psychiatric Clinics of North America</i> , 35(1): 231-47.
45730	Raeder MB, Steen VM, Vollset SE, et al (2007). Associations between cod liver oil use and symptoms of depression: The Hordaland Health Study. <i>J Affect Disord</i> , 101(1-3): 245-9.
87647	Raguraman J, Vijaysagar KJ, Chandrasekaran R (2004). [Comment] An unusual presentation of PTSD. <i>Australian &amp; New Zealand Journal of Psychiatry</i> , 38(9): 760.



74535	Raison CL, Rutherford RE, Woolwine BJ, et al (2013). A randomized controlled trial of the tumor necrosis factor antagonist infliximab for treatment-resistant depression: the role of baseline inflammatory biomarkers. <i>JAMA Psychiatry</i> , 70(1): 31-41.
13207	Rajala U, Keinanen-Kiukaanniemi S, Uusimaki A, et al (1995). Musculoskeletal pains and depression in a middle-aged Finnish population. <i>Pain</i> , 61: 451-7.
76828	Rao C, Ramu Sa, Maiya PP (2011). Depression in adolescents with chronic medical illness. <i>Int J Adolesc Med Health</i> , 23(3): 205-8.
38524	Rapahel B (2006). Grieving the death of a child: Health professionals need to be particularly sensitive to the needs of parents. <i>BMJ</i> , 332(33): 620-1.
38522	Raphael B, Wooding S, Stevens G, et al (2005). Comorbidity: cannabis and complexity. <i>Journal of Psychiatric Practice</i> , 11: 161-76.
72506	Rapoport MJ (2012). Depression following traumatic brain injury: epidemiology, risk factors and management. <i>CNS Drugs</i> , 26(2): 111-21.
47063	Reardon DC, Cogle JR, Rue VM, et al (2003). Psychiatric admissions of low-income women following abortion and childbirth. <i>CMAJ</i> , 168(10): 1253-6.
74079	Reece JC, Chan YF, Herbert J, et al (2013). Course of depression, mental health service utilization and treatment preferences in women receiving chemotherapy for breast cancer. <i>Gen Hosp Psychiatry</i> , 35(4): 376-81.
85927	Regambal MJ, Alden LE, Wagner SL et al (2015). Characteristics of the traumatic stressors experienced by rural first responders. <i>Journal of Anxiety Disorders</i> , 34: 86-93.
44845	Reichenberg A, MacCabe JH (2007). Feeling the pressure: work stress and mental health. <i>Psychological Medicine</i> , 37: 1073-4.
38523	Rey JM, Sawyer MG, Raphael B, et al (2002). Mental health of teenagers who use cannabis: Results of an Australian survey. <i>British Journal of Psychiatry</i> , 180: 216-21.
25589	Rey JM, Tennant CC (2002). [Comment] Cannabis and mental health. <i>BMJ</i> , 325(7374): 1183-84.
38476	Reynolds EH (2002). Folic acid, ageing, depression, and dementia. <i>BMJ</i> , 324: 1512-5.
72584	Richards D (2011). Prevalence and clinical course of depression: a review. <i>Clinical Psychology Review</i> , 31(7): 1117-25.
74536	Richardson T, Elliott P, Roberts R (2013). The relationship between personal unsecured debt and mental and physical health: a systematic review and meta-analysis. <i>Clin Psychol Rev</i> , 33(8): 1148-62.
38556	Rickards H (2005). Depression in neurological disorders: Parkinson's disease, multiple sclerosis, and stroke. <i>J Neurol Neurosurg Psychiatry</i> , 76(1): i48-i52.
38466	Ried LD, McFarland BH, Johnson RE, et al (1998). B-blockers and depression: the more the murkier? <i>Annals of Pharmacotherapy</i> , 32: 699-708.
38515	Riemann D, Voderholzer U (2003). Primary insomnia: a risk factor to develop depression? <i>Journal of Affective Disorder</i> , 76: 255-9.
73939	Rinehart MS, Kiselica MS (2010). Helping men with the trauma of miscarriage. <i>Psychotherapy</i> , 47(3): 288-95.
55146	Ritchie K, Jausent I, Stewart R, et al (2009). Association of adverse childhood environment and 5-HTTLPR genotype with late-life depression. <i>J Clin Psychiatry</i> , 70(9): 1281-8.
74398	Roberts RE, Duong HT (2013). Perceived weight, not obesity, increases risk for major depression among adolescents. <i>J Psychiat Res</i> , 47(8): 1110-7.
74399	Roberts RE, Duong HT (2013). Obese youths are not more likely to become depressed, but depressed youths are more likely to become obese. <i>Psychological Med</i> , 43: 2143-51.

73940	Robertson-Blackmore E, Putnam FW, et al (2013). Antecedent trauma exposure and risk of depression in the perinatal period. <i>J Clin Psychiatry</i> , 74(10): 942-8.
5794	Robins LN, Helzer JE, Weissman MM, et al (1984). Lifetime prevalence of specific psychiatric disorders in three sites. <i>Arch Gen Psychiatry</i> , 41: 949-58.
40796	Robinson RG (2005). Vascular depression and poststroke depression: where do we go from here? <i>American Journal of Geriatric Psychiatry</i> , 13: 85-7.
73678	Rocca P, Leotta D, Liffredo C, et al (2010). Neuropsychiatric symptoms underlying caregiver stress and insight in Alzheimer's disease. <i>Dement Geriatr Cogn Disord</i> , 30(1): 57-63.
73649	Rogers CH, Floyed FJ, Seltzer MM (2008). Long-Term Effects of the Death of a Child on Parents' Adjustment in Midlife. <i>J Fam Psychol</i> , 22(2): 203-11.
74537	Rogers G, Elston J, Garside R, et al (2009). The harmful health effects of recreational ecstasy: a systematic review of observational evidence. <i>Health Technology Assessment</i> , 13(6): iii-iv, ix-xii, 1-315.
40777	Rojo-Moreno L, Livianos-Aldana L, Cervaera-Martinez G, et al (2002). The role of stress in the onset of depressive disorders: a controlled study in Spanish clinical sample. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 37: 592-8.
73650	Rooney AG, McNamara S, MacKinnon M, et al (2013). The frequency, longitudinal course, clinical associations, and causes of emotional distress during primary treatment of cerebral glioma. <i>Neuro-Oncology</i> , 15(5): 635-43.
38576	Ropper AH (2005). Reactive depression, endogenous depression, and manic-depressive disease. <i>Adams and Victor's principles of neurology</i> , 57, 8: 1308-17.
73679	Rosas-Carrasco O, Guerra-Silla Mde G, Torres-Arreola Ldel P, et al (2014). Caregiver burden of Mexican dementia patients: the role of dysexecutive syndrome, sleep disorders, schooling and caregiver depression. <i>Geriatr Gerontol Int</i> , 14(1): 146-52.
39166	Rosenbaum JF, Covino JM (2005). Stress and resilience: implications for depression and anxiety. <i>Psychiatry and Mental Health</i> , 10(2): .
38517	Rost K (2003). Depression and pain: the road to evidence-based care. <i>Arch Intern Med</i> , 163: 2415-6.
38582	Rothermund K, Brandtstadter J (2003). Depression in later life: cross-sequential patterns and possible determinants. <i>Psychology &amp; Aging</i> , 18: 80-90.
38509	Rudisch B, Nemeroff CB (2003). Epidemiology of comorbid coronary artery disease and depression. <i>Biol Psychiatry</i> , 54: 227-40.
73680	Rugulies R, Madsen I, Hjarsbech PU, et al (2012). Bullying at work and onset of a major depressive episode among Danish female eldercare workers. <i>Scand J Work Environ Health</i> , 38(3): 218-27.
73353	Runge C, Kanesarajah J, Loos C, et al (2014). Rwanda Deployment Health Study Report. The University of QLD. CAMVH, Brisbane.
53961	Runyon MK, Kenny MC (2002). Relationship of attributional style, depression, and posttrauma distress among children who suffered physical or sexual abuse. <i>Child Maltreatment</i> , 7(3): 254-64.
12020	Ruoff GE (1996). Depression in the patient with chronic pain. <i>Journal of Family Practice</i> , 43(6): S25-34.
74305	Sanchez-Gistau V, Sugranyes G, Bailles E, et al (2012). Is major depressive disorder specifically associated with mesial temporal sclerosis? <i>Epilepsia</i> , 53(2): 386-92.
72473	Sanhueza C, Ryan L, Foxcroft DR (2013). Diet and the risk of unipolar depression in adults: systematic review of cohort studies. <i>Journal of Human Nutrition</i> , 26(1): 56-70.

10937	Savitz DA, Boyle CA, Holmgreen P (1994). Prevalence of depression among electrical workers. <i>American Journal of Industrial Medicine</i> , 25(2): 165-76.
38547	Savoie I, Morettin D, Green AJ, et al (2004). Systematic review of the role of gender as a health determinant of hospitalization for depression. <i>International Journal of Technology Assessment in Health Care</i> , 20: 115-27.
40804	Sawyer MG, Arney FM, Baghurst PA, et al (2001). The mental health of young people in Australia: key findings from the child and adolescent component of the national survey of mental health and well-being. <i>Australian and New Zealand Journal of Psychiatry</i> , 35: 806-14.
73141	Schaller E, Woodall K, Lemus H et al (2014). A longitudinal comparison of posttraumatic stress disorder and depression among military service components. <i>Military Psychology</i> , 26(2): 77-87.
39268	Schmidt A (2005). Comments on "Can stress cause depression?". <i>Progress in Neuro-Psychopharmacology &amp; Biological Psychiatry</i> , 29: 775-6.
74306	Schmied V, Johnson M, Naidoo N, et al (2013). Maternal mental health in Australia and New Zealand: a review of longitudinal studies. <i>Women Birth</i> , 26(3): 167-78.
38519	Schoevers RA, Beekman ATF, Deeg DJH, et al (2003). The natural history of late-life depression: results from the Amsterdam Study of the Elderly (AMSTEL). <i>Journal of Affective Disorders</i> , 76: 5-14.
31743	Schoevers RA, Beekman ATF, Deeg DJH, et al (2003). The natural history of late-life depression: results from the Amsterdam Study of the Elderly (AMSTEL). <i>Journal of Affective Disorders</i> , 76: 5-14.
40805	Schwartz DJ, Kohler WC, Karatinos G (2005). Symptoms of depression in individuals with obstructive sleep apnea may be amenable to treatment with continuous positive airway pressure. <i>Chest</i> , 128: 1304-9.
40803	Schweitzer I, Tuckwell V, O'Brien J, et al (2002). Is late onset depression a prodrome to dementia? <i>International Journal of Geriatric Psychiatry</i> , 17: 997-1005.
53969	Scott KM, Von Korff M, Alonso J, et al (2008). Childhood adversity, early-onset depressive/anxiety disorders, and adult-onset asthma. <i>Psychosomatic Medicine</i> , 70: 1035-43.
40794	Seel RT, Kreutzer JS, Rosenthal M, Hammond FM, Corrigan JD, Black K (2003). Depression after traumatic brain injury: a National Institute on Disability and Rehabilitation Research Model Systems multicenter investigation. <i>Arch Phys Med Rehabil</i> , 84: 177-84.
12021	Sellman JD, Joyce PR (1996). Does depression predict relapse in the 6 months following treatment for men with alcohol dependence? <i>Australian &amp; New Zealand Journal of Psychiatry</i> , 30(5): 573-8.
73681	Sen S, Kranzler HR, Krystal JH, et al (2010). A prospective cohort study investigating factors associated with depression during medical internship. <i>Arch Gen Psychiatry</i> , 67(6): 557-65.
11040	Senate Standing Committee on Foreign Affairs, Defence and Trade (1994). Facing the Future Together. Sexual Harassment in the Australian Defence Force, Chapter 1: 1-2, 32. Commonwealth of Australia, Parliament House, Canberra.
74775	Shahab L, Andrew S, West R (2014). Changes in prevalence of depression and anxiety following smoking cessation: results from an international cohort study (ATTEMPT). <i>Psychological Med</i> , 44: 127-41.
36610	Shalev AY, Freedman S (2005). PTSD following terrorist attacks: a prospective evaluation. <i>Am J Psychiatry</i> , 162: 1188-91.
43604	Shalev AY, Tuval-Mashiach R, Hadar H (2004). Posttraumatic Stress Disorder as a result of mass trauma. <i>Journal of Clinical Psychiatry</i> , 65(S1): 4-10.

74307	Sham Ak, Yiu Mg, Ho Wy (2010). Psychiatric morbidity following miscarriage in Hong Kong. <i>Gen Hosp Psychiatry</i> , 32(3): 284-93.
71996	Shargorodsky J, Curhan GC, Farwell WR (2010). Prevalence and characteristics of tinnitus among US adults. <i>American Journal of Medicine</i> , 123(8): 711-8.
31721	Sharkansky EJ, King DW, King LA, et al (2000). Coping with Gulf War combat stress: mediating and moderating effects. <i>Journal of Abnormal Psychology</i> , 109: 188-97.
47157	Shea A, Walsh C, MacMillan H, et al (2004). Child maltreatment and HPA axis dysregulation: relationship to major depressive disorder and post traumatic stress disorder in females. <i>Psychoneuroendocrinology</i> , 30: 162-78.
11990	Silove D, Sinnerbrink I, Field A, et al (1997). Anxiety, depression and PTSD in asylum-seekers associations with pre-migration trauma and post-migration stressors. <i>British Journal of Psychiatry</i> , 170: 351-7.
28339	Sim M, Abramson M, Forbes A, et al (2003). Australian Gulf War Veterans' Health Study, Vol 2. Commonwealth of Australia.
31718	Sim M, Abramson M, Forbes A, et al (2003). Psychological Health. Australian Gulf War Veterans' Health Study, Vol 2 Chapter 11: 268-71. Commonwealth of Australia.
39263	Sim M, Kelsall H (2006). Gulf War illness: a view from Australia. <i>Phil Trans R Soc B</i> , 361: 619-26.
31753	Simmons RK, Maconochie N, Doyle P (2004). Self-reported ill health in male UK Gulf War veterans: a retrospective cohort study. <i>BMC Public Health</i> , 4: 27.
70693	Simon NM (2009). Generalized anxiety disorder and psychiatric comorbidities such as depression, bipolar disorder, and substance abuse. <i>J Clin Psychiatry</i> , 70(Suppl 2): 10 - 14.
84408	Skogstad L, Fjetland AM, Ekeberg O (2015). Exposure and posttraumatic stress symptoms among first responders working in proximity to the terror sites in Norway on July 22, 2011 - a cross-sectional study. <i>Scand J Trauma Resusc Emerg Med</i> , 23(23): 1-9.
83742	Skogstad L, Heir T, Hauff E, et al (2016). Post-traumatic stress among rescue workers after terror attacks in Norway. <i>Occup Med</i> , 66(7): 528-35.
74400	Skrzypulec-Plinta V, Drosdzol A, Nowosielski K, et al (2010). The complexity of premenstrual dysphoric disorder - risk factors in the population of Polish women. <i>Reproductive Biology and Endocrinology</i> , 8(141): 6 pages.
73651	Slavich GM, Monroe SM, Gotlib IH (2011). Early parental loss and depression history: associations with recent life stress in major depressive disorder. <i>J Psychiat Res</i> , 45(9): 1146-52.
40779	Slusarcick AL, Ursano RJ, Dinneen MP, et al (2001). Factors associated with depression on a hospital ship deployed during the Persian Gulf War. <i>Military Medicine</i> , 166: 248-52.
74538	Smith DF, Gerdes LU (2012). Meta-analysis on anxiety and depression in adult celiac disease. <i>Acta Psychiatr Scand</i> , 125(3): 189-93.
11984	Smith DF, Sterdorff B, Ropcke G, et al (1996). Prevalence and severity of anxiety, depression and Type A behaviors in angina pectoris. <i>Scandinavian Journal of Psychology</i> , 37: 249-58.
73143	Smith TC, LeardMann C, Smith B et al (2014). Longitudinal assessment of mental disorders, smoking and hazardous drinking among a population-based cohort of U.S. service members. <i>Journal of Addiction Medicine</i> , 8(4): 271-81.
72562	Snyderman D, Wynn D (2009). Depression in cancer patients. <i>Primary Care: Clinics in Office Practice</i> , 36(4): 703-19.
72923	Solomon Z, Greene T, Ein-Dor T, et al (2013). The long-term implications of war captivity for mortality and health. <i>J Behav Med</i> .

5855	Solomon Z, Singer Y, Blumenfeld A (1995). Clinical characteristics of delayed and immediate-onset combat-induced post-traumatic stress disorder. <i>Military Medicine</i> , 160(9): 425-30.
74539	Soydas EA, Albayrak Y, Sahin B (2014). Increased Childhood Abuse in Patients With Premenstrual Dysphoric Disorder in a Turkish Sample: A Cross-Sectional Study. <i>Prim Care Companion CNS Disord</i> , 16(4): .
39304	Spence SH, Donald M, Dower J, et al (2002). Outcome and indicators, measurement tools and databases. Australian Government Department of Health and Aging, . Commonwealth of Australia.
37083	Stallones L, Beseler C (2002). Pesticide illness, farm practices, and neurological symptoms among farm residents in Colorado. <i>Environ Res</i> , 90(2): 89-97.
72560	Staner L (2010). Comorbidity of insomnia and depression. <i>Sleep Medicine Reviews</i> , 14(1): 35-46.
38474	Starkstein SE, Lischinsky A (2002). The phenomenology of depression after brain injury. <i>NeuroRehabilitation</i> , 17: 105-113.
74269	Steele A, Maruyama N, Galynker I (2010). Psychiatric symptoms in caregivers of patients with bipolar disorder: a review. <i>J Affect Disord</i> , 121(1-2): 10-21.
45448	Stein MD, Solomon DA, Herman DS, et al (2003). Depression severity and drug injection HIV risk behaviors. <i>Am J Psychiatry</i> , 160(9): 1659-62.
85930	Stetz MC, Wiederhold BK, Wildzunas RM, et al (2006). The usefulness of virtual reality stress inoculation training for military medical females: A pilot study. <i>Annual Review of CyberTherapy and Telemedicine</i> , 4: 51-8.
86471	Stewart SH, Mitchell TL, Wright KD, et al (2004). The relations of PTSD symptoms to alcohol use and coping drinking in volunteers who responded to the Swissair Flight 111 airline disaster. <i>J Anxiety Dis</i> , 18(1): 51-68.
11995	Stewart SM, Betson C, Lam TH, et al (1997). Predicting stress in first year medical students: a longitudinal study. <i>Medical Education</i> , 31: 163-8.
54550	Streeck-Fischer A, van der Kolk BA (2000). Down will come baby, cradle and all: diagnostic and therapeutic implications of chronic trauma on child development. <i>Aust N Z J Psychiatry</i> , 34: 903-18.
72501	Studd J, Nappi RE (2012). Reproductive depression. <i>Gynecol Endocrinol</i> , 28(Suppl 1): 42-5.
38510	Stunkard AJ, Faith MS, Allison KC (2003). Depression and obesity. <i>Biol Psychiatry</i> , 54: 330-7.
73327	Sullivan MD, Von Korff M, Banta-Green C, et al (2010). Problems and concerns of patients receiving chronic opioid therapy for chronic non-cancer pain. <i>Pain</i> , 149(2): 345-53.
38562	Sullivan PF, Neale MC, Kendler KS (2000). Genetic epidemiology of major depression: review and meta-analysis. <i>American Journal of Psychiatry</i> , 157: 1552-62.
12010	Sulway MR, Broe GA, Creasey H, et al (1996). Are malnutrition and stress risk factors for accelerated cognitive decline? A prisoner of war study. <i>Neurology</i> , 46: 650-5.
39163	Summerfield D (2006). Depression: epidemic or pseudo-epidemic? <i>Journal of the Royal Society of Medicine</i> , 99: 161-2.
83741	Surgenor LJ, Snell DL, Dorahy MJ (2015). Posttraumatic stress symptoms in police staff 12-18 months after the Canterbury earthquakes. <i>J Trauma Stress</i> , 28(2): 162-6.
38705	Surtees PP, Wainwright NWJ (1999). Surviving adversity: event decay, vulnerability and the onset of anxiety and depressive disorder. <i>Eur Arch Psychiatry Clin Neurosci</i> , 249: 86-95.
10890	Sutker PB, Allain AN, Winstead DK (1993). Psychopathology and psychiatric diagnoses of World War II Pacific theater prisoner of war survivors and combat veterans. <i>American Journal of Psychiatry</i> , 150: 240-5.

12927	Sutker PB, Allain Jr AN, Johnson JL, et al (1992). Memory and learning performances in POW survivors with history of malnutrition and combat veteran controls. <i>Archives of Clinical Neuropsychology</i> , 7: 431-44.
12888	Sutker PB, Galina ZH, West JA (1990). Trauma-induced weight loss and cognitive deficits among former prisoners of war. <i>Journal of Consulting and Clinical Psychology</i> , 58(3): 323-28.
73965	Takeda T, Tadakawa M, Koga S, et al (2013). Premenstrual symptoms and posttraumatic stress disorder in Japanese high school students 9 months after the great East-Japan earthquake. <i>Tohoku J Exp Med</i> , 230(3): 151-4.
12002	Tandberg E, Larsen JP, Aarsland D, et al (1997). Risk factors for depression in Parkinson disease. <i>Arch Neurol</i> , 54: 625-30.
74776	Taylor G, McNeill A, Girling A, et al (2014). Change in mental health after smoking cessation: systematic review and meta-analysis. <i>BMJ</i> , 348(g1151): doi: 10.1136/bmj.g1151.
39168	Teeson M, Proudfoot H (Eds). Comorbid mental disorders and substance use disorders: epidemiology, prevention and treatment. Australian Government Department of Health and Ageing. Commonwealth of Australia.
55145	Teicher MH, Samson JA, Polcari A, et al (2009). Length of time between onset of childhood sexual abuse and emergence of depression in a young adult sample: a retrospective clinical report. <i>J Clin Psychiatry</i> , 70(5): 684-91.
5850	Tennant C (1994). Life-event stress and psychiatric illness. <i>Curr Opin Psychiatry</i> , 7: 207-12.
40780	Tennant C (2001). Assessing stressful life events in relation to liability and compensation. <i>Australian and New Zealand Journal of Psychiatry</i> , 35: 81-5.
5851	Tennant CC, Goulston KJ, Dent OF (1986). The psychological effects of being a prisoner of war: Forty years after release. <i>Am J Psychiatry</i> , 143(5): 618-21.
48092	Teper E, O'Brien JT (2008). Vascular factors and depression. <i>Int J Geriatr Psychiatry</i> : [Epub ahead of print].
73328	Teter CJ, Falone AE, Cranford JA, et al (2010). Nonmedical use of prescription stimulants and depressed mood among college students: frequency and routes of administration. <i>J Subst Abuse Treat</i> , 38(3): 292-8.
5852	The Centers for Disease Control Vietnam Experience Study (1989). Psychological and Neuropsychological Evaluation. Health Status of Vietnam Veterans, Vol IV: 1-346. U.S. Department of Health and Human Services, Atlanta.
38526	Thomas AJ, Kalara RN, O'Brien JT (2004). Depression and vascular disease: what is the relationship? <i>Journal of Affective Disorders</i> , 79: 81-95.
86469	Thormar SB, Gersons BPR, Juen B, et al (2013). Organizational factors and mental health in community volunteers. The role of exposure, preparation, training, tasks assigned, and support. <i>Anxiety, Stress, &amp; Coping</i> , 26(6): 624-42.
74839	Thorpy MJ (2012). Classification of sleep disorders. <i>Neurotherapeutics</i> , 9: 687-701.
38518	Tiemeier H (2003). Biological risk factors for late life depression. <i>European Journal of Epidemiology</i> , 18: 745-50.
85883	Tierens M, Bal S, Crombez G, et al (2012). Differences in posttraumatic stress reactions between witnesses and direct victims of motor vehicle accidents. <i>Journal of Traumatic Stress</i> , 25(3): 280-7.
53968	Tietjen GE, Brandes JL, Digre KB, et al (2007). History of childhood maltreatment is associated with comorbid depression in women with migraine. <i>Neurology</i> , 69: 959-68.

74557	Toffol E, Heikinheimo O, Partonen T (2015). Hormone therapy and mood in perimenopausal and postmenopausal women: a narrative review. <i>Menopause</i> , 22(5).
74308	Toffol E, Koponen P, Partonen T (2013). Miscarriage and mental health: results of two population-based studies. <i>Psychiatry Res</i> , 205(1-2): 151-8.
40785	Tokuyama M, Nakao K, Seto M, et al (2003). Predictors of first-onset major depressive episodes among white-collar workers. <i>Psychiatry and Clinical Neurosciences</i> , 57: 523-31.
74777	Torres LD, Barrera AZ, Delucchi K, et al (2010). Quitting smoking does not increase the risk of major depressive episodes among users of Internet smoking cessation interventions. <i>Psychological Med</i> , 40: 441-9.
76738	Tseng CH, Huang WS, Muo CH, et al (2014). Increased depression risk among patients with chronic osteomyelitis. <i>J Psychosom Res</i> , 77(6): 535-40.
39266	Tsuno N, Besset A, Ritchie K (2005). Sleep and depression. <i>J Clin Psychiatry</i> , 66: 1254-69.
5854	Turner RJ, Avison WR (1989). Gender and depression: assessing exposure and vulnerability to life events in a chronically strained population. <i>J Nerv Ment Dis</i> , 177(8): 443-55.
38477	Turner-Stokes L, Hassan N (2002). Depression after stroke: a review of the evidence base to inform the development of an integrated care pathway. Part 1: Diagnosis, frequency and impact. <i>Clinical Rehabilitation</i> , 16: 231-47.
38479	Turner-Stokes L, Hassan N (2002). Depression after stroke: a review of the evidence base to inform the development of an integrated care pathway. Part 1: Treatment alternatives. <i>Clinical Rehabilitation</i> , 16: 248-60.
39367	Turvey CL, Carney, C, Arndt S, et al (1999). Conjugal loss and syndromal depression in a sample of elders aged 70 years or older. <i>Am J Psychiatry</i> , 156: 1596-1601.
40787	Uchitomi Y, Mikami I, Nagai K, et al (2003). Depression and psychological distress in patients during the year after curative resection of non-small-cell lung cancer. <i>J Clin Oncol</i> , 21: 69-77.
73306	Udina M, Castellví P, Moreno-España J, et al (2012). Interferon-induced depression in chronic hepatitis C: a systematic review and meta-analysis. <i>J Clin Psychiatry</i> , 73(8): 1128-38.
86460	Ursano RJ (1990). The nature of a traumatic stressor: Handling dead bodies. <i>The Journal of Nervous and Mental Disease</i> , 178(6): 396-8.
72564	Uzun S, Kozumplik O, Topic R et al (2009). Depressive disorders and comorbidity: somatic illness vs. side effect. <i>Psychiatria Danubina</i> , 21(3): 391-8.
74540	Valkanova V, Ebmeier KP (2013). Vascular risk factors and depression in later life: a systematic review and meta-analysis. <i>Biol Psychiatry</i> , 73(5): 406-13.
40775	Van den Berg MD, Oldehinkel AJ, Bouhuys AL, et al (2001). Depression in later life: three etiological different subgroups. <i>Journal of Affective Disorders</i> , 65: 19-26.
74432	Van Lieshout RJ, Bienenstock J, MacQueen GM (2009). A review of candidate pathways underlying the association between asthma and major depressive disorder. <i>Psychosom Med</i> , 71(2): 187-95.
34036	van Praag HM (2004). Can stress cause depression? <i>Progress in Neuro-Psychopharmacology &amp; Biological Psychiatry</i> , 28: 891-907.
12009	Van Tilburg MAL, Vingerhoets JJM, Van Heck GL (1996). Homesickness: a review of the literature. <i>Psychological Medicine</i> , 26: 899-912.

74541	Veltman-Verhulst SM, Boivin J, et al (2012). Emotional distress is a common risk in women with polycystic ovary syndrome: a systematic review and meta-analysis of 28 studies. <i>Hum Reprod Update</i> , 18(6): 638-51.
13204	Verkasalo PK, Kaprio J, Varjonen J, et al (1997). Magnetic fields of transmission lines and depression. <i>American Journal of Epidemiology</i> , 146(12): 1037-45.
39277	Verkerk GJM, Pop VJM, Van Son MJM, et al (2003). Prediction of depression in the postpartum period: a longitudinal follow-up study in high-risk and low-risk women. <i>Journal of Affective Disorders</i> , 77: 159-166.
73969	Vigod SN, Ross LE, Steiner M (2009). Understanding and treating premenstrual dysphoric disorder: an update for the women's health practitioner. <i>Obstetrics &amp; Gynecology Clinics of North America</i> , 36(4): 907-24.
40844	Viinamaki H, Haatainen K, Honkalampi K, et al (2006). Which factors are important predictors of non-recovery from major depression? A 2-year prospective observational study. <i>Nord J Psychiatry</i> , 60: 410-6.
13622	Viinamaki H, Niskanen L, Pesonen P, et al (1997). Evolution of postpartum mental health. <i>J Psychosom Obstet Gynecol</i> , 18: 213-9.
12046	Vingilis E, Larkin E, Stoduto G, et al (1996). Psychosocial sequelae of motor vehicle collisions: a follow-up study. <i>Accident Analysis &amp; Prevention</i> , 28(5): 637-45.
70463	Vink D, Aartsen MJ, Schoevers RA (2008). Risk factors for anxiety and depression in the elderly: a review. <i>J Affect Disord</i> , 106(1-2): 29-44.
74309	Vliegen N, Casalin S, Luyten P (2014). The course of postpartum depression: a review of longitudinal studies. <i>Harv Rev Psychiatry</i> , 22(1): 1-22.
38505	Voderholzer U, Al-Shajlawi A, Weske G, et al (2003). Are there gender differences in objective and subjective sleep measures? A study of insomniacs and healthy controls. <i>Depression &amp; Anxiety</i> , 17: 162-72.
70941	Vogt D, Vaughn R, Glickman ME, et al (2011). Gender differences in combat-related stressors and their association with postdeployment mental health in a nationally representative sample of U.S. OEF/OIF veterans. <i>J Abnorm Psychol</i> , 120(4): 797-806.
73288	Vogt DS, Proctor SP, King DW, et al (2008). Validation of scales from the Deployment Risk and Resilience Inventory in a sample of Operation Iraqi Freedom veterans. <i>Assessment</i> , 15(4): 391-403.
72465	von Leupoldt A, Kenn K (2013). The psychology of chronic pulmonary disease. <i>Current Opinion in Psychiatry</i> , 26(5): 458-63.
46165	Vythilingam M, Heim C, Newport J, et al (2002). Childhood trauma associated with smaller hippocampal volume in women with major depression. <i>Am J Psychiatry</i> , 15: 2072-80.
38702	Wade AG (2006). Sleep problems in depression: how do they impact treatment and recovery? <i>International Journal of Psychiatry in Clinical Practice</i> , 10(1): 38-44.
40797	Wagner J, Tsimikas J, Abbott G, et al (2006). Racial and ethnic differences in diabetic patient-reported depression symptoms, diagnosis, and treatment. <i>Diabetes Research and Clinical Practice</i> , 75(1): 119-22.
38704	Wainwright NWJ, Surtees PP (2002). Time-varying exposure and the impact of stressful life events on onset of affective disorder. <i>Statistics in Medicine</i> , 21: 2077-91.
47155	Walker JL, Carey Pd, Mohr N, et al (2004). Gender differences in the prevalence of childhood sexual abuse and in the development of pediatric PTSD. <i>Arch Womens Ment Health</i> , 7: 111-21.
83740	Wang H, Jin H, Nunnink SE, et al (2011). Identification of post traumatic stress disorder and risk factors in military first responders 6 months after Wen Chuan earthquake in China. <i>J Affect Disord</i> , 130(1-2): 213-9.



73652	Wang J, Patten SB, Currie S, et al (2012). A Population-based Longitudinal Study on Work Environmental Factors and the Risk of Major Depressive Disorder. <i>American Journal of Epidemiology</i> , 176(1): 52-9.
73682	Wang JL, Lesage A, Schmitz N, et al (2008). The relationship between work stress and mental disorders in men and women: findings from a population-based study. <i>J Epidemiol Comm Health</i> , 62(1): 42-7.
73683	Wang JL, Schmitz N (2011). Does job strain interact with psychological factors outside of the workplace in relation to the risk of major depression? The Canadian national population health survey. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 46(7): 577-84.
12011	Wassertheil-Smoller S, Applegate WB, Berge K, et al (1996). Change in depression as a precursor of cardiovascular events. <i>Arch Intern Med</i> , 156: 553-61.
74542	Weber MT, Maki PM, McDermott MP (2014). Cognition and mood in perimenopause: a systematic review and meta-analysis. <i>J Steroid Biochem Mol Biol</i> , 142: 90-8.
72496	Webster R, Norman P, Goodacre S et al (2012). The prevalence and correlates of psychological outcomes in patients with acute non-cardiac chest pain: a systematic review. <i>Emerg Med J</i> , 29(4): 267-73.
72567	Weich S, Patterson J, Shaw R, et al (2009). Family relationships in childhood and common psychiatric disorders in later life: systematic review of prospective studies. <i>British Journal of Psychiatry</i> , 194(5): 392-8.
38465	Weiss EL, Longhurst JG, Mazure CM (1999). Childhood sexual abuse as a risk factor for depression in women: psychosocial and neurobiological correlates. <i>American Journal of Psychiatry</i> , 156: 816-28.
54320	Weissman MM (2002). [Comment] Juvenile-onset major depression includes childhood- and adolescent-onset depression and may be heterogeneous. <i>Arch Gen Psychiatry</i> , 59: 223-4. Comment on ID: 54319.
11829	Weissman MM, Bland RC, Canino GJ, et al (1997). The cross-national epidemiology of panic disorder. <i>Arch Gen Psychiatry</i> , 54: 305-9.
38572	Weissman MM, Jensen P (2002). What research suggests for depressed women with children. <i>J Clin Psychiatry</i> , 63: 641-7.
54321	Weller E (2002). [Comment] Early childhood risk factors differentiated juvenile onset from adult onset major depressive disorder. <i>Evid Based Ment Health</i> , 5(4): 125. Comment on ID: 54319.
5799	Wells JE, Bushnell JA, Hornblow AR, et al (1989). Christchurch Psychiatric Epidemiology Study, Part I: Methodology and Lifetime prevalence for specific psychiatric disorders. <i>Aust N Z J Psychiatry</i> , 23(3): 315-26.
73145	Wells TS, LeardMann CA, Fortuna SO, et al (2010). A prospective study of depression following combat deployment in support of the wars in Iraq and Afghanistan. <i>American Journal of Public Health</i> , 100(1): 90-9.
85890	Werner EE (2012). Children and war: Risk, resilience, and recovery. <i>Development and Psychopathology</i> , 24(2): 553-8.
86472	West C, Bernard B, Mueller C, et al (2008). Mental health outcomes in police personnel after Hurricane Katrina. <i>J Occup Environ Med</i> , 50(6): 689-95.
70455	While A, Keen L (2012). The effects of statins on mood: a review of the literature. <i>Eur J Cardiovasc Nurs</i> , 11(1): 85-96.
38502	Wichers M, Maes M (2002). The psychoneuroimmuno-pathophysiology of cytokine-induced depression in humans. <i>International Journal of Neuropsychopharmacology</i> , 5: 375-88.
54548	Widom CS, Czaja SJ, Dutton MA (2008). Childhood victimization and lifetime revictimization. <i>Child Abuse &amp; Neglect</i> , 32: 785-96.
39370	Wijngaards-de Meij L, Stroebe M, Schut H, et al (2005). Couples at risk following the death of their child: predictors of grief versus depression. <i>Journal of Consulting and Clinical Psychology</i> , 73: 617-23.

39292	Williams LJ, Jacka FN, Pasco JA, et al (2006). Depression and pain: an overview. <i>Acta Neuropsychiatrica</i> , 18(1): 79-87.
84405	Wilson LC (2015). A systematic review of probable posttraumatic stress disorder in first responders following man-made mass violence. <i>Psychiatry Res</i> , 229: 21-6.
74401	Wiltink J, Michal M, Wild P, et al (2013). Associations between depression and different measures of obesity (BMI, WC, WHtR, WHR). <i>BMC Psychiatry</i> , 13(223): 7 pages.
53958	Wise LA, Zierler S, Krieger N, et al (2001). Adult onset of major depressive disorder in relation to early life violent victimisation: a case-control study. <i>Lancet</i> , 358: 881-7.
38525	Wittchen HU, Beesdo K, Bittner A, et al (2003). Depressive episodes - evidence for a casual role of primary anxiety disorders? <i>European Psychiatry</i> , 18: 384-93.
9890	Wittchen H-U, Essau CA (1993). Epidemiology of panic disorders: Progress and unresolved issues. <i>J Psychiat Res</i> , 27(suppl 1): 47-68.
13777	Wittchen HU, Knauper B, Kessler RC (1994). Lifetime risk of depression. <i>British Journal of Psychiatry</i> , 165(Suppl 26): 16-22.
5800	Wittchen H-U, Zhao S, Kessler RC, et al (1994). DSM-III-R Generalized anxiety disorder in the national comorbidity survey. <i>Arch Gen Psychiatry</i> , 51: 355-64.
69868	Witteveen AB, Bramsen I, Twisk WR, et al (2007). Psychological distress of rescue workers eight and one-half years after professional involvement in the Amsterdam air disaster. <i>J Nerv Ment Dis</i> , 195(1): 31-40.
72468	Wolverton SE, Harper JC (2013). Important controversies associated with isotretinoin therapy for acne. <i>American Journal of Clinical Dermatology</i> , 14(2): 71-6.
38500	Wooltorton E (2003). Accutane (isotretinoin) and psychiatric adverse effects. <i>JAMC</i> , 168: 66.
73684	Wu S, Barugh A, Macleod M, et al (2014). Psychological associations of poststroke fatigue: a systematic review and meta-analysis. <i>Stroke</i> , 45(6): 1778-83.
39279	Wysowski D, Bietz J (2001). Comment on Methodological limitations of the study "Isotretinoin use and risk of depression, psychotic symptoms, suicide, and attempted suicide.". <i>Archives of Dermatology</i> , 137: 1102-3.
73329	Xiong GL, Gagliardi JP, Jiang W (2010). Beta-blockers and depression. <i>Am J Psychiatry</i> , 167(2): 219.
40834	Yantis MA (1999). Identifying depression as a symptom of sleep apnea. <i>Journal of Psychosocial Nursing &amp; Mental Health Services</i> , 37: 28-34.
34225	Yehuda R (1998). Resilience and vulnerability factors in the course of adaptation to trauma. <i>National Center for PTSD Clinical Quarterly</i> , 8(1): 3-5.
74310	Yilmaz E, Sedky K, Bennett DS (2013). The relationship between depressive symptoms and obstructive sleep apnea in pediatric populations: a meta-analysis. <i>JCSM</i> , 9(11): 1213-20.
43851	Young EA, Abelson JL, Curtis GC, et al (1997). Childhood adversity and vulnerability to mood and anxiety disorders. <i>Depression and Anxiety</i> , 5: 66-72. Retrieved 23 May 2007, from 66-72
25591	Zammit S, Allebeck P, Andreasson S, et al (2002). Self reported cannabis use as a risk factor for schizophrenia in Swedish conscripts of 1969: historical cohort study. <i>BMJ</i> , 325(7374): 1199-1201.
72913	Zerach G, Solomon Z, Cohen A, et al (2013). PTSD, resilience and posttraumatic growth among ex-prisoners of war and combat veterans. <i>Isr J Psychiatry Relat Sci</i> , 50(2): 91-9.
74402	Zhabenko O, Krentzman A, Robinson E A.R, et al (2013). A longitudinal study of drinking and depression as predictors of insomnia in alcohol dependent individuals. <i>Substance Use &amp; Misuse</i> , 48: 495-505.

12001	Zheng D, Macera CA, Croft JB, et al (1997). Major depression and all-cause mortality among white adults in the United States. <i>Annals of Epidemiology</i> , 7: 213-8.
72660	Ziemssen T (2009). Multiple Sclerosis beyond EDSS: depression and fatigue. <i>Journal of the Neurological Sciences</i> , 277(Suppl 1): S37-41.
12008	Zisook S (1996). Depression in late life. Diagnosis, course, and consequences. <i>Postgraduate Medicine</i> , 100(4): 143-56.
73324	Zorick T, Nestor L, Miotto K, et al (2010). Withdrawal symptoms in abstinent methamphetamine-dependent subjects. <i>Addiction</i> , 105(10): 1809-18.
72503	Zuidersma M, Thombs BD, de Jonge P (2011). Onset and recurrence of depression as predictors of cardiovascular prognosis in depressed acute coronary syndrome patients: a systematic review. <i>Psychotherapy &amp; Psychosomatics</i> , 80(4): 227-37.