

COLORECTAL ADENOMA

RMA ID Number	Reference List for RMA230-2 as at June 2013
65822	Abdumamir AS, Hafidh RR, Bakar FA (2011). The association of Streptococcus bovis/galloyticus with colorectal tumors: the nature and the underlying mechanisms of its etiological role. <i>J Exp Clin Cancer Res</i> , 30: 11.
23586	Acquavella J, et al; Witte JS, et al (1999). [LETTERS]. Correspondence re: H. J. Lin, et al, Glutathione transferase null genotype, broccoli, and lower prevalence of colorectal adenomas. <i>Cancer Epidemiol., Biomark, Prev.</i> , 7: 647-652, 1998. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 8(10) pp 947-9.
67715	Ahnen DJ, Macrae FA (2012). Approach to the patient with colonic polyps. . Retrieved 13 May 2013, from http://www.uptodate.com/contents/approach-to-the-patient-with-colonic-polyps
67717	Ahnen DJ, Macrae FA (2012). Colorectal cancer: epidemiology, risk factors, and protective factors. . Retrieved 13 May 2013, from http://www.uptodate.com/contents/colorectal-cancer-epidemiology-risk-factors-and-protective-factors?source=search_result&search=colorectal+cancer%3A+epidemiology&electedTitle=1%7E150
23610	Aickin M, Alberts DS (1996). The measurement of adenoma occurrence. <i>European Journal of Cancer Prevention</i> , 5(1) pp 43-48.
23107	Alberts DS, Martinez ME, Roe DJ, Gullen-Rodriguez JM, Marshall JR, van Leewen JB, Reid ME, Ritenbaugh C, Vargas PA, Bhattacharyya AB, Earnest DL, Sampliner RE (2000). Lack of effect of a high-fiber cereal supplement on the recurrence of colorectal adenomas. <i>NEJM</i> , Vol 342 pp 1156-62.
67718	Alexander DD, Cushing CA, Lowe KA, et al (2009). Meta-analysis of animal fat or animal protein intake and colorectal cancer. <i>Am J Clin Nutr</i> , 89: 1402-9.
23394	Almendingen K, Hofstad B and Vatn MH (2001). Does high body fatness increase the risk of presence and growth of colorectal adenomas followed up in situ for 3 years? <i>The American Journal of Gastroenterology</i> , 96(7) pp 2238-2246.
23597	Almendingen K, Hofstad B, Trygg K, Hoff G, Hussain A, Vatn MH (2000). Smoking and colorectal adenomas: a case-control study. <i>European Journal of Cancer Prevention</i> , 9(3):193-203.
67719	Altieri A, Pelucchi C, Talamini R, et al (2004). Cholecystectomy and the risk of colorectal cancer in Italy. <i>Br J Cancer</i> , 90: 1753-5.
22511	Arber N & Dubois RN (1999). Nonsteroidal anti-inflammatory drugs and prevention of colorectal cancer. <i>Current Gastroenterology Reports</i> Vol 1 pp 441-448.
28633	Asano T, McLeod RS (2002). Dietary fibre for the prevention of colorectal adenomas and carcinomas. The Cochrane Library internet site: http://212.49.218.203/newgenMB/ASP/printDocument.asp

65862	Aune D, Chan DS, Lau R, Vieira R, et al (2011). Dietary fibre, whole grains, and risk of colorectal cancer: systemic review and dose-response meta-analysis of prospective studies. <i>BMJ</i> , 343: d6617.
23462	Aydin A, Karasu Z, Zeytinoglu A, Kumanlioglu K, Ozacar T (2000). Colorectal adenomatous polyps and Helicobacter pylori infection. <i>American Journal of Gastroenterology</i> , 94(4) pp 1121-1122.
1959	Baba S, Tsuchiya M, Watanabe I, Machida H (1990). Importance of retinal pigmentation as a subclinical marker in familial adenomatous polyposis. <i>Dis Col and Rectum</i> , 33(8): 661-5.
67720	Badger TM, Ronis MJ, Simmen RC, et al (2005). Soy protein isolate and protection against cancer. <i>J Am Coll Nutr</i> , 24(2): 146S-9S.
66647	Bakker EJ, Bos M, Botma A, Burema J, et al (2012). The associations between food, nutrition and physical activity and the risk of colorectal polyps and underlying mechanisms. Systemic Literature Review Report, : 78-92,96-126,140-73, 212-53,313-4,340-76,488-505. Wageningen University, The Netherlands.
23439	Bardou M, Montembault S, Giraud V, Balian A, Borotto E, Houdayer C, Capron F, Chaput JC, Naveau S (2002). Excessive alcohol consumption favours high risk polyp or colorectal cancer occurrence among patients with adenomas: a case control study. <i>Gut</i> , 50(1):38-42.
23637	Baron JA (1996). Large bowel adenomas: markers of risk and endpoints. <i>J Cellular Biochemistry Suppl</i> , 1996;25:142-8.
23414	Baron JA, Beach M, Mandel JS, van Stolk RU, Haile RW, Sandler RS, Rothstein R, Summers RW, Snover DC, Beck GJ, Bond JH and Greenberg ER (1999). Calcium Supplements for the Prevention of Colorectal Adenomas. <i>NEJM</i> , 340(2) pp 101-07.
23591	Baron JA, Greenberg ER, Haile R, Mandel J, Sandler RS, Mott L (1997). Coffee and tea and the risk of recurrent colorectal adenomas. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 6(1):7-10.
23617	Baron JA, Sandler RS, Haile RW, Mandel JS, Mott LA, Greenberg ER (1998). Folate intake, alcohol consumption, cigarette smoking, and risk of colorectal adenomas. <i>J Natl Cancer Inst</i> , 90(1):57-62.
23634	Beech D, Pontius A, Muni N, Long WP (2001). Familial adenomatous polyposis: a case report and review of the literature. <i>Journal of the National Medical Association</i> , 93(6) pp 208-13.
65809	Ben Q, An W, Jiang J, Zhan X, et al (2012). Body mass index increases risk for colorectal adenomas based on meta-analysis. <i>Gastroenterol</i> , 142: 762-72.
23435	Bensen SP, Cole BF, Mott LA, Baron JA, Sandler RS and Haile R (1999). Colorectal hyperplastic polyps and risk of recurrence of adenomas and hyperplastic polyps. <i>Polyps Prevention Study. Lancet</i> , 354(9193) pp 1873-4.
22355	Berkel HJ (1999). Does an 'aspirin-a-day' keep the doctor away? <i>Br J Cancer</i> , Vol 81(1) pp 1-2.
22190	Berkel HJ, Holcombe RF, Middlebrooks M and Kannan K (1996). Nonsteroidal antiinflammatory drugs and colorectal cancer. <i>Epidemiologic Reviews</i> , 18(2) pp 205-217.
27454	Bingham SA, Day NE, Luben R, Ferrari P, Slimani N, Norat T, et al (2003). Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>The Lancet</i> , Vol 361 pp 1496-1501.
22949	Bingham SA. Mechanisms and experimental and epidemiological evidence relating dietary fibre (non-starch polysaccharides) and starch to protection against large bowel cancer. : <i>Proc Nutr Soc</i> 1990 Jul;49(2):153-71
23451	Bird CL, Frankl HD, Lee ER and Haile RW (1998). Obesity, weight gain, large weight changes, and adenomatous polyps of the left colon and rectum. <i>American Journal of Epidemiology</i> , 147(7) pp 670-680.

23381	Bird CL, Witte JS, Swendseid ME, Shikany JM, Hunt IF, Frankl HD, Lee ER, Longnecker MP and Haile RW (1996). Plasma ferritin, iron intake, and risk of colorectal polyps. <i>American Journal of Epidemiology</i> , 144(1) pp 34-41.
67722	Bischoff-Ferrari HA, Giovannucci E, Willett WC, et al (2006). Estimation of optimal serum concentrations of 25-hydroxyvitamin D for multiple health outcomes. <i>Am J Clin Nutr</i> , 84: 18-28.
23611	Bjork J, Akerblom H, Iselius L, Alm T and Hultcrantz R (1999). Epidemiology of familial adenomatous polyposis in Sweden: changes over time and differences in phenotype between males and females. <i>Scand J Gastroenterol</i> , 34(12) pp 1230-5.
58587	Blair A, Freeman LB (2009). Epidemiologic studies of cancer in agricultural populations: observations and future directions. <i>J Agromedicine</i> , 14(2): 125-31.
65827	Boleij A, van Gelder MM, Swinkels DW, Tjalsma H (2011). Clinical importance of Streptococcus gallolyticus infection among colorectal cancer patients: Systemic review and meta-analysis. <i>Clin Infect Dis</i> , 53(9): 870-8.
67723	Bosetti C, Bravi F, Negri E, et al (2009). Oral contraceptives and colorectal cancer risk: a systematic review and meta-analysis. <i>Hum Reprod Update</i> , 15(5): 489-98.
65811	Botteri E, Iodine S, Raimondi S, Maisonneuve P, Lowenfels AB (2008). Cigarette smoking and adenomatous polyps: a meta-analysis. <i>Gastroenterol</i> , 134: 388-95.
4459	Boutron MC, Faivre J (19??). Alcohol, tobacco and the adeno-carcinoma sequence: A case-control study in Burgundy, France. <i>Gastroenterology</i> , 104(4 P 2): A390 - AGA Abstracts. [Abstract]
23481	Boutron-Ruault MC, Senesse P, Faivre J, Couillault C, Belghiti C (1996). Folate and alcohol intakes: related or independent roles in the adenoma-carcinoma sequence? <i>Nutr Cancer Vol</i> 26(3) pp 337-46.
22851	Boutron-Ruault M-C, Senesse P, Meance S, Belghiti C, & Faivre J (2001). Energy intake, body mass index, physical activity, and the colorectal adenoma-carcinoma sequence. <i>Nutrition Cancer</i> , Vol 39(1) pp 50-7.
1960	Bower C, Levitt S, Francis S (1989). The Western Australian Familial Polyposis Registry. <i>MJA</i> , 151: 557-8.
67724	Boyle T, Fritschi L, Heyworth J, et al (2011). Long-term sedentary work and the risk of subsite-specific colorectal cancer. <i>Am J Epidemiol</i> , 173(10): 1183-91.
23390	Breuer-Katschinski B, Nemes K, Marr A, Rump, B, Leidecker B, Breuer N, Goebell H and the Colorectal Adenoma Study Group (1999). Helicobacter pylori and the risk of colonic adenomas. <i>Digestion</i> , Vol 60 pp 210-215.
23434	Breuer-Katschinski B, Nemes K, Rump B, Leidecker B, Marr A, Breuer N and Goebell H (2000). Long-term use of nonsteroidal antiinflammatory drugs and the risk of colorectal adenomas. The Colorectal Adenoma Study Group. <i>Digestion</i> , 61(2) pp 129-134.
22300	Bruce WR, Giacca A, & Medline A (2000). Possible mechanisms relating diet and risk of colon cancer. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , Vol 9(12) pp 1271-9.
22585	Bruce WR, Wolever MS, & Giacca A (2000). Mechanisms linking diet and colorectal cancer: the possible role of insulin resistance. <i>Nutrition & Cancer</i> , Vol 37(1) pp 19-26.
1961	Bulow S (1984). The Danish Polyposis Registry. <i>Dis Colon Rectum</i> , 27: 351-5.
1962	Bulow S, Lauritsen KB, Johansen A, et al (1985). Gastroduodenal polyps in familial polyposis coli. <i>Dis Colon Rectum</i> , 28(28): 90-3.
1963	Burn J, Chapman P, Delhanty J, Wood C, et al (1991). The UK Northern Region Genetic Register for Familial Adenomatous Polyposis Coli: use of age of onset, congenital hypertrophy of the retinal pigment epithelium, and DNA markers in risk calculations. <i>J Med Genet</i> , 28: 289-96.

23404	Burn J, Chapman PD, Bishop DT and Mathers J (1998). Diet and cancer prevention: the concerted action polyp prevention (CAPP) studies. <i>Proceedings of the Nutrition Society</i> , Vol 57 pp 183-186.
23265	Byers T (2001). Food Frequency Dietary Assessment: How Bad is Good Enough. <i>American Journal of Epidemiology</i> , 154(12) pp1087-88.
1964	Cachon-Gonzalez MB, Delhanty JDA, Burn J, Tsioupra K, et al (1991). Linkage analysis in adenomatous polyposis coli: the use of four closely linked DNA probes in 20 UK families. <i>J Med Genet</i> , 28(28): 681-5.
23480	Caderni G, Lancioni L, Palli D, Saieva C, Trallori G, Menneschi L, Renai F, Marcoccia M, Russo A, Dolara P (1998). A dietary trial with short-term low-sucrose diet in an Italian population: effects on colorectal mucosal proliferation. <i>Nutr Cancer</i> Vol 32(3) pp 159-64.
22488	Calle EE (1997). Hormone replacement therapy and colorectal cancer: interpreting the evidence. <i>Cancer, Causes and Control</i> Vol 8 pp 127-129.
1965	Campbell WJ, Spence RAJ, Parks TG (1994). Familial adenomatous polyposis. <i>Br J Surg</i> , 81: 1722-33.
1966	Caspari R, Friedl W, Mandl M, Moslein G, et al (1994). Familial adenomatous polyposis: mutation at codon 1309 and early onset of colon cancer. <i>Lancet</i> , 343: 629-32.
65833	Chan DS, Lau R, Aune D, Vieira R, et al (2011). Red and processed meat and colorectal cancer incidence: meta-analysis of prospective studies. <i>PLoS One</i> , 6(6): e20456.
23134	Chao A, Thun MJ, Jacobs EJ, Henley SJ, Rodriguez C, Calle EE (2000). Cigarette smoking and colorectal cancer mortality in the cancer prevention study 11. <i>JNCI</i> , Vol 92(23) pp 1888-96.
23595	Chen MJ, Longnecker MP, Morgenstern H, Lee ER, Frankl HD, Haile RW (1998). Recent use of hormone replacement therapy and the prevalence of colorectal adenomas. <i>Cancer Epidemiol Biomarkers & Prevention</i> , 7(3):227-30.
66604	Chiong C, Cox MR, Eslick GD (2012). Gallstones are associated with colonic adenoma: a meta-analysis. <i>World J Surg</i> , 36: 2202-9.
65825	Cho E, Smith-Warner SA, Spiegelman D, Beeson WL, et al (2004). Dairy foods, calcium, and colorectal cancer: A pooled analysis of 10 cohort studies. <i>J Nat Can Institute</i> , 96(13): 1015-22.
67028	Cholongitas E, Pipili C, Dasenaki M, Plexousakis E, et al (2007). [Comment] Is diabetes mellitus or obesity a more important risk factor for colonic adenoma? <i>Am J Gasterenterol</i> , 102(3): 692. Comment on ID: 67026.
23570	Choudhury R, Rajamani SS, Rajshekhar V (2000). A case of ochronosis: MRI of the lumbar spine. <i>Neuroradiology</i> , Vol 42(12) pp 905-7.
65989	Christensen KY, Vizcaya D, Richardson H, Lavoue J, Aronson K, Siemiatycki J (2012). Risk of selected cancers due to occupational exposure to chlorinated solvents in a case-control study in Montreal. <i>JOEM</i> , 00(00): Epub ahead of print.
23650	Cole T R P, H V Sleightholme (2000). ABC of colorectal cancer: the role of clinical genetics in management. <i>BMJ</i> , Vol 321 pp 943-946.
4440	Cope GF, et al (1991). Alcohol consumption in patients with colorectal adenomatous polyps. <i>Gut</i> , 32: 70-2.
22510	Crandall CJ (1999). Estrogen replacement therapy and colon cancer: a clinical review. <i>Journal of Women's Health and Gender-Based Medicine</i> Vol 8 pp 1155-1166.
67725	Dahm CC, Keogh RH, Spencer EA, et al (2010). Dietary fiber and colorectal cancer risk: a nested case-control study using food diaries. <i>J Natl Cancer Inst</i> , 102: 614-26.
23624	Davidow AL, Neugut AI, Jacobson JS, Ahsan H, Garbowski GC, Forde KA, Treat MR, Waye JD (1996). Recurrent adenomatous polyps and body mass index. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 5(4):313-5.

23457	de Herder WW, van der Lely AJ, Lamberts SWJ (1997). [Commentary] Colorectal cancer screening in acromegaly. Still many unresolved questions. <i>Clinical Endocrinology (Oxford)</i> , 47(6) pp 644-646.
23405	Debinski HS, Love S, Spigelman AD and Phillips RKS (1996). Colorectal polyp counts and cancer risk in familial adenomatous polyposis. <i>Gastroenterology</i> , 110(4) pp 1028-1030.
4460	Demers RY, Neale AV, Demers P, Deighton K, et al (1988). Serum cholesterol and colorectal polyps. <i>J Clin Epidemiol</i> , 41(1): 9-13.
67726	Dixon LB, Subar AF, Peters U, et al (2007). Adherence to the USDA Food Guide, DASH Eating Plan, and Mediterranean dietary pattern reduces risk of colorectal adenoma. <i>J Nutr</i> , 137: 2443-50.
23449	Dukas K, Platz EA, Colditz GA, Willett WC & Giovannucci EL (2000). Bowel movement, use of laxatives and risk of colorectal adenomatous polyps among women (United States). <i>Cancer Causes & Control</i> , Vol 11(10) pgs 907-14.
22353	Eaden JA, Mayberry JF Colorectal cancer complicating ulcerative colitis: a review. <i>Am J Gastroenterol</i> 2000 Oct;95(10):2710-2719
67203	Eddi R, Karki A, Shah A, DeBari VA, et al (2012). Association of type 2 diabetes and colon adenomas. <i>J Gastrointest Canc</i> , 43: 87-92.
67026	Elwing JE, Gao F, Davidson NO, Early DS (2006). Type 2 diabetes mellitus: the impact on colorectal adenoma risk in women. <i>Am J Gastroenterol</i> , 101: 1866-71.
67727	Eng C (2011). Colorectal cancer. <i>ACP Medicine</i> , . Decker Intellectual Properties.
22583	Faivre J & Bonithon-Kopp C (1999). Diet, fibers, and colon cancer. <i>Adv Exp Med Biol</i> , Vol 472 pp 199-206.
67730	Fedirko V, Bostick RM, Goodman M, et al (2010). Blood 25-hydroxyvitamin D3 concentrations and incident sporadic colorectal adenoma risk: a pooled case-control study. <i>Am J Epidemiol</i> , 172(5): 489-500.
65823	Fedirko V, Tramacere I, Bagnardi V, Rota M, et al (2011). Alcohol drinking and colorectal cancer risk: an overall and dose-response meta-analysis of published studies. <i>Ann Oncol</i> , 22: 1958-72.
27456	Ferguson LR and Harris PJ (2003). The dietary fibre debate: more food for thought. <i>The Lancet</i> , Vol 361 pp 1487-1488.
65846	Fife J, Raniga S, Hider PN, Frizelle FA (2010). Folic acid supplementation and colorectal cancer risk: a meta-analysis. <i>Colorectal Disease</i> , 13: 132-7.
23636	Fodde R, Smits R (2001). Disease model: familial adenomatous polyposis. <i>Trends in Molecular Medicine</i> , 7(8):369-73.
23296	Forman D (1999)[Commentary]. Meat and cancer: a relation in search of a mechanism. <i>The Lancet</i> , 353(9154) pp 686-687.
67731	Freeman HJ (2008). Proton pump inhibitors and an emerging epidemic of gastric fundic gland polyposis. <i>World J Gastroenterol</i> , 14(9): 1318-20.
4441	Freil JP (Ed) (1988). Dorland's Illustrated Medical Dictionary, 27th Edition,: 27-8, 1333. W B Saunders Philadelphia.
22333	Fuchs CS, Giovannucci EL, Colditz GA, Hunter DJ, Stampfer MJ, Rosner B, Speizer FE, Willett WC. Dietary fiber and the risk of colorectal cancer and adenoma in women. <i>N Engl J Med</i> 1999 Jan 21;340(3):169-176
23987	Garcia Rodriguez LA, Huerta-Alvarez C (2000). Reduced incidence of colorectal adenoma among long-term users of nonsteroidal antiinflammatory drugs: a pooled analysis of published studies and a new population-based study. <i>Epidemiology</i> , 11(4): 376-81.
67732	Geelen A, Schouten JM, Kamphuis C, et al (2007). Fish consumption, n-3 fatty acids, and colorectal cancer: a meta-analysis of prospective cohort studies. <i>Am J Epidemiol</i> , 166(10): 1116-25.
22459	Giacosa A, Franceschi S, La Vecchia C, Favero A & Andreatta R (1999). Energy intake, overweight, physical exercise and colorectal cancer risk. <i>European Journal of Cancer Prevention</i> Vol 8 pp S53-S60.

23387	Giardiello FM (1996). NSAID-induced polyp regression in familial adenomatous polyposis patients. <i>Gastroenterology Clinics of North America</i> , 25(2) pp 349-361.
23169	Giovannucci E (2001). An updated review of the epidemiological evidence that cigarette smoking increases risk of colorectal cancer. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , Vol 10 (7) pp 725-31.
23178	Giovannucci E (2001). Insulin, insulin-like growth factors and colon cancer: a review of the evidence. <i>Journal of Nutrition</i> , Vol 131 pp 3109S-3120S.
3617	Giovannucci E, Colditz GA, Stampfer MJ, Hunter D, et al (1994). A prospective study of cigarette smoking and risk of colorectal adenoma and colorectal cancer in US women. <i>Journal of the Natl Cancer Institute</i> , 86(3): 192-9.
23635	Giovannucci E, Colditz GA, Stampfer MJ, Willett WC (1996). Physical activity, obesity, and risk of colorectal adenoma in women (United States). <i>Cancer Causes & Control</i> , 7(2):253-63.
22332	Giovannucci E, Goldin B (1997). The role of fat, fatty acids, and total energy intake in the etiology of human colon cancer. <i>Am J Clin Nutr</i> , 66(6Suppl): 1564S-71S.
3558	Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, et al (1994). A prospective study of cigarette smoking and risk of colorectal adenoma and colorectal cancer in US men. <i>Journal of the Natl Cancer Institute</i> , 86(3): 183-91.
3631	Giovannucci E, Stampfer MJ, Colditz GA, Rimm EB, et al (1993). Folate, Methionine and alcohol intake and risk of colorectal adenoma. <i>J Natl Cancer Institute</i> , 85(11): 875-83.
3270	Giovannucci E, Willett WC (1994). Dietary factors and risk of colon cancer. <i>Ann Med</i> , 26: 443-452.
4442	Giovannuci E, et al (1992). Relationship of diet to the risk of colorectal adenoma in men. <i>J Natl Cancer Inst</i> , 84(2): 91-8.
23483	Glass AG, Fraumeni JF Jr (1970) Epidemiology of bone cancer in children. <i>Journal of the National Cancer Institute</i> . Vol 44(1) pp 187-99.
67733	Goldacre MJ, Abisgold JD, Seagoatt V, et al (2005). Cancer after cholecystectomy: record-linkage cohort study. <i>Br J Cancer</i> , 92: 1307-9.
22775	Gryfe R (1997). Molecular biology of colorectal cancer. <i>Current Problems in Cancer</i> , Vol 21(5) pp 235-236, 240-299.
22802	Hamilton SR (2001). Origin of colorectal cancers in hyperplastic polyps and serrated adenomas: another truism bites the dust. <i>Journal of the National Cancer Institute</i> , Vol 93(17) pp 1282-3.
23310	Hardy RG, Meltzer SJ and Jankowski JA (2000). ABC of colorectal cancer: molecular basis for risk factors. <i>British Medical Journal</i> , Vol 321 pp 886-889.
65819	Hermann S, Rohrmann S, Linseisen J (2009). Lifestyle factors, obesity and the risk of colorectal adenomas in EPIC-Heidelberg. <i>Cancer Causes Control</i> , 20: 1397-408.
23608	Hill MJ (1998)[Comment]. Gene-environment interactions in the pathogenesis of colorectal cancer. <i>European Journal of Cancer Prevention</i> , 7(5) pp 351-352.
22458	Hill MJ (1999). Mechanisms of diet and colon carcinogenesis. <i>European Journal of Cancer Prevention</i> Vol 8 pp S95-S98.
23181	Hill MJ, Davies GJ, Giacosa A (2001). Should we change our dietary advice on cancer prevention? <i>European Journal of Cancer Prevention</i> , Vol 10 pp 1-6.
4461	Hoff G, Vatn MH, Larsen S (1987). Relationship between tobacco smoking and colorectal polyps. <i>Scand J Gastroenterol</i> , 22: 13-16.
23389	Hofstad B, Almendingen K, Vatn M, Andersen SN, Owen RW, Larsen S and Osnes M (1998). Growth and recurrence of colorectal polyps: a double-blind 3-year intervention with calcium and antioxidants. <i>Digestion</i> , Vol 59 pp 148-156.
22449	Holt PR (1999). Studies of calcium in food supplements in humans. <i>Ann NY Acad Sci</i> Vol 889 pp 128-137.

65813	Hong SN, Lee SM, Kim JH, Lee TY, et al (2012). Helicobacter pylori infection increases the risk of colorectal adenomas: cross-sectional study and meta-analysis. <i>Dig Dis Sci</i> , 57: 2184-94.
4443	Honjo S, et al (1992). Cigarette smoking , alcohol use and adenomatous polyps of the sigmoid colon. <i>Japan J Cancer Research</i> , 83: 806- 11.
67025	Hsu YC, Chiu HM, Liou JM, Chang CC, et al (2012). Glycated hemoglobin A1c is superior to fasting plasma glucose as an independent risk factor for colorectal neoplasia. <i>Cancer Causes Control</i> , 23: 321-8.
22733	Hu FB, Manson JE, Liu S, Hunter D, Colditz GA, Michels KB, Speizer FE, Giovanucci E (1999). Prospective study of adult onset diabetes mellitus (Type 2) and risk of colorectal cancer in women. <i>Journal of the National Cancer Institute</i> , Vol 91 pp 542-7.
24115	Huang EH, Whelan RL, Gleason NR, Maeda JS, Terry MB, Lee SW, Neugut AI, Forde KA (2001). Increased incidence of colorectal adenomas in follow-up evaluation of patients with newly diagnosed hyperplastic polyps. <i>Surg Endosc</i> , 15(7) pp 646-48.
65818	Ibrahim EM, Zekri JM (2010). Folic acid supplementation for the prevention of recurrence of colorectal adenomas: metaanalysis of interventional trials. <i>Med Oncol</i> , 27: 915-8.
23409	Iino H, Jass JR, Young J, Leggett B, Ajioka Y and Watanabe H (1999). DNA microsatellite instability in hyperplastic polyps, serrated adenomas, and mixed polyps: a mild mutator pathway for colorectal cancer? <i>Journal of Clinical Pathology</i> , Vol 52 pp 5-9.
24081	Ikeda Y, Mori M, Akagi K, Iwashita A, Haraguchi Y, Maehara Y, Sugimachi K (2000). Differences between features of adenoma in the rectum versus sigmoid colon. <i>Am J Gastroenterol</i> , 95(12) pp 3620-23.
23613	Ingles SA, Wang J, Coetzee GA, Lee ER, Frankl HD, Haile RW (2001). Vitamin D receptor polymorphisms and risk of colorectal adenomas (United States). <i>Cancer Causes Control</i> , 12(7) pp 607-14.
23468	Ishibe N, Freedman AN (2001). Understanding the interaction between environmental exposures and molecular events in colorectal carcinogenesis. <i>Cancer Invest</i> , 19(5):524-39.
22321	Itzkowitz SH. Inflammatory bowel disease and cancer. <i>Gastroenterol Clin North Am</i> 1997 Mar;26(1):129-139
23569	Jacobson JS, Neugut AI (1996). Epidemiology of gastrointestinal polyps. <i>Surg Oncol Clin N Am</i> , Vol 5(3) pp 531-44.
4464	Jacobson JS, Neugut AI, Murray T, et al (1992). Cigarette smoking and recurrence of colorectal adenomatous polyps: A case-control study. <i>American Journal of Epidemiology</i> , 136: 956.
4462	Jacobson JS, Neugut AI, Murray T, et al (1994). Cigarette smoking and other behavioral risk factors for recurrence of colorectal adenomatous polyps (New York City, NY, USA). <i>Cancer Causes and Control</i> , 5: 215-20.
1967	Jarvinen HJ, Nyberg M, Peltokallio P (1983). Biliary involvement in familial adenomatosis coli. <i>Dis Colon Rectum</i> , 26: 525-8.
23318	Jass JR (2001). Hyperplastic polyps of the colorectum - innocent or guilty? <i>Diseases of the Colon and Rectum</i> , 44(2) pp 163-166.
23391	Jass JR, Iino H, Ruszkiewicz A, Painter D, Solomon MJ, Koorey DJ, Cohn D, Furlong KL, Walsh MD, Palazzo J, Edmonston TB, Fishel R, Young J and Leggett BA (2000). Neoplastic progression occurs through mutator pathways in hyperplastic polyposis of the colorectum. <i>Gut</i> , Vol 47 pp 43-49.
23572	Jass JR, Talbot IC (2001). Molecular and cellular biology of pre-malignancy in the gastrointestinal tract. <i>Best Pract Res Clin Gastroenterol</i> Vol 15(2) pp 175-89.
22726	Jenkins PJ, Besser M (2001). Clinical perspective: acromegaly and cancer: a problem. <i>J Clin Endocrinol Metab</i> , 86(7) pp 2935-2941.

23456	Jenkins PJ, Fairclough PD, Richards T, Lowe DG, et al (1997). Acromegaly, colonic polyps and carcinoma. <i>Clin Endocrinol (Oxf)</i> , 47(1) pp 17-22.
23411	Jenkins PJ, Frajese V, Jones AM, Camacho-Hubner C, Lowe DG, Fairclough PD, Chew SL, Grossman AB, Monson JP, Besser GM (2000). Insulin-like growth factor I and the development of colorectal neoplasia in acromegaly. <i>The Journal of Clinical Endocrinology & Metabolism</i> , 85(9) pp 3218-3221.
67023	Jess T, Loftus EV, Velayos FS, Harmsen WS, et al (2006). Incidence and prognosis of colorectal dysplasia in inflammatory bowel disease: a population-based study from Olmsted County, Minnesota. <i>Inflamm Bowel Dis</i> , 12(8): 669-76.
57306	Jones DR, Sutton AJ, Abrams KR, Fenty J, et al (2009). Systemic review and meta-analysis of mortality in crop protection product manufacturing workers. <i>Occup Environ Med</i> , 66: 7-15.
23380	Kahn HS, Tatham LM, Thun MJ, Heath CW (1998). Risk factors for self-reported colon polyps. <i>J Gen Intern Medicine</i> , Vol 13 pp 303-310.
4444	Kampman E, et al (1994). Calcium, vitamin D, dairy foods and the occurrence of colorectal Adenomas among men and women in two prospective studies. <i>Am J Epidemiol</i> , 139(1): 16-29.
59931	Kang D, Park SK, Beane-Freeman L, Lynch CF, et al (2008). Cancer incidence among pesticide applicators exposed to trifluralin in the Agricultural Health Study. <i>Environ Res</i> , 107: 271-6.
3666	Kato I, Tominaga S, Matsuura A, Yoshii Y, et al (1990). A comparative case-control study of colorectal cancer and adenoma. <i>Jpn J Cancer Res</i> , 81: 1101-8.
4466	Kearney J, Giovannucci E, Rimm EB, Stampfer MJ, et al (1995). Diet, alcohol, and smoking and the occurrence of hyperplastic polyps of the colon and rectum (United States). <i>Cancer Causes and Control</i> , 6: 45-56.
23688	Kearny J, et al (1995). Diet, alcohol, and smoking and the occurrence of hyperplastic polyps of the colon and rectum (United States). <i>Cancer Causes Control</i> 1995;87:274-79
23589	Keku TO, Galanko JA, Murray SC, Woosley JT, Sandler RS (1998). Rectal mucosal proliferation, dietary factors, and the risk of colorectal adenomas. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 7(11):993-9.
66378	Kesse E, Boutron-Ruault MC, Norat T, Riboli E, Clavel-Chapelon, E3N Group (2005). Dietary calcium, phosphorus, vitamin D, dairy products and the risk of colorectal adenoma and cancer among French women of the E3N-EPIC prospective study. <i>Int J Cancer</i> , 117: 137-44.
67734	Kesse E, Clavel-Chapelon F, Boutron-Ruault MC (2006). Dietary patterns and risk of colorectal tumors: a cohort of French women of the National Education System (E3N). <i>Am J Epidemiol</i> , 164(1): 1085-93.
23587	Ketterer B (1998)[Comment]. Dietary isothiocyanates as confounding factors in the molecular epidemiology of colon cancer. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 7(8) pp 645-646.
4433	Kikendall JW, Bowen PE, Burgess MB, Magnetti C, et al (1989). Cigarettes and alcohol as independent risk factors for colonic adenomas. <i>Gastroenterology</i> , 97(3): 660-64.
23388	Kim EC and Lance P (1997). Colorectal polyps and their relationship to cancer. <i>Gastroenterology Clinics of North America</i> , 26(1) pp 1-17.
23433	Kim WH, Lee SK, Chung JH, Cho YS, Yoo HM and Kang JK (2000). Significance of rectosigmoid polyp as a predictor of proximal colonic polyp. <i>Yonsei Medical Journal</i> , 41(1) pp 98-106.
23176	Kim Y-I (2001). Vegetables, fruits, and colorectal cancer risk: what should we believe? <i>Nutrition Reviews</i> , Vol 59(12) pp 394-8.
22331	Klurfeld DM, Bull AW (1997). Fatty acids and colon cancer in experimental models. <i>Am J Clin Nutr</i> , 66(6Suppl) pp 1530S-1538S.

23135	Kono S (2001). All epidemiological evidence is important in colorectal cancer. BMJ, Vol 322 p 611.
24082	Kono S, Handa K, Hayabuchi H, Kiyohara C, et al Obesity, weight gain and risk of colon adenomas in Japanese men. Jpn J Cancer Res 1999 Aug;90(8):805-11
22774	Kono S, Honjo S, Todoroki I, Nishiwaki M, et al (1998). Glucose intolerance and adenomas of the sigmoid colon in Japanese men (Japan). Cancer Causes & Control, Vol 9(4) pp 441-46.
4468	Kono S, Ikeda N, Yanai F, Shinchi K, Imanishi K (1990). Alcoholic beverages and adenomatous polyps of the sigmoid colon: A study of male self-defence officials in Japan. International Journal of Epidemiology, 19(4): 848-52.
23619	Kono S, Shinchi K, Imanishi K (1996). Body mass index and adenomas of the sigmoid colon in Japanese men. Eur J Epidemiol, 12(4):425-6.
65826	Koushik A, Hunter DJ, Spiegelman D, Beeson WL, et al (2007). Fruits, vegetables, and colon cancer risk in a pooled analysis of 14 cohort studies. J Natl Can Inst, 99: 1471-83.
63466	Koutros S, Alavanja MC, Lubin JH, Sandler DP, et al (2010). An update of cancer incidence in the Agricultural Health Study. J Occup Environ Med, 52(11): 1098-105.
58802	Koutros S, Lynch CF, Ma X, Lee WJ, et al (2009). Heterocyclic aromatic amine pesticide use and human cancer risk: results from the U.S. Agricultural Health Study. Int J Cancer, 124: 1206-12.
23382	Kronborg O (2000). Colon polyps and cancer. Endoscopy, 32(2) pp 124-130.
23614	Kronborg O and Fenger C (1999). Clinical evidence for the adenoma-carcinoma sequence. Eur J Cancer Prev, 8(Suppl 1) pp S73-S86.
4471	Kune GA, Kune S, Read A, MacGowan K, et al (1991). Colorectal polyps, diet, alcohol and family history of colorectal cancer: A case-control study. Nutrition and Cancer, 16(1): 25-30.
4470	Kune GA, Kune S, Watson LF, Penfold C (1992). [Comment] Smoking and adenomatous colorectal polyps. Gastroenterology, 103(4): 1370-1.
23600	Lal G, Gallinger S (2000). Familial adenomatous polyposis. Seminars in Surgical Oncology, 18(4):314-23.
65830	Larsson SC, Orsini N, Wolk A (2005). Diabetes mellitus and risk of colorectal cancer: A meta-analysis. J Natl Can Inst, 97: 1679-87.
67735	Larsson SC, Wolk A (2007). Obesity and colon and rectal cancer risk: a meta-analysis of prospective studies. Am J Clin Nutr, 86: 556-65.
65808	Lee JE, Willett WC, Fuchs WS, Smith-Warner SA, et al (2011). Folate intake and risk of colorectal cancer and adenoma: modification by time. Am J Clin Nutr, 93: 817-25.
4472	Lee WC, Neugut AI, Garbowski GC, et al (1993). Cigarettes, alcohol, coffee and caffeine as risk factors for colorectal adenomatous polyps. Ann Epidemiol, 3(3): 239-44.
65817	Lee YJ, Myung SK, Cho B, Park BJ, et al (2011). Adiposity and the risk of colorectal adenomatous polyps: a meta-analysis. Cancer Causes Control, 22: 1021-35.
23385	Leggett BA, Devereaux B, Biden K, Searle J, Young J and Jass J (2001). Hyperplastic polyposis: association with colorectal cancer. The American Journal of Surgical Pathology, 25(2) pp 177-184.
1968	Leppard B, Bussey HJR (1975). Epidermoid cysts, polyposis coli and Gardner's syndrome. Br J Surg, 62: 387-93.
23383	Lev R and Healey J (1999). Colon polyp registries and colorectal cancer control. Cancer Detection and Prevention, 23(6) pp 474-478.
4473	Levi F, Randimbison L, LaVecchia C (1993). Incidence of colorectal cancer following adenomatous polyps of the large intestine. Int J Cancer, 55: 415-8.
23616	Lieberman D (1996)[Comment]. Endoscopic colon screening: is less more? Gastroenterology, 111(5) pp 1385-1387.

23588	Lin HJ, Probst-Hensch NM, Louie AD, Kau IH, Witte JS, Ingles SA, Frankl HD, Lee ER, Haile RW (1998). Glutathione transferase null genotype, broccoli, and lower prevalence of colorectal adenomas. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 7(8) pp 647-52.
23573	Lindblom A (2001). Different mechanisms in the tumorigenesis of proximal and distal colon cancers. <i>Current Opinion Oncology</i> , Vol 13(1) pp 63-9.
22350	Lipkin M, Reddy B, Newmark H, Lamprecht SA. Dietary factors in human colorectal cancer. <i>Annu Rev Nutr</i> 1999;19:545-586
4474	Logan RF, Little J, Turner ID, Hardcastle JD (19??). Do smokers and drinkers have an increased risk of colorectal adenomas? <i>British Society of Gastroenterology</i> , : A1241. [Abstract]
23986	Longnecker MP, Chen MJ, Probst-Hensch NM, Harper JM, Lee ER, Frankl HD, Haile RW (1996). Alcohol and smoking in relation to the prevalence of adenomatous colorectal polyps detected at sigmoidoscopy. <i>Epidemiology</i> , 7(3) pp 275-280.
23590	Lubin F, Rozen P, Arieli B, Farbstein M, Knaani Y, Bat L, Farbstein H (1997). Nutritional and lifestyle habits and water-fiber interaction in colorectal adenoma etiology. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 6(2):79-85.
67736	Lynch BM (2010). Sedentary behavior and cancer: a systematic review of the literature and proposed biological mechanisms. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 19: 2691-709.
22722	Lynch S. Regarding iron and colorectal cancer risk. <i>Nutr Rev</i> 2001 Sep;59(9):310
56151	Macfarlane E, Benke G, Del Monaco A, Sim MR (2010). Causes of death and incidence of cancer in a cohort of Australian pesticide-exposed workers. <i>Ann Epidemiol</i> , 20: 273-80.
4435	MacLennan R, Macrae F, Bain C, et al (1995). Randomized trial of intake of fat, fiber and beta carotene to prevent colorectal adenomas. <i>J Natl Cancer Inst</i> , 87(23): 1760-66.
1969	Maher ER, Barton DE, Slatter R, Koch DJ, et al (1993). Evaluation of molecular genetic diagnosis in the management of familial adenomatous polyposis coli: a population based study. <i>J Med Genet</i> , 30: 675-8.
27895	Mai V , Flood A, Peters U, Lacey JV, et al (2003). Dietary fibre and risk of colorectal cancer in the Breast Cancer Detection Demonstration Project (BCDDP) follow-up cohort. <i>International Journal of Epidemiology</i> , 32: 234-9.
23436	Malila N, Virtamo J, Virtanen M, Albanes D, Tangrea JA and Huttunen JK (1999). The effect of alpha-tocopherol and beta-carotene supplementation on colorectal adenomas in middle-aged male smokers. <i>Cancer, Epidemiology, Biomarkers & Prevention</i> , 8(6) pp 489-493.
23444	Malila N, Virtamo J, Virtanen M, Albanes D, Tangrea JA, Huttunen JK (1999). The effect of alpha-tocopherol and beta-carotene supplementation on colorectal adenomas in middle-aged male smokers. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 8(6):489-493.
23463	Maltzman T, Knoll K, Martinez ME, Byers T, Stevens BR, Marshall JR, Reid ME, Einspahr J, Hart N, Bhattacharyya AK, Kramer CB, Sampliner R, Alberts DS, Ahnen DJ (2001). Ki-ras proto-oncogene mutations in sporadic colorectal adenomas: relationship to histologic and clinical characteristics. <i>Gastroenterology</i> , 121(2) pp 302-9.
23618	Martinez ME (2001). Hormone replacement therapy and adenoma recurrence: implications for its role in colorectal cancer risk. <i>J Natl Cancer Inst</i> , 93(23) pp 1764-1765.
4482	Martinez ME, McPherson RS, Annegers JF, Levin B (1995). Cigarette smoking and alcohol consumption as risk factors for colorectal adenomatous polyps. <i>J Natl Cancer Inst</i> , 87(4): 274-9.

23599	Martinez ME, McPherson RS, Annegers JF, Levin B (1996). Association of diet and colorectal adenomatous polyps: dietary fiber, calcium, and total fat. <i>Epidemiology</i> , 7(3) pp 264-268.
23408	Martinez ME, McPherson RS, Levin B, Gobler GA (1997). A case-control study of dietary intake and other lifestyle risk factors for hyperplastic polyps. <i>Gastroenterology</i> , 113(2) pp 423-429.
23406	Matsuhashi N, Nakajima A, Fukushima Y, Yazaki Y and Oka T (1997). Effects of sulindac on sporadic colorectal adenomatous polyps. <i>Gut</i> , Vol 40 pp 344-349.
23300	Matsuhashi N, Nakajima A, Shinohara K, Oka T and Yazaki Y (1998). Rectal cancer after sulindac therapy for a sporadic adenomatous colonic polyp. <i>The American Journal of Gastroenterology</i> , 93(11) pp 2261-2266.
67739	Mayer RJ (2012). Colorectal cancer. Part 7, Chapter 91, . Retrieved 13 May 2013, from http://accessmedicine.com/content.aspx?aID=9116042
1970	McAdam WAF, Goligher JC (1970). The occurrence of desmoids in patients with familial polyposis coli. <i>Br J Surg</i> , 57(8): 618-31.
23392	McCashland TM, Brand R, Lynden E, de Garmo P and CORI Research Project (2001). Gender differences in colorectal polyps and tumors. <i>The American Journal of Gastroenterology</i> , 96(3) pp 882-886.
23443	McKelvey W, Greenland S, Chen MJ, Longnecker MP, Frankl HD, Lee ER, Haile RW (1999). A case-control study of colorectal adenomatous polyps and consumption of foods containing partially hydrogenated oils. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 8(6):519-24.
23386	Melato M and Rizzardi C; Jass J and Leggett (2001)[Letters]. Colorectal hyperplastic polyps and the risk of cancer: more information needed. <i>The American Journal of Surgical Pathology</i> , 25(10) pp 1340-1341.
23393	Melato M, Rizzardi C, Nardon E and Stanta G (2001)[Letter]. Scarce information about the risk of cancer in colorectal hyperplastic polyps and polyposis. <i>The American Journal of Gastroenterology</i> , 96(7) pp 2267-2268.
22315	Melmed S. Acromegaly and cancer: not a problem? <i>J Clin Endocrinol Metab</i> 2001 Jul;86(7):2929-2934
23620	Meucci G, Tatarella M, Vecchi M, Ranzi ML, Biguzzi E, Beccari G, Clerici E, de Franchis R (1997). High prevalence of Helicobacter pylori infection in patients with colonic adenomas and carcinomas. <i>Journal of Clinical Gastroenterology</i> , 25(4) pp 605-607.
22334	Michels KB, Edward Giovannucci, Joshipura KJ, Rosner BA, Stampfer MJ, Fuchs CS, Colditz GA, Speizer FE, Willett WC (2000). Prospective study of fruit and vegetable consumption and incidence of colon and rectal cancers. <i>J Natl Cancer Inst</i> , 92(21):1740-1752
65804	Miller PE, Lesko SM, Muscat JE, Lazarus P, Hartman TJ (2010). Dietary patterns and colorectal adenoma and cancer risk: a review of the epidemiological evidence. <i>Nutr & Cancer</i> , 62(4): 413-24.
67024	Misciagna G, De Michele G, Guerra V, Cisternino AM, et al (2004). Serum fructosamine and colorectal adenomas. <i>Eur J Epidemiol</i> , 19(5): 425-32.
67740	Mizoue T, Inoue M, Wakai K, et al (2008). Alcohol drinking and colorectal cancer in Japanese: a pooled analysis of results from five cohort studies. <i>Am J Epidemiol</i> , 167(12): 1397-406.
67737	Moghaddam AA, Woodward M, Huxley R (2007). Obesity and risk of colorectal cancer: a meta-analysis of 31 studies with 70,000 events. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 16: 2533-47.
23466	Nagata C, Shimizu H, Kametani M, Takeyama N, Ohnuma T, Matsushita S (1999). Cigarette smoking, alcohol use, and colorectal adenoma in Japanese men and women. <i>Diseases of the Colon & Rectum</i> , 42(3) pp 337-342.
4445	Naveau S, et al (1992). Cirrhosis as an independent risk factor for colonic adenomas. <i>Gut</i> , 33: 535-40.

4475	Nelson JC, Liff JM, Nelson EW (1993). Alcohol use and cigarette smoking in the development of colorectal neoplasia. Clinical Practice, April: A19.
4436	Nelson RL, Davis FG, Sutter E, Sabin LH, et al (1994). Body iron stores and risk of colonic neoplasia. <i>J Natl Cancer Inst</i> , 86(6): 455-60.
22731	Nelson RL. Iron and colorectal cancer risk: human studies. <i>Nutr Rev</i> 2001 May;59(5):140-8
24083	Neugut AI, Horvath K, Whelan RL, Terry MB, Garbowski GC, Bertram A, Forde KA, Treat MR, Waye J. The effect of calcium and vitamin supplements on the incidence and recurrence of colorectal adenomatous polyps. <i>Cancer</i> 1996 Aug 15;78(4):723-28
4476	Neugut AI, Lee WG, Garbowski GC, et al (1991). Obesity and colorectal adenomatous polyps. <i>J Natl Cancer Inst</i> , 83(5): 359-61.
24578	Nishii T, Kono S, Abe H, Eguchi H, Shimazaki K, Hatano B, Hamada H (2001). Glucose intolerance, plasma insulin levels, and colon adenomas in Japanese men. <i>Jpn J Cancer Res</i> , 92(8) pp 836-40.
23179	Norat T, & Riboli E. (2001). Meat consumption and colorectal cancer: a review of epidemiologic evidence. <i>Nutrition Reviews</i> , Vol 59 (2) pp 37-47.
1971	Offerhaus GJ, Giardiello FM, Krush AJ, et al (1992). The risk of upper gastrointestinal cancer in familial adenomatous polyposis. <i>Gastroenterology</i> , 102: 1980-2.
24084	Ohnishi T, Tomita N, Monden T, Ohue M, Yana I, Takami K, Yamamoto H, Yagyu T, Kikkawa N, Shimano T, Monden M. A detailed analysis of the role of K-ras gene mutation in the progression of colorectal adenoma. <i>Br J Cancer</i> 1997;75(3):341-47
65814	Okabayashi K, Ashrafian H, Hasegawa H, Yoo JH, et al (2012). Body mass index category as a risk factor for colorectal adenomas: a systemic review and meta-analysis. <i>Am J Gasterenterol</i> , 107: 1175-85.
23689	Owen RW (1996). Faecal steroids and colorectal carcinogenesis. <i>Scand J Gastroenterol</i> , 31(10) pp 1006-1010.
23440	Park SK, Joo JS, Kim DH, Kim YE, Kang D, Yoo KY (2000). Association of serum lipids and glucose with the risk of colorectal adenomatous polyp in men: a case-control study in Korea. <i>Journal of Korean Medical Science</i> , 2000 Dec;15(6):690-5.
23525	Park SK, Joo JS, Kim DH, Kim YE, Kang D, Yoo KY. (2000). Association of serum lipids and glucose with the risk of colorectal adenomatous polyp in men: a case-control study in Korea. <i>J Korean Med Sci</i> , Vol 15(6) pp 690-5.
23593	Peipins LA, Newman B, Sandler RS (1997). Reproductive history, use of exogenous hormones, and risk of colorectal adenomas. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 6(9) pp 671-675.
9925	Peipins LA, Sandler RS (1994). Epidemiology of colorectal adenomas. <i>Epidemiologic Reviews</i> , 16(2): 273-97.
4477	Pennazio M, Arrigoni A, Risio M, Spandre M, Rossini FP (1993). Small rectosigmoid polyps as markers of proximal neoplasms. <i>Dis Colon Rectum</i> , 36(12): 1121-5.
27455	Peters U, Sinha R, Chatterjee N, Subar AF, et al (2003). Dietary fibre and colorectal adenoma in a colorectal cancer early detection programme. <i>The Lancet</i> , 361: 1491-5.
67027	Philip JM, Roblin X (2007). [Comment] Type 2 diabetes mellitus and colorectal cancer risk: is homocysteine the missing link? <i>Am J Gasterenterol</i> , 102(2): 466-7. Comment on ID: 67026.
23403	Pinsky PF (2000). A multi-stage model of adenoma development. <i>Journal of Theor Biol</i> , Vol 207 pp 129-143.
1972	Plail RO, Bussey HJR, Glazer G, Thompson JPS (1987). Adenomatous polyposis: an association with carcinoma of the thyroid. <i>Br J Surg</i> , 74: 377-80.

23420	Platz EA, Giovannucci E, Rimm EB, Rockett HR, Stampfer MJ, Colditz GA and Willett WC (1997). Dietary fiber and distal colorectal adenoma in men. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , Vol 6(9) pp 661-70.
23594	Platz EA, Giovannucci E, Rimm EB, Rockett HR, Stampfer MJ, Colditz GA, Willett WC (1997). Dietary fiber and distal colorectal adenoma in men. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 6(9) pp 661-670.
23417	Platz EA, Hankinson SE, Hollis BW, Colditz GA, Hunter DJ, Speizer FE and Giovannucci E. (2000). Plasma 1,25-dihydroxy- and 25- hydroxyvitamin D and adenomatous polyps of the distal colorectum. <i>Cancer Epidemiol Biomarkers Prev</i> , Vol 9(10) pp 1059-65.
23448	Platz EA, Martinez ME, Grodstein F, Fuchs CS, Colditz GA, Stampfer MJ, & Giovannucci E. (1997). Parity and other reproductive factors and risk of adenomatous polyps of the distal colorectum (United States). <i>Cancer Causes & Control</i> , Vol 8(6) pp 894-903.
23418	Potter JD, Bigler J, Fosdick L, Bostick RM, Kampman E, Chen C, Louis TA and Grambsch P (1999). Colorectal adenomatous and hyperplastic polyps: smoking and N-acetyltransferase 2 polymorphisms. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , Vol 8(1) pp 69-75.
23419	Potter JD, Bostick RM, Grandits GA, Fosdick L, Elmer P, Wood J, Grambsch P and Louis TA (1996). Hormone replacement therapy is associated with lower risk of adenomatous polyps of the large: the Minnesota Cancer Prevention Research Unit Case-Control Study. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , Vol 5(10) pp 779-784.
22317	Potter JD. (1999). Fiber and colorectal cancer - where to now? <i>NEJM</i> Vol 340(3) pp 223-4.
22360	Potter JD. Colorectal cancer: molecules and populations. <i>J Natl Cancer Inst</i> 1999 Jun 2;91(11):916-932
23612	Probst-Hensch NM, Sinha R, Longnecker MP, Witte JS, Ingles SA, Frankl HD, Lee ER, Haile RW (1997). Meat preparation and colorectal adenomas in a large sigmoidoscopy-based case-control study in California (United States). <i>Cancer Causes Control</i> 1997 Mar;8(2):175-83.
4478	Provenzale D, Garrett JW, Condon SE, Sandler RS (1990). Risk for colon adenomas in patients with rectosigmoid hyperplastic polyps. <i>Annals of Internal Med</i> , 113(10): 760-3.
63573	Purdue MP, Hoppin JA, Blair A, Dosemeci M, Alavanja MC (2007). Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. <i>Int J Cancer</i> , 120(3): 642-9.
67721	Rahman MB, Driscoll T, Cowie C, et al (2010). Disinfection by-products in drinking water and colorectal cancer: a meta-analysis. <i>Int J Epidemiol</i> , 39(3): 733-45.
65820	Randi G, Edefonti V, Ferraroni M, La Vecchia C, Decarli A (2010). Dietary patterns and the risk of colorectal cancer and adenomas. <i>Nutr Rev</i> , 68(7): 389-408.
23437	Rashid A, Zahurak M, Goodman SN, Hamilton SR (1999). Genetic epidemiology of mutated K-ras proto-oncogene, altered suppressor genes, and microsatellite instability in colorectal adenomas. <i>Gut</i> , 44(6) pp 826-33.
23441	Renehan AG, Painter JE, Atkin WS, Potten CS, Shalet SM, O'Dwyer ST (2001). High-risk colorectal adenomas and serum insulin-like growth factors. <i>British Journal of Surgery</i> , 88(1):107-13.
23615	Rex DK, Cummings OW, Helper DJ, Nowak TV, McGill JM, Chiao GZ, Kwo PY, Gottlieb KT, Ikenberry SO, Gress FG, Lehman GA, Born LJ (1996). 5-year incidence of adenomas after negative colonoscopy in asymptomatic average-risk persons. <i>Gastroenterology</i> , 111(5):1178-81.
3600	Riboli E, Cornee J, Macquart-Moulin G, et al (1991). Cancer and Polyps of the Colorectum and Lifetime Consumption of Beer and Other Alcoholic Beverages. <i>Am J Epidemiol</i> , 134(2): 157-66.

4446	Robbins SL, Cotran RS (1981). Pathologic Basis of Disease, 2nd edition,: 976-7,989-93. Philadelphia.
23471	Rodriguez-Larraín JM, Ziebert JJ, Kfoury AG, Kuwada S, Taylor DO, Renlund DG (1997). Incidence of adenomatous colorectal polyps in cardiac transplant recipients. <i>Transplantation</i> , 64(3) pp 528-530.
67741	Rokkas T, Pistiolas D, Sechopoulos P, et al (2008). Risk of colorectal neoplasm in patients with acromegaly: A meta-analysis. <i>World J Gastroenterol</i> , 14(22): 3484-9.
23429	Rubio CA (2000). Nonprotruding colorectal neoplasms: epidemiologic viewpoint. <i>World Journal of Surgery</i> , 24(9) pp 1098-1103.
67022	Rubio CA (2007). Serrated neoplasias and de novo carcinomas in ulcerative colitis: a histological study in colectomy specimens. <i>J Gastroenterol</i> , 22: 1024-31.
23464	Saitoh Y, Waxman I, West AB, Popnikolov NK, Gatalica Z, Watari J, Obara T, Kohgo Y and Pasricha PJ (2001). Prevalence and distinctive biologic features of flat colorectal adenomas in a North American population. <i>Gastroenterology</i> , 120(7) pp 1657-1665.
23568	Saitoh Y, Waxman I, West AB, Popnikolov NK, Gatalica Z, Watari J, Obara T, Kohgo Y, Pasricha PJ (2001). Prevalence and distinctive biologic features of flat colorectal adenomas in a North American population. <i>Gastroenterology</i> , 120(7) pp 1657-1665.
52312	Samanic C, Rusiecki J, Dosemeci M, Hou L, et al (2006). Cancer incidence among pesticide applicators exposed to dicamba in the agricultural health study. <i>Environ Health Perspectives</i> , 114(10): 1521-6.
23585	Sandler RS, Baron JA, Tosteson TD, Mandel JS and Haile RW (2000). Rectal mucosal proliferation and risk of colorectal adenomas: results from a randomized controlled trial. <i>Cancer, Epidemiology, Biomarkers & Prevention</i> , 9(7) pp 653-656.
3633	Sandler RS, Lyles CM, McAuliffe C, Woosley JT, Kupper LL (1993). Cigarette smoking, alcohol and the risk of colorectal adenomas. <i>Gastroenterology</i> , 104: 1445-51.
4479	Sandler RS, Lyles CM, Peipins LA, McAuliffe CA, et al (1993). Diet and risk of colorectal adenomas: Macronutrients, cholesterol and fiber. <i>J Natl Cancer Inst</i> , 85(11): 884.
67744	Sansbury LB, Wanke K, Albert PS, et al (2009). The effect of strict adherence to a high-fiber, high-fruit and -vegetable, and low-fat eating pattern on adenoma recurrence. <i>Am J Epidemiol</i> , 170(5): 576-84.
4437	Schatzkin A, Freedman LS, Lanza E, Tangrea J (1995). Diet and colorectal cancer: still an open question. <i>J Natl Cancer Institute</i> , 87(23): 1733-35.
23106	Schatzkin A, Lanza E, Corle D, Lance P, Iber F, Caan B, Shike M, Weissfeld J, Burt R, Cooper MR, Kikendall JW, Cahill J. Lack of effect of a low-fat, high-fiber diet on the recurrence of colorectal adenomas. <i>NEJM</i> , Vol 342 (16) pp 1149-55.
23431	Scheiden R, Sand J, Pandin M, Wagener Y and Capesius C (2000). Colorectal high-grade adenomas: incidence, localization and adenoma-adenocarcinoma ratio in a retrospective and comparative population-based study of 225 consecutive cases between 1988 and 1996. <i>International Journal of Colorectal Disease</i> , 15(1) pp 29-34.
67745	Schernhammer ES, Leitzmann MF, Michaud DS, et al (2003). Cholecystectomy and the risk for developing colorectal cancer and distal colorectal adenomas. <i>Br J Cancer</i> , 88: 79-83.
23467	Sedivy R, Wolf B, Kalipciyan M, Steger GG, Karner-Hanusch J, Mader RM (2000). Genetic analysis of multiple synchronous lesions of the colon adenoma-carcinoma sequence. <i>British Journal of Cancer</i> , 82(7):1276-82.
23609	Segal I (1998). Rarity of colorectal adenomas in the African black population. <i>European Journal of Cancer Prevention</i> , 7(5) pp 387-391.

22732	Sengupta S, Tjandra JJ, Gibson PR. Dietary fiber and colorectal neoplasia. <i>Dis Colon Rectum</i> 2001 Jul;44(7):1016-33
65812	Shaukat A, Scouras N, Schunemann HJ (2005). Role of supplemental calcium in the recurrence of colorectal adenomas: A metaanalysis of randomized controlled trials. <i>Am J Gastroenterol</i> , 100: 390-4.
23438	Shike M (1996). Body weight and colon cancer. <i>The American Journal of Clinical Nutrition</i> , 63(3 Suppl):442S-444S.
67748	Simons CC, Hughes LA, van Engeland M, et al (2013). Physical activity, occupational sitting time, and colorectal cancer risk in the Netherlands Cohort Study. <i>Am J Epidemiol</i> , 177(6): 514-30.
23621	Sinha R, Kullendorff M, Chow WH, Denobile J, Rothman N (2001). Dietary intake of heterocyclic amines, meat-derived mutagenic activity, and risk of colorectal adenomas. <i>Cancer, Epidemiology, Biomarkers & Prevention</i> , 10(5) pp 559-562.
22310	Slattery ML, Edwards SL, Boucher KM, Anderson K, Caan BJ. Lifestyle and colon cancer: an assessment of factors associated with risk. <i>Am J Epidemiol</i> 1999 Oct 15;150(8):869-877
22493	Snapper SB, Syngal S & Friedman LS. (1998). Ulcerative colitis and colon cancer: more controversy than clarity. <i>Dig Dis Vol</i> 16 pp 81-87.
23458	Sonksen P, Jacobs H, Orme S, Belchetz P (1997). [Commentary] Acromegaly and colonic cancer. <i>Clinical Endocrinology (Oxford)</i> , 47(6) pp 647-648.
23450	Soravia C, Berk T, Madlensky L, Mitri A, et al (1998). Genotype-phenotype correlations in attenuated adenomatous polyposis coli. <i>Am J Hum Genet</i> , 62(6) pp 1290-301.
23469	Speroni AH, Vanzulli SI, Meiss RP (1998). Adenomas of the colon: overexpression of p53 protein and risk factors. <i>Endoscopy</i> , 30(7):623-6.
4438	Stemmermann GN, Heilbrun LK, Nomura AMY (1988). Association of diet and other factors with adenomatous polyps of the large bowel: a prospective autopsy study. <i>Am J Clin Nutr</i> , 47: 312-7.
23430	Stoneham M, Goldacre M, Seagroatt V and Gill L (2000). Olive oil, diet and colorectal cancer: an ecological study and a hypothesis. <i>J Epidemiol Community Health</i> , 54(10) pp756-60.
23268	Subar AF, Thompson FE and Kipnis V (2001). Subar, et al Respond to "A Further Look at Dietary Questionnaire Validation" and "Another Perspective on Food Frequency Questionnaires". <i>American Journal of Epidemiology</i> , 154(12) pp1105-1106.
23266	Subar AF, Thompson FE, Kipnis V, et al (2001). Comparative validation of the Block, Willett, and National Cancer Institute food frequency questionnaires: the Eating at America's Table Study. <i>American Journal of Epidemiology</i> , 154(12) pp1089-99.
67749	Sun CL, Yuan JM, Koh WP, et al (2006). Green tea, black tea and colorectal cancer risk: a meta-analysis of epidemiologic studies. <i>Carcinogenesis</i> , 27(7): 1301-9.
67750	Takata Y, Kristal AR, King IR, et al (2011). Serum selenium, genetic variation in selenoenzymes, and risk of colorectal cancer: primary analysis from the Women's Health Initiative Observational Study and meta-analysis. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 20: 1822-30.
23459	Takayama T, Katsuki S, Takahashi Y, Ohi M, Nojiri S, Sakamaki S, Kato J, Kogawa K, Miyake H, Niitsu Y (1998). Aberrant Crypt Foci of the Colon as Precursors of Adenoma and Cancer. <i>NEJM</i> , 339(18) pp 1277-1284.
22399	Tavani A, La Vecchia C (2000). Coffee and cancer: a review of epidemiological studies, 1990-1999. <i>European Journal of Cancer prevention</i> , 9: 241-56.
23173	Terry P, Giovannucci E, Michels KB, Bergkvist L, Hansen H, Holmberg L, Wolk A. (2001). Fruit, vegetables, dietary fiber, and risk of colorectal cancer. <i>JNCI Vol</i> 93 pp 525-33.

4480	The National Polyp Study Workgroup and Winawer SJ, Zauber A and Diaz B (1987). The National polyp study: Temporal sequence of evolving colorectal cancer from the normal colon. <i>Gastrointest Endosc</i> , 33(2): 167.
1973	Tierney RP, Ballantyne GH, Modlin IM (1990). The adenoma to carcinoma sequence. <i>Surg, Gynec & Obstet</i> , 171: 81-94.
4447	Tierney RP, Ballantyne GH, Modlin IM (1990). The adenoma to carcinoma sequence. <i>Surgery - Gynecology & Obstetrics</i> , 171: 81- 91.
22506	Tomeo CA, et al (1999). Harvard Report on Cancer Prevention Volume 3: Prevention of colon cancer in the United States. <i>Cancer, Causes and Control</i> Vol 10 pp 167-180.
22461	Tomlinson I, Ilyas M & Novelli M. (1997). Molecular genetics of the colon cancer. <i>Cancer and Metastasis Reviews</i> Vol 16 pp 67-79.
23470	Triantafyllou K, Paspatis GA, Karamanolis DG (1999). Overexpression of p53 protein and colonic adenoma recurrence. <i>Endoscopy</i> , 31(7):568
23445	Tsao JL, Tavare S, Salovaara R, Jass JR, Aaltonen LA, Shibata D (1999). Colorectal adenoma and cancer divergence. Evidence of multilineage progression. <i>American Journal of Pathology</i> , 154(6):1815-24.
23592	Tseng M, Sandler RS, Greenberg ER, Mandel JS, Haile RW, Baron JA (1997). Dietary iron and recurrence of colorectal adenomas. <i>Cancer Epidemiol Biomarkers & Prevention</i> , 6(12):1029-32.
23596	Tseng M, Sandler RS, Greenberg ER, Mandel JS, Haile RW, Baron JA (1998)[ERRATUM]. Dietary iron and recurrence of colorectal adenomas. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 7(6):556.
23432	Ulrich CM, Kampman E, Bigler J, Schwartz SM, Chen C, Bostick R, Fosdick L, Beresford SA, Yasui Y and Potter JD (1999). Colorectal adenomas and the C677T MTHFR polymorphism: evidence for gene-environment interaction? <i>Cancer, Epidemiology, Biomarkers & Prevention</i> , 8(8) pp 659-668.
23442	Ulrich CM, Kampman E, Bigler J, Schwartz SM, Chen C, Bostick R, Fosdick L, Beresford SA, Yasui Y, Potter JD (1999). Colorectal adenomas and the C677T MTHFR polymorphism: evidence for gene-environment interaction? <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 8(8):659-68.
23542	Ulvik A, Evensen ET, Lien EA, Hoff G, Vollset SE, Majak BM, Ueland PM (2001). Smoking, folate and methylenetetrahydrofolate reductase status as interactive determinants of adenomatous and hyperplastic polyps of colorectum. <i>American Journal of Medical Genetics</i> , 101(3):246-54.
23384	Umetani N, Watanabe T, Sasaki S and Nagawa H (2000). Rectosigmoidal adenomatous polyposis: a novel entity of polyposis? <i>Diseases of Colon and Rectum</i> , 43(10). Pp 1439-1443.
23465	Uno Y (1996). Mental retardation and colorectal disease: colonoscopic mass screening to determine whether the risk of adenomatous polyposis syndrome is increased in the mentally retarded. <i>Journal of Gastroenterology & Hepatology</i> , 11(3) pp 275-8.
23524	van Duijvendijk P, Vasen HF, Bertario L, Bulow S, Kuipers JH, Schouten WR, Guillem JG, Taat CW, Slors JF. (1999). Cumulative risk of developing polyps or malignancy at the ileal pouch-anastomosis in patients with familial adenomatous polyposis. <i>J Gastrointest Surg</i> , Vol 3(3) pp 325-30.
67021	Vieth M, Behrens H, Stolte M (2006). Sporadic adenoma in ulcerative colitis: endoscopic resection is an adequate treatment. <i>Gut</i> , 55: 1151-5.
65806	Vinikoor LC, Robertson DJ, Baron JA, Silverman WB, Sandler RS (2007). Cholecystectomy and the risk of recurrent colorectal adenomas. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(7): 1523-5.
64979	Waggoner JK, Kullman GJ Henneberger PK, Umbach DM, et al (2011). Mortality in the Agricultural Health Study, 1993-2007. <i>Am J Epidemiol</i> , 173(1): 71-83.

65807	Wallace K, Grau MV, Ahnen D, Snover DC, et al (2009). The association of lifestyle and dietary factors with the risk for serrated polyps of the colorectum. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(8): 2310-7.
23379	Watne AL (1997). Colon polyps. <i>Journal of Surgical Oncology</i> , Vol 66 pp 207-214.
67752	Wei EK, Ma J, Pollak MN, et al (2006). C-peptide, insulin-like growth factor binding protein-1, glycosylated hemoglobin, and the risk of distal colorectal adenoma in women. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 15: 750-5.
67751	Wei MY, Garland CF, Gorham ED, et al (2008). Vitamin D and prevention of colorectal adenoma: a meta-analysis. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 17: 2958-69.
65821	Weingarten MA, Zalmanovici Trestioreanu A, Yaphe J (2008). Dietary calcium supplementation for preventing colorectal cancer and adenomatous polyps (Review). <i>Cochrane Database of Systematic Reviews</i> , 1: CD003548.
65805	West NJ, Clark SK, Phillips RK, Hutchinson JM, et al (2010). Eicosapentaenoic acid reduces rectal polyp number and size in familial adenomatous polyposis. <i>Gut</i> , 59: 918-25.
23267	Willett W (2001). Invited commentary: a further look at dietary questionnaire validation. <i>American Journal of Epidemiology</i> , 154(12) pp 1100-1103.
22484	Willett WC. (2000). Diet and cancer. <i>The Oncologist</i> Vol 5 pp 393-404.
23407	Williams GT (1997). Metaplastic (hyperplastic) polyps of the large bowel: benign neoplasms after all? <i>Gut</i> , Vol 40 pp 691-692.
23958	Winawer SJ (1999). Natural history of colorectal cancer. <i>The American Journal of Medicine</i> , 106(1A) pp 3S-6S.
65810	Wolin KY, Yan Y, Colditz GA (2011). Physical activity and risk of colon adenoma: a meta-analysis. <i>Br J Cancer</i> , 104: 882-5.
1974	Woods RJ, Sarre RG, Ctercetko GC, et al (1989). Occult radiologic changes in the skull and jaw of familial adenomatous polyposis coli. <i>Dis Colon Rectum</i> , 32(4): 304-6.
23571	Woodson K, Lanza E, Tangrea JA, Albert PS, Slattery M, Pinsky J, Caan B, Paskett E, Iber F, Kikendall JW, Lance P, Shike M, Weissfeld J, Schatzkin A. (2001). Hormone replacement therapy and colorectal adenoma recurrence among women in the Polyp Prevention Trial. <i>J Natl Cancer Inst</i> Vol 93(23) pp 1799-805.
67800	World Cancer Research Fund / American Institute for Cancer Research (2007). Food, Nutrition, Physical Activity and the Prevention of Cancer: A Global Perspective, . WCRF International.
3635	Wu AH, Henderson BE (1995). Alcohol and tobacco use: risk factors for colorectal adenoma and carcinoma? <i>J Natl Cancer Institute</i> , 87(4): 239-40.
66379	Wu K, Hu FB, Fuchs C, Rimm EB, Willett WC, Giovannucci E (2004). Dietary patterns and risk of colon cancer and adenoma in a cohort of men (United States). <i>Cancer Causes Control</i> , 15: 853-62.
24116	Yamada K, Araki S, Tamura M, Sakai I, Takahashi Y, Kashihara H, Kono S (1997). Case-control study of colorectal carcinoma in situ and cancer in relation to cigarette smoking and alcohol use (Japan). <i>Cancer Causes Control</i> , 8(5) pp 780-85.
67754	Yan L, Spitznagel EL, Bosland MC (2010). Soy consumption and colorectal cancer risk in humans: a meta-analysis. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 19: 148-58.
67765	Yan SW, Zhang N, Tang J, et al (2007). Long-term exposure to low intensity microwave radiation affects male reproductivity. <i>Zhong Hua Nan Ke Xue</i> , 13(4): 306-8 [Article in Chinese]. [Abstract]
23428	Yano E, Wang ZM, Wang XR, Wang MZ and Lan YJ (2001). Cancer mortality among workers exposed to amphibole-free chrysotile asbestos. <i>American Journal of Epidemiology</i> , 154(6) pp 538-543.

23410	Yashiro M, Carethers JM, Laghi L, Saito K, Slezak P, Jaramillo E, Rubio C, Koizumi K, Hirakawa K and Boland R (2001). Genetic pathways in the evolution of morphologically distinct colorectal neoplasms. <i>Cancer Research</i> , Vol 61 pp 2676-2683.
65816	Yin L, Grandi N, Raum E, Haug U, Arndt V, Brenner H (2011). Meta-analysis: serum vitamin D and colorectal adenoma risk. <i>Prev Med</i> , 53: 10-6.
23482	Yoon H, Benamouzig R, Little J, Francois-Collange M, Tome D. (2000). Systematic review of epidemiological studies on meat, dairy products and egg consumption and risk of colorectal adenomas. <i>European Journal of Cancer Prevention</i> , Vol 9(3) pp 151-164.
4481	Zahm SH, Cocco P, Blair A (1991). Tobacco smoking as a risk factor for colon polyps. <i>Am Journal of Public Health</i> , 81(7): 846-9.
67753	Zhang X, Albanes D, Beeson WL, et al (2010). Risk of colon cancer and coffee, tea, and sugar-sweetened soft drink intake: pooled analysis of prospective cohort studies. <i>J Natl Cancer Inst</i> , 102: 771-83.
65815	Zhao C, Ge Z, Wang Y, Qian J (2012). Meta-analysis of observational studies on cholecystectomy and the risk of colorectal adenoma. <i>Eur J Gastroenterol Hepatol</i> , 24(4): 375-81.