



STRONGYLOIDIASIS

RMA ID Number	Reference List for RMA131-3 as at June 2019
---------------	---

91119	Abanyie FA, Gray EB, Delli Carpini KW, et al (2015). Donor-derived strongyloides stercoralis infection in solid organ transplant recipients in the United States, 2009-2013. <i>Am J Transplant</i> , 15(5): 1369-75.
56320	Al-Hasan MN, McCormick M, Ribes JA (2007). Invasive enteric infections in hospitalized patients with underlying strongyloidiasis. <i>Am J Clin Pathol</i> , 128: 622-7.
91120	Alsharif A, Sodhi A, Murillo LC, et al (2015). Wait!!! No steroids for this asthma... <i>Am J Case Rep</i> , 16: 398-400.
91121	Angheben A, Mistretta M, Gobbo M, et al (2011). Acute strongyloidiasis in Italian tourists returning from Southeast Asia. <i>J Travel Med</i> , 18(2): 138-40.
11381	Anonymous (1993). Strongyloides hyperinfection in patients coinfecting with HTLV-I and <i>S. stercoralis</i> . <i>Am J Med</i> , 94(4): 447-9.
57390	Anonymous (2009). Strongyloidiasis. Retrieved 16 July 2010, from http://www.merck.com/mmpe/print/sec14/ch182/ch182i.html
56281	Anonymous (2009). Strongyloidiasis. Retrieved 21 April 2010, from http://www.dpd.cdc.gov/dpdx/html/strongyloidiasis.htm
58126	Anonymous (2009). Strongyloidiasis. Retrieved 3 September 2010, from http://www.merck.com/mmpe/print/sec14/ch182/ch182i.html
56279	Anonymous (2010). Strongyloidiasis, angiostrongyliasis. Clinical characteristics. Chapter 13. Retrieved 21 April 2010, from http://www.isradiology.org/tropical
11233	Arakaki T, Asato R, Ikeshiro T, et al (1992). Is the prevalence of HTLV-1 infection higher in strongyloides carriers than in non-carriers? <i>Tro Med Parasitol</i> , 43: 199-200.
11253	Arakaki T, Iwanaga M, Asato R, et al (1992). Age-related prevalence of strongyloides stercoralis infection in Okinawa, Japan. <i>Trop Geogr Med</i> , 44: 299-303.
56291	Aregawi D, Lopez D, Wick M, et al (2009). Disseminated strongyloidiasis complicating glioblastoma therapy: a case report. <i>J Neurooncol</i> , 94: 439-43.
91122	Artenstein AW (2018). Infections in war veterans. Chapter S5. Retrieved 22 January 2019, from https://accessmedicine.mhmedical.com/content.aspx?sectionid=192510128&bookid=2129&Resultclick=2
901	Ashford RW, Barnish G (1989). Strongyloides fuelleborni and similar parasites in animals and man. Grove DI (Ed). <i>Strongyloidiasis: A major roundworm infection of man</i> , 11: 271-86. Taylor & Francis, London.
91123	Bailey KE, Danylo A, Boggild AK (2015). Chronic larva currens following tourist travel to the Gambia and Southeast Asia over 20 years ago. <i>J Cutan Med Surg</i> , 19(4): 412-5.

91124	Bailey MS, Thomas R, Green AD, et al (2006). Helminth infections in British troops following an operation in Sierra Leone. <i>Trans R Soc Trop Med Hyg</i> , 100: 842-6.
56284	Balagopal A, Mills L, Shah A, et al (2009). Detection and treatment of strongyloides hyperinfection syndrome following lung transplantation. <i>Transpl Infect Dis</i> , 11: 149-54.
902	Ball PA (1987). Hookworm and Strongyloides. Weatherall DJ, Ledingham JGG and Warrell DA (Eds). <i>Oxford Textbook of Medicine</i> , 2nd Edition, Vol 1: 5-546 - 5-547. Oxford University Press, Oxford.
56273	Bannon M (2009). [Comment] Consequences of captivity: health effects of far east imprisonment in World War II. <i>Q J Med</i> , 102: 79-80. Comment on ID: 54063.
91125	Barrett J, Warrell CE, Macpherson L, et al (2017). The changing aetiology of eosinophilia in migrants and returning travellers in the Hospital for Tropical Diseases, London 2002-2015: An observational study. <i>J Infect</i> , 75(4): 301-8.
56512	Barsoum RS (2006). Parasitic infections in transplant recipients. <i>Nat Clin Pract Nephrol</i> , 2(9): 490-503.
56513	Bava AJ, Troncoso AR (2009). Strongyloidiasis stercoralis hyperinfection in a patient with AIDS. <i>J Int Assoc Physicians AIDS Care</i> , 8(4): 235-8.
91126	Beknazarova M, Whiley H, Ross K (2016). Strongyloidiasis: A disease of socioeconomic disadvantage. <i>Int J Environ Res Public Health</i> , 13(5): 517.
91127	Beknazarova M, Whiley H, Ross K (2017). Mass drug administration for the prevention human strongyloidiasis should consider concomitant treatment of dogs. <i>PLoS Negl Trop Dis</i> , 11(8): e0005735.
11094	Belani A, Leptrone D, Shands JW (1987). Strongyloides meningitis. <i>Southern Medical Journal</i> , 80(7): 916-8.
11384	Benenson AS (1995). Strongyloidiasis. <i>Control of Communicable Diseases Manual</i> , 16th Edition, 447-9. American Public Health Assoc, Washington DC.
58182	Ben-Youssef R, Baron P, Edson F, et al (2005). [Comment] Strongyloides stercoralis infection from pancreas allograft: case report. <i>Transplantation</i> , 80(7): 997-8.
91128	Boggild AK, Geduld J, Libman M, et al (2014). Travel-acquired infections and illnesses in Canadians: surveillance report from CanTravNet surveillance data, 2009-2011. <i>Open Medicine</i> , 8(1): e20-32.
57617	Bogitsh BJ, Carter CE, Oeltmann TN (2005). Intestinal nematodes. Strongyloides stercoralis. <i>Human Parasitology</i> , 3rd Edition, Chapter 16: 334-9. Elsevier, London.
91129	Bollela VR, Feliciano C, Teixeira AC, et al (2013). Fulminant gastrointestinal hemorrhage due to strongyloides stercoralis hyperinfection in an AIDS patient. <i>Revista da Sociedade Brasileira de Medicina Tropical</i> , 46(1): 111-3.
56305	Boscolo M, Bisoffi M (2007). [Comment] Dissemination: the fatal risk for a missed diagnosis of strongyloides stercoralis infection. <i>J Infect</i> , 55(3): 284-5. Comment on ID: 56304.
6996	Bradley SL, Dines DE, Brewer NS (1978). Disseminated Strongyloides stercoralis in an immunosuppressed host. <i>Mayo Clin Proc</i> , 53: 332-5.
91130	Buonfrate D, Mena MA, Angheben A, et al (2015). Prevalence of strongyloidiasis in Latin America: a systematic review of the literature. <i>Epidemiol Infect</i> , 143(3): 452-60.
91131	Buonfrate D, Requena-Mendez A, Angheben A, et al (2013). Severe strongyloidiasis: a systematic review of case reports. <i>BMC Infect Dis</i> , 13: 78.
56269	Carpenter Rose EA, Richard AJ, Weiss AL (2008). Strongyloides, stercoralis. Retrieved 20 April 2010, from http://emedicine.medsape.com/article/788652-overview

58127	Carpenter Rose EA, Richard AJ, Weiss EL (2008). <i>Strongyloides stercoralis</i> . Retrieved 30 August 2010, from http://emedicine.medscape.com/article/788652-print
56303	Carvalho EM, Da Fonseca Porto A (2004). Epidemiological and clinical interaction between HTLV-1 and <i>strongyloides stercoralis</i> . <i>Parasite Immunology</i> , 26: 487-97.
91133	Centers for Disease Control and Prevention (CDC) (2017). <i>Strongyloidiasis</i> . Retrieved 21 November 2018, from https://www.cdc.gov/dpdx/strongyloidiasis/index.html
91132	Centers for Disease Control and Prevention (CDC) (2019). About <i>strongyloidiasis</i> infection. Retrieved 21 November 2018, from https://www.cdc.gov/parasites/strongyloides/gen_info/faqs.html
91134	Chan FL, Kennedy B, Nelson R (2018). Fatal <i>strongyloides</i> hyperinfection syndrome in an immunocompetent adult with review of the literature. <i>Internal Medicine Journal</i> , 48(7): 872-5.
91180	Chandrasekar PH (2017). <i>Strongyloidiasis</i> . Retrieved 21 November 2018, from https://emedicine.medscape.com/article/229312-overview
56280	Chandrasekar PH, Bharadwaj RA, Polenakovik H, et al (2009). <i>Strongyloidiasis</i> . Retrieved 21 April 2010, from http://emedicine.medscape.com/article/229312-overview
11241	Conway DJ, Hall A, Anwar KS, et al (1995). Household aggregation of <i>strongyloides stercoralis</i> infection in Bangladesh. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 89: 258-61.
11095	Cook GA, Rodriguez H, Silva H, et al (1987). Adult respiratory distress secondary to <i>strongyloidiasis</i> . <i>Chest</i> , 92(6): 1115-6.
56509	Coovadia YM, Rajput MC, Bhana RH (1993). Disseminated <i>strongyloidiasis</i> in a diabetic patient. <i>Trop Geogr Med</i> , 45(4): 179-80.
91135	Croker C, Reporter R, Redelings M, et al (2010). <i>Strongyloidiasis</i> -related deaths in the United States, 1991-2006. <i>Am J Trop Med Hyg</i> , 83(2): 422-6.
56309	Czachor JS, Jonas AP (2000). Transmission of <i>strongyloides stercoralis</i> person to person. <i>J Travel Med</i> , 7: 211-2.
56296	Da Silva CV, Ferreira MS, Borges AS, et al (2005). Intestinal parasitic infections in HIV/AIDS patients: experience at a teaching hospital in central Brazil. <i>Scand J Infect Dis</i> , 37: 211-5.
11091	Davidson RA (1992). Infection due to <i>strongyloides stercoralis</i> in patients with pulmonary disease. <i>Southern Medical Journal</i> , 85(1): 28-31.
11240	Davidson RA, Fletcher RH, Chapman LE (1984). Risk factors for <i>strongyloidiasis</i> . A case-control study. <i>Arch Intern Med</i> , 144: 321-4.
91136	de Alegria ML, Colmenares K, Espasa M, et al (2017). Prevalence of <i>strongyloides stercoralis</i> and other intestinal parasite infections in school children in a rural area of Angola: a cross-sectional study. <i>Am J Trop Med Hyg</i> , 97(4): 1226-31.
56297	De La Rosa GR, Kuliev A, Barnett BJ (2002). A case of <i>strongyloides stercoralis</i> and mesenteric tuberculosis infection with acute abdominal pain in an HIV-positive patient. <i>Scand J Infect Dis</i> , 34: 696-7.
91137	Department of Veterans' Affairs (2008). <i>Strongyloides</i> and veterans' health: Am I likely to be affected? Retrieved 25 March 2019, from https://www.dva.gov.au/sites/default/files/files/publications/health/strongyloides_brochure.pdf
6992	DeVault GA, King JW, et al (1990). Opportunistic infections with <i>Strongyloides stercoralis</i> in renal transplantation. <i>Rev Infect Dis</i> , 12(4): 653-71.
91138	Drago F, Ciccarese G, Brigati C, et al (2016). [Comment] <i>Strongyloides</i> autoinfection manifesting as larva currens in an immunocompetent patient. <i>J Cutan Med Surg</i> , 20(6): 617-8.
56318	Dwarakanath AD, Welton M, Ellis CJ, et al (1994). Interrelation of <i>strongyloidiasis</i> and tuberculosis. <i>Gut</i> , 35: 1001-3.

6995	Dwork KG, Jaffe JR, Lieberman HD (1975). Strongyloidiasis with massive hyperinfection. <i>New York State Journal of Medicine</i> , 75(8): 1230-4.
56312	Einsiedel L, Fernandes L (2008). Strongyloides stercoralis: a cause of morbidity and mortality for indigenous people in central Australia. <i>Int Med J</i> , 38: 697-703.
56492	Einsiedel L, Spelman D (2006). Strongyloides stercoralis: risks posed to immigrant patients in an Australian tertiary referral centre. <i>Int Med J</i> , 36: 632-7.
58181	El Masry HZ, O'Donnell J (2005). Fatal strongyloides hyperinfection in heart transplantation. <i>J Heart Lung Transplant</i> , 24: 1980-3.
56304	Fardet L, Genereau T, Poirot JL, et al (2007). Severe strongyloidiasis in corticosteroid-treated patients: case series and literature review. <i>J Infect</i> , 54: 18-27.
56508	Feely NM, Waghorn DJ, Dexter T, et al (2010). Strongyloides stercoralis hyperinfection: difficulties in diagnosis and treatment. <i>Anaesthesia</i> , 65: 298-301.
903	Fisher D, McCarry F, Currie B (1993). Strongyloidiasis in the Northern Territory. Under-recognised and under-treated? <i>Med J Aust</i> , 159: 88-90.
91139	Freeman MC, Garn JV, Sclar GD, et al (2017). The impact of sanitation on infectious disease and nutritional status: A systematic review and meta-analysis. <i>Int J Hyg Environ Health</i> , 220(6): 928-49.
904	Fryatt RJ, Teng J, Harries AD, et al (1990). Intestinal helminthiasis in expatriates returning to Britain from the Tropics. A controlled study. <i>Trop Geogr Med</i> , 42: 119-22.
56313	Galimberti R, Ponton A, Zaputovich FA, et al (2009). Disseminated strongyloidiasis in immunocompromised patients - report of three cases. <i>Int J Dermatol</i> , 48: 975-8.
905	Genta RM (1987). Strongyloidiasis. <i>Bailliere's Clin Trop Med Comm Dis</i> , Chapter 9, 2(3): 645-65.
908	Genta RM (1989). Global prevalence of Strongyloidiasis: Critical review with epidemiologic insights into the prevention of disseminated disease. <i>Reviews of Infect Dis</i> , 11(5): 755-67.
11387	Genta RM (1989). Immunology. Strongyloidiasis: A Major Roundworm Infection of Man, Chapter 5: 133-52.
11385	Genta RM, Gomes MC (1989). Pathology. Strongyloidiasis : a Major Roundworm Infection of Man, Chapter 4: 105-32.
906	Genta RM, Weesner R, Douce RW, (1987). Strongyloidiasis in US Veterans of the Vietnam and other wars. <i>Ear Hear</i> , 258(1): 49-52.
91140	Geri G, Rabbat A, Mayaux J, et al (2015). Strongyloides stercoralis hyperinfection syndrome: a case series and a review of the literature. <i>Infection</i> , 43(6): 691-8.
56290	Gill GV, Beeching NJ, Khoo S, et al (2004). A British Second World War veteran with disseminated strongyloidiasis. <i>Trans R Soc Trop Med Hyg</i> , 98: 382-6.
909	Gill GV, Bell DR (1979). Strongyloides stercoralis infection in former Far East prisoners of war. <i>Br Med J</i> , 2: 572-4.
910	Goulston KJ, Dent OF, Chapuis PH, et al (1985). Gastrointestinal morbidity among World War II prisoners of war: 40 years on. <i>Med J Aust</i> , 143: 6-10.
911	Grove DI (1980). Strongyloidiasis in allied ex-prisoners of war in south-east Asia. <i>Br Med J</i> , 280(6214): 598-601.
913	Grove DI (1989). Clinical manifestations. Grove DI (Ed). <i>Strongyloidiasis: A major roundworm infection of man</i> , 6: 155-73. Taylor & Francis, London.
11386	Grove DI (1989). Clinical manifestations. <i>Strongyloidiasis: a major roundworm infection of man</i> , Chapter 6: 155-72.
912	Grove DI (1989). Diagnosis. Grove DI (Ed). <i>Strongyloidiasis: A major roundworm infection of man</i> , 7: 175-97. Taylor & Francis, London.

920	Grove DI (1989). Epidemiology, prevention and control. Strongyloidiasis: A Major Roundworm Infection of Man, 9: 233-49. Taylor & Francis, London.
915	Grove DI (1989). Strongyloidiasis: A major roundworm infection of man. DI Grove (Ed). Treatment, 8: 199-230. Taylor & Francis, London.
914	Grove DI (1989). Strongyloidiasis: A major roundworm infection of man. Historical introduction. DI Grove (Ed). Treatment, 1: 1-9. Taylor & Francis, London.
11235	Grove DI (1996). Human strongyloidiasis. Adv Parasitol, 38: 251-309.
56271	Gupta S, Jain A, Fanning TV, et al (2006). An unusual cause of alveolar hemorrhage post hematopoietic stem cell transplantation: a case report. BMC Cancer, 6: 87.
916	Hakim SZ, Genta RM (1986). Fatal disseminated Strongyloidiasis in a Vietnam war veteran. Arch Pathol Lab Med, 110: 809-12.
11255	Hall A, Conway DJ, Anwar KS, et al (1994). Strongyloides stercoralis in urban slum community in Bangladesh: factors independently associated with infection. Trans R Soc Trop Med Hyg, 88: 527-30.
58125	Hall SC, Kehoe EL (1970). Prolonged survival of schistosoma japonicum. Calif Med, 113(2): 75-7.
11096	Hayashi J, Kishihara Y, Yoshimura E, et al (1997). Correlation between human T cell lymphotropic virus type-1 and strongyloides stercoralis infections and serum immunoglobulin E responses in residents of Okinawa, Japan. Am J Trop Med Hyg, 56(1): 71-5.
91141	Hays R, Esterman A, McDermott R (2015). Type 2 diabetes mellitus is associated with strongyloides stercoralis treatment failure in Australian Aboriginals. PLoS Negl Trop Dis, 9(8): e0003976.
11242	Heaton DC, Gutteridge BH (1980). Angiostrongyliasis in Australia. Aust N Z Med, 10: 255-6.
56418	Hong IS, Zaidi SY, McEvoy P, et al (2004). Diagnosis of strongyloides stercoralis in a peritoneal effusion from an HIV-seropositive man. A case report. Acta Cytologica, 48: 211-4.
6997	Igra-Siegman Y, Kapila R, et al (1981). Syndrome of hyperinfection with strongyloides stercoralis. Rev Infect Dis, 3(3): 397-407.
91142	Iori AP, Ferretti A, Gentile G, et al (2014). Strongyloides stercoralis infection in allogeneic stem cell transplant: a case report and review of the literature. Transpl Infect Dis, 16(4): 625-30.
91144	Jaleta TG, Zhou S, Bemm FM, et al (2017). Different but overlapping populations of Strongyloides stercoralis in dogs and humans--Dogs as a possible source for zoonotic strongyloidiasis. PLoS Negl Trop Dis, 11(8): e0005752.
91145	Jariwala S, Redding L, Hewitt D (2017). The severely under-recognized public health risk of strongyloidiasis in North American cities--A One Health approach. Zoonoses Public Health, 64(8): 579-88.
56307	Kayler LK, Rudich SM, Merion RM (2003). Orthotopic liver transplantation from a donor with a history of schistosomiasis. Transplant Proc, 35: 2974-6.
56272	Keiser PB, Nutman TB (2004). Strongyloides stercoralis in the immunocompromised population. Clin Microbiol Rev, 17(1): 208-17.
91146	Khieu V, Schar F, Marti H, et al (2014). Prevalence and risk factors of Strongyloides stercoralis in Takeo Province, Cambodia. Parasites & Vectors, 7: 221.
91147	Kim JH, Kim DS, Yoon YK, et al (2016). Donor-derived strongyloidiasis infection in solid organ transplant recipients: a review and pooled analysis. Transplantation Proceedings, 48(7): 2442-9.
56274	Kittisupamongkol W (2009). [Comment] Consequences of captivity: health effects of far east imprisonment in World War II. Q J Med, 102: 435-8. Comment on ID: 54063.

91148	Kline K, McCarthy JS, Pearson M, et al (2013). Neglected tropical diseases of Oceania: Review of their prevalence, distribution, and opportunities for control. <i>PLoS Negl Trop Dis</i> , 7(1): e1755.
91149	Kratimenos P, Koutroulis I, Vasireddy D, et al (2015). Strongyloidiasis in a healthy 8-year-old girl in north-eastern USA. <i>Paediatrics and International Child Health</i> , 35(1): 72-4.
58183	Krishnamurthy R, Dincer HE, Whitemore D (2007). Strongyloides stercoralis hyperinfection in a patient with rheumatoid arthritis after anti-TNF- α therapy. <i>JCR</i> , 13(3): 150-2.
56515	Lagace-Wiens PRS, Harding GKM (2007). A Canadian immigrant with coinfection of strongyloidiasis stercoralis and human T-lymphotropic virus 1. <i>CMAJ</i> , 177(5): 451-3.
11234	Lahn MM, Staub-Schmidt T, Himy R, et al (1994). Strongyloides stercoralis infection in a non-immunosuppressed tourist with involvement of the central nervous system. <i>Trop Geogr Med</i> , 46(4): 368-70.
56289	Lanzafame M, Faggian F, Lattuada E, et al (2005). [Comment] Strongyloidiasis in an HIV-1-infected patient after highly active antiretroviral therapy-induced immune restoration. <i>JID</i> , 191: 1027. Comment on ID: 56288.
91150	Le M, Ravin K, Hasan A, et al (2014). Single donor-derived strongyloidiasis in three solid organ transplant recipients: Case series and review of the literature. <i>Am J Transplant</i> , 14(5): 1199-206.
56270	Leang B, Lynen L, Tootill R, et al (2004). Death caused by strongyloides hyperinfection in a leprosy patient on treatment for a type II leprosy reaction. <i>Lepr Rev</i> , 75: 398-403.
91143	Leder K, Weller PF (2019). Strongyloidiasis. Retrieved 21 November 2018, from https://www.uptodate.com/contents/strongyloidiasis?search=strongyloidiasis&source=search_result&selectedTitle=1~99&usage_type=default&display_rank=1
11187	Leeman BJ, Cabrera MR (1995). No association found between strongyloides infestation and asthma. <i>J Asthma</i> , 32(1): 57-62.
56321	Lessnau KD, Can S, Talavera W (1993). Disseminated strongyloides stercoralis in human immunodeficiency virus-infected patients. Treatment failure and a review of the literature. <i>Chest</i> , 104(1): 119-22.
56306	Lewthwaite P, Gill GV, Hart CA, et al (2005). Gastrointestinal parasites in the immunocompromised. <i>Curr Opin Infect Dis</i> , 18: 427-35.
56295	Lichtenberger P, Rosa-Cunha I, Morris M, et al (2009). Hyperinfection strongyloidiasis in a liver transplant recipient treated with parenteral ivermectin. <i>Transpl Infect Dis</i> , 11: 137-42.
11100	Lin AL, Kessimian N, Benditt JO (1995). Restrictive pulmonary disease due to interlobular septal fibrosis associated with disseminated infection by strongyloides stercoralis. <i>Am J Respir Crit Care Med</i> , 151(1): 205-9.
11256	Lindo JF, Robinson RD, Terry SI, et al (1994). Age-prevalence and household clustering of strongyloides stercoralis infection in Jamaica. <i>Parasitology</i> , 110: 97-102.
11383	Liu JX, Weller PF (1998). Strongyloidiasis. <i>Harrison's Principles of Internal Medicine</i> , 14th Edition, 1208-11, 1244-5, 1248-9. McGraw Hill.
856	Liu LX, Weller PF (1994). Intestinal nematodes. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 181: 916-20.
917	Liu LX, Weller PF (1993). Strongyloidiasis and other intestinal nematode infections. <i>Infect Dis Clin North Am</i> , 7(3): 655-82.
56314	Lloyd-Smith JO, Poss M, Grenfell BT (2008). HIV-1/parasite co-infection and the emergence of new parasite strains. <i>Parasitology</i> , 135: 795-806.
11098	Lumelle Y, Gonin C, Edouard A, et al (1997). Effect of strongyloides stercoralis infection and eosinophilia on age at onset and prognosis of adult T-cell leukemia. <i>Am J Clin Pathol</i> , 107(1): 81-7.

91151	Lupi O, Downing C, Lee M, et al (2015). Mucocutaneous manifestations of helminth infections: Nematodes. <i>J Am Acad Dermatol</i> , 73(6): 929-44.
11097	Mahmoud AAF (1996). Strongyloides. <i>Clin Infect Dis</i> , 23(5): 949-52.
11103	Mak DB (1993). Recurrent bacterial meningitis associated with strongyloides hyperinfection. <i>Med J Aust</i> , 159(5): 354.
918	Manson-Bahr PE, Apter EI (1982). <i>Manson's Tropical Diseases</i> , 18th Edition, 194. Bailliere Tindall, London.
56308	Maraha B, Buiting AG, Hol C, et al (2001). The risk of strongyloides stercoralis transmission from patients with disseminated strongyloidiasis to the medical staff. <i>J Hosp Infect</i> , 49: 222-4.
56298	Marathe A, Date V (2008). Strongyloides stercoralis hyperinfection in an immunocompetent patient with extreme eosinophilia. <i>J Parasitol</i> , 94(3): 759-60.
56300	Marcos LA, Terashima A, DuPont HL, et al (2008). Strongyloides hyperinfection syndrome: an emerging global infectious disease. <i>Trans R Soc Trop Med Hyg</i> , 102: 314-8.
91152	Marques CC, da Penha Zago-Gomes M, Goncalves CS, et al (2010). Alcoholism and Strongyloides stercoralis: Daily ethanol ingestion has a positive correlation with the frequency of Strongyloides larvae in the stools. <i>PLoS Negl Trop Dis</i> , 4(6): e717.
56283	Marty FM (2009). Strongyloides hyperinfection syndrome and transplantation: a preventable, frequently fatal infection. <i>Transpl Infect Dis</i> , 11: 97-9.
56315	Mattionni S, Valin N, Cracco C, et al (2008). Fatal relapse of disseminated strongyloidiasis in an HIV-positive patient, despite ivermectin treatment. <i>Ann Trop Med Parasitol</i> , 102(8): 693-8.
56299	Meamar AR, Rezaian M, Mohraz M, et al (2007). Strongyloides stercoralis hyper-infection syndrome in HIV/AIDS patients in Iran. <i>Parasitol Res</i> , 101: 663-5.
919	Meloni BP, Thompson RC, Hopkins RM, et al (1993). The prevalence of Giardia and other intestinal parasites in children, dogs and cats from Aboriginal communities in the Kimberley. <i>MJA</i> , 158: 157-9.
91153	Mobley CM, Dhala A, Ghobrial RM (2017). Strongyloides stercoralis in solid organ transplantation: early diagnosis gets the worm. <i>Curr Opin Organ Transplant</i> , 22(4): 336-44.
58447	Mokaddas EM, Shati S, Abdulla A, et al (2009). Fatal strongyloidiasis in three kidney recipients in Kuwait. <i>Med Princ Pract</i> , 18: 414-7.
56302	Mora CS, Segami MI, Hidalgo JA (2006). Strongyloides stercoralis hyperinfection in systemic lupus erythematosus and the antiphospholipid syndrome. <i>Semin Arthritis Rheum</i> , 36: 135-43.
91154	Myint A, Chapman C, Almira-Suarez I, et al (2017). Strongyloides hyperinfection syndrome in an immunocompetent host resulting in bacteremia and death. <i>BMJ Case Reports</i> , 2017: pii: bcr2016217911. [Abstract]
56510	Nandy A, Addy M, Patra P, et al (1995). Fulminating strongyloidiasis complicating Indian kala-azar. <i>Trop Geogr Med</i> , 47(3): 139-41.
91155	Ngui R, Halim NA, Rajoo Y, et al (2016). Epidemiological characteristics of strongyloidiasis in inhabitants of indigenous communities in Borneo Island, Malaysia. <i>Korean J Parasitol</i> , 54(5): 673-8.
91156	Nutman TB (2017). Human infection with Strongyloides stercoralis and other related Strongyloides species. <i>Parasitology</i> , 144(3): 263-73.
56310	Olmos JM, Gracia S, Villoria F, et al (2004). Disseminated strongyloidiasis in a patient with acquired immunodeficiency syndrome. <i>Eur J Intern Med</i> , 15: 529-30.
56282	Olsen A, van Lieshout L, Marti H, et al (2009). Strongyloidiasis - the most neglected of the neglected tropical diseases. <i>Trans R Soc Trop Med Hyg</i> , 103: 967-72.

56419	Palau LA, Pankey GA (1997). Strongyloides hyperinfection in a renal transplant recipient receiving cyclosporine: possible strongyloides stercoralis transmission by kidney transplant. <i>Am J Trop Med Hyg</i> , 57(4): 413-5.
91163	Paradies P, Iarussi F, Sasanelli M, et al (2017). Occurrence of strongyloidiasis in privately owned and sheltered dogs: clinical presentation and treatment outcome. <i>Parasites & Vectors</i> , 10(1): 345.
56511	Parana R, Portugal M, Vitvitski L, et al (2000). Severe strongyloidiasis during interferon plus ribavirin therapy for chronic HCV infection. <i>Eur J Gastroenterol Hepatol</i> , 12: 245-6.
56319	Patel G, Arvelakis A, Sauter BV, et al (2008). Strongyloides hyperinfection syndrome after intestinal transplantation. <i>Transpl Infect Dis</i> , 10: 137-41.
91165	Pattison DA, Speare R (2008). Strongyloidiasis in personnel of the Regional Assistance Mission to Solomon Islands (RAMSI). <i>Med J Aust</i> , 189(4): 203-6.
91166	Pearson RD (2017). Strongyloidiasis (threadworm infection). Retrieved 21 November 2018, from https://www.merckmanuals.com/professional/infectious-diseases/nematodes-roundworms/strongyloidiasis
935	Pellerier LL, Gabre-Kidan T (1985). Chronic strongyloidiasis in Vietnam veterans. <i>Am J Med</i> , 78: 139-40.
931	Pelletier LL (1984). Chronic Strongyloidiasis in World War II Far East ex-prisoners of war. <i>Am J Trop Med Hyg</i> , 33(1): 55-61.
6989	Porciv P, Luke R (1993). Observations on strongyloidiasis in Queensland Aboriginal communities. <i>Med J Aust</i> , 158: 160-3.
11244	Proctor EM, Muth HAV, Proudfoot DL, et al (1978). Endemic institutional strongyloidiasis in British Columbia. <i>Can Med Assoc J</i> , 136(11): 1173-6.
11254	Provic P (1993). Strongyloidiasis in the Northern Territory. <i>Med J Aust</i> , 159(9): 636-7.
91167	Puerta-Alcalde P, Gomez-Junyent J, Requena-Mendez A, et al (2018). High prevalence of <i>S. Stercoralis</i> infection among patients with Chagas disease: A retrospective case-control study. <i>PLoS Negl Trop Dis</i> , 12(1): e0006199.
6993	Purtilo DT, Meyers WM, Connor DH (1974). Fatal Strongyloidiasis in immunosuppressed patients. <i>Am J Med</i> , 56: 488-93.
11090	Purvis RS, Beightler EL, Diven DG, et al (1992). Strongyloides hyperinfection presenting with petechiae and purpura. <i>Int J Dermatol</i> , 31(3): 169-71.
91168	Puthiyakunnon S, Boddu S, Li Y, et al (2014). Strongyloidiasis--an insight into its global prevalence and management. <i>PLoS Negl Trop Dis</i> , 8(8): e3018.
91169	Pypen Y, Oris E, Meeuwissen J, et al (2015). Late onset of Strongyloides stercoralis meningitis in a retired Belgian miner. <i>Acta Clin Belg</i> , 70(6): 447-50.
91170	Qu TT, Yang Q, Yu MH, et al (2016). A fatal strongyloides stercoralis hyperinfection syndrome in a patient with chronic kidney disease: A case report and literature review. <i>Medicine</i> , 95(19): e3638.
91172	Quail GG (2017). Strongyloides stercoralis (strongyloides), Ancylostoma duodenale (old world hookworm) and Necator americanus (new world hookworm). <i>Lessons Learned: The Australian Military and Tropical Medicine</i> , Chapter 1: 34-5. Big Sky Publishing Pty Ltd, NSW.
91174	Rahmanian H, MacFarlane AC, Rowland KE, et al (2015). Seroprevalence of Strongyloides stercoralis in a South Australian Vietnam veteran cohort. <i>Aust N Z J Public Health</i> , 39(4): 331-5.
91175	Rego Silva J, Macau RA, Mateus A, et al (2018). Successful treatment of Strongyloides stercoralis hyperinfection in a kidney transplant recipient: case report. <i>Transplant Proc</i> , 50(3): 861-6.

91176	Requena-Mendez A, Buonfrate D, Gomez-Junyent J, et al (2017). Evidence-based guidelines for screening and management of strongyloidiasis in non-epidemic countries. <i>Am J Trop Med Hyg</i> , 97(3): 645-52.
91177	Rets A, Gupta R, Haseeb MA (2013). Determinants of reactivation of inapparent <i>Strongyloides stercoralis</i> infection in patients hospitalized for unrelated admitting diagnosis. <i>Eur J Gastroenterol Hepatol</i> , 25(11): 1279-85.
91178	Ribeiro SR, Covre LP, Stringari LL, et al (2017). Peripheral blood CD4+/CD25+ regulatory T cells in alcoholic patients with <i>Strongyloides stercoralis</i> infection. <i>Parasitol Res</i> , 116(3): 1071-4.
6994	Rivera E, Maldonado N, et al (1970). Hyperinfection syndrome with <i>strongyloides stercoralis</i> . <i>Ann Internal Med</i> , 72(2): 199-204.
11102	Robinson RD, Lindo JF, Neva FA, et al (1994). Immunepidemiologic studies of <i>strongyloides stercoralis</i> and human T lymphotropic virus type 1 infections in Jamaica. <i>J Infect Dis</i> , 169(3): 692-6.
56286	Robson D, Beeching NJ, Gill GV (2009). <i>Strongyloides</i> hyperinfection syndrome in British veterans. <i>Ann Trop Med Parasitol</i> , 103(2): 145-8.
54063	Robson D, Welch E, Beeching NJ, et al (2009). Consequences of captivity: health effects of far east imprisonment in World War II. <i>Q J Med</i> , 102: 87-96.
56287	Rodriguez-Hernandez MJ, Ruiz-Perez-Pipaon M, Canas E, et al (2009). <i>Strongyloides stercoralis</i> hyperinfection transmitted by liver allograft in a transplant recipient. <i>Am J Transplant</i> , 9: 2637-40.
56317	Roxby AC, Gottlieb GS, Limaye AP (2009). <i>Strongyloidiasis</i> in transplant patients. <i>Clin Infect Dis</i> , 49: 1141-23.
57162	Russo JJ, Rusiecki RS, Vencek V, et al (2010). Purpuric eruption in a patient treated with systemic steroids. <i>Arch Dermatol</i> , 146(2): 191-6.
56292	Safdar A, Malathum K, Rodriguez SJ, et al (2004). <i>Strongyloidiasis</i> in patients at a comprehensive cancer center in the United States. A retrospective study covering the years 1971-2003. <i>Cancer</i> , 100: 1531-6.
56293	Said T, Nampoory MRN, Nair MP, et al (2007). Hyperinfection <i>strongyloidiasis</i> : an anticipated outbreak in kidney transplant recipients in Kuwait. <i>Transplant Proc</i> , 39: 1014-5.
91179	Salvador F, Sulleiro E, Sanchez-Montalva A, et al (2016). Impact of helminth infection on the clinical and microbiological presentation of Chagas diseases in chronically infected patients. <i>PLoS Negl Trop Dis</i> , 10(4): e0004663.
11099	Sato Y, Kobayashi J, Shiroma Y (1995). Serodiagnosis of <i>strongyloidiasis</i> . The application and significance. <i>Revista do Instituto de Medicina Tropical de Sao Paulo</i> , 37(1): 35-41.
6990	Schad GA (1989). Morphology and life history of <i>Strongyloides stercoralis</i> . <i>Strongyloidiasis: A major roundworm infection of man</i> , Chapter 3: 85-104. Taylor & Francis, London.
91181	Schar F, Trostorf U, Giardina F, et al (2013). <i>Strongyloides stercoralis</i> : Global distribution and risk factors. <i>PLoS Negl Trop Dis</i> , 7(7): e2288.
56268	Schwartz RA, Tarlow MM (2009). <i>Strongyloidiasis</i> . Retrieved 20 April 2010, from http://emedicine.medscape.com/article/1109539-overview
6998	Scowden EB, Schaffner W, Stone WJ (1978). Overwhelming <i>Strongyloidiasis</i> . An unappreciated opportunistic infection. <i>Medicine</i> , 57(6): 527-43.
56301	Segarra-Newnham M (2007). Manifestations, diagnosis, and treatment of <i>strongyloides stercoralis</i> infection. <i>Ann Pharmacother</i> , 41: 1992-2001.
91182	Senephansiri P, Laummaunwai P, Laymanivong S, et al (2017). Status and risk factors of <i>Strongyloides stercoralis</i> infection in rural communities of Xayaburi Province, Lao PDR. <i>Korean J Parasitol</i> , 55(5): 569-73.

91183	Shah K, Ferastraoar D, Jariwala S (2017). [Comment] Eosinophilia associated with Strongyloides infection, severe asthma, and central bronchiectasis. <i>Ann Allergy Asthma Immunol</i> , 118(4): 510-1.
91184	Showler A, Boggild AK (2012). Strongyloidiasis presenting as larva currens 38 years after presumed exposure. <i>J Cutan Med Surg</i> , 16(6): 433-5.
56561	Siddiqui AA, Genta RM, Berk SL (2006). Strongyloidiasis. Richard L Guerrant, et al [Eds]. <i>Tropical Infectious Diseases: Principles, Pathogens, & Practice</i> , Second Edition, Chapter 111: 1274-84. Churchill Livingstone.
91185	Silva ML, Ines Ede J, Souza AB, et al (2016). Association between Strongyloides stercoralis infection and cortisol secretion in alcoholic patients. <i>Acta Tropica</i> , 154: 133-8.
11092	Sim TC, Alam R, Grant JA (1990). Refractory wheezing and septicemia in a 57-year-old man with asthma. <i>Ann Allergy</i> , 65(3): 180-4.
6991	Speare R (1989). Identification of species of Strongyloides. Strongyloidiasis: A major roundworm infection of man, Chapter 2: 11-83. Taylor & Francis, London.
91186	Spinicci M, Macchioni F, Mantella A, et al (2017). Seroepidemiological trend of strongyloidiasis in the Bolivian Chaco (1987-2013) in the absence of disease-specific control measures. <i>Trop Med Int Health</i> , 22(11): 1457-62.
56393	Sugiyama K, Hasegawa Y, Nagasawa T, et al (2006). Exposure of medical staff to strongyloides stercoralis from a patient with disseminated strongyloidiasis. <i>J Infect Chemother</i> , 12: 217-9.
91187	Takaoka K, Gourtsoyannis Y, Hart JD, et al (2016). Incidence rate and risk factors for giardiasis and strongyloidiasis in returning UK travellers. <i>J Travel Med</i> , 23(5): 1-6.
91188	Tariq H, Kamal MU, Reddy P, et al (2017). Anemia, intractable vomiting, chronic diarrhea, and syndrome of inappropriate antidiuretic secretion: a diagnostic dilemma. <i>Medicine</i> , 96(52): e9229.
91189	Teixeira MC, Pacheco FT, Souza JN, et al (2016). Strongyloides stercoralis infection in alcoholic patients. <i>Biomed Res Int</i> , 2016: 4872473.
57391	Tolan RW, Muniz A (2010). Strongyloidiasis. Retrieved 8 July 2010, from http://emedicine.medscape.com/article/999614-print
91190	Tomczyk S, Deribe K, Brooker SJ, et al (2014). Association between footwear use and neglected tropical diseases: A systematic review and meta-analysis. <i>PLoS Negl Trop Dis</i> , 8(11): e3285.
56514	Vadlamudi RS, Chi DS, Krishnaswamy G (2006). Intestinal strongyloidiasis and hyperinfection syndrome. <i>Clin Mol Allergy</i> , 4: 8.
56311	van Hattem S, Schuttelaar ML (2009). Disseminated strongyloidiasis caused by heart donor-to-host transmission presenting with purpura. <i>Clin Exp Dermatol</i> , [Epub ahead of print].
91191	Vazquez Guillamet LJ, Saul Z, Miljkovic G, et al (2017). Strongyloides stercoralis infection among human immunodeficiency virus (HIV)-infected patients in the United States of America: A case report and review of literature. <i>Am J Case Rep</i> , 18: 339-46.
1292	Venn AJ, Guest CS (1991). Chronic morbidity of former prisoners of war and other Australian veterans. <i>Med J Aust</i> , 155(10): 705-7, 710-2.
56285	Vilela EG, Clemente WT, Mira RR, et al (2009). Strongyloides stercoralis hyperinfection syndrome after liver transplantation: casr report and literature review. <i>Transpl Infect Dis</i> , 11: 132-6.
56288	Viney ME, Brown M, Omoding NE, et al (2004). Why does HIV infection not lead to disseminated strongyloidiasis. <i>JID</i> , 190: 2175-80.
91192	Visser JT, Narayanan A, Campbell B (2012). Strongyloides, dengue fever, and tuberculosis conversions in New Zealand police deploying overseas. <i>J Travel Med</i> , 19(3): 178-82.
56316	Walker M, Zunt JR (2005). Parasitic central nervous system infections in immunocompromised hosts. <i>Clin Infect Dis</i> , 40: 1005-15.

11243	Walzer PD, Milder JE, Banwell JG, et al (1982). Epidemiologic features of strongyloides stercoralis infection in an endemic area of The United States. <i>Am J Trop Med Hyg</i> , 31(2): 313-9.
11101	Wehner JH, Kirsch CM, Kagawa FT, et al (1994). The prevalence and response to therapy of strongyloides stercoralis in patients with asthma from endemic areas. <i>Chest</i> , 106(3): 762-6.
91246	Weisenberg SA (2018). Chronic strongyloidiasis with recurrent asthma exacerbations and steroid-associated 'hives'. <i>BMJ Case Reports</i> , 2018: bcr-2017-221877.
11382	Weller PF (2003). Helminthic infections. <i>Scientific American Medicine</i> , 2: 4-6.
56277	Weller PF, Nutman TB (2008). Strongyloidiasis. Chapter 210. <i>Intestinal Nematodes</i> . Retrieved 7 April 2010, from http://proxy14.use.hcn.com.au/content.aspx?aID=2896687
91193	Weller PF, Nutman TB (2019). Strongyloidiasis. Chapter 227. Retrieved 22 January 2019, from https://accessmedicine.mhmedical.com/content.aspx?bookid=2129&sectionid=192027581#1156506785
56294	Wirk B, Wingard JR (2009). Strongyloides stercoralis hyperinfection in hematopoietic stem cell transplantation. <i>Transpl Infect Dis</i> , 11: 143-8.
91195	Wolters J (2013). [Comment] Strongyloidiasis in a mine worker. <i>The Netherlands Journal of Medicine</i> , 71(5): 276.
91194	World Health Organisation (WHO) (2018). Strongyloidiasis. Retrieved 21 November 2018, from http://www.who.int/intestinal_worms/epidemiology/strongyloidiasis/en/
11093	Yamaguchi K, Matutes E, Gatovsky D, et al (1987). Strongyloides stercoralis as candidate co-factor for HTLV-I-Induced leukaemogenesis. <i>Lancet</i> , 2(8550): 94-5.
11252	Yiannakou J, Croese J, Ashdown LR, et al (1992). Strongyloidiasis in North Queensland: re-emergence of a forgotten risk group? <i>Med J Aust</i> , 156: 24-7.