



## MALIGNANT NEOPLASM OF THE CERVIX

RMA ID Number	Reference List for RMA061-3 as at October 2020
---------------	--

61854	Access Medicine (2011). Gynecologic malignancies. Harrison's Principles of Internal Medicine, 17th Edition, Chapter 93: 604-9.
97455	Acuna SA (2018). Etiology of increased cancer incidence after solid organ transplantation. <i>Transplant Rev (Orlando)</i> , 32(4): 218-24.
96589	Adhikari J, Sharma P, Bhatt VR (2015). Risk of secondary solid malignancies after allogeneic hematopoietic stem cell transplantation and preventive strategies. <i>Future Oncol</i> , 11(23): 3175-85.
4775	Agarwal SS, Sehgal A, Sardana S, et al (1993). Role of male behavior in cervical carcinogenesis among women with one lifetime sexual partner. <i>Cancer</i> , 72(5): 1666-9.
96590	Akram N, Imran M, Noreen M, et al (2017). Oncogenic role of tumor viruses in humans. <i>Viral Immunol</i> , 30(1): 20-7.
45751	Alavanja MC, Bonner MR (2005). Pesticides and human cancers. <i>Cancer Invest</i> , 23(8): 700-11.
45743	Alexander BH, Bloeman L, Allen RH (2005). Sessions on the epidemiology of agricultural exposure and cancer. <i>Scand J Work Environ Health</i> , 31(Suppl 1): 5-7.
97456	Allegretti JR, Barnes EL, Cameron A (2015). Are patients with inflammatory bowel disease on chronic immunosuppressive therapy at increased risk of cervical high-grade dysplasia/cancer? A meta-analysis. <i>Inflamm Bowel Dis</i> , 21(5): 1089-97.
7789	Alloub MI, Barr BB, McLaren KM, et al (1989). Human papillomavirus infection and cervical intraepithelial neoplasia in women with renal allografts. <i>BMJ</i> , 298(6667): 153-6.
61861	Alston RD, Rowan S, Eden TO, et al (2007). Cancer incidence patterns by region and socioeconomic deprivation in teenagers and young adults in England. <i>Br J Cancer</i> , 96(11): 1760-6.
97457	Anastasi E, Filardi T, Tartaglione S, et al (2018). Linking type 2 diabetes and gynecological cancer: an introductory overview. <i>Clin Chem Lab Med</i> , 56(9): 1413-25.
43896	Anderson GL, Judd HL, Kaunitz AM, et al (2003). Effects of estrogen plus progestin on gynecologic cancers and associated diagnostic procedures. The Women's Health Initiative randomized trial. <i>JAMA</i> , 290(13): 1739-48.
4805	Anonymous (1985). Invasive cervical cancer and combined oral contraceptives. WHO collaborative study of neoplasia and steroid contraceptives. <i>BMJ (Clin Res Ed)</i> , 290(6473): 961-5.
4789	Anonymous (1991). Risk for cervical disease in HIV-infected women - New York City. <i>JAMA</i> , 265(1): 23-4.
97458	Antonsson A, Wilson LF, Kendall BJ, et al (2015). Cancers in Australia in 2010 attributable to infectious agents. <i>Aust N Z J Public Health</i> , 39(5): 446-51.

10362	Anttila A, Pukkala E, Sallmen M, et al (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. <i>J Occup Environ Med</i> , 37(7): 797-806
96596	Arbyn M, Tommasino M, Depuydt C, et al (2014). Are 20 human papillomavirus types causing cervical cancer? <i>J Pathol</i> , 234(4): 431-5.
83738	Arrieta-Cortes R, Farias P, Hoyo-Vadillo C, et al (2017). Carcinogenic risk of emerging persistent organic pollutant perfluorooctane sulfonate (PFOS): A proposal of classification. <i>Regul Toxicol Pharmacol</i> , 83: 66-80
97459	Aschengrau A, Winter MR, Vieira VM, et al (2015). Long-term health effects of early life exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort study. <i>Environ Health</i> , 14: 36.
97469	Au EH, Chapman JR, Craig JC, et al (2019). Overall and site-specific cancer mortality in patients on dialysis and after kidney transplant. <i>J Am Soc Nephrol</i> , 30(3): 471-80.
60571	Au WW, Abdou-Salama S, Sierra-Torres CH, et al (2007). Environmental risk factors for prevention and molecular intervention of cervical cancer. <i>Int J Hyg Environ Health</i> , 210(6): 671-8.
TBA	Australian Technical Advisory Group on Immunisation (ATAGI) (2018). Australian Immunisation Handbook. Human papillomavirus (HPV). Retrieved 14 September 2018, <a href="https://immunisationhandbook.health.gov.au/">https://immunisationhandbook.health.gov.au/</a>
97460	Bao C, Yang R, Pedersen NL, (2019). Overweight in midlife and risk of cancer in late life: A nationwide Swedish twin study. <i>Int J Cancer</i> , 144(9): 2128-34.
4777	Barton SE, Jenkins D, Cuzick J, et al (1988). Effect of cigarette smoking on cervical epithelial immunity: A mechanism for neoplastic change? <i>Lancet</i> , 2(8612): 652-4.
96591	Bashaw AA, Leggatt GR, Chandra J, et al (2017). Modulation of antigen presenting cell functions during chronic HPV infection. <i>Papillomavirus Res</i> , 4: 58-65.
96599	Baskran K, Kumar PK, Santha K, et al (2019). Cofactors and their association with cancer of the uterine cervix in women infected with high-risk human papillomavirus in South India. <i>Asian Pac J Cancer Prev</i> , 20(11): 3415-9.
61056	Bateman H, Yazici Y, Leff L, et al (2000). Increased cervical dysplasia in intravenous cyclophosphamide-treated patients with SLE: a preliminary study. <i>Lupus</i> , 9(7): 542-4.
29721	Beard J, Sladden T, Morgan G, et al (2003). Health impacts of pesticide exposure in a cohort of outdoor workers. <i>Environ Health Perspect</i> , 111(5): 724-30.
4778	Becker TM, Wheeler CM, McGough NS, et al (1994). Cigarette smoking and other risk factors for cervical dysplasia in Southwestern Hispanic and Non-Hispanic white women. <i>Cancer Epidemiol Biomarkers Prev</i> , 3(19): 113-6.
61892	Bennett C, Kuhn AE, Haverkos HW (2010). Human papillomavirus and tar hypothesis for squamous cell cervical cancer. <i>J Biosci</i> , 35(3): 331-7.
61055	Bernatsky S, Ramsey-Goldman R, Gordon C, et al (2004). Factors associated with abnormal pap results in systemic lupus erythematosus. <i>Rheumatology (Oxford)</i> , 43(11): 1386-9.
73050	Bhaskaran K, Douglas I, Forbes H, et al (2014). Body-mass index and risk of 22 specific cancers: a population-based cohort study of 5.24 million UK adults. <i>Lancet</i> , 384(9945): 755-65.
61174	Bhatia J, Bratcher J, Korelitz B, et al (2006). Abnormalities of uterine cervix in women with inflammatory bowel disease. <i>World J Gastroenterol</i> , 12(38): 6167-71.

97461	Bhatla N, Puri K, Joseph E (2013). Association of Chlamydia trachomatis infection with human papillomavirus (HPV) & cervical intraepithelial neoplasia - a pilot study. <i>Indian J Med Res</i> , 137(3): 533-9.
52266	Biggar RJ, Chaturvedi AK, Goedert JJ, et al (2007). AIDS-related cancer and severity of immunosuppression in persons with AIDS. <i>J Natl Cancer Inst</i> , 99(12): 962-72.
97462	Biglia N, Bounous VE, Sgro LG, et al (2015). Treatment of climacteric symptoms in survivors of gynaecological cancer. <i>Maturitas</i> , 82(3): 296-8.
58587	Blair A, Freeman LB (2009). Epidemiologic studies of cancer in agricultural populations: observations and future directions. <i>J Agromedicine</i> , 14(2): 125-31.
96602	Blair A, Hartge P, Stewart PA, et al (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: extended follow up. <i>Occup Environ Med</i> , 55(3): 161-71.
14459	Blair A, Stewart PA, Tolbert PE et al (1990). Cancer and other causes of death among a cohort of dry cleaners. <i>Br J Ind Med</i> , 47(3): 162-8.
61054	Bobrowska K, Kaminski P, Cyganek A, et al (2005). Multiple neoplastic lesions of the lower genital tract in a human papilloma virus-infected kidney-pancreas allograft recipient: a case report. <i>Transplant Proc</i> , 37(5): 2093-5.
60572	Boccardo E (2010). HPV-mediated genome instability: at the roots of cervical carcinogenesis. <i>Cytogenet Genome Res</i> , 128(1-3): 57-65.
56052	Boers D, Portengen L, Bueno-de-Mesquita H, et al (2010). Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. <i>Occup Environ Med</i> , 67(1): 24-31.
50297	Boffetta P, McLaughlin JK, La Vecchia C, et al (2008). [Comment] False-positive results in cancer epidemiology: a plea for epistemological modesty. <i>J Natl Cancer Inst</i> , 100(14): 988-95.
97463	Bogani G, Taverna F, Lombardo C, et al (2019). Predicting factors for high-grade cervical dysplasia in women with low-grade cervical cytology and nonvisible squamocolumnar junction. <i>Reprod Sci</i> , 26(1): 44-8.
7790	Borevec J (1995). Changes in incidence of carcinoma in situ after the Chernobyl disaster in central. <i>Eur Arch Environ Contam Toxicol</i> , 29(2): 266-9.
7791	Bosch FX, Munoz N, de Sanjose S, et al (1992). Risk factors for cervical cancer in Colombia and Spain. <i>Int J Cancer</i> , 52(5): 750-8.
96603	Bove FJ, Ruckart PZ, Maslia M, et al (2014). Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. <i>Environ Health</i> , 13(1): 10.
60570	Bower M, Mazhar D, Stebbing J (2006). Should cervical cancer be an acquired immunodeficiency syndrome-defining cancer? <i>J Clin Oncol</i> , 24(16): 2417-9.
4779	Bradbeer C (1987). Is infection with HIV a risk factor for cervical intraepithelial neoplasia? <i>Lancet</i> , 2(8570): 1277-8.
97464	Brendle SA, Bywaters SM, Christensen ND (2014). Pathogenesis of infection by human papillomavirus. <i>Curr Probl Dermatol</i> , 45: 47-57.
4817	Brinton LA (1990). [Comment] Editorial comment. Smoking and cervical cancer - Current status. <i>Am J Epidemiol</i> , 131(6): 958-60.
4780	Brinton LA (1991). Oral contraceptives and cervical neoplasia. <i>Contraception</i> , 43(6): 581-95.
60573	Brinton LA (2007). The relationship of silicone breast implants and cancer at other sites. <i>Plast Reconstr Surg</i> , 120(7 Suppl 1): 94S-102S.
7792	Brinton LA, Reeves WC, Brenes MM, et al (1989). Parity as a risk factor for cervical cancer. <i>Am J Epidemiol</i> , 130(3): 486-96.

7793	Brinton LA, Schairer C, Haenszel W, et al (1986). Cigarette smoking and invasive cervical cancer. <i>JAMA</i> , 255(23): 3265-9.
7794	Brisson J, Morin C, Fortier M, et al (1994). Risk factors for cervical intraepithelial neoplasia: differences between low- and high-grade lesions. <i>Am J Epidemiol</i> , 140(8): 700-10.
7795	Brock KE, MacLennan R, Brinton LA, et al (1989). Smoking and infectious agents and risk of in situ cervical cancer in Sydney, Australia. <i>Cancer Res</i> , 49(17): 4925-8.
60624	Broomall EM, Reynolds SM, Jacobson RM (2010). Epidemiology, clinical manifestations, and recent advances in vaccination against human papillomavirus. <i>Postgrad Med</i> , 122(2): 121-9.
4784	Brown WM, Doll R (1965). Mortality from cancer and other causes after radiotherapy for ankylosing spondylitis. <i>Br Med J</i> , 2(5474): 1327-32.
61848	Bruni L, Diaz M, Castellsague X, et al (2010). Cervical human papillomavirus prevalence in 5 continents: meta-analysis of 1 million women with normal cytological findings. <i>J Infect Dis</i> , 202(12): 1789-99.
4781	Buckley JD, Harris RW, Doll R, et al (1981). Case-control study of the husbands of women with dysplasia or carcinoma of the cervix uteri. <i>Lancet</i> , 2(8254): 1010-4.
8824	Burger MP, Hollema H, Pieters WJ, et al (1996). Epidemiological evidence of cervical intraepithelial neoplasia without the presence of human papillomavirus. <i>Br J Cancer</i> , 73(6): 831-6.
7796	Butterworth CE Jr (1992). Effect of folate on cervical cancer. <i>Ann N Y Acad Sci</i> , 689: 293-9.
60574	Canadas MP, Videla S, Darwich L, et al (2010). Human papillomavirus HPV-16, 18, 52 and 58 integration in cervical cells of HIV-1-infected women. <i>J Clin Virol</i> , 48(3): 198-201.
96604	Cao L, Tong H, Xu G, et al (2015). Systemic lupus erythematosus and malignancy risk: A meta-analysis. <i>PLoS One</i> , 10(4): e0122964.
97465	Carenco C, Faure S, Ursic-Bedoya J, et al (2016). Solid, non-skin, post-liver transplant tumors: key role of lifestyle and immunosuppression management. <i>World J Gastroenterol</i> , 22(1): 427-34.
97466	Carstensen B, Read SH, Friis S, et al (2016). Cancer incidence in persons with type 1 diabetes: a five-country study of 9,000 cancers in type 1 diabetic individuals. <i>Diabetologia</i> , 59(5): 980-8.
60575	Castellsague X (2008). Natural history and epidemiology of HPV infection and cervical cancer. <i>Gynecol Oncol</i> , 110(3 Suppl 2): S4-7.
97467	Castellsague X, Diaz M, de Sanjose S, et al (2006). Worldwide human papillomavirus etiology of cervical adenocarcinoma and its cofactors: implications for screening and prevention. <i>J Natl Cancer Inst</i> , 98(5): 303-15.
61866	Castle PE (2008). [Comment] How does tobacco smoke contribute to cervical carcinogenesis? <i>J Virol</i> , 82(12): 6084-5; Author's reply 6085-6.
97468	Castle PE, Pierz A, Stoler MH (2018). A systematic review and meta-analysis on the attribution of human papillomavirus (HPV) in neuroendocrine cancers of the cervix. <i>Gynecol Oncol</i> , 148(2): 422-9.
61862	Castle PE, Schiffman M, Wheeler CM, et al (2009). Evidence for frequent regression of cervical intraepithelial neoplasia-grade 2. <i>Obstet Gynecol</i> , 113(1): 18-25.
61850	Castle PE, Schiffman M, Wheeler C, et al (2009). Impact of improved classification on the association of human papillomavirus with cervical precancer. <i>Am J Epidemiol</i> , 171(2): 155-63.
97471	Chang HA, Armenian SH, Dellinger TH (2018). Secondary neoplasms of the female lower genital tract after hematopoietic cell transplantation. <i>J Natl Compr Canc Netw</i> , 16(2): 211-8.

97470	Chang SH, Park JK, Lee YJ, et al (2014). Comparison of cancer incidence among patients with rheumatic disease: a retrospective cohort study. <i>Arthritis Res Ther</i> , 16(4): 428.
97472	Chapman JR, Webster AC, Wong G (2013). Cancer in the transplant recipient. <i>Cold Spring Harb Perspect Med</i> , 3(7): a015677.
97473	Charbotel B, Massardier-Pilonchery A, Fort E, et al (2013). Occupational trichloroethylene exposure and cervical pathology: a case-control study. <i>Ann Occup Hyg</i> , 57(3): 407-16.
61057	Chaturvedi AK, Madeleine MM, Biggar RJ, et al (2009). Risk of human papillomavirus-associated cancer among persons with AIDS. <i>J Natl Cancer Inst</i> , 101(16): 1120-30.
TBA	Chauhan SC, Kumar D, Bell MC, et al (2007). Molecular markers of miscellaneous primary and metastatic tumors of the uterine cervix. <i>Eur J Gynaecol Oncol</i> , 28(1): 5-14. [Abstract]
97474	Chaung KV, Zheng Y, Martella AT, et al (2019). Risk factors for abnormal cervical cytology in women undergoing kidney transplant evaluation. <i>Exp Clin Transplant</i> , 17(1): 31-6.
97475	Cheddani H, Dauchet L, Fumery M, et al (2016). Cancer in elderly onset inflammatory bowel disease: a population-based study. <i>Am J Gastroenterol</i> , 111(10): 1428-36.
97476	Chen CJ, Hsu WL, Yang HI, et al (2014). Epidemiology of virus infection and human cancer. <i>Recent Results Cancer Res</i> , 193: 11-32.
96605	Chen Y, Wu F, Saito E, et al (2017). Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 60(6): 1022-32.
96606	Cho CY, Lo YC, Hung MC, et al (2017). Risk of cancer in patients with genital warts: A nationwide, population-based cohort study in Taiwan. <i>PLoS One</i> , 12(8): e0183183.
60661	Cho HB, Kim MK, Lee JK, et al (2009). Relationship of serum antioxidant micronutrients and sociodemographic factors to cervical neoplasia: a case-control study. <i>Clin Chem Lab Med</i> , 47(8): 1005-12.
7797	Chou P (1991). Review of risk factors of cervical cancer. <i>Zhonghua Yi Xue Za Zhi (Taipei)</i> , 48(2): 81-8.
97477	Chuck KW, Hwang M, Choi KS, et al (2017). Cancer screening rate in people with diabetes in the Korean population: results from the Korea National Health and Nutrition Examination Survey 2007-2009. <i>Epidemiol Health</i> , 39: e2017036.
60576	Chung SH, Franceschi S, Lambert PF (2010). Estrogen and Era: culprits in cervical cancer? <i>Trends Endocrinol Metab</i> , 21(8): 504-11.
50730	Clapp RW, Jacobs MM, Loechler EL (2008). Environmental and occupational causes of cancer: new evidence 2005-2007. <i>Rev Environ Health</i> , 23(1): 1-37.
97478	Clarke MA, Fetterman B, Cheung LC, et al (2018). Epidemiologic evidence that excess body weight increases risk of cervical cancer by decreased detection of precancer. <i>J Clin Oncol</i> , 36(12): 1184-91.
96607	Clifford GM, de Vuyst H, Tenet V, et al (2016). Effect of HIV infection on human papillomavirus types causing invasive cervical cancer in Africa. <i>J Acquir Immune Defic Syndr</i> , 73(3): 332-9.
60577	Clifford GM, Goncalves MA, Franceschi S, et al (2006). Human papillomavirus types among women infected with HIV: a meta-analysis. <i>AIDS</i> , 20(18): 2337-44.
34561	Clifford GM, Polesel J, Rickenbach M, et al (2005). Cancer risk in the Swiss HIV cohort study: associations with immunodeficiency, smoking, and highly active antiretroviral therapy. <i>J Natl Cancer Inst</i> , 97(6): 425-32.
97479	Cofie LE, Hirth JM, Wong R (2018). Chronic comorbidities and cervical cancer screening and adherence among US-born and foreign-born women. <i>Cancer Causes Control</i> , 29(11): 1105-13.

44890	Cohen PR, Kurzrock R (2007). Sarcoidosis and malignancy. <i>Clin Dermatol</i> , 25(3): 326-33.
7798	Coker AL, Rosenberg AJ, McCann MF, et al (1992). Active and passive cigarette smoke exposure and cervical intraepithelial neoplasia. <i>Cancer Epidemiol Biomarkers Prev</i> , 1(5): 349-56.
97480	Coldman A, van Niekerk D, Smith L, et al (2017). Cervical cancer incidence in British Columbia: Predicting effects of changes from Pap to human papillomavirus screening and of changes in screening participation. <i>J Med Screen</i> , 24(4): 195-200.
61863	Collins S, Rollason TP, Young LS, et al (2010). Cigarette smoking is an independent risk factor for cervical intraepithelial neoplasia in young women: a longitudinal study. <i>Eur J Cancer</i> , 46(2): 405-11.
55675	Consonni D, Pesatori AC, Zocchetti C, et al (2008). Mortality in a population exposed to dioxin after the Seveso, Italy accident in 1976: 25 years of follow-up. <i>Am J Epidemiol</i> , 167(7): 847-58.
97481	Constantinou P, Dray-Spira R, Menvielle G (2016). Cervical and breast cancer screening participation for women with conditions in France: results from a national health survey. <i>BMC Cancer</i> , 16: 255.
52243	Cooper GS, Jones S (2008). Pentachlorophenol and cancer risk: focusing the lens on specific chlorophenols and contaminants. <i>Environ Health Perspect</i> , 116(8): 1001-8.
60578	Couto E, Hemminki K (2006). Heritable and environmental components in cervical tumors. <i>Int J Cancer</i> , 119(11): 2699-701.
96609	Crum CP, Huh WK (2020). Cervical and vaginal cytology: Interpretation of results (Pap test report). Retrieved 10 June 2020, from <a href="https://www.uptodate.com/contents/cervical-and-vaginal-cytology-interpretation-of-results-pap-test-report">https://www.uptodate.com/contents/cervical-and-vaginal-cytology-interpretation-of-results-pap-test-report</a>
60579	Curtis KM, Marchbanks PA Peterson HB (2007). Neoplasia with use of intrauterine devices. <i>Contraception</i> , 75(6 Suppl): S60-9.
60621	Cust AE (2011). Physical activity and gynecologic cancer prevention. <i>Recent Results Cancer Res</i> , 186: 159-85.
53808	Cypel Y, Kang H (2008). Mortality patterns among women Vietnam-era veterans: results from a retrospective cohort study. <i>Ann Epidemiol</i> , 18(3): 244-52.
60580	Dahlstrom LA, Ylitalo N, Sundstrom K, et al (2010). Prospective study of human papillomavirus and risk of cervical adenocarcinoma. <i>Int J Cancer</i> , 127(8): 1923-30.
61053	Dal Maso L, Polesel J, Serraino D, et al (2009). Pattern of cancer risk in persons with AIDS in Italy in the HAART era. <i>Br J Cancer</i> , 100(5): 840-7.
97483	D'Alonzo M, Bounous VE, Villa M, et al (2019). Current evidence of the oncological benefit-risk profile of hormone replacement therapy. <i>Medicina (Kaunas)</i> , 55(9): 573.
97484	Danylesko I, Shimoni A (2018). Second malignancies after hematopoietic stem cell transplantation. <i>Curr Treat Options Oncol</i> , 19(2): 9.
TBA	Davies O, Rajamanoharan S, Balchandran T (2015). Cervical screening in HIV-positive women in the East of England: recent CD4 as the predictive risk factor. <i>Int J STD AIDS</i> , 26(13): 945-50. [Abstract]
96601	de Gonzalez AB, Sweetland S, Green J (2004). Comparison of risk factors for squamous cell and adenocarcinomas of the cervix: a meta-analysis. <i>Br J Cancer</i> , 90(9): 1787-91.
76853	de Martel C, Ferlay J, Franceschi S, et al (2012). Global burden of cancers attributable to infections in 2008: a review and synthetic analysis. <i>Lancet Oncol</i> , 13(6): 607-15.
97485	de Martel C, Plummer M, Vignat J, et al (2017). Worldwide burden of cancer attributable to HPV by site, country, and HPV type. <i>Int J Cancer</i> , 141(4): 664-70.

97487	de Sanjose S, Brotons M, Pavon MA (2018). The natural history of human papillomavirus infection. <i>Best Pract Res Clin Obstet Gynaecol</i> , 47: 2-13.
97486	de Sanjose S, Cruni L, Alemany L (2014). HPV in genital cancers (at the exception of cervical cancer) and anal cancers. <i>Presse Med</i> , 43(12 Pt 2): e423-8.
60581	de Sanjose S, Quint WG, Alemany L, et al (2010). Human papillomavirus genotype attribution in invasive cervical cancer: a retrospective cross-sectional worldwide study. <i>Lancet Oncol</i> , 11(11): 1048-56.
96611	De Stefani E, Moore M, Aune D, et al (2011). Mate consumption and risk of cancer: A multi-site case-control study in Uruguay. <i>Asian Pac J Cancer Prev</i> , 12(4): 1089-93.
8823	De Vet HC, Knipschild PP, Sturmans F (1993). The role of sexual factors in the aetiology of cervical dysplasia. <i>Int J Epidemiol</i> , 22(5): 798-803.
96613	del Carmen MG, Schorge JO (2018). Invasive cervical adenocarcinoma. Retrieved 10 June 2020, from <a href="https://www.uptodate.com/contents/invasive-cervical-adenocarcinoma">https://www.uptodate.com/contents/invasive-cervical-adenocarcinoma</a>
53819	Delancey JO, Alavanja MC, Coble J, et al (2009). Occupational exposure to metribuzin and the incidence of cancer in the agricultural health study. <i>Ann Epidemiol</i> , 19(6): 388-95.
97488	Delgado-Rodriguez M, Sillero-Arenas M, Martin-Moreno JM, et al (1992). Oral contraceptives and cancer of the cervix uteri. A meta-analysis. <i>Acta Obstet Gynecol Scand</i> , 71(5): 368-76.
97489	Denny L, Adewole I, Anorlu R, et al (2014). Human papillomavirus prevalence and type distribution in invasive cervical cancer in sub-Saharan Africa. <i>Int J Cancer</i> , 134(6): 1389-98.
61052	Dhar JP, Kmak D, Bhan R, et al (2001). Abnormal cervicovaginal cytology in women with lupus: a retrospective cohort study. <i>Gynecol Oncol</i> , 82(1): 4-6.
97490	Dickson EL, Vogel RI, Bliss RL, et al (2013). Multiple-type human papillomavirus (HPV) infections: a cross-sectional analysis of the prevalence of specific types in 309,000 women referred for HPV testing at the time of cervical cytology. <i>Int J Gynecol Cancer</i> , 23(7): 1295-302.
96617	Dixon D, Reed CE, Moore AB, et al (2012). Histopathologic changes in the uterus, cervix and vagina of immature CD-1 mice exposed to low doses of perfluorooctanoic acid (PFOA) in a uterotrophic assay. <i>Reprod Toxicol</i> , 33(4): 506-12.
96614	Domenico MD, Giovane G, Kouidhi S, et al (2018). HPV epigenetic mechanisms related to oropharyngeal and cervix cancers. <i>Cancer Biol Ther</i> , 19(10): 850-7.
97491	Donders GG, Depuydt CE, Bogers JP, et al (2013). Association of trichomonas vaginalis and cytological abnormalities of the cervix in low risk women. <i>PLoS One</i> , 8(12): e86266.
60568	D'Souza G, Palefsky JM, Zhong Y, et al (2010). Marijuana use is not associated with cervical human papillomavirus natural history or cervical neoplasia in HIV-seropositive or HIV-seronegative women. <i>Cancer Epidemiol Biomarkers Prev</i> , 19(3): 869-72.
97492	Dutta PK, Upadhyay A, Dutta M, et al (1990). A case control study of cancer cervix patients attending Command Hospital, Pune. <i>Indian J Cancer</i> , 27(2): 101-8.
61855	Edelstein ZR, Madeleine MM, Hughes JP, et al (2009). Age of diagnosis of squamous cell cervical carcinoma and early sexual experience. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(4): 1070-6.
60583	Einstein MH, Phaeton R (2010). Issues in cervical cancer incidence and treatment in HIV. <i>Curr Opin Oncol</i> , 22(5): 449-55.
97493	Eleuterio J Jr, Giraldo PC, Goncalves AK, et al (2014). The risk of high-grade squamous intraepithelial lesions in women with low serum levels of vitamin A. <i>Gynecol Obstet Invest</i> , 78(4): 235-8.

50739	Engels EA, Biggar RJ, Hall HI, et al (2008). Cancer risk in people infected with human immunodeficiency virus in the United States. <i>Int J Cancer</i> , 123(1): 187-94.
97494	Engels EA, Pfeiffer RM, Fraumeni JF Jr, et al (2011). Spectrum of cancer risk among US solid organ transplant recipients. <i>JAMA</i> , 306(17): 1891-901.
60584	Evans MF, Stewart-Crawford Adamson C, Schned LM, et al (2010). HPV is detectable in virtually all abnormal cervical cytology samples after reinvestigation of HPV negatives with multiple alternative PCR tests. <i>Diagn Mol Pathol</i> , 19(3): 144-50.
91039	Expert Health Panel for Per- and Poly-Fluoroalkyl Substances (PFAS) (2018). PFAS Expert Health Panel - Report to the Minister, Department of Health.
22366	Fairley CK, Sheil AG, McNeil JJ, et al (1994). The risk of ano-genital malignancies in dialysis and transplant patients. <i>Clin Nephrol</i> , 41(2): 101-5.
97495	Feng RM, Hu SY, Zhao FH, et al (2017). Role of active and passive smoking in high-risk human papillomavirus infection and cervical intraepithelial neoplasia grade 2 or worse. <i>J Gynecol Oncol</i> , 28(5): e47.
97496	Forman D, de Martel C, Lacey CJ, et al (2012). Global burden of human papillomavirus and related diseases. <i>Vaccine</i> , 30(Suppl 5): F12-23.
97497	Franceschi S, Rajkumar T, Vaccarella S, et al (2003). Human papillomavirus and risk factors for cervical cancer in Chennai, India: a case-control study. <i>Int J Cancer</i> , 107(1): 127-33.
97498	Francis A, Johnson DW, Craig JC, et al (2017). Incidence and predictors of cancer following kidney transplantation in childhood. <i>Am J Transplant</i> , 17(10): 2650-8.
4785	Franco EL (1991). Viral etiology of cervical cancer: A critique of the evidence. <i>Rev Infect Dis</i> , 13(6): 1195-206.
61893	Franco EL, Tota J (2010). Invited commentary: Human papillomavirus and risk of cervical precancer-using the right methods to answer the right questions. <i>Am J Epidemiol</i> , 171(2): 164-8.
60585	Frazer IH (2010). Cervical cancer vaccine development. <i>Sex Health</i> , 7(3): 230-4.
59769	Friedenreich CM, Neilson HK, Lynch BM (2010). State of the epidemiological evidence on physical activity and cancer prevention. <i>Eur J Cancer</i> , 46(14): 2593-604.
96618	Frumovitz M (2020). Invasive cervical cancer: Epidemiology, risk factors, clinical manifestations, and diagnosis. Retrieved 10 June 2020, from <a href="https://www.uptodate.com/contents/invasive-cervical-cancer-epidemiology-risk-factors-clinical-manifestations-and-diagnosis">https://www.uptodate.com/contents/invasive-cervical-cancer-epidemiology-risk-factors-clinical-manifestations-and-diagnosis</a>
97499	Frumovitz M, Jhingran A, Soliman PT, et al (2014). Morbid obesity as an independent risk factor for disease-specific mortality in women with cervical cancer. <i>Obstet Gynecol</i> , 124(6): 1098-104.
61856	Fujita M, Tase T, Kakugawa Y, et al (2008). Smoking, earlier menarche and low parity as independent risk factors for gynecologic cancers in Japanese: a case-control study. <i>Tohoku J Exp Med</i> , 216(4): 297-307.
60586	Gabutti G (2009). Vaccine against papilloma virus: a review of the clinical studies. <i>J Prev Med Hyg</i> , 50(2): 79-89.
97500	Gajalakshmi V, Kanimozhi V (2015). Tobacco chewing and adult mortality: a case-control analysis of 22,000 cases and 429,000 controls, never smoking tobacco and never drinking alcohol, in South India. <i>Asian Pac J Cancer Prev</i> , 16(3): 1201-6.
97501	Gajalakshmi V, Whitlock G, Peto R (2012). Social inequalities, tobacco chewing, and cancer mortality in south India: a case-control analysis of 2,580 cancer deaths among non-smoking non-drinkers. <i>Cancer Causes Control</i> , 23(Suppl 1): 91-8.



97502	Ganesan K, Sukalingam K, Xu B (2019). Impact of consumption of repeatedly heated cooking oils on the incidence of various cancers- A critical review. <i>Crit Rev Food Sci Nutr</i> , 59(3): 488-505.
97503	Garg SK, Velayso FS, Kisiel JB (2017). Intestinal and nonintestinal cancer risks for patients with Crohn's disease. <i>Gastroenterol Clin North Am</i> , 46(3): 515-29.
60659	Gavric-Lovrec V, Takac I (2010). Use of various contraceptives and human papillomavirus 16 and 18 infections in women with cervical intraepithelial neoplasia. <i>Int J STD AIDS</i> , 21(6): 424-7.
TBA	Gawande VV, Wahab SN, Zodpey SP, et al (1998). Risk factors for cancer cervix: a case control study. <i>Indian J Cancer</i> , 35(4): 164-70. [Abstract]
96620	Gazzaz MJ, Jeffery C, O'Connell DO, et al (2019). Association of human papillomavirus related squamous cell carcinomas of the oropharynx and cervix. <i>Papillomavirus Res</i> , 8: 100188.
97504	Ghasemiesfe M, Barrow B, Leonard S, et al (2019). Association between marijuana use and risk of cancer: a systematic review and meta-analysis. <i>JAMA Netw Open</i> , 2(11): e1916318.
60660	Ghosh C, Baker JA, Moysich KB, et al (2008). Dietary intakes of selected nutrients and food groups and risk of cervical cancer. <i>Nutr Cancer</i> , 60(3): 331-41.
74445	Gierisch JM, Coeytaux RR, Urrutia RP, et al (2013). Oral contraceptive use and risk of breast, cervical, colorectal, and endometrial cancers: a systematic review. <i>Cancer Epidemiol Biomarkers Prev</i> , 22(11): 1931-43.
96621	Gillet E, Meys JF, Verstraelen H, et al (2012). Association between bacterial vaginosis and cervical intraepithelial neoplasia: Systematic review and meta-analysis. <i>PLoS One</i> , 7(10): e45201.
50701	Goldacre MJ, Wotton CJ, Yeates D, et al (2008). Cancer in patients with ulcerative colitis, Crohn's disease and coeliac disease: record linkage study. <i>Eur J Gastroenterol Hepatol</i> , 20(4): 297-304.
61857	Goodman MT, Shvetsov YB, McDuffie K, et al (2007). Hawaii cohort study of serum micronutrient concentrations and clearance of incident oncogenic human papillomavirus infection of the cervix. <i>Cancer Res</i> , 67(12): 5987-96.
7799	Gram IT, Austin H, Stalsberg H (1992). Cigarette smoking and the incidence of cervical intraepithelial neoplasia, Grade III and cancer of the cervix uteri. <i>Am J Epidemiol</i> , 135(4): 341-6.
7801	Gram IT, Macaluso M, Churchill J, et al (1991). <i>Trichomonas vaginalis</i> (TV) and human papillomavirus (HPV) infection and the incidence of cervical intraepithelial neoplasia (CIN) grade III. <i>Cancer Causes Control</i> , 3(3): 231-6.
7800	Gram IT, Macaluso M, Stalsberg H (1992). Oral contraceptive use and the incidence of cervical intraepithelial neoplasia. <i>Am J Obstet Gynecol</i> , 167(1): 40-4.
97506	Groves IJ, Coleman N (2015). Pathogenesis of human papillomavirus-associated mucosal disease. <i>J Pathol</i> , 235(4): 527-38.
97507	Grulich AE, Jin F, Conway EL, et al (2010). Cancers attributable to human papillomavirus infection. <i>Sex Health</i> , 7(3): 244-52.
83167	Grulich AE, Vajdic CM (2015). The epidemiology of cancers in human immunodeficiency virus infection and after organ transplantation. <i>Semin Oncol</i> , 42(2): 247-57.
44963	Grulich AE, van Leeuwen MT, Falster MO, et al (2007). Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. <i>Lancet</i> , 370(9581): 59-67.
96622	Guan P, Clifford GM, Franceschi S (2013). Human papillomavirus types in glandular lesions of the cervix: A meta-analysis of published studies. <i>Int J Cancer</i> , 132(1): 248-50.

60587	Guarisi R, Sarian LO, Hammes LS, et al (2009). Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstet Gynecol Scand</i> , 88(5): 514-20.
72440	Guidotti TL (2014). Health Risks and Occupation as a Firefighter. Medical Advisory Services, Department of Veterans' Affairs, Commonwealth of Australia.
7802	Guijon F, Paraskevas M, Heywood E, et al (1992). Vaginal microbial flora as a cofactor in the pathogenesis of uterine cervical intraepithelial neoplasia. <i>Int. J Gynecol Obstet</i> , 37(3): 185-91.
4845	Guijon FB (1990). Sexually transmitted diseases and cervical neoplasia. <i>Curr Opin Obstet Gynecol</i> , 2(6): 857-62.
97509	Gupta S, Gupta R, Sinha DN, et al (2018). Relationship between type of smokeless tobacco & risk of cancer: A systematic review. <i>Indian J Med Res</i> , 148(1): 56-76.
60588	Guvén S, Kart C, Guvén ES, et al (2007). The underlying cause of cervical cancer in oral contraceptive users may be related to cervical mucus changes. <i>Med Hypotheses</i> , 69(3): 550-2.
7803	Halpert R, Fruchter RG, Sedlis A, et al (1986). Human papillomavirus and lower genital neoplasia in renal transplant patients. <i>Obstet Gynaecol</i> , 68(2): 251-8.
97508	Hammouda D, Munoz N, Herrero R, et al (2005). Cervical carcinoma in Algiers, Algeria: human papillomavirus and lifestyle risk factors. <i>Int J Cancer</i> , 113(3): 483-9.
53854	Hannaford PC, Selvaraj S, Elliott AM, et al (2007). Cancer risk among users of oral contraceptives: cohort data from the Royal College of General Practitioner's oral contraception study. <i>BMJ</i> , 335(7621): 651.
26184	Hansen J, Raaschou-Nielsen O, Christensen JM, et al (2001). Cancer incidence among Danish workers exposed to trichloroethylene. <i>J Occup Environ Med</i> , 43(2): 133-9.
91359	Hansen J, Sallmen M, Selden AI, et al (2013). Risk of cancer among workers exposed to trichloroethylene: analysis of three Nordic cohort studies. <i>J Natl Cancer Inst</i> , 105(12): 869-77.
60589	Harper DM, Nieminen P, Paavonen J, et al (2010). [Comment] Cervical cancer incidence can increase despite HPV vaccination. <i>Lancet Infect Dis</i> , 10(9): 594-5.
58339	Hashibe M, Straif K, Tashkin DP, et al (2005). Epidemiologic review of marijuana use and cancer risk. <i>Alcohol</i> , 35(3): 265-75.
97510	Hashimoto A, Arinyma Y, Nagai T, et al (2012). Incidence and the risk factor of malignancy in Japanese patients with systemic sclerosis. <i>Intern Med</i> , 51(13): 1683-8.
61852	Haverkos HW (2005). Multifactorial etiology of cervical cancer: a hypothesis. <i>MedGenMed</i> , 7(4): 57.
97511	Haverkos HW, Soon G, Steckley SL, et al (2003). Cigarette smoking and cervical cancer: Part I: a meta-analysis. <i>Biomed Pharmacother</i> , 57(2): 67-77.
60590	Hellberg D (2009). Nitric oxide and cervical dysplasia. <i>Acta Obstet Gynecol Scand</i> , 88(9): 1057-60.
97512	Herrero R, Brinton LA, Reeves WC, et al (1990). Sexual behavior, venereal diseases, hygiene practices, and invasive cervical cancer in a high-risk population. <i>Cancer</i> , 65(2): 380-6.
7804	Herrero R, Potischman N, Brinton LA, et al (1991). A case-control study of nutrient status and invasive cervical cancer I. Dietary factors. <i>Am J Epidemiol</i> , 134(11): 1335-46.
37023	Hill CL, Zhang Y, Sigurgeirsson B, et al (2001). Frequency of specific cancer types in dermatomyositis and polymyositis: a population-based study. <i>Lancet</i> , 357(9250): 96-100.

60592	Hjartaker A, Meo MS, Weiderpass E (2010). Alcohol and gynecological cancers: an overview. <i>Eur J Cancer Prev</i> , 19(1): 1-10.
60658	Hladik F, Hope TJ (2009). HIV infection of the genital mucosa in women. <i>Current HIV/AIDS Reports</i> , 6(1): 20-8.
7805	Holly EA, Cress RD, Ahn DK, et al (1992). Characteristics of women by smoking status in the San Francisco Bay Area. <i>Cancer Epidemiol Biomarkers Prev</i> , 1(6): 491-7.
97513	Horner P, Donders G, Cusini M, et al (2018). Should we be testing for urogenital <i>Mycoplasma hominis</i> , <i>Ureaplasma parvum</i> and <i>Ureaplasma urealyticum</i> in men and women? - a position statement from the European STI Guidelines Editorial Board. <i>J Eur Acad Dermatol Venereol</i> , 32(11): 1845-51.
60593	Hosono S, Matuso K, Kajiyama H, et al (2010). Association between dietary calcium and vitamin D intake and cervical carcinogenesis among Japanese women. <i>Eur J Clin Nutr</i> , 64(4): 400-9.
97515	Hsu CY, Ko CH, Wang JL, et al (2019). Comparing the burdens of opportunistic infections among patients with systemic rheumatic diseases: a nationally representative cohort study. <i>Arthritis Res Ther</i> , 21(1): 211.
97514	Hsu PC, Lin WH, Kuo TH, et al (2015). A population-based cohort study of all-cause and site-specific cancer incidence among patients with type 1 diabetes mellitus in Taiwan. <i>J Epidemiol</i> , 25(9): 567-73.
97517	Huang X, Shu C, Chen L, et al (2018). Impact of sex, body mass index and initial pathologic diagnosis age on the incidence and prognosis of different types of cancer. <i>Oncol Rep</i> , 40(3): 1359-69.
97516	Huang YH, Zhang ZF, Tashkin DP, et al (2015). An epidemiologic review of marijuana and cancer: an update. <i>Cancer Epidemiol Biomarkers Prev</i> , 24(1): 15-31.
7806	Hunter RD (1995). Carcinoma of the cervix. M Peckham, H Pinedo, U Veronesi (Eds). <i>Oxford Textbook of Oncology</i> , 2 9.3: 1324-49. Oxford University Press Inc. New York.
61858	Hussain S, Madeleine MM, Johnson LG, et al (2008). Cervical and vulvar cancer risk in relation to the joint effects of cigarette smoking and genetic variation of Interleukin 2. <i>Cancer Epidemiol Biomarkers Prev</i> , 17(7): 1790-9.
60594	Hutfless S, Fireman B, Kane S, et al (2008). Screening differences and risk of cervical cancer in inflammatory bowel disease. <i>Aliment Pharmacol Ther</i> , 28(5): 598-605.
60595	Hwang JH, Kim MK, Lee JK (2010). Dietary supplements reduce the risk of cervical intraepithelial neoplasia. <i>Int J Gynecol Cancer</i> , 20(3): 398-403.
60596	Hwang JH, Lee JK, Kim TJ, et al (2010). The association between fruit and vegetable consumption and HPV viral load in high-risk HPV-positive women with cervical intraepithelial neoplasia. <i>Cancer Causes Control</i> , 21(1): 51-9.
61868	IARC (1991). Occupational exposures in insecticide application and some pesticides. IARC monographs in the evaluation of carcinogenic risks to humans, 53: 80.
61860	IARC (2002). Cervical Cancer. IARC Handbooks of Cancer Prevention, 133. IARC Press, Lyon.
61867	IARC (2004). Tobacco smoke and involuntary smoking. IARC Monographs on the evaluation of carcinogenic risks to humans, Vol 83: 743-86.
47028	IARC (2007). Human papillomaviruses. IARC monographs on the evaluation of carcinogenic risks to humans, Vol 90.
61890	IARC Working Group (2007). Combined Estrogen-Progestogen contraceptives and combined estrogen-progestogen menopausal therapy. IARC Monographs on the evaluations of carcinogenic risks to humans,

	Vol 91. World Health Organization, International Agency for Research on Cancer, Lyon France.
68411	IARC Working Group (2009). Biological agents. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B. World Health Organization, International Agency for Research on Cancer, Lyon France.
60298	IARC Working Group (2010). Household use of solid fuels and high-temperature frying. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 95. World Health Organization, International Agency for Research on Cancer, Lyon France.
60195	IARC Working Group (2010). Painting, Firefighting, and Shiftwork. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 98. World Health Organization, International Agency for Research on Cancer, Lyon France.
65098	IARC Working Group (2009). Part E: Personal habits and indoor combustion. Chapter: Betel quid and areca nut. IARC Monographs, 100: 337-76. World Health Organization, International Agency for Research on Cancer, Lyon France.
91622	IARC Working Group (2018). DDT, Lindane, and 2,4-D. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 113. International Agency for Research on Cancer.
92193	IARC Working Group (2018). Drinking coffee, mate and very hot beverages. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 116. World Health Organization, International Agency on Research on Cancer, Lyon France.
78060	IARC Working Group (2019). Pentachlorophenol and Some Related Compounds. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 17. World Health Organization , International Agency on Research on Cancer, Lyon France.
97519	IARC Working Group (1986). Screening for squamous cervical cancer: duration of low risk after negative results of cervical cytology and its implication for screening policies. IARC Working Group on evaluation of cervical cancer screening programmes. Br Med J (Clin Res Ed), 293(6548): 659-64.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. International Agency for Research on Cancer, Lyon France.
89043	IARC Working Group (2017). Some organophosphate insecticides and herbicides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 112. International Agency for Research on Cancer, Lyon.
73356	IARC Working Group (2012). Trichloroethylene, tetrachloroethylene, and some chlorinated agents. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 106. World Health Organization International Agency for Research on Cancer. Lyon, France.
60284	IARC Working Group (2010). Alcohol consumption and ethyl carbamate. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 96. World Health Organization, International Agency for Research on Cancer, Lyon France.
61859	Insinga RP, Dasback EJ, Elbasha E (2009). Epidemiologic natural history and clinical management of human papillomavirus (HPV) disease: a critical and systematic review of the literature in the development of an HPV dynamic transmission model. BMC Infect Dis, 9: 119.
8056	Inskip PD, Monson RR, Wagoner JK, et al (1991). [Erratum] Cancer mortality following radium treatment for uterine bleeding. Radiation Research, 128(3): 326. ID: 8054.
8054	Inskip PD, Monson RR, Wagoner JK, et al (1990). Cancer mortality following radium treatment for uterine bleeding. Radiation Research, 123(3): 331-44.

61864	Institute of Medicine (2009). Veterans and Agent Orange Update 2008, Chapter 6: 311-5. National Academies Press - Washington, DC.
TBA	International Collaboration of Epidemiological Studies of Cervical Cancer (2007). Comparison of risk factors for invasive squamous cell carcinoma and adenocarcinoma of the cervix: collaborative reanalysis of individual data on 8,097 women with squamous cell carcinoma and 1,374 women with adenocarcinoma from 12 epidemiological studies. <i>Int J Cancer</i> , 120(4): 885-91.
TBA	International Collaboration of Epidemiological Studies of Cervical Cancer (2006). Carcinoma of the cervix and tobacco smoking: collaborative reanalysis of individual data on 13,541 women with carcinoma of the cervix and 23,017 women without carcinoma of the cervix from 23 epidemiological studies. <i>Int J Cancer</i> , 118(6): 1481-95.
61865	International Collaboration of Epidemiological Studies of Cervical Cancer, Appleby P, Beral V, et al (2007). Cervical cancer and hormonal contraceptives: collaborative reanalysis of individual data for 16573 women with cervical cancer and 35509 women without cervical cancer from 24 epidemiological studies. <i>Lancet</i> , 370(9599): 1609-21.
97520	Iversen L, Sivasubramanian S, Lee AJ, et al (2017). Lifetime cancer risk and combined oral contraceptives: the Royal College of General Practitioners' Oral Contraception Study. <i>Am J Obstet Gynecol</i> , 216(6): 580.e1-580.e9.
97521	Jaisamrarn U, Castellsague X, Garland SM, et al (2013). Natural history of progression of HPV infection to cervical lesion or clearance: analysis of the control arm of the large, randomised PATRICIA study. <i>PLoS One</i> , 8(11): e79260.
81964	Jalil NA, Zin AA, Othman NH (2015). Prevalence of cancers of female organs among patients with diabetes type 2 in Kelantan, Malaysia: observations over an 11 year period and strategies to reduce the incidence. <i>Asian Pac J Cancer Prev</i> , 16(16): 7267-70.
97522	Jayant K, Notani PN, Gadre VV, et al (1987). Personal hygiene in groups with varied cervical cancer rates: a study in Bombay. <i>Indian J Cancer</i> , 24(1): 47-52.
61869	Jayshree RS, Sreenivas A, Tessy M, et al (2009). Cell intrinsic & extrinsic factors in cervical carcinogenesis. <i>Indian J Med Res</i> , 130(3): 286-95.
97523	Jensen KE, Thomsen LT, Schmiedel S, et al (2014). Chlamydia trachomatis and risk of cervical intraepithelial neoplasia grade 3 or worse in women with persistent human papillomavirus infection: a cohort study. <i>Sex Transm Infect</i> , 90(7): 550-5.
97524	Jess T, Horvath-Puho E, Fallingborg J, et al (2013). Cancer risk in inflammatory bowel disease according to patient phenotype and treatment: a Danish population-based cohort study. <i>Am J Gastroenterol</i> , 108(12): 1869-76.
30684	Jess T, Winther KV, Munkholm P, et al (2004). Intestinal and extra-intestinal cancer in Crohn's disease: follow-up of a population-based cohort in Copenhagen County, Denmark. <i>Aliment Pharmacol Ther</i> , 19(3): 287-93.
97525	Jochems SH, Van Osch FH, Bryan RT, et al (2018). Impact of dietary patterns and the main food groups on mortality and recurrence in cancer survivors: a systematic review of current epidemiological literature. <i>BMJ Open</i> , 8(2): e014530.
7807	Johnstone FD, McGoogan E, Smart GE, et al (1994). A population-based, controlled study of the relation between HIV infection and cervical neoplasia. <i>Br J Obstet Gynaecol</i> , 101(11): 986-91.
7808	Jones CJ, Brinton LA, Hamman RF, et al (1990). Risk factors for in situ cervical cancer: results from a case-control study. <i>Cancer Res</i> , 50(12): 3657-62.

81765	Jordan SJ, Wilson LF, Nagle CM, et al (2015). Cancers in Australia in 2010 attributable to and prevented by the use of combined oral contraceptives. <i>Aust N Z J Public Health</i> , 39(5): 441-5.
81766	Jordan SJ, Wilson LF, Nagle CM, et al (2015). Cancers in Australia in 2010 attributable to and prevented by the use of menopausal hormone therapy. <i>Aust N Z J Public Health</i> , 39(5): 434-40.
97526	Joseph N, Nelliyanil M, Supriya K, et al (2016). Association between occupational history of exposure to tobacco dust and risk of carcinoma cervix: a case-control study. <i>Indian J Cancer</i> , 53(1): 44-9.
96623	Josyula S, Lin J, Xue X, et al (2015). Household air pollution and cancers other than lung: a meta-analysis. <i>Environ Health</i> , 14: 24.
TBA	Jung YS, Han M, Park S, et al (2017). Cancer risk in the early stages of inflammatory bowel disease in Korean patients: a nationwide population-based study. <i>J Crohns Colitis</i> , 11(8); 954-62.
97527	Jussawalla DJ, Deshpande VA, Standfast SJ (1971). Assessment of risk patterns in cancer of the cervix: a comparison between greater Bombay and western countries. <i>Int J Cancer</i> , 7(2): 259-68.
97528	Kamineni A, Weinmann S, Shy KK, et al (2013). Efficacy of screening in preventing cervical cancer among older women. <i>Cancer Causes Control</i> , 24(9): 1653-60.
61051	Kane S, Khatibi B, Reddy D (2008). Higher incidence of abnormal pap smears in women with inflammatory bowel disease. <i>Am J Gastroenterol</i> , 103(3): 631-6.
97529	Kang WD, Ju UC, Kim SM (2018). Is human papillomavirus genotype important in predicting disease progression in women with biopsy-proven negative or CIN1 of atypical squamous cell of undetermined significance (ASC-US) cytology? <i>Gynecol Oncol</i> , 148(2): 305-10.
61845	Kapeu AS, Luostarinen T, Jellum E, et al (2008). Is smoking an independent risk factor for invasive cervical cancer? A nested case-control study within nordic biobanks. <i>Am J Epidemiol</i> , 169(4): 480-8.
97530	Kappelman MD, Farkas DK, Long MD, et al (2014). Risk of cancer in patients with inflammatory bowel diseases: a nationwide population-based cohort study with 30 years of follow-up evaluation. <i>Clin Gastroenterol Hepatol</i> , 12(2): 265-73.e1.
97531	Kasifoglu T, Yasar Bilge S, Yildiz F, et al (2016). Risk factors for malignancy in systemic sclerosis patients. <i>Clin Rheumatol</i> , 35(6): 1529-33.
8826	Kataja V, Syrjanen S, Yliskoski M, et al (1993). Risk factors associated with cervical human papillomavirus infections: a case-control study. <i>Am J Epidemiol</i> , 138(9): 735-45.
3337	Katz RM, Jowett D (1981). Female laundry and dry cleaning workers in Wisconsin: a mortality analysis. <i>Am J Public Health</i> , 71(3): 305-7.
60627	Kaya T, Ozan H, Ozakin C (2009). The presence of <i>Helicobacter pylori</i> in cervical preinvasive lesions. <i>Clin Exp Obstet Gynecol</i> , 36(2): 113-5.
97532	Kellerman L, Neugut A, Burke B, et al (2009). Comparison of the incidence of de novo solid malignancies after heart transplantation to that in the general population. <i>Am J Cardiol</i> , 103(4): 562-6.
7809	Kharsany AB, Hoosen AA, Moodley J, et al (1993). The association between sexually transmitted pathogens and cervical intra-epithelial neoplasia in a developing community. <i>Genitourin Med</i> , 69(5): 357-60.
97533	Kienka T, Varga MG, Caves J, et al (2019). Epstein-Barr virus, but not human cytomegalovirus, is associated with a high grade human papillomavirus-associated cervical lesions among women in North Carolina. <i>J Med Virol</i> , 91(3): 450-6.
97534	Kietpeerakool C, Kleebkaow P, Srisomboon J (2015). Human papillomavirus genotype distribution among Thai women with high-grade

	cervical intraepithelial lesions and invasive cervical cancer: a literature review. <i>Asian Pac J Cancer Prev</i> , 16(13): 5153-8.
60746	Kim J, Kim MK, Lee JK, et al (2010). Intakes of vitamin A, C, and E, and B-carotene are associated with risk of cervical cancer: a case-control study in Korea. <i>Nutr Cancer</i> , 62(2): 181-9.
97535	Kim JW, Song SH, Jin CH, et al (2012). Factors affecting the clearance of high-risk human papillomavirus infection and the progression of cervical intraepithelial neoplasia. <i>J Int Med Res</i> , 40(2): 486-96.
97536	Kim SC, Glynn RJ, Giovannucci E, et al (2015). Risk of high-grade cervical dysplasia and cervical cancer in women with systemic inflammatory diseases: a population-based cohort study. <i>Ann Rheum Dis</i> , 74(7): 1360-7.
97537	Kim SC, Schneeweiss S, Liu J, et al (2016). Biologic disease-modifying antirheumatic drugs and risk of high-grade cervical dysplasia and cervical cancer in rheumatoid arthritis: a cohort study. <i>Arthritis Rheumatol</i> , 68(9): 2106-13.
97538	Kim SK, Jang JY, Kim DL, et al (2020). Site-specific cancer risk in patients with type 2 diabetes: a nationwide population-based cohort study in Korea. <i>Korean J Intern Med</i> , 35(3): 641-51.
4787	Kjaer AK, Engholm G, Dahl C, et al (1993). Case-control study of risk factors for cervical squamous cell neoplasia in Denmark. III. Role of oral contraceptive use. <i>Cancer Causes Control</i> , 4(6): 513-9.
7810	Kjaer SK, de Villiers EM, Caglayan H, et al (1993). Human papillomavirus, herpes simplex virus and other potential risk factors for cervical cancer in a high-risk area (Greenland) and a low-risk area (Denmark)--a second look. <i>Br J Cancer</i> , 67(4): 830-7.
97539	Klaunig JE, Hocevar BA, Kamendulis LM (2012). Mode of action analysis of perfluorooctanoic acid (PFOA) tumorigenicity and human relevance. <i>Reprod Toxicol</i> , 33(4): 410-8.
61870	Koshiol J, Lindsay L, Pimenta JM, et al (2008). Persistent human papillomavirus infection and cervical neoplasia: a systemic review and meta-analysis. <i>Am J Epidemiol</i> , 168(2): 123-37.
60597	Koutsky L (2009). The epidemiology behind the HPV vaccine discovery. <i>Ann Epidemiol</i> , 19(4): 239-44.
97541	Kricker A, Burns L, Goumas C, et al (2013). Cervical screening, high-grade squamous lesions, and cervical cancer in illicit drug users. <i>Cancer Causes Control</i> , 24(7): 1449-57.
97542	Krisl JC, Doan VP (2017). Chemotherapy and transplantation: the role of immunosuppression in malignancy and a review of antineoplastic agents in solid organ transplant recipients. <i>Am J Transplant</i> , 17(8): 1974-91.
97543	Kuo CF, Luo SF, Yu KH, et al (2012). Cancer risk among patients with systemic sclerosis: a nationwide population study in Taiwan. <i>Scand J Rheumatol</i> , 41(1): 44-9.
7812	La Vecchia C, Decarli A, Fasoli M, et al (1988). Dietary Vitamin A and the risk of intraepithelial and invasive cervical neoplasia. <i>Gynecol Oncol</i> , 30(2): 187-95.
7813	La Vecchia C, Franceschi S, Decarli A, et al (1986). Cigarette smoking and the risk of cervical neoplasia. <i>Am J Epidemiol</i> , 123(1): 22-9.
97544	Lacey JV Jr, Brinton LA, Barnes WA, et al (2000). Use of hormone replacement therapy and adenocarcinomas and squamous cell carcinomas of the uterine cervix. <i>Gynecol Oncol</i> , 77(1): 149-54.
60598	Lau HY, Twu NF, Chen PC, et al (2009). The relationship between human papillomavirus and Epstein-Barr virus infections in relation to age of patients with cervical adenocarcinoma. <i>Taiwan J Obstet Gynecol</i> , 48(4): 370-4.
97545	Lee JE, Han SH, Cho BC, et al (2009). Cancer in patients on chronic dialysis in Korea. <i>J Korean Med Sci</i> , 24(Suppl 1): S95-101.

97546	Lee JK, So KA, Piyathilake CJ, et al (2013). Mild obesity, physical activity, calorie intake, and the risks of cervical intraepithelial neoplasia and cervical cancer. <i>PLoS One</i> , 8(6): e66555.
91892	Lee P, Thornton A, Hamling J (2016). Epidemiological evidence on environmental tobacco smoke and cancers other than lung or breast. <i>Regul Toxicol Pharmacol</i> , 80: 134-63.
66671	Lee PN, Hamling J (2009). Systemic review of the relation between smokeless tobacco and cancer in Europe and North America. <i>BMC Med</i> , 7: 36.
97547	Lee YC, Hung SY, Wang HK, et al (2018). Is there different risk of cancer among end-stage renal disease patients undergoing hemodialysis and peritoneal dialysis? <i>Cancer Med</i> , 7(2): 485-98.
60599	Lees CW, Critchley J, Chee N, et al (2009). Lack of association between cervical dysplasia and IBD: a large case-control study. <i>Inflamm Bowel Dis</i> , 15(11): 1621-9.
61849	Lehtinen M, Ault KA, Lyytikainen E, et al (2011). Chlamydia trachomatis infections and risk of cervical intraepithelial neoplasia. <i>Sex Transm Infect</i> , 87(5): 372-6
4788	Lehtinen M, Hakama M, Aaran RK, et al (1992). Herpes simplex virus type 2 infection and cervical cancer: a prospective study of 12 years of follow-up in Finland. <i>Cancer Causes Control</i> , 3(4): 333-8.
61871	Leitao MM, White P, Cracchiolo B (2007). Cervical cancer in patients infected with the human immunodeficiency virus. <i>Cancer</i> , 112(12): 2683-9.
8937	Ley C, Bauer HM, Reingold A, et al (1991). Determinants of genital human papillomavirus infection in young women. <i>J Natl Cancer Inst</i> , 83(14): 997-1003.
96624	Li X, Yu C, Guo Y, et al (2019). Association between tea consumption and risk of cancer: a prospective cohort study of 0.5 million Chinese adults. <i>Eur J Epidemiol</i> , 34(8): 753-63.
7815	Licciardone JC, Wilkins JR 3rd, Brownson RC, et al (1989). Cigarette smoking and alcohol consumption in the aetiology of uterine cervical cancer. <i>Int J Epidemiol</i> , 18(3): 533-7.
97548	Likes W, Santoso JT, Wan J (2013). A cross-sectional analysis of lower genital tract intraepithelial neoplasia in immune-compromised women with an abnormal Pap. <i>Arch Gynecol Obstet</i> , 287(4): 743-7.
8880	Liljestrand J, Josefsson G, Brannstrom M (1993). Characteristics of young female smokers in a Swedish primary health care area. <i>Scand J Prim Health Care</i> , 11(2): 157-60.
91860	Lin MY, Kuo MC, Hung CC, et al (2015). Association of dialysis with the risks of cancers. <i>PLoS One</i> , 10(4): e0122856.
96625	Lin W, Niu Z, Zhang H, et al (2019). Imbalance of Th1/Th2 and Th17/Treg during the development of uterine cervical cancer. <i>Int J Clin Exp Pathol</i> , 12(9): 3604-12.
97550	Liu Z, Mahale P, Engels EA (2019). Sepsis and risk of cancer among elderly adults in the United States. <i>Clin Infect Dis</i> , 68(5): 717-24.
TBA	Longatto-Filho A, Hammes LS, Sarian LO, et al (2011). Hormonal contraceptives and the length of their use are not independent risk factors for high-risk HPV infections or high-grade CIN. <i>Gynecol Obstet Invest</i> , 71(2): 93-103. [Abstract]
97551	Lonnberg S, Hansen BT, Haldorsen T, et al (2015). Cervical cancer prevented by screening: Long-term incidence trends by morphology in Norway. <i>Int J Cancer</i> , 137(7): 1758-64.
97552	Loopik, DL, IntHout J, Melchers WJ, et al (2020). Oral contraceptive and intrauterine device use and the risk of cervical intraepithelial neoplasia grade III or worse: a population-based study. <i>Eur J Cancer</i> , 124: 102-9.



97553	Louie KS, Castellsague X, de Sanjose S, et al (2011). Smoking and passive smoking in cervical cancer risk: pooled analysis of couples from the IARC multicentric case-control studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 20(7): 1379-90.
61872	Louie KS, de Sanjose S, Diaz M, et al (2009). Early age at first sexual intercourse and early pregnancy are risk factors for cervical cancer in developing countries. <i>Br J Cancer</i> , 100(7): 1191-7.
7816	Lowe D, Hudson CN (1995). Sarcoma and melanoma of the female genital system. M Peckham, H Pinedo, U Veronesi (Eds). <i>Oxford Textbook of Oncology</i> , 2 9.8: 1395, 1398-9, 1401-3. Oxford University Press Inc. New York.
97554	Loy EY, Choong HL, Chow KY (2013). Cancer among end-stage renal disease patients on dialysis. <i>Ann Acad Med Singapore</i> , 42(12): 640-5.
42462	Lynge E, Andersen A, Rylander L, et al (2006). Cancer in persons working in dry cleaning in the Nordic countries. <i>Environ Health Perspect</i> , 114(2): 213-9.
TBA	Lynge E, Rygaard C, Vazquez-Prada Baillet M, et al (2014). Cervical cancer screening at crossroads. <i>APMIS</i> , 122(8): 667-73.
60600	Madeleine MM, Anttila T, Schwartz SM, et al (2006). Risk of cervical cancer associated with Chlamydia trachomatis antibodies by histology, HPV type and HPV cofactors. <i>Int J Cancer</i> , 120(3): 650-5.
97555	Madeleine MM, Finch JL, Lynch CF, et al (2013). HPV-related cancers after solid organ transplantation in the US. <i>Am J Transplant</i> , 13(12): 3202-9.
97556	Magro F, Peyrin-Biroulet L, Sokol H, et al (2014). Extra-intestinal malignancies in inflammatory bowel disease: results of the 3rd ECCO Pathogenesis Scientific Workshop (III). <i>J Crohns Colitis</i> , 8(1): 31-44.
60605	Mahadevan U (2009). Cervical neoplasia risk in IBD: truth or hysteria? <i>Inflamm Bowel Dis</i> , 15(11): 1619-20.
97557	Mahmud SM, Kliwer EV, Lambert P, et al (2014). Effectiveness of the quadrivalent human papillomavirus vaccine against cervical dysplasia in Manitoba, Canada. <i>J Clin Oncol</i> , 32(5): 438-43.
97558	Maisonneuve P, Agodoa L, Gellert R, et al (1999). Cancer in patients on dialysis for end-stage renal disease: an international collaborative study. <i>Lancet</i> , 354(9173): 93-9.
61050	Malouf MA, Hopkins PM, Singleton L, et al (2004). Sexual health issues after lung transplantation: importance of cervical screening. <i>J Heart Lung Transplant</i> , 23(7): 894-7.
TBA	Mao S, Shen H, Zhang J (2016). Systemic lupus erythematosus and malignancies risk. <i>J Cancer Res Clin Oncol</i> , 142(1): 253-62.
97560	Marehbian J, Arrighi HM, Hass S, et al (2009). Adverse events associated with common therapy regimens for moderate-to-severe Crohn's disease. <i>Am J Gastroenterol</i> , 104(10): 2524-33.
TBA	Marinho-Dias J, Ribeiro J, Monteiro P, et al (2013). Characterization of cytomegalovirus and Epstein-Barr virus infection in cervical lesions in Portugal. <i>J Med Virol</i> , 85(8): 1409-13. [Abstract].
60601	Mariani L (2009). HPV-vaccine and screening programs: the new era of global prevention. <i>J Prev Med Hyg</i> , 50(2): 90-5.
97561	Marinho-Dias J, Sousa H (2013). Cytomegalovirus infection and cervical cancer: from past doubts to present questions. <i>Acta Med Port</i> , 26(2): 154-60.
4828	Martin PM, Hill GB (1984). Cervical cancer in relation to tobacco and alcohol consumption in Lesotho, Southern Africa. <i>Cancer Detect Prev</i> , 7(2): 109-15.
97601	Marschalek J, Helmy S, Schmidt A, et al (2015). Prevalence of genital dysplasia after kidney transplantation--a retrospective, non-interventional study from two centers. <i>Acta Obstet Gynecol Scand</i> , 94(8): 891-7.

97603	Martling A, Smedby KE, Birgisson H, et al (2017). Risk of second primary cancer in patients treated with radiotherapy for rectal cancer. <i>Br J Surg</i> , 104(3): 278-87.
97605	Maruthur NM, Bolen SD, Brancati FL, et al (2009). The association of obesity and cervical cancer screening: a systematic review and meta-analysis. <i>Obesity (Silver Spring)</i> , 17(2): 375-81.
61873	Mathew A, George PS (2009). Trends in incidence and mortality rates squamous cell carcinoma and adenocarcinoma of cervix - worldwide. <i>Asian Pac J Cancer Prev</i> , 10(4): 645-50.
60622	Mathur V, John PJ, Soni I, et al (2008). Blood levels of organochlorine pesticide residues and risk of reproductive tract cancer among women from Jaipur, India. <i>Adv Exp Med Biol</i> , 617: 387-94.
61874	Maucort-Boulch D, Franceschi S, Plummer M, et al (2008). International correlation between human papillomavirus prevalence and cervical cancer incidence. <i>Cancer Epidemiol Biomarkers Prev</i> , 17(3): 717-20.
60602	McKenzie ND, Kobetz EN, Hnatyszyn J, et al (2010). Women with HIV are more commonly infected with non-16 and -18 high-risk HPV types. <i>Gynecol Oncol</i> , 116(3): 572-7.
7875	Medline on Ovid Edition (1996). Ovid v3.0 search software (current to month 1996). US National Library of Medicine, 1996 Edition, CD Plus Technologies Inc. New York.
61049	Meeuwis KA, van Rossum MM, Hoitsma AJ, et al (2011). (Pre)malignancies of the female anogenital tract in renal transplant recipients. <i>Transplantation</i> , 91(1): 8-10.
97606	Melnikow J, Henderson JT, Burda BU, et al (2018). Screening for cervical cancer with high-risk human papillomavirus testing: Updated evidence report and systematic review for the US Preventive Services Task Force. <i>JAMA</i> , 320(7): 687-705.
55343	Mills PK, Shah P (2014). Cancer incidence in California farm workers, 1988-2010. <i>Am J Ind Med</i> , 57(7): 737-47.
97609	Min KJ, Lee JK, Lee S, et al (2013). Alcohol consumption and viral load are synergistically associated with CIN1. <i>PLoS One</i> , 8(8): e72142.
61875	Minkoff H, Zhong Y, Strickler HD, et al (2008). The relationship between cocaine use and human papillomavirus infections in HIV-Seropositive and HIV-Seronegative women. <i>Infect Dis Obstet Gynecol</i> , 587082.
4790	Mitchell H, Drake M, Medley G (1986). Prospective evaluation of risk of cervical cancer after cytological evidence of human papilloma virus infection. <i>Lancet</i> , 1(8481): 573-5.
97612	Mittal S, Basu P, Muwonge R, et al (2017). Risk of high-grade precancerous lesions and invasive cancers in high-risk HPV-positive women with normal cervix or CIN 1 at baseline-A population-based cohort study. <i>Int J Cancer</i> , 140(8): 1850-9.
42543	Modesitt SC, van Nagell JR (2005). The impact of obesity on the incidence and treatment of gynecologic cancers: a review. <i>Obstet Gynecol Surv</i> , 60(10): 683-92.
61876	Moktar A, Ravoori S, Vadhanam MV, et al (2009). Cigarette smoke-induced DNA damage and repair detected by the comet assay HPV-transformed cervical cells. <i>Int J Oncol</i> , 35(6): 1297-304.
97613	Moreno V, Bosch FX, Munoz N, et al (2002). Effect of oral contraceptives on risk of cervical cancer in women with human papillomavirus infection: the IARC multicentric case-control study. <i>Lancet</i> , 359(9312): 1085-92.
4827	Morrison EA, Ho GY, Vermund SH, et al (1991). Human papillomavirus infection and other risk factors for cervical neoplasia: A case-control study. <i>Int J Cancer</i> , 49(1): 6-13.
61877	Moscicki AB, Ma Y, Wibbelsman C, et al (2010). Rate of risks for regression of CIN-2 in adolescents and young women. <i>Obstet Gynecol</i> , 116(6): 1373-80.

7818	Mukherjee BN, Sengupta S, Chaudhuri S, et al (1994). A case-control study of reproductive risk factors associated with cervical cancer. <i>Int J Cancer</i> , 59(4): 476-82.
7819	Munoz F, Bosch FX (1989). Epidemiology of cervical cancer. <i>IARC Sci Publ</i> , (94):9-39
4826	Munoz N, Bosch FX (1992). HPV and cervical neoplasia: review of case-control and cohort studies. <i>IARC Sci Publ</i> , (119): 251-61.
7821	Munoz N, Bosch FX, de Sanjose S, et al (1993). Risk factors for cervical intraepithelial neoplasia grade 111/carcinoma in situ in Spain and Colombia. <i>Cancer Epidemiol Biomarkers Prev</i> , 2(5): 423-31.
7820	Munoz N, Bosch FX, de Sanjose S, et al (1994). The role of HPV in the aetiology of cervical cancer. <i>Mutat Res</i> , 305(2): 293-301.
TBA	Murthy NS, Mathew A, (2000). Risk factors for pre-cancerous lesions of the cervix. <i>Eur J Cancer Prev</i> , 9(1): 5-14.
90078	Muthuppalaniappan VM, Wiles KS, Mukerjee D, et al (2016). Silent obstruction in a young woman with systemic lupus erythematosus: a case report and literature review on kidney injury from ureteral endometriosis. <i>Postgrad Med</i> , 128(3): 307-10.
TBA	Myung SK, Ju W, Kim SC, et al (2011). Vitamin or antioxidant intake (or serum level) and risk of cervical neoplasm: a meta-analysis. <i>BJOG</i> , 118(11): 1285-91.
90277	National Academies of Sciences, Engineering, and Medicine (2018). <i>Veterans and Agent Orange: Update 11</i> . National Academy of Sciences, Washington, D.C. National Academy Press.
62270	National Cervical Screening Program (2009). Human papillomavirus (hpv) dna testing. Retrieved 10 October 2011, from <a href="http://www.health.gov.au/internet/screening/publishing.nsf/content/cv-hpv-dna">http://www.health.gov.au/internet/screening/publishing.nsf/content/cv-hpv-dna</a>
TBA	National Cervical Screening Program (2020). National Cervical Screening Program. Australian Government Department of Health. Retrieved 24 May 2020 from <a href="http://www.cancerscreening.gov.au/internet/screening/publishing.nsf/Content/national-cervical-screening-program-policies">http://www.cancerscreening.gov.au/internet/screening/publishing.nsf/Content/national-cervical-screening-program-policies</a> Accessed 24/05/2020.
62269	National Cervical Screening Program (2008). New technologies for cervical screening. Retrieved 10 October 2011, from <a href="http://www.health.gov.au/internet/screening/publishing.nsf/content/new-technology-policy">http://www.health.gov.au/internet/screening/publishing.nsf/content/new-technology-policy</a>
62268	National Cervical Screening Program (2011). NCSP Policies. Retrieved 10 October 2011, from <a href="http://www.health.gov.au/internet/screening/publishing.nsf/content/NCSP-Policies-1">http://www.health.gov.au/internet/screening/publishing.nsf/content/NCSP-Policies-1</a>
62310	National Health and Medical Research Council (2005). Screening to prevent cervical cancer: Guidelines for the management of asymptomatic women with screen detected abnormalities. National Cervical Screening Program, Commonwealth of Australia.
TBA	Natphopsuk S, Settheetham-Ishida W, Pientong C, et al (2013). Human papillomavirus genotypes and cervical cancer in northeast Thailand. <i>Asian Pac J Cancer Prev</i> , 14(11): 6961-4.
TBA	Nitschmann C, May T, Mirkovic J, et al (2016). Screening history among women with invasive cervical cancer in an academic medical center: will we miss cancers following updated guidelines? <i>J Womens Health (Larchmt)</i> , 25(8): 826-31.
60569	No authors listed (2010). Statbite: Proportion of specific cancers caused by HPV. <i>J Natl Can Inst</i> , 102(12): 839.
TBA	Nobbenhuis MA, Walboomers JM, Helmerhorst TJ, et al (1999). Relation of human papillomavirus status to cervical lesions and consequences for cervical-cancer screening: a prospective study. <i>Lancet</i> , 354(9172): 20-5.

TBA	Nygaard M, Hansen BT, Dillner J, et al (2014). Targeting human papillomavirus to reduce the burden of cervical, vulvar and vaginal cancer and pre-invasive neoplasia: establishing the baseline for surveillance. <i>PLoS One</i> , 9(2): e88323.
TBA	O'Donnell RL, Clement KM, Edmonson RJ (2016). Hormone replacement therapy after treatment for a gynaecological malignancy. <i>Curr Opin Obstet Gynecol</i> , 28(1): 32-41.
TBA	Oberaigner W, Ebenbichler C, Oberaigner K, et al (2014). Increased cancer incidence risk in type 2 diabetes mellitus: results from a cohort study in Tyrol/Austria. <i>BMC Public Health</i> , 14: 1058.
TBA	Oh HY, Kim MK, Seo S, et al (2015). Alcohol consumption and persistent infection of high-risk human papillomavirus. <i>Epidemiol Infect</i> , 143(7): 1442-50.
96626	Olver IN, Roder D (2017). History, development and future of cancer screening in Australia. <i>Public Health Res Pract</i> , 27(3): 2731725.
TBA	Ortiz AP, Perez-Irizarry J, Soto-Salgado M, et al (2014). Human papillomavirus-related cancers among people living with AIDS in Puerto Rico. <i>Prev Chronic Dis</i> , 11: E80.
61878	Palefsky J (2009). Human papillomavirus-related disease in people with HIV. <i>Curr Opin HIV AIDS</i> , 4(1): 52-6.
4791	Palmer JP, Spratt DW (1956). Pelvic carcinoma following irradiation for benign gynecological diseases. <i>Am J Obstet Gynecol</i> , 72(3): 497-505.
TBA	Paluszkiewicz A, Pruski D, Iwaniec K, et al (2017). Comparison of the diagnostic value of cervical cytology and HPV hr DNA testing for the diagnosis of low-grade and high-grade squamous intraepithelial lesions across different age groups. <i>Gineko Pol</i> , 88(3): 141-6.
60603	Pantanowitz L, Michelow P (2011). Review of human immunodeficiency virus (HIV) and squamous lesions of the uterine cervix. <i>Diagn Cytopathol</i> , 39(1): 65-72.
7822	Parazzini F, Cavalieri d'Oro L, Negri E, et al (1992). Determinants of sexual habits in Italian females. <i>Genitourin Med</i> , 68(6): 394-8.
7823	Parazzini F, La Vecchia C, Negri E, et al (1989). Reproductive factors and the risk of invasive and intraepithelial cervical neoplasia. <i>Br J Cancer</i> , 59(5): 805-9.
7824	Parazzini F, La Vecchia C, Negri E, et al G (1988). Risk factors for adenocarcinoma of the cervix: a case-control study. <i>Br J Cancer</i> , 57(2): 201-4.
4792	Parazzini F, LaVecchia C, Negri E, et al (1992). Risk factors for cervical intraepithelial neoplasia. <i>Cancer</i> , 69(9): 2276-82.
TBA	Park EK, Cho H, Lee SH (2014). Human papillomavirus prevalence and genotype distribution among HIV-infected women in Korea. <i>J Korean Med Sci</i> , 29(1): 32-7.
60604	Parr CL, Batty GD, Lam TH, et al (2010). Body-mass index and cancer mortality in the Asia-Pacific Cohort Studies Collaboration: pooled analyses of 424 519 participants. <i>Lancet Oncol</i> , 11(8): 741-52.
TBA	Patil V, Wahab SN, Zodpey S, et al (2006). Development and validation of risk scoring system for prediction of cancer cervix. <i>Indian J Public Health</i> , 50(1): 38-42.
TBA	Paul P, Koh WP, Jin A, et al (2019). Soy and tea intake on cervical cancer risk: The Singapore Chinese Health Study. <i>Cancer Causes Control</i> , 30(8): 847-57.
TBA	Pedersen N, Duricova D, Elkjaer M, et al (2010). Risk of extra-intestinal cancer in inflammatory bowel disease: meta-analysis of population-based cohort studies. <i>Am J Gastroenterol</i> , 105(7): 1480-7.
TBA	Peneau A, Savoye G, Turck D, et al (2013). Mortality and cancer in pediatric-onset inflammatory bowel disease: a population-based study. <i>Am J Gastroenterol</i> , 108(10): 1647-53.

TBA	Peng Y, Wang X, Feng H, et al (2017). Is oral contraceptive use associated with an increased risk of cervical cancer? An evidence-based meta-analysis. <i>J Obstet Gynaecol Res</i> , 43(5): 913-22.
TBA	Pereira de Lima MA, Neto PJN, Lima LP, et al (2018). Association between Epstein-Barr Virus (EBV) and cervical carcinoma: a meta-analysis. <i>Gynecol Oncol</i> , 148(2): 317-28.
TBA	Peters RK, Thomas D, Hagan DG, et al (1986). Risk factors for invasive cervical cancer among Latinas and non-Latinas in Los Angeles County. <i>J Natl Cancer Inst</i> , 77(5): 1063-77.
7826	Petry KU, Scheffel D, Bode U, et al (1994). Cellular immunodeficiency enhances the progression of human papillomavirus-associated cervical lesions. <i>Int J Cancer</i> , 57(6): 836-40.
4793	Phillips AN, Smith GD (1994). Cigarette smoking as a potential cause of cervical cancer: Has confounding been controlled? <i>Int J Epidemiol</i> , 23(1): 42-9.
96627	Plummer M, de Martel C, Vignat J, et al (2016). Global burden of cancers attributable to infections in 2012: a synthetic analysis. <i>Lancet Glob Health</i> , 4(9): e609-16.
TBA	Poorolajal J, Jenabi E (2016). The association between BMI and cervical cancer risk: a meta-analysis. <i>Eur J Cancer Prev</i> , 25(3): 232-8.
7828	Potischman N, Herrero R, Brinton LA, et al (1991). A case-control study of nutrient status and invasive cervical cancer II. Serological indicators. <i>Am J Epidemiol</i> , 134(11): 1347-55.
7829	Pride GL, Buchler DA (1977). Carcinoma of vagina 10 or more years following pelvic irradiation therapy. <i>Am J Obstet Gynecol</i> , 127(5): 513-7.
61853	Pukkala E, Malila N, Hakama M (2010). Socioeconomic differences in incidence of cervical cancer in Finland by cell type. <i>Acta Oncol</i> , 49(2): 180-4. [Abstract]
7830	Puligheddu P, Nieddu R, Medda F, et al (1988). HSV2 and cervical intraepithelial neoplasia: cytological, histological and serological features. <i>Clin Exp Obst Gyn</i> , 15(3): 88-93.
TBA	Qi J, He P, Yao H, et al (2019). Cancer risk among patients with type 2 diabetes: a real-world study in Shanghai, China. <i>J Diabetes</i> , 11(11): 878-83.
TBA	Quint KD, de Koning MN, Quint WG, et al (2013). Progression of cervical low grade squamous intraepithelial lesions: in search of prognostic biomarkers. <i>Eur J Obstet Gynecol Reprod Biol</i> , 170(2): 501-6.
41493	Raaschou-Nielsen O, Hansen J, McLaughlin JK, et al (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. <i>Am J Epidemiol</i> , 158(12): 1182-92.
TBA	Rademacher S, Seehofer D, Eurich D, et al (2017). The 28-Year incidence of de novo malignancies after liver transplantation: a single-center analysis of risk factors and mortality in 1616 patients. <i>Liver Transpl</i> , 23(11): 1404-14.
TBA	Radican L, Blair A, Stewart P, et al (2008). Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: extended follow-up. <i>J Occup Environ Med</i> , 50(11): 1306-19.
60591	Rahkola P, Vaisanen-Tommiska M (2009). [Comment] Nitric oxide and abnormal cervical cytology. <i>Acta Obstet Gynecol Scand</i> , 88: 1058. Comment on ID: 60590.
TBA	Rajkumar T, Franceschi S, Vaccarella S, et al (2003). Role of paan chewing and dietary habits in cervical carcinoma in Chennai, India. <i>Br J Cancer</i> , 88(9): 1388-93.
4795	Reeves WC, Brinton LA, Garcia M, et al (1989). Human papillomavirus infection and cervical cancer in Latin America. <i>N Engl J Med</i> , 320(22): 1437-41.

60628	Regan DG, Philp DJ, Waters EK (2010). Unresolved questions concerning human papillomavirus infection and transmission: a modelling perspective. <i>Sex Health</i> , 7(3): 368-75.
60626	Reich O (2010). The columnar epithelium hypothesis of cervical carcinogenesis. <i>Eur J Gynaecol Oncol</i> , 31(2): 137-8.
TBA	Rio-Ospina LD, Soto-De Leon SC, Camargo M, et al (2015). The DNA load of six high-risk human papillomavirus types and its association with cervical lesions. <i>BMC Cancer</i> , 15: 100.
TBA	Rodriguez AG, Lopez MI, Casillas TA, et al (2017). Monitoring of organochlorine pesticides in blood of women with uterine cervix cancer. <i>Environ Pollut</i> , 220(Pt B): 853-62.
61894	Rodriguez AC, Schiffman M, Herrero R, et al (2010). Longitudinal study of human papillomavirus persistence and cervical intraepithelial neoplasia grade 2/3: critical role of duration of infection. <i>J Natl Cancer Inst</i> , 102(2): 315-24.
TBA	Roithmaier S, Haydon AM, Loi S, et al (2007). Incidence of malignancies in heart and/or lung transplant recipients: a single-institution experience. <i>J Heart Lung Transplant</i> , 26(8): 845-9.
TBA	Rombouts AJ, Huguen N, Elferink MA, et al (2017) Incidence of second tumours after treatment with or without radiation for rectal cancer. <i>Ann Oncol</i> , 28(3): 535-40.
4825	Ron E, Lunenfeld B, Menczer J, et al (1987). Cancer incidence in a cohort of infertile women. <i>Am J Epidemiol</i> , 125(5): 780-90.
TBA	Ronco G, Dillner J, Elfstrom KM, et al (2014). Efficacy of HPV-based screening for prevention of invasive cervical cancer: follow-up of four European randomised controlled trials. <i>Lancet</i> , 383(9916): 524-32.
TBA	Rosenblatt KA, Osterbur EF, Douglas JA (2016). Case-control study of cervical cancer and gynecologic screening: a SEER-Medicare analysis. <i>Gynecol Oncol</i> , 142(3): 395-400.
35723	Rossouw JE, Anderson GL, Prentice RL, et al (2002). Risks and benefits of estrogen plus progestin in healthy postmenopausal women: principal results From the Women's Health Initiative randomized controlled trial. <i>JAMA</i> , 288(3): 321-33.
TBA	Roura E, Travier N, Waterboer T, et al (2016). The influence of hormonal factors on the risk of developing cervical cancer and pre-cancer: results from the EPIC cohort. <i>PLoS One</i> , 11(1): e0147029.
18166	Ruder AM, Ward EM, Brown DP (1994). Cancer mortality in female and male dry-cleaning workers. <i>J Occup Med</i> , 36(8): 867-74.
TBA	Rungoe C, Simonsen J, Riis L, et al (2015). Inflammatory bowel disease and cervical neoplasia: a population-based nationwide cohort study. <i>Clin Gastroenterol Hepatol</i> , 13(4): 693-700.
60566	Safaeian M, Quint K, Schiffman M, et al (2010). Chlamydia trachomatis and risk of prevalent and incident cervical premalignancy in a population-based cohort. <i>J Natl Can Inst</i> , 102(23): 1794-804.
TBA	Salazar KL, Zhou HS, Xu J, et al (2015). Multiple human papilloma virus infections and their impact on the development of high-risk cervical lesions. <i>Acta Cytol</i> , 59(5): 391-8.
60606	Santos NB, Villanova FE, Andrade PM, et al (2009). Epstein-Barr virus detection in invasive and pre-invasive lesions of the uterine cervix. <i>Oncol Rep</i> , 21(2): 403-5.
7831	Santosa JT, Kucera PR, Ray J (1990). Primary malignant melanoma of the uterine cervix: two case reports and a century's review. <i>Obstet Gynecol Surv</i> , 45(11): 733-40.
61879	Sasieni P (2007). [Comment] Cervical cancer prevention and hormonal contraception. <i>Lancet</i> , 370(9599): 1591-2.

4796	Sasson IM, Haley NJ, Hoffmann D, et al (1985). Cigarette smoking and neoplasia of the uterine cervix: Smoke constituents in cervical mucus. <i>N Engl J Med</i> , 312(5): 315-6.
60607	Savani BN, Stratton P, Shenoy A, et al (2008). Increased risk of cervical dysplasia in long-term survivors of allogeneic stem cell transplantation - implications for screening and HPV vaccination. <i>Biol Blood Marrow Transplant</i> , 14(9): 1072-5.
60608	Savardekar LS, Balaiah D, Mali BN (2010). Association of Schistosoma haematobium and human papillomavirus in cervical cancer. <i>Acta Cytol</i> , 54(2): 205-8.
96628	Sawaya GF, Smith-McCune K, Kuppermann M (2019). Cervical cancer screening: More choices in 2019. <i>JAMA</i> , 321(20): 2018-9.
7832	Schafer A, Friedmann W, Mielke M, et al (1991). The increased frequency of cervical dysplasia-neoplasia in women infected with the human immunodeficiency virus is related to the degree of immunosuppression. <i>Am J Obstet Gynecol</i> , 164(2): 593-9.
61880	Schiffman M, Castle PE, Jeronimo J, et al (2007). Human papillomavirus and cervical cancer. <i>Lancet</i> , 370(9590): 890-907.
60567	Schiffman M, Wentzensen N, Wacholder S, et al (2011). Human papillomavirus testing in the prevention of cervical cancer. <i>J Natl Cancer Inst</i> , 103(5): 368-83.
4797	Schiffman MH, Bauer HM, Hoover RN, et al (1993). Epidemiologic evidence showing that human papillomavirus infection causes most cervical intraepithelial neoplasia. <i>J Natl Cancer Inst</i> , 85(12): 958-64.
7833	Schlesselman JJ (1995). Net effect of oral contraceptive use on the risk of cancer in women in the United States. <i>Obstet Gynecol</i> , 85(5 Pt 1): 793-801.
60623	Schneider C, Jick SS, Meier CR (2009). Risk of gynecological cancers in users of estradiol/dydrogesterone or other HRT preparations. <i>Climacteric</i> , 12(6): 514-24.
TBA	Seo SS, Oh HY, Lee JK, et al (2016). Combined effect of diet and cervical microbiome on the risk of cervical intraepithelial neoplasia. <i>Clin Nutr</i> , 35(6): 1434-41.
TBA	Seo SS, Oh HY, Kim MK, et al (2019). Combined effect of secondhand smoking and alcohol drinking on risk of persistent human papillomavirus infection. <i>Biomed Res Int</i> , 2019: 5829676.
TBA	Serrano B, Brotons M, Bosch FX, et al (2018). Epidemiology and burden of HPV-related disease. <i>Best Pract Res Clin Obstet Gynaecol</i> , 47: 14-26.
61881	Shack L, Jordan C, Thomson C, et al (2008). Variation in incidence of breast, lung and cervical cancer and malignant melanoma of skin by socioeconomic group in England. <i>BMC Cancer</i> , 8: 271.
TBA	Shapiro S, Rosenberg L, Hoffman M, et al (2003). Risk of invasive cancer of the cervix in relation to the use of injectable progestogen contraceptives and combined estrogen/progestogen oral contraceptives (South Africa). <i>Cancer Causes Control</i> , 14(5): 485-95.
TBA	Shastri SS, Mittra I, Mishra GA, et al (2014). Effect of VIA screening by primary health workers: randomized controlled study in Mumbai, India. <i>J Natl Cancer Inst</i> , 106(3): dju009.
TBA	Shebl FM, Warren JL, Eggers PW, et al (2012). Cancer risk among elderly persons with end-stage renal disease: a population-based case-control study. <i>BMC Nephrol</i> , 13: 65.
TBA	Silveira FA, Almeida G, Furtado YL, et al (2015). The association of HPV genotype with the regression, persistence or progression of low-grade squamous intraepithelial lesions. <i>Exp Mol Pathol</i> , 99(3): 702-6.
TBA	Simen-Kapeu A, La Ruche G, Kataja V, et al (2009). Tobacco smoking and chewing as risk factors for multiple human papillomavirus infections and cervical squamous intraepithelial lesions in two countries (Cote

	d'Ivoire and Finland) with different tobacco exposure. <i>Cancer Causes Control</i> , 20(2): 163-70.
TBA	Simin J, Tamimi R, Lagergren J, et al (2017). Menopausal hormone therapy and cancer risk: an overestimated risk? <i>Eur J Cancer</i> , 84: 60-68.
TBA	Simon TA, Thompson A, Gandhi KK, et al (2015). Incidence of malignancy in adult patients with rheumatoid arthritis: a meta-analysis. <i>Arthritis Res Ther</i> , 17(1): 212.
TBA	Smith JS, Green J, Berington de Gonzalez A, et al (2003). Cervical cancer and use of hormonal contraceptives: a systematic review. <i>Lancet</i> , 361(9364): 1159-67.
7834	Shingelton HM (1993). Editorial: do squamous cell carcinomas and adenocarcinomas of the cervix have the same risk factors? <i>Gynecol Oncol</i> , 51(3): 299-300.
19652	Sidney S, Quesenberry CP, Friedman GD, et al (1997). Marijuana use and cancer incidence (California, United States). <i>Cancer Causes Control</i> , 8(5): 722-8.
60609	Siegel EM, Salemi JL, Villa LL, et al (2010). Dietary consumption of antioxidant nutrients and risk of incident cervical intraepithelial neoplasia. <i>Gynecol Oncol</i> , 118(3): 289-94.
8881	Sikstrom B, Hellberg D, Nilsson S, et al (1995). Smoking, alcohol, sexual behaviour and drug use in women with cervical human papillomavirus infection. <i>Arch Gynecol Obstet</i> , 256(3): 131-7.
4824	Sillman F, Stanek A, Sedlis A, et al (1984). The relationship between human papillomavirus and lower genital intraepithelial neoplasia in immunosuppressed women. <i>Am J Obstet Gynecol</i> , 150(3): 300-8.
4798	Singer A, Jenkins D (1991). Viruses and cervical cancer. <i>BMJ</i> , 302(6771): 251-2.
60610	Singh H, Demers AA, Nugent Z, et al (2009). Risk of cervical abnormalities in women with inflammatory bowel disease: a population-based nested case-control study. <i>Gastroenterology</i> , 136(2): 451-8.
61847	Sirera G, Videla S, Lopez-Blazquez R, et al (2008). Highly active antiretroviral therapy and incidence of cervical squamous intraepithelial lesions among HIV-infected women with normal cytology and CD4 counts above 350 cells/mm <sup>3</sup> . <i>J Antimicrob Chemother</i> , 61(1): 191-4.
60611	Sjoberg KD, Trope A, Lie AK, et al (2010). HPV genotype distribution according to severity of cervical neoplasia. <i>Gynecol Oncol</i> , 118(1): 29-34.
4799	Skegg DC, Corwin PA, Paul C, et al (1982). Importance of the male factor in cancer of the cervix. <i>Lancet</i> , 2(8298): 581-3.
97482	Skov Dalgaard L, Fassel U, Ostergaard LJ, et al (2013). Risk of human papillomavirus-related cancers among kidney transplant recipients and patients receiving chronic dialysis--an observational cohort study. <i>BMC Nephrol</i> , 14: 137.
96629	Slack R, Young C, Rushton L, et al (2012). Occupational cancer in Britain. Female cancers: breast, cervix and ovary. <i>Br J Cancer</i> , 107(Suppl 1): S27-32.
4800	Slattery ML, Robison LM, Schuman KL, et al (1989). Cigarette smoking and exposure to passive smoke are risk factors for cervical cancer. <i>JAMA</i> , 261(11): 1593-8.
4801	Slattery ML, Abbott TM, Overall JC Jr, et al (1990). Dietary Vitamins A, C and E and selenium as risk factors for cervical cancer. <i>Epidemiology</i> , 1(1): 8-15.
7836	Slattery ML, Overall JC Jr, Abbott TM, et al (1989). Sexual activity, contraception, genital infections, and cervical cancer: support for a sexually transmitted disease hypothesis. <i>Am J Epidemiol</i> , 130(2): 248-58.
7837	Slattery ML, Robison LM, Schuman KL, et al (1989). Cigarette smoking and exposure to passive smoke are risk factors for cervical cancer. <i>JAMA</i> , 261(11): 1593-8.



7838	Smith JR, Kitchen VS, Botcherby M, et al (1993). Is HIV infection associated with an increase in the prevalence of cervical neoplasia? <i>Br J Obstet Gynaecol</i> , 100(2): 149-53.
61882	Soncini E, Zoncada A, Condemni V, et al (2007). Reduction of the risk of cervical intraepithelial neoplasias in HIV-infected women treated with highly active antiretroviral therapy. <i>Acta Biomed</i> , 78(1): 36-40.
96630	Song L, Wang Y, Zhang J, et al (2018). The risks of cancer development in systemic lupus erythematosus (SLE) patients: a systematic review and meta-analysis. <i>Arthritis Res Ther</i> , 20(1): 270.
7839	Sood AK (1991). Cigarette smoking and cervical cancer: meta-analysis and critical review of recent studies. <i>Am J Prev Med</i> , 7(4): 208-13.
96631	Spirtas R, Stewart PA, Lee JS, et al (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility. I Epidemiological results. <i>Br J Ind Med</i> , 48(8): 15-30.
TBA	Stanimirovic B, Grob R, Rudlinger R (1990). Carcinoma of the cervix uteri and risk factors. <i>Eur J Gynaecol Oncol</i> , 11(1): 51-6.
96638	Starup-Linde J, Karlstad O, Eriksen SA, et al (2013). CARING (Cancer Risk and Insulin analogues): The association of diabetes mellitus and cancer risk with focus on possible determinants - A systematic review and a meta-analysis. <i>Curr Drug Saf</i> , 8(5): 296-332.
60612	Steer P (2010). Our knowledge of human papillomavirus (HPV), and its role in the genesis of cervical cancer, continues to grow. <i>BJOG</i> , 117(6): 1-2.
7840	Stone KM, Zaidi A, Rosero-Bixby L, et al (1995). Sexual behaviour, sexually transmitted diseases, and risk of cervical cancer. <i>Epidemiol</i> , 6(4): 409-14.
4823	Stratton P, Ciacco KH (1994). Cervical neoplasia in the patient with HIV infection. <i>Curr Opin Obstet Gynecol</i> , 6(1): 86-91.
TBA	Sundstrom K, Elfstrom KM (2020). Advances in cervical cancer prevention: efficacy, effectiveness, elimination? <i>PLoS Med</i> , 17(1): e1003035.
TBA	Syrjanen K (2007). Mechanisms and predictors of high-risk human papillomavirus (HPV) clearance in the uterine cervix. <i>Eur J Gynaecol Oncol</i> , 28(5): 337-51.
60613	Syrjanen K, Shabalova I, Petrovichev N, et al (2007). Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>Eur J Epidemiol</i> , 22(10): 723-35.
60614	Szalmas A, Konya J (2009). Epigenetic alterations in cervical carcinogenesis. <i>Seminars in Cancer Biology</i> , 19(3): 144-52.
61883	Szostek S, Zawilinska B, Kopec J, et al (2009). Herpesviruses as possible cofactors in HPV-16-related oncogenesis. <i>Acta Biochimica Polonica</i> , 56(2): 337-42.
TBA	Taborelli M, Piselli P, Ettorre GM, et al (2018). Risk of virus and non-virus related malignancies following immunosuppression in a cohort of liver transplant recipients. Italy, 1985-2014. <i>Int J Cancer</i> , 143(7): 1588-94.
61048	Tam LS, Chan AY, Chan PK, et al (2004). Increased prevalence of squamous intraepithelial lesions in systemic lupus erythematosus. <i>Arthritis Rheum</i> , 50(11): 3619-25.
TBA	Tawe L, MacDuffie E, Narasimhamurthy M, et al (2020). Human papillomavirus genotypes in women with invasive cervical cancer with and without human immunodeficiency virus infection in Botswana. <i>Int J Cancer</i> , 146(6): 1667-73.
TBA	Terris M, Oalman MC (1960). Carcinoma of the cervix: an epidemiologic study. <i>JAMA</i> , 174(14): 1847-51. [Abstract]
TBA	Thakur A, Gupta B, Gupta A, et al (2015). Risk factors for cancer cervix among rural women of a hilly state: a case-control study. <i>Indian J Public Health</i> , 59(1): 45-8.

TBA	Thimm MA, Rositch AF, VandenBussche C, et al (2019). Lower genital tract dysplasia in female solid organ transplant recipients. <i>Obstet Gynecol</i> , 134(2): 385-94.
60615	Thomas MB, Wright JD, Leiser AL, et al (2008). Clear cell carcinoma of the cervix: A multi-institutional review in the post-DES era. <i>Gynecol Oncol</i> , 109(3): 335-9.
60616	Thomsen LS, Jochumsen KM, Mogensen O (2006). Carcinoma in situ cervicis uteri and inheritance--A Danish twin study. <i>Gynecol Oncol</i> , 103(2): 688-91.
96632	Thorsteinsson K, Ladelund S, Storgaard M, et al (2019). Persistence of cervical high-risk human papillomavirus in women living with HIV in Denmark - the SHADE. <i>BMC Infect Dis</i> , 19(1): 740.
TBA	Tifaoui N, Maudelonde T, Combecal J, et al (2018). High-risk HPV detection and associated cervical lesions in a population of French menopausal women. <i>J Clin Virol</i> , 108: 12-18.
TBA	Toader E, Ciortescu I (2013). Is there a risk for lymphoma or extracolonic cancer in patients with inflammatory bowel disease? <i>Rev Med Chir Soc Med Nat Iasi</i> , 117(2): 368-74. [Abstract]
4803	Tokuoka S (1986). Ovarian neoplasms in atomic bomb survivors. <i>Cancer in Atomic Bomb Survivors: Gann Monograph on Cancer Research</i> , No. 32, 179-89.
96633	Torres-Poveda K, Ruiz-Fraga I, Madrid-Marina V, et al (2019). High risk HPV infection prevalence and associated cofactors: a population-based study in female ISSSTE beneficiaries attending the HPV screening and early detection of cervical cancer program. <i>BMC Cancer</i> , 19(1): 1205.
60625	Tovar JM, Bazaldua OV, Vargas L, et al (2008). Human papillomavirus, cervical cancer, and the vaccines. <i>Postgrad Med</i> , 120(2): 79-84.
TBA	Tsai HI, Lee CW, Kuo CF, et al (2017). De novo malignancy in organ transplant recipients in Taiwan: a nationwide cohort population study. <i>Oncotarget</i> , 8(22): 36685-95.
60618	Tsai HT, Tsai YM, Yang SF, et al (2007). Lifetime cigarette smoke and second-hand smoke and cervical intraepithelial neoplasm--A community-based case-control study. <i>Gynecol Oncol</i> , 105(1): 181-8.
TBA	Tuncer HA, Kirnap M, Dursun P, et al (2016). Cervical carcinoma in a renal transplant recipient: a case report. <i>Exp Clin Transplant</i> , 14(1): 100-2.
8864	Uitenbroek DG (1994). The relationship between sexual behaviour and health lifestyle. <i>AIDS Care</i> , 6(2): 237-46.
TBA	Urban M, Banks E, Egger S, et al (2012). Injectable and oral contraceptive use and cancers of the breast, cervix, ovary, and endometrium in black South African women: case-control study. <i>PLoS Med</i> , 9(3): e1001182.
4804	Ursin G, Peters RK, Henderson BE, et al (1994). Oral contraceptive use and adenocarcinoma of cervix. <i>Lancet</i> , 344(8934): 1390-4.
61846	Vaccarella S, Herrero R, Snijders PJ, et al (2008). Smoking and human papillomavirus infection: pooled analysis of the International Agency for Research on cancer HPV prevalence surveys. <i>Int J Epidemiol</i> , 37(3): 536-46.
43079	Vajdic CM, McDonald SP, McCredie MR, et al (2006). Cancer incidence before and after kidney transplantation. <i>JAMA</i> , 296(23): 2823-31.
60619	Van Doorslaer K, Burk RD (2010). Evolution of human papillomavirus carcinogenicity. <i>Adv Virus Res</i> , 77: 41-62.
60617	Vanakankovit N, Taneepanichskul S (2008). Effect of oral contraceptives on risk of cervical cancer. <i>J Med Assoc Thai</i> , 91(1): 7-12.
TBA	Varghese C, Amma NS, Chitrathara K, et al (1999). Risk factors for cervical dysplasia in Kerala, India. <i>Bull World Health Organ</i> , 77(3): 281-3.

61173	Venkatesan T, Beaulieu DB, Ferrer V, et al (2006). Abnormal PAP smear, cervical dysplasia and immunomodulator therapy in women with inflammatory bowel disease (IBD). <i>Gastroenterology</i> , 130(Suppl 2): A-3.
61884	Verloop J, van Leeuwen FE, Helmerhorst TJ, et al (2010). Cancer risk in DES daughters. <i>Cancer Causes Control</i> , 21(7): 999-1007.
7843	Vermund SH, Kelley KF, Klein RS, et al (1991). High risk of human papillomavirus infection and cervical squamous intraepithelial lesions among women with symptomatic human immunodeficiency virus infection. <i>Am J Obstet Gynecol</i> , 165(2): 392-400.
61885	Vessey M, Painter R (2006). Oral contraceptive use and cancer. Findings in a large cohort study, 1968-2004. <i>Br J Cancer</i> , 95(3): 385-9.
81887	Vessey M, Yeates D (2013). Oral contraceptive use and cancer: final report from the Oxford-Family Planning Association contraceptive study. <i>Contraception</i> , 88(6): 678-83.
TBA	Viarisio D, Gissmann L, Tommasino M (2017). Human papillomaviruses and carcinogenesis: well-established and novel models. <i>Curr Opin Virol</i> , 26: 56-62.
TBA	Villa AR, Kraus A, Jimenez-Corona A, et al (2000). Malignant neoplasms in autoimmune rheumatic diseases: examination of the risk of developing a malignancy among five different rheumatic diseases in one institution. <i>J Clin Rheumatol</i> , 6(4): 176-83.
TBA	Villain P, Gonzalez P, Almonte M, et al (2015). European Code against cancer 4th edition: infections and cancer. <i>Cancer Epidemiol</i> , 39 Suppl 1: S120-38.
TBA	Volesky KD, El-Zein M, Franco EL, et al (2019). Cancers attributable to infections in Canada. <i>Prev Med</i> , 122: 109-17.
TBA	Volgareva GM, Mikhaylova IN, Golovina DA (2016). [Melanoma and Human Papillomaviruses: Is There an Outlook for Study?] <i>Vestn Ross Akad Med Nauk</i> , (2): 121-7. [Russian] [Abstract]
TBA	Walboomers JM, Meijer CJ (1997). Do HPV-negative cervical carcinomas exist? <i>J Pathol</i> , 181(3): 253-4.
TBA	Walboomers JM, Jacobs MV, Manos MM, et al (1999). Human papillomavirus is a necessary cause of invasive cervical cancer worldwide. <i>J Pathol</i> , 189(1): 12-9
TBA	Wang HL, Zhou YM, Zhu GZ, et al (2018). Malignancy as a comorbidity in rheumatic diseases: a retrospective hospital-based study. <i>Clin Rheumatol</i> , 37(1): 81-5.
TBA	Wang J, Andrae B, Sundstrom K, et al (2017). Effectiveness of cervical screening after age 60 years according to screening history: nationwide cohort study in Sweden. <i>PLoS Med</i> , 14(10): e1002414.
96635	Wang J, Elfstrom KM, Andrae B, et al (2020). Cervical cancer case-control audit: Results from routine evaluation of a nationwide cervical screening program. <i>Int J Cancer</i> , 146(5): 1230-40.
96634	Wang M, Hu RY, Wu HB, et al (2015). Cancer risk among patients with type 2 diabetes mellitus: a population-based prospective study in China. <i>Sci Rep</i> , 5: 11503.
TBA	Wang SI, Yaung CL, Lee LT, et al (2016). Cancer incidence in the vicinity of nuclear power plants in Taiwan: a population-based study. <i>Environ Sci Pollut Res Int</i> , 23(1): 571-80.
61886	Wang SS, Zuna RE, Wentzensen N, et al (2009). Human papillomavirus cofactors by disease progression and human papillomavirus types in the study to understand cervical cancer early endpoints and determinants. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(1): 113-20.
TBA	Wartenberg D, Reyner D, Scott CS (2000). Trichloroethylene and cancer: epidemiologic evidence. <i>Environ Health Perspect</i> , 108 Suppl 2(Suppl 2): 161-76.

8093	Wasserheit JN (1992). Epidemiological synergy: interrelationships between human immunodeficiency virus infection and other sexually transmitted diseases. <i>Sex Transm Dis</i> , 19(2): 61-77.
96636	Waxman AG, Chelmow D, Darragh TM, et al (2012). Revised terminology for cervical histopathology and its implications for management of high-grade squamous intraepithelial lesions of the cervix. <i>Obstet Gynecol</i> , 120(6): 1465-71.
61887	Wee CC, Huang A, Huskey KW, et al (2008). Obesity and the likelihood of sexual behavioral risk factors for HPV and cervical cancer. <i>Obesity</i> , 16(11): 2552-5.
TBA	Weiderpass E, Labreche F (2012). Malignant tumors of the female reproductive system. <i>Saf Health Work</i> , 3(3): 166-80.
96637	Weldegebreal F, Worku T (2019). Precancerous cervical lesion among HIV-positive women in sub-Saharan Africa: A systematic review and meta-analysis. <i>Cancer Control</i> , 26(1): 1073274819845872.
60582	Wheeler CM (2010). [Comment] HPV genotypes: implications for worldwide cervical cancer screening and vaccination. <i>Lancet Oncol</i> , 11(11): 1013-4. Comment on ID: 60581.
7841	WHO Collaborative Study of Neoplasia and Steroid Contraceptives (1993). Invasive squamous-cell cervical carcinoma and combined oral contraceptives: results from a multinational study. <i>Int J Cancer</i> , 55(2): 228-36.
60193	WHO (2004). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Tobacco Smoke and Involuntary Smoking. IARC Monographs, Volume 83: 1179-87. IARC Press, Lyon.
TBA	WHO (2020). WHO histological classification of tumours of the uterine cervix, International Agency for Research on Cancer World Health Organisation – Screening Group. Retrieved 16 May 2020, <a href="https://screening.iarc.fr/atlasclassifwho.php">https://screening.iarc.fr/atlasclassifwho.php</a>
7844	Williams MA, Kenya PR, Mati JK, et al (1994). Risk factors for invasive cervical cancer in Kenyan women. <i>Int J Epidemiol</i> , 23(5): 906-12.
3613	Williams RR, Horm JW (1977). Association of cancer sites with tobacco and alcohol consumption and socioeconomic status of patients: Interview study from the Third National Cancer Survey. <i>J Natl Cancer Inst</i> , 58(3): 525-47.
8825	Willmott FE (1992). Current smoking habits and genital infections in women. <i>Int J STD AIDS</i> , 3(5): 329-31.
4822	Winkelstein W Jr (1990). Smoking and cervical cancer - Current status: A review. <i>Am J Epidemiol</i> , 131(6): 945-57.
43657	Wolk A, Gridley G, Svensson M, et al (2001). A prospective study of obesity and cancer risk (Sweden). <i>Cancer Causes Control</i> , 12(1): 13-21.
61950	World Health Organization (1991). Occupational exposures in insecticide application and some pesticides. IARC Monographs, Vol 53: 45-92. IARC Press, Lyon.
70155	World Health Organization (2008). Pharmaceuticals. IARC Monographs - A Review of Human Carcinogens, Vol 100 Part A. World Health Organization International Agency for Research on Cancer. Lyon France.
61888	Xi LF, Koutsky LA, Castle PE, et al (2009). Relationship between cigarette smoking and human papillomavirus type 16 and 18 DNA load. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(12): 3490-6.
TBA	Xu H, Egger S, Velentzis LS, et al (2018). Hormonal contraceptive use and smoking as risk factors for high-grade cervical intraepithelial neoplasia in unvaccinated women aged 30-44 years: a case-control study in New South Wales, Australia. <i>Cancer Epidemiol</i> , 55: 162-9.
TBA	Yang S, Zhao W, Wang H, et al (2018). Trichomonas vaginalis infection-associated risk of cervical cancer: a meta-analysis. <i>Eur J Obstet Gynecol Reprod Biol</i> , 228: 166-73.

TBA	Yao PL, Ehresman DJ, Rae JM, et al (2014). Comparative in vivo and in vitro analysis of possible estrogenic effects of perfluorooctanoic acid. <i>Toxicology</i> , 326: 62-73.
TBA	Ye H, Song T, Zeng X, et al (2018). Association between genital mycoplasmas infection and human papillomavirus infection, abnormal cervical cytopathology, and cervical cancer: a systematic review and meta-analysis. <i>Arch Gynecol Obstet</i> , 297(6): 1377-87
7846	Ye Z, Thomas DB, Ray RM (1995). Combined oral contraceptives and risk of cervical carcinoma in situ. WHO collaborative study of neoplasia and steroid contraceptives. <i>Int J Epidemiol</i> , 24(1): 19-26.
7847	Zaninetti P, Franceschi S, Baccolo M, et al (1986). Characteristics of women under 20 with cervical intraepithelial neoplasia. <i>Int J Epidemiol</i> , 15(4): 477-82.
TBA	Yu KH, Kuo CF, Huang LH, et al (2016). Cancer risk in patients with inflammatory systemic autoimmune rheumatic diseases: a nationwide population-based dynamic cohort study in Taiwan. <i>Medicine (Baltimore)</i> , 95(18): e3540.
TBA	Yuan G, Wu L, Li B, et al (2017). Primary malignant melanoma of the cervix: report of 14 cases and review of literature. <i>Oncotarget</i> , 8(42): 73162-7.
TBA	Zeng XT, Xiong PA, Wang F, et al (2012). Passive smoking and cervical cancer risk: a meta-analysis based on 3,230 cases and 2,982 controls. <i>Asian Pac J Cancer Prev</i> , 13(6): 2687-93.
60620	Zereu M, Zettler CG, Cambuzzi E, et al A (2007). Herpes simplex virus type 2 and Chlamydia trachomatis in adenocarcinoma of the uterine cervix. <i>Gynecol Oncol</i> , 105(1): 172-5.
TBA	Zhang PH, Chen ZW, Lv D, et al (2012). Increased risk of cancer in patients with type 2 diabetes mellitus: a retrospective cohort study in China. <i>BMC Public Health</i> , 12: 567
TBA	Zhang Q, Zie W, Wang F, et al (2016). Epidemiological investigation and risk factors for cervical lesions: cervical cancer screening among women in rural areas of Henan Province China. <i>Med Sci Monit</i> , 22: 1858-65.
TBA	Zhang X, Dai B, Zhang B, et al (2012). Vitamin A and risk of cervical cancer: a meta-analysis. <i>Gynecol Oncol</i> , 124(2): 366-73.
7848	Zhang Z, Begg C (1994). Is trichomonas vaginalis a cause of cervical neoplasia? Results from a combined analysis of 24 studies. <i>Int J Epidemiol</i> , 23(4): 682-90.
7849	Zhang Z, Graham S, Yu S, et al (1995). Trichomonas vaginalis and cervical cancer: a prospective study in China. <i>Ann Epidemiol</i> , 5(4): 325-32.
TBA	Zhang ZF, Parkin DM, Yu SZ, et al (1989). Risk factors for cancer of the cervix in rural Chinese Population. <i>Int J Cancer</i> , 43(5): 762-7. [Abstract]
7850	Ziegler RG, Brinton LA, Hamman RF, et al (1990). Diet and the risk of invasive cervical cancer among white women in the United States. <i>Am J Epidemiol</i> , 132(3): 432-45.
TBA	Zhu C, Bassig BA, Zhang Y, et al (2015). A birth cohort analysis of the incidence of adenocarcinoma of the uterine cervix in the USA. <i>Eur J Cancer Prev</i> , 24(3): 240-4.
TBA	Zhu H, Shen Z, Luo H, et al (2016). Chlamydia trachomatis infection-associated risk of cervical cancer: a meta-analysis. <i>Medicine (Baltimore)</i> , 95(13): e3077.
4806	zur Hausen H (1982). Human genital cancer: Synergism between two virus infections or synergism between a virus infection and initiating events? <i>Lancet</i> , 2(8312): 1370-2.
61889	zur Hausen H (2009). [Comment] Human papillomavirus & cervical cancer. <i>Indian J Med Res</i> , 130(3): 209.