



NON-ANEURYSMAL AORTIC ATHEROSCLEROTIC DISEASE

RMA ID Number	Reference List for RMA138-5 as at August 2020
---------------	---

1	Abbott RD, Donahue RP, MacMahon SW, et al (1987). Diabetes and the risk of stroke. The Honolulu Heart Program. <i>JAMA</i> , 257(7): 949-52.
473	Adams DC, Galloway SW, Poskit KR (1993). [Comment] Prevalence of abdominal aortic aneurysm in the offspring of patients dying from aneurysm rupture. <i>Br J Surg</i> , 80(5): 671.
468	Adamson J, Powell JT, Greenhalgh RM (1992). Selection for screening for familial aortic aneurysms. <i>Br J Surg</i> , 79(9): 897-8.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
13465	Aebert H, Laas J, Bednarski P, et al (1993). High incidence of aneurysm formation following patch plasty repair of coarctation. <i>Eur J Cardiothorac Surg</i> , 7(4): 200-5.
95379	Agarwal S (2009). The association of active and passive smoking with peripheral arterial disease: results from NHANES 1999-2004. <i>Angiology</i> , 60(3): 335-45.
62009	Agatista PK, Matthews KA, Bromberger JT, et al (2005). Coronary and aortic calcification in women with a history of major depression. <i>Arch Intern Med</i> , 165(11): 1229-36.
63247	Agmon Y, Khandheria BK, Meissner I, et al (2003). Lack of association between Chlamydia pneumoniae seropositivity and aortic atherosclerotic plaques: a population-based transesophageal echocardiographic study. <i>J Am Coll Cardiol</i> , 41(9): 1482-7.
63246	Agmon Y, Khandheria BK, Meissner I, et al (2000). Independent association of high blood pressure and aortic atherosclerosis: A population-based study. <i>Circulation</i> , 102(17): 2087-93.
61218	Agmon Y, Khandheria BK, Meissner I, et al (2002). Relation of coronary artery disease and cerebrovascular disease with atherosclerosis of the thoracic aorta in the general population. <i>Am J Cardiol</i> , 89(3): 262-7.
13294	Agrifoglio M, Parolari A, Spirito R, et al (1991). Abdominal aortic aneurysm in chronic thoracic dissection. Report of two cases. <i>J Cardiovasc Surg (Torino)</i> , 32(2): 201-5.
95455	Agu CE, Uchendu IK, Nsonwu AC, et al (2019). Prevalence and associated risk factors of peripheral artery disease in virologically suppressed HIV-infected individuals on antiretroviral therapy in Kwara state, Nigeria: a cross sectional study. <i>BMC Public Health</i> , 19(1): 1143.
13436	Albat B, Thevenet A (1992). Dissecting aneurysms of the ascending aorta occurring late after aortic valve replacement. <i>J Cardiovasc Surg</i> , 33(3): 272-5.

13315	Albrecht WE, Papasian CJ, Bamberger DM, et al (1997). Infected abdominal aortic aneurysm due to penicillin-, ceftriaxone-, and cefotaxime-resistant streptococcus pneumoniae. <i>J Clin Microbiol</i> , 35(4): 985-7.
13515	Alcorn, HG, Wolfson SK, Sutton-Tyrrell, K, et al (1996). Risk factors for abdominal aortic aneurysms in older adults enrolled in the Cardiovascular Health Study. <i>Arterioscler Thromb Vasc Biol</i> , 16(8): 963-70.
62120	Alexandersen P, Tanko LB, Bagger YZ, et al (2006). The long-term impact of 2-3 years of hormone replacement therapy on cardiovascular mortality and atherosclerosis in healthy women. <i>Climacteric</i> , 9(2): 108-18.
62063	Alexandersen P, Tanko LB, Bagger YZ, et al (2006). Associations between aortic calcification and components of body composition in elderly men. <i>Obesity (Silver Spring)</i> , 14(9): 1571-8.
13272	Allen RC, Schneider J, Longenecker L, et al (1993). Paraanastomotic aneurysms of the abdominal aorta. <i>J Vas Surg</i> , 18(3): 424-32.
63262	Allen RW, Criqui MH, Diez Roux AV, et al (2009). Fine particulate matter air pollution, proximity to traffic, and aortic atherosclerosis. <i>Epidemiology</i> , 20(2): 254-64.
63248	Allison MA, Criqui MH, Wright CM (2004). Patterns and risk factors for systemic calcified atherosclerosis. <i>Arterioscler Thromb Vasc Biol</i> , 24(2): 331-6.
95237	Almeida AP, Fagundes NC, Maia LC, et al (2018). Is there an association between periodontitis and atherosclerosis in adults? A systematic review. <i>Curr Vasc Pharmacol</i> , 16(6): 569-82. [Abstract]
62106	Alrasadi K, Alwaili K, Awan Z, et al (2009). Aortic calcifications in familial hypercholesterolemia: potential role of the low-density lipoprotein receptor gene. <i>Am Heart J</i> , 157(1): 170-6.
13264	Amin A, Alexander JB, O'Malley KF, et al (1993). Blunt abdominal aortic trauma in children: case report. <i>J Trauma</i> , 34(2): 293-6.
13451	Anderson LA (1994). An update on the cause of abdominal aortic aneurysms. <i>J Vasc Nurs</i> , 12(4): 95-100.
94986	Andras A, Stansby G, Hansrani M (2013). Homocysteine lowering interventions for peripheral arterial disease and bypass grafts. <i>Cochrane Database Syst Rev</i> , 2013(7): CD003285.
13981	Andros G, Schneider PA, Harris RW, et al (1996). Management of arterial occlusive disease following radiation therapy. <i>Cardiovasc Surg</i> , 4(2): 135-42.
13374	Anfossi A, Bertoglio C, Sorice G, et al (1987). Delayed development and rupture of an aortic aneurysm after closed abdominal trauma. <i>J Cardiovas Surg</i> , 28(1): 35-7.
13438	Anidjar S, Kieffer E (1992). Pathogenesis of acquired aneurysms of the abdominal aorta. <i>Ann Vasc Surg</i> , 6(3): 298-305.
2287	Anonymous (1992). The management of hyperlipidaemia: a consensus statement. Canberra, 16-18 October 1991. <i>Med J Aust</i> , 156(S1): S1-8.
479	Anonymous (1993). Abdominal aortic aneurysm. Report of a meeting of physicians and scientists, University College London Medical School. <i>Lancet</i> , 341(8839): 215-20.
2283	Anonymous (1993). Summary of the second report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel II). <i>JAMA</i> , 269(23): 3015-23.
2286	Anonymous (1993). The fifth report of the Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure (JNC V). <i>Arch Intern Med</i> , 153(2): 154-83.
13404	Anthuber M, Kemkes BM, Kreuzer E, et al (1992). Aortic aneurysms after heart transplantation. <i>Transplant Proc</i> , 24(5): 2016-7.

62105	Aoki A, Kojima F, Uchida K, et al (2009). Associations between vascular calcification, arterial stiffness and bone mineral density in chronic hemodialysis patients. <i>Geriatr Gerontol Int</i> , 9(3): 246-52.
62110	Aoyagi K, Ross PD, Orloff J, et al (2001). Low bone density is not associated with aortic calcification. <i>Calcif Tissue Int</i> , 69(1): 20-4.
13473	Apelgren KN, Scheeres DE (1994). Aortic injury: a catastrophic complication of laparoscopic cholecystectomy. <i>Surg Endosc</i> , 8(6): 689-91.
95012	Arinze NV, Gregory A, Francis JM, et al (2019). Unique aspects of peripheral artery disease in patients with chronic kidney disease. <i>Vasc Med</i> , 24(3): 251-60.
61219	Aronow WS (2003). Homocysteine. The association with atherosclerotic vascular disease in older persons. <i>Geriatrics</i> , 58(9): 22-4, 27-8.
95228	Arya S, Lee S, Zahner GJ, et al (2018). The association of comorbid depression with mortality and amputation in veterans with peripheral artery disease. <i>J Vasc Surg</i> , 68(2): 536-45.e2.
13362	Auerbach O, Garfinkel L (1980). Atherosclerosis and aneurysm of aorta in relation to smoking habits and age. <i>Chest</i> , 78(6): 805-9.
95454	Aurpibul L, Sugandhavesa P, Srithanaviboonchai K, Sitthi W, et al (2019). Peripheral artery disease in HIV-infected older adults on antiretroviral treatment in Thailand. <i>HIV Med</i> , 20(1): 54-9.
80744	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2002). Estimations of Atomic Radiation Exposure in Australian Service Personnel in South West Japan 1946-52. Commonwealth Department of Veterans' Affairs.
80718	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80745	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2012). Radiation protection: health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2012). Radiation protection: Radiation basics - ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2015). Fact sheet: Ionising radiation and health. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2015). Radiation protection: units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units/cfm
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
95470	Babiker A, Jeudy J, Kligerman S, et al (2017). Risk of cardiovascular disease due to chronic hepatitis C infection: A review. <i>J Clin Transl Hepatol</i> , 5(4): 343-62.
13437	Bacharach JM, Colville DS, Lie JT (1992). Accelerated atherosclerosis, aneurysmal disease, and aortitis: possible pathogenetic association with cocaine abuse. <i>Int Angiol</i> , 11(1): 83-6.

13271	Bacharach JM, Garratt KN, Rooke TW (1993). Chronic traumatic thoracic aneurysm: report of two cases with the question of timing for surgical intervention. <i>J Vasc Surg</i> , 17(4): 780-3.
62599	Bagger YZ, Tanko LB, Alexandersen P, et al (2006). Radiographic measure of aorta calcification is a site-specific predictor of bone loss and fracture risk at the hip. <i>J Intern Med</i> , 259(6): 598-605.
95466	Bai R, Zhang Y, Liu W, et al (2019). The relationship of ankylosing spondylitis and subclinical atherosclerosis: A systemic review and meta-analysis. <i>Angiology</i> , 70(6): 492-500.
95305	Banks E, Joshy G, Korda RJ, et al (2019). Tobacco smoking and risk of 36 cardiovascular disease subtypes: fatal and non-fatal outcomes in a large prospective Australian study. <i>BMC Med</i> , 17(1): 128.
95212	Barone Gibbs B, Dobrosielski DA, Althouse AD, et al (2013). The effect of exercise training on ankle-brachial index in type 2 diabetes. <i>Atherosclerosis</i> , 230(1): 125-30.
13387	Barrett JM, Van Hooydonk JE, Boehm FH (1982). Pregnancy-related rupture of arterial aneurysms. <i>Obstet Gynecol Surv</i> , 37(9): 557-66.
95473	Bassendine MF, Nielsen SU, Bridge SH, et al (2017). Hepatitis C virus and atherosclerosis: A legacy after virologic cure? <i>Clin Res Hepatol Gastroenterol</i> , 41(1): 25-30.
13415	Bastounis E, Maltezos C, Giambouras S, et al (1994). Arterial aneurysms in Behcet's disease. <i>Int Angiol</i> , 13(3): 196-201.
95447	Bates JE, Howell RM, Liu Q, et al (2019). Therapy-related cardiac risk in childhood cancer survivors: An analysis of the Childhood Cancer Survivor Study. <i>J Clin Oncol</i> , 37(13): 1090-101.
95452	Beckman JA, Duncan MS, Alcorn CW, et al (2018). Association of human immunodeficiency virus infection and risk of peripheral artery disease. <i>Circulation</i> , 138(3): 255-65.
94918	Bendix EF, Johansen E, Ringgaard T, et al (2018). Diabetes and abdominal aortic calcification--a systematic review. <i>Curr Osteoporos Rep</i> , 16(1): 42-57.
13614	Bengtsson H, Sonesson B, Bergqvist D (1996). Incidence and prevalence of abdominal aortic aneurysms, estimated by necropsy studies and population screening by ultrasound. <i>Ann N Y Acad Sci</i> , 800: 1-24.
469	Bengtsson H, Sonesson B, Lanne T, et al (1992). Prevalence of abdominal aortic aneurysm in the offspring of patients dying from aneurysm rupture. <i>Br J Surg</i> , 79(11): 1142-3.
13443	Benitez RM, Gurbel PA, Chong H, et al (1995). Penetrating atherosclerotic ulcer of the aortic arch resulting in extensive and fatal dissection. <i>Am Heart J</i> , 129(4): 821-3.
95751	Benz K, Varga I, Neureiter D, et al (2017). Vascular inflammation and media calcification are already present in early stages of chronic kidney disease. <i>Cardiovasc Pathol</i> , 27: 57-67.
63263	Berenson GS, Srinivasan SR, Bao W, et al (1998). Association between multiple cardiovascular risk factors and atherosclerosis in children and young adults. The Bogalusa Heart Study. <i>N Engl J Med</i> , 338(23): 1650-6.
13310	Bergqvist D (1997). Abdominal aortic aneurysms. <i>Eur Heart J</i> , 18(4): 545-6.
13441	Bergqvist D, Bengtsson H (1990). Risk factors for rupture of abdominal aortic aneurysm. Clinical review. <i>Acta Chir Scand</i> , 156(1): 63-8.
13319	Berkmen T (1998). MR angiography of aneurysms in Behcet disease: a report of four cases. <i>J Comput Assist Tomogr</i> , 22(2): 202-6.
94880	Bertoia ML, Pai JK, Cooke JP, et al (2014). Plasma homocysteine, dietary B vitamins, betaine, and choline and risk of peripheral artery disease. <i>Atherosclerosis</i> , 235(1): 94-101.
13388	Bickerstaff LK, Pairolero PC, Hollier LH, et al (1982). Thoracic aortic aneurysms: a population-based study. <i>Surgery</i> , 92(6): 1103-8.

13367	Bjerkelund CE, Smith-Erichsen N, Solheim K (1986). Abdominal aortic reconstruction. Prognostic importance of coexistent diseases. <i>Acta Chir Scand</i> , 152: 111-5.
63249	Blackshear JL, Pearce LA, Hart RG, et al (1999). Aortic plaque in atrial fibrillation: prevalence, predictors, and thromboembolic implications. <i>Stroke</i> , 30(4): 834-40.
61212	Blanco E, Monux G, Mas A, et al (2008). Role of IL-10 promoter polymorphisms in the development of severe aorto-iliac occlusive disease. <i>Hum Immunol</i> , 69(10): 651-4.
13308	Blasi F, Denti F, Erba M, et al (1996). Detection of chlamydia pneumoniae but not helicobacter pylori in atherosclerotic plaques of aorta aneurysms. <i>J Clin Microbiol</i> , 34(11): 2766-9.
95001	Boaventura P, Duraes C, Mendes A, et al (2018). Is low-dose radiation exposure a risk factor for atherosclerotic disease? <i>Radiat Res</i> , 189(4): 418-24.
13299	Bogaert J, Gewillig M, Rademakers F, et al (1995). Transverse arch hypoplasia predisposes to aneurysm formation at the repair site after patch angioplasty for coarctation of the aorta. <i>J Am Coll Cardiol</i> , 26(2): 521-7.
94968	Bohr AH, Fuhlbrigge RC, Pedersen FK, et al (2016). Premature subclinical atherosclerosis in children and young adults with juvenile idiopathic arthritis. A review considering preventive measures. <i>Pediatr Rheumatol Online J</i> , 14(1): 3.
62116	Bolton CE, Cockcroft JR (2011). Lung function and aortic calcification--hardening the evidence or inflaming the need for further research? <i>COPD</i> , 8(2): 57-9.
2194	Bonora E, Zenere M, Branzi P, et al (1992). Influence of body fat and its regional localization on risk factors for atherosclerosis in young men. <i>Am J Epidemiol</i> , 135(11): 1271-8.
13396	Boontje AH (1978). True aneurysm of the abdominal aorta due to blunt trauma. <i>J Cardiovasc Surg (Torino)</i> , 19(4): 359-63.
61224	Bozkurt A, Cayli M, Demir M, et al (2007). The relation between aortic atherosclerosis and risk factors. <i>Anadolu Kardiyol Derg</i> , 7(1): 2-5.
94858	Brown KN, Gonzalez L (2020). Leriche syndrome. Retrieved 19 March 2020, from https://www.ncbi.nlm.nih.gov/books/NBK538248/
13368	Bruno L, Prandi M, Colombi P, et al (1986). Diagnostic and surgical management of patients with aneurysms of the thoracic aorta with various causes. Echocardiography and contrast enhanced computed tomography in prophylactic replacement of the ascending aorta. <i>Br Heart J</i> , 55(1): 81-91.
61229	Bugnicourt JM, Chillon JM, Tribouilloy C, et al (2010). Relation between intracranial artery calcifications and aortic atherosclerosis in ischemic stroke patients. <i>J Neurol</i> , 257(8): 1338-43.
61233	Cahan MA, Killewich LA, Kolodner L, et al (1999). The prevalence of carotid artery stenosis in patients undergoing aortic reconstruction. <i>Am J Surg</i> , 178(3): 194-6.
95310	Camargo CA Jr, Stampfer MJ, Glynn RJ, et al (1997). Prospective study of moderate alcohol consumption and risk of peripheral arterial disease in US male physicians. <i>Circulation</i> , 95(3): 577-80.
13419	Cannon DJ, Casteel L, Read RC (1984). Abdominal aortic aneurysm, Leriche's Syndrome, inguinal herniation, and smoking. <i>Arch Surg</i> , 119(4): 387-9.
13592	Cannon DJ, Read RC (1982). Blood elastolytic activity in patients with aortic aneurysm. <i>Ann Thorac Surg</i> , 34(1): 10-5.

43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-Country collaborative study of cancer risk among radiation workers in the nuclear industry: Estimates of radiation-related cancer risks. <i>Radiat Res</i> , 167(4): 396-416.
2196	Carstensen JM, Pershage G, Eklund G (1987). Mortality in relation to cigarette and pipe smoking: 16 years' observation of 25,000 Swedish men. <i>J Epidemiol Comm Health</i> , 41(2): 166-72.
94965	Carter BD, Abnet CC, Feskanich D, et al (2015). Smoking and mortality--beyond established causes. <i>N Engl J Med</i> , 372(7): 631-40.
80746	Carter M, Robotham F, Wise K, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 1: Dosimetry. Commonwealth of Australia.
13280	Cassart M, Gevenois PA, Knoop C, et al (1994). Pseudomonas aeruginosa aortic aneurysm after heart-lung transplantation for cystic fibrosis. <i>Transplantation</i> , 58(9): 1051-3.
61204	Castillo R, Fields A, Qureshi G, et al (2009). Relationship between aortic atherosclerosis and dental loss in an inner-city population. <i>Angiology</i> , 60(3): 346-50.
13363	Cavanzo FJ, Taylor HB (1969). Effect of pregnancy on the human aorta and its relationship to dissecting aneurysms. <i>Am J Obstet Gynecol</i> , 105(4): 567-8.
94983	Cecelja M, Chowienczyk P (2009). Dissociation of aortic pulse wave velocity with risk factors for cardiovascular disease other than hypertension: a systematic review. <i>Hypertension</i> , 54(6): 1328-36.
80747	Centers for Disease Control and Prevention (CDC) (2015). Radioisotope brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
13282	Chakravarty K, Scott DG (1992). Mycotic aneurysm of the aortic arch masquerading as systemic lupus erythematosus. <i>Ann Rheum Dis</i> , 51(9): 1079-81.
13519	Chan, EL, Belem, P, Ciocca, RG, et al (1996). Incidence of cancer and abdominal aortic aneurysms. <i>Ann N Y Acad Sci</i> , 800: 68-73.
95564	Chen CH, Shyue SK, Hsu CP, et al (2018). Atypical antipsychotic drug olanzapine deregulates hepatic lipid metabolism and aortic inflammation and aggravates atherosclerosis. <i>Cell Physiol Biochem</i> , 50(4): 1216-29.
95013	Chen J, Mohler ER, Xie D, et al (2016). Traditional and non-traditional risk factors for incident peripheral arterial disease among patients with chronic kidney disease. <i>Nephrol Dial Transplant</i> , 31(7): 1145-51.
61802	Chen YW, Umeda M, Nagasawa T, et al (2008). Periodontitis may increase the risk of peripheral arterial disease. <i>Eur J Vasc Endovasc Surg</i> , 35(2): 153-8.
61211	Chiu KW, Davies RS, Nightingale PG, et al (2010). Review of direct anatomical open surgical management of atherosclerotic aorto-iliac occlusive disease. <i>Eur J Vasc Endovasc Surg</i> , 39(4): 460-71.
63264	Chow JT, Khosla S, Melton LJ 3rd, et al (2008). Abdominal aortic calcification, BMD, and bone microstructure: a population-based study. <i>J Bone Mineral Res</i> , 23(10): 1601-12.
2198	Clarke R, Daly L, et al (1991). Hyperhomocysteinemia: An independent risk factor for vascular disease. <i>N Engl J Med</i> , 324(17): 1149-55.
95474	Cohen HW, Zeig-Owens R, Joe C, et al (2019). Long-term cardiovascular disease risk among firefighters after the World Trade Center disaster. <i>JAMA Netw Open</i> , 2(9): e199775.
13442	Collin J (1994). Risk of rupture in abdominal aortic aneurysm. <i>Lancet</i> , 343(8896): 539.
13416	Collin J, Araujo L, Walton J, et al (1988). Oxford screening programme for abdominal aortic aneurysm in men aged 65 to 74 years. <i>Lancet</i> , 2(8611): 613-5.

13276	Cook TA, Jones AJ, Webb AJ, et al (1994). Traumatic abdominal aortic aneurysm. <i>Eur J Vasc Surg</i> , 8(3): 364-5.
13366	Costa M, Robbs JV (1986). Abdominal aneurysms in a black population: clinicopathological study. <i>Br J Surg</i> , 73(7): 554-8.
62509	Creager MA, Loscalzo J (2011). Diseases of the aorta. Chapter 242, Retrieved 7 November 2011, from http://accessmedicine.com/content.aspx?aID=9105039&SearchStr=aortic+diseases#9105039
13401	Crissey JT, Denenholz DA (1984). Syphilis. <i>Clin Dermatol</i> , 2(1): 1-166.
13355	Cronenwett JL, Murphy TF, Zelenock GB, et al (1985). Actuarial analysis of variables associated with rupture of small abdominal aortic aneurysms. <i>Surgery</i> , 98(3): 472-83.
13590	Curl GR, Faggioli GL, Stella A, et al (1992). Aneurysmal change at or above the proximal anastomosis after infrarenal aortic grafting. <i>J Vas Surg</i> , 16(6): 855-60.
13317	Damm O, Briheim G, Hagstrom T, et al (1998). Ruptured mycotic aneurysm of the abdominal aorta: a serious complication of intravesical instillation bacillus Calmette-Guerin therapy. <i>J Urol</i> , 159(3): 984.
2201	Davies MJ, Woolf N (1993). Atherosclerosis: what is it and why does it occur? <i>Br Heart J</i> , 69(1 Suppl): S3-11.
63254	Davila JA, Johnson CD, Behrenbeck TR, et al (2006). Assessment of cardiovascular risk status at CT colonography. <i>Radiology</i> , 240(1): 110-5.
63250	Davila-Roman VG, Murphy SF, Nickerson NJ, Kouchoukos NT, et al (1999). Atherosclerosis of the ascending aorta is an independent predictor of long-term neurologic events and mortality. <i>J Am Coll Cardiol</i> , 33(5): 1308-16.
61234	de Villiers JC, Small CV (1999). Medical recipients of the Victoria Cross during the Anglo-Boer War, 1899-1902. <i>S Afr Med J</i> , 89(12): 1292-8.
80738	Decision Support Unit (DSU) (2006). Atomic radiation. SOP Bulletin 106.
80739	Decision Support Unit (DSU) (2010). Atomic radiation - update. SOP Bulletin 145.
80743	Defence Threat Reduction Agency (2010). Standard method: ID01 - Doses to organs from intake of radioactive materials. DTRA/NTPR - Standard Operating Procedures Manual, Revision 1.3a.
47811	Delaney JA, Jensky NE, Criqui MH, et al (2013). The association between physical activity and both incident coronary artery calcification and ankle brachial index progression: the Multi-Ethnic Study of Atherosclerosis. <i>Atherosclerosis</i> , 230(2): 278-83.
62056	Demer L, Tintut Y (2010). The bone-vascular axis in chronic kidney disease. <i>Curr Opin Nephrol Hypertens</i> , 19(4): 349-53.
62165	Demirbag R, Yilmaz R, Ulucay A, Unlu D (2005). The inverse relationship between thoracic aortic intima media thickness and testosterone level. <i>Endocrine Research</i> , 31(4): 335-44.
61443	Desai MY, Kwon DH, Nair D, et al (2008). Association of aortic atherosclerosis and renal dysfunction. <i>J Am Soc Echocardiogr</i> , 21(6): 751-5.
10246	Desormais I, Aboyans V, Guerchet M, et al (2020). Body mass index and peripheral arterial disease, a "U-shaped" relationship in elderly African population - the EPIDEMCA study. <i>VASA</i> , 49(1): 50-6.
94969	Di Minno MN, Ambrosino P, Lupoli R, et al (2015). Clinical assessment of endothelial function in patients with rheumatoid arthritis: A meta-analysis of literature studies. <i>Eur J Intern Med</i> , 26(10): 835-42.
94881	Diaz KM, Booth JN 3rd, Seals SR, et al (2016). Sedentary behavior and subclinical atherosclerosis in African Americans: cross-sectional analysis of the Jackson heart study. <i>Int J Behav Nutr Phys Act</i> , 13: 31.

61773	Didion SP (2008). Chlamydophila pneumoniae and endothelial activation: the smoke that precedes the fire of atherosclerosis? <i>Circ Res</i> , 102(8): 861-3.
60657	Dieter RS, Kayla A, Pacanowski JP Jr, et al (2005). Acute aortic syndromes: aortic dissections, penetrating aortic ulcers and intramural aortic hematomas. <i>Expert Rev Cardiovasc Ther</i> , 3(3): 423-31.
3323	Doll R, Peto R, Wheatley K, et al (1994). Mortality in relation to smoking: 40 years' observations on male British doctors. <i>BMJ</i> , 309(6959): 901-11.
2205	Donahue RP, Abbott RD, Bloom E, et al (1987). Central obesity and coronary heart disease in men. <i>Lancet</i> , 1(8537): 821-4.
62113	Dransfield MT, Huang F, Nath H, et al (2010). CT emphysema predicts thoracic aortic calcification in smokers with and without COPD. <i>COPD</i> , 7(6): 404-10.
13365	Edwards JE (1973). Aneurysms of the thoracic aorta complicating coarctation. <i>Circulation</i> , 48(1): 195-201.
13591	Edwards JM, Teefey SA, Zierler ER, et al (1992). Intraabdominal paraanastomotic aneurysms after aortic bypass grafting. <i>J Vas Surg</i> , 15(2): 344-53.
13589	Efremidis SC, Lakshmanan S, Hsu JT (1976). Tuberculous aortitis: a rare cause of mycotic aneurysm of the aorta. <i>AJR Am J Roentgenol</i> , 127(5): 859-61.
63265	Eisen A, Tenenbaum A, Koren-Morag N, et al (2008). Calcification of the thoracic aorta as detected by spiral computed tomography among stable angina pectoris patients: association with cardiovascular events and death. <i>Circulation</i> , 118(13): 1328-34.
41720	Ellison RC, Zhang Y, Hopkins PN, et al (2006). Is alcohol consumption associated with calcified atherosclerotic plaque in the coronary arteries and aorta? <i>Am Heart J</i> , 152(1): 177-82.
93779	Emdin CA, Anderson SG, Woodward M, et al (2015). Usual blood pressure and risk of new-onset diabetes: evidence from 4.1 million adults and a meta-analysis of prospective studies. <i>J Am Coll Cardiol</i> , 66(14): 1552-62.
95216	Engstrom G, Ogren M, Hedblad B, et al (2001). Asymptomatic leg atherosclerosis is reduced by regular physical activity. Longitudinal results from the cohort "men born in 1914". <i>Eur J Endovasc Surg</i> , 21(6): 502-7.
13516	Erbel R, Zamorano J (1996). The aorta. Aortic aneurysm, trauma, and dissection. <i>Crit Care Clin</i> , 12(3): 733-66.
13397	Estrera AS, Platt MR, Mills LJ, et al (1979). Tuberculous aneurysms of the descending thoracic aorta: report of a case with fatal rupture. <i>Chest</i> , 75(3): 386-8.
13440	Evans JM, O'Fallon M, Hunder GG (1995). Increased incidence of aortic aneurysm and dissection in Giant Cell (temporal) arteritis. <i>Ann Intern Med</i> , 122(7): 502-7.
61735	Farzaneh-Far A (2000). [Comment] Origins and consequences of vascular calcification. <i>JAMA</i> , 284(12): 1515-6.
13619	Fasal E, Jackson EW, Klauber MR (1966). Mortality in California veterinarians. <i>J Chronic Dis</i> , 19(3): 293-306.
61203	Fasseas P, Brilakis ES, Leybishkis B, et al (2002). Association of carotid artery intima-media thickness with complex aortic atherosclerosis in patients with recent stroke. <i>Angiology</i> , 53(2): 185-9.
13283	Fawzy ME, Dunn B, Galal O, et al (1992). Balloon coarctation angioplasty in adolescents and adults: early and intermediate results. <i>Am Heart J</i> , 124(1): 167-71.
13358	Feigl D, Feigl A, Edwards JE (1986). Mycotic aneurysms of the aortic root. A pathologic of 20 cases. <i>Chest</i> , 90(4): 553-7.
13395	Felson B, Akers PV, Hall GS, et al (1977). Mycotic tuberculous aneurysm of the thoracic aorta. <i>JAMA</i> , 237(11): 1104-8.

94860	Fernandez-Friera L, Penalvo JL, Ortiz AF, et al (2015). Prevalence, vascular distribution, and multiterritorial extent of subclinical atherosclerosis in a middle-aged cohort: the PESA (Progression of Early Subclinical Atherosclerosis) Study. <i>Circulation</i> , 131(24): 2104-13.
13385	Finkelmeier BA, Mentzer RM, Kaiser DL, et al (1982). Chronic traumatic thoracic aneurysm. Influence of operative treatment on natural history: an analysis of reported cases, 1950-1980. <i>J Thorac Cardiovasc Surg</i> , 84(2): 257-66.
13445	Fitzgerald P, Ramsbottom D, Burke P, et al (1992). Abdominal aortic aneurysm in the Irish population: a familial screening study. <i>Br J Surg</i> , 82(4): 483-6.
13593	Fleming AW, Green DC (1974). Traumatic aneurysms of the thoracic aorta. Report of 43 patients. <i>Ann Thorac Surg</i> , 18(1): 91-101.
13526	Follis FM, Paone RF, Wernly JA (1994). Mycotic aneurysm of the ascending aorta after coronary revascularization. <i>Ann Thorac Surg</i> , 58(1): 236-8.
94861	Fowkes FG, Rudan D, Rudan I, et al (2013). Comparison of global estimates of prevalence and risk factors for peripheral artery disease in 2000 and 2010: a systematic review and analysis. <i>Lancet</i> , 382(9901): 1329-40.
13414	Fowl RJ, Blebea J, Stallion A, et al (1993). Prevalence of unsuspected abdominal aortic aneurysms in male veterans. <i>Ann Vasc Surg</i> , 7(2): 117-21.
62058	Fox CS, Hwang SJ, Massaro JM, et al (2009). Relation of subcutaneous and visceral adipose tissue to coronary and abdominal aortic calcium (from the Framingham Heart Study). <i>Am J Cardiol</i> , 104(4): 543-7.
13278	Francke U, Furthmayr H (1994). Marfan's Syndrome and other disorders of fibrillin. <i>N Engl J Med</i> , 330(19): 1384-5.
13786	Franks PJ, Edwards RJ, Greenhalgh RM, et al (1996). Risk factors for abdominal aortic aneurysms in smokers. <i>Eur J Vasc Endovasc Surg</i> , 11(4): 487-92.
13612	Fujimura T, Fujii H, Ariizumi K, et al (1996). Infected aneurysms - clinical study of 5 cases. <i>Tokai J Exp Clin Med</i> , 21(1): 25-31.
13788	Fujita T, Fukushima N, Taketani S, et al (1996). Late true aneurysm after bypass grafting for long aortic coarctation. <i>Ann Thorac Surg</i> , 62(5): 1511-3.
95444	Fullerton B, Jeitler K, Seitz M, et al (2014). Intensive glucose control versus conventional glucose control for type 1 diabetes mellitus. <i>Cochrane Database Syst Rev</i> , 2014(2): CD009122.
95380	Gac P, Jazwiec P, Mazur G, et al (2017). Exposure to cigarette smoke and the morphology of atherosclerotic plaques in the extracranial arteries assessed by computed tomography angiography in patients with essential hypertension. <i>Cardiovasc Toxicol</i> , 17(1): 67-78.
470	Gadowski GR, Ricci MA, Hendley ED, et al (1993). Hypertension accelerates the growth of experimental aortic aneurysms. <i>J Surg Res</i> , 54(5): 431-6.
62117	Gambacciani M, Pepe A (2009). Vasomotor symptoms and cardiovascular risk. <i>Climacteric</i> , 12(Suppl 1): 32-5.
13433	Garb M (1994). Appendicitis: an unusual cause of infected abdominal aortic aneurysm. <i>Australas Radiol</i> , 38(1): 68-9.
95020	Garcia-Diaz AM, Marchena PJ, Toril J, et al (2011). Alcohol consumption and outcome in stable outpatients with peripheral artery disease. <i>J Vasc Surg</i> , 54(4): 1081-7.
13304	Gedalia A, Shetty AK, Ward K, et al (1996). Abdominal aortic aneurysm associated with childhood sarcoidosis. <i>J Rheumatol</i> , 23(4): 757-9.

61205	Geleijnse JM, Launer LJ, Hofman A, et al (1999). Tea flavonoids may protect against atherosclerosis: the Rotterdam Study. <i>Arch Intern Med</i> , 159(18): 2170-4.
63266	Geleijnse JM, Vermeer C, Grobbee DE, et al (2004). Dietary intake of menaquinone is associated with a reduced risk of coronary heart disease: the Rotterdam Study. <i>J Nutr</i> , 134(11): 3100-5.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
13313	Goarin JP, Catoire P, Jacquens Y, et al (1997). Use of transesophageal echocardiography for diagnosis of traumatic aortic injury. <i>Chest</i> , 112(1): 71-80.
95446	Goetz M, Shah A, Goldberg J, et al (2014). Posttraumatic stress disorder, combat exposure, and carotid intima-media thickness in male twins. <i>Am J Epidemiol</i> , 180(10): 989-96.
13623	Goldberg RJ, Burchfiel CM, Benfante R, et al (1995). Lifestyle and biologic factors associated with atherosclerotic disease in middle-aged men. <i>Arch Intern Med</i> , 155(7): 686-94.
62062	Golledge J, Jayalath R, Oliver L, et al (2008). Relationship between CT anthropometric measurements, adipokines and abdominal aortic calcification. <i>Atherosclerosis</i> , 197(1): 428-34.
95211	Golledge J, Singh TP, Alahakoon C, et al (2019). Meta-analysis of clinical trials examining the benefit of structured home exercise in patients with peripheral artery disease. <i>Br J Surg</i> , 106(4): 319-31.
13287	Gomes MN, Choyke PL, Wallace RB (1992). Infected aortic aneurysms. A changing entity. <i>Ann Surg</i> , 215(5): 435-42.
13303	Gordon IL, Kohl CA, Arefi M, et al (1996). Spinal cord injury increases the risk of abdominal aortic aneurysm. <i>Am Surg</i> , 62(3): 249-52.
61737	Goto T, Baba T, Matsuyama K, et al (2003). Aortic atherosclerosis and postoperative neurological dysfunction in elderly coronary surgical patients. <i>Ann Thorac Surg</i> , 75(6): 1912-8.
13791	Gott VL, Cameron DE, Pyeritz RE, et al (1994). Composite graft repair of Marfan aneurysm of the ascending aorta: results in 150 patients. <i>J Card Surg</i> , 9(5): 482-9.
13785	Gott VL, Laschinger JC, Cameron DE, et al (1996). The Marfan syndrome and the cardiovascular surgeon. <i>Eur J Cardiothorac Surg</i> , 10(3): 149-58.
13389	Graor RA (1984). Occlusive and aneurysmal aortoiliac disease. Dealing with the consequences of atherosclerosis. <i>Postgrad Med</i> , 75(7): 61-72.
2217	Grayson JT, Kuo CC, Campbell LA, et al (1993). Chlamydia pneumoniae, strain TWAR and atherosclerosis. <i>Eur Heart J</i> , 14(Suppl K): 66-71.
13848	Greenhalgh RM, Laing S, Taylor GW (1980). Risk factors in carotid artery stenosis and intracranial aneurysm. <i>J Cardiovasc Surg (Torino)</i> , 21(5): 559-67.
94916	Grenon SM, Cohen BE, Smolderen K, et al (2014). Peripheral arterial disease, gender, and depression in the Heart and Soul Study. <i>J Vasc Surg</i> , 60(2): 396-403.
95224	Grenon SM, Hiramoto J, Smolderen KG, et al (2012). Association between depression and peripheral artery disease: insights from the Heart and Soul Study. <i>J Am Heart Assoc</i> , 1(4): e002667.
95352	Grenon SM, Owens CD, Alley H, et al (2016). Posttraumatic stress disorder is associated with worse endothelial function among veterans. <i>J Am Heart Assoc</i> , 5(3): e003010.
13518	Grimshaw GM, Thompson JM, Hamer JD (1994). Prevalence of abdominal aortic aneurysm associated with hypertension in an urban population. <i>J Med Screen</i> , 1(4): 226-8.
62112	Grissom GR, Phillips RA (2005). Screening for depression. This is the heart of the matter. <i>Arch Intern Med</i> , 165: 1214-6.

80729	Gun R, Parsons J, Ryan P, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 2: Mortality and Cancer Incidence. Department of Veterans' Affairs, Canberra.
95800	Gustafson D, Fish JE, Lipton JH, et al (2020). Mechanisms of cardiovascular toxicity of BCR-ABL1 tyrosine kinase inhibitors in chronic myelogenous leukemia. <i>Curr Hematol Malig Rep</i> , 15(1): 20-30.
61754	Gutierrez J, de Dios Luna J, Linares J, et al (2005). Relationship between peripheral arterial occlusive disease (PAOD) and chronic Chlamydia (Chlamydia) pneumoniae infection. A meta-analysis. <i>Thromb Haemost</i> , 93(6): 1153-60.
13413	Hagino RT, Taylor SM, Fujitani RM, et al (1993). Proximal anastomotic failure following infrarenal aortic reconstruction: late development of true aneurysms, pseudoaneurysms, and occlusive disease. <i>Ann Vasc Surg</i> , 7(1): 8-13.
63253	Hak AE, Pols HA, van Hemert AM, et al (2000). Progression of aortic calcification is associated with metacarpal bone loss during menopause: a population-based longitudinal study. <i>Arterioscler Thromb Vasc Biol</i> , 20(8): 1926-31.
25275	Hak AE, Pols HA, Visser TJ, et al (2000). Subclinical hypothyroidism is an independent risk factor for atherosclerosis and myocardial infarction in elderly women: the Rotterdam Study. <i>Ann Intern Med</i> , 132(4): 270-8.
61223	Hak AE, Westendorp IC, Pols HA, et al (2007). High-dose testosterone is associated with atherosclerosis in postmenopausal women. <i>Maturitas</i> , 56(2): 153-60.
63267	Hak AE, Witteman JC, de Jong FH, et al (2002). Low levels of endogenous androgens increase the risk of atherosclerosis in elderly men: the Rotterdam Study. <i>J Clin Endocrinol Metab</i> , 87(8): 3632-9.
13450	Halloran BG, Baxter BT (1995). Pathogenesis of aneurysms. <i>Semin Vasc Surg</i> , 8(2): 85-92.
13405	Hamida MB, Bedrossian J, Pruna A, et al (1993). Fungal mycotic aneurysms and visceral infection due to <i>Scedosporium apiospermum</i> in a kidney transplant patient. <i>Transplant Proc</i> , 25(3): 2290-1.
12116	Hammond EC (1969). Coronary heart disease, stroke, and aortic aneurysm. <i>Arch Environ Health</i> , 19(2): 167-82.
6559	Hammond EC, Horn D (1958). Smoking and death rates: report on forty-four months of follow-up of 187,783 men. 2. Death rates by cause. <i>J Am Med Assoc</i> , 166(11): 1294-308.
63268	Hanada S, Ando R, Naito S, et al (2010). Assessment and significance of abdominal aortic calcification in chronic kidney disease. <i>Nephrol Dial Transplant</i> , 25(6): 1888-95.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
71856	Hartley L, Igbinedion E, Holmes J, et al (2013). Increased consumption of fruit and vegetables for the primary prevention of cardiovascular diseases. <i>Cochrane Database Syst Rev</i> , 2013(6): CD009874.
94862	He Y, Lam TH, Jiang B, et al (2008). Passive smoking and risk of peripheral arterial disease and ischemic stroke in Chinese women who never smoked. <i>Circulation</i> , 118(15): 1535-40.
10422	Heffron SP, Dwivedi A, Rockman CB, et al (2020). Body mass index and peripheral artery disease. <i>Atherosclerosis</i> , 292: 31-6.
94876	Heffron SP, Rockman CB, Adelman MA, et al (2017). Greater frequency of fruit and vegetable consumption is associated with lower prevalence of peripheral artery disease. <i>Arterioscler Thromb Vasc Biol</i> , 37(6): 1234-40.
91612	Heffron SP, Rockman CB, Gianos E, et al (2015). Greater frequency of nut consumption is associated with lower prevalence of peripheral arterial disease. <i>Prev Med</i> , 72: 15-8.

62107	Hegazi RA, Sutton-Tyrrell K, Evans RW, et al (2003). Relationship of adiposity to subclinical atherosclerosis in obese patients with type 2 diabetes. <i>Obes Res</i> , 11(12): 1597-605.
29981	Heikkila A, Venermo M, Kautiainen H, et al (2016). Physical activity improves borderline ankle-brachial index values in a cardiovascular risk population. <i>Ann Vasc Surg</i> , 32: 50-6.
13522	Heikkinen L, Sariola H, Salo J, et al (1990). Morphological and histopathological aspects of aneurysms after patch aortoplasty for coarctation. <i>Ann Thorac Surg</i> , 50(6): 946-8.
13300	Hellinger WC, Oldenburg WA, Alvarez S (1995). Vascular and other serious infections with mycobacterium bovis after bacillus of Calmette-Guerin therapy for bladder cancer. <i>South Med J</i> , 88(12): 1212-6.
13649	Heystraten FM, Rosenbusch G, Kingma LM, et al (1986). Chronic posttraumatic aneurysm of the thoracic aorta: surgically correctable occult threat. <i>Am J Roentgenol</i> , 146(2): 303-8.
20605	Hicks CW, Yang C, Ndumele CE, et al (2018). Associations of obesity with incident hospitalization related to peripheral artery disease and critical limb ischemia in the ARIC study. <i>J Am Heart Assoc</i> , 7(16): e008644.
95762	Hinojosa CA, Nunez-Salgado AE, Anaya-Ayala JE, et al (2018). Prevalence and variables associated with an abnormal ankle-brachial index among patients with human immunodeficiency virus/acquired immunodeficiency syndrome. <i>Vascular</i> , 26(5): 540-6.
13406	Hoffman AI, Murphy TP (1997). Septic arteritis causing iliac artery rupture and aneurysmal transformation of the distal aorta after iliac artery stent placement. <i>J Vasc Interv Radiol</i> , 8(2): 215-9.
95218	Hooi JD, Kester AD, Stoffers HE, et al (2001). Incidence of and risk factors for asymptomatic peripheral arterial occlusive disease: a longitudinal study. <i>Am J Epidemiol</i> , 153(7): 666-72.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
95607	Hsu WY, Lin CL, Kao CH (2016). A population-based cohort study on peripheral arterial disease in patients with schizophrenia. <i>PLoS One</i> , 11(2): e0148759.
95469	Hsu YH, Muo CH, Liu CY, et al (2015). Hepatitis C virus infection increases the risk of developing peripheral arterial disease: a 9-year population-based cohort study. <i>J Hepatol</i> , 62(3): 519-25.
94895	Hu JC, Williams SB, O'Malley AJ, et al (2012). Androgen-deprivation therapy for nonmetastatic prostate cancer is associated with an increased risk of peripheral arterial disease and venous thromboembolism. <i>Eur Urol</i> , 61(6): 1119-28.
3195	Huang H, Kang R, Zhao Z (2014). Is hepatitis C associated with atherosclerotic burden? A systematic review and meta-analysis. <i>PLoS One</i> , 9(9): e106376.
95306	Huang JY, Chen WK, Lin CL, et al (2017). Increased risk of peripheral arterial disease in patients with alcohol intoxication: A population-based retrospective cohort study. <i>Alcohol</i> , 65: 25-30.
95209	Huang Y, Xu M, Xie L, et al (2016). Obesity and peripheral arterial disease: a Mendelian Randomization analysis. <i>Atherosclerosis</i> , 247: 218-24.
2228	Hubert HB, Feinleib M, McNamara PM, et al (1983). Obesity as an independent risk factor for cardiovascular disease: A 26 year follow-up of participants in the Framingham Heart Study. <i>Circulation</i> , 67(5): 968-77.
95167	Hung HC, Merchant A, Willett W, et al (2003). The association between fruit and vegetable consumption and peripheral arterial disease. <i>Epidemiology</i> , 14(6): 659-65.

80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>Br J Cancer</i> , 109(7): 1989-96.
13273	Hwa J, Richards JG, Huang H, et al (1993). The natural history of aortic dilatation in Marfan syndrome. <i>Med J Aust</i> , 158(8): 558-62.
94924	Hyle EP, Mayosi BM, Middelkoop K, et al (2017). The association between HIV and atherosclerotic cardiovascular disease in sub-Saharan Africa: a systematic review. <i>BMC Public Health</i> , 17(1): 954.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. International Agency for Research on Cancer, Lyon France.
13588	Ignotus PI (1994). Residents' corner. Answer to case of the month #24. Syphilitic aortic aneurysm. <i>Can Assoc Radiol J</i> , 45(2): 151-2.
62102	Iijima K, Hashimoto H, Hashimoto M, et al (2010). Aortic arch calcification detectable on chest X-ray is a strong independent predictor of cardiovascular events beyond traditional risk factors. <i>Atherosclerosis</i> , 210(1): 137-44.
13307	Ikezawa T, Iwatsuka Y, Naiki K, et al (1996). Tuberculous pseudoaneurysm of the descending thoracic aorta: a case report and literature review of surgically treated cases. <i>J Vasc Surg</i> , 24(4): 693-7.
61210	Indes JE, Mandawat A, Tuggle CT, et al (2010). Endovascular procedures for aorto-iliac occlusive disease are associated with superior short-term clinical and economic outcomes compared with open surgery in the inpatient population. <i>J Vasc Surg</i> , 52(5): 1173-9.
80754	International Atomic Energy Agency (IAEA) (Undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. <i>J ICRU</i> , 11(2): 33-8.
80752	International Commission on Radiological Protection (ICRP) (2007). Extract from The 2007 recommendations of the International Commission on Radiological Protection. <i>Annals of the ICRP</i> , ICRP Publication 103, Elsevier.
80753	International Commission on Radiological Protection (ICRP) (2012). ICRP Statement on Tissue Reactions and Early and Late Effects of Radiation in Normal Tissues and Organs - Threshold Doses for Tissue Reactions in a Radiation Protection Context. <i>Annals of the ICRP</i> , ICRP Publication 118, Elsevier.
61734	Iribarren C, Sidney S, Sternfeld B, et al (2000). Calcification of the aortic arch: risk factors and association with coronary heart disease, stroke, and peripheral vascular disease. <i>JAMA</i> , 283(21): 2810-5.
94926	Iseme RA, McEvoy M, Kelly B, et al (2017). A role for autoantibodies in atherogenesis. <i>Cardiovasc Res</i> , 113(10): 1102-12.
62119	Ishihara F, Hiramatsu K, Shigematsu S, et al (1992). Role of adrenal androgens in the development of arteriosclerosis as judged by pulse wave velocity and calcification of the aorta. <i>Cardiology</i> , 80(5-6): 332-8.
13430	Ishikawa Y, Ishii T, Asuwa N, et al (1992). Spontaneous rupture of aortic arch through an atheromatous plaque resulting in pseudoaneurysm. <i>Acta Pathol Jpn</i> , 42(10): 740-4.
13390	Isner JM, Donaldson RF, Fulton D, et al (1987). Cystic medial necrosis in coarctation of the aorta: a potential factor contributing to adverse consequences observed after percutaneous balloon angioplasty of coarctation sites. <i>Circulation</i> , 75(4): 689-95.

63255	Itani Y, Watanabe S, Masuda Y (2004). Aortic calcification detected in a mass chest screening program using a mobile helical computed tomography unit. Relationship to risk factors and coronary artery disease. <i>Circ J</i> , 68(6): 538-41.
95383	Itoga NK, Tawfik DS, Lee CK, et al (2018). Association of blood pressure measurements with peripheral artery disease events. <i>Circulation</i> , 138(17): 1805-14.
94966	Iwazu Y, Minami T, Kotani K (2017). Pulse wave velocity in Kawasaki disease. <i>Angiology</i> , 68(3): 189-95.
62010	Jayalath RW, Mangan SH, Golledge J (2005). Aortic calcification. <i>Eur J Vasc Endovasc Surg</i> , 30(5): 476-88.
24142	Jepson RG, Fowkes FG, Donnan PT, et al (1995). Alcohol intake as a risk factor for peripheral arterial disease in the general population in the Edinburgh Artery Study. <i>Eur J Epidemiol</i> , 11(1): 9-14.
62992	Jiang CQ, Lao XQ, Yin P, et al (2009). Smoking, smoking cessation and aortic arch calcification in older Chinese: The Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 202(2): 529-34.
19066	Jin TY, D'Souza D (2020). Aortoiliac occlusive disease. Retrieved 1 May 2020, from https://radiopaedia.org/articles/aortoiliac-occlusive-disease
13285	John LC, Hornick P, Edmondson SJ (1992). Chronic traumatic aneurysm of the aorta: to resect or not. The role of exploration operation. <i>J Cardiovasc Surg (Torino)</i> , 33(1): 106-8.
95445	Johnson AM, Rose KM, Elder GH Jr, et al (2010). Military combat and burden of subclinical atherosclerosis in middle aged men: the ARIC study. <i>Prev Med</i> , 50(5-6): 277-81.
94902	Jones MR, Magid HS, Al-Rifai M, et al (2016). Secondhand smoke exposure and subclinical cardiovascular disease: The Multi-Ethnic Study of Atherosclerosis. <i>J Am Heart Assoc</i> , 5(12): e002965.
13615	Juvonen J, Juvonen T, Laurila A, et al (1996). Immunohistochemical detection of chlamydia pneumoniae in abdominal aortic aneurysms. <i>Ann N Y Acad Sci</i> , 800: 236-8.
13525	Kaemmerer, H, Theissen, P, Koenig, U, et al (1993). Follow-up using magnetic resonance imaging in adult patients after surgery for aortic coarctation. <i>Thorac Cardiovasc Surgeon</i> , 41(2): 107-11.
62569	Kaklikkaya I, Kaklikkaya N, Buruk K, et al (2006). Investigation of chlamydia pneumoniae DNA, chlamydial lipopolisaccharide antigens, and Helicobacter pylori DNA in atherosclerotic plaques of patients with aortoiliac occlusive disease. <i>Cardiovasc Pathol</i> , 15(2): 105-9.
63269	Kallikazaros IE, Tsioufis CP, Stefanadis CI, et al (2000). Closed relation between carotid and ascending aortic atherosclerosis in cardiac patients. <i>Circulation</i> , 102(19 Suppl 3): III263-8.
62894	Kallio K, Jokinen E, Saarinen M, et al (2010). Arterial intima-media thickness, endothelial function, and apolipoproteins in adolescents frequently exposed to tobacco smoke. <i>Circ Cardiovasc Qual Outcomes</i> , 3(2): 196-203.
13921	Kalman PG, Lipton IH, Provan JL, et al (1983). Radiation damage to large arteries. <i>Can J Surg</i> , 26(1): 88-91.
95451	Kamdem F, Mapoure Y, Hamadou B, et al (2018). Prevalence and risk factors of peripheral artery disease in black Africans with HIV infection: a cross-sectional hospital-based study. <i>Vasc Health Risk Manag</i> , 14: 401-8.
13382	Kampmeier RH (1979). Syphilis as a cause of aneurysm. <i>Sex Transm Dis</i> , 6(4): 270-2.
13513	Kanagasabay, R, Gajraj, H, Pointon, L, et al (1996). Co-morbidity in patients with abdominal aortic aneurysm. <i>J Med Screen</i> , 3(4): 208-10.

62101	Kanazawa I, Yamaguchi T, Hayashi K, et al (2010). Effects of treatment with risedronate and alfacalcidol on progression of atherosclerosis in postmenopausal women with type 2 diabetes mellitus accompanied with osteoporosis. <i>Am J Med Sci</i> , 339(6): 519-24.
471	Kannel WB, McGee DL (1979). Diabetes and cardiovascular risk factors: The Framingham Study. <i>Circulation</i> , 59(1): 8-13.
62122	Kapoor D, Jones TH (2008). Androgen deficiency as a predictor of metabolic syndrome in aging men: an opportunity for intervention? <i>Drugs Aging</i> , 25(5): 357-69.
94974	Karwowski W, Naumnik B, Szczepanski M, et al (2012). The mechanism of vascular calcification - a systematic review. <i>Med Sci Monit</i> , 18(1): RA1-11.
94977	Kaschwich M, Behrendt CA, Heydecke G, et al (2019). The association of periodontitis and peripheral arterial occlusive disease-A systematic review. <i>Int J Mol Med</i> , 20(12): 2936.
95467	Kaszuba M, Sliwka A, Pilinski R, et al (2019). The comorbidity of chronic obstructive pulmonary disease and peripheral artery disease - A systematic review. <i>COPD</i> , 16(3-4): 292-302.
13316	Kato N, Dake MD, Miller DC, et al (1997). Traumatic thoracic aortic aneurysm: treatment with endovascular stent-grafts. <i>Radiology</i> , 205(3): 657-62.
94992	Katsiki N, Papadopoulou SK, Fachantidou AI, et al (2013). Smoking and vascular risk: are all forms of smoking harmful to all types of vascular disease? <i>Public Health</i> , 127(5): 435-41.
62570	Kauppila LI, Polak JF, Cupples LA, et al (1997). New indices to classify location, severity and progression of calcific lesions in the abdominal aorta: a 25-year follow-up study. <i>Atherosclerosis</i> , 132(2): 245-50.
60786	Kawamura S, Kodama K, Shimizu Y, et al (1992). Prevalence of aortic arch calcification in the AHS population. <i>Nagasaki Igakkai Zasshi</i> , 67(Suppl): 474-8.
93069	Khandanpour N, Willis G, Meyer FJ, et al (2009). Peripheral arterial disease and methylenetetrahydrofolate reductase (MTHFR) C677T mutations: A case-control study and meta-analysis. <i>J Vasc Surg</i> , 49(3): 711-8.
62111	Kiel DP, Kauppila LI, Cupples LA, et al (2001). Bone loss and the progression of abdominal aortic calcification over a 25 year period: the Framingham Heart Study. <i>Calcif Tissue Int</i> , 68(5): 271-6.
13312	Kim TH, Jung SS, Sohn SJ, et al (1997). Aneurysmal dilatation of ascending aorta and aortic insufficiency in juvenile spondyloarthritis. <i>Scand J Rheumatol</i> , 26(3): 218-21.
63270	Kim WY, Astrup AS, Stuber M, et al (2007). Subclinical coronary and aortic atherosclerosis detected by magnetic resonance imaging in type 1 diabetes with and without diabetic nephropathy. <i>Circulation</i> , 115(2): 228-35.
2233	Kinlay S, Dobson AJ, Heller RF, et al (1991). Lipid and apolipoprotein levels in an Australian community. <i>Med J Aust</i> , 154(3): 170-5.
13789	Kino K, Sano S, Sugawara E, et al (1996). Late aneurysm after subclavian flap aortoplasty for coarctation of the aorta. <i>Ann Thorac Surg</i> , 61(4): 1262-4.
13270	Kita Y, Shimizu M, Sugihara N, et al (1993). Abdominal aortic aneurysms in familial hypercholesterolemia: Case reports. <i>Angiology</i> , 44(6): 491-9.
13376	Kitchen ND (1989). Racial distribution of aneurysms in Zimbabwe. <i>J R Soc Med</i> , 82(3): 136-8.
61217	Klipstein-Grobusch K, Launer LJ, Geleijnse JM, et al (2000). Serum carotenoids and atherosclerosis. The Rotterdam Study. <i>Atherosclerosis</i> , 148(1): 49-56.

13790	Knosalla C, Weng Y, Warnecke H, et al (1996). Mycotic aortic aneurysms after orthotopic heart transplantation: A three-case report and review of literature. <i>J Heart Lung Transplant</i> , 15(8): 827-39.
95453	Knudsen AD, Gelpi M, Afzal S, et al (2018). Brief report: Prevalence of peripheral artery disease is higher in persons living with HIV compared with uninfected controls. <i>J Acquir Immune Defic Syndr</i> , 79(3): 381-5.
13787	Knyshov GV, Sitar LL, Glagola MD, et al (1996). Aortic aneurysms at the site of the repair of coarctation of the aorta: A review of 48 patients. <i>Ann Thorac Surg</i> , 61(3): 935-9.
60785	Kodama K, Fujiwara S, Yamada M, et al (1996). Profiles of non-cancer diseases in atomic bomb survivors. <i>World Health Stat Q</i> , 49(1): 7-16.
61202	Koksal C, Ercan M, Bozkurt AK, et al (2007). Abdominal aortic aneurysm or aortic occlusive disease: role of trace element imbalance. <i>Angiology</i> , 58(2): 191-5.
62059	Koleganova N, Piecha G, Ritz E, et al (2009). Arterial calcification in patients with chronic kidney disease. <i>Nephrol Dial Transplant</i> , 24(8): 2488-96.
61736	Konecky N, Malinow MR, Tunick PA, et al (1997). Correlation between plasma homocyst(e)ine and aortic atherosclerosis. <i>Am Heart J</i> , 133(5): 534-40.
61441	Kohsaka S, Jin Z, Rundek T, et al (2010). Relationship between serum lipid values and atherosclerotic burden in the proximal thoracic aorta. <i>Int J Stroke</i> , 5(4): 257-63.
13281	Krohn CD, Kullmann G, Kvernebo K, et al (1992). Ultrasonographic screening for abdominal aortic aneurysm. <i>Eur J Surg</i> , 158(10): 527-30.
13528	Kron IL, Flanagan TL, Rheuban KS, et al (1990). Incidence and risk of reintervention after coarctation repair. <i>Ann Thorac Surg</i> , 49(6): 920-5.
95018	Kulezic A, Bergwall S, Fatemi S, et al (2019). Healthy diet and fiber intake are associated with decreased risk of incident symptomatic peripheral artery disease - A prospective cohort study. <i>Vasc Med</i> , 24(6): 511-8.
63252	Kuller LH, Matthews KA, Sutton-Tyrrell K, Edmundowicz D, Bunker CH (1999). Coronary and aortic calcification among women 8 years after menopause and their premenopausal risk factors: The healthy women study. <i>Arterioscler Thromb Vasc Biol</i> , 19(9): 2189-98.
61764	Kumar V, Abbas AK, Fausto N, (2007). Atherosclerosis. <i>Robbins Basic Pathology</i> , 8th Edition, Chapter 10: 343-53. Saunders Elsevier, Philadelphia.
62108	Kushiya F, Wada H, Sakakura M, et al (2003). Atherosclerotic and hemostatic abnormalities in patients undergoing hemodialysis. <i>Clin Appl Thromb Hemost</i> , 9(1): 53-60.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
95456	Kwiatkowska W, Knysz B, Arczynska K, et al (2014). Peripheral arterial disease and ankle-brachial index abnormalities in young and middle-aged HIV-positive patients in lower Silesia, Poland. <i>PLoS One</i> , 9(12): e113857.
13371	Kyosola K, Jarvinen A (1987). Abdominal aortic aneurysm and dissection after blunt trauma. <i>J Cardiovas Surg (Torino)</i> , 28(6): 737-9.
2237	Laakso M (1992). Dyslipidaemias, insulin resistance and atherosclerosis. <i>Ann Med</i> , 24(6): 505-9.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasms in organs of main deposition for plutonium in the cohort of Mayak workers with regard to histological types. <i>Health Phys</i> , 105(2): 165-76.
94998	Laguna P, Robles NR, Lopez Gomez J, et al (2018). Lack of correlation of carotid intima-media index and peripheral artery disease. <i>High Blood Press Cardiovasc Prev</i> , 25(4): 379-83.

13524	Lai CP, Wang JH, Chou TW, et al (1996). Klebsiella pneumoniae-induced mycotic aneurysm of the abdominal aorta complicated by bloody pleural effusion. A case report. <i>Jpn Circ J</i> , 60(9): 703-6.
2239	Lakier JB (1992). Smoking and cardiovascular disease. <i>Am J Med</i> , 93(1A): 8S-12S.
13428	Lam AK, Chan AC (1992). Aortic aneurysm at autopsy: a five year survey in Hong Kong. <i>Am J Cardiovasc Pathol</i> , 4(1): 31-40.
13517	LaMorte WW, Scott TE, Menzoian JO (1996). Relationship of cardiovascular risk factors to racial differences in femoral bypass surgery and abdominal aortic aneurysmectomy in Massachusetts. <i>Ann N Y Acad Sci</i> , 800: 25-35.
94995	Lane DA, Lip GY (2013). Treatment of hypertension in peripheral arterial disease. <i>Cochrane Database Syst Rev</i> , 2013(12): CD003075.
2241	Larsson B, Svardsudd K, Welin L, et al (1984). Abdominal adipose tissue distribution, obesity, and risk of cardiovascular disease and death: 13 year follow up of participants in the study of men born in 1913. <i>Br Med J (Clin Res Ed)</i> , 288(6428): 1401-4.
63256	Lau WC, Eagle KA (2011). Disease of the aorta. <i>ACP Medicine</i> , Chapter XII. Decker Intellectual Properties.
13269	Lawrie GM, Earle N, DeBakey ME (1993). Long-term fate of the aortic root and aortic valve after ascending aneurysm surgery. <i>Ann Surg</i> , 217(6): 711-20.
13260	Lederle FA, Johnson GR, Wilson SE, et al (1997). Prevalence and associations of abdominal aortic aneurysm detected through screening. <i>Ann Intern Med</i> , 126(6): 441-9.
13360	Lederle FA, Walker JM, Reinke DB (1988). Selective screening for abdominal aortic aneurysms with physical examination and ultrasound. <i>Arch Intern Med</i> , 148(8): 1753-6.
13309	Lee AJ, Fowkes FG, Carson MN, et al (1997). Smoking, atherosclerosis and risk of abdominal aortic aneurysm. <i>Eur Heart J</i> , 18(4): 671-6.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35(4): 891-909.
61241	Lee JM, Shirodaria C, Jackson CE, et al (2007). Multi-modal magnetic resonance imaging quantifies atherosclerosis and vascular dysfunction in patients with type 2 diabetes mellitus. <i>Diab Vasc Dis Res</i> , 4(1): 44-8.
94989	Lee M, Saver JL, Towfighi A, et al (2011). Efficacy of fibrates for cardiovascular risk reduction in persons with atherogenic dyslipidemia: A meta-analysis. <i>Atherosclerosis</i> , 217(2): 492-8.
62054	Lehman SJ, Massaro JM, Schlett CL, et al (2010). Peri-aortic fat, cardiovascular disease risk factors, and aortic calcification: the Framingham Heart Study. <i>Atherosclerosis</i> , 210(2): 656-61.
13268	Leong YP, Jasmi AY (1991). Gangrene of the foot following peripheral phlebography. <i>J R Coll Surg Edinb</i> , 36(3): 180-3.
61240	Leskinen Y, Groundstroem K, Virtanen V, et al (2003). Risk factors for aortic atherosclerosis determined by transesophageal echocardiography in patients with CRF. <i>Am J Kidney Dis</i> , 42(2): 277-85.
61325	Leskinen Y, Groundstroem K, Virtanen V, et al (2006). Prediction of coronary artery disease by transesophageal echocardiographic detection of thoracic aortic plaque in patients with chronic kidney disease. <i>Nephron Clin Pract</i> , 103(4): c157-61.
13391	Leung JS, Mok CK, Leong JC, et al (1977). Syphilitic aortic aneurysm with spinal erosion: treatment by aneurysm replacement and anterior spinal fusion. <i>J Bone Joint Surg Br</i> , 59B(1): 89-92.
63271	Lewis TT, Everson-Rose SA, Colvin A, et al (2009). Interactive effects of race and depressive symptoms on calcification in African American and white women. <i>Psychosom Med</i> , 71(2): 163-70.

94927	Li P, Wang L, Liu C (2017). Overweightness, obesity and arterial stiffness in healthy subjects: a systematic review and meta-analysis of literature studies. <i>Postgrad Med</i> , 129(2): 224-30.
95468	Liao KM, Kuo LT, Lu HY (2019). Increased risk of peripheral arterial occlusive diseases in patients with chronic obstructive pulmonary disease: a nationwide study in Taiwan. <i>Int J Chron Obstruct Pulmon Dis</i> , 14: 1455-64.
13609	Liddington MI, Heather BP (1992). The relationship between aortic diameter and body habitus. <i>Eur J Vasc Surg</i> , 6(1): 89-92.
13407	Lie JT (1995). Aortic and extracranial large vessel giant cell arteritis: a review of 72 cases with histopathologic documentation. <i>Semin Arthritis Rheum</i> , 24(6): 422-31.
13899	Lifschultz BD, Leestma JE, Stryker S (1982). Multiple mycotic aneurysms and transverse myelopathy complicating repair of aortic coarctation. <i>Ann Thorac Surg</i> , 33(2): 192-6.
13369	Lindholm L, Ejlertsson G, Forsberg L, et al (1985). Low prevalence of abdominal aortic aneurysm in hypertensive patients. A population-based study. <i>Acta Med Scand</i> , 218(3): 305-10.
13613	Lindholt JS, Henneberg EW, Fasting H, et al (1996). Hospital based screening of 65-73 old men for abdominal aortic aneurysms in the county of Viborg, Denmark. <i>J Med Screen</i> , 3(1): 43-6.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2(4): 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46(4): 299-310.
94970	Liu X, Lian H, Ruan Y, et al (2015). Association of exposure to particular matter of carotid intima-media thickness: A systematic review and meta-analysis. <i>Int J Environ Res Public Health</i> , 12(10): 12924-40.
67811	Lockhart PB, Bloger AF, Papapanou PN, et al (2012). Periodontal disease and atherosclerotic vascular disease: does the evidence support an independent association? : A scientific statement from the American Heart Association. <i>Circulation</i> , 125(20): 2520-44.
13651	Louwrens HD, Adamson J, Powell JT, et al (1993). Risk factors for atherosclerosis in men with stenosing or aneurysmal disease of the abdominal aorta. <i>Int Angiol</i> , 12(1): 21-4.
94901	Lu L, Jiang C, Mackay DF, et al (2017). Exposure to secondhand smoke and risk of peripheral arterial disease in southern Chinese non-smokers: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Sub-cohort. <i>Vascular</i> , 25(3): 283-9.
94911	Lu L, Mackay DF, Pell JP (2013). Association between level of exposure to secondhand smoke and peripheral arterial disease: cross-sectional study of 5,686 never smokers. <i>Atherosclerosis</i> , 229(2): 273-6.
94864	Lu L, Mackay DF, Pell JP (2018). Secondhand smoke exposure and risk of incident peripheral arterial disease and mortality: a Scotland-wide retrospective cohort study of 4045 non-smokers with cotinine measurement. <i>BMC Public Health</i> , 18(1): 348.
10394	Lu Y, Ballew SH, Kwak L, et al (2019). Physical activity and subsequent risk of hospitalization with peripheral artery disease and critical limb ischemia in the ARIC study. <i>J Am Heart Assoc</i> , 8(21): e013534.
95384	Lu Y, Ballew SH, Tanaka H, et al (2020). 2017 ACC/AHA blood pressure classification and incident peripheral artery disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Eur J Prev Cardiol</i> , 27(1): 51-9.
3209	Lu YC, Huang CY, Yeh HM, et al (2019). Associations between peripheral thromboembolic vascular disease and androgen deprivation therapy in Asian prostate cancer patients. <i>Sci Rep</i> , 9(1): 14231.

2244	MacMahon S, Peto R, Cutler J, et al (1990). Blood pressure, stroke, and coronary heart disease. Part 1, Prolonged differences in blood pressure: prospective observational studies corrected for the regression dilution bias. <i>Lancet</i> , 335(8692): 765-74.
13417	MacSweeney ST, Ellis M, Worrell PC, et al (1994). Smoking and growth rate of small abdominal aortic aneurysms. <i>Lancet</i> , 344(8923): 651-2.
474	MacSweeney ST, O'Meara M, Alexander C, et al (1993). High prevalence of unsuspected abdominal aortic aneurysm in patients with confirmed symptomatic peripheral or cerebral arterial disease. <i>Br J Surg</i> , 80(5): 582-4.
61235	Madiba TE, Mars M, Robbs JV (1999). Aorto-iliac occlusive disease in the different population groups--clinical pattern, risk profile and results of reconstruction. <i>S Afr Med J</i> , 89(12): 1288-92.
61237	Madiba TE, Mars M, Robbs JV (2001). [Comment] Aorto-iliac occlusive disease in the various population groups of South Africa. <i>S Afr Med J</i> , 91(10): 785-6. Comment on ID: 61236.
63272	Mahmud A, Feely J (2004). Effects of passive smoking on blood pressure and aortic pressure waveform in healthy young adults--influence of gender. <i>Br J Clin Pharmacol</i> , 57(1): 37-43.
61627	Malayeri AA, Natori S, Bahrami H, et al (2008). Relation of aortic wall thickness and distensibility to cardiovascular risk factors (from the Multi-Ethnic Study of Atherosclerosis [MESA]). <i>Am J Cardiol</i> , 102(4): 491-6.
2245	Malinow MR (1990). Hyperhomocyst(e)inemia. A common and easily reversible risk factor for occlusive atherosclerosis. <i>Circulation</i> , 81(6): 2004-6.
13608	Mally A, D'Souza C, Dwivedi S, et al (1990). Pulmonary tuberculosis with multiple saccular aneurysms of the aorta - a case report. <i>Angiology</i> , 41(4): 333-6.
13378	Marsalese DL, Moodie DS, Vacante M, et al (1989). Marfan's syndrome: natural history and long-term follow-up of cardiovascular involvement. <i>J Am Coll Cardiol</i> , 14(2): 422-8.
62114	Mason MA, Shepler BM (2010). Evaluation of morbidity and mortality data related to cardiovascular calcification from calcium-containing phosphate binder use in patients undergoing hemodialysis. <i>Pharmacotherapy</i> , 30(7): 741-8.
13286	Matsumura K, Hirano T, Takeda K, et al (1991). Incidence of aneurysms in Takayasu's arteries. <i>Angiology</i> , 42(4): 308-15.
95750	Matsumura Y, Sugioka K, Fujita S, et al (2014). Association between chronic kidney disease and thoracic aortic atherosclerosis detected using transesophageal echocardiography. <i>Atherosclerosis</i> , 237(1): 301-6.
61230	Matsuoka S, Yamashiro T, Diaz A, et al (2011). The relationship between small pulmonary vascular alteration and aortic atherosclerosis in chronic obstructive pulmonary disease: quantitative CT analysis. <i>Acad Radiol</i> , 18(1): 40-6.
62115	Matsushita M, Nishikimi N, Sakurai T, et al (2000). Relationship between aortic calcification and atherosclerotic disease in patients with abdominal aortic aneurysm. <i>Int Angiol</i> , 19(3): 276-9.
13444	Matsushita M, Yano T, Ikezawa T, et al (1994). Fibromuscular dysplasia as a cause of abdominal aortic aneurysm. <i>Cardiovasc Surg</i> , 2(5): 615-8.
13279	Mattar SG, Kumar AG, Lumsden AB (1994). Vascular complications in Ehlers-Danlos Syndrome. <i>Am Surg</i> , 60(11): 827-31.
94867	Mattei J, Sotres-Alvarez D, Gellman M, et al (2018). Diet quality, inflammation, and the ankle brachial index in adults with or without cardiometabolic conditions. <i>Clin Nutr</i> , 37(4): 1332-9.
13311	Mattes E, Davis TM, Yang D, et al (1997). Prevalence of abdominal aortic aneurysms in men with diabetes. <i>Med J Aust</i> , 166(12): 630-3.

62052	Matthews KA, Kuller LJ, Chang PH, Edmundowicz (2007). Premenopausal risk factors for coronary and aortic calcification: a 20-year follow-up in the health women study. <i>Prev Med</i> , 45(4): 302-8.
65093	Matthews KA, Owens JF, Edmundowicz D, et al (2006). Positive and negative attributes and risk for coronary and aortic calcification in healthy women. <i>Psycho Med</i> , 68(3): 355-61.
2249	Mattila KJ (1993). Dental infections as a risk factor for acute myocardial infarction. <i>Eur Heart J</i> , 14(Suppl K): 51-3.
94869	Mattioli AV, Coppi F, Migaldi M, et al (2017). Relationship between Mediterranean diet and asymptomatic peripheral arterial disease in a population of pre-menopausal women. <i>Nutr Metab Cardiovasc Dis</i> , 27(11): 985-90.
61236	MBewu AD (2000). [Comment] Aorto-iliac occlusive disease in the various population groups of South Africa. <i>S Afr Med J</i> , 90(8): 746. Comment on ID: 61235.
62118	McAllister DA, MacNee W, Duprez D, et al (2011). Pulmonary function is associated with distal aortic calcium, not proximal aortic distensibility. <i>MESA Lung Study. COPD</i> , 8(2): 71-8.
13380	McCollum CH, Graham JM, Noon GP, et al (1979). Chronic traumatic aneurysms of the thoracic aorta: an analysis of 50 patients. <i>J Trauma</i> , 19(4): 248-52.
94914	McDermott MM, Guralnik JM, Tian L, et al (2016). Incidence and prognostic significance of depressive symptoms in peripheral artery disease. <i>J Am Heart Assoc</i> , 5(3): e002959.
63273	McEniery CM, McDonnell BJ, So A, et al (2009). Aortic calcification is associated with aortic stiffness and isolated systolic hypertension in healthy individuals. <i>Hypertension</i> , 53(3): 524-31.
475	McGill HC (1988). The cardiovascular pathology of smoking. <i>Am Heart J</i> , 115(1 Pt 2): 250-7.
63274	McGill HC Jr, McMahan CA, Zieske AW, et al (2001). Effects of nonlipid risk factors on atherosclerosis in youth with a favorable lipoprotein profile. <i>Circulation</i> , 103(11): 1546-50.
13301	Meerkin D, Yinnon AM, Munter RG, et al (1995). Salmonella mycotic aneurysm of the aortic arch: case report and review. <i>Clin Infect Dis</i> , 21(3): 523-8.
61738	Meharwal ZS, Trehan N (2004). [Comment] Neurological Dysfunction in Elderly Patients Undergoing Coronary Artery Bypass Operation. <i>Ann Thorac Surg</i> , 78: 2207-16. Comment on ID: 61737.
94967	Meiszterics Z, Timar O, Gaszner B, et al (2016). Early morphologic and functional changes of atherosclerosis in systemic sclerosis-a systematic review and meta-analysis. <i>Rheumatology (Oxford)</i> , 55(12): 2119-30.
13953	Melliere D, Becquemin JP, Berrahal D, et al (1997). Management of radiation-induced occlusive arterial disease: a reassessment. <i>J Cardiovasc Surg (Torino)</i> , 38(3): 261-9.
2251	Melnick JL, Adam E, DeBakey ME (1990). Possible role of cytomegalovirus in atherogenesis. <i>JAMA</i> , 263(16): 2204-7.
2252	Melnick JL, Adam E, DeBakey ME (1993). Cytomegalovirus and atherosclerosis. <i>Eur Heart J</i> , 14(Suppl K): 30-8.
2253	Mendall MA, Goggin PM, Molineaux N, et al (1994). Relation of Helicobacter pylori infection and coronary heart disease. <i>Br Heart J</i> , 71(5): 437-9.
13381	Mendelowitz DS, Ramstedt R, Yao JS, et al (1979). Abdominal aortic salmonellosis. <i>Surgery</i> , 85(5): 514-8.
13284	Mendelsohn AM, Crowley DC, Lindauer A, et al (1992). Rapid progression of aortic aneurysms after patch aortoplasty repair of coarctation of the aorta. <i>J Am Coll Cardiol</i> , 20(2): 381-5.

24007	Mendez MV, Scott T, LaMorte W, et al (1998). An association between periodontal disease and peripheral vascular disease. <i>Am J Surg</i> , 176(2): 153-7.
62053	Michos ED, Vaidya D, Gapstur SM, et al (2008). Sex hormones, sex hormone binding globulin, and abdominal aortic calcification in women and men in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Atherosclerosis</i> , 200(2): 432-8.
13262	Milewicz DM (1995). Ultrasonic characterization of the aortic architecture in Marfan patients. <i>Circulation</i> , 91(4): 1272-4.
95004	Min SS, Wierzbicki AS (2017). Radiotherapy, chemotherapy and atherosclerosis. <i>Curr Opin Cardiol</i> , 32(4): 441-7.
13320	Mingke D, Dresler C, Pethig K, et al (1998). Surgical treatment of Marfan patients with aneurysms and dissection of the proximal aorta. <i>J Cardiovasc Surg (Torino)</i> , 39(1): 65-74.
63275	Miwa Y, Tsushima M, Arima H, et al (2004). Pulse pressure is an independent predictor for the progression of aortic wall calcification in patients with controlled hyperlipidemia. <i>Hypertension</i> , 43(3): 536-40.
13610	Moher D, Cole CW, Hill GB (1992). Epidemiology of abdominal aortic aneurysm: the effect of differing definitions. <i>Eur J Vasc Surg</i> , 6(6): 647-50.
62055	Moriyama Y, Eriguchi R, Sato Y, et al (2011). Chronic hemodialysis patients with visceral obesity have a higher risk for cardiovascular events. <i>Asia Pac J Clin Nutr</i> , 20(1): 109-17.
13431	Movsowitz HD, Lampert C, Jacobs LE, et al (1994). Penetrating atherosclerotic aortic ulcers. <i>Am Heart J</i> , 128(6 Pt 1): 1210-7.
13291	Muluk SC, Gertler JP, Brewster DC, et al (1994). Presentation and patterns of aortic aneurysms in young patients. <i>J Vasc Surg</i> , 20(6): 880-8.
61231	Naeem A, Hanif R (2010). Atherosclerosis in relation to fat penniculus (obesity) between xiphoid and umbilicus. <i>J Ayub Med Coll Abbottabad</i> , 22(1): 84-6.
63257	Nakagawa K, Hirai T, Sakurai K, et al (2007). Thoracic aortic plaque enhances hypercoagulability in patients with nonrheumatic atrial fibrillation. <i>Circ J</i> , 71(1): 52-6.
94885	Nang EE, van Dam RM, Tan CS, et al (2015). Association of television viewing time with body composition and calcified subclinical atherosclerosis in Singapore Chinese. <i>PLoS One</i> , 10(7): e0132161.
13373	Naraynsingh V, Raju GC (1987). Sarcoid aortic aneurysm: surgical difficulties. <i>J R Coll Surg Edinb</i> , 32(3): 167-8.
63276	Nasrallah MM, El-Shehaby AR, Salem MM, et al (2010). Fibroblast growth factor-23 (FGF-23) is independently correlated to aortic calcification in haemodialysis patients. <i>Nephrol Dial Transplant</i> , 25(8): 2679-85.
80742	National Council on Radiation Protection & Measurements (NCRP) (2009). Radiation Dose Reconstruction: Principles and Practices, NCRP Report No. 163. NCRP Publications.
62097	Naves M, Rodrigues-Garcia M, Diaz-Lopez JB, et al (2008). Progression of vascular calcifications is associated with greater bone loss and increased bone fractures. <i>Osteoporos Int</i> , 19(8): 1161-6.
61225	Nemes A, Forster T, Geleijnse ML, Kutlyifa V, et al (2007). The additional prognostic power of diabetes mellitus on coronary flow reserve in patients with suspected coronary artery disease. <i>Diabet Res Clin Pract</i> , 78: 126-31.
94857	Neschis D, Golden MA (2018). Clinical features and diagnosis of lower extremity peripheral artery disease. Retrieved 13 March 2020, from https://www.uptodate.com/contents/clinical-features-and-diagnosis-of-lower-extremity-peripheral-artery-disease
13607	Newsom SW, Lee WR, Rees JR (1967). Fatal fungal infection following open-heart surgery. <i>Br Heart J</i> , 29(3): 457-60.

94898	Ngu NL, McEvoy M (2017). Environmental tobacco smoke and peripheral arterial disease: A review. <i>Atherosclerosis</i> , 266: 113-20.
62057	Nishi H, Mitsuno M, Tanaka H, et al (2010). Who needs preoperative routine chest computed tomography for prevention of stroke in cardiac surgery? <i>Interact Cardiovasc Thorac Surg</i> , 11(1): 30-3.
62167	Nitta K, Akiba T, Uchida K, et al (2003). The progression of vascular calcification and serum osteoprotegerin levels in patients on long-term hemodialysis. <i>Am J Kidney Dis</i> , 42(2): 303-9.
94920	Niu Q, Hong Y, Lee CH, et al (2018). Abdominal aortic calcification can predict all-cause mortality and CV events in dialysis patients: A systematic review and meta-analysis. <i>PLoS One</i> , 13(9): e0204526.
13	No authors listed (1994). The management of hypertension: a consensus statement. Australian Consensus Conference 1993. <i>Med J Aust</i> , 160(S1): S1-16.
476	Norrgard O, Angquist KA, Johnson O (1985). Familial aortic aneurysms: Serum concentrations of triglyceride, cholesterol, HDL-cholesterol and (VLDL+LDL) - cholesterol. <i>Br J Surg</i> , 72(2): 113-6.
95478	Novakovic M, Jug B, Lenasi H (2017). Clinical impact of exercise in patients with peripheral arterial disease. <i>Vascular</i> , 25(4): 412-22.
13951	Nylander G, Pettersson F, Swedenborg J (1978). Localized arterial occlusions in patients treated with pelvic field radiation for cancer. <i>Cancer</i> , 41(6): 2158-61.
63277	O'Donnell CJ, Chazaro I, Wilson PW, et al (2002). Evidence of heritability of abdominal aortic calcific deposits in the Framingham Heart Study. <i>Circulation</i> , 106(3): 337-41.
95016	Ogilvie RP, Lutsey PL, Heiss G, et al (2017). Dietary intake and peripheral arterial disease incidence in middle-aged adults: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Am J Clin Nutr</i> , 105(3): 651-9.
13421	Ogren M, Bengtsson H, Bergqvist D, et al (1996). Prognosis in elderly men with screening-detected abdominal aortic aneurysm. <i>Eur J Vasc Endovasc Surg</i> , 11(1): 42-7.
61227	Ohara K, Hirai T, Fukuda N, et al (2009). Relation of left atrial blood stasis to clinical risk factors in atrial fibrillation. <i>Int J Cardiol</i> , 132(2): 210-5.
63259	Ohya M, Otani H, Kimura K, et al (2010). Improved assessment of aortic calcification in Japanese patients undergoing maintenance hemodialysis. <i>Intern Med</i> , 49(19): 2071-5.
13361	O'Kelly TJ, Heather BP (1989). General practice-based population screening for abdominal aortic aneurysms: a pilot study. <i>Br J Surg</i> , 76(5): 479-80.
62109	Okuda K, Kobayashi S, Hayashi H, et al (2002). Case-control study of calcification of the hepatic artery in chronic hemodialysis patients: comparison with the abdominal aorta and splenic artery. <i>J Gastroenterol Hepatol</i> , 17(1): 91-5.
13266	Ontiveros MM, Calhoon JH, Garcia MA, et al (1993). Complementary value of transthoracic and transesophageal echocardiography in detecting a mycotic aortic aneurysm ruptured into the right atrium. <i>Am Heart J</i> , 125(5 Pt 1): 1447-9.
13265	Oskoui R, Davis W, Gomes MN (1993). Salmonella aortitis: a report of a successfully treated case with comprehensive review of the literature. <i>Arch Intern Med</i> , 153(4): 517-25.
63278	Oyama N, Gona P, Salton CJ, et al (2008). Differential impact of age, sex, and hypertension on aortic atherosclerosis: the Framingham Heart Study. <i>Arterioscler Thromb Vasc Biol</i> , 28(1): 155-9.
70194	Ozasa K, Shimizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: an overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43; Erratum: 179(4): e40-1.

13521	Ozsvath KJ, Hirose H, Xia S, et al (1996). Molecular mimicry in human aortic aneurysmal diseases. <i>Ann N Y Acad Sci</i> , 800: 288-93.
95457	Palacios R, Alonso I, Hidalgo A, et al (2008). Peripheral arterial disease in HIV patients older than 50 years of age. <i>AIDS Res Hum Retroviruses</i> , 24(8): 1043-6.
13384	Panday S, Hishikar A, Karbhase J (1982). Rupture of syphilitic aneurysm of ascending aorta into main pulmonary artery: successful emergency repair. <i>J Thorac Cardiovasc Surg</i> , 83(3): 470-1.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Occupational Intakes of Radionuclides: Part 1. <i>Annals of the ICRP</i> , ICRP Publication 130, Sage Publications Inc.
13293	Parikh SR, Hurwitz RA, Hubbard JE, et al (1991). Preoperative and postoperative "aneurysm" associated with coarctation of the aorta. <i>J Am Coll Cardiol</i> , 17(6): 1367-72.
94971	Park MH, Skow A, De Matteis S, et al (2015). Adiposity and carotid-intima media thickness in children and adolescents: a systematic review. <i>BMC Pediatr</i> , 15: 161.
13302	Parks WJ, Ngo TD, Plauth WH, et al (1995). Incidence of aneurysm formation after Dacron patch aortoplasty repair for coarctation of the aorta: long-term results and assessment utilizing magnetic resonance angiography with three-dimensional surface rendering. <i>J Am Coll Cardiol</i> , 26(1): 266-71.
95210	Parmenter BJ, Dieberg G, Smart NA (2015). Exercise training for management of peripheral arterial disease: a systematic review and meta-analysis. <i>Sports Med</i> , 45(2): 231-44.
94889	Parsons TJ, Sartini C, Ellins EA, et al (2016). Objectively measured physical activity and sedentary behaviour and ankle brachial index: Cross-sectional and longitudinal associations in older men. <i>Atherosclerosis</i> , 247: 28-34.
13403	Patra P, Gunness TK, Ferry D, et al (1987). Tuberculous aneurysm of the descending thoracic aorta. <i>J Vasc Surg</i> , 6(4): 408-11.
2262	Paunio K, Impivaara O, Tiekso J, et al (1993). Missing teeth and ischaemic heart disease in men aged 45-64 years. <i>Eur Heart J</i> , 14(Suppl K): 54-6.
94975	Peters SA, den Ruijter HM, Bots ML, et al (2012). Improvements in risk stratification for the occurrence of cardiovascular disease by imaging subclinical atherosclerosis: a systematic review. <i>Heart</i> , 98(3): 177-84.
61207	Petersen E, Wagberg F, Angquist KA (2002). Serum concentrations of elastin-derived peptides in patients with specific manifestations of atherosclerotic disease. <i>Eur J Endovasc Surg</i> , 24(5): 440-4.
94979	Petersen KS, Blanch N, Keogh JB, et al (2015). Effect of weight loss on pulse wave velocity: Systematic review and meta-analysis. <i>Arterioscler Thromb Vasc Biol</i> , 35(1): 243-52.
94917	Petisco AC, Assef JE, de Jesus CA, et al (2017). High prevalence of subclinical atherosclerosis in Brazilian postmenopausal women with low and intermediate risk by Framingham score. <i>Int J Cardiovasc Imaging</i> , 33(3): 401-10.
13952	Pettersson F, Swedenborg J (1989). Atherosclerotic occlusive disease after radiation for pelvic malignancies. <i>Acta Chir Scand</i> , 156(5): 367-71.
13606	Petursdottir V, Nordborg E, Nordborg C (1996). Atrophy of the aortic media in giant cell arteritis. <i>APMIS</i> , 104(3): 191-8.
13408	Philippe B, Couderc LJ, Droz D, et al (1997). Systemic vasculitis and myelodysplastic syndromes. A report of two cases. <i>Arthritis Rheum</i> , 40(1): 179-82.
94890	Phillips SA, Mahmoud AM, Brown MD, et al (2015). Exercise interventions and peripheral arterial function: implications for cardio-metabolic disease. <i>Prog Cardiovasc Dis</i> , 57(5): 521-34.

13934	Piedbois P, Becquemin JP, Blanc I, et al (1990). Arterial occlusive disease after radiotherapy: a report of fourteen cases. <i>Radiother Oncol</i> , 17(2): 133-40.
13429	Pieters FA, Widdershoven JW, Gerardy AC, et al (1993). Risk of aortic dissection after aortic valve replacement. <i>Am J Cardiol</i> , 72(14): 1043-7.
477	Pleumeekers HJ, Hoes AW, van der Does E, et al (1994). Epidemiology of abdominal aortic aneurysms. <i>Eur J Vasc Surg</i> , 8(2): 119-28.
13412	Pleumeekers HJ, Hoes AW, van der Does E, et al (1995). Aneurysms of the abdominal aorta in older adults. The Rotterdam Study. <i>Am J Epidemiol</i> , 142(12): 1291-9.
63279	Post W, Bielak LF, Ryan KA, et al (2007). Determinants of coronary artery and aortic calcification in the Old Order Amish. <i>Circulation</i> , 115(6): 717-24.
13520	Powell JT, Worrell P, MacSweeney ST, et al (1996). Smoking as a risk factor for abdominal aortic aneurysm. <i>Ann N Y Acad Sci</i> , 800: 246-8.
13435	Prenger K, Pieters F, Cheriex E (1994). Aortic dissection after aortic valve replacement: incidence and consequences for strategy. <i>J Card Surg</i> , 9(5): 495-9.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiat Res</i> , 168(1): 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: Solid cancer and noncancer disease mortality: 1950-1997. <i>Radiat Res</i> , 160(4): 381-407.
94984	Price J, Leng GC (2012). Steroid sex hormones for lower limb atherosclerosis. <i>Cochrane Database Syst Rev</i> , 10(10): CD000188.
88648	Pujades-Rodriguez M, George J, Shah AD, et al (2015). Heterogeneous associations between smoking and a wide range of initial presentations of cardiovascular disease in 1937360 people in England: lifetime risks and implications for risk prediction. <i>Int J Epidemiol</i> , 44(1): 129-41.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
2265	Ram C, Venkata S (1991). Hypertension and atherosclerosis. <i>Prim Care</i> , 18(3): 559-75.
13292	Ramsbottom D, Fitzgerald P, Grace PA, et al (1994). Biochemical and molecular genetic studies of abdominal aortic aneurysm in an Irish population. <i>Eur J Vasc Surg</i> , 8(6): 716-22.
13744	Rao PS (1989). Balloon angioplasty of aortic coarctation: a review. <i>Clin Cardiol</i> , 12(11): 618-28.
13314	Rasmussen TE, Hallett JW (1997). Inflammatory aortic aneurysms. A clinical review with new perspectives in pathogenesis. <i>Ann Surg</i> , 225(2): 155-64.
13523	Reardon MJ, Hedrick TD, Letsou GV, et al (1997). CT reconstruction of an unusual chronic posttraumatic aneurysm of the thoracic aorta. <i>Ann Thorac Surg</i> , 64(5): 1480-2.
65091	Reaven PD, Sacks J; Investigators for the Veterans Affairs Cooperative Study of Glycemic Control and Complications in Diabetes Mellitus Type 2 (2004). Reduced coronary artery and abdominal aortic calcification in Hispanics with type 2 diabetes. <i>Diabetes Care</i> , 27(5): 1115-20.
62011	Reaven PD, Sacks J; Investigators for the VADT (2005). Coronary artery and abdominal aortic calcification are associated with cardiovascular disease in type 2 diabetes. <i>Diabetologia</i> , 48(2): 379-85.

13261	Recchia D, Sharkey AM, Bosner MS, et al (1995). Sensitive detection of abnormal aortic architecture in Marfan syndrome with high-frequency ultrasonic tissue characterization of Marfan Syndrome. <i>Circulation</i> , 91(4): 1036-43.
478	Reed D, Reed C, Stemmermann G, et al (1992). Are aortic aneurysms caused by atherosclerosis? <i>Circulation</i> , 85(1): 205-11.
61213	Renko J, Lepp PW, Oksala N, et al (2008). Bacterial signatures in atherosclerotic lesions represent human commensals and pathogens. <i>Atherosclerosis</i> , 201(1): 192-7.
3321	Rogot E, Murray JL (1980). Smoking and causes of death among US veterans: 16 years of observation. <i>Public Health Rep</i> , 95(3): 213-22.
61324	Roldan CA, Joson J, Sharrar J, et al (2010). Premature aortic atherosclerosis in systemic lupus erythematosus: a controlled transesophageal echocardiographic study. <i>J Rheumatol</i> , 37(1): 71-8.
480	Rose G (1991). ABC of vascular diseases. Epidemiology of atherosclerosis. <i>BMJ</i> , 303(6816): 1537-9.
61232	Rosero EB, Peshock RM, Khera A, et al (2011). Sex, race, and age distributions of mean aortic wall thickness in a multiethnic population-based sample. <i>J Vasc Surg</i> , 53(4): 950-7.
13587	Roth M, Bauer EP, Reuthebuch O, et al (1997). Reoperations after Dacron patch aortoplasty with heparinized femoro-femoral bypass. <i>Eur J Cardiothorac Surg</i> , 11(5): 997-1000.
95171	Ruiz-Canela M, Estruch R, Corella D, et al (2014). Association of Mediterranean diet with peripheral artery disease: the PREDIMED randomized trial. <i>JAMA</i> , 311(4): 415-7.
95026	Rusthen S, Young A, Herlofson BB, et al (2017). Oral disorders, saliva secretion, and oral health-related quality of life in patients with primary Sjogren's syndrome. <i>Eur J Oral Sci</i> , 125(4): 265-71.
13446	Rutherford RB (1989). Arterial aneurysms: etiologic considerations. <i>Vascular Surgery</i> , Chapter 15: 238-45. Saunders Elsevier, Philadelphia.
95367	Ryan ET, Andrews J (2018). Epidemiology, microbiology, clinical manifestations, and diagnosis of enteric (typhoid and paratyphoid) fever. Retrieved 6 April 2020, from https://www.uptodate.com/contents/epidemiology-microbiology-clinical-manifestations-and-diagnosis-of-enteric-typhoid-and-paratyphoid-fever
61326	Saimanen E (1999). Risk factors for ascending aortic atheromatosis--a retrospective analysis of 2,263 patients undergoing coronary artery bypass surgery. <i>Ann Chir Gynaecol</i> , 88(4): 280-4.
13616	Sakalihasan N, Pincemail J, Defraigne JO, et al (1996). Decrease of plasma vitamin E (a-Tocopherol) levels in patients with abdominal aortic aneurysm. <i>Ann N Y Acad Sci</i> , 800: 278-82.
95477	Saleptsis VG, Labropoulos N, Halaris A, et al (2011). Depression and atherosclerosis. <i>Int Angiol</i> , 30(2): 97-104.
95073	Santos RP, Resende CI, Vieira AP, et al (2017). Cannabis arteritis: ever more important to consider. <i>BMJ Case Rep</i> , 2017: bcr2016219111.
61226	Saran AM, Hsu FC, Lohman KK, et al (2008). Kidney volume associations with subclinical renal and cardiovascular disease: the Diabetes Heart Study. <i>Am J Nephrol</i> , 28(3): 366-71.
13305	Savolainen A, Savolainen H, Savunen T, et al (1995). Results of cardiovascular surgery in the Marfan syndrome. A retrospective study of 49 patients. <i>Scand J Thoracic Cardiovasc Surg</i> , 29(1): 11-5.
61221	Schachner T, Nagele G, Kacani A, et al (2004). Factors associated with presence of ascending aortic atherosclerosis in CABG patients. <i>Ann Thorac Surg</i> , 78(6): 2028-32.
94973	Schoenfeld SR, Kasturi S, Costenbader KH (2013). The epidemiology of atherosclerotic cardiovascular disease among patients with SLE: a systematic review. <i>Semin Arthritis Rheum</i> , 43(1): 77-95.

13511	Schrander-vd Meer AM, Guit GL, van Bockel JH, et al (1994). Mycotic aneurysm of the suprarenal abdominal aorta. <i>Neth J Med</i> , 44(1): 23-5.
65092	Schulz E, Arfai K, Liu X, et al (2004). Aortic calcification and the risk of osteoporosis and fractures. <i>J Clin Endocrinol Metab</i> , 89(9): 4246-53.
13364	Schumacker HB (1972). Operative treatment of aneurysms of the thoracic aorta due to cystic medial necrosis. <i>J Thorac Cardiovasc Surg</i> , 63(1): 1-13.
2273	Schwandt P (1990). The triglyceride controversy: a review of the data. <i>Eur Heart J</i> , 11(Suppl H): 38-43.
13392	Schwartz ML, Fisher R, Sako Y, et al (1975). Post-traumatic aneurysms of the thoracic aorta. <i>Surgery</i> , 78(5): 589-93.
62103	Schwarz EB, McClure CK, Tepper PG, et al (2010). Lactation and maternal measures of subclinical cardiovascular disease. <i>Obstet Gynecol</i> , 115(1): 41-8.
65096	Sciacqua A, Scozzafava A, Pujia A, et al (2005). Interaction between vascular dysfunction and cardiac mass increases the risk of cardiovascular outcomes in essential hypertension. <i>Eur Heart J</i> , 26(9): 921-7.
13359	Scott RA, Ashton HA, Kay DN (1991). Abdominal aortic aneurysm in 4237 screened patients: prevalence, development and management over 6 years. <i>Br J Surg</i> , 78(9): 1122-5.
63280	Sen S, Oppenheimer SM, Lima J, et al (2002). Risk factors for progression of aortic atheroma in stroke and transient ischemic attack patients. <i>Stroke</i> , 33(4): 930-5.
61440	Sen S, Wu K, McNamara R, Lima J, et al (2000). Distribution, severity and risk factors for aortic atherosclerosis in cerebral ischemia. <i>Cerebrovasc Dis</i> , 10: 102-9.
63281	Seo JS, Lee SY, Kim HD (2007). Quantitative analysis of aortic atherosclerosis in Korean female: a necropsy study. <i>J Korean Med Sci</i> , 22(3): 536-45.
13464	Seo JW, Park IE, Yoon DH, et al (1991). Thoracic aortic aneurysm associated with aortitis-case reports and histological review. <i>J Korean Med Sci</i> , 6(1): 75-82.
61750	Sessa R, Nicoletti M, Di Pietro M, et al (2009). Chlamydia pneumoniae and atherosclerosis: current state and future perspectives. <i>Int J Immunopathol Pharmacol</i> , 22(1): 9-14.
13274	Shaddy RE, Boucek MM, Sturtevant JE, et al (1993). Comparison of angioplasty and surgery for unoperated coarctation of the aorta. <i>Circulation</i> , 87(3): 793-9.
94922	Shah AS, Stelzle D, Lee KK, et al (2018). Global burden of atherosclerotic cardiovascular disease in people living with HIV: systematic review and meta-analysis. <i>Circulation</i> , 138(11): 1100-12.
8283	Shai E, Siegal S, Michael Z, et al (2009). Carotid atherosclerotic disease following childhood scalp irradiation. <i>Atherosclerosis</i> , 204(2): 556-60.
13290	Sharma S, Rajani M, Kamalakar T, et al (1990). The association between aneurysm formation and systemic hypertension in Takayasu's Arteritis. <i>Clin Radiol</i> , 42(3): 182-7.
62098	Shen H, Bielak LF, Streeten EA, et al (2007). Relationship between vascular calcification and bone mineral density in the Old-order Amish. <i>Calcif Tissue Int</i> , 80(4): 244-50.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
13432	Shimanuki T, Orita H, Abe K, et al (1994). Spontaneous rupture of the descending aorta through atherosclerotic plaque: report of a case. <i>Surg Today</i> , 24(9): 837-9.

63258	Shimizu Y, Kitagawa K, Nagai Y, et al (2003). Carotid atherosclerosis as a risk factor for complex aortic lesions in patients with ischemic cerebrovascular disease. <i>Circ J</i> , 67(7): 597-600.
76390	Shimizu Y, Kodama K, Nishi N, et al (2010). Radiation exposure and circulatory disease risk: Hiroshima and Nagasaki atomic bomb survivor data, 1950-2003. <i>BMJ</i> , 340: b5349.
61222	Shmueli H, Passaro DJ, Vaturi M, et al (2005). Association of CagA+ Helicobacter pylori infection with aortic atheroma. <i>Atherosclerosis</i> , 179(1): 127-32.
63251	Shoji T, Nishizawa Y, Kawagishi T, et al (1998). Intermediate-density lipoprotein as an independent risk factor for aortic atherosclerosis in hemodialysis patients. <i>J Am Soc Nephrol</i> , 9(7): 1277-84.
13277	Shores J, Berger KR, Murphy EA, et al (1994). Progression of aortic dilatation and the benefit of long-term beta-adrenergic blockade in Marfan's syndrome. <i>N Engl J Med</i> , 330(19): 1335-41.
61208	Shteinberg D, Halak M, Shapiro S, et al (2000). Abdominal aortic aneurysm and aortic occlusive disease: a comparison of risk factors and inflammatory response. <i>Eur J Vasc Endovasc Surg</i> , 20(5): 462-5.
13792	Simoni G, Pastorino C, Perrone R, et al (1995). Screening for abdominal aortic aneurysms and associated risk factors in a general population. <i>Eur J Vasc Endovasc Surg</i> , 10(2): 207-10.
13418	Smith FC, Grimshaw GM, Paterson IS, et al (1993). Ultrasonographic screening for abdominal aortic aneurysm in an urban community. <i>Br J Surg</i> , 80(11): 1406-9.
13648	Sohi GS, Desai AM, Ward WW, et al (1981). Aortic cusp causing severe aortic regurgitation in a case of relapsing polychondritis. <i>Cathet Cardiovasc Diagn</i> , 7(1): 79-86.
481	Sojka SG, Provan JL (1981). Cigarette smoking and peripheral vascular disease: Is carbon monoxide the real culprit. <i>Can Med Assoc J</i> , 125(1): 10-1.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
80735	Sokolnikov M, Preston D, Stram DO (2017). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , 56(1): 121-5.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123(4): 905-11.
13356	Spence RK, Estella F, Gisser S, et al (1985). Thoracic aortic aneurysm secondary to giant cell arteritis: a reappraisal of etiology, treatment and possible prevention. <i>J Cardiovasc Surg (Torino)</i> , 26(5): 492-5.
63282	Stefanadis C, Vlachopoulos C, Tsiamis E, et al (1998). Unfavorable effects of passive smoking on aortic function in men. <i>Ann Intern Med</i> , 128(6): 426-34.
8843	Stein RA, Rockman CB, Guo Y, et al (2015). Association between physical activity and peripheral artery disease and carotid artery stenosis in a self-referred population of 3 million adults. <i>Arterioscler Thromb Vasc Biol</i> , 35(1): 206-12.
2281	Steinberg D, Witztum JL (1990). Lipoproteins and atherogenesis. <i>JAMA</i> , 264(23): 3047-52.
13434	Sterpetti AV, Cavallaro A, Cavallari N, et al (1991). Factors influencing the rupture of abdominal aortic aneurysms. <i>Surg Gynecol Obstet</i> , 173(3): 175-8.
12511	Stewart BF, Siscovick D, Lind BK, et al (1997). Clinical factors associated with calcific aortic valve disease. <i>J Am Coll Cardiol</i> , 29(3): 630-4.

95007	Stewart FA (2012). Mechanisms and dose-response relationships for radiation-induced cardiovascular disease. <i>Ann ICRP</i> , 41(3-4): 72-9.
13386	Stewart SR, Robbins DL, Castles JJ (1979). [Comment] Case 21-1979 -- aneurysmal dilatation of the aorta with aortic regurgitation. <i>N Engl J Med</i> , 301(11): 611.
13933	Stout RW (1981). Blood glucose and atherosclerosis. <i>Arteriosclerosis</i> , 1(4): 227-34.
482	Strachan DP (1991). Predictors of death from aortic aneurysm among middle-aged men: The Whitehall Study. <i>Br J Surg</i> , 78(4): 401-4.
63260	Straub RH, Tanko LB, Christiansen C, et al (2008). Higher physical activity is associated with increased androgens, low interleukin 6 and less aortic calcification in peripheral obese elderly women. <i>J Endocrinol</i> , 199(1): 61-8.
63261	Sun K, Takasu J, Yamamoto R, et al (2000). Assessment of aortic atherosclerosis and carotid atherosclerosis in coronary artery disease. <i>Jpn Circ J</i> , 64(10): 745-9.
95476	Sun M, Choueiri TK, Hamnvik OP, et al (2016). Comparison of gonadotropin-releasing hormone agonists and orchiectomy: Effects of androgen-deprivation therapy. <i>JAMA Oncol</i> , 2(4): 500-7.
13621	Sunder S, Rath PC, Jairaj PS, et al (1989). Relapsing polychondritis - a case report and review of literature. <i>J Assoc Physicians India</i> , 37(4): 285-7.
13652	Surgeon General (1989). Reducing the Health Consequences of Smoking, Chapter 3: 146-52. US Department of Health and Human Services.
94919	Szulc P (2016). Abdominal aortic calcification: A reappraisal of epidemiological and pathophysiological data. <i>Bone</i> , 84: 25-37.
13372	Takagi A, Kajiura N, Tada Y, et al (1986). Surgical treatment of non-specific inflammatory arterial aneurysms. <i>J Cardiovas Surg (Torino)</i> , 27(2): 117-24.
95010	Takahashi I, Cologne J, Haruta D, et al (2018). Association between prevalence of peripheral artery disease and radiation exposure in the atomic bomb survivors. <i>J Am Heart Assoc</i> , 7(23): e008921.
62061	Takasu J, Katz R, Nasir K, et al (2008). Relationships of thoracic aortic wall calcification to cardiovascular risk factors: the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Am Heart J</i> , 155(4): 765-71.
95763	Takx RA, MacNabb MH, Emami H, et al (2016). Increased arterial inflammation in individuals with stage 3 chronic kidney disease. <i>Eur J Nucl Med Mol Imaging</i> , 43(2): 333-9.
63283	Talbott EO, Zborowski JV, Rager JR, et al (2004). Evidence for an association between metabolic cardiovascular syndrome and coronary and aortic calcification among women with polycystic ovary syndrome. <i>J Clin Endocrinol Metab</i> , 89(11): 5454-61.
61220	Taniguchi H, Momiyama Y, Fayad ZA, et al (2004). In vivo magnetic resonance evaluation of associations between aortic atherosclerosis and both risk factors and coronary artery disease in patients referred for coronary angiography. <i>Am Heart J</i> , 148(1): 137-43.
63284	Taniwaki H, Ishimura E, Tabata T, et al (2005). Aortic calcification in haemodialysis patients with diabetes mellitus. <i>Nephrol Dial Transplant</i> , 20(11): 2472-8.
63287	Tanko LB, Bagger YZ, Alexandersen P, et al (2003). Central and peripheral fat mass have contrasting effect on the progression of aortic calcification in postmenopausal women. <i>Eur Heart J</i> , 24(16): 1531-7.
62121	Tanko LB, Bagger YZ, Christiansen C (2003). Low bone mineral density in the hip as a marker of advanced atherosclerosis in elderly women. <i>Calcif Tissue Int</i> , 73(1): 15-20.

63285	Tanko LB, Bagger YZ, Qin G, et al (2005). Enlarged waist combined with elevated triglycerides is a strong predictor of accelerated atherogenesis and related cardiovascular mortality in postmenopausal women. <i>Circulation</i> , 111(15): 1883-90.
63286	Tanko LB, Bruun JM, Alexandersen P, et al (2004). Novel associations between bioavailable estradiol and adipokines in elderly women with different phenotypes of obesity: implications for atherogenesis. <i>Circulation</i> , 110(15): 2246-52.
62100	Tanko LB, Qin G, Alexandersen P, et al (2005). Effective doses of ibandronate do not influence the 3-year progression of aortic calcification in elderly osteoporotic women. <i>Osteoporos Int</i> , 16(2): 184-90.
74340	Taylor F, Huffman MD, Macedo AF, et al (2013). Statins for the primary prevention of cardiovascular disease. <i>Cochrane Database Syst Rev</i> , 2013(1): CD004816.
62104	Temmar M, Liabeuf S, Renard C, et al (2010). Pulse wave velocity and vascular calcification at different stages of chronic kidney disease. <i>J Hypertens</i> , 28(1): 163-9.
13377	Thevenet A, Du Cailar C (1989). Chronic traumatic aneurysms of the thoracic aorta. <i>World J Surg</i> , 13(1): 112-7.
2288	Thom DH, Grayston JT, Siscovick DS, et al (1992). Association of prior infection with chlamydia pneumoniae and angiographically demonstrated coronary artery disease. <i>JAMA</i> , 268(1): 68-72.
13370	Thurmond AS, Semler HJ (1986). Abdominal aortic aneurysm: incidence in a population at risk. <i>J Cardiovasc Surg (Torino)</i> , 27(4): 457-60.
62051	Thurston RC, Kuller LH, Edmundowicz D, et al (2010). History of hot flashes and aortic calcification among postmenopausal women. <i>Menopause</i> , 17(2): 256-61.
63288	Thurston RC, Sutton-Tyrrell K, Everson-Rose S, et al (2008). Hot flashes and subclinical cardiovascular disease: Findings from the Study of Women's Health Across the Nation Heart Study. <i>Circulation</i> , 118(12): 1234-40.
61206	Tiemeier H, van Dijck W, Hofman A, et al (2004). Relationship between atherosclerosis and late-life depression. <i>Arch Gen Psychiatry</i> , 61(4): 369-76.
13447	Tilson MD (1990). Atherosclerosis and aneurysm disease. <i>J Vas Surg</i> , 12(3): 371-2.
13449	Tilson MD (1992). Aortic aneurysms and atherosclerosis. <i>Circulation</i> , 85(1): 378-9.
13512	Torra, R, Nicolau C, Badenas C, et al (1996). Abdominal aortic aneurysms and autosomal dominant polycystic kidney disease. <i>J Am Soc Nephrol</i> , 7(11): 2483-6.
62123	Toussaint ND, Pedagogos E, Lau KK, et al (2011). Lateral lumbar X-ray assessment of abdominal aortic calcification in Australian haemodialysis patients. <i>Nephrology (Carlton)</i> , 16(4): 389-95.
61215	Tribouilloy C, Peltier M, Andrejak M, et al (1998). Correlation of thoracic aortic atherosclerotic plaque detected by multiplane transesophageal echocardiography and cardiovascular risk factors. <i>Am J Cardiol</i> , 82(12): 1552-5.
61214	Tribouilloy C, Peltier M, Colas L, et al (1998). Fibrinogen is an independent marker for thoracic aortic atherosclerosis. <i>Am J Cardiol</i> , 81(3): 321-6.
61216	Tribouilloy CM, Peltier M, Iannetta-Peltier MC, et al (1999). Relation between low-density lipoprotein cholesterol and thoracic aortic atherosclerosis. <i>Am J Cardiol</i> , 84(5): 603-5.
63289	Tribouilloy CM, Peltier M, Iannetta Peltier MC, et al (2000). Plasma homocysteine and severity of thoracic aortic atherosclerosis. <i>Chest</i> , 118(6): 1685-9.

60442	Troxler M, Mavor AI, Homer-Vanniasinkam S (2001). Penetrating atherosclerotic ulcers of the aorta. <i>Br J Surg</i> , 88(9): 1169-77.
65095	Tsai TT, Nienaber CA, Eagle KA (2005). Acute aortic syndromes. <i>Circulation</i> , 112(24): 3802-13.
61442	Tueche SG (2003). Extra-anatomic bypass shunting in aorto-iliac occlusive disease. Clinical results and risk factors in a Belgian population. <i>Ann Med Interne (Paris)</i> , 154(7): 489-92.
65094	Tunick PA, Kronzon I (2000). Atheromas of the thoracic aorta: clinical and therapeutic update. <i>J Am Coll Cardiol</i> , 35(3): 545-54.
61209	Uher P, Nyman U, Forssell C, et al (1999). Percutaneous placement of stents in chronic iliac and aortic occlusive disease. <i>Eur J Vasc Endovasc Surg</i> , 18(2): 114-21.
94978	Ungprasert P, Thongprayoon C, Kittanamongkolchai W, et al (2016). Peripheral arterial disease in patients with giant cell arteritis: a meta-analysis. <i>Int J Rheum Dis</i> , 19(8): 819-25.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1: 1-11. United Nations Publication.
60297	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A and B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
63163	United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, Report Vol 1: 325-83. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
19047	Unsal C, Oran M, Tureli HO, et al (2013). Detection of subclinical atherosclerosis and diastolic dysfunction in patients with schizophrenia. <i>Neuropsychiatr Dis Treat</i> , 9: 1531-7.
61238	Upchurch GR Jr, Dimick JB, Wainess RM, et al (2004). Diffusion of new technology in health care: the case of aorto-iliac occlusive disease. <i>Surgery</i> , 136(4): 812-8.
19932	Valentine D, Ochroch EA (2009). Aortoiliac occlusive disease. Retrieved 1 May 2020, from https://www.sciencedirect.com/topics/medicine-and-dentistry/aortoiliac-occlusive-disease
13605	Valero G, Cutrona AF, Watanakunakorn C, et al (1992). Group A streptococcus septicemia and an infected, ruptured abdominal aortic aneurysm associated with pharyngitis. <i>Clin Infect Dis</i> , 15(3): 525-7.
2293	Valtonen VV (1991). Infection as a risk factor for infarction and atherosclerosis. <i>Ann Med</i> , 23(5): 539-43.
62060	Van Campenhout A, Moran CS, Parr A, et al (2009). Role of homocysteine in aortic calcification and osteogenic cell differentiation. <i>Atherosclerosis</i> , 202(2): 557-66.
63290	van der Meer I, del Sol AI, Hak E, et al (2003). Risk factors for progression of atherosclerosis measured at multiple sites in the arterial tree: The Rotterdam Study. <i>Stroke</i> , 34(10): 2374-9.
13259	van der Vliet JA, Boll APM (1997). Abdominal aortic aneurysm. <i>Lancet</i> , 349(9055): 863-6.
61228	van Dijk RA, Virmani R, von der Thusen JH, et al (2010). The natural history of aortic atherosclerosis: a systematic histopathological evaluation of the peri-renal region. <i>Atherosclerosis</i> , 210(1): 100-6.
64013	Van Hemelrijck M, Adolfsson J, Garmo H, et al (2010). Risk of thromboembolic diseases in men with prostate cancer: results from the population-based PSBaSe Sweden. <i>Lancet Oncol</i> , 11(5): 450-8.

61239	van Laake LW, Vainas T, Dammers R, et al (2005). Systemic dilation diathesis in patients with abdominal aortic aneurysms: a role for matrix metalloproteinase-9? <i>Eur J Vasc Endovasc Surg</i> , 29(4): 371-7.
13611	Van Laarhoven CJ, Borstlap AC, Van Berge Henegouwen DP, et al (1993). Chronic obstructive pulmonary disease and abdominal aortic aneurysms. <i>Eur J Vasc Surg</i> , 7(4): 386-90.
13375	Van Ooijen B (1988). Marfan's syndrome and isolated aneurysm of the abdominal aorta. <i>Br Heart J</i> , 59(1): 81-4.
13357	Vanker EA (1986). Aortic aneurysm caused by schistosomiasis. <i>Thorax</i> , 41(11): 890-1.
13394	Vasko JS, Raess DH, Williams TE, et al (1977). Nonpenetrating trauma to the thoracic aorta. <i>Surgery</i> , 82(3): 400-6.
61700	Vikatmaa P, Lajunen T, Ikonen TS, et al (2010). Chlamydial lipopolysaccharide (cLPS) is present in atherosclerotic and aneurysmal arterial wall--cLPS levels depend on disease manifestation. <i>Cardiovasc Pathol</i> , 19(1): 48-54.
2294	Visser MR, Vercellotti GM (1993). Herpes simplex virus and atherosclerosis. <i>Eur Heart J</i> , 14(Suppl K): 39-42.
95307	Vliegenthart R, Geleijnse JM, Hofman A, et al (2002). Alcohol consumption and risk of peripheral arterial disease: the Rotterdam study. <i>Am J Epidemiol</i> , 155(4): 332-8.
13379	Vollmar JF, Paes E, Pauschinger P, et al (1989). Aortic aneurysms as late sequelae of above-knee amputation. <i>Lancet</i> , 2(8667): 834-5.
13398	von Doenhoff LJ, Nanda NC (1984). Chronic traumatic thoracic aneurysm: demonstration by two-dimensional echocardiography. <i>Am J Cardiol</i> , 54(6): 692-3.
80740	Wadas TJ, Pandya DN, Solingapuram Sai KK, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
63291	Wagenknecht LE, Langefeld CD, Freedman BI, et al (2007). A comparison of risk factors for calcified atherosclerotic plaque in the coronary, carotid, and abdominal aortic arteries: the Diabetes Heart Study. <i>Am J Epidemiol</i> , 166(3): 340-7.
94976	Wang J, Geng X, Sun J, et al (2019). The risk of periodontitis for peripheral vascular disease: a systematic review. <i>Rev Cardiovasc Med</i> , 20(2): 81-9.
95450	Wang LY, Zhu YN, Cui JJ, et al (2017). Subclinical atherosclerosis risk markers in patients with chronic obstructive pulmonary disease: A systematic review and meta-analysis. <i>Respir Med</i> , 123: 18-27.
94921	Wang P, Xu YY, Lv TT, et al (2019). Subclinical atherosclerosis in patients with type 1 diabetes mellitus: A systematic review and meta-analysis. <i>Angiology</i> , 70(2): 141-59.
62166	Wang TKM, Bolland MJ, van Pelt NC, et al (2010). Relationships between vascular calcification, calcium metabolism, bone density, and fractures. <i>J Bone Miner Res</i> , 25(12): 2777-85.
95381	Wang Z, Wang X, Hao G, et al (2019). A national study of the prevalence and risk factors associated with peripheral arterial disease from China: The China Hypertension Survey, 2012-2015. <i>Int J Cardiol</i> , 275: 165-70.
13448	Ward AS (1992). Aortic aneurysmal disease. A generalized dilating diathesis? <i>Arch Surg</i> , 127(8): 990-1.
95382	Ward-Caviness CK, Kraus WE, Blach C, et al (2018). Associations between residential proximity to traffic and vascular disease in a cardiac catheterization cohort. <i>Arterioscler Thromb Vasc Biol</i> , 38(1): 275-82.
61599	Watson C, Alp NJ (2008). Role of chlamydia pneumoniae in atherosclerosis. <i>Clin Sci (Lond)</i> , 114(8): 509-31.

95222	Wattanakit K, Williams JE, Schreiner PJ, et al (2005). Association of anger proneness, depression and low social support with peripheral arterial disease: the Atherosclerosis Risk in Communities Study. <i>Vasc Med</i> , 10(3): 199-206.
13653	Weir JM, Dunn JE Jr (1970). Smoking and mortality: a prospective study. <i>Cancer</i> , 25(1): 105-12.
13514	Wieczorek P, Riegel MB, Quattro L, et al (1996). Marfan's syndrome and surgical repair of ascending aortic aneurysms. <i>AORN J</i> , 64(6): 895-913.
13306	Williams IM, Hughes OD, Townsend E, et al (1996). Prevalence of abdominal aortic aneurysm in a hypertensive population. <i>Ann R Coll Surg Engl</i> , 78(6): 501-4.
13318	Wilmink AB, Quick CR (1998). Epidemiology and potential for prevention of abdominal aortic aneurysm. <i>Br J Surg</i> , 85(2): 155-62.
94893	Wilson AM, Sadrzadeh-Rafie AH, Myers J, et al (2011). Low lifetime recreational activity is a risk factor for peripheral arterial disease. <i>J Vasc Surg</i> , 54(2): 427-32, 432.e1-4.
94972	Wilson MD, Conroy LM, Dorevitch S (2014). Occupational stress and subclinical atherosclerosis: a systematic review. <i>Int J Occup Environ Health</i> , 20(4): 271-80.
94856	Wilson PW (2019). Overview of established risk factors for cardiovascular disease. Retrieved 13 March 2020, from https://www.uptodate.com/contents/overview-of-established-risk-factors-for-cardiovascular-disease
2300	Wilson PW, Evans JC (1993). Coronary artery disease prediction. <i>Am J Hypertens</i> , 6(11 Pt2): 309S-313S.
63292	Witteman JC, Grobbee DE, Kok FJ, et al (1989). Increased risk of atherosclerosis in women after the menopause. <i>BMJ</i> , 298(6674): 642-4.
483	Witteman JC, Grobbee DE, Valkenburg HA, et al (1993). Cigarette smoking and the development and progression of aortic atherosclerosis: A 9-year population-based follow-up study in women. <i>Circulation</i> , 88(5 Pt 1): 2156-62.
61444	Wongpraparut N, Apiyasawat S, Maraj S, et al (2005). The correlation of left ventricular hypertrophy with the severity of atherosclerosis and embolic events. <i>J Med Assoc Thai</i> , 88(2): 156-61.
13402	Woods JM, Schellack J, Stewart MT, et al (1988). Mycotic abdominal aortic aneurysm induced by immunotherapy with bacille Calmette-Guerin vaccine for malignancy. <i>J Vasc Surg</i> , 7(6): 808-10.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28(2): 161-8.
94928	Wu GC, Leng RX, Lu Q, et al (2017). Subclinical atherosclerosis in patients with inflammatory bowel diseases: A systematic review and meta-analysis. <i>Angiology</i> , 68(5): 447-61.
95471	Wu VC, Chen TH, Wu M, et al (2018). Comparison of cardiovascular outcomes and all-cause mortality in patients with chronic hepatitis B and C: A 13-year nationwide population-based study in Asia. <i>Atherosclerosis</i> , 269: 178-84.
95472	Wu VC, Chen TH, Wu M, et al (2019). Corrigendum to "Comparison of cardiovascular outcomes and all-cause mortality in patients with chronic hepatitis B and C: A 13-year nationwide population-based study in Asia" [<i>Atherosclerosis</i> 269 (2018) 178-184]. <i>Atherosclerosis</i> , 269: 184-5.
94923	Wu Y, Sun D, Wang B, et al (2018). The relationship of depressive symptoms and functional and structural markers of subclinical atherosclerosis: A systematic review and meta-analysis. <i>Eur J Prev Cardiol</i> , 25(7): 706-16.

95014	Wyss TR, Adam L, Haynes AG, et al (2015). Impact of cardiovascular risk factors on severity of peripheral artery disease. <i>Atherosclerosis</i> , 242(1): 97-101.
95308	Xie X, Ma YT, Yang YN, et al (2010). Alcohol consumption and ankle-to-brachial index: results from the Cardiovascular Risk Survey. <i>PLoS One</i> , 5(12): e15181.
62923	Xu L, Jiang CQ, Lam TH, et al (2009). Passive smoking and aortic arch calcification in older Chinese never smokers: the Guangzhou Biobank Cohort Study. <i>Int J Cardiol</i> , 148(2): 189-93.
63293	Yamada K, Fujimoto S, Nishiura R, et al (2007). Risk factors of the progression of abdominal aortic calcification in patients on chronic haemodialysis. <i>Nephrol Dial Transplant</i> , 22(7): 2032-7.
50474	Yamada M, Naito K, Kasagi F, et al (2005). Prevalence of atherosclerosis in relation to atomic bomb radiation exposure: an RERF Adult Health Study. <i>Int J Radiat Biol</i> , 81(11): 821-6.
62099	Yamagami K, Hosoi M, Yamamoto T, et al (2005). Coronary arterial calcification is associated with albuminuria in type 2 diabetic patient. <i>Diabetes, Obesity and Metabolism</i> , 7(4): 390-6.
95015	Yamasaki S, Izawa A, Koshikawa M, et al (2015). Association between estimated glomerular filtration rate and peripheral arterial disease. <i>J Cardiol</i> , 66(5): 430-4.
95229	Yang S, Zhao LS, Cai C, et al (2018). Association between periodontitis and peripheral artery disease: a systematic review and meta-analysis. <i>BMC Cardiovasc Disord</i> , 18(1): 141.
13527	Yee N, Roach DJ (1996). Infected abdominal aortic aneurysm caused by spinal brucellar infection. <i>AJR Am J Roentgenol</i> , 167(4): 1068-9.