



SUBARACHNOID HAEMORRHAGE

RMA ID Number	Reference List for RMA227-4 as at June 2019
---------------	---

88551	Abete I, Arriola L, Etxezarreta N, et al (2015). Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>Eur J Nutr</i> , 54(3): 365-75.
89040	Abla AA, Lawton MT, McDermott MW (2014). Intracranial aneurysm formation following radiation. <i>World Neurosurg</i> , 81(3-4): 492-3.
89733	Adam R, Priglinger M, Harrington T, et al (2014). An unusual cause of cerebellar hemorrhage in a young patient: essential thrombocythemia. <i>J Stroke Cerebrovasc Dis</i> , 23(5): e373-4.
4	Adams HP, Putman SF, Kassell NF, et al (1984). Prevalence of diabetes mellitus among patients with subarachnoid hemorrhage. <i>Arch Neurol</i> , 41: 1033-5.
56871	Adamski MG, Borratynska A, Krupa M, et al (2009). A1/A2 polymorphism of GpIIIa gene and risk of aneurysmal subarachnoid haemorrhage. <i>Biochem Biophys Res Commun</i> , 383(2): 228-30.
89734	Adamson J, Humphries SE, Ostergaard JR, et al (1994). Are cerebral aneurysms atherosclerotic? <i>Stroke</i> , 25(2): 963-6.
88749	Adeeb N, Deep A, Griessenauer CJ, et al (2013). The intracranial arachnoid mater: a comprehensive review of its history, anatomy, imaging, and pathology. <i>Childs Nerv Syst</i> , 29(1): 17-33.
15490	Aggarwal SK, Williams V, Levine SR, et al (1996). Cocaine-associated intracranial hemorrhage: absence of vasculitis in 14 cases. <i>Neurology</i> , 46: 1741-43.
56237	Ago M, Ago K, Hara K, et al (2006). Toxicological and histopathological analysis of a patient who died nine days after a single intravenous dose of methamphetamine: a case report. <i>Legal Medicine</i> , 8: 235-9.
89735	Ahmed R, Dunford J, Mehran R, et al (2014). Pre-eclampsia and future cardiovascular risk among women: a review. <i>J Am Coll Cardiol</i> , 63(18): 1815-22.
56777	Ahsan H, Ajmal F, Saleem MF, et al (2009). Cerebral fungal infection with mycotic aneurysm of basilar artery and subarachnoid haemorrhage. <i>Singapore Med J</i> , 50(1): e22-5.
56784	Ake JA, Erickson JC, Lowry KJ (2006). Cerebral aneurysmal arteriopathy associated with HIV infection in an adult. <i>Clin Infect Dis</i> , 43: e46-50.
88426	Akhigbe T, Zolnourian A, Bulters D (2017). Cholesterol-reducing agents for treatment of aneurysmal subarachnoid hemorrhage: Systematic review and meta-analysis of randomized controlled trials. <i>World Neurosurg</i> , 101: 476-85.
15475	Al Rajeh S, Awada A, Niazi G, et al (1993). Stroke in a Saudi Arabian National Guard community. Analysis of 500 consecutive cases from a population-based hospital. <i>Stroke</i> , 24: 1635-9.

89736	Alaraj A, Wallace A, Mander N, et al (2010). Effect of acute cocaine use on vasospasm and outcome in aneurysmal subarachnoid hemorrhage. <i>World Neurosurg</i> , 73(4): 357-60.
55446	Alen JF, Lagares A, Campollo J, et al (2008). Idiopathic subarachnoid hemorrhage and venous drainage: are they related? <i>Neurosurg</i> , 63(6): 1106-12.
89166	Alexandrino GM, Damasio J, Canhao P, et al (2014). Stroke in sports: a case series. <i>J Neurol</i> , 261(8): 1570-4.
88479	Algra AM, Klijn CJ, Helmerhorst FM, et al (2012). Female risk factors for subarachnoid hemorrhage: A systematic review. <i>Neurology</i> , 79(12): 1230-6.
88541	Alrajhi KN, Perry JJ, Forster AJ (2015). Intracranial bleeds after minor and minimal head injury in patients on warfarin. <i>J Emerg Med</i> , 48(2): 137-42.
5	Al-Roomi K, Heller RF, Holland T, et al (1992). The importance of hypertension in the aetiology of infarctive and haemorrhagic stroke. The Lower Hunter Stroke Study. <i>MJA</i> , 157: 452-5.
56872	Al-Shahi R, Warlow C (1986). Nonaneurysmal subarachnoid hemorrhage: a review. Retrieved 28 May 2010, from http://www.medscape.com/viewarticle/559142_4
56740	Al-Shahi R, Warlow C (2001). A systematic review of the frequency and prognosis of arteriovenous malformations of the brain in adults. <i>Brain</i> , 124: 1900-26.
116	Altes-Capella J, Cabezudo-Artero JM, Forteza-Rei J (1987). [Comment] Complications of cocaine abuse. <i>Ann Intern Med</i> , 107(6): 940-1.
88521	Alvarado Reyes Y, Perez A, Rodriguez-Vega G (2017). Vitamin D deficiency is not associated with outcomes in aneurysmal subarachnoid hemorrhage patients: a case control study. <i>World Neurosurg</i> , 97: 501-4.
56873	Anders K, Steinsapir KD, Iverson DJ, et al (1986). Neuropathologic findings in the acquired immunodeficiency syndrome (AIDS). <i>Clin Neuropathol</i> , 5(1): 1-20. [Abstract]
55502	Anderson C, Mhurchu CN, Scott D, et al (2003). Triggers of subarachnoid hemorrhage. Role of physical exertion, smoking, and alcohol in the Australasian Cooperative Research on Subarachnoid Hemorrhage Study (ACROSS). <i>Stroke</i> , 34(7): 1771-6.
56231	Anderson CS, Feigin V, Bennett D, et al (2004). Active and passive smoking and the risk of subarachnoid hemorrhage. An international population-based case-control study. <i>Stroke</i> , 35(3): 633-7.
55405	Anderson CS, Jamrozik KD, Broadhurst RJ, et al (1994). Predicting survival for 1 year among different subtypes of stroke. Results from the Perth Community Stroke Study. <i>Stroke</i> , 25: 1935-44.
899	Anderson DM, Keith J, Novak PD (Lexicographers) (1994). Subarachnoid hemorrhage. <i>Dorland's Illustrated Medical Dictionary</i> , 28th Edition, 750-1. WB Saunders Co. Philadelphia.
117	Andoh T, Shirakami S, Nakashima T, et al (1992). Clinical analysis of a series of vertebral aneurysm cases. <i>Neurosurg</i> , 31(6): 987-3.
88478	Andreasen TH, Bartek J, Andresen M, et al (2013). Modifiable risk factors for aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 44(12): 3607-12.
15482	Anson JA, Koshy M, Ferguson L, et al (1991). Subarachnoid hemorrhage in sickle-cell disease. <i>J Neurosurg</i> , 75: 552-8.
26337	Antithrombotic Trialists' Collaboration (2002). Collaborative meta-analysis of randomised trials of antiplatelet therapy for prevention of death, myocardial infarction, and stroke in high risk patients. <i>BMJ</i> , 324(7329): 71-86.
56779	Arab L, Liu W, Elashoff D (2009). Green and black tea consumption and risk of stroke. A meta-analysis. <i>Stroke</i> , 40(q): 1786-92.

56771	Arauz A, Velasquez L, Cantu C, et al (2003). Phenylpropanolamine and intracranial hemorrhage risk in a Mexican population. <i>Cerebrovasc Dis</i> , 15: 210-14.
89737	Arima H, Tanizaki Y, Yonemoto K, et al (2009). Impact of blood pressure levels on different types of stroke: The Hisayama study. <i>J Hypertens</i> , 27(12): 2437-43.
88485	Armin SS, Colohan AR, Zhang JH (2006). Traumatic subarachnoid hemorrhage: our current understanding and its evolution over the past half century. <i>Neurol Res</i> , 28(4): 445-52.
89738	Asai T, Kataoka K, Uejima T, et al (1996). Traumatic laceration of the intracranial vertebral artery causing fatal subarachnoid hemorrhage: case report. <i>Surg Neurol</i> , 45(6): 566-8.
26729	Ascherio A, Rimm EB, Hernan MA, et al (1999). Relation of consumption of vitamin E, vitamin C, and carotenoids to risk for stroke among men in the United States. <i>Ann Intern Med</i> , 130: 963-70.
56232	Auer J, Berent R, Weber T, et al (2002). Subarachnoid haemorrhage with "ecstasy" abuse in a young adult. <i>Neurol Sci</i> , 23: 199-201.
89739	August P (2018). Management of hypertension in pregnant and postpartum women. Retrieved 3 December 2018, from https://www.uptodate.com/contents/management-of-hypertension-in-pregnant-and-postpartum-women
89741	Aune D, Giovannucci E, Boffetta P, et al (2017). Fruit and vegetable intake and the risk of cardiovascular disease, total cancer and all-cause mortality--a systematic review and dose-response meta-analysis of prospective studies. <i>Int J Epidemiol</i> , 46(3): 1029-56.
88608	Austin V, Crack PJ, Bozinovski S, et al (2016). COPD and stroke: are systemic inflammation and oxidative stress the missing links. <i>Clin Sci</i> , 130: 1039-50.
56874	Australian Government Department of Health & Ageing, Therapeutic Goods Administration (2009). Phenylpropanolamine. Retrieved 27 January 2010, from http://www.tga.gov.au/docs/html/ppa.htm
25899	Ayala C, Croft JB, Greenlund KJ, et al (2002). Sex differences in US mortality rates for stroke and stroke subtypes by race/ethnicity and age, 1995-1998. <i>Stroke</i> , 33: 1197.
55403	Azevedo E, Ribeiro JA, Lopes F, et al (1995). Cold: a risk factor for stroke? <i>J Neurol</i> , 242: 217-21.
88443	Backes D, Rinkel GJ, Laban KG, et al (2016). Patient- and- aneurysm-specific risk factors for intracranial aneurysm growth: A systematic review and meta-analysis. <i>Stroke</i> , 47(4): 951-7.
89740	Baeesa SS, Bakhaidar M, Ahmed NA, et al (2017). Invasive orbital apex aspergillosis with mycotic aneurysm formation and subarachnoid hemorrhage in immunocompetent patients. <i>World Neurosurg</i> , 102: 42-8.
55419	Baizabal Carvallo JF, Canto Brito C, Estanol B, et al (2007). Subarachnoid hemorrhage as a complication of systemic lupus erythematosus. <i>Cerebrovasc Dis</i> , 24: 301-4.
55359	Bak S, Andersen M, Tsiropoulos I, et al (2003). Risk of stroke associated with nonsteroidal anti-inflammatory drugs. <i>Stroke</i> , 34: 379-86.
89030	Balasuriya BM, Nanayakara D, Goonasekara CD (2005). Brain death confirmed by Tc(99m) DTPA scan in a case of subarachnoid haemorrhage following a krait bite. <i>Ceylon Med J</i> , 50(4): 165-6.
88480	Ballard J, Kreiter KT, Claassen J, et al (2003). Risk factors for continued cigarette use after subarachnoid hemorrhage. <i>Stroke</i> , 34(8): 1859-63.
89742	Ban L, Sprigg N, Sultan AA, et al (2017). Incidence of first stroke in pregnant and nonpregnant women of childbearing age: A population-based cohort study from England. <i>J Am Heart Assoc</i> , 6(4): e004601.

12371	Band PR, Le ND, Fang R, et al (1996). Cohort study of air Canada pilots: mortality, cancer incidence, and leukemia risk. <i>Am J Epidemiol</i> , 143(2): 137-43.
118	Barno A, Freeman DW (1976). Maternal deaths due to spontaneous subarachnoid hemorrhage. <i>Am J Obstet Gynecol</i> , 125(3): 384-92.
33485	Basnyat B (2004). Neurological conditions at altitude that fall outside the usual definition of altitude sickness. <i>High Alt Med Biol</i> , 5(2): 171-9.
88590	Bateman BT, Olbrecht VA, Berman MF, et al (2012). Peripartum subarachnoid hemorrhage: nationwide data and institutional experience. <i>Anesthesiology</i> , 116(2): 324-33.
15474	Batjer HH, Adamson TE, Bowman GW (1991). Sickle cell disease and aneurysmal subarachnoid hemorrhage. <i>Surg Neurol</i> , 36: 145-9.
88849	Baumgartner RW, Siegel AM, Hackett PH (2007). Going high with preexisting neurological conditions. <i>High Alt Med Biol</i> , 8(2): 108-16.
89771	Beadell NC, Thompson EM, Delashaw JB, et al (2012). The deleterious effects of methamphetamine use on initial presentation and clinical outcomes in aneurysmal subarachnoid hemorrhage. <i>J Neurosurg</i> , 117(4): 781-6.
15532	Becker KJ (1998). Epidemiology and clinical presentation of aneurysmal subarachnoid hemorrhage. <i>Neurosurg Clin N Am</i> , 9(3): 435-44.
55447	Bederson JB, Connolly S, Hunt Batjer H, et al (2009). Guidelines for the management of aneurysmal subarachnoid hemorrhage. A statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association. <i>Stroke</i> , 40: 994-1025.
119	Bell BA, Symon L (1979). Smoking and subarachnoid haemorrhage. <i>BMJ</i> , 1(6163): 577-8.
15	Bell DS (1994). Stroke in the diabetic patient. <i>Diabetes Care</i> , 17(3): 213-9.
89743	Bell RS, Vo AH, Roberts R, et al (2010). Wartime traumatic aneurysms: acute presentation, diagnosis, and multimodal treatment of 64 craniocervical arterial injuries. <i>Neurosurg</i> , 66(1): 66-79.
74819	Bellamy L, Casas JP, Hingorani AD, et al (2007). Pre-eclampsia and risk of cardiovascular disease and cancer later in life: systematic review and meta-analysis. <i>BMJ</i> , 335(7627): 974.
89744	Belloso WH, Romano M, Greco GS, et al (2011). Recurrent meningitis and subarachnoid hemorrhage due to salmonella in an HIV+ patient: case report and mini-review of the literature. <i>The Open AIDS Journal</i> , 5: 62-6.
120	Benoit BG, Wortzman G (1973). Traumatic cerebral aneurysms. Clinical features and natural history. <i>J Neurol Neurosurg Psychiatry</i> , 36(1): 127-38.
25890	Berger K, Ajani UA, Kase CS, et al (1999). Light-to-moderate alcohol consumption and risk of stroke among U.S. male physicians. <i>N Engl J Med</i> , 341(21): 1557-64.
26431	Berman MF, Sciacca RR, Pile-Spellman J, et al (2000). The epidemiology of brain arteriovenous malformations. <i>Neurosurgery</i> , 47(2): 389-97.
26433	Berman MF, Sciacca RR, Pile-Spellman J, et al (2001). [Comment] The epidemiology of brain arteriovenous malformations. <i>Neurosurgery</i> , 49(1): 227-8.
15530	Bernsen RA, Hoogenraad TU (1994). A spinal haematoma occurring in the subarachnoid as well as in the subdural space in a patient treated with anticoagulants. <i>Clin Neurol Neurosurg</i> , 94(1): 35-37.
15481	Bernstein M, Parrent AG (1994). Complications of CT-guided stereotactic biopsy of intra-axial brain lesions. <i>J Neurosurg</i> , 81: 165-8.
55441	Beseoglu K, Hanggi D, Stummer W, et al (2008). Dependence of subarachnoid hemorrhage on climate conditions: a systematic meteorological analysis from the Dusseldorf metropolitan area. <i>Neurosurgery</i> , 62(5): 1033-9.

121	Biller J, Adams HP (1986). Cerebrovascular disorders associated with pregnancy. <i>AFP</i> , 33(6): 125-32.
56229	Binggeli RS, Schroth G, Steiger HJ (1998). Distal aneurysm of the rostral duplicate anterior inferior cerebellar artery feeding an associated dural arteriovenous malformation: case report and review of the literature. <i>J Clin Neurosci</i> , 5(2): 237-44.
56765	Boco T, Macdonald RL (2004). Absence of acute cerebral vasoconstriction after cocaine-associated subarachnoid hemorrhage. <i>Neurocrit Care</i> , 1: 449-54.
26357	Boltri JM, Akerson MR, Vogel RL (2002). Aspirin prophylaxis in patients at low risk for cardiovascular disease: a systematic review of all-cause mortality. <i>J Fam Pract</i> , 51(8): 700-4.
55435	Bonilha L, Marques EL, Carelli EF, et al (2001). Risk factors and outcome in 100 patients with aneurysmal subarachnoid hemorrhage. <i>Arq Neuropsiquiatr</i> , 59(3-B): 676-80.
122	Bonita R (1986). Cigarette smoking, hypertension and the risk of subarachnoid hemorrhage: A population-based case-control study. <i>Stroke</i> , 17(5): 831-5.
55456	Bor AS, Niemansburg SL, Wermer MJ, et al (2009). Anosmia after coiling of ruptured aneurysms. Prevalence, prognosis, and risk factors. <i>Stroke</i> , 40: 226-8.
55430	Bor AS, Rinkel GJ, Adami J, et al (2008). Risk of subarachnoid haemorrhage according to number of affected relatives: a population based case-control study. <i>Brain</i> , 131: 2662-5.
56764	Boudewijns M, Magerman K, Verhaegen J, et al (2003). <i>Rothia dentocariosa</i> , endocarditis and mycotic aneurysms: case report and review of the literature. <i>Clin Microbiol Infect</i> , 9: 222-9.
88519	Boulouis G, Rodriguez-Regent C, Rasolonjatovo EC, et al (2017). Unruptured intracranial aneurysms: An updated review of current concepts for risk factors, detection and management. <i>Revue Neurologique</i> , 173(9): 542-51.
56778	Bowen Jones D (1979). An association between sub-arachnoid haemorrhage and influenza A infection. <i>Postgrad Med J</i> , 55: 853-5.
89750	Bradford MA, Adhikari NK, Friedrich JO, et al (2014). [Comment] Benefits and risks associated with thrombolysis for pulmonary embolism. <i>JAMA</i> , 312(15): 1588-90. Comment on ID: 89749.
89033	Braun CT, Ricklin ME, Pauli A, et al (2015). Death after sexual intercourse. <i>Case Rep Emerg Med</i> , 2015: Article ID 646438.
15439	Braune S, Wrocklage C, Raczek J, et al (1998). Resting blood pressure increase during exposure to a radio-frequency electromagnetic field. <i>Lancet</i> , 351(9119): 1857-58.
56095	Breitmeier D, Mansouri F, Albrecht K, et al (2003). Accidental autoerotic deaths between 1978 and 1997. Institute of Legal Medicine, Medical School Hannover. <i>Forensic Sci Int</i> , 137: 41-4.
88543	Brewer ES, Reznikov B, Liberman RF, et al (2011). Incidence and predictors of intracranial hemorrhage after minor head trauma in patients taking anticoagulant and antiplatelet medication. <i>J Trauma</i> , 70(1): E1-5.
88609	Brinjikji W, Zhu YQ, Lanzino G, et al (2016). Risk factors for growth of intracranial aneurysms: A systematic review and meta-analysis. <i>Am J Neuroradiol</i> , 37: 615-20.
55512	Brisman JL, Song JK, Newell DW (2006). Cerebral aneurysms. <i>N Engl J Med</i> , 355(9): 928-39.
55358	Broderick JP, Viscoli CM, Brott T, et al (2003). Major risk factors for aneurysmal subarachnoid hemorrhage in the young are modifiable. <i>Stroke</i> , 34(6): 1375-81.
15605	Brott T, Broderick J, Kothari R (1994). Thrombolytic therapy for stroke. <i>Curr Opin Neurol</i> , 7(1): 25-35.

56234	Bruno A (2003). Cerebrovascular complications of alcohol and sympathomimetic drug abuse. <i>Curr Neurol Neurosci Rep</i> , 3: 40-5.
56563	Bulsara KR, Raja A, Owen J (2005). HIV and cerebral aneurysms. <i>Neurosurg Rev</i> , 28: 92-5.
89745	Bunai Y, Nagai A, Nakamura I, et al (2000). Traumatic rupture of the basilar artery: report of two cases and review of the literature. <i>Am J Forensic Med Pathol</i> , 21(4): 343-8.
55508	Burns JD, Huston J, Layton KF, et al (2009). Intracranial aneurysm enlargement on serial magnetic resonance angiography. Frequency and risk factors. <i>Stroke</i> , 40: 406-11.
123	Burton C, Velasco F, Dorman J (1968). Case Reports: traumatic aneurysm of a peripheral cerebral artery. Review and case report. <i>J Neurosurg</i> , 1 28: 468-74.
55437	Butt MU, Zakaria M, Hussain HM (2009). Circadian pattern of onset of ischaemic and haemorrhagic strokes, and their relation to sleep/wake cycle. <i>J Pak Med Assoc</i> , 59(3): 129-32.
55477	Buxton N, Liu C, Dasic D, et al (2001). Relationship of aneurysmal subarachnoid hemorrhage to changes in atmospheric pressure: results of a prospective study. <i>J Neurosurg</i> , 95: 391-2.
89746	Caldeira D, Rodrigues FB, Barra M, et al (2015). Non-Vitamin K antagonist oral anticoagulants and major bleeding-related fatality in patients with atrial fibrillation and venous thromboembolism: a systematic review and meta-analysis. <i>Heart</i> , 101(15): 1204-11.
89747	Calvo-Romero JM, del Carmen Bonilla-Gracia M, Mureo-Dacal P (2002). Churg-Strauss syndrome presenting as spontaneous subarachnoid haemorrhage. <i>Clin Rheumatol</i> , 21(3): 261-3.
25	Camargo CA (1989). Moderate alcohol consumption and stroke. The epidemiologic evidence. <i>Stroke</i> , 20(12): 1611-26.
88509	Can A, Castro VM, Dligach D (2018). Lipid-lowering agents and high HDL (High-Density Lipoprotein) are inversely associated with intracranial aneurysm rupture. <i>Stroke</i> , 49(5): 1148-54.
88705	Can A, Castro VM, Ozdemir YH (2017). Association of intracranial aneurysm rupture with smoking duration, intensity, and cessation. <i>Neurology</i> , 89(13): 1408-15.
88511	Can A, Castro VM, Ozdemir YH (2018). Alcohol consumption and aneurysmal subarachnoid hemorrhage. <i>Transl Stroke Res</i> , 9(1): 13-9.
88510	Can A, Castro VM, Ozdemir YH, et al (2018). Heroin use is associated with ruptured saccular aneurysms. <i>Transl Stroke Res</i> , 9(4): 340-6.
88508	Can A, Castro VM, Yu S, et al (2018). Antihyperglycemic agents are inversely associated with intracranial aneurysm rupture. <i>Stroke</i> , 49(1): 34-9.
88513	Can A, Rudy RF, Castro VM (2018). Low serum calcium and magnesium levels and rupture of intracranial aneurysms. <i>Stroke</i> , 49(7): 1747-50.
88785	Canhao P, Falcao F, Pinho e Melo T, et al (1999). Vascular risk factors for perimesencephalic nonaneurysmal subarachnoid hemorrhage. <i>J Neurology</i> , 246(6): 492-6.
15531	Canhao P, Pinto, AN, Ferro H, et al (1994). Smoking and aneurysmal subarachnoid haemorrhage: a case-control study. <i>J Cardiovasc Risk</i> , 1(2): 155-58.
89748	Cantalapiedra A, Gutierrez O, Tortosa JI, et al (2006). Oral anticoagulant treatment: risk factors involved in 500 intracranial hemorrhages. <i>J Thromb Thrombolysis</i> , 22(2): 113-20.
38907	Cantu C, Arauz A, Murillo-Bonilla LM, et al (2003). Stroke associated with sympathomimetics contained in over-the-counter cough and cold drugs. <i>Stroke</i> , 34: 1667-73.

88610	Cao Y, Wang X, Zheng D, et al (2016). Air pressure, humidity and stroke occurrence: A systematic review and meta-analysis. <i>Int J Environ Res Public Health</i> , 13(7): pii: E675.
124	Caplan LR, Baquis GD, Pessin MS, et al (1988). Dissections of the intracranial vertebral artery. <i>Neurology</i> , 38(6): 868-77.
24	Caplan LR, Hier DB, Banks G (1982). Current concepts of cerebrovascular disease - Stroke: stroke and drug abuse. <i>Stroke</i> , 13(6): 869-73.
56223	Carter KN, Anderson N, Jamrozik K, et al (2004). Migraine and risk of subarachnoid haemorrhage: a population-based case-control study. <i>J Clin Neurosci</i> , 12(5): 534-7.
55460	Carvi y Nieves MN, Archavlis E (2009). Atypical causes of nontraumatic intracranial subarachnoid hemorrhage. <i>Clin Neurol Neurosurg</i> , 111: 354-8.
125	Casey AT, Marsh HT, Uttley D (1993). Intracranial aneurysm formation following radiotherapy. <i>Br J Neurosurg</i> , 7(5): 575-9.
88563	Chang TR, Kowalsko RG, Caserta F (2013). Impact of acute cocaine use on aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 44(7): 1825-9.
88611	Chang YS, Liu CJ, Chen WS, et al (2013). Increased risk of subarachnoid hemorrhage in patients with systemic lupus erythematosus: A nationwide population-based study. <i>Arthritis Care Res (Hoboken)</i> , 65(4): 601-6.
89749	Chatterjee S, Chakraborty A, Weinberg I, et al (2014). Thrombolysis for pulmonary embolism and risk of all-cause mortality, major bleeding, and intracranial hemorrhage: a meta-analysis. <i>JAMA</i> , 311(23): 2414-21.
88612	Chattopadhyay S, Tripathi C (2010). Skull fracture and haemorrhage pattern among fatal and nonfatal head injury assault victims - a critical analysis. <i>J Inj Violence Res</i> , 2(2): 99-103.
89751	Chedid MK, Vender JR, Harrison SJ, et al (2001). Delayed appearance of a traumatic intracranial aneurysm. Case report and review of the literature. <i>J Neurosurg</i> , 94(4): 637-41. [Abstract]
15466	Chehrena M, Zagardo MT, Koski CL (1997). Subarachnoid hemorrhage in a patient with Lyme disease. <i>Neurology</i> , 48: 520-3.
89752	Chen CW, Jaffe IZ, Karumanchi SA (2014). Pre-eclampsia and cardiovascular disease. <i>Cardiovasc Res</i> , 101(4): 579-86.
88613	Chen GC, Lu DB, Pang Z, et al (2013). Vitamin C intake, circulating vitamin C and risk of stroke: A meta-analysis of prospective studies. <i>J Am Heart Assoc</i> , 2(6): e000329.
88469	Chen GC, Lv DB, Pang Z, et al (2013). Dietary fiber intake and stroke risk: a meta-analysis of prospective cohort studies. <i>Eur J Clin Nutr</i> , 67(1): 96-100.
88470	Chen GC, Lv DB, Pang Z, et al (2013). Red and processed meat consumption and risk of stroke: a meta-analysis of prospective cohort studies. <i>Eur J Clin Nutr</i> , 67(1): 91-5.
88630	Chen S (2015). Neurovascular events after subarachnoid hemorrhage: focusing on subcellular organelles. <i>Acta Neurochir Suppl</i> , 120: 39-46.
88614	Chen S, Feng H, Sherchan P, et al (2014). Controversies and evolving new mechanisms in subarachnoid hemorrhage. <i>Prog Neurobiol</i> , 0: 64-91.
56768	Chen Y, Zhu W, Bollen AW, et al (2008). Evidence for inflammatory cell involvement in brain arteriovenous malformations. <i>Neurosurgery</i> , 62(6): 1340-50.
56876	Chieregato A, Fainardi E, Morselli-Labate AM, et al (2005). Factors associated with neurological outcome and lesion progression in traumatic subarachnoid hemorrhage patients. <i>Neurosurgery</i> , 56(4): 671-80.
88615	Chinda J, Nakagawa N, Kabara M, et al (2012). Impact of decreased estimated glomerular filtration rate on Japanese acute stroke and its subtype. <i>Intern Med</i> , 51: 1661-6.

55331	Choi NK, Park BJ, Jeong SW, et al (2008). Nonaspirin nonsteroidal anti-inflammatory drugs and hemorrhagic stroke risk. The Acute Brain Bleeding Analysis Study. <i>Stroke</i> , 39: 845-9.
26363	Chukwudelunzu FE, Brown RD, Wijidicks EF, et al (2002). Subarachnoid haemorrhage associated with infectious endocarditis: case report and literature review. <i>Eur J Neurol</i> , 9(4): 423-7.
26506	Chung YS, Han DH (2002). Vertebrobasilar dissection: a possible role of whiplash injury in its pathogenesis. <i>Neurol Res</i> , 24(2): 129-38.
55334	Claiborne Johnston S (2008). [Comment] Coiling and aneurysm rerupture: incomplete treatment is a causal intermediate not a confounder. <i>Stroke</i> , 39: e122. Comment on ID: 55333.
55518	Claiborne Johnston S, Colford JM, Gress DR (1998). Oral contraceptives and the risk of subarachnoid hemorrhage. <i>Neurology</i> , 51: 411-8.
55329	Claiborne Johnston S, Dowd CF, Higashida RT, et al (2008). Predictors of rehemorrhage after treatment of ruptured intracranial aneurysms. The Cerebral Aneurysm Rerupture After Treatment (CARAT) Study. <i>Stroke</i> , 39: 120-5.
55513	Clarke M (2008). Systematic review of reviews of risk factors for intracranial aneurysms. <i>Neuroradiology</i> , 50: 653-64.
89066	Claude Hemphill J, Smith WS, Gress DR (2018). Subarachnoid hemorrhage. <i>Harrison's Principles of Internal Medicine</i> , 20th Edition, Chapter 302. McGraw Hill.
88542	Claudia C, Claudia R, Agostino O, et al (2011). Minor head injury in warfarinized patients: indicators of risk for intracranial hemorrhage. <i>J Trauma</i> , 70(4): 906-9.
35	Colditz GA, Bonita R, Stampfer MJ, et al (1988). Cigarette smoking and risk of stroke in middle-aged women. <i>NEJM</i> , 318(15): 937-41.
26434	Cole DJ, Reynolds LW, Nary JC, et al (1999). Subarachnoid hemorrhage in rats: Effect of singular or sustained hemodilution with alpha-alpha diaspirin crosslinked hemoglobin on cerebral hypoperfusion. <i>Crit Care Med</i> , 27(5): 972-7.
36	Cole G (1992). Cerebrovascular disease. JO'D McGee, PG Isaacson, NA Wright, et al (Eds). <i>Oxford Textbook of Pathology</i> , Vol 2b Chapter 25.4: 1850-6, 1926-8. Oxford University Press, New York.
1018	Contostavlos DL (1995). Isolated basilar traumatic subarachnoid hemorrhage: an observer's 25 year re-evaluation of the pathogenetic possibilities. <i>Forensic Sci Int</i> , 73(1): 61-74.
26438	Contostavlos DL (2000). [Comment] Comment on: " Traumatic subarachnoid haemorrhage: a 10-year case study and review". <i>Forensic Sci Int</i> , 110(1): 71.
26364	Conway JE, Tamargo RJ (2001). Cocaine use is an independent risk factor for cerebral vasospasm after aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 32(10): 2338-43.
55339	Cordonnier C, Al-Shahi Salman R, Bhattacharya JJ, et al (2008). Differences between intracranial vascular malformation types in the characteristics of their presenting haemorrhages: prospective, population-based study. <i>J Neurol Neurosurg Psychiatry</i> , 79: 47-51.
26534	Cronqvist M, Pierot L, Boulin A, et al (1998). Local intraarterial fibrinolysis of thromboemboli occurring during endovascular treatment of intracerebral aneurysm: a comparison of anatomic results and clinical outcome. <i>Am J Neuroradiol</i> , 19(1): 157-65.
15462	Cruz DN, Segal AS (1997). A patient with Wegener's granulomatosis presenting with a subarachnoid hemorrhage: case report and review of CNS disease associated with Wegener's granulomatosis. <i>Am J Nephrol</i> , 17: 181-6.

88593	Cui R, Iso H, Yamagishi K, et al (2011). Diabetes mellitus and risk of stroke and its subtypes among Japanese: the Japan public health center study. <i>Stroke</i> , 42(9): 2611-4.
89034	Cui V, Kouliev T, Wood J (2014). A case of cerebral aneurysm rupture and subarachnoid hemorrhage associated with air travel. <i>Open Access Emerg Med</i> , 2014: 23-6.
89778	Cummings TJ, Johnson RR, Diaz FG, et al (2000). The relationship of blunt head trauma, subarachnoid hemorrhage, and rupture of pre-existing intracranial saccular aneurysms. <i>Neurol Res</i> , 22: 165-70.
900	Cutler RP (1992). Cerebrovascular disease, E Rubenstein and DD Federman (Eds). <i>Scientific American Medicine</i> , Section 11, Chapter X: 1-12. Scientific American Inc. New York.
89779	Daley MJ, Murthy MS, Peterson EJ (2015). Bleeding risk with systemic thrombolytic therapy for pulmonary embolism: scope of the problem. <i>Ther Adv Drug Safety</i> , 6(2): 57-66.
15412	Dalton ML (1992). Subarachnoid hemorrhage after carotid endarterectomy. <i>J Vasc Surg</i> , 16(5): 799.
56875	Daniel S, Bereczki D (2004). Alcohol as a risk factor for hemorrhagic stroke. <i>Ideggyogy Sz</i> , 57(7-8): 247-56. [Abstract]
39	Daras M, Tuchman AJ, Koppel BS, et al (1994). Neurovascular complications of cocaine. <i>Acta Neurol Scand</i> , 90: 124-9.
89780	Dario A, Dorizzi A, Scamoni C, et al (1997). Iatrogenic intracranial aneurysm. Case report and review of the literature. <i>J Neurol Sci</i> , 41(2): 195-202.
88616	Daskalopoulou MD, George J, Walters K, et al (2016). Depression as a risk factor for the initial presentation of twelve cardiac, cerebrovascular, and peripheral arterial diseases: Data linkage study of 1.9 million women and men. <i>PLoS One</i> , 11(4): e0153838.
13478	Davis GG, Swalwell CI (1994). Acute aortic dissections and ruptured berry aneurysms associated with methamphetamine abuse. <i>J Forensic Sci</i> , 39(6): 1481-5.
15835	Davis GG, Swalwell CI (1996). The incidence of acute cocaine or methamphetamine intoxication in deaths due to ruptured cerebral (berry) aneurysms. <i>J Forensic Sci</i> , 41(4): 626-28.
56759	Davis TM, Bruce DG, Davis WA (2005). Predictors of first stroke in Type 1 diabetes: The Fremantle Diabetes Study. <i>Diabet Med</i> , 22: 551-3.
55423	Dawkins AA, Evans AL, Wattam J, et al (2007). Complications of cerebral angiography: a prospective analysis of 2,924 consecutive procedures. <i>Neuroradiology</i> , 49: 753-9.
20	De Girolami U, Frosch MP, Anthony DC (1994). The Central Nervous System, R Cotran, V Kumar S Robbins (Eds). <i>Robbins Pathologic Basis of Disease</i> , 5th Edition, Chapter 29: 1295-1356. WB Saunders.
55340	de Rooij NK, Linn FH, van der Plas JA, et al (2007). Incidence of subarachnoid haemorrhage: a systematic review with emphasis on region, age, gender and time trends. <i>J Neurol Neurosurg Psychiatry</i> , 78: 1365-72.
88420	de Steenhuijsen Piters WA, Algra A, van den Broek MF, et al (2013). Seasonal and meteorological determinants of aneurysmal subarachnoid hemorrhage: a systematic review and meta-analysis. <i>J Neurology</i> , 260(2): 614-9.
15413	de Tezanos Pinto M, Fernandez J, Perez Bianco PR (1992). Update of 156 episodes of central nervous system bleeding in hemophiliacs. <i>Haemostasis</i> , 22(5): 259-67.
89046	De Villiers JC (1966). Intracranial haemorrhage in patients treated with monoamineoxidase inhibitors. <i>Br J Psychiatry</i> , 112(483): 109-18.

88547	Debette S, Compter A, Labeyrie MA, et al (2015). Epidemiology, pathophysiology, diagnosis, and management of intracranial artery dissection. <i>Lancet Neurol</i> , 14(6): 640-54.
88847	De-Giorgio F, Grassi VM, Miscusi M, et al (2013). Subarachnoid hemorrhage and carbon monoxide exposure: Accidental association or fatal link? <i>J Forensic Sci</i> , 58(5): 1364-6.
89032	Delgado ABT, Gondim CC, Reichert LP, et al (2017). Hemorrhagic stroke secondary to Bothrops spp. venom: A case report. <i>Toxicon</i> , 132: 6-8.
15588	deSouza NM, Cox TC, Hoare RD, et al (1993). Cerebral siderosis: a complication of anticoagulant therapy? <i>Am J Neuroradiol</i> , 14(3): 774-6.
21	Dias MS, Sekhar LN (1990). Intracranial hemorrhage from aneurysms and arteriovenous malformations during pregnancy and the puerperium. <i>Neurosurgery</i> , 27(6): 855-66.
89035	Dickinson J, Heath D, Gosney J, et al (1983). Altitude-related deaths in seven trekkers in the Himalayas. <i>Thorax</i> , 38: 646-56.
15679	Dietl S, Schuhmacher M, Menninger H, et al (1994). Subarachnoid hemorrhage associated with bilateral internal carotid artery aneurysms as a manifestation of Behcet's disease. <i>J Rheumatol</i> , 21(4): 775-6.
58745	Domenicucci M, Ramieri A, Paolini S, et al (2005). Spinal subarachnoid hematomas: our experience and literature review. <i>Acta Neurochir</i> , 147: 741-50.
41	Donahue RP, Abbott RD, Reed DM, et al (1986). Alcohol and hemorrhagic stroke: The Honolulu Heart Program. <i>JAMA</i> , 255(17): 2311-4.
6868	Dowling G, Curry B (1988). Traumatic basal subarachnoid hemorrhage: report of six cases and review of the literature. <i>Am J Forensic Med Pathol</i> , 9(1): 23-31.
55421	Dreier JP, Kremer C, Lammers G, et al (2007). Migraine and delayed ischaemic neurological deficit after subarachnoid haemorrhage in women: a case-control study. <i>Eur J Neurol</i> , 14: 1363-8.
89782	Dubey A, Sung WS, Chen YY, et al (2008). Traumatic intracranial aneurysm: a brief review. <i>J Clin Neurosci</i> , 15(6): 609-12.
89783	Dubow J, Fink ME (2011). Impact of hypertension on stroke. <i>Curr Atheroscler Rep</i> , 13(4): 298-305.
55474	Duffau H, Lopes M, Janosevic V, et al (1999). Early rebleeding from intracranial dural arteriovenous fistulas: report of 20 cases and review of the literature. <i>J Neurosurg</i> , 90: 78-84.
26544	Dumont AS, Lanzino G, Kassell NF (2002). Unruptured aneurysms. <i>J Neurosurg</i> , 96(1): 52-6.
89370	Eberle H, Lyn R, Knight T, et al (2018). Clinical update on thrombolytic use in pulmonary embolism: A focus on intermediate-risk patients. <i>Am J Health-Syst Pharm</i> , 75(17): 1275-85.
56746	Eckart RE, Scoville SL, Shry EA, et al (2006). Causes of sudden death in young female military recruits. <i>Am J Cardiol</i> , 97: 1756-8.
55598	Ecker RD, Hopkins LN (2004). Natural history of unruptured intracranial aneurysms. <i>Neurosurg Focus</i> , 17(5): E4.
55427	Eden SV, Meurer WJ, Sanchez BN, et al (2008). Gender and ethnic differences in subarachnoid hemorrhage. <i>Neurology</i> , 71: 731-5.
55439	Edlow BL, Kasner SE, Hurst RW, et al (2007). Reversible cerebral vasoconstriction syndrome associated with subarachnoid hemorrhage. <i>Neurocrit Care</i> , 7: 203-10.
173	Endo S, Nishijima M, Nomura H, et al (1993). A pathological study of intracranial posterior circulation dissecting aneurysms with subarachnoid hemorrhage: report of three autopsied cases and review of the literature. <i>Neurosurg</i> , 33(4): 732-38.

26435	Endo T, Tominaga T, Konno H, et al (2002). Fatal subarachnoid hemorrhage, with brainstem and cerebellar infarction, caused by Aspergillus infection after cerebral aneurysm surgery: case report. <i>Neurosurg</i> , 50(5): 1147-51.
26732	Engstrom J, S Hauser (2001). Studies of familial subarachnoid hemorrhage. <i>Harrison's Online</i> , Chapter 361.
55436	Entezari M, Azhari S, Ramezani A (2009). Fundus findings in spontaneous subarachnoid hemorrhage and their correlation with neurologic characteristics. <i>Eur J Ophthalmol</i> , 19(3): 460-5.
89785	Eslava-Schmalbach J, Navarro-Vargas JR, Sabogal D (2009). The evidence that shows that stroke and cesarean section are associated needs to be critically reviewed. <i>Am J Obstet Gynecol</i> , 200(4): e15.
56949	Expert Group for Neurology (2007). Subarachnoid haemorrhage. Therapeutic Guidelines Ltd. Retrieved 28 May 2010, from http://proxy9.use.hcn.com.au/
55332	Fabrizi A, Servadei F, Marchesini G, et al (2008). Early predictors of unfavourable outcome in subjects with moderate head injury in the emergency department. <i>J Neurol Neurosurg Psychiatry</i> , 79: 567-73.
88539	Fang MC, Chang Y, Hylek EM, et al (2004). Advanced age, anticoagulation intensity, and risk for intracranial hemorrhage among patients taking warfarin for atrial fibrillation. <i>Ann Intern Med</i> , 141(10): 745-52.
25842	Fann JR, Kukull WA, Katon WJ, et al (2000). Physical activity and subarachnoid haemorrhage: a population based case-control study. <i>J Neurol Neurosurg Psychiatry</i> , 69: 768-72.
55480	Fanshawe M, Venkatesh B, Boots RJ (2002). Outcome of stroke patients admitted to intensive care: experience from an Australian teaching hospital. <i>Anaesth Intensive Care</i> , 30: 628-32.
55503	Feigin V, Parag V, Lawes CM, et al (2005). Smoking and elevated blood pressure are the most important risk factors for subarachnoid hemorrhage in the Asia-Pacific region. An overview of 26 cohorts involving 306 620 participants. <i>Stroke</i> , 36(7): 1360-5.
25442	Feigin VL, Anderson CS, Anderson NE, et al (2001). Is there a temporal pattern in the occurrence of subarachnoid hemorrhage in the southern hemisphere? Pooled data from 3 large, population-based incidence studies in Australasia, 1981 to 1997. <i>Stroke</i> , 32: 613-9.
55361	Feigin VL, Anderson CS, Rodgers A, et al (2002). Subarachnoid haemorrhage occurrence exhibits a temporal pattern - evidence from meta-analysis. <i>Eur J Neurol</i> , 9: 511-6.
55500	Feigin VL, Rinkel GJ, Lawes CM, et al (2005). Risk factors for subarachnoid hemorrhage. An updated systemic review of epidemiological studies. <i>Stroke</i> , 36(12): 2773-80.
88490	Feng X, Zhang B, Guo E, et al (2017). Bifurcation location and growth of aneurysm size are significantly associated with an irregular shape of unruptured intracranial aneurysms. <i>World Neurosurgery</i> , 107: 255-62.
15463	Fessler RD, Eshaki CM, Stankewitz RC, et al (1997). The neurovascular complications of cocaine. <i>Surg Neurol</i> , 47: 339-45.
89786	Filter ER, Fernandes JR (2009). Fatal traumatic subarachnoid hemorrhage due to assault-related tear of the basilar artery. <i>J Forensic Leg Med</i> , 16(7): 414-6.
14269	Finkelstein MM (1998). Cancer incidence among Ontario police officers. <i>American Journal of Industrial Medicine</i> , 34(2): 157-62.
56236	Fischer T, Johnsen SP, Pedersen L, et al (2005). Seasonal variation in hospitalization and case fatality of subarachnoid hemorrhage - a nationwide Danish study on 9,367 patients. <i>Neuroepidemiology</i> , 24: 32-7.

56230	Flaherty ML, Haverbusch M, Kissela B, et al (2005). Perimesencephalic subarachnoid hemorrhage: incidence, risk factors, and outcome. <i>J Stroke Cerebrovasc Dis</i> , 14(6): 267-71.
89787	Flaster M, Morales-Vidal S, Schneck MJ, et al (2011). Statins in hemorrhagic stroke. <i>Exp Rev Neurother</i> , 11(8): 1141-9.
174	Fleischer AS, Patton JM, Tindall GT (1975). Cerebral aneurysms of traumatic origin. <i>Surg Neurol</i> , 4: 233-9.
26356	Fodstad H (2002). Subarachnoid hemorrhage and atmospheric pressure. <i>J Neurosurg</i> , 96(5): 974-5; discussion 975.
15414	Fogelholm RR, Turjanmaa VMH, Nuutila MT, et al (1995). Diurnal blood pressure variations and onset of subarachnoid haemorrhage: a population-based study. <i>Journal of Hypertension</i> , 13: 495-8.
89168	Foreman PM, Griessenauer CJ, Selim MH, et al (2016). Sexual activity as a trigger for intracranial hemorrhage. <i>Acta Neurochir</i> , 158(1): 189-95. [Abstract]
15733	Forman SA, Holmes CK, McManamon TV, et al ((1982). Psychological symptoms and intermittent hypertension following acute microwave exposure. <i>Journal of Occupational Medicine</i> , 24: 932-34.
55505	Foroud T, Sauerbeck L, Brown R, et al (2008). Genome screen to detect linkage to intracranial aneurysm susceptibility genes. The Familial Intracranial Aneurysm (FIA) Study. <i>Stroke</i> , 39: 1434-40.
175	Fransen P, De Tribolet N (1994). Dissecting aneurysm of the posterior inferior cerebellar artery. <i>Br J Neurosurg</i> , 8: 381-6.
176	Frazer JG, Cahan LD, Winter J (1980). Bacterial intracranial aneurysms. <i>J Neurosurg</i> , 53: 633-41.
55452	Froelich M, Ni Q, Wess C, et al (2009). Continuous hypertonic saline therapy and the occurrence of complications in neurocritically ill patients. <i>Crit Care Med</i> , 37(4): 1433-41.
55425	Fujino Y, Iso H, Tamakoshi A (2007). A prospective cohort study of perceived noise exposure at work and cerebrovascular diseases among male workers in Japan. <i>J Occup Health</i> , 49: 382-8.
15537	Gaetani P, Guallini P, Rodriguez BR, et al (1997). Inactivation of a1-antiproteinase (a1-AT) and changes in antioxidants' plasma levels in subarachnoid hemorrhage. <i>Journal of the Neurological Sciences</i> , 152(2): 154-9.
15533	Gaetani P, Tartara F, Tancioni F, et al (1996). Activity of a1-antitrypsin and cigarette smoking in subarachnoid haemorrhage from ruptured aneurysm. <i>Journal of the Neurological Sciences</i> , 141(1-2): 33-38.
88617	Gaist D, Gonzalez-Perez A, Ashina M, et al (2014). Migraine and risk of hemorrhagic stroke: a study based on data from general practice. <i>J Headache Pain</i> , 15(74).
55511	Gaist D, Pedersen L, Cnattingius S, et al (2004). Parity and risk of subarachnoid hemorrhage in women. A nested case-control study based on national Swedish registries. <i>Stroke</i> , 35: 28-33.
25432	Gaist D, Vaeth M, Tsiropoulos I, et al (2000). Risk of subarachnoid haemorrhage in first degree relatives of patients with subarachnoid haemorrhage: follow up study based on national registries in Denmark. <i>British Medical Journal</i> , 320: 141-5.
89788	Gal R, Balasa R, Bajko Z, et al (2017). Lethal subarachnoid and intracerebral haemorrhage associated with temporal arteritis. <i>Journal of Critical Care</i> , 3(4): 153-7.
25430	Gale CR, Ashurst HE, Powers HJ, et al (2001). Antioxidant vitamin status and carotid atherosclerosis in the elderly. <i>American Journal of Clinical Nutrition</i> , 74: 402-8.
55465	Gallerani M, Trapella G, Manfredini R, et al (1994). Acute intracerebral haemorrhage: circadian and circannual patterns of onset. <i>Acta Neurologica Scandinavica</i> , 89: 280-6.

55461	Gambhir S, O'Grady G, Koelmeyer T (2009). Clinical lessons and risk factors from 403 fatal cases of subarachnoid haemorrhage. <i>J Clin Neurosci</i> , 16: 921-4.
56373	Gan BK, Lim JH, Ng IH (2004). Outcome of moderate and severe traumatic brain injury amongst the elderly in Singapore. <i>Ann Acad Med Singapore</i> , 33: 63-7.
88544	Ganetsky M, Lopez G, Coreanu T, et al (2017). Risk of intracranial hemorrhage in ground-level fall with antiplatelet or anticoagulant agents. <i>Academic Emergency Medicine</i> , 24(10): 1258-66.
88560	Garbe E, Kreisel SH, Behr S (2013). Risk of subarachnoid hemorrhage and early case fatality associated with outpatient antithrombotic drug use. <i>Stroke</i> , 44(9): 2422-6.
89789	Garcia-Rodriguez LA, Gasit D, Morton J, et al (2013). Antithrombotic drugs and risk of hemorrhagic stroke in the general population. <i>Neurology</i> , 81: 566-74.
177	Gatchev O, Rastam L, Lindberg G, et al (1993). Subarachnoid hemorrhage, cerebral hemorrhage and serum cholesterol concentration in men and women. <i>Ann Epidemiol</i> , 3(4): 403-9.
56899	Gazioglu N, Kadioglu P, Ocal E, et al (2002). An unusual presentation of Nelson's syndrome with apoplexy and subarachnoid hemorrhage. <i>Pituitary</i> , 5(4): 267-74. [Abstract]
55940	George MG, Tong X, McGruder H, et al (2009). Paul Coverdell national acute stroke registry surveillance - four states, 2005-2007. <i>MMWR</i> , 58(7): 1-23.
89057	Geraldes R, Sousa PR, Fonseca AC, et al (2014). Nontraumatic convexity subarachnoid hemorrhage: different etiologies and outcomes. <i>J Stroke Cerebrovasc Dis</i> , 23(1): e23-30.
55411	Germans MR, Pennings FA, Sprengers ME, et al (2008). Spinal vascular malformations in non-perimesencephalic subarachnoid hemorrhage. <i>J Neurol</i> , 255: 1910-5.
56776	Gilden D, Cohrs RJ, Mahalingam R, et al (2009). Varicella zoster virus vasculopathies: diverse clinical manifestations, laboratory features, pathogenesis, and treatment. <i>Lancet Neurol</i> , 8(8): 731-40.
51	Gill JS, Shipley MJ, Tsementzis S, et al (1989). Cigarette smoking: A risk factor for hemorrhagic and nonhemorrhagic stroke. <i>Arch Intern Med</i> , 149(9): 2053-7.
53	Gill JS, Shipley MJ, Tsementzis SA, et al (1991). Alcohol consumption - a risk factor for hemorrhagic and non-hemorrhagic stroke. <i>Am J Med</i> , 90(4): 489-97.
52	Gill JS, Zezulka A, Shipley MJ, et al (1986). Stroke and alcohol consumption. <i>NEJM</i> , 315(17): 1041-6.
88537	Gill RS, Hambridge HL, Schneider EB, et al (2013). Falling temperature and colder weather are associated with an increased risk of aneurysmal subarachnoid hemorrhage. <i>World Neurosurgery</i> , 79(1): 136-42.
15476	Gledhill JA, Moore DF, Bell D, et al (1993). Subarachnoid haemorrhage associated with MDMA abuse. <i>Journal of Neurology Neurosurgery & Psychiatry</i> , 56: 1036-7.
89790	Go MH, Park JU, Kang JG, et al (2012). Subarachnoid and intracerebral hemorrhage in patients with Churg-Strauss syndrome: two case reports. <i>Journal of Cerebral Vascular and Endovascular Neurosurgery</i> , 14(3): 255-61.
14448	Goldsmith JR (1997). Epidemiologic evidence relevant to radar (microwave) effects. <i>Environmental Health Perspectives</i> , 105(Suppl 6): 1579-87.
56774	Goldstein DA, Timpone J, Cupps TR (2010). HIV-associated intracranial aneurysmal vasculopathy in adults. <i>J Rheumatol</i> , 37(2): 226-33.

15544	Gopinathan VP (1993). Observations in Falciparum malaria. Journal of the Association of Physicians of India (JAPI), 41(1): 60.
89791	Gore JM, Granger CB, Simoons ML, et al (1995). Stroke after thrombolysis. Mortality and functional outcomes in the GUSTO-I trial. Global use of strategies to open occluded coronary arteries. Circulation, 92(10): 2811-8. [Abstract]
38659	Gorelick PB, Weisman SM (2005). Risk of hemorrhagic stroke with aspirin use: an update. Stroke, 36: 1801-7.
89792	Grant RA, Cord BJ, Kuzomunhu L, et al (2016). Aneurysmal subarachnoid hemorrhage and severe, catheter-induced vasospasm associated with excessive consumption of a caffeinated energy drink. Interventional Neuroradiology, 22(6): 674-8.
26437	Gray JT, Puetz SM, Jackson SL, et al (1999). Traumatic subarachnoid haemorrhage: a 10-year case study and review. Forensic Science International, 105(1): 13-23.
57132	Green RM, Kelly KM, Gabrielsen T, et al (1990). Multiple intracerebral hemorrhages after smoking "crack" cocaine. Stroke, 21: 957-62.
56757	Groenestege AT, Rinkel GJ, van der Bom, JG, et al (2009). The risk of aneurysmal subarachnoid hemorrhage during pregnancy, delivery, and the puerperium in the Utrecht population. Stroke, 40: 1148-51.
26584	Grogorian A, Rajaraman V, Hunt CD (1998). Traumatic intracranial aneurysms complicating anterior skull base surgery. J Craniomaxillofac Trauma, 4(4): 10-4.
88534	Gross BA, Rosalind Lai PM, Frerichs KU, et al (2014). Aspirin and aneurysmal subarachnoid hemorrhage. World Neurosurgery, 82(6): 1127-30.
89793	Grysiwicz R, Gorelick PB (2014). Incidence, mortality, and risk factors for oral anticoagulant-associated intracranial hemorrhage in patients with atrial fibrillation. J Stroke Cerebrovasc Dis, 23(10): 2479-88.
56750	Gu YX, Chen XC, Song DL, et al (2006). Risk factors for intracranial aneurysm in a Chinese ethnic population. Chin Med J (Engl), 119(16): 1359-64.
89794	Guillermin A, Yan DJ, Perrier A, et al (2016). Safety and efficacy of tenecteplase versus alteplase in acute coronary syndrome: a systematic review and meta-analysis of randomized trials. Archives of Medical Science, 12(6): 1181-7.
89795	Gulati D, Dua D, Torbey MT (2017). Hemostasis in intracranial hemorrhage. Front Neurol, 8: Article 80.
89209	Gulati S, Solheim O, Carlsen SM, et al (2018). Risk of intracranial hemorrhage (RICH) in users of oral antithrombotic drugs: Nationwide pharmacoepidemiological study. PLoS One, 13(8): e0202575.
89150	Guppy KH, Silverthorn JW, Akins PT (2011). Subarachnoid hemorrhage due to retained lumbar drain. Spine, 15(6): 641-4.
89796	Gupta V, Chinchure SD, Goe G, et al (2013). Coil embolization of intracranial aneurysm in polyarteritis nodosa. A case report and review of the literature. Interventional Neuroradiology, 19(2): 203-8.
178	Guridi J, Gallego J, Monzon F, et al (1993). Intracerebral haemorrhage caused by transmural dissection of the anterior cerebral artery. Stroke, 42: 1400-2.
89830	Gurwitz JH, Gore JM, Goldberg RJ, et al (1998). Risk for intracranial hemorrhage after tissue plasminogen activator treatment for acute myocardial infarction. Annals of Internal Medicine, 129(8): 597-604.
89797	Ha S, Kim J, Kim CG, et al (2016). Multiple intracranial aneurysms associated with Behcet's disease. J Cerebrovasc Endovasc Neurosurg, 18(1): 32-7.

26439	Hackett ML, Anderson CS (2000). Health outcomes 1 year after subarachnoid hemorrhage: An international population-based study. <i>Neurology</i> , 55(5): 658-62.
26440	Hademenos GJ, Alberts MJ, Awad I, et al (2001). Advances in the genetics of cerebrovascular disease and stroke. <i>Neurology</i> , 56(8): 997-1008.
25436	Hajat C, Dundas R, Stewart JA, et al (2001). Cerebrovascular risk factors and stroke subtypes differences between ethnic groups, <i>Stroke</i> , 32: 37-42.
55356	Hakan T, Kizilkilic O, Adaletli I, et al (2003). Is there any seasonal influence in spontaneous bleeding of intracranial aneurysms and/or arteriovenous malformations in Istanbul? <i>Swiss Med Wkly</i> , 133: 267-72.
56877	Hall B, Parker D Jr, Carhuapoma JR (2005). Thrombolysis for intraventricular hemorrhage after endovascular aneurysmal coiling. <i>Neurocrit Care</i> , 3(2): 153-56.
32194	Haller CA, Benowitz NL (2000). Adverse cardiovascular and central nervous system events associated with dietary supplements containing ephedra alkaloids. <i>N Engl J Med</i> , 343(25): 1833-8.
179	Halliday AW, Mansfield AO (1993). Congenital arteriovenous malformations. <i>Br J Surg</i> , 80: 2-3.
88483	Hamdan A, Barnes J, Mitchell P (2014). Subarachnoid hemorrhage and the female sex: analysis of risk factors, aneurysm characteristics, and outcomes. <i>J Neurosurg</i> , 121(6): 1367-73.
15477	Hamdan H, Carrington D, Gledhill RF (1993). Mumps virus meningoencephalitis complicated by subarachnoid haemorrhage. <i>Journal of the Royal Society of Medicine</i> , 86: 357-8.
88618	Han MH, Yi HJ, Ko Y, et al (2016). Association between hemorrhagic stroke occurrence and meteorological factors and pollutants. <i>BMC Neurol</i> , 16(59): s12883.
55514	Hankey GJ, Nelson MR (2009). Easily missed? Subarachnoid haemorrhage. <i>BMJ</i> , 339: 569-70.
60	Hannaford PC, Croft PR, Kay CR (1994). Oral contraception and stroke. Evidence from the Royal College of General Practitioners' Oral Contraception Study. <i>Stroke</i> , 25(5): 935-42.
180	Harland WA, Pitts JF, Watson AA (1983). Subarachnoid haemorrhage due to upper cervical trauma. <i>J Clin Pathol</i> , 36(12): 1335-41.
181	Harmsen P, Rosengren A, et al (1990). Risk factors for stroke in middle-aged men in Goteborg, Sweden. <i>Stroke</i> , 21: 223-9.
26372	Hart R (2000). [Comment] Review: aspirin reduces the risk for stroke in patients with previous TIA or stroke but does not have a dose-response effect. <i>ACP J Club</i> , 132(1): 9.
25902	Hart RG, Benavente O, Pearce LA (1999). Increased risk of intracranial hemorrhage when aspirin is combined with warfarin: A meta-analysis and hypothesis. <i>Cerebrovasc Dis</i> , 9(4): 215-7.
59216	Hart RG, Boop BS, Anderson DC (1995). Oral anticoagulants and intracranial hemorrhage. Facts and hypotheses. <i>Stroke</i> , 26: 1471-7.
25843	Hart RG, Halperin JL, McBride R, et al (2000). Aspirin for the primary prevention of stroke and other major vascular events: meta-analysis and hypotheses. <i>Arch Neurol</i> , 57(3): 326-32.
88619	Hasan DM, Chalouhi N, Jabbour P, et al (2013). Evidence that acetylsalicylic acid attenuates inflammation in the walls of human cerebral aneurysms: Preliminary results. <i>J Am Heart Assoc</i> , 2: e000019.
88620	Hauer AJ, Ruigrok YM, Algra A, et al (2017). Age-specific vascular risk factor profiles according to stroke subtype. <i>J Am Heart Assoc</i> , 6: e005090.

15534	Haykowsky MJ, Findlay JM, Ignaszewski AP (1996). Aneurysmal subarachnoid hemorrhage associated with weight training: three case reports. <i>Clinical Journal of Sport Medicine</i> , 6(1): 52-5.
22669	He J, Whelton PK, Vu B, et al (1998). Aspirin and risk of hemorrhagic stroke: a meta-analysis of randomized controlled trials. <i>JAMA</i> , 280(22): 1930-5.
25895	Hebert PR, Hennekens CH (2000). An overview of the 4 randomised trials of aspirin therapy in the primary prevention of vascular disease. <i>Arch Intern Med</i> , 160: 3123-7.
89798	Heidrich R (1070). [Subarachnoid hemorrhage after strangulation] [Article in German]. <i>Z Arztl Fortbild</i> , 64(18): 946-7. [Abstract]
89799	Helbok R, Kurtz P, Vibbert M, et al (2013). Early neurological deterioration after subarachnoid haemorrhage: risk factors and impact on outcome. <i>J Neurol</i> , 84(3): 266-70.
55504	Heman LM, Jongen LM, van der Worp HB, et al (2009). Incidental intracranial aneurysms in patients with internal carotid artery stenosis. <i>Stroke</i> , 40: 1341-6.
57388	Hemphill JC III, Smith WS (2008). Neurologic critical care, including hypoxic-ischemic encephalopathy and subarachnoid hemorrhage. Subarachnoid hemorrhage. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 269: 1726-9. .
88607	Hemphill JC III, Smith WS, Gress DR (2018). Subarachnoid hemorrhage. <i>Access Medicine</i> , 20th Edition, Chapter 302. McGraw Hill.
88440	Hensler J, Jensen-Kondering U, Ulmer S, et al (2016). Spontaneous dissections of the anterior cerebral artery: a meta-analysis of the literature and three recent cases. <i>Neuroradiology</i> , 58(10): 997-1004.
26368	Hida K, Iwasaki Y, Akino M (2002). Spontaneous spinal hemorrhage during scuba diving. Case illustration. <i>J Neurosurg</i> , 96(3 (Suppl)): 351.
74389	Hillbom M, Saloheimo P, Juvela S (2011). Alcohol consumption, blood pressure, and the risk of stroke. <i>Curr Hypertens Rep</i> , 13(3): 208-13.
89151	Hirsch MS, Walter RM, Hasterlik RJ (1965). [Comment] Subarachnoid hemorrhage following ephedrine and MAO inhibitor. <i>JAMA</i> , 194(11): 1259.
25444	Hirvonen T, Virtamo J, Korhonen P, et al (2000). Intake of flavonoids, carotenoids, vitamin C and E, and risk of stroke in male smokers. <i>Stroke</i> , 31: 2301-6.
89051	Hnenny L, Sabry HA, Raskin JS, et al (2015). Migrating lumbar intrathecal catheter fragment associated with intracranial subarachnoid hemorrhage. <i>J Neurosurg Spine</i> , 22(1): 47-51.
56233	Ho EL, Josephson SA, Lee HS, et al (2009). Cerebrovascular complications of methamphetamine abuse. <i>Neurocrit Care</i> , 10: 295-305.
56239	Ho MP, Tsai JL, Wong YK (2004). Subarachnoid hemorrhage and death following coingestion of MDMA with other drugs. <i>J Chin Med Assoc</i> , 67: 640-3.
15718	Hocking B, Joyner K, Fleming R (1988). Health aspects of radio-frequency radiation accidents. <i>Journal of Microwave Power</i> , 23: 67-74.
15609	Holmes B, Harbaugh RE (1993). Traumatic intracranial aneurysms: a contemporary review. <i>The Journal of Trauma</i> , 35(6): 855-60.
88631	Holmqvist M, Simard JF, Asplund K, et al (2015). Stroke in systemic lupus erythematosus: a meta-analysis of population-based cohort studies. <i>RMD Open</i> , 1: e000168.
25894	Hommel M, Jaillard A (1999). [Comment] Re: Alcohol for stroke prevention? <i>N Engl J Med</i> , 341(21): 1605-6. Retrieved 12 December 2002, from pp 1605-1606
25892	Hop JW, Rinkel GJ, Algra A, et al (2000). Randomized pilot trial of postoperative aspirin in subarachnoid hemorrhage. <i>Neurology</i> , 54(4): 872-8.

15464	Horowitz BZ, Jadallah S, Derlet RW (1996). Fatal intracranial bleeding associated with prehospital use of epinephrine. <i>Annals of Emergency Medicine</i> , 28: 725-7.
15443	Horowitz M, Purdy P, Kopitnik T (1998). Subarachnoid hemorrhage during arteriovenous malformation embolization as a result of vessel wall "sandblasting". <i>Surg Neurol</i> , 50: 403-7.
182	Horton JC, Chambers W, Lyons SL, et al (1990). Pregnancy and the risk of hemorrhage from cerebral arteriovenous malformations. <i>Neurosurgery</i> , 27(6): 867-72.
183	Hosoda K, Fujita S, Kawaguchi T, et al (1991). Spontaneous dissecting aneurysms of the basilar artery presenting with a subarachnoid hemorrhage. <i>J Neurosurg</i> , 75: 628-33.
55481	Howington JU, Kutz SC, Wilding GE, et al (2003). Cocaine use as a predictor of outcome in aneurysmal subarachnoid hemorrhage. <i>J Neurosurg</i> , 99(2): 271-5.
15453	Howlett DC, Hatrick AG, Jarosz JM, et al (1997). Pictorial review: the role of CT and MR in imaging the complications of sickle cell disease. <i>Clinical Radiology</i> , 52: 821-9.
72288	Hu D, Huang J, Wang Y, et al (2014). Fruits and vegetables consumption and risk of stroke: a meta-analysis of prospective cohort studies. <i>Stroke</i> , 45(6): 1613-9.
26441	Hu FB, Stampfer MJ, Colditz GA, et al (2000). Physical activity and risk of stroke in women. <i>JAMA</i> , 283(22): 2961-7.
56745	Hu G, Sarti C, Jousilahti P, et al (2005). Leisure time, occupational, and commuting physical activity and the risk of stroke. <i>Stroke</i> , 36(9): 1994-9.
56878	Huang YC, Chen YF, Wang YH, et al (2009). Cervicocranial arterial dissection: experience of 73 patients in a single center. <i>Surgical Neurology</i> , 72(Suppl 2): S20-S27.
88569	Huerta JM, Chirlaque MD, Tormo MJ, et al (2013). Physical activity and risk of cerebrovascular disease in the European Prospective Investigation into Cancer and Nutrition-Spain study. <i>Stroke</i> , 44(1): 111-8.
88535	Hughes JD, Samarage M, Burrows AM, et al (2015). Body mass index and aneurysmal subarachnoid hemorrhage: Decreasing mortality with increasing body mass index. <i>World Neurosurgery</i> , 84(6): 1598-1604.
89068	Huh W, Bang JS, Wan C, et al (2012). Intracranial aneurysm following cranial radiation therapy. <i>J Cerebrovasc Endovasc Neurosurg</i> , 14(4): 300-4.
89069	Huston J, Torres VE, Wiebers DO, et al (1996). Follow-up of intracranial aneurysms in autosomal dominant polycystic kidney disease by magnetic resonance angiography. <i>J Am Soc Nephrol</i> , 7: 2135-41.
89800	Hyun SJ, Hwang SN, Nam TK, et al (2011). Takayasu's arteritis complicated with subarachnoid hemorrhage and hematomyelia - case report. <i>Neurol Med Chir (Tokyo)</i> , (51): 119-22.
15440	Ikeda K, Iwasaki Y, Hatanaka N, et al (1998). Causes of perimesencephalic nonaneurysmal subarachnoid hemorrhage. <i>Neurology</i> , 50(5): 1518.
55426	Ikehara S, Iso H, Date C, et al (2009). Association of sleep duration with mortality from cardiovascular disease and other causes for Japanese men and women: the JACC study. <i>Sleep</i> , 32(3): 259-301.
25897	Inagawa T (2002). Seasonal variation in the incidence of aneurysmal subarachnoid hemorrhage in hospital- and community-based studies. <i>J Neurosurg</i> , 96(3): 497-509.
56089	Inagawa T (2005). Risk factors for aneurysmal subarachnoid hemorrhage in patients in Izumo City, Japan. <i>J Neurosurg</i> , 102: 60-7.
89801	Inagawa T (2016). Risk factors for cerebral vasospasm following aneurysmal subarachnoid hemorrhage: a review of the literature. <i>World Neurosurgery</i> , 85: 56-76.

25445	Ingall T, Asplund K, Mahonen M, et al (2000). A multinational comparison of subarachnoid hemorrhage epidemiology in the WHO MONICA Stroke Study. <i>Stroke</i> , 31: 1054-61.
283	Inman WH (1979). Oral contraceptives and fatal subarachnoid haemorrhage. <i>BMJ</i> , 2(6203): 1468-70.
56902	Inoue T, Anzai T, Utsumi Y (2006). Early subarachnoid hemorrhage from a bacterial aneurysm of the middle cerebral artery bifurcation following cerebral infarction caused by a septic embolism: case report. <i>No Shinkei Geka</i> , 34(10): 1051-55. [Abstract]
26731	International Study of Unruptured Intracranial Aneurysms Investigators (1998). Unruptured intracranial aneurysms—risk of rupture and risks of surgical intervention. <i>N Engl J Med</i> , 339(24): 1725-33.
26352	Isaksen J, Egge A, Waterloo K, et al (2002). Risk factors for aneurysmal subarachnoid haemorrhage: the Tromso study. <i>J Neurol Neurosurg Psychiatry</i> , 73: 185-7.
56760	Ishibashi T, Murayama Y, Urashima M, et al (2009). Unruptured intracranial aneurysms. Incidence of rupture and risk factors. <i>Stroke</i> , 40: 313-6.
15765	ISIS-3 Third International Study of Infarct Survival Collaborative Group (1992). ISIS-3: a randomised comparison of streptokinase vs tissue plasminogen activator vs anistreplase and of aspirin plus heparin vs aspirin alone among 41 299 cases of suspected acute myocardial infarction. <i>The Lancet</i> , 339(8796): 753-70.
37626	Iso H, Baba S, Mannami T, et al (2004). Alcohol consumption and risk of stroke among middle-aged men: the JPHC Study Cohort I. <i>Stroke</i> , 35: 1124-29.
25446	Iso H, Hennekens CH, Stampfer MJ, et al (1999). Prospective study of aspirin use and risk of stroke in women. <i>Stroke</i> , 30: 1764-71.
105	Iso H, Jacobs DR, Wentworth D, et al (1989). Serum cholesterol levels and six-year mortality from stroke in 350,977 men screened for the Multiple Risk Factor Intervention Trial. <i>NEJM</i> , 320(14): 904-10.
26358	Iso H, Rexrode KM, Stampfer MJ, et al (2001). Intake of fish and omega-3 fatty acids and risk of stroke in women. <i>JAMA</i> , 285(3): 304-12.
25447	Iso H, Stampfer MJ, Manson JE, et al (1999). Prospective study of calcium, potassium, and magnesium intake and risk of stroke in women. <i>Stroke</i> , 30: 1772-9.
55517	Isozumi K (2004). Obesity as a risk factor for cerebrovascular disease. <i>Keio J Med</i> , 53(1): 7-11.
89802	Ito M, Kato N, Su CC, et al (2014). [A case of Churg-Strauss syndrome with subarachnoid haemorrhage] [Article in Japanese]. <i>Brain & Nerve</i> , 66(3): 283-8. [Abstract]
56879	Itoyama Y, Goto S, Miura M, et al (1990). Intracranial arterial vasospasm associated with pituitary apoplexy after head trauma. <i>Neurol Med Chir (Tokyo)</i> , 30(5): 350-53.
88421	Jabbarli R, Dinger TF, Darkwah Oppong M, et al (2018). Risk factors for and clinical consequences of multiple intracranial aneurysms: a systematic review and meta-analysis. <i>Stroke</i> , 49(4): 848-55.
55438	Jackson M (2008). Unruptured intracranial cerebral aneurysms in aviation. <i>Aviat Space Environ Med</i> , 79(1): 62-4.
56758	Jaigobin C, Silver FL (2000). Stroke and pregnancy. <i>Stroke</i> , 31: 2948-51.
56783	Jain R, Deveikis J, Hickenbottom S, et al (2003). Varicella-zoster vasculitis presenting with intracranial hemorrhage. <i>Am J Neuroradiol</i> , 24: 971-4.
89803	Jaja BN, Lingsma H, Schweizer TA, et al (2015). Prognostic value of premorbid hypertension and neurological status in aneurysmal subarachnoid hemorrhage: pooled analyses of individual patient data in the SAHIT repository. <i>J Neurosurg</i> , 122(3): 644-52.

15535	Jauchem JR (1997). Exposure to extremely-low-frequency electromagnetic fields and radiofrequency radiation: cardiovascular effects in humans. <i>Int Arch Occup Environ Health</i> , 70(1): 9-21.
15634	Jauchem JR (1998). Health effects of microwave exposures: a review of the recent (1995-1998) literature. <i>Journal of Microwave Power & Electromagnetic Energy</i> , 33(4): 263-74.
56943	Jeng JS, Tang SC, Yip PK (2004). Incidence and etiologies of stroke during pregnancy and puerperium as evidenced in Taiwanese women. <i>Cerebrovasc Dis</i> , 18(4): 290-95.
56909	Jeng JS, Tang SC, Yip PK (2004). Stroke in women of reproductive age: comparison between stroke related and unrelated to pregnancy. <i>Journal of the Neurological Sciences</i> , 221(1): 25-29.
15465	Jensen FK, Wagner A (1997). Intracranial aneurysm following radiation therapy for medulloblastoma. A case report and review of the literature. <i>Acta Radiologica</i> , 38(1): 37-42.
56775	Jensenius M, Berild D, Ormaasen V, et al (2007). Fatal subarachnoidal haemorrhage in a Norwegian traveller with dengue virus infection. <i>Scand J Infect Dis</i> , 39(3): 272-74.
55506	Jimenez-Yepes CM, Londono-Fernandez JL (2008). Risk of aneurysmal subarachnoid hemorrhage. The role of confirmed hypertension. <i>Stroke</i> , 39: 1344-6.
89804	Jinatongthai P, Kongwatcharapong J, Foo CY, et al (2017). Comparative efficacy and safety of reperfusion therapy with fibrinolytic agents in patients with ST-segment elevation myocardial infarction: a systematic review and network meta-analysis. <i>Lancet</i> , 390(10096): 747-59.
38640	Johnsen SP, Pedersen L, Friis S, et al (2003). Nonaspirin nonsteroidal anti-inflammatory drugs and risk of hospitalization for intracerebral hemorrhage. A population-based case-control study. <i>Stroke</i> , 34: 387-391.
26359	Johnson ES, Lanes SF, Wentworth CE 3rd, et al (1999). A metaregression analysis of the dose-response effect of aspirin on stroke. <i>Arch Intern Med</i> , 159(11): 1248-53.
55398	Johnston SC (2000). Combining ecological and individual variables to reduce confounding by indication: case study - subarachnoid hemorrhage treatment. <i>J Clin Epidemiol</i> , 53: 1236-41.
15447	Johnston SC, Colford JM, Gress DR (1998). Oral contraceptives and the risk of subarachnoid hemorrhage. A meta-analysis. <i>Neurology</i> , 51(2): 411-18.
56955	Jones DB (1979). An association between sub-arachnoid haemorrhage and influenza A infection. <i>Postgrad Med J</i> , 55(650): 853-5.
89805	Joshi U, Subedi R, Gajurel BP (2017). Hepatitis B virus induced cytoplasmic antineutrophil cytoplasmic antibody-mediated vasculitis causing subarachnoid hemorrhage, acute transverse myelitis, and nephropathy: a case report. <i>J Med Case Rep</i> , 11(1): 91.
89806	Jung SH, Kim SH, Kim TS, et al (2017). Surgical treatment of traumatic intracranial aneurysms: experiences at a single center over 30 years. <i>World Neurosurgery</i> , 98: 243-50.
56880	Jung SY, Bae HJ, Park BJ, et al (2010). Parity and risk of hemorrhagic strokes. <i>Neurology</i> , 74(18): 1424-29.
88591	Junttila EK, Koskenkari J, Romppainen N, et al (2012). Risk factors for 1-year mortality in patients with nontraumatic intracranial hemorrhage requiring intensive care. <i>Acta Anaesthesiol Scand</i> , 55(9): 1052-60.
15437	Juutilainen J, de Seze R (1998). Biological effects of amplitude-modulated radiofrequency radiation. <i>Scand J Work Environ Health</i> , 24(4): 245-54.
25898	Juvela S (1995). Aspirin and delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage. <i>J Neurosurg</i> , 82(6): 945-52.

15468	Juvela S (1996). Prevalence of risk factors in spontaneous intracerebral hemorrhage and aneurysmal subarachnoid hemorrhage. <i>Arch Neurol</i> , 53: 734-40.
15458	Juvela S (1998). Smoking and vasospasm. <i>J Neurosurg</i> , 88: 788-9.
26369	Juvela S (2001). Cigarette smoking and death following subarachnoid hemorrhage. <i>J Neurosurg</i> , 95(4): 551-4.
26545	Juvela S (2002). Unruptured aneurysms. <i>Journal of Neurosurgery</i> , 96(1): 58-60.
56742	Juvela S, Gaist D, Bak S, et al (2003). [Comments] Nonsteroidal anti-inflammatory drugs as risk factors for spontaneous intracerebral hemorrhage and aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 34(6): e34-6.
130	Juvela S, Hillbom M, Numminen H, et al (1993). Cigarette smoking and alcohol consumption as risk factors for aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 24(5): 639-46.
26542	Juvela S, Porras M, Poussa K (2000). Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture. <i>Journal of Neurosurgery</i> , 93(3): 379-87.
55743	Juvela S, Porras M, Poussa K (2008). Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture. <i>J Neurosurg</i> , 108: 1052-60.
88512	Juvela S, Poussa K, Lehto H, et al (2013). Natural history of unruptured intracranial aneurysms: a long-term follow-up study. <i>Stroke</i> , 44(9): 2414-21.
26409	Kadojic D, Barac B (2001). Stress as a possible factor facilitating subarachnoid hemorrhage. <i>Neuroepidemiology</i> , 20(1): 45-6.
89807	Kahn DE, Ferraro N, Benvensite RJ (2012). 3 cases of primary intracranial hemorrhage associated with "Molly", a purified form of 3,4-methylenedioxymethamphetamine (MDMA). <i>J Neurol Sci</i> , 323(1-2): 257-60.
89808	Kaiser CH, Schnabel A, Berkefeld J, et al (2008). Traumatic rupture of the intracranial vertebral artery due to rotational acceleration. <i>Forensic Sci Int</i> , 182(1-3): e15-7.
88486	Kakarieka A (1997). Review on traumatic subarachnoid hemorrhage. <i>Neurological Research</i> , 19(3): 230-2.
108	Kaku DA, Lowenstein DH (1990). Emergence of recreational drug abuse as a major risk factor for stroke in young adults. <i>Ann Intern Med</i> , 113(11): 821-7.
88472	Kaluza J, Wolk A, Larsson SC (2012). Red meat consumption and risk of stroke: a meta-analysis of prospective studies. <i>Stroke</i> , 43(10): 2556-60.
55415	Kanani N, Goldszmidt E (2007). Postpartum rupture of an intracranial aneurysm. <i>Obstet Gynecol</i> , 109: 572-4.
88549	Kang H, Peng T, Qian Z, et al (2015). Impact of hypertension and smoking on the rupture of intracranial aneurysms and their joint effect. <i>Neurol Neurochir Pol</i> , 49(2): 121-5.
88565	Kang JH, Wu CS, Keller JJ, et al (2013). Chronic rhinosinusitis increased the risk of stroke: a 5 year follow-up study. <i>Laryngoscope</i> , 123(4): 835-40.
25841	Kaptain GJ, Lanzino G, Kassell NF (2000). Subarachnoid haemorrhage: epidemiology, risk factors, and treatment options. <i>Drugs Aging</i> , 17(3): 183-99.
88588	Karamanakos PN, von Und Zu Fraunberg M, Bendel S, et al (2012). Risk factors for three phases of 12-month mortality in 1657 patients from a defined population after acute aneurysmal subarachnoid hemorrhage. <i>World Neurosurgery</i> , 78(6): 631-9.
26520	Karch SB, Stephens BG, Ho CH (1999). Methamphetamine-related deaths in San Francisco: demographic, pathologic, and toxicologic profiles. <i>Journal of Forensic Sciences</i> , 44(2): 359-68.

89809	Kashida Y, Niuro M, Maruyama H, et al (2018). Cerebral paragonimiasis with hemorrhagic stroke in a developed country. <i>J Stroke Cerebrovasc Dis</i> , 27(10): 2648-9.
88621	Kataoka H, Miyoshi T, Neki R, et al (2013). Subarachnoid hemorrhage from intracranial aneurysms during pregnancy and the puerperium. <i>Neurol Med Chir (Tokyo)</i> , 53: 549-54.
56751	Kathavale A, Banki NM, Kopelnik A, et al (2006). Predictors of left ventricular regional wall motion abnormalities after subarachnoid hemorrhage. <i>Neurocrit Care</i> , 4: 199-205.
88533	Kato Y, Hayashi T, Tanahashi N, et al (2015). Influence of antiplatelet drugs on the outcome of subarachnoid hemorrhage differs with age. <i>J Stroke Cerebrovasc Dis</i> , 24(10): 2252-5.
131	Kawachi I, Colditz GA, Stampfer MJ, et al (1993). Smoking cessation and decreased risk of stroke in women. <i>JAMA</i> , 269(2): 232-6.
55355	Kawai K, Nonaka K, Suzuki H, et al (2001). Differential effects of activity and climate on onset of subarachnoid hemorrhage. <i>Neurol Med Chir (Tokyo)</i> , 41: 229-37.
88520	Kawate N, Kayaba K, Hara M, et al (2017). Body mass index and incidence of subarachnoid hemorrhage in Japanese community residents: The Jichi Medical School cohort study. <i>J Stroke Cerebrovasc Dis</i> , 26(8): 1683-8.
56763	Kaye S, Darke S, Duflou J (2009). Methylenedioxymethamphetamine (MDMA)-related fatalities in Australia: demographics, circumstances, toxicology and major organ pathology. <i>Drug and Alcohol Dependence</i> , 104: 254-61.
56762	Kaye S, Darke S, Duflou J, et al (2008). Methamphetamine-related fatalities in Australia: demographics, circumstances, toxicology and major organ pathology. <i>Addiction</i> , 103: 1353-60.
132	Kearsley JH (1983). Late cerebrovascular disease after radiation therapy - report of two cases and a review of the literature. <i>Australas Radiol</i> , 27(1): 11-8.
56085	Keir SL, Wardlaw JM, Sandercock PA, et al (2002). Antithrombotic therapy in patients with any form of intracranial haemorrhage: a systematic review of the available controlled studies. <i>Cerebrovasc Dis</i> , 14: 197-206.
133	Kelly MA, Gorelick PB, Mirza D (1992). The role of drugs in the etiology of stroke. <i>Clin Neuropharmacol</i> , 15(4): 249-75.
16730	Kelsey HC (1992). An audit of the use of platelet concentrates in the prophylaxis of thrombocytopenic haemorrhage in a large haematology unit. <i>Blood Coagulation and Fibrinolysis</i> , 3: 647-9.
15719	Kelsh MA, Sahl JD (1997). Mortality among a cohort of electric utility workers, 1960-1991. <i>Journal of Industrial Medicine</i> , 131: 534-44.
55464	Keogh P, Masterson E, Quinlan W (1994). Bacterial arthritis in the neurosurgical patient: report on four cases. <i>Neurosurgery</i> , 34: 364-8.
56099	Kernan WN, Viscoli CM, Brass LM, et al (2000). Phenylpropanolamine and the risk of hemorrhagic stroke. <i>NEJM</i> , 343(25): 1826-32.
71866	Khan M, Wasay M (2013). Haemorrhagic strokes in pregnancy and puerperium. <i>Int J Stroke</i> , 8(4): 265-72.
89081	Khurram A, Kleinig T, Leyden J (2014). Clinical associations and causes of convexity subarachnoid hemorrhage. <i>Stroke</i> , 45: 1151-3.
189	Kikta DG, Devereaux MW, Chandar K (1985). Intracranial hemorrhages due to phenylpropanolamine. <i>Stroke</i> , 16(3): 510-2.
88572	Kim CK, Kim BJ, Ryu WS, et al (2012). Impact of smoking cessation on the risk of subarachnoid haemorrhage: a nationwide multicentre case control study. <i>J Neurol Neurosurg Psychiatry</i> , 83(11): 1100-3.

56744	Kim HC, Nam CM, Jee SH, et al (2005). Comparison of blood pressure - associated risk of intracerebral hemorrhage and subarachnoid hemorrhage. Korea Medical Insurance Corporation Study. Hypertension, 46: 393-7.
56881	Kim HJ, Cho WH (2007). Optic tract hemorrhage after pituitary apoplexy. Am J Neuroradiol, 28(1): 141-2.
89810	Kim JH, Lee SU, Huh C, et al (2016). Delayed vasospasm after aneurysmal subarachnoid hemorrhage in Behcet syndrome. J Cerebrovasc Endovasc Neurosurg, 18(1): 27-31.
89811	Kim JS, Lee SH (2009). Spontaneous spinal subarachnoid haemorrhage with spontaneous resolution. J Korean Neurosurg Soc, 45: 253-5.
88622	Kim K, Hyeon J, Ah Lee S, et al (2017). Role of total, red, processed, and white meat consumption in stroke incidence and mortality: A systematic review and meta-analysis of prospective cohort studies. J Am Heart Assoc, 6: e005983.
89086	Kim TH, Lee SH, Kim DH, et al (2017). Non-aneurysmal and non-traumatic subarachnoid hemorrhage after attempted suicide by incomplete hanging. Clin Exp Emerg Med, 4(1): 56-9.
89812	Kim YW, Neal D, Hoh BL (2013). Cerebral aneurysms in pregnancy and delivery: pregnancy and delivery do not increase the risk of aneurysm rupture. Neurosurg, 72(2): 143-9.
88562	Kim YW, Neal D, Hoh BL (2013). Risk factors, incidence, and effect of cardiac failure and myocardial infarction in aneurysmal subarachnoid hemorrhage patients. Neurosurg, 73(3): 450-7.
15642	King JT Jr (1997). Epidemiology of aneurysmal subarachnoid hemorrhage. Neuroimaging Clinics of North America, 7(4): 659-68.
26735	Kirkpatrick PJ (2002). Subarachnoid haemorrhage and intracranial aneurysms: what neurologists need to know. J Neurol Neurosurg Psychiatry, 73(Suppl 1): i28-33.
25433	Kirkpatrick PJ, McConnell RS (1999). Screening for familial intracranial aneurysms: no justification exists for routine screening. British Medical Journal, 319: 1512-3.
25901	Kissela BM, et al (2002). Subarachnoid Hemorrhage A Preventable Disease With a Heritable Component Stroke. , 33: 1321-6.
134	Kistler JP, Ropper AH, Martin JB (1994). Cerebrovascular disease. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 368: 2233-56. McGraw Hill.
193	Kitanaka C, Sasaki T, Eguchi T, et al (1994). Intracranial vertebral artery dissections: clinical, radiological features and surgical considerations. Neurosurg, 34(4): 620-7.
88629	Klatsky AL, Tran HN (2016). Alcohol and stroke: the splitters win again. BMC Med, 14(193): s12916.
55434	Kleinpeter G, Lehr S (2002). Is hypertension a major risk factor in aneurysmal subarachnoid hemorrhage? Wien Klin Wochenschr, 114(8-9): 307-14.
89129	Kleinpeter G, Lehr S (2003). Characterization of risk factor differences in perimesencephalic subarachnoid hemorrhage. Minim Invas Neurosurg, 46(3): 142-8.
15472	Klienpeter G, Schatzer R, Bock F (1995). Is blood pressure really a trigger for the circadian rhythm of subarachnoid hemorrhage? Stroke, 26: 1805-10.
194	Knekt P, Reunanen A, Aho K, et al (1991). Risk factors for subarachnoid hemorrhage in a longitudinal population study. J Clin Epidemiol, 44(9): 933-9.
55338	Koffijberg H, Buskens E, Granath F, et al (2008). Subarachnoid haemorrhage in Sweden 1987-2002: regional incidence and case fatality rates. J Neurol Neurosurg Psychiatry, 79: 294-9.

140	Kokkinos J, Levine SR (1993). Stroke. <i>Neurologic Clin</i> , 11(3): 577-90.
88532	Konczalla J, Kashefiolasi S, Brawanski N, et al (2016). Increasing numbers of nonaneurysmal subarachnoid hemorrhage in the last 15 years: antithrombotic medication as reason and prognostic factor? <i>J Neurosurg</i> , 124(6): 1731-7.
88596	Kong Y, Zhang JH, Qin X (2013). Perimesencephalic subarachnoid hemorrhage: risk factors, clinical presentations, and outcome. <i>Acta Neurochir Suppl</i> , 110(Pt 1): 197-201.
55468	Kongable GL, Lanzino G, Germanson TP, et al (1996). Gender-related differences in aneurysmal subarachnoid hemorrhage. <i>J Neurosurg</i> , 84: 43-8.
141	Konishi M, Iso H, Komachi Y, et al (1993). Associations of serum total cholesterol, different types of stroke, and stenosis distribution of cerebral arteries. The Akita Pathology Study. <i>Stroke</i> , 24(7): 954-64.
88530	Korja M, Kaprio J (2016). Controversies in epidemiology of intracranial aneurysms and SAH. <i>Nat Rev Neurol</i> , 12(1): 50-5.
88552	Korja M, Lehto H, Juvela S (2014). Lifelong rupture risk of intracranial aneurysms depends on risk factors: a prospective Finnish cohort study. <i>Stroke</i> , 45(7): 1958-63.
88624	Korja M, Lehto H, Juvela S, et al (2016). Incidence of subarachnoid hemorrhage is decreasing together with decreasing smoking rates. <i>Neurology</i> , 87: 1118-23.
88623	Korja M, Silventonen K, Laatikainen T, et al (2013). Risk factors and their combined effects on the incidence rate of subarachnoid hemorrhage - A population-based cohort study. <i>PLoS One</i> , 8(9): e73760.
55443	Koshy L, Easwer HV, Neetha NV, et al (2008). Role of endothelial nitric oxide synthase gene polymorphisms in predicting aneurysmal subarachnoid hemorrhage in South Indian patients. <i>Disease Markers</i> , 24: 333-9.
88475	Koshy L, Easwer HV, Premkumar S, et al (2010). Risk factors for aneurysmal subarachnoid hemorrhage in an Indian population. <i>Cerebrovasc Dis</i> , 29(3): 268-74.
89813	Koszyca B, Gilbert JD, Blumbergs PC (2003). Traumatic subarachnoid hemorrhage and extracranial vertebral artery injury: a case report and review of the literature. <i>The American Journal of Forensic Medicine and Pathology</i> , 24(2): 114-8.
56903	Kothavale A, Banki NM, Kopelnik A, et al (2006). Predictors of left ventricular regional wall motion abnormalities after subarachnoid hemorrhage. <i>Neurocrit Care</i> , 4(3): 199-205.
61146	Kranick SM, Levine JM, Cucchiara BL (2009). Calcific embolus causing subarachnoid hemorrhage. <i>Neurology</i> , 73: 245-6.
58901	Kreppel D, Antoniadis G, Seeling W (2003). Spinal hematoma: a literature survey with meta-analysis of 613 patients. <i>Neurosurg Rev</i> , 26(1): 1-49.
55484	Krishna V, Kim DH (2007). Ethnic differences in risk factors for subarachnoid hemorrhage. <i>J Neurosurg</i> , 107(3): 522-9.
56882	Krishnakumar K, Menon G, Kesavadas C, et al (2008). Dissecting intracranial aneurysms presenting as subarachnoid haemorrhage: report of two cases and review of literature. <i>Br J Neurosurg</i> , 22(6): 801-4.
88625	Kroll ME, Green J, Beral V, et al (2016). Adiposity and ischemic and hemorrhagic stroke. <i>Neurology</i> , 87: 1473-81.
26726	Kronmal RA, Hart RG, Manolio TA, et al (1998). Aspirin use and incident stroke in the cardiovascular health study. <i>Stroke</i> , 29: 887-94.
55457	Kruyt ND, Biessels GJ, de Haan RJ, et al (2009). Hyperglycemia and clinical outcome in aneurysmal subarachnoid hemorrhage. A meta-analysis. <i>Stroke</i> , 40: e424-30.

88477	Kubota M, Yamaura A, Ono J (2001). Prevalence of risk factors for aneurysmal subarachnoid haemorrhage: results of a Japanese multicentre case control study for stroke. <i>Br J Neurosurg</i> , 15(6): 474-8.
88518	Kubota Y, Iso H, Yamagishi K, et al (2017). Daily total physical activity and incident stroke: The Japan public health center-based prospective study. <i>Stroke</i> , 48(7): 1730-6.
88589	Kudo K, Konta T, Degawa N, et al (2012). Relationship between kidney damage and stroke types in Japanese patients. <i>Clin Exp Nephrol</i> , 16(4): 564-9.
26436	Kukuda T, Hasue M, Ito H (1998). Does traumatic subarachnoid hemorrhage caused by diffuse brain injury cause delayed ischemic brain damage? Comparison with subarachnoid hemorrhage caused by ruptured intracranial aneurysms. <i>Neurosurgery</i> , 43(5): 1040-8.
15536	Kumar M, Kitchen ND (1998). Infective and traumatic aneurysms. <i>Neurosurgery Clinics of North America</i> , 9(3): 577-86.
89814	Kumar R, Wijdicks EF, Brown RD, et al (1997). Isolated angiitis of the CNS presenting as subarachnoid haemorrhage. <i>J Neurol</i> , 62(6): 649-51.
89072	Kumar S, Goddeau RP, Selim MH, et al (2010). Atraumatic convexal subarachnoid hemorrhage. <i>Neurology</i> , 74: 893-9.
56945	Kumar V, Abbas AK, Fausto N, et al (2007). Aneurysms and dissections. The blood vessels. <i>Robbins Basic Pathology</i> , Chapter 10: 357-58. Saunders Elsevier, Philadelphia.
56946	Kumar V, Abbas AK, Fausto N, et al (2007). Vasculitis associated with other disorders; Infectious vasculitis. The blood vessels. <i>Robbins Basic Pathology</i> , Chapter 10: 368-69. Saunders Elsevier, Philadelphia.
89045	Kundhal PS, Sockalingam S, Krishnadev N, et al (2004). [Comment] Monoamine oxidase inhibitors and subarachnoid hemorrhage. <i>Can J Psychiatry</i> , 49(8): 573-4.
55538	Kunze AK, Annecke A, Wigger F, et al (2000). Recent infection as a risk factor for intracerebral and subarachnoid hemorrhages. <i>Cerebrovasc Dis</i> , 10: 352-8.
55357	Kurth T, Kase CS, Berger K, et al (2003). Smoking and the risk of hemorrhagic stroke in men. <i>Stroke</i> , 34: 1151-5.
61154	Kurth T, Kase CS, Schurks M, et al (2010). Migraine and risk of haemorrhagic stroke in women: prospective cohort study. <i>BMJ</i> , 341: c3659.
56993	Kusumi M, Yamada M, Kitahara T, et al (2005). Rerupture of cerebral aneurysms during angiography - a retrospective study of 13 patients with subarachnoid hemorrhage. <i>Acta Neurochir (Wien)</i> , 147(8): 831-7.
89816	Lagares A, Gomez PA, Lobato RD, et al (1999). Cerebral aneurysm rupture after r-TPA thrombolysis for acute myocardial infarction. <i>Surg Neurol</i> , 52(6): 623-6.
88626	Lai PM, Dasenbrock H, Du R (2014). The association between meteorologic parameters and aneurysmal subarachnoid hemorrhage: A nationwide analysis. <i>PLoS One</i> , 9(11): e112961.
56753	Laidlaw JD, Tress B, Gonzales MF, et al (2003). Coexistence of aneurysmal subarachnoid haemorrhage and pituitary apoplexy: case report and review of the literature. <i>Journal of Clinical Neuroscience</i> , 10(4): 478-82.
26365	Landers AT, Narotam PK, Govender ST, et al (1997). The effect of changes in barometric pressure on the risk of rupture of intracranial aneurysms. <i>Br J Neurosurg</i> , 11(3): 191-5.
56883	Langer DJ, Lasner TM, Hurst RW, et al (1998). Hypertension, small size, and deep venous drainage are associated with risk of hemorrhagic presentation of cerebral arteriovenous malformations. <i>Neurosurgery</i> , 42(3): 481-6.

89817	Lanska DJ, Kryscio RJ (2000). Risk factors for peripartum and postpartum stroke and intracranial venous thrombosis. <i>Stroke</i> , 31(6): 1274-82.
55459	Lanterna LAL, Biroli F (2009). Significance of apolipoprotein E in subarachnoid hemorrhage: neuronal injury, repair, and therapeutic perspectives - a review. <i>J Stroke Cerebrovasc Dis</i> , 18(2): 116-23.
88446	Laporte S, Chapelle C, Caillet P, et al (2017). Bleeding risk under selective serotonin reuptake inhibitor (SSRI) antidepressants: A meta-analysis of observational studies. <i>Pharmacological Research</i> , 118: 19-32.
89818	Larson PS, Reisner A, Morassutti DJ, et al (2000). Traumatic intracranial aneurysms. <i>Neurosurg Focus</i> , 8(1): e4.
56781	Larsson SC, Mannisto S, Virtanen MJ, et al (2008). Coffee and tea consumption and risk of stroke subtypes in male smokers. <i>Stroke</i> , 39: 1681-7.
56748	Larsson SC, Mannisto S, Virtanen MJ, et al (2009). Dietary fiber and fiber-rich food intake in relation to risk of stroke in male smokers. <i>European Journal of Clinical Nutrition</i> , 63: 1016-24.
88447	Larsson SC, Orsini N (2011). Coffee consumption and risk of stroke: a dose-response meta-analysis of prospective studies. <i>Am J Epidemiol</i> , 174(9): 993-1001.
88452	Larsson SC, Orsini N, Wolk A (2011). Dietary potassium intake and risk of stroke: a dose-response meta-analysis of prospective studies. <i>Stroke</i> , 42(10): 2746-50.
88448	Larsson SC, Orsini N, Wolk A (2012). Dietary magnesium intake and risk of stroke: a meta-analysis of prospective studies. <i>Am J Clin Nutr</i> , 95(2): 362-6.
88450	Larsson SC, Orsini N, Wolk A (2013). Dietary calcium intake and risk of stroke: a dose-response meta-analysis. <i>Am J Clin Nutr</i> , 97(5): 951-7.
88568	Larsson SC, Virtamo J, Wolk A (2013). Total and specific fruit and vegetable consumption and risk of stroke: A prospective study. <i>Atherosclerosis</i> , 227(1): 147-52.
56747	Larsson SC, Virtanen MJ, Mars M, et al (2008). Magnesium, calcium, potassium, and sodium intakes and risk of stroke in male smokers. <i>Arch Intern Med</i> , 168(5): 459-65.
88627	Larsson SC, Wallin A, Wolk A, et al (2016). Differing association of alcohol consumption with different stroke types: a systematic review and meta-analysis. <i>BMC Med</i> , 14(1): 178.
88550	Larsson SC, Wolk A (2014). Dietary fiber intake is inversely associated with stroke incidence in healthy Swedish adults. <i>J Nutr</i> , 144(12): 1952-5.
15457	Lasner TM, Weil RJ, Riina HA, et al (1997). Cigarette smoking-induced increase in the risk of symptomatic vasospasm after aneurysmal subarachnoid hemorrhage. <i>J Neurosurg</i> , 87: 381-4.
15488	Lau AHC, Takeshita M, Ishii N (1991). Mycotic (aspergillus) arteritis resulting in fatal subarachnoid hemorrhage: a case report. <i>Angiology</i> , 42(3): 251-52.
88507	Lavados PM, Olavarria VV, Hoffmeister (2018). Ambient temperature and stroke risk: Evidence supporting a short-term effect at a population level from acute environmental exposures. <i>Stroke</i> , 49(1): 255-61.
55330	Lawlor DA, Son YM, Sung J, et al (2008). The association of smoking and cardiovascular disease in a population with low cholesterol levels. A study of 648 346 men from the Korean National Health System Prospective Cohort Study. <i>Stroke</i> , 39: 760-7.
195	Layde PM, Beral V (1981). Further analyses of mortality in oral contraceptive users. Royal College of General Practitioners' Oral Contraception Study. <i>Lancet</i> , 1(8219): 541-6.

35762	Lecomte D, Fornes P, Nicolas G (1996). Stressful events as a trigger of sudden death: a study of 43 medico-legal autopsy cases. <i>Forensic Science International</i> , 79: 1-10.
55482	Lee AH, Somerford PJ, Yau KKW (2003). Factors influencing survival after stroke in Western Australia. <i>MJA</i> , 179: 289-93.
56235	Lee GY, Gong GW, Vrodos N, et al (2003). 'Ecstasy'-induced subarachnoid haemorrhage: an under-reported neurological complication? <i>J Clin Neurosci</i> , 10(6): 705-7.
89819	Lee MX, Teng GG, Raju GC, et al (2017). Catastrophic subarachnoid hemorrhage in eosinophilic granulomatosis with polyangiitis without asthma. <i>Int J Rheum Dis</i> , 20(12): 2127-31.
88473	Lee PN, Forey BA (2006). Environmental tobacco smoke exposure and risk of stroke in nonsmokers: a review with meta-analysis. <i>J Stroke Cerebrovasc Dis</i> , 15(5): 190-201.
88474	Lee PN, Thornton AJ, Forey BA, et al (2017). Environmental tobacco smoke exposure and risk of stroke in never smokers: An updated review with meta-analysis. <i>J Stroke Cerebrovasc Dis</i> , 26(1): 204-16.
88632	Lee S, Guth M (2017). Associations between temperature and hospital admissions for subarachnoid hemorrhage in Korea. <i>Int J Environ Res Public Health</i> , 14(449): ijerph14040449.
89820	Lee SM, Choi NK, Lee BC, et al (2013). Caffeine-containing medicines increase the risk of hemorrhagic stroke. <i>Stroke</i> , 44(8): 2139-43.
55485	Lee VH, Connolly HM, Fulgham JR, et al (2006). Tako-tsubo cardiomyopathy in aneurysmal subarachnoid hemorrhage: an underappreciated ventricular dysfunction. <i>J Neurosurg</i> , 105: 264-70.
88526	Leffert LR, Clancy CR, Bateman BT, et al (2015). Patient characteristics and outcomes after hemorrhagic stroke in pregnancy. <i>Circ Cardiovasc Qual Outcomes</i> , 8(6 Suppl 3): S170-8.
26362	Leppala J, et al (2000). Controlled trial of -tocopherol and β -carotene supplements on stroke incidence and mortality in male smokers. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 20: 230-5.
25435	Leppala JM, Paunio M, Virtamo J, et al (1999). Alcohol consumption and stroke incidence in male smokers. <i>Circulation</i> , 100: 1209-14.
25448	Leppala JM, Virtamo J, Fogelholm R, et al (1999). Different risk factors for different stroke subtypes: association of blood pressure, cholesterol, and antioxidants. <i>Stroke</i> , 30: 2535-40.
26360	Leppala JM, Virtamo J, Fogelholm R, et al (2000). Vitamin E and beta carotene supplementation in high risk for stroke: a subgroup analysis of the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. <i>Arch Neurol</i> , 57(10): 1503-9.
56905	Lerche A, Rasmussen N, Wandall JH, et al (1995). Staphylococcus aureus meningitis: a review of 28 consecutive community-acquired cases. <i>Scand J Infect Dis</i> , 27(6): 569-73. [Abstract]
56224	Levine J, Kofke A, Cen L, et al (2010). Red blood cell transfusion is associated with infection and extracerebral complications after subarachnoid hemorrhage. <i>Neurosurgery</i> , 66: 312-8.
89821	Levine M, Hirsh J, Weitz J, et al (1990). A randomized trial of a single bolus dosage regimen of recombinant tissue plasminogen activator in patients with acute pulmonary embolism. <i>Chest</i> , 98(6): 1473-9.
148	Levine SR, Brust JC, Futrell N, et al (1990). Cerebrovascular complications of the use of the "crack" form of alkaloidal cocaine. <i>NEJM</i> , 323(11): 699-704.
149	Levine SR, Welch KM (1988). Cocaine and stroke. <i>Stroke</i> , 19(6): 779-83.
196	Levy ML, Rezai A, Masri LS, et al (1993). The significance of subarachnoid hemorrhage after penetrating craniocerebral injury: Correlations with angiography and outcome in a civilian population. <i>Neurosurg</i> , 32(4): 532-40.

263	LH Badewitz-Dodd (Ed) (1995). Anticoagulants, antithrombotics. MIMS Annual, 19th Edition, Section 2: 151,162. Tien Wah Press Ltd, Singapore.
71907	Li J, Siegrist J (2012). Physical activity and risk of cardiovascular disease - a meta-analysis of prospective cohort studies. <i>Int J Environ Res Public Health</i> , 9: 391-407.
28254	Lidegaard O (1987). Cerebrovascular deaths before and after the appearance of oral contraceptives. <i>Acta Neurol Scand</i> , 75(6): 427-33.
88633	Lin J, Liu H, Jiang J, et al (2017). Clinical evidence of efficacy of simvastatin for aneurysmal subarachnoid hemorrhage. <i>J Int Med Res</i> , 45(6): 2128-38.
89822	Lin SY, Hu CJ, Lin HC (2008). Increased risk of stroke in patients who undergo cesarean section delivery: a nationwide population-based study. <i>Am J Obstet Gynecol</i> , 198(4): 391.e1-7.
88493	Lindbohm J, Korja M, Jousilahti P, et al (2018). Adverse lipid profile elevates risk for subarachnoid hemorrhage: A prospective population-based cohort study. <i>Atherosclerosis</i> , 274: 112-9.
88516	Lindbohm JV, Kaprio J, Jousilahti P, et al (2016). Sex, smoking, and risk for subarachnoid hemorrhage. <i>Stroke</i> , 47(8): 1975-81.
88515	Lindbohm JV, Kaprio J, Jousilahti P, et al (2017). Risk factors of sudden death from subarachnoid hemorrhage. <i>Stroke</i> , 48(9): 2399-404.
88634	Lindbohm JV, Kaprio J, Korja M (2016). Cholesterol as a risk factor for subarachnoid hemorrhage: A systematic review. <i>PLoS One</i> , 11(4): e0152568.
282	Lindegard B, Hillbom M, Brody S (1987). High-dose estrogen-progestagen oral contraceptives: a risk factor for aneurysmal subarachnoid hemorrhage? <i>Acta Neurol Scand</i> , 76: 37-45.
88586	Lindekleiv H, Sandvei MS, Romundstad PR, et al (2012). Joint effect of modifiable risk factors on the risk of aneurysmal subarachnoid hemorrhage: a cohort study. <i>Stroke</i> , 43(7): 1885-9.
88635	Lindgren AE, Kurki MI, Riihinen A, et al (2013). Type 2 diabetes and risk of rupture of saccular intracranial aneurysm in Eastern Finland. <i>Diabetes Care</i> , 36: 2020-6.
89823	Lindgren AE, Kurki MI, Riihinen A, et al (2014). Hypertension predisposes to the formation of saccular intracranial aneurysms in 467 unruptured and 1053 ruptured patients in Eastern Finland. <i>Annals of Medicine</i> , 46(3): 169-76.
15473	Lindgren L, Silvanto M, Scheinin B, et al (1995). Erythrocyte counts in the cerebrospinal fluid associated with continuous spinal anaesthesia. <i>Acta Anaesthesiologica Scandinavica</i> , 39: 396-400.
56749	Lindner SH, Bor AS, Rinkel GJ (2010). Differences in risk factors according to the site of intracranial aneurysms. <i>J Neurol Neurosurg Psychiatry</i> , 81: 116-8.
88564	Lingren AE, Kurki MI, Riihinen A, et al (2014). Hypertension predisposes to the formation of saccular intracranial aneurysms in 467 unruptured and 1053 ruptured patients in Eastern Finland. <i>Annals of Medicine</i> , 46(3): 169-76.
26418	Linn FH, Rinkel GJ, Algra A, et al (1996). Incidence of subarachnoid hemorrhage. <i>Stroke</i> , 27(4): 625-9.
89169	Linn FH, Rinkel GJ, Algra A, et al (1998). Headache characteristics in subarachnoid haemorrhage and benign thunderclap headache. <i>J Neurol Neurosurg Psychiatry</i> , 65: 791-3.
89082	Litch JA, Basnyat B, Zimmerman M (1997). Alerts, notices, and case reports. <i>WJM</i> , 167(3): 180-1.
89824	Litch JA, Basnyat B, Zimmerman M (1997). Subarachnoid hemorrhage at high altitude. <i>The Western Journal of Medicine</i> , 167(3): 180-1.

88570	Liu GJ, Zhang J, Zeng YJ (2012). [Comment] The survival rate and the risk factors for death among patients with aneurysmal subarachnoid haemorrhages. <i>Int J Stroke</i> , 7(8): E14.
88425	Liu H, Xu X (2017). Effect of simvastatin in patients with aneurysmal subarachnoid hemorrhage: A systematic review and meta-analysis. <i>Am J Emerg Med</i> , 35(12): 1940-5.
88517	Lokkegaard E, Nielsen LH, Keiding N (2017). Risk of stroke with various types of menopausal hormone therapies: A national cohort study. <i>Stroke</i> , 48(8): 2266-9.
88492	Long B, Koyfman A, Runyon MS (2017). Subarachnoid hemorrhage: Updates in diagnosis and management. <i>Emerg Med Clin N Am</i> , 35(4): 803-24.
26351	Longstreth WT (2002). Coffee and subarachnoid haemorrhage. <i>J Neurol Neurosurg Psychiatry</i> , 73(2): 112.
25900	Longstreth WT Jr, Psaty BM (2000). [Comment] Re: Alcohol consumption and the risk of stroke. <i>N Engl J Med</i> , 342(15): 1137-8.
197	Longstreth WT, Koepsell TD, Yerby MS, et al (1985). Risk factors for subarachnoid hemorrhage. <i>Stroke</i> , 16(3): 377-85.
256	Longstreth WT, Nelson LM, Koepsell TD, et al (1992). Cigarette smoking, alcohol use and subarachnoid hemorrhage. <i>Stroke</i> , 23(10): 1242-9.
257	Longstreth WT, Nelson LM, Koepsell TD, et al (1994). Subarachnoid hemorrhage and hormonal factors in women. <i>Ann Intern Med</i> , 121(3): 168-73.
56780	Lopez-Garcia E, Rodriguez-Artalejo F, Rexrode KM, et al (2009). Coffee consumption and risk of stroke in women. <i>Circulation</i> , 119: 1116-23.
88636	Lovelock CE, Rinkel GJ, Rothwell PM (2010). Time trends in outcome of subarachnoid hemorrhage. <i>Neurology</i> , 74: 1494-501.
56772	Lucena J, Blanco M, Jurado C, et al (2010). Cocaine-related sudden death: a prospective investigation in south-west Spain. <i>Eur Heart J</i> , 31(3): 318-29.
55337	Lund Haheim L, Holme I, Hjermann I, et al (2006). Risk-factor profile for the incidence of subarachnoid and intracerebral haemorrhage, cerebral infarction, and unspecified stroke during 21 years' follow-up in men. <i>Scand J Public Health</i> , 34: 589-97.
287	Lustbader JM, Miller NR (1988). Painless, pupil-sparing but otherwise complete oculomotor nerve paresis caused by basilar artery aneurysm. Case report. <i>Arch Ophthalmol</i> , 106(5): 583-4.
88522	Macdonald RL, Schweizer TA (2017). Spontaneous subarachnoid haemorrhage. <i>The Lancet</i> , 389: 655-66.
15764	Maggioni AP, Franzosi MG, Santoro E, et al (1992). The risk of stroke in patients with acute myocardial infarction after thrombolytic and antithrombotic treatment. <i>NEJM</i> , 327(1): 1-6.
89825	Magloire L, Funai EF (2018). Gestational hypertension. Retrieved 6 December 2018, from https://www.uptodate.com/contents/gestational-hypertension
88637	Mahaffey KW, Hager R, Wojdyla D, et al (2015). Meta-analysis of intracranial hemorrhage in acute coronary syndromes: Incidence, predictors, and clinical outcomes. <i>J Am Heart Assoc</i> , 4: e001512.
56884	Mahajan A, Manchandia TC, Gould G, et al (2010). De novo arteriovenous malformations: case report and review of the literature. <i>Neurosurg Rev</i> , 33(1): 115-19.
258	Mangiardi JR, Daras M, Geller ME, et al (1988). Cocaine-related intracranial hemorrhage. Report of nine cases and review. <i>Acta Neurol Scand</i> , 77(3): 177-80.
89055	Mangla R, Drumsta D, Alamst J, et al (2015). Cerebral convexity subarachnoid hemorrhage: various causes and role of diagnostic imaging. <i>Emerg Radiol</i> , 22(2): 181-95.

15469	Maniker AH, Hunt CD (1996). Cerebral aneurysm in the HIV patient: a report of six cases. <i>Surg Neurol</i> , 46: 49-54.
259	Manson JE, Stampfer MJ, Colditz GA, et al (1991). A prospective study of aspirin use and primary prevention of cardiovascular disease in women. <i>JAMA</i> , 266(4): 521-7.
89826	Mao Z, Wang N, Hussain M, et al (2012). Traumatic intracranial aneurysms due to blunt brain injury-a single center experience. <i>Acta Neurochir</i> , 154(12): 2187-93.
6869	Marek Z (1981). Isolated subarachnoid hemorrhage as a medicolegal problem. <i>Am J Forensic Med Pathol</i> , 2(1): 19-22.
89827	Marnet D, Ginguene C, Marcos A, et al (2010). Wegener granulomatosis and aneurysmal subarachnoid hemorrhage: an insignificant association? <i>Neurochirurgia</i> , 56(4): 331-6.
89907	Marti C, John G, Konstantinides S, et al (2015). Systemic thrombolytic therapy for acute pulmonary embolism: a systematic review and meta-analysis. <i>Eur Heart J</i> , 36(10): 605-14.
158	Martindale (1993). Anticoagulants - Heparin. JEF Reynolds (Ed). <i>The Extra Pharmacopoeia</i> , 30th Edition, 225-42. Pharmaceutical Press: London.
56756	Mas JL, Lamy C (1998). Stroke in pregnancy and the puerperium. <i>J Neurol</i> , 245(6-7): 305-13.
88638	Masson P, Kelly PJ, Craig JC, et al (2015). Risk of stroke in patients with ESRD. <i>Clin J Am Soc Nephrol</i> , 10(9): 1585-92.
15543	Mather SL, Hakim A, Lodha R, et al (1992). Subarachnoid haemorrhage in Falciparum Malaria: an unreported presentation. <i>Journal of the Association of Physicians of India (JAPI)</i> , 40(5): 348.
260	Matick H, Anderson D, Brumlik J (1983). Cerebral vasculitis associated with oral amphetamine overdose. <i>Arch Neurol</i> , 40(4): 253-4.
55418	Matsuda M, Watanabe K, Saito A, et al (2007). Circumstances, activities, and events precipitating aneurysmal subarachnoid hemorrhage. <i>J Stroke Cerebrovasc Dis</i> , 16(1): 25-9.
89828	Matsuda S, Yoshida S, Fujiki Y, et al (2018). Eosinophilic granulomatosis with polyangitis complicated by subarachnoid hemorrhage and coronary vasculitis: a case report and review of the literature. <i>Rheumatol Int</i> , 38(4): 689-96.
15487	Matsushita K, Kuriyama Y, Sawada T, et al (1993). Hemorrhagic and ischemic cerebrovascular complications of active infective endocarditis of native valve. <i>Eur Neurol</i> , 33: 267-74.
88639	Matsuyama T, Okuchi K, Seki T, et al (2006). Perimesencephalic nonaneurysmal subarachnoid hemorrhage caused by physical exertion. <i>Neurol Med Chir (Tokyo)</i> , 46: 277-82.
261	Mattle H, Kohler S, Huber P, et al (1989). Anticoagulation-related intracranial extracerebral haemorrhage. <i>J Neurol Neurosurg Psychiatry</i> , 52(7): 829-37.
56782	Mazzoni P, Chiriboga CA, Millar WS, et al (2000). Intracerebral aneurysms in human immunodeficiency virus infection: case report and literature review. <i>Pediatric Neurology</i> , 23(3): 252-5.
88640	McBride W (2018). Intracranial epidural hematoma in adults. Retrieved 3 September 2018, from https://www.uptodate.com/contents/intracranial-epidural-hematoma-in-adults
15454	McConachie NS, Jaspan T (1998). Complications of sickle cell disease: intracranial aneurysms and their treatment. <i>Clinical Radiology</i> , 53: 388-9.
262	McCormick WF, Acosta-Rua GJ (1970). The size of intracranial saccular aneurysms. An autopsy study. <i>J Neurosurg</i> , 33(4): 422-7.
15449	McDougall CG, Halbach VV, Dowd CF, et al (1998). Causes and management of aneurysmal hemorrhage occurring during embolization with Guglielmi detachable coils. <i>J Neurosurg</i> , 89: 87-92.

56767	McEvoy AW, Kitchen ND, Thomas DGT (2000). Intracerebral haemorrhage and drug abuse in young adults. <i>British Journal of Neurosurgery</i> , 14(5): 449-54.
39161	McGee SM, McGee DN, McGee MB (2004). Spontaneous intracerebral hemorrhage related to methamphetamine abuse: autopsy findings and clinical correlation. <i>Am J Forensic Med Pathol</i> , 25(4): 334-7.
26339	Meade TW, Brennan PJ (2000). Determination of who may derive most benefit from aspirin in primary prevention: subgroup results from a randomised controlled trial. <i>BMJ</i> , 321(7252): 13-7.
89840	Menditto VG, Di Rienzo A, De Nicola M, et al (2013). Subarachnoid haemorrhage from PICA aneurysm rupture in a Churg-Strauss patient: A case report and a review of the literature. <i>Clin Neurol Neurosurg</i> , 115(2): 197-9.
88784	Mensing LA, Ruigrok YM, Greebe P, et al (2014). Risk factors in patients with perimesencephalic hemorrhage. <i>Eur J Neurol</i> , 21(6): 816-9.
88783	Mensing LA, Vergouwen MD, Laban KG, et al (2018). Perimesencephalic hemorrhage: A preview of epidemiology, risk factors, presumed cause, clinical course, and outcome. <i>Stroke</i> , 49(6): 1363-70.
26727	Mhurchu CN, Anderson C, Jamrozik K, et al (2001). Hormonal factors and risk of aneurysmal subarachnoid hemorrhage. An international population-based, case-control study. <i>Stroke</i> , 32(3): 606-12.
89411	Miles JD, McWilliams L, Liu W, et al (2011). Subarachnoid hemorrhage in Wegener granulomatosis: a case report and review of the literature. <i>CNS Spectr</i> , 16(5): 121-6.
89841	Miller CS, Grandi S, Shimony A, et al (2012). Meta-analysis of efficacy and safety of new oral anticoagulants (dabigatran, rivaroxaban, apixaban) versus warfarin in patients with atrial fibrillation. <i>Am J Cardiol</i> , 110(3): 453-60.
88524	Miller EC, Gatollari HJ, Too G, et al (2016). Risk of pregnancy-associated stroke across age groups in New York State. <i>JAMA Neurol</i> , 73(12): 1461-7.
89908	Miller EC, Gatollari HJ, Too G, et al (2017). Risk factors for pregnancy-associated stroke in women with preeclampsia. <i>Stroke</i> , 48(7): 1752-9.
88523	Miller EC, Sundheim KM, Willey JZ, et al (2018). The impact of pregnancy on hemorrhagic stroke in young women. <i>Cerebrovasc Dis</i> , 46(1-2): 10-5.
88642	Miller EC, Yaghi S, Boehme AK, et al (2016). Mechanisms and outcomes of stroke during pregnancy and the postpartum period. <i>Neurology</i> , 6: 29-39.
88540	Miller J, Lieberman L, Nahab B, et al (2015). Delayed intracranial hemorrhage in the anticoagulated patient: A systematic review. <i>J Trauma Acute Care Surg</i> , 79(2): 310-3.
26410	Mimori A, Suzuki T, Hashimoto M, et al (2000). Subarachnoid hemorrhage and systemic lupus erythematosus. <i>Lupus</i> , 9(7): 521-6.
55413	Mitchell P, Birchall D, Mendelow AD (2006). Blood pressure, fatigue, and the pathogenesis of aneurysmal subarachnoid hemorrhage. <i>Surgical Neurology</i> , 66: 574-80.
25438	Mitchell P, Jakubowski J (2000). Estimate of the maximum time interval between formation of cerebral aneurysm and rupture. <i>Journal Neurol Neurosurgery Psychiatry</i> , 69: 760-7.
15455	Mizutani T (1998). Subarachnoid hemorrhage associated with angiographic "stenotic" or "occlusive" lesions in the carotid circulation. <i>Surg Neurol</i> , 49: 495-504.
89842	Moatti Z, Gupta M, Yadava R, et al (2014). A review of stroke and pregnancy: incidence, management and prevention. <i>Eur J Obstet Gynecol Reprod Biol</i> , 181: 20-7.
89078	Modi NJ, Agrawal M, Sinha DV (2016). Post-traumatic subarachnoid hemorrhage: A review. <i>Neurol India</i> , 64(7): 8-13.

88453	Mohammadi H, Jayedi A, Ghaedi E, et al (2018). Dietary poultry intake and the risk of stroke: A dose-response meta-analysis of prospective cohort studies. <i>Clin Nutr ESPEN</i> , 23: 25-33.
56743	Mohan KM, Crichton SL, Grieve AP, et al (2009). Frequency and predictors for the risk of stroke recurrence up to 10 years after stroke: the South London Stroke Register. <i>J Neurol Neurosurg Psychiatry</i> , 80: 1012-8.
264	Mohr JP, Caplan LR, Melski JW, et al (1978). The Harvard Cooperative Stroke Registry. A prospective registry. <i>Neurology</i> , 28(8): 754-62.
55458	Molyneux AJ, Kerr RS, Birks J, et al (2009). Risk of recurrent subarachnoid haemorrhage, death, or dependence and standardised mortality ratios after clipping or boiling of an intracranial aneurysm in the International Subarachnoid Aneurysm Trial (ISAT): long-term follow-up. <i>Lancet Neurol</i> , 8: 427-33.
88531	Moon K, Albuquerque FC, Mitkov M (2015). Methamphetamine use is an independent predictor of poor outcome after aneurysmal subarachnoid hemorrhage. <i>J NeuroIntervent Surg</i> , 7(5): 346-50.
89843	Moon TH, Kim SH, Lee JW, et al (2015). Clinical analysis of traumatic cerebral pseudoaneurysms. <i>Korean J Neurotrauma</i> , 11(2): 124-30.
266	Morard M, de Tribolet N (1991). Traumatic aneurysm of the posterior inferior cerebellar artery: Case report. <i>Neurosurg</i> , 29(3): 438-41.
88641	Morgan AD, Sharma C, Rothnie KJ, et al (2017). Chronic obstructive pulmonary disease and the risk of stroke. <i>Ann Am Thorac Soc</i> , 14(5): 754-65.
56087	Morgenstern LB, Viscoli CM, Kernan WN, et al (2003). Use of ephedra-containing products and risk for hemorrhagic stroke. <i>Neurology</i> , 60: 132-5.
267	Morris KM, Shaw MD, Foy PM (1992). Smoking and subarachnoid haemorrhage: a case control study. <i>Br J Neurosurg</i> , 6(5): 429-32.
89844	Moskowitz SI, Ahrens C, Provencio JJ, et al (2009). Prehemorrhage statin use and the risk of vasospasm after aneurysmal subarachnoid hemorrhage. <i>Surg Neurol</i> , 71(3): 311-7.
56992	Mosquera A, Idrovo LA, Tafur A, et al (2003). Stroke following Bothrops spp. Snakebite. <i>Neurology</i> , 60(10): 1577-80.
56910	Mueller NH, Gilden DH, Cohrs RJ, et al (2008). Varicella zoster virus infection: clinical features, molecular pathogenesis of disease, and latency. <i>Neurol Clin</i> , 26(3): 675-97.
169	Mueller SM, Muller J, Asdell SM (1984). Cerebral hemorrhage associated with phenylpropanolamine in combination with caffeine. <i>Stroke</i> , 15: 119-23.
88489	Mukamal KJ, Ascherio A, Mittleman MA, et al (2005). Alcohol and risk for ischemic stroke in men: the role of drinking patterns and usual beverage. <i>Annals of Internal Medicine</i> , 142(1): 11-9.
89052	Muraoka S, Araki Y, Izumi T, et al (2016). Cerebral infarction and subarachnoid hemorrhage caused by central nervous system aspergillus infection. <i>World Neurosurgery</i> , 90(705): e9-13.
268	Nabors MW, Azzam CJ, Albanna FJ, et al (1987). Delayed postoperative dural arteriovenous malformations. Report of two cases. <i>J Neurosurg</i> , 66(5): 768-72.
55483	Nagel A, Graetz D, Schink T, et al (2009). Relevance of intracranial hypertension for cerebral metabolism in aneurysmal subarachnoid hemorrhage. <i>J Neurosurg</i> , 111: 94-101.
56951	Nagel MA, Mahalingam R, Cohrs RJ, et al (2010). Virus vasculopathy and stroke: an under-recognized cause and treatment target. <i>Infect Disord Drug Targets</i> , 9(5): Epub ahead of print. [Abstract]

56885	Nahed BV, DiLuna ML, Morgan T, et al (2005). Hypertension, age, and location predict rupture of small intracranial aneurysms. <i>Neurosurgery</i> , 57(4): 676-83.
56225	Najima Y, Ohashi K, Miyazawa M, et al (2009). Intracranial hemorrhage following allogeneic hematopoietic stem cell transplantation. <i>Am J Hematol</i> , 84: 298-301.
56886	Nakahara K, Oka, H, Utsuki S, et al (2006). Pituitary apoplexy manifesting as diffuse subarachnoid hemorrhage. <i>Neurol Med Chir (Tokyo)</i> , 46(12): 594-97.
88939	Nakajima F, Shibahara N, Arai M, et al (2000). Intracranial aneurysms and autosomal dominant polycystic kidney disease: followup study by magnetic resonance angiography. <i>J Urol</i> , 164(2): 311-3.
15491	Nakatomi H, Nagata K, Kawamoto S, et al (1997). Ruptured dissecting aneurysm as a cause of subarachnoid hemorrhage of unverified etiology. <i>Stroke</i> , 28: 1278-82.
15467	Nakayama T, Date C, Yokoyama T, et al (1997). A 15.5-year follow-up study of stroke in a Japanese provincial city. The Shibata study. <i>Stroke</i> , 28: 45-52.
89845	Nakstad PH, Gjertsen O, Pedersen HK (2008). Correlation of head trauma and traumatic aneurysms. <i>Interventional Neuroradiology</i> , 14(1): 33-8.
89031	Namal Rathnayaka RM, Kularatne SA, Kumarasinghe KD, et al (2017). Ischemic brain infarcts and intracranial haemorrhages following Russell's viper (<i>Daboia russelii</i>) bite in Sri Lanka. <i>Toxicon</i> , 125: 70-3.
56238	Nanda A, Vannemreddy P, Willis B, et al (2006). Stroke in the young: relationship of active cocaine use with stroke mechanism and outcome. <i>Acta Neurochir Suppl</i> , 96: 91-6.
26355	Nanda A, Vannemreddy PS, Polin RS, et al (2000). Intracranial aneurysms and cocaine abuse: analysis of prognostic indicators. <i>Neurosurgery</i> , 6(5): 1063-7.
89039	Nanney AD, El Tecele NE, Ahmadieh TY, et al (2014). Intracranial aneurysms in previously irradiated fields: literature review and case report. <i>World Neurosurgery</i> , 81(3-4): 511-9.
88436	Nassiri F, Badhiwala JH, Witiw CD, et al (2017). The clinical significance of isolated traumatic subarachnoid hemorrhage in mild traumatic brain injury: A meta-analysis. <i>J Trauma Acute Care Surg</i> , 83(4): 725-31.
168	Neaton JD, Blackburn H, Jacobs D, et al (1992). Serum cholesterol level and mortality findings for men screened in multiple risk factor intervention trial. <i>Arch Intern Med</i> , 152: 1490-500.
269	Neaton JD, Wentworth DN, Cutler J, et al (1993). Risk factors for death from different types of stroke. <i>Ann Epidemiol</i> , 3(5): 493-9.
88643	Neidert MC, Sprenger M, Wernli H, et al (2013). Meteorological influences on the incidence of aneurysmal subarachnoid hemorrhage - A single center study of 511 patients. <i>PLoS One</i> , 8(12): e81621.
55471	Neil-Dwyer G, Lang D (1997). 'Brain attack' - aneurysmal subarachnoid haemorrhage: death due to delayed diagnosis. <i>J R Coll Physicians Lond</i> , 31(1): 49-52.
28033	Nelson HD, Humphrey LL, Nygren P, et al (2002). Postmenopausal hormone replacement therapy: scientific review. <i>JAMA</i> , 288(7): 872-81.
1670	Nelson JS (1990). Pathology of the nervous system. <i>Anderson's Pathology</i> , 9th Edition, Vol 2 42: 2123-96. The CV Mosby Company, St Louis.
15456	Nelson LM, Bloch DA, Longstreth WT Jr, et al (1998). Recursive partitioning for the identification of disease risk subgroups: a case-control study of subarachnoid hemorrhage. <i>Clinical Epidemiology</i> , 51(3): 199-209.

6865	Newman NJ (19??). Third-, fourth-, and sixth-nerve lesions and the cavernous sinus. Principles and Practice of Ophthalmology, Volume 4 Chapter 194: 2444-69. WB Saunders Co, Philadelphia. Neuro-ophthalmology.
88449	Nie ZL, Wang ZM, Zhou B, et al (2013). Magnesium intake and incidence of stroke: Meta-analysis of cohort studies. Nutr Metab Cardiovasc Dis, 23(3): 169-76.
55409	Nieuwkamp DJ, Setz LE, Algra A, et al (2009). Changes in case fatality of aneurysmal subarachnoid haemorrhage over time, according to age, sex, and region: a meta-analysis. Lancet Neurol, 8: 635-42.
88644	Nishijima DK, Offerman SR, Ballard DW, et al (2012). Immediate and delayed traumatic intracranial hemorrhage in patients with head trauma and pre-injury warfarin or clopidogrel use. Ann Emerg Med, 59(6): 460-8.
56948	Nishioka T, Maeda Y, Tomogane Y, et al (2002). Unexpected delayed rupture of the vertebral-posterior inferior cerebellar artery aneurysms following closed head injury. Acta Neurochir (Wien), 144(8): 839-45. [Abstract]
26446	Niskakangas T, Ohman J, Niemela M, et al (2001). Association of apolipoprotein E polymorphism with outcome after aneurysmal subarachnoid hemorrhage: a preliminary study. Stroke, 32: 1181-4.
55445	Noble AJ, Baisch S, Mendelow AD, et al (2008). Posttraumatic stress disorder explains reduced quality of life in subarachnoid hemorrhage patients in both the short and long term. Neurosurgery, 63(6): 1095-105.
26472	Noel B, Conway JE, Tamargo RJ (2001). [Comment] Vascular complications of cocaine use. Stroke, 33(7): 1747-8.
56228	Nolte KB, Brass LM, Fletterick CF (1996). Intracranial hemorrhage associated with cocaine abuse: a prospective autopsy study. Neurology, 46: 1291-6.
89077	Nomani AZ, Rajput HM, Iqbal M, et al (2015). Subarachnoid hemorrhage secondary to forceful sneeze. Case Rep Neurol Med, 2015: Article ID 896732.
55399	Nonaka K, Imaizumi Y (2000). Deaths from cerebrovascular diseases correlated to month of birth: elevated risk of death from subarachnoid hemorrhage among summer-born. Int J Biometeorol, 44: 182-5.
89846	Oake N, Fergusson DA, Forster AJ, et al (2007). Frequency of adverse events in patients with poor anticoagulation: a meta-analysis. CMAJ, 176(11): 1589-94.
89847	Oake N, Jennings A, Forster AJ, et al (2008). Anticoagulation intensity and outcomes among patients prescribes oral anticoagulant therapy: a systematic review and meta-analysis. CMAJ, 179(3): 235-44.
25844	O'Connor CM, Gattis WA, Hellkamp AS, et al (2001). Comparison of two aspirin doses on ischemic stroke in post-myocardial infarction patients in the warfarin (Coumadin) Aspirin Reinfarction Study (CARS). Am J Cardiol, 88(5): 541-6.
89167	Oczkowski W (2005). Complexity of the relation between physical activity and stroke: a meta-analysis. Clin J Sport Med, 15(5): 399.
56947	O'Donohue JM, Enzmann DR (1987). Mycotic aneurysm in angitis associated with herpes zoster ophthalmicus. AJNR, 8(4): 615-9. [Abstract]
56752	Oertel M, Kelly DF, McArthur D, et al (2002). Progressive hemorrhage after head trauma: predictors and consequences of the evolving injury. J Neurosurg, 96: 109-16.
55479	Ogungbo B, Gregson B, Blackburn A, et al (2003). Aneurysmal subarachnoid hemorrhage in young adults. J Neurosurg, 98: 43-9.
15484	Ohaegbulam SC (1992). Pathogenesis of sickle-cell anemia and aneurysm. J Neurosurg, 76: 1050-1.

26432	Ohaegbulam SC (2001). [Comment] The epidemiology of brain arteriovenous malformations. <i>Neurosurgery</i> , 49(1): 226-7.
26361	Ohkuma H, Nakano T, Manabe H, et al (2002). Subarachnoid hemorrhage caused by a dissecting aneurysm of the internal carotid artery. <i>J Neurosurg</i> , 97(3): 576-83.
55360	Ohkuma H, Tabata H, Suzuki S, et al (2003). Risk factors for aneurysmal subarachnoid hemorrhage in Aomori, Japan. <i>Stroke</i> , 34: 96-100.
55420	Okamoto K, Horisawa R (2007). Dietary antioxidant intake and risk of an aneurysmal rupture subarachnoid hemorrhage in Japan. <i>Eur J Clin Nutr</i> , 61: 1140-2.
55422	Okamoto K, Horisawa R (2007). Prediction of subarachnoid hemorrhage from a ruptured cerebral aneurysm by discriminant analysis in women. <i>J Stroke Cerebrovasc Dis</i> , 16(6): 245-50.
55416	Okamoto K, Horisawa R (2007). The joint effect of oxidative stress and antioxidants on the risk of an aneurysmal rupture subarachnoid hemorrhage: a case-control study in Japan. <i>Ann Epidemiol</i> , 17: 359-63.
55364	Okamoto K, Horisawa R, Kawamura T, et al (2001). Menstrual and reproductive factors for subarachnoid hemorrhage risk in women. A case-control study in Nagoya, Japan. <i>Stroke</i> , 32: 2841-4.
88476	Okamoto K, Horisawa R, Ohno Y (2005). The relationship of gender, cigarette smoking, and hypertension with the risk of aneurysmal subarachnoid hemorrhage: a case-control study in Nagoya, Japan. <i>Annals of Epidemiology</i> , 15(10): 744-8.
55333	O'Kelly C, Macdonald BL (2008). [Comment] Coiling and aneurysm rerupture: incomplete treatment is a causal intermediate not a confounder. <i>Stroke</i> , 39: e121.
55367	Oliveira-Filho J, Ezzeddine MA, Segal AZ, et al (2001). Fever in subarachnoid hemorrhage. Relationship to vasospasm and outcome. <i>Neurology</i> , 56: 1299-304.
56906	Oliver RM, Craft TM, Shaw KM (1991). Bleeding intracranial aneurysm? Pituitary apoplexy! <i>Br J Clin Pract</i> , 45(2): 150-51. [Abstract]
88598	Olsen M, Johansen MB, Christensen S, et al (2010). Use of vitamin K antagonists and risk of subarachnoid haemorrhage: A population-based case-control study. <i>Eur J Intern Med</i> , 21(4): 297-300.
56098	Omama S, Yoshida Y, Ogawa A, et al (2006). Differences in circadian variation of cerebral infarction, intracerebral haemorrhage and subarachnoid haemorrhage by situation at onset. <i>J Neurol Neurosurg Psychiatry</i> , 77: 1345-9.
89848	Oomura M, Yamawaki T, Naritomi H, et al (2006). Polyarteritis nodosa in association with subarachnoid hemorrhage. <i>Int Med</i> , 45(9): 655-8.
71924	Oono IP, Mackay DF, Pell JP (2011). Meta-analysis of the association between secondhand smoke exposure and stroke. <i>J Public Health</i> , 33(4): 496-502.
15483	Oyesiku NM, Barrow DL, Eckman JR, et al (1991). Intracranial aneurysms in sickle-cell anemia: clinical features and pathogenesis. <i>J Neurosurg</i> , 75: 356-63.
270	Oyesiku NM, Colohan AR, Barrow DL, et al (1993). Cocaine-induced aneurysmal rupture: an emergent negative factor in the natural history of intracranial aneurysms? <i>Neurosurg</i> , 32(4): 518-26.
55354	Oyoshi T, Nakayama M, Kuratsu J (1999). Relationship between aneurysmal subarachnoid hemorrhage and climatic conditions in the subtropical region, Amami-Oshima, in Japan. <i>Neurol Med Chir (Tokyo)</i> , 39: 585-91.
56741	Paal P, Putz G, Gruber E, et al (2006). [Comment] Subarachnoid hemorrhage after lumbar puncture in a patient receiving aspirin and clopidogrel. <i>Anesth Analg</i> , 102(2): 644-5.

89070	Parag S, Arif Z, Chittoor R (2016). Radiotherapy-related intracranial aneurysms: A role for conservative management. <i>Surg Neurol Int</i> , 7(Suppl 14): S387-90.
88645	Parikh NS, Navi BB, Schneider Y, et al (2017). Association between cirrhosis and stroke in a nationally representative cohort. <i>JAMA Neurol</i> , 74(8): 927-32.
15529	Park JK, Kim HJ, Chang SJ, et al (1998). Risk factors for Hemorrhagic Stroke in Wonju, Korea. <i>Yonsei Medical Journal</i> , 39(3): 229-35.
26592	Pasqualin A (1998). Epidemiology and pathophysiology of cerebral vasospasm following subarachnoid hemorrhage. <i>J Neurosurg Sci</i> , 42(1 Suppl 1): 15-21.
15485	Patey O, Ollivaud L, Breuil J, et al (1993). Unusual neurologic manifestations occurring during dengue fever infection. <i>Am J Trop Med Hyg</i> , 48(6): 793-802.
88646	Patra J, Taylor B, Irving H, et al (2010). Alcohol consumption and the risk of morbidity and mortality for different stroke types - a systematic review and meta-analysis. <i>BMC Public Health</i> , 10: 258.
88424	Patrice T, Rozec B, Desal H, et al (2017). Oceanic meteorological conditions influence incidence of aneurysmal subarachnoid hemorrhage. <i>J Stroke Cerebrovasc Dis</i> , 26(7): 1573-81.
55431	Peck G, Smeeth L, Whittaker J, et al (2008). The genetics of primary haemorrhagic stroke, subarachnoid haemorrhage and ruptured intracranial aneurysms in adults. <i>PLoS One</i> , 3(11): e3691.
55414	Peng GS, Yin SJ, Cheng CA, et al (2007). Increased risk of cerebral hemorrhage in Chinese male heavy drinkers with mild liver disorder. <i>Cerebrovasc Dis</i> , 23: 309-14.
55433	Perel P, Roberts I, Bouamra O, et al (2009). Intracranial bleeding in patients with traumatic brain injury: a prognostic study. <i>BMC Emerg Med</i> , 9: 15.
89073	Perrone RD, Malek AM, Watnick T (2015). Vascular complications in autosomal dominant polycystic kidney disease. <i>Nat Rev Nephrol</i> , 11(10): 589-98.
56887	Peters P, Harrison T, Lennox JL (2006). A dangerous dilemma: management of infectious intracranial aneurysms complicating endocarditis. <i>Lancet Infect Dis</i> , 6(11): 742-48.
15739	Petitti DB, Sidney S, Bernstein A, et al (1996). Stroke in users of low-dose oral contraceptives. <i>NEJM</i> , 335: 8-15.
271	Petitti DB, Wingerd J (1978). Use of oral contraceptives, cigarette smoking and risk of subarachnoid haemorrhage. <i>Lancet</i> , 2(8083): 234-6.
55341	Petzold A, Keir G, Kay A, et al (2006). Axonal damage and outcome in subarachnoid haemorrhage. <i>J Neurol Neurosurg Psychiatry</i> , 77: 753-9.
88438	Phan K, Moore JM, Griessenauer CJ, et al (2017). Aspirin and risk of subarachnoid hemorrhage: Systematic review and meta-analysis. <i>Stroke</i> , 48(5): 1210-7.
26546	Piepgras DG (2002). Unruptured aneurysms. <i>J Neurosurg</i> , 96(1): 63.
55335	Pierot L, Spelle L, Vitry F (2008). Immediate clinical outcome of patients harboring unruptured intracranial aneurysms treated by endovascular approach. Results of the ATENA Study. <i>Stroke</i> , 2497-504.
56766	Pilgrim JL, Gerostamoulos D, Drummer OH, et al (2009). Involvement of amphetamines in sudden and unexpected death. <i>J Forensic Sci</i> , 54(2): 478-85.
55417	Pleizer CM, Algra A, Velthuis BK, et al (2006). Relation between size of aneurysms and risk of rebleeding in patients with subarachnoid haemorrhage. <i>Acta Neurochir (Wien)</i> , 148: 1277-80.
26426	Pleizer CM, Ruigrok YM, Rinkel GJ (2002). Relation between age and number of aneurysms in patients with subarachnoid haemorrhage. <i>Cerebrovasc Dis</i> , 14(1): 51-3.

26338	Pobereskin LH (2001). Incidence and outcome of subarachnoid haemorrhage: a retrospective population based study. <i>Neurol Neurosurg Psychiatry</i> , 70: 340-3.
26547	Pobereskin LH (2001). Influence of premorbid factors on survival following subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 95(4): 555-9.
25434	Pobereskin LH, Sneyd JR, Gaist D, et al (2000). [Comment] Incidence of hospital admission does not equal incidence of disease. <i>British Medical Journal</i> , 320: 1277.
56888	Poonyagariyagorn H, Hook M, Bhatt DL (2010). Cardiovascular emergencies. Retrieved 29 March 2010, from http://www.clevelandclinicmeded.com/medicalpubs/diseasemanagement/cardiology/cardiovascular-emergencies#cesec9
272	Pople IK, Stranjalis G, Nelson R (1993). Anticoagulant-related intracranial haemorrhage. <i>Br J Hosp Med</i> , 49(6): 428-9.
88528	Portegies ML, Lahousse L, Joos GF (2016). Chronic obstructive pulmonary disease and the risk of stroke. <i>The Rotterdam Study</i> . <i>Am J Respir Crit Care Med</i> , 193(3): 251-8.
281	Porter JB, Hunter JR, et al (1982). Oral contraceptives and nonfatal vascular disease - recent experience. <i>Obstet Gynecol</i> , 59(3): 299-302.
285	Posner BM, Franz MM, et al (1995). Secular trends in diet and risk factors for cardiovascular disease: The Framingham Study. <i>J Am Diet Assoc</i> , 95(2): 171-9.
88561	Pottegard A, Garcia Rodriguez LA, Poulsen FR, et al (2015). Antithrombotic drugs and subarachnoid haemorrhage risk: A nationwide case-control study in Denmark. <i>Thromb Haemost</i> , 114(5): 1064-75.
56889	Poulet R, Gentile MT, Vecchione C, et al (2006). Acute hypertension induces oxidative stress in brain tissues. <i>Journal of Cerebral Blood Flow & Metabolism</i> , 26: 253-62.
15478	Poulter NR, Chang CL, Farley TM, et al (1996). Haemorrhagic stroke, overall stroke risk, and combined oral contraceptives: results of an international, multicentre, case-control study. <i>Lancet</i> , 348: 505-10.
18803	Poulter NR, Chang CL, Farley TMM, et al (1995). Venous thromboembolic disease and combined oral contraceptives: results of international multicentre case-control study. <i>World Health Organization Collaborative Study of cardiovascular disease and steroid hormone contraception</i> . <i>The Lancet</i> , 346(346): 1575-82.
15459	Powell S, Rijhsinghani A (1997). Ruptured bacterial intracranial aneurysm in pregnancy. A case report. <i>The Journal of Reproductive Medicine</i> , 42: 455-8.
15448	Preul MC, Cendes F, Just N, et al (1998). Intracranial aneurysms and sickle cell anemia: multiplicity and propensity for the vertebrobasilar territory. <i>Neurosurgery</i> , 24(5): 971-78.
88647	Price AJ, Wright LF, Green J, et al (2018). Differences in risk factors for 3 types of stroke. <i>Neurology</i> , 90: e298-306.
15436	Publication Types: News (1998). Of mobile phones and morbidity. <i>Environ Health Perspect</i> , 106(10): A474-5.
42005	Puddey IB, Beilin LJ (2006). Alcohol is bad for blood pressure. <i>Clin Exp Pharmacol Physiol</i> , 33: 847-52.
88648	Pujades-Rodriguez M, George J, Shah AD, et al (2015). Heterogeneous associations between smoking and a wide range of initial presentations of cardiovascular disease in 1 937 360 people in England: lifetime risks and implications for risk prediction. <i>Int J Epidemiol</i> , 2015: 129-41.
9477	Pukkala E, Saarni H (1996). Cancer incidence among Finnish seafarers, 1967-92. <i>Cancer Causes and Control</i> , 7: 231-9.
89849	Purgina B, Milroy CM (2015). Fatal traumatic aneurysm of the posterior inferior cerebellar artery with delayed rupture. <i>Forensic Sci Int</i> , 247: e1-5.

26354	Qureshi AI, Akbar MS, Czander E, et al (1997). Crack cocaine use and stroke in young patients. <i>Neurology</i> , 48(2): 341-5.
88484	Qureshi AI, Malik AA, Saeed O, et al (2016). Hormone replacement therapy and the risk of subarachnoid hemorrhage in postmenopausal women. <i>J Neurosurg</i> , 124(1): 45-50.
88597	Qureshi AI, Saleem MA, Aytac E (2017). Postprocedure subarachnoid hemorrhage after endovascular treatment for acute ischemic stroke. <i>J Neuroimaging</i> , 27(5): 493-8.
55363	Qureshi AI, Suri FK, Yahia AM, et al (2001). Risk factors for subarachnoid hemorrhage. <i>Neurosurgery</i> , 49(3): 607-13.
25449	Raaymakers TW, Rinkel GJE, Limburg M, et al (1998). Mortality and morbidity of surgery for unruptured intracranial aneurysms: a meta-analysis. <i>Stroke</i> , 29: 1531-8.
88566	Rabinstein AA (2013). Subarachnoid hemorrhage. <i>Neurology</i> , 80(5): e56-9.
15633	Rabito SF, Ahmed S, Feinstein L, et al (1996). Intrathecal bleeding after the intraoperative use of heparin and urokinase during continuous spinal anesthesia. <i>Anesthesia & Analgesia</i> , 82(2): 409-11.
88649	Ramagopalan SV, Pakpoor J, Seminog O, et al (2013). Risk of subarachnoid haemorrhage in people admitted to hospital with selected immune-mediated diseases: record-linkage studies. <i>BMC Neurol</i> , 13: 176.
89850	Rangwala SD, Strickland BA, Rennert RC, et al (2018). Ruptured mycotic aneurysm of the distal circulation in a patient with mucormycosis without direct skull base extension: case report. <i>Operative Neurosurgery</i> , [E-pub ahead of print]. [Abstract]
89851	Rasing I, Nieuwkamp DJ, Algra A, et al (2012). Additional risk of hypertension and smoking for aneurysms in people with a family history of subarachnoid haemorrhage. <i>J Neurol Neurosurg Psychiatry</i> , 83(5): 541-2.
15528	Reeder BA (1994). Epidemiology of stroke. <i>Health Reports</i> , 6(1): 9-12.
15438	Reid SW, Gettinby G (1998). Radio-frequency electromagnetic field from mobile phones. <i>Lancet</i> , 352(9127): 576-77.
15585	Repacholi MH (1998). Low-level exposure to radiofrequency electromagnetic fields: health effects and research needs. <i>Bioelectromagnetics</i> , 19(1): 1-19.
88439	Reynolds K, Lewis B, Nolen JD, et al (2003). Alcohol consumption and risk of stroke: a meta-analysis. <i>JAMA</i> , 289(5): 579-88.
55942	Rice TL, Middleton SC, Laughlin KK (2003). Thrombolytic administration in the management of subarachnoid hemorrhage. <i>Am J Health-Syst Pharm</i> , 60: 1883-93.
89852	Riera-Mestre A, Becattini C, Giustozzi M, et al (2014). Thrombolysis in hemodynamically stable patients with acute pulmonary embolism: a meta-analysis. <i>Thrombosis Research</i> , 134(6): 1265-71.
26733	Rinkel G, et al (1997). Outcome of aneurysmal subarachnoid hemorrhage in patients on anticoagulant treatment. <i>Stroke</i> , 28: 6-9.
26730	Rinkel GJ, Djibuti M, van Gijn J (1998). Prevalence and risk of rupture of intracranial aneurysms: a systematic review. <i>Stroke</i> , 29: 251-6.
273	Rinkel GJ, van Gijn J, Wijdicks EF (1993). Subarachnoid hemorrhage without detectable aneurysm. A review of the causes. <i>Stroke</i> , 24(9): 1403-9.
89071	Rinkel GJ, Wijdicks EF, Vermeulen M, et al (1991). Nonaneurysmal perimesencephalic subarachnoid hemorrhage: CT and MR patterns that differ from aneurysmal rupture. <i>AJNR</i> , 12: 829-34.
55410	Risselada R, Straatman H, van Kooten F, et al (2009). Withdrawal of statins and risk of subarachnoid hemorrhage. <i>Stroke</i> , 40: 2887-92.

88599	Risselada R, Straatman H, van Kooten F, et al (2011). Platelet aggregation inhibitors, vitamin K antagonists and risk of subarachnoid hemorrhage. <i>J Thromb Haemost</i> , 9(3): 517-23.
15538	Ritz B, Morgenstern H, Froines J, et al (1999). Effects of exposure to external ionizing radiation of cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. <i>American Journal of Industrial Medicine</i> , 35(1): 21-31.
88536	Rivera-Lara L, Kowalski RG, Schneider EB, et al (2015). Elevated relative risk of aneurysmal subarachnoid hemorrhage with colder weather in the mid-Atlantic region. <i>J Clin Neurosci</i> , 22(10): 1582-7.
55463	Rivero-Arias O, Wolstenholme J, Gray A, et al (2009). The costs and prognostic characteristics of ischaemic neurological deficit due to subarachnoid haemorrhage in the United Kingdom. Evidence from the MRC International Subarachnoid Aneurysm Trial. <i>J Neurol</i> , 256: 364-73.
88525	Robba C, Bacigaluppi S, Bragazzi NL (2016). Aneurysmal subarachnoid hemorrhage in pregnancy-case series, review, and pooled data analysis. <i>World Neurosurgery</i> , 88: 383-98.
15442	Roberts G, Allcutt D, Farrell M (1998). Embolic bacterial aneurysm of the basilar artery: case report. <i>British Journal of Neurosurgery</i> , 12(5): 440-44.
274	Robinson JL, Hall CJ, Sedzimir CB (1972). Subarachnoid hemorrhage in pregnancy. <i>J Neurosurg</i> , 36(1): 27-33.
275	Robinson JL, Hall CS, Sedzimir CB (1974). Arteriovenous malformations, aneurysms and pregnancy. <i>J Neurosurg</i> , 41(1): 63-70.
88422	Roethlisberger M, Achermann R, Bawarjan S, et al (2018). Predictors of occurrence and anatomic distribution of multiple aneurysms in patients with aneurysmal subarachnoid hemorrhage. <i>World Neurosurgery</i> , 111: e199-205.
89853	Rojas-Hernandez CM, Oo TH, Garcia-Perdomo HA (2017). Risk of intracranial hemorrhage associated with therapeutic anticoagulation for venous thromboembolism in cancer patients: a systematic review and meta-analysis. <i>J Thromb Thrombolysis</i> , 43(2): 233-40.
56892	Roman H, Descargues G, Lopes M, et al (2004). Subarachnoid hemorrhage due to cerebral aneurysmal rupture during pregnancy. <i>Acta Obstet Gynecol Scand</i> , 83(4): 330-34.
55476	Roos EJ, Rinkel GJ, Velthuis BK, et al (2000). The relation between aneurysm size and outcome in patients with subarachnoid hemorrhage. <i>Neurology</i> , 54: 2334-6.
57407	Ropper AH, Samuels MA (2009). Major categories of neurologic disease. Cerebrovascular diseases. Spontaneous subarachnoid hemorrhage (ruptured saccular aneurysm). <i>Adams and Victor's Principles of Neurology</i> , 9th Edition, Part 4, Chapter 34: 808-16. McGraw Hill.
89854	Rosengart AJ, Schultheiss KE, Tolentino J, et al (2007). Prognostic factors for outcome in patients with aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 38(8): 2315-21.
89080	Roy MK, Dutta J, Chatterjee A, et al (2015). An uncommon initial presentation of snake bite-subarachnoid hemorrhage: A case report with literature review. <i>Ann Indian Acad Neurol</i> , 18(3): 348-50.
25439	Rudd AG, Wolfe CD, Howard RS (1997). Prevention of neurological disease in later life. <i>Journal Neurol Neurosurgery Psychiatry</i> , 63(Suppl 1): 39-52.
89855	Rui Q, Ni H, Liu H, et al (2018). Coffee and tea consumption and the risk for subarachnoid hemorrhage: A meta-analysis. <i>Nutrition</i> , 59: 21-8.
25440	Ruigrok YM, Buskens E, Rinkel GJ (2001). Attributable risk of common and rare determinants of subarachnoid hemorrhage. <i>Stroke</i> , 32: 1173-5.
88628	Ruigrok YM, Dekkers PJ, Bromberg JE, et al (2006). Corticosteroid use and risk of aneurysmal subarachnoid haemorrhage. <i>J Neurol</i> , 253(4): 496-9.

88529	Rumalla K, Reddy AY, Mittal MK (2016). Association of recreational marijuana use with aneurysmal subarachnoid hemorrhage. <i>J Stroke Cerebrovasc Dis</i> , 25(2): 452-60.
88514	Rumalla K, Smith KA, Arnold PM, et al (2018). Subarachnoid hemorrhage and readmissions: National rates, causes, risk factors, and outcomes in 16,001 hospitalized patients. <i>World Neurosurgery</i> , 110: e100-1.
89049	Rutledge WC, Miller BA, Dannenbaum MJ, et al (2012). Subarachnoid haemorrhage associated with an intrathecal catheter. <i>Br J Neurosurg</i> , 26(6): 923-4.
89076	Saboori P, Sadegh A (2011). Material modeling of the head's subarachnoid space. <i>Scientia Iranica</i> , 18(6): 1492-9.
88444	Sacco S, Kurth T (2014). Migraine and the risk for stroke and cardiovascular disease. <i>Current Cardiology Reports</i> , 16(9): 524.
89858	Sacco S, Ornello R, Ripa P, et al (2013). Migraine and hemorrhagic stroke: a meta-analysis. <i>Stroke</i> , 44(11): 3032-8.
88650	Sakamaki T, Hara M, Kayaba K, et al (2016). Coffee consumption and incidence of subarachnoid hemorrhage: The Jichi Medical School cohort study. <i>J Epidemiol</i> , 26(2): 71-5.
89859	Sakamoto S, Ohba S, Eguchi K, et al (2005). Churg-Strauss syndrome presenting with subarachnoid hemorrhage from ruptured dissecting aneurysm of the intracranial vertebral artery. <i>Clin Neurol Neurosurg</i> , 107(5): 428-31.
276	Salgado AV, Furlan AJ, Keys TF (1987). Mycotic aneurysm, subarachnoid hemorrhage and indications for cerebral angiography in infective endocarditis. <i>Stroke</i> , 18(6): 1057-60.
89860	Salonen Ros H, Lichtenstein P, Bellocco R, et al (2001). Increased risks of circulatory diseases in late pregnancy and puerperium. <i>Epidemiol</i> , 12(4): 456-60.
55442	Sandhu R, Aronow WS, Rajdev A, et al (2008). Relation of cardiac troponin I levels with in-hospital mortality in patients with ischemic stroke, intracerebral hemorrhage, and subarachnoid hemorrhage. <i>Am J Cardiol</i> , 102: 632-4.
88488	Sandvei MS, Lindekleiv H, Romundstad PR, et al (2012). Risk factors for aneurysmal subarachnoid hemorrhage - BMI and serum lipids: 11-year follow-up of the HUNT and the Tromso Study in Norway. <i>Acta Neurol Scand</i> , 125(6): 382-8.
55455	Sandvei MS, Romundstad PR, Muller TB, et al (2009). Risk factors for aneurysmal subarachnoid hemorrhage in a prospective population study. The HUNT study in Norway. <i>Stroke</i> , 40(6): 1958-62.
56773	Sanjay S, Au Eong KG (2007). [Comment] Bilateral vitreous haemorrhage associated with dengue fever. <i>Eye</i> , 21(1): 144-5.
25891	Sankai T, Iso H, Shimamoto T, et al (2000). Prospective study on alcohol intake and risk of subarachnoid hemorrhage among Japanese men and women. <i>Alcohol Clin Exp Res</i> , 24(3): 386-9.
56755	Sanno N, Ishii Y, Sugiyama M, et al (1999). Subarachnoid haemorrhage and vasospasm due to pituitary apoplexy after pituitary function tests. <i>Acta Neurochir (Wien)</i> , 141: 1009-10.
74333	Santos-Soares PC, Bacellar A, Povoas HP, et al (2007). Stroke and snakebite: case report. <i>Arquivos de Neuro-Psiquiatria</i> , 65(2A): 341-4.
15541	Saraswat DK (1994). Case of cerebral malaria presenting as subarachnoid haemorrhage. <i>Journal of the Association of Physicians of India (JAPI)</i> , 42(9): 756.
55404	Sarti C, Tuomilehto J, Sivenius J, et al (1994). Declining trends in incidence, case-fatality and mortality of stroke in three geographic areas of Finland during 1983-1989. Results from the Finmonica Stroke Register. <i>J Clin Epidemiol</i> , 47(11): 1259-69.

277	Sasaki O, Koike T, Tanaka R, et al (1991). Subarachnoid hemorrhage from a dissecting aneurysm of the middle cerebral artery. <i>J Neurosurg</i> , 74(3): 505-7.
1028	Sasaki O, Ogawa H, Koike T, et al (1991). A clinicopathological study of dissecting aneurysms of the intracranial vertebral artery. <i>J Neurosurg</i> , 75: 874-82.
56907	Sasaoka Y, Kamada K, Kanemoto Y, et al (1997). Ruptured traumatic aneurysms of the peripheral anterior cerebral artery: study of delayed hemorrhage after closed head injury. <i>No Shinkei Geka</i> , 25(4): 337-44 [Article in Japanese]. [Abstract]
15737	Sastre A, Cook MR, Graham C (1998). Nocturnal exposure to intermittent 60Hz magnetic fields alters human cardiac rhythm. <i>Bioelectromagnetics</i> , 19: 98-106.
56944	Satoh A, Sugiyama T, Hongo K, et al (2008). Nationwide surveillance of IC anterior (or dorsal) wall aneurysm: with special reference to its dissecting nature. <i>Acta Neurochir Suppl</i> , 103: 51-5. [Abstract]
56890	Satyarthee GD, Mahapatra AK (2005). Pituitary apoplexy in a child presenting with massive subarachnoid and intraventricular hemorrhage. <i>J Clin Neurosci</i> , 12(1): 94-6.
55466	Saveland H, Brandt L (1994). Which are the major determinants for outcome in aneurysmal subarachnoid hemorrhage? <i>Acta Neurol Scand</i> , 90: 245-50.
15411	Savitz DA, Liao D, Sastre A, et al (1999). Magnetic field exposure and cardiovascular disease mortality among electric utility workers. <i>American Journal of Epidemiology</i> , 149(2): 135-42.
55454	Schaafsma JD, Sprengers ME, van Rooij WJ, et al (2009). Long-term recurrent subarachnoid hemorrhage after adequate coiling versus clipping of ruptured intracranial aneurysms. <i>Stroke</i> , 40: 1758-63.
25896	Schievink WI (1997). Genetics of intracranial aneurysms. <i>Neurosurgery</i> , 40(4): 651-62.
204	Schievink WI, Karemaker JM, Hageman LM, et al (1989). Circumstances surrounding aneurysmal subarachnoid hemorrhage. <i>Surg Neurol</i> , 32(4): 266-72.
89083	Schievink WI, Torres VE, Piepgras DG, et al (1992). Saccular intracranial aneurysms in autosomal dominant polycystic kidney disease. <i>J Am Soc Nephrol</i> , 3: 88-95.
205	Schievnik WI, Mokri B, Michels VV, et al (1991). Familial association of intracranial aneurysms and cervical artery dissections. <i>Stroke</i> , 22(11): 1426-30.
55444	Schlenk F, Nagel A, Graetz D, et al (2008). Hyperglycemia and cerebral glucose in aneurysmal subarachnoid hemorrhage. <i>Intensive Care Med</i> , 34: 1200-7.
88651	Schmidt M, Johansen MB, Lash TL, et al (2010). Antiplatelet drugs and risk of subarachnoid hemorrhage: a population-based case-control study. <i>J Thromb Haemost</i> , 8: 1468-74.
206	Schoen FJ (1994). Blood vessels [Cotran RS, Kumar V, Robbins SL (Eds)]. <i>Robbins Pathologic Basis of Disease</i> , 5th Edition, Chapter 11: 467-516. WB Saunders Company, Philadelphia.
15643	Schoser BG, Heesen C, Eckert B, et al (1997). Cerebral hyperperfusion injury after percutaneous transluminal angioplasty of extracranial arteries. <i>Journal of Neurology</i> , 244: 101-4.
26728	Schwartz S, et al (1998). Stroke and Use of Low-Dose Oral Contraceptives in Young women. <i>Stroke</i> , 29: 2277-84.
15738	Schwartz SM, Siscovick DS, Longstreth WT, et al (1997). Use of low-dose oral contraceptives and stroke in young women. <i>Annals of Internal medicine</i> , 127: 596-603.

207	Scodary DJ, Tew JM, Thomas GM, et al (1990). Radiation-induced cerebral aneurysms. <i>Acta Neurochir (Wien)</i> , 102(3-4): 141-4.
208	Sekhar LN, Heros RC (1981). Origin, growth and rupture of saccular aneurysms: a review. <i>Neurosurg</i> , 8(2): 248-60.
88587	Sekhar LN, Morton R (2012). Risk factors for three phases of 12-month mortality in a defined population after subarachnoid hemorrhage. <i>World Neurosurgery</i> , 78(6): 579-80.
56891	Semple PL, Webb MK, de Villiers JC, et al (2005). Pituitary apoplexy. <i>Neurosurgery</i> , 56(1): 65-72.
26523	Servadei F, Murray G, Teasdale G, et al (2002). Traumatic subarachnoid hemorrhage: demographic and clinical study of 750 patients from the European Brain Injury Consortium Survey of Head Injuries. <i>Neurosurgery</i> , 50(2): 261-9.
56091	Setzer M, Beck J, Hermann E, et al (2007). The influence of barometric pressure changes and standard meteorological variables on the occurrence and clinical features of subarachnoid hemorrhage. <i>Surgical Neurology</i> , 67: 264-72.
89866	Shah KJ, Jones AM, Arnold PM, et al (2014). Intracranial pseudoaneurysm after intracranial pressure monitor placement. <i>BMJ Case Reports</i> , 2014: pii: bcr2014011410.
56893	Shahlaie K, Olaya JE, Hartman J, et al (2006). Pituitary apoplexy associated with anterior communicating artery aneurysm and aberrant blood supply. <i>J Clin Neurosci</i> , 13(10): 1057-62.
55424	Shea AM, Reed SD, Curtis LH, et al (2007). Characteristics of nontraumatic subarachnoid hemorrhage in the United States in 2003. <i>Neurosurgery</i> , 61: 1131-8.
89867	Sheerin UM, Barreto J, Brown MM, et al (2008). Subarachnoid haemorrhage as the first clinical manifestation of Churg-Strauss syndrome. <i>J Neurol</i> , 255(4): 607-8.
88434	Shen J, Huang KY, Zhu Y, et al (2017). Effect of statin treatment on vasospasm-related morbidity and functional outcome in patients with aneurysmal subarachnoid hemorrhage: a systematic review and meta-analysis. <i>J Neurosurg</i> , 127(2): 291-301.
88698	Shen L, Song LG, Ma H, et al (2012). Tea consumption and risk of stroke: a dose-response meta-analysis of prospective studies. <i>Biomed & Biotechnol</i> , 13(8): 652-62.
88652	Shi ZS, Liebeskind DS, Loh Y, et al (2010). Predictors of subarachnoid hemorrhage in acute ischemic stroke with endovascular therapy. <i>Stroke</i> , 41(12): 2775-81.
88653	Shigematsu K, Watanabe Y, Nakano H, et al (2015). Influences of hyperlipidemia history on stroke outcome; a retrospective cohort study based on the Kyoto Stroke Registry. <i>BMC Neurol</i> , 15(44): s12883.
56770	Shimizu H, Matsumoto Y, Tominaga T (2009). Non-saccular aneurysms of the supraclinoid internal carotid artery trunk causing subarachnoid hemorrhage: acute surgical treatments and review of literatures. <i>Neurosurg Rev</i> , [Epub ahead of print].
89868	Shimizu K, Ohoba H, Shimada H, et al (2011). A case of Churg-Strauss syndrome with subarachnoid hemorrhage and left phrenic nerve paralysis. <i>Nihon Kokyuki Gakkai Zasshi</i> , 49(9): 642-6. [Abstract]
71943	Shin D, Oh YH, Eom CS, et al (2014). Use of selective serotonin reuptake inhibitors and risk of stroke: a systematic review and meta-analysis. <i>J Neurol</i> , 261(4): 686-95.
210	Shinton R, Beevers G (1989). Meta-analysis of relation between cigarette smoking and stroke. <i>BMJ</i> , 298(6676): 789-94.
88600	Shiue I, Arima H, Anderson CS, et al (2010). Life events and risk of subarachnoid hemorrhage: the Australasian cooperative research on subarachnoid hemorrhage study (ACROSS). <i>Stroke</i> , 41(6): 1304-6.

88595	Shiue I, Arima H, Hankey GJ, et al (2011). Dietary intake of key nutrients and subarachnoid hemorrhage: a population-based case-control study in Australasia. <i>Cerebrovasc Dis</i> , 31(5): 464-70.
88594	Shiue I, Arima H, Hankey GJ, et al (2011). Location and size of ruptured intracranial aneurysm and serious clinical outcomes early after subarachnoid hemorrhage: a population-based study in Australasia. <i>Cerebrovasc Dis</i> , 31(6): 573-9.
88592	Shiue I, Arima H, Hankey GJ, et al (2012). Modifiable lifestyle behaviours account for most cases of subarachnoid haemorrhage: A population-based case-control study in Australasia. <i>Journal of the Neurological Sciences</i> , 313(1-2): 92-4.
89869	Shuaib UA, Kate M, Homik J, et al (2013). Recurrent non-aneurysmal subarachnoid haemorrhage in Takayasu arteritis: is the cause immunological or mechanical? <i>BMJ Case Reports</i> , 2013: 008825.
89097	Siddiq F, Biller J, Wilterdink JL (2013). Nonaneurysmal subarachnoid hemorrhage. Retrieved 18 September 2018, from www.uptodate.com
89096	Siddiq F, Khan AS (2018). Perimesencephalic nonaneurysmal subarachnoid hemorrhage. Retrieved 18 September 2018, from www.uptodate.com
88548	Sikkema T, Uyttenboogaart M, Eshghi O, et al (2014). Intracranial artery dissection. <i>Eur J Neurol</i> , 21(6): 820-6.
211	Simpson RK, Contant CF, Fischer DK, et al (1991). The influence of diabetes mellitus on outcome from subarachnoid hemorrhage. <i>Diabetes Research</i> , 16(4): 165-6, 168.
89092	Singer RJ, Ogilvy CS, Rordorf F (2018). Treatment of aneurysmal subarachnoid hemorrhage. Retrieved 18 September 2018, from www.uptodate.com
89095	Singer RJ, Ogilvy CS, Rordorf G (2013). Aneurysmal subarachnoid hemorrhage: Epidemiology, risk factors, and pathogenesis. Retrieved 18 September 2018, from www.uptodate.com
89094	Singer RJ, Ogilvy CS, Rordorf G (2013). Clinical manifestations and diagnosis of aneurysmal subarachnoid hemorrhage. Retrieved 18 September 2018, from www.uptodate.com
89093	Singer RJ, Ogilvy CS, Rordorf G (2013). Unruptured intracranial aneurysms. Retrieved 18 September 2018, from www.uptodate.com
89870	Singhal AB, Hajj-Ali RA, Topcuoglu MA, et al (2011). Reversible cerebral vasoconstriction syndromes: analysis of 139 cases. <i>Arch Neurol</i> , 68(8): 1005-12.
56093	Singhal AB, Topcuoglu MA, Dorer DJ, et al (2005). SSRI and statin use increases the risk for vasospasm after subarachnoid hemorrhage. <i>Neurology</i> , 64(6): 1008-13.
26353	Sivenius J, Cunha L, Diener HC, et al (1999). Second European Stroke Prevention Study: antiplatelet therapy is effective regardless of age. ESPS2 Working Group. <i>Acta Neurologica Scandinavica</i> , 99(1): 54-60.
15452	Skogh M (1998). Extracts of Ginkgo biloba and bleeding or haemorrhage. <i>The Lancet</i> , 352: 1145-6.
217	Sloan MA, Kittner SJ, Rigamonti D, et al (1991). Occurrence of stroke associated with use/abuse of drugs. <i>Neurology</i> , 41(9): 1358-64.
56222	Smith MJ, Le Roux PD, Elliott P, et al (2004). Blood transfusion and increased risk for vasospasm and poor outcome after subarachnoid hemorrhage. <i>J Neurosurg</i> , 101: 1-7.
88527	Soderholm M, Inghammar M, Hedblad B, et al (2016). Incidence of stroke and stroke subtypes in chronic obstructive pulmonary disease. <i>Eur J Epidemiol</i> , 31(2): 159-68.
55336	Song YM, Cho HJ (2008). Risk of stroke and myocardial infarction after reduction or cessation of cigarette smoking. A cohort study in Korean men. <i>Stroke</i> , 39: 2432-8.

88654	Sood MM, Garg AX, Bota SE, et al (2015). Risk of major hemorrhage after kidney transplantation. <i>Am J Nephrol</i> , 41: 73-80.
88655	Sousa Nanji L, Melo TP, Canhao P, et al (2015). Subarachnoid haemorrhage and sports. <i>Cerebrovasc Dis Extra</i> , 5: 146-51.
88848	Sprecher W, Wenz W, Haffner HT (2001). Rupture of an intracranial aneurysm - unusual complication of an electric shock. <i>Forensic Sci Int</i> , 122(2-3): 85-8.
55451	Sridharan SE, Unnikrishnan JP, Sukumaran S, et al (2009). Incidence, types, risk factors, and outcome of stroke in a developing country. The Trivandrum Stroke Registry. <i>Stroke</i> , 40: 1212-8.
55449	St Julien J, Bandeen-Roche K, Tamargo RJ (2008). Validation of an aneurysmal subarachnoid hemorrhage grading scale in 1532 consecutive patients. <i>Neurosurgery</i> , 63(2): 204-11.
220	Stadel BV (1981). Oral Contraceptives and cardiovascular disease. (Second of two parts). <i>NEJM</i> , 305(12): 672-7.
222	Stampfer MJ, Golditz GA, Willett WC, et al (1988). A prospective study of moderate alcohol consumption and the risk of coronary disease and stroke in women. <i>NEJM</i> , 319(5): 267-73.
88656	Starke RM, Chalouhi N, Ding D, et al (2015). Potential role of aspirin in the prevention of aneurysmal subarachnoid hemorrhage. <i>Cerebrovasc Dis</i> , 39(0): 332-42.
223	Steering Committee of the Physicians' Health Study Research Group (1989). Final report on the aspirin component of the ongoing physicians' health study. <i>NEJM</i> , 321(3): 129-35.
15480	Sternlo JE, Hybbinette CH (1995). Spinal subdural bleeding after attempted epidural and subsequent spinal anaesthesia in a patient on thromboprophylaxis with low molecular weight heparin. <i>Acta Anaesthesiologica Scandinavica</i> , 39: 557-9.
15540	Stoodley MA, Macdonald RL, Weir BK (1998). Pregnancy and intracranial aneurysms. <i>Neurosurgery Clinics of North America</i> , 9(3): 549-56.
11246	Storey P (1972). Emotional disturbances before and after subarachnoid haemorrhage. <i>Ciba Foundation Symposium</i> , 8: 337-43.
26535	Strother CM (1998). Continued progress in the evolution of endovascular therapy. <i>Am J Neuroradiol</i> , 19(1): 190.
88657	Su SH, Hai J, Wu YF, et al (2014). Effects of statins-use for patients with aneurysmal subarachnoid hemorrhage: a meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 4: Article 4573.
26527	Suarez-Richards M, Fournes O (2002). Erotomania preceding an aneurysmal subarachnoid hemorrhage: is there an association? <i>Journal of Affective Disorder</i> , 70(3): 333-6.
55509	Sudlow C, Martinez Gonzalez AM, Kim J, et al (2006). Does apolipoprotein E genotype influence the risk of ischaemic stroke, intracerebral hemorrhage, or subarachnoid hemorrhage? Systemic review and meta-analyses of 31 studies among 5961 cases and 17 965 controls. <i>Stroke</i> , 37: 364-70.
25450	Sudlow CL, Warlow CP (1997). Comparable studies of the incidence of stroke and its pathological types: results from an international collaboration. <i>Stroke</i> , 28: 491-9.
22670	Suh I, Jee SH, Kim HC, et al (2001). Low serum cholesterol and haemorrhagic stroke in men: Korea Medical Insurance Corporation Study. <i>The Lancet</i> , 357: 922-5.
25431	Sun H, Mayhan WG (2001). Temporal effect of alcohol consumption on reactivity of pial arterioles: role of oxygen radicals. <i>American Journal Physiol Heart Circ Physiol</i> , 280: H992-H1001.
55440	Sundquist J, Li X, Sundquist K, et al (2007). Risks of subarachnoid hemorrhage in siblings: a nationwide epidemiological study from Sweden. <i>Neuroepidemiology</i> , 29: 178-84.

15461	Sure U, Kleihues P (1997). Intracerebral venous thrombosis and hematoma secondary to high-voltage brain injury. <i>The Journal of Trauma</i> , 42(6): 1161-4.
279	Syrjanen J (1989). Central nervous system complications in patients with bacteremia. <i>Scand J Infect Dis</i> , 21(3): 285-96.
15587	Takahashi I, Takamura H, Gotoh S, et al (1996). Giant cell arteries with subarachnoid haemorrhage due to the rupture of inflammatory aneurysm of the posterior inferior cerebellar artery. <i>Acta Neurochirurgica</i> , 138(7): 893-94.
89874	Takahashi JC, Iihara K, Ishii A, et al (2014). Pregnancy-associated intracranial hemorrhage: results of a survey of neurosurgical institutes across Japan. <i>J Stroke Cerebrovasc Dis</i> , 23(2): e65-71.
89875	Takei H, Komaba Y, Kitamura H, et al (2004). Aneurysmal subarachnoid hemorrhage in a patient with Wegener's granulomatosis. <i>Clin Exp Nephrol</i> , 8(3): 274-8.
226	Takenaka N, Mine T, Suga S, et al (1990). Interpeduncular high-density spot in severe shearing injury. <i>Surg Neurol</i> , 34(1): 30-8.
227	Takeshita M, Izawa M, Kubo O, et al (1992). Aspergillotic aneurysm formation of cerebral artery following neurosurgical operation. <i>Surg Neurol</i> , 38(2): 146-51.
15598	Tamargo RJ, Walter KA, Oshiro EM (1997). Aneurysmal subarachnoid hemorrhage: prognostic features and outcomes. <i>New Horizons</i> , 5(4): 364-75.
88451	Tanabe N, Suzuki H, Aizawa Y, et al (2008). Consumption of green and roasted teas and the risk of stroke incidence: results from the Tokamachi-Nakasato cohort study in Japan. <i>Int J Epidemiol</i> , 37(5): 1030-40.
89877	Tanaka H, Katsuragi S, Tanaka K, et al (2017). Impact of pregnancy on the size of small cerebral aneurysm. <i>J Matern Fetal Neonatal Med</i> , 30(22): 2759-62. [Abstract]
89878	Tang CH, Wu CS, Lee TH, et al (2009). Preeclampsia-eclampsia and the risk of stroke among peripartum in Taiwan. <i>Stroke</i> , 40(4): 1162-8.
89880	Taormina G, Andolina G, Banco MA, et al (2014). An uncommon presentation of eosinophilic granulomatosis with polyangiitis: a case report. <i>J Med Case Rep</i> , 8: 190.
88585	Tarlov N, Norbash AM, Nguyen TN (2013). The safety of anticoagulation in patients with intracranial aneurysms. <i>J NeuroIntervent Surg</i> , 5(5): 405-9.
55472	Taylor AG, Peter JC (1997). Patients with retained transcranial knife blades: a high-risk group. <i>J Neurosurg</i> , 87: 512-5.
15479	Taylor CL, Yuan Z, Selman WR, et al (1995). Cerebral arterial aneurysm formation and rupture in 20,767 elderly patients: hypertension and other risk factors. <i>J Neurosurg</i> , 83: 812-9.
56895	Teksam M, Casey SO, Michel E, et al (2001). Subarachnoid hemorrhage associated with cyclosporine A neurotoxicity in a bone-marrow transplant recipient. <i>Neuroradiology</i> , 43(3): 242-45.
15632	Tenforde TS, Gaffey CT, Moyer BR, et al (1983). Cardiovascular alterations in Macaca monkeys exposed to stationary magnetic fields: experimental observations and theoretical analysis. <i>Bioelectromagnetics</i> , 4(1): 1-9.
15486	Terada T, Okuno T, Hayashi S, et al (1993). A case of vessel perforation during interventional neuroradiological procedure. Operative findings of the perforated vessel. <i>Surg Neurol</i> , 40: 241-4.
15470	Teunissen LL, Rinkel GJ, Algra A, et al (1996). Risk factors for subarachnoid hemorrhage. A systematic review. <i>Stroke</i> , 27(3): 544-9.
89881	Thal DR, Barduzal S, Franz K, et al (2001). Giant cell arteritis in a 19-year-old woman associated with vertebral artery aneurysm and subarachnoid hemorrhage. <i>Clin Neuropathol</i> , 20(2): 80-9. [Abstract]

25441	The ACROSS Group (2000). Epidemiology of aneurysmal subarachnoid hemorrhage in Australia and New Zealand: incidence and case fatality from the Australasian Cooperative Research on Subarachnoid Hemorrhage Study (ACROSS). <i>Stroke</i> , 31: 1843-50.
55432	Thiele RH, Pouratian N, Zuo Z, et al (2009). Strict glucose control does not affect mortality after aneurysmal subarachnoid hemorrhage. <i>Anesthesiology</i> , 110(3): 603-10.
55939	Thomas S, Herrmann B, Samii M, et al (2008). Experimental subarachnoid hemorrhage in the rat: influences of nimodipine. <i>Acta Neurochir Suppl</i> , 102: 377-9. [Abstract]
89882	Thompson BB, Bejot Y, Caso V, et al (2010). Prior antiplatelet therapy and outcome following intracerebral hemorrhage: a systematic review. <i>Neurology</i> , 75(15): 1333-42.
15539	Thompson DW, Furlan AJ (1997). Clinical epidemiology of stroke. <i>Neurosurgery Clinics of North America</i> , 8(2): 265-9.
15444	Thorogood M (1998). Stroke and steroid hormonal contraception. <i>Contraception</i> , 57: 157-67.
284	Thorogood M, Adam SA, Mann JI (1981). Fatal subarachnoid haemorrhage in young women: role of oral contraceptives. <i>BMJ (Clin Res Ed)</i> , 283(6294): 762.
230	Thorogood M, Mann J, Murphy M, et al (1992). Fatal stroke and use of oral contraceptives: findings from a case-control study. <i>Am J Epidemiol</i> , 136(1): 35-45.
71956	Threapleton DE, Greenwood DC, Evans CE, et al (2013). Dietary fiber intake and risk of first stroke. A systematic review and meta-analysis. <i>Stroke</i> , 44(5): 1360-8.
26769	Thrift AG, Dewey HM, Macdonell RA, et al (2001). Incidence of the major stroke subtypes. Initial findings from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , 32: 1732-8.
22679	Thrift AG, McNeil JJ, Forbes A, et al (1999). Risk of primary intracerebral haemorrhage associated with aspirin and non-steroidal anti-inflammatory drugs: case-control study. <i>BMJ</i> , 318: 759-64.
88658	Tian D, Yang Q, Dong Q, et al (2018). Trends in stroke subtypes and vascular risk factors in a stroke center in China over 10 years. <i>Scientific Reports</i> , 8: Article 5073.
55450	Tiel Groenestege AT, Rinkel GJ, van der Bom JG, et al (2009). The risk of aneurysmal subarachnoid hemorrhage during pregnancy, delivery, and the puerperium in the Utrecht population: Case-crossover study and standardized incidence ratio estimation. <i>Stroke</i> , 40: 1148-51.
56562	Timmons TA, Donnan GA, Whisnant JP, et al (1988). Aneurysmal subarachnoid hemorrhage and viral infection. Lack of association. <i>Arch Neurol</i> , 43: 376-8.
56092	Tirschwell DL, Smith NL, Heckbert SR, et al (2004). Association of cholesterol with stroke risk varies in stroke subtypes and patient subgroups. <i>Neurology</i> , 63: 1868-75.
88435	To MS, Prakash S, Poonnoose SL, et al (2018). Dose-dependent effects of statins for patients with aneurysmal subarachnoid hemorrhage: Meta-regression analysis. <i>World Neurosurgery</i> , 113: 153-62.
15471	Toftdahl DB, Torp-Pedersen C, Engel UH, et al (1995). Hypertension and left ventricular hypertrophy in patients with spontaneous subarachnoid hemorrhage. <i>Neurosurgery</i> , 37: 235-40.
56894	Togha M, Sahraian MA, Khorram M, et al (2009). Warning signs and symptoms of subarachnoid hemorrhage. <i>Southern Medical Journal</i> , 102(1): 21-24.
89074	Tonomura Y, Kataoka H, Yata N, et al (2010). A successfully treated case of herpes simplex encephalitis complicated by subarachnoid bleeding: a case report. <i>Journal of Medical Case Reports</i> , 4(310).

88571	Torne R, Rodriguez-Hernandez A, Bernard T, et al (2015). Subarachnoid hemorrhage in systemic lupus erythematosus: Systematic review and report of three cases. <i>Clin Neurol Neurosurg</i> , 128: 17-24.
55941	Toussaint LG, Friedman JA, Wijdicks EF, et al (2004). Influence of aspirin on outcome following aneurysmal subarachnoid hemorrhage. <i>J Neurosurg</i> , 101: 921-5.
56896	Trivedi MP, Carroll C, Rutherford S (2008). Infective endocarditis complicated by rupture of intracranial mycotic aneurysm during pregnancy. <i>Int J Obstet Anesth</i> , 17(2): 182-87.
286	Trobe JD, Arbor A (1988). Third nerve palsy and the pupil. Footnotes to the rule. <i>Arch Ophthalmol</i> , 106(5): 601-2.
25451	Truelsen T, Bonita R, Duncan J, et al (1998). Changes in subarachnoid hemorrhage mortality, incidence, and case fatality in New Zealand between 1981-1983 and 1991-1993. <i>Stroke</i> , 29: 2298-2303.
25893	Truelsen T, et al (1998). Changes in Subarachnoid Hemorrhage Mortality, Incidence, and Case Fatality in New Zealand Between 1981-1983 and 1991-1993. <i>Stroke</i> , 29: 2298-2303.
26541	Tsutsumi K, Ueki K, Morita A, et al (2000). Risk of rupture from incidental cerebral aneurysms. <i>Journal of Neurosurgery</i> , 93(4): 550-3.
55366	Tsutsumi K, Ueki K, Morita A, et al (2001). Risk of aneurysm recurrence in patients with clipped cerebral aneurysms. Results of a long-term follow-up angiography. <i>Stroke</i> , 32: 1191-4.
89883	Tureyen K (2001). Traumatic intracranial aneurysm after blunt trauma. <i>Br J Neurosurg</i> , 15(5): 429-31.
83005	Turner DP, Smitherman TA, Martin VT, et al (2013). Causality and headache triggers. <i>Headache</i> , 53(4): 628-35.
55429	Umemura K, Hirashima Y, Kurimoto M, et al (2008). Involvement of meteorological factors and sex in the occurrence of subarachnoid hemorrhage in Japan. <i>Neurol Med Chir (Tokyo)</i> , 48: 101-7.
56908	Ur Rab ZZ, Beig FK (2008). Intracranial haemorrhage in typhoid fever. <i>J Coll Physicians Surg Pak</i> , 18(8): 522-23. [Abstract]
15445	Ursell MR, Marras CL, Farb R, et al (1998). Recurrent intracranial hemorrhage due to postpartum cerebral angiopathy. Implications for management. <i>Stroke</i> , 29: 1995-98.
231	US Department of Health and Human Services (1983). The Health Consequences of Smoking. Cardiovascular Disease. A Report of the Surgeon General, Chapter 2: 159-71. Office on Smoking and Health, Rockville, Maryland.
233	US Department of Health and Human Services (1990). The health benefits of smoking cessation. Smoking cessation and cardiovascular disease. A Report of the Surgeon General, Chapter 6: 187-274. Office on Smoking and Health, Rockville, Maryland.
14268	Valberg PA (1997). Radio frequency radiation (RFR) the nature of exposure and carcinogenic potential. <i>Cancer Causes and Control</i> , 8(3): 323-32.
15451	Vale S (1998). Subarachnoid haemorrhage associated with Ginkgo biloba. <i>The Lancet</i> , 352: 36.
56096	van den Bergh WM, Kerr RS, Algra A, et al (2009). Effect of antiplatelet therapy for endovascular coiling in aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 40: 1969-72.
88545	van den Brand CL, Tolido T, Rambach AH, et al (2017). Systematic review and meta-analysis: is pre-injury antiplatelet therapy associated with traumatic intracranial hemorrhage? <i>J Neurotrauma</i> , 34(1): 1-7.
88491	van der Kolk NM, Algra A, Rinkel GJ (2010). Risk of aneurysm rupture at intracranial arterial bifurcations. <i>Cerebrovasc Dis</i> , 30(1): 29-35.

26528	van der Schaaf IC, Ruigrok YM, Rinkel GJ, et al (2002). Study design and outcome measures in studies on aneurysmal subarachnoid hemorrhage. <i>Stroke</i> , 33(8): 2043-6.
55453	van der Worp HB, Fonville S, Ramos LM, et al (2009). Recurrent perimesencephalic subarachnoid hemorrhage during antithrombotic therapy. <i>Neurocrit Care</i> , 10: 209-12.
46236	van Gijn J, Rinkel GJ (2001). Subarachnoid haemorrhage: diagnosis, causes and management. <i>Brain</i> , 124(2): 249-78.
55507	van Munster CE, von und zu Fraunberg M, Rinkel GJ, et al (2008). Differences in aneurysm and patient characteristics between cohorts of Finnish and Dutch patients with subarachnoid hemorrhage. Time trends between 1986 and 2005. <i>Stroke</i> , 39: 3166-71.
56761	Vannemreddy P, Caldito G, Willis B, et al (2008). Influence of cocaine on ruptured intracranial aneurysms: a case control study of poor prognostic indicators. <i>J Neurosurg</i> , 108: 470-6.
56898	Vejjajiva A (1978). Parasitic diseases of the nervous system in Thailand. <i>Clin Exp Neurol</i> , 15: 92-7. [Abstract]
89884	Venning MC, Burn DJ, Bashir SH, et al (1991). Subarachnoid haemorrhage in Wegener's granulomatosis, with negative four vessel angiography. <i>Br J Neurosurg</i> , 5(2): 195-8.
56227	Vergouwen MD, de Haan RJ, Vermeulen M, et al (2010). Effect of statin treatment on vasospasm, delayed cerebral ischemia, and functional outcome in patients with aneurysmal subarachnoid hemorrhage. A systematic review and meta-analysis update. <i>Stroke</i> , 41: e47-52.
55470	Vermeer SE, Rinkel GJ, Algra A (1997). Circadian fluctuations in onset of subarachnoid hemorrhage. New data of aneurysmal and perimesencephalic hemorrhage and a systematic review. <i>Stroke</i> , 28: 805-8.
14305	Verschaeve L, Maes A (1998). Genetic, carcinogenic and teratogenic effects of radiofrequency fields. <i>Mutation Research</i> , 410(2): 141-65.
280	Vessey MP, Villard-Mackintosh L, McPherson K, et al (1989). Mortality among oral contraceptive users: 20 year follow up of women in a cohort study. <i>BMJ</i> , 299(6714): 1487-91.
56972	Vidt D (2006). The Cleveland Clinic Disease Management Project. Hypertensive crises: emergencies and urgencies. Retrieved 28 May 2010, from http://www.clevelandclinicmeded.com/diseasemanagement/nephrology/crises/crises1.htm
55406	Vinall PE, Maislin G, Michele JJ, et al (1994). Seasonal and latitudinal occurrence of cerebral vasospasm and subarachnoid hemorrhage in the northern hemisphere. <i>Epidemiology</i> , 5: 302-8.
88659	Vinceti M, Filippini T, Crippa A, et al (2016). Meta-analysis of potassium intake and the risk of stroke. <i>J Am Heart Assoc</i> , 5: e004210.
26540	Vindlacheruvu RR, Mendelow AD (2002). Subarachnoid haemorrhage. <i>Practitioner</i> , 246(1638): 608-14.
89037	Vlak MH, Rinkel GJ, Greebe P, et al (2011). Trigger factors and their attributable risk for rupture of intracranial aneurysms: a case-crossover study. <i>Stroke</i> , 42(7): 1878-82.
88660	Vlak MH, Rinkel GJ, Greebe P, et al (2012). Trigger factors for rupture of intracranial aneurysms in relation to patient and aneurysm characteristics. <i>J Neurol</i> , 259: 1298-302.
88567	Vlak MH, Rinkel GJ, Greebe P, et al (2013). Lifetime risks for aneurysmal subarachnoid haemorrhage: multivariable risk stratification. <i>J Neurol Neurosurg Psychiatry</i> , 84(6): 619-23.
89038	Vlak MH, Rinkel GJ, Greebe P, et al (2013). Risk of rupture of an intracranial aneurysm based on patient characteristics: a case control study. <i>Stroke</i> , 44(5): 1256-9.

25981	Voko Z, Koudstaal PJ, Bots ML, (2001). Aspirin use and risk of stroke in the elderly: the Rotterdam Study. <i>Neuroepidemiology</i> , 20(1): 40-4.
15460	Volk EE, Prayson RA, Perl J (1997). Autopsy findings of fatal complications of posterior cerebral circulation angioplasty. <i>Arch Pathol Lab Med</i> , 121: 738-40.
88437	von der Brelie C, Schneegans I, van den Boom L, et al (2015). Impaired coagulation is a risk factor for clinical and radiologic deterioration in patients with traumatic brain injury and isolated traumatic subarachnoid hemorrhage. <i>J Trauma Acute Care Surg</i> , 79(2): 295-300.
56097	Walker RN, Carlson J (2009). Postpartum phenylpropanolamine-induced intracerebral hemorrhage. <i>Radiology Case Reports</i> , 4(1): 247.
88661	Wang D, Wang J, Jin C, et al (2016). Asymptomatic extracranial artery stenosis and the risk of cardiovascular and cerebrovascular diseases. <i>Scientific Reports</i> , 6: Article 33960.
88663	Wang GX, Zhang D, Wang ZP, et al (2018). Risk factors for ruptured intracranial aneurysms. <i>Indian J Med Res</i> , 147(1): 51-7.
88662	Wang X, Cao Y, Hong D, et al (2016). Ambient temperature and stroke occurrence: A systematic review and meta-analysis. <i>Int J Environ Res Public Health</i> , 13: 698.
89885	Wang X, Chen JX, You C, et al (2008). Surgical management of traumatic intracranial pseudoaneurysms: A report of 12 cases. <i>Neurology India</i> , 56(1): 47-51.
71964	Wang X, Dong Y, Qi X, et al (2013). Cholesterol levels and risk of hemorrhagic stroke: a systemic review and meta-analysis. <i>Stroke</i> , 44(7): 1833-9.
25566	Wardlaw JM, White PM (2000). The detection and management of unruptured intracranial aneurysms. <i>Brain</i> , 123: 205-21.
241	Warlow C (1993). Disorder of the cerebral circulation. J Walton (Ed). <i>Brain's Diseases of the Nervous System</i> , 10th Edition, 197-268. Oxford University Press, Oxford.
89283	Watanabe M, Siddiqui FM, Qureshi AI (2012). Incidence and management of ischemic stroke and intracerebral hemorrhage in patients on dabigatran etexilate treatment. <i>Neurocrit Care</i> , 16(1): 203-9.
278	Weaver JP, Fisher M (1994). Subarachnoid hemorrhage: an update of pathogenesis, diagnosis and management. <i>J Neurol Sci</i> , 125(2): 119, 122-3, 126-7, 130-1.
56226	Weigel S, Kloska S, Kehl HG, et al (2003). Lethal subarachnoid bleeding under immunosuppressive therapy due to mycotic arteritis. <i>Eur Radiol</i> , 13: L215-8.
15446	Weir BKA, Kongable GL, Kassell NF, et al (1998). Cigarette smoking as a cause of aneurysmal subarachnoid hemorrhage and risk for vasospasm: a report of the Cooperative Aneurysm Study. <i>J Neurosurg</i> , 89: 405-11.
39104	Wendel-Vos GC, Schuit AJ, Feskens EJ, et al (2004). Physical activity and stroke. A meta-analysis of observational data. <i>Int J Epidemiol</i> , 33(4): 787-98.
89886	Wener MH (2018). Serum sickness and serum sickness-like reactions. Retrieved 12 December 2018, from https://www.uptodate.com/contents/serum-sickness-and-serum-sickness-like-reactions
89087	Whitmore RG, Grant RA, LeRoux P, et al (2012). How large is the typical subarachnoid hemorrhage? A review of current neurosurgical knowledge. <i>World Neurosurgery</i> , 77(5-6): 686-97.
15586	Whittington CJ, Podd JV, Rapley BR (1996). Acute effects of 50 Hz magnetic field exposure on human visual task and cardiovascular performance. <i>Bioelectromagnetics</i> , 17(2): 131-37.
26543	Wiebers DO, Piepgras DG, Brown RD, et al (2002). Unruptured aneurysms. <i>Journal of Neurosurgery</i> , 96(1): 50-1.

245	Wiebers DO, Whisnant JP (1985). The incidence of stroke among pregnant women in Rochester, Minn, 1955 through 1979. <i>JAMA</i> , 254(21): 3055-7.
15441	Wijdicks EF, Schievink WI (1998). [Comment] Perimesencephalic nonaneurysmal subarachnoid hemorrhage: first hint of a cause? <i>Neurology</i> , 49(2): 634-36.
15415	Willems J, Anne A, Herregods P, et al (1994). A cauda equina syndrome in a patient treated with oral anticoagulants. Case report. <i>Paraplegia</i> , 32: 277-80.
15604	Williams RA, Webb TS (1980). Exposure to radio-frequency radiation from an aircraft radar unit. <i>Aviation, Space, and Environmental Medicine</i> , 51(11): 1243-44.
15584	Willis RJ, Brooks WM (1984). Potential hazards of NMR imaging. No evidence of the possible effects of static and changing magnetic fields on cardiac function of the rat and guinea pig. <i>Mag Reson Imaging</i> , 2(2): 89-95.
26442	Winett RA, Carpinelli RN (2000). Exercise intensity and risk of chronic disease. <i>JAMA</i> , 284(14): 1784-5; Authors' reply: 1785.
89887	Witlin AG, Mattar F, Sibai BM (2000). Postpartum stroke? A twenty-year experience. <i>Am J Obstet Gynecol</i> , 183(1): 83-8.
88538	Witt DM, Delate T, Hylek EM, et al (2013). Effect of warfarin on intracranial hemorrhage incidence and fatal outcomes. <i>Thrombosis Research</i> , 132(6): 770-5.
26529	Wityk RJ, Zanferrari C, Oppenheimer S (2002). Neurovascular complications of Marfan Syndrome: a retrospective, hospital-based study. <i>Stroke</i> , 33(3): 680-4.
56754	Wohaibi MA, Russell NA, Ferayan AL, et al (2000). Pituitary apoplexy presenting as massive subarachnoid haemorrhage. <i>J Neurol Neurosurg Psychiatry</i> , 69(5): 700-1.
249	Wojak JC, Flamm ES (1987). Intracranial hemorrhage and cocaine use. <i>Stroke</i> , 18(4): 712-5.
250	Wolf PA, Kannel WB, Verter J (1983). Current status of risk factors for stroke. <i>Neurol Clin</i> , 1(1): 317-343.
89888	Wong S, Afshani M (2016). Intracranial vascular complications of "molly" usage: case report and review of the literature. <i>Connecticut Medicine</i> , 80(8): 467-9.
55448	Woo D, Khoury J, Haverbusch MM, et al (2009). Smoking and family history and risk of aneurysmal subarachnoid hemorrhage. <i>Neurology</i> , 72: 69-72.
56088	Worrall BB, Phillips CD, Henderson KK (2005). Herbal energy drinks, phenylpropanoid compounds, and cerebral vasculopathy. <i>Neurology</i> , 65: 1137-8.
88664	Worthington JM, Goumas C, Jalaludin B, et al (2017). Decreasing risk of fatal subarachnoid hemorrhage and other epidemiological trends in the era of coiling implementation in Australia. <i>Front Neurol</i> , 8: Article 424.
88665	Wu J, Chen S, Zhou Y, et al (2013). Non-high-density lipoprotein cholesterol on the risks of stroke: A result from the Kailuan study. <i>PLoS One</i> , 8(9): e74634.
89909	Wu P, Haththotuwa R, Kwok CS, et al (2017). Preeclampsia and future cardiovascular health: a systematic review and meta-analysis. <i>Circulation. Cardiovascular Quality and Outcomes</i> , 10(2): e003497.
89892	Wu XM, Zhang XD, Yun LB, et al (2017). Sudden death from ruptured intracranial vascular malformations during mechanical asphyxia: a domestic violence case report. <i>Am J Forensic Med Pathol</i> , 38(1): 35-8.
89894	Xie L, Wu W, Chen J, et al (2017). Cholesterol levels and hemorrhagic stroke risk in East Asian versus non-East Asian populations: a systematic review and meta-analysis. <i>Neurologist</i> , 22(4): 107-15.

89088	Xu Z, Xu P, Lei X, et al (2011). Subarachnoid hemorrhage associated with epidemic hemorrhagic fever: A rare case report. <i>Int J Med Sci</i> , 8(8): 640-2.
88423	Xu Z, Yue Y, Bai J, et al (2018). Association between oral contraceptives and risk of hemorrhagic stroke: a meta-analysis of observational studies. <i>Arch Gynecol Obstet</i> , 297(5): 1181-91.
89075	Yamada M (2015). Cerebral amyloid angiopathy: Emerging concepts. <i>Journal of Stroke</i> , 17(1): 17-30.
55501	Yamada S, Koizumi A, Iso H, et al (2003). Risk factors for fatal subarachnoid hemorrhage. The Japan Collaborative Cohort Study. <i>Stroke</i> , 34: 2781-7.
253	Yamaura A (1988). Diagnosis and treatment of vertebral aneurysms. <i>J Neurosurg</i> , 69(3): 345-9.
88471	Yang C, Pan L, Sun C, et al (2016). Red meat consumption and the risk of stroke: A dose-response meta-analysis of prospective cohort studies. <i>J Stroke Cerebrovasc Dis</i> , 25(5): 1177-86.
89896	Yang CY, Chang CC, Kuo HW, et al (2006). Parity and risk of death from subarachnoid hemorrhage in women: Evidence from a cohort in Taiwan. <i>Neurology</i> , 67(3): 514-5.
15542	Yano K, Popper JS, Kagan A, et al (1994). Epidemiology of stroke among Japanese men in Hawaii during 24 years of follow-up: the Honolulu Heart Program. <i>Health Reports</i> , 6(1): 28-38.
255	Yano K, Reed DM, MacLean CJ (1989). Serum cholesterol and hemorrhagic stroke in the Honolulu Heart Program. <i>Stroke</i> , 20(11): 1460-5.
88667	Yao X, Zhang K, Bian J, et al (2016). Alcohol consumption and risk of subarachnoid hemorrhage: A meta-analysis of 14 observational studies. <i>Biomedical Reports</i> , 5: 428-36.
88666	Yao XY, Jiang CQ, Jia GL, et al (2016). Diabetes mellitus and the risk of aneurysmal subarachnoid haemorrhage: A systematic review and meta-analysis of current evidence. <i>J Int Med Res</i> , 44(6): 1141-55.
55428	Yi SW, Odongua N, Nam CM, et al (2009). Body mass index and stroke mortality by smoking and age at menopause among Korean postmenopausal women. <i>Stroke</i> , 40: 3428-35.
56769	Yoneda H, Ouchi K, Ogawa A, et al (2005). Chlamydia pneumoniae infection as a risk factor for subarachnoid hemorrhage. <i>Cerebrovasc Dis</i> , 19: 209-13.
56086	Yoon BW, Bae HJ, Hong KS, et al (2007). Phenylpropanolamine contained in cold remedies and risk of hemorrhagic stroke. <i>Neurology</i> , 68: 146-9.
89897	Yoshida K, Takahashi JC, Takenobu Y, et al (2017). Strokes associated with pregnancy and puerperium: a nationwide study by the Japan Stroke Society. <i>Stroke</i> , 48(2): 276-82.
55365	Yoshimoto Y, Tanaka Y, Hoya K (2001). Acute systemic inflammatory response syndrome in subarachnoid hemorrhage. <i>Stroke</i> , 32: 1989-93.
88558	Yoshioka D, Toda K, Sakaguchi T, et al (2014). Valve surgery in active endocarditis patients complicated by intracranial haemorrhage: the influence of the timing of surgery on neurological outcomes. <i>Eur J Cardiothorac Surg</i> , 45(6): 1082-8.
55462	Zacharia BE, Ducruet AF, Hickman ZL, et al (2009). Renal dysfunction as an independent predictor of outcome after aneurysmal subarachnoid hemorrhage. A single-center cohort study. <i>Stroke</i> , 40: 2375-81.
88481	Zacharia BE, Hickman ZL, Grobelny BT, et al (2010). Epidemiology of aneurysmal subarachnoid hemorrhage. <i>Neurosurg Clin N Am</i> , 21(2): 221-33.

55412	Zaidat OO, Ionita CC, Hussain SI, et al (2009). Impact of ruptured cerebral aneurysm coiling and clipping on the incidence of cerebral vasospasm and clinical outcome. <i>J Neuroimaging</i> , 19: 144-9.
89899	Zangbar B, Wynne J, Joseph B, et al (2015). Traumatic intracranial aneurysm in blunt trauma. <i>Brain Inj</i> , 29(5): 601-6.
88669	Zhang BF, Song JN, Wang J, et al (2015). Effect of statins on aneurysmal subarachnoid hemorrhage: A meta-analysis of randomized controlled trials. <i>Turk Neurosurg</i> , 25(6): 850-7.
88559	Zhang J, Liu G, Arima H, et al (2013). Incidence and risks of subarachnoid hemorrhage in China. <i>Stroke</i> , 44(10): 2891-3.
72307	Zhang Y, Tuomilehto J, Jousilahti P, et al (2012). Total and high-density lipoprotein cholesterol and stroke risk. <i>Stroke</i> , 43(7): 1768-74.
88668	Zhang Y, Yang X, Wang Y, et al (2014). Influence of morphology and hemodynamic factors on rupture of multiple intracranial aneurysms: matched-pairs of ruptured-unruptured aneurysms located unilaterally on the anterior circulation. <i>BMC Neurol</i> , 14(253): s12883.
88468	Zhang Z, Xu G, Yang F, et al (2014). Quantitative analysis of dietary protein intake and stroke risk. <i>Neurology</i> , 83(1): 19-25.
89901	Zhao L, Zhao Z, Chen X, et al (2018). Safety and efficacy of prourokinase injection in patients with ST-elevation myocardial infarction: phase IV clinical trials of the prourokinase phase study. <i>Heart and Vessels</i> , 33(5): 507-12.
56897	Zhao WY, Krings T, Alvarez H, et al (2007). Management of spontaneous haemorrhagic intracranial vertebrobasilar dissection: review of 21 consecutive cases. <i>Acta Neurochir (Wien)</i> , 149(6): 585-96.
88441	Zheng Y, Wang X, Liu J, et al (2016). A community-based study of the correlation of hemorrhagic stroke occurrence with meteorologic factors. <i>J Stroke Cerebrovasc Dis</i> , 25(10): 2323-30.
88670	Zhu RL, Chen ZJ, Li S, et al (2016). Statin-treated patients with aneurysmal subarachnoid haemorrhage: a meta-analysis. <i>Eur Rev Med Pharmacol Sci</i> , 20: 2090-8.
88482	Ziamba-Davis M, Bohnstedt BN, Payner TD, et al (2014). Incidence, epidemiology, and treatment of aneurysmal subarachnoid hemorrhage in 12 midwest communities. <i>J Stroke Cerebrovasc Dis</i> , 23(5): 1073-82.
89903	Zoller B, Li X, Sundquist J, et al (2012). Risk of subsequent ischemic and hemorrhagic stroke in patients hospitalized for immune-mediated diseases: a nationwide follow-up study from Sweden. <i>BMC Neurol</i> , 12: 41.
88442	Zorrilla-Vaca A, Healy RJ, Silva-Medina MM (2017). Revealing the association between cerebrovascular accidents and ambient temperature: a meta-analysis. <i>Int J Biometeorol</i> , 61(5): 821-32.