

GOITRE

RMA ID Number	Reference List for RMA278-3 as at June 2017
---------------	---

11604	Abdel-Wahab MM, Eltom M, Omer MIA, et al (1984). Prophylaxis and treatment of endemic goitre in Western Sudan with intramuscular iodized oil. <i>Annals of Tropical Paediatrics</i> , 4: 159-64.
65793	Abraham P, Avenell A, McGeoch SC, Clark LF, Bevan JS (2010). Antithyroid drug regimen for treating Graves' hyperthyroidism. <i>Cochrane Database of Systematic Reviews</i> , 20(1): CD003420. [Abstract]
17207	Abuye C, Kelbessa U, Wolde-Gebriel S (1998). Health effects of cassava consumption in South Ethiopia. <i>East African Medical Journal</i> , 75(3): 166-70.
17713	Adams WH (1992). Late medical consequences of exposure to radioactive fallout: Rongelap and Utirik 35 years after "Bravo". <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 156(2): 269-90.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). . Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
11723	Aghini-Lombardi F, Antonangeli L, Pinchera A, et al (1997). Effect of iodized salt on thyroid volume of children living in an area previously characterized by moderate iodine deficiency. <i>Journal of Clinical Endocrinology & Metabolism</i> , 82(4): 1136-9.
11747	Aghini-Lombardi F, Pinchera A, Antonangeli L, et al (1993). Iodized salt prophylaxis of endemic goiter: an experience in Toscana (Italy). <i>Acta Endocrinologica</i> , 129: 497-500.
11610	Albert RE, Omran AR (1968). Follow-up study of patients treated by x-ray epilation for tinea capitis. <i>Arch Environ Health</i> , 17: 899-918.
11742	Alvarez-Sala R, Prados C, Marcos JS, Rio FG, et al (1994). Amyloid goitre and hypothyroidism secondary to cystic fibrosis. <i>Postgraduate Medical Journal</i> , 71(835): 307-8.
11579	Amado JA, Palacios S, Manzanos J, Ondiviela R et al (1982). Fast growing goitre as the first clinical manifestation of systemic amyloidosis. <i>Postgraduate Medical Journal</i> , 58: 171-2.
17208	Ameh EA, Nmadu PT (1997). Thyrotoxicosis in Zaria, Nigeria: an update. <i>East African Medical Journal</i> , 74(7): 433-4.
11884	Ando S, Maggiolini M, Di Carlo A, Diodato A, et al (1994). Endemic goiter in Calabria: Etiopathogenesis and thyroid function. <i>J Endocrinol Invest</i> , 17(5): 329-33.
65908	Andrade LJ, Atta AM, Atta ML, Mangabeira CN, Parana R (2011). Thyroid disorders in patients with chronic hepatitis C using interferon-alpha and ribavirin therapy. <i>Braz J Infect Dis</i> , 15(4): 377-81.
11699	Anonymous (1967). Iodide goitre. <i>The Lancet</i> , 1(496): 939.
11708	Anonymous (1971). Flouride toothpaste. <i>Lancet</i> , 2(726): 703-4.
11669	Anonymous (1973). Chronic cassava toxicity. <i>The Lancet</i> , 2(823): 245-6.

11674	Anonymous (1980). The role of vitamin A deficiency in endemic goiter. <i>Nutrition Reviews</i> , 38(1): 15-6.
11584	Anonymous (1982). Dietary goitrogens [editorial]. <i>Lancet</i> , 1(8286): 1394-5.
11623	Anonymous (1982). Dietary goitrogens. <i>The Lancet</i> , 2(8297): 552.
11628	Anonymous (1985). Goitre and iodine deficiency in Europe. Report of the Subcommittee for the Study of Endemic Goitre and Iodine Deficiency of the European Thyroid Association. <i>Lancet</i> , 1(8441): 1289-3.
17547	Antonelli A, Silvano G, Bianchi F, et al (1995). Risk of thyroid nodules in subjects occupationally exposed to radiation: a cross sectional study. <i>Occupational and Environmental Medicine</i> , 52: 500-5.
25562	Aoki Y (2001). Polychlorinated biphenyls, polychlorinated dibenzo-p-dioxins, and polychlorinated dibenzofurans as endocrine disrupters-what we have learned from Yusho disease. <i>Environmental Research</i> , 86(1): 2-11.
11883	Aquaron R, Zarrouck K, Jarari MF, Ababou R, et al (1992). Endemic goiter in Morocco (Skoura-Roundoute areas in the high atlas). <i>J Endocrinol Invest</i> , 16(1): 9-14.
62543	Arisawa K, Takeda H, Mikasa H (2005). Background exposure to PCDDs/PCDFs/PCBs and its potential health effects: a review of epidemiologic studies. <i>J Med Invest</i> , 52: 10-21.
80745	ARPANSA (2012). Radiation protection: Beta particles. . Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
16011	Ashizawa K, Shibata Y, Yamashita S, Namba H, et al (1997). Prevalence of goiter and urinary iodine excretion levels in children around Chernobyl. <i>Journal of Clinical Endocrinology and Metabolism</i> , 82(10): 3430-3.
11732	Atkins MB, Mier JW, Parkinson DR, Gould JA, et al (1988). Hypothyroidism after treatment with interleukin-2 and lymphokine-activated killer cells. <i>NEJM</i> , 318(24): 1557-63.
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. . Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA, . .
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units.cfm
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
64885	Aydin IY, Aydin Y, Besir HF, Demirin H et al (2011). Effect of smoking intensity on thyroid volume, thyroid nodularity and thyroid function: the Melen study. <i>Minerva Endocrinol</i> , 36: 273-80.
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
64824	Bachmann J, Kobe C, Bor S, Rahlf I et al (2009). Radioiodine therapy for thyroid volume reduction of large goitres. <i>Nucl Med Commun</i> , 30: 466-71.
11519	Bagchi N, Brown TR, Parish RF (1990). Thyroid dysfunction in adults over age 55 years. A study in an urban US community. <i>Arch Intern Med</i> , 150: 785.

65909	Bahn RS, Burch HB, Cooper DS, Garber JR et al (2011). Hyperthyroidism and other causes of thyrotoxicosis: Management guidelines of the American thyroid association and American association of clinical endocrinologists. <i>Endocr Pract</i> , 17(3): 457-520.
11668	Baikie AG, Connolly RJ (1973). The Tasmanian goitrogen. <i>The Lancet</i> , 1(793): 47. Retrieved 24 November 1997, from 47
11716	Baltisberger BL, Minder CE, Burgi H (1995). Decrease of incidence of toxic nodular goitre in a region of Switzerland after full correction of mild iodine deficiency. <i>European Journal of Endocrinology</i> , 132: 546-9.
64924	Bandyopadhyay SK, Dutta A (2006). Isolated massive thyroid metastasis in lung cancer. <i>Singapore Med J</i> , 47(4): 324.
12895	Baranski S & Czerski P (1976). <i>Biological Effects of Microwaves</i> , . Dowdwn, Hutchinson & Ross Inc.
11575	Barker DJP, Phillips DIW (1984). Current incidence of thyrotoxicosis and past prevalence of goitre in 12 British towns. <i>The Lancet</i> , 2(8402): 567-70.
11703	Barnes P, Weatherstone R (1979). Tuberculosis of the thyroid: two case reports. <i>Br J Dis Chest</i> , 73: 187-91.
64825	Barrere X, Valeix P, Preziosi P, Bensimon M et al (2000). Determinants of thyroid volume in healthy French adults participating in the SU.VI.MAX cohort. <i>Clin Endocrinol (Oxf)</i> , 52: 273-8.
12036	Barsano CP (1981). Environmental factors altering thyroid function and their assessment. <i>Environmental Health Perspectives</i> , 38: 71-82.
17715	Bartalena L, Bogazzi F & Martino E (1999). Is thyroxine during lithium therapy necessary? <i>Journal of Endocrinology Investigation</i> , 22(22): 220-22.
11719	Bartalena L, Bogazzi F, Tanda ML, Manetti L, et al (1995). Cigarette smoking and the thyroid. <i>European Journal of Endocrinology</i> , 133: 507-12.
11528	Bartalena L, Brogioni S, Grasso L, Bogazzi F, et al (1996). Treatment of amiodarone-induced thyrotoxicosis, a difficult challenge: results of a prospective study. <i>Journal of Clinical Endocrinology and metabolism</i> , 81(8): 2930-3.
61193	Batterman AR, Cook PM, Lodge KB, Lothenbach DB, Butterworth BC (1989). Methodology used for a laboratory determination of relative contributions of water, sediment and food chain routes of uptake for 2,3,7,8-TCDD bioaccumulation by lake trout in Lake Ontario. <i>Chemosphere</i> , 19(1-6): 451-8.
12037	Bauch K, Meng W, Ulrich FE, Grosse E et al (1986). Thyroid status during pregnancy and post partum in regions of iodine deficiency and endemic goiter. <i>Endocrinologia Experimentalis</i> , 20(1): 67-77.
61194	Baughman R, Meleson M (1973). An analytical method for detecting TCDD (dioxin): Levels of TCDD in samples from Vietnam. <i>Environ Health Perspect</i> , 5: 27-35.
11637	Baumann G, Neuhaus K, Tholen H (1974). Goiter and renal failure. <i>Annals of Internal Medicine</i> , 81(5): 706.
11707	Bech K, Larsen JH, Hansen JM, Nerup J (1974). <i>Yersinia enterocolitica</i> infection and thyroid disorders. <i>Lancet</i> , 2(7886): 951-2.
11713	Becker CB, Gordon JM (1993). Iodinated glycerol and thyroid dysfunction. Four cases and a review of the literature. <i>Chest</i> , 103(1): 188-92.
11645	Becker DV, Hurley JR (1971). Complications of radioiodine treatment of hyperthyroidism. <i>Seminars in Nuclear Medicine</i> , 1(4): 442-60.
11869	Beck-Peccoz P, Brucker-Davis F, Persani L, Smallridge RC, et al (1996). Thyrotropin-secreting pituitary tumors. <i>Endocrine Reviews</i> , 17(6): 610-38.
11886	Benade JG, Oelofse A, van Stuijvenberg ME, et al (1997). Endemic goitre in a rural community of KwaAulu-Natal. <i>SAMJ</i> , 87(3): 310-3.
12693	Berghout A, Wiersinga WM, Smits NJ, & Touber JL (1987). Determinants of thyroid volume as measured by ultrasonography in healthy adults in a non-iodine deficient area. <i>Clinical Endocrinology</i> , 26: 273-80.

11627	Berglund J, Bondesson L, Christensen SB, Larsson AS and Tibblin S (1990). Indications for thyroxine therapy after surgery for nontoxic benign goitre. <i>Acta Chir Scand</i> , 156: 433-8.
11654	Berglund J, Christensen SB, Hallengren B (1990). Total and age-specific incidence of graves' thyrotoxicosis, toxic nodular goitre and solitary toxic adenoma in Malmo 1970-74. <i>Journal of Internal Medicine</i> , 227: 137-41.
12795	Bertelsen JB and Hegedus L (1994). Cigarette smoking and the thyroid. <i>Thyroid</i> , 4: 327-31.
11885	Berthaud P, Schlumberger M, Comoy E, et al (1990). Hypothyroidism and goiter during interleukin-2 therapy. <i>J Endocrinol Invest</i> , 13(8): 689-90.
65910	Bhatia S, Ramsay NK, Bantle JP, Mertens A, Robison LL (1996). Thyroid abnormalities after therapy for Hodgkin's disease in childhood. <i>The Oncologist</i> , 1: 62-7.
16008	Biassoni P, Ravera G, Bertocchi J, Schenone F, Bourdoux P (1998). Influence of dietary habits on thyroid status of a nomadic people, the Bororo shepherds, roaming a central African region affected by severe iodine deficiency. <i>European Journal of Endocrinology</i> , 138: 681-5.
65794	Bliddal S, Rasmussen AK, Sundberg K, Brocks V, Feldt-Rasmussen U (2011). Antithyroid drug-induced fetal goitrous hypothyroidism. <i>Nat Rev Endocrinol</i> , 7(7): 396-406. [Abstract]
11612	Block SH (1973). Goiter complicating therapy with iodinated glycerol (organidin). <i>The Journal of Pediatrics</i> , 83(1): 84-6.
67019	Boas M, Feldt-Rasmussen U, Skakkebaek NE, Main KM (2006). Environmental chemicals and thyroid function. <i>Eur J Endocrinol</i> , 154: 599-611.
65345	Boas M, Feldt-Rasmussen U, Main KM (2012). Thyroid effects of endocrine disrupting chemicals. <i>Molecular & Cellular Endocrinology</i> , 355: 240-8.
11979	Bocchetta A, Bernardi F, Pedditzi M, Loviselli A, et al (1991). Thyroid abnormalities during lithium treatment. <i>Acta Psychiatrica Scandinavica</i> , 83: 193-8.
11722	Bocchetta A, Cherchi A, Loviselli A, Mossa P, et al (1996). Six-year follow-up of thyroid function during lithium treatment. <i>Acta Psychiatr Scand</i> , 94: 45-8.
67069	Bocchetta A, Loviselli A (2006). Lithium treatment and thyroid abnormalities. <i>Clin Pract Epidemiol Ment Health</i> , 2: 23.
17546	Boice JD, Mandel JS, Doody MM, et al (1992). A health survey of radiologic technologists. <i>Cancer</i> . Col, 69: 586-98.
65911	Bonnema SJ, Bennedaek FN, Ladenson PW, Hegedus L (2002). Management of the nontoxic multinodular Goiter: A north American survey. <i>J Clin Endo Metab</i> , 87(1): 112-7.
65795	Bou Khalil R, Richa S (2011). Thyroid adverse effects of psychotropic drugs: a review. <i>Clin Neuropharmacol</i> , 34(6): 248-55. [Abstract]
11689	Bourdoux P, Delange F, Gerard M, Mafuta M et al (1978). Evidence that cassava ingestion increases thiocyanate formation: a possible etiologic factor in endemic goiter. <i>Journal of Clinical Endocrinology & Metabolism</i> , 46(4): 613-21.
11740	Boyages SC, Bloot AM, Maberly GF, Eastman CJ, et al (1989). Thyroid autoimmunity in endemic goitre caused by excessive iodine intake. <i>Clinical Endocrinology</i> , 31: 453-65.
80727	Braby et al (2011). 3. Radiation exposure from internally deposited radionuclides. , Report 86, 11(2): 33-8. Retrieved 6 February 2017, from <i>Journal of the ICRU</i>
65912	Brauer VF, Below H, Kramer A, Fuhrer D, Paschke R (2006). The role of thiocyanate in the etiology of goiter in an industrial metropolitan area. <i>Eur J Endocrinol</i> , 154: 229-35.
11704	Braverman LE (1975). Consequences of thyroid radiation in children. <i>NEJM</i> , 292(4): 204-5.

12034	Braverman LE (1994). Iodine and the thyroid: 33 years of study. <i>Thyroid</i> , 4(3): 351-6.
17596	Brix TH, Kyvik KO, Hegedus L (1999). Major role of genes in the etiology of simple goiter in females: a population-based twin study. <i>The Journal of Clinical Endocrinology & Metabolism</i> , 84(9): 3071-5.
64826	Brooks AL (2005). Comments on the article "possible contribution of 129I in the drinking water and food supply to nodular formation of thyroid tissue.". <i>Health Phys</i> , 89(3): 274.
65070	Bruce B, Messine M, Spiller GA (2003). Isoflavone supplements do not affect thyroid function in iodine-replete postmenopausal women. <i>J Med Food</i> , 6(4): 309-16.
65718	Buffler PA, Ginevan ME, Mandel JS, Watkins DK (2011). The air force health study: An epidemiologic retrospective. <i>Ann Epidemiol</i> , 21(9): 673-87.
11603	Burgi H, Siebenhuner L, Miloni E (1984). Fluorine and thyroid gland function: a review of the Literature. <i>Klin Wochenschr</i> , 62: 564-9.
11638	Burke G, Silverstein GE (1969). Hypothyroidism after treatment with sodium iodide 1 131. <i>JAMA</i> , 210(6): 1051-8.
65351	Calvert GM, Sweeny MH, Deddens J, Wall DK (1999). Evaluation of diabetes mellitus, serum glucose, and thyroid function among United States workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Occup Environ Med</i> , 56: 270-6.
64896	Cansu A, Serdaroglu A, Camurdan O, Hirf (2006). The evaluation of thyroid functions, thyroid antibodies, and thyroid volumes in children with epilepsy during short-term administration of oxcarbazepine and valproate. <i>Epilepsia</i> , 47(11): 1855-9.
43945	Cardis E, Vrijheid M, Blettner M, Gilbert E, Hakama M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Research</i> , 167(4): 396-416.
65913	Carle A, Pedersen IB, Knudsen N, Perrild H, Ovesen L, Jorgensen T, Laurberg P (2009). Thyroid volume in hypothyroidism due to autoimmune disease follows a unimodal distribution: Evidence against primary thyroid atrophy and autoimmune thyroiditis being distinct disease. <i>J Clin Endo Metab</i> , 94(3): 833-9.
45909	Carpenter DO (2006). Polychlorinated biphenyls (PCBs): routes of exposure and effects on human health. <i>Reviews on Environmental Health</i> , 21(1): 1-23.
80746	Carter M, Robothem R, Wise K, et al (2006). Australian participants in British nuclear tests in Australia. Department of Veterans' Affairs, Vol 1: Dosimetry. Commonwealth of Australia.
12636	Caruso DR, Mazzaferri EL (1992). Intervention in Graves' disease. Choosing among imperfect but effective treatment options. <i>Postgraduate Medicine</i> , 92(8): 117-124; 128-9; 133-134.
11644	Caserio RJ, Eaglstein WH, Allen CM (1984). [Comment] Treatment of granuloma annulare with potassium iodine. <i>Journal of the American Academy of Dermatology</i> , 10(2): 294-5.
11706	Caughey JE (1970). Effects of iodation of bread. <i>The Lancet</i> , 1(651): 847.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. . Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
12056	Cetorelli L, Galante A, Pennetti V (1975). Patterns of urinary iodine excretion in a newly identified goitrous area of central Sicily. <i>Nutrition & Metabolism</i> , 19: 55-64.
11633	Chabrolle JP (1978). Danger of iodine skin absorption in the neonate. <i>The Journal of Pediatrics</i> , 93(1): 158-9.
11978	Chabrolle JP, Rossier A (1978). Goitre and hypothyroidism in the newborn after cutaneous absorption of iodine. <i>Archives of Disease in Childhood</i> , 53: 495-98.

65914	Chandra AK, Mukhopadhyay S, Lahari D, Tripathy S (2004). Goitrogenic content of Indian cyanogenic plant foods & their in vitro anti-thyroidal activity. Indian J Med Res, 199: 180-5.
64827	Chang TC, Chen WL, Chang WP, Chen CJ (2001). Effect of prolonged radiation exposure on the thyroid gland of residents living Co-contaminated rebar buildings. Int J Radiat Bio, 77(11): 1117-22.
65915	Chaudhary A, Nayak B, Guieria S, Arora R, Gupta R, Sharma MC (2010). Tuberculosis of the thyroid presenting as multinodular goiter with hypothyroidism: A rare presentation. Indian J Pathol Microbiol, 53(3): 579-81.
11887	Chen Y, Chang T, Chen C (1994). Influence of Smoking on Graves' Disease with or without Ophthalmopathy and Nontoxic Nodular Goiter in Taiwan. J Formos Med Assoc, 93(1): 40-4.
9730	Chen YL, Chang T, Chen C-J (1994). Influence of smoking on Graves' disease with or without ophthalmopathy & nontoxic nodular goiter in Taiwan. J Formos Med Assoc, 93(1): 40-4.
9657	Chiavato L, Pinchera A (1996). Stressful life events and Graves' disease. European Journal of Endocrinology, 134(6): 680-2.
11868	Chow CC, Cockram CS (1990). Thyroid disorders induced by lithium and amiodarone: an overview. Adverse Drug Reaction & Acute Poisoning Review, 9(4): 207-22.
11599	Christensen SB, Dricsson UB, Janzon L, Tibblin S et al (1982). Influence of cigarette smoking on goiter formation, thyroglobulin, and thyroid hormone levels in women. Journal of Clinical Endocrinology and Metabolism, 58(4): 615-8.
64899	Cigna AA (2005). [Comment] Comment on Dogru Paper. Health Phys, 89(3): 275. Comment on ID: 36065.
12141	Clements FW (1976). Endemic goitre. World Health Organization Monograph Series, 62: 83-93.
11705	Clements FW, Gibson HB, Howe-Coy JF (1970). Goitre prophylaxis by addition of potassium iodate to bread. Experience in Tasmania. The Lancet, Mar 7: 489-92.
11663	Committee on Drugs (1976). Adverse reactions to iodide therapy of asthma and other pulmonary diseases. Pediatrics, 57(2): 272-4.
67299	Committee to Review the Health Effects in Vietnam Veterans of Exposure to Herbicides (2011). Veterans and agent orange update 2010. Institute of Medicine, 8th Edition.: 735-46. The National Academic Press, Washington DC.
11639	Conard RA, Rall JE, Sutow WW (1966). Thyroid nodules as a late sequela of radioactive fallout in a Marshall Island population exposed in 1954. NEJM, 274(25): 1391-9.
11647	Constine LS, Donaldson SS, McDougall IR, Cox RS, Link MP & Kaplan HS (1984). Thyroid dysfunction after radiotherapy in children with Hodgkin's disease. Cancer, 53: 878-83.
12047	Cooke RA, Champness LT (1972). Renal disease and goitre: a new syndrome of primary amyloidosis. Australian Pediatric Journal, 8(5): 250-4.
11666	Crawford MD (1972). Fluoride, water hardness, and endemic goitre. The Lancet, 1(7763): 1293.
11702	Crile G, Esselstyn CB, Hawk WA (1979). Needle biopsy in the diagnosis of thyroid nodules appearing after radiation. NEJM, 301(18): 997-9.
11661	Crile G, Esselstyn CB, Hawk WA (1979). Needle biopsy in the diagnosis of thyroid nodules appearing after radiation. NEJM, 301(18): 997-8.
65346	Crofton KM (2008). Thyroid disrupting chemical: mechanisms and mixtures. Int J Androl, 31: 209-23.
11664	Crooks J, Tulloch MI, Turnbull AC, Davidsson D, et al (1967). Comparative incidence of goitre in pregnancy in Iceland and Scotland. The Lancet, 2(517): 625-7.

64886	Czarnywojtek A, Kurdybacha P, Florek E, Warmuz-stangierska I et al (2010). Smoking and thyroid diseases - what is new? <i>Przegl Lek</i> , 67(10): 1056-60.
65916	Dabbaghmanesh MH, Sadegholvaad A, Ejtehadi F, Ranjabr-Omrani G (2008). The role of iron deficiency in persistent goiter. <i>Arch Iran Med</i> , 11(2): 157-61.
67007	Dallaire R, Dewailly E, Pereg D, Dery S et al (2009). Thyroid function and plasma concentrations of polyhalogenated compounds in Inuit adults. <i>Environ Health Perspect</i> , 117(9): 138-6.
11693	Danovitch GM, Roith LE, Sobel R, Sikuler E, Straus R (1979). Amyloid goitre in familial mediterranean fever. <i>Clinical Endocrinology</i> , 11: 595-601.
65917	Das S, Bhansali A, Dutta P, Aggarwal A et al (2011). Persistence of goitre in the post-iodization phase: micronutrient deficiency or thyroid autoimmunity? <i>Indian J Med Res</i> , 133(1): 103-9.
11784	Das SC, Isichei UP, Egbuta JO, Banwo AI (1989). Cations and anions in drinking water as putative contributory factors to endemic goitre in Plateau State, Nigeria. <i>Tropical and Geographical Medicine</i> , 41: 346-52.
11667	Day TK, Powell-Jackson PR (1972). Fluoride, water hardness, and endemic goitre. <i>The Lancet</i> , : 1135-8.
11518	Dayan CM, Daniels GH (1996). Chronic autoimmune thyroiditis. <i>NEJM</i> , 335(2): 99-107.
12124	de Papp ZG, Pincus RA, Hempelmann LH (1970). Treatment of radiation-induced nodular goiters. <i>Journal of Nuclear Medicine</i> , 11(8): 496-502.
17195	De Vathaire F, Fragu P, Francois P, et al (1993). Long-term effects on the thyroid of irradiation for skin angiomas in childhood. <i>Radiation Research</i> , 133: 381-6.
11517	DeGroot LJ (1989). Diagnostic approach and management of patients exposed to irradiation to the thyroid. <i>Journal of Clinical Endocrinology and Metabolism</i> , 69(5): 925-8.
11526	DeGroot LJ, Reilly M, Pinnameneni K, Refetoff S (1983). Retrospective and prospective study of radiation-induced thyroid disease. <i>The American Journal of Medicine</i> , 74: 852-62.
17597	Delange F (1999). What do we call a goiter? <i>European Journal of Endocrinology</i> , 140: 486-8.
11739	Delange F, Burgi H (1989). Iodine deficiency disorders in Europe. <i>Bulletin of the World Health Organization</i> , 67(3): 317-25.
11592	Delange F, Ermans AM (1971). Role of a dietary goitrogen in the etiology of endemic goiter on Idjw Island. <i>The American Journal of Clinical Nutrition</i> , 24: 1354-60.
11782	Deniker P, Eyquem A, Berheim R, Loo H et al (1978). Thyroid autoantibody levels during lithium therapy. <i>Neuropsychobiology</i> , 4: 270-5.
67303	Diamanti-Kandarakis E, Bourguignon JP, Giudice LC, Hauser R et al (2009). Endocrine-disrupting chemicals: an endocrine society scientific statement. <i>Endocrine Reviews</i> , 30(4): 293-342.
11890	Dobbs HJ (1983). Thyroid damage - after treatment for Hodgkin's disease. <i>Clinical Oncology</i> , 9(1): 51-6.
11622	Dobyns BM, Sheline GE, Workman JB, Tompkins RA et al (1974). Malignant and benign neoplasms of the thyroid in patients treated for hyperthyroidism: a report of the cooperative thyrotoxicosis therapy follow-up study. <i>Journal Clinical Endocrinology Metabolism</i> , 38: 976-98.
11675	Dobyns BM, Sheline GE, Workman JB, Tompkins EA, et al (1974). Malignant and benign neoplasms of the neoplasms of the thyroid in patients treated for hyperthyroidism: a report of the cooperative thyrotoxicosis therapy follow-up study. <i>J Clin Endocrinol Metab</i> , 38: 976-98.
65919	Doerge DR, Sheehan DM (2002). Goitrogenic and estrogenic activity of soy isoflavones. <i>Environ Health Perspect</i> , 110(3): 349-53.

12057	Dogadin SA, Nozdrachyov KG, Kutznetsov SR, Sivkova OM, Manchouk VT (1994). Goitre prevalence in indigenous population of Evenkia. Arctic Medical Research, 53(3): 152-5.
64900	Dogru M (2005). [Comment] Response to Cigna. Health Phys, 89(3): 275. Comment on ID: 64899.
36065	Dogru O, Dogru M, Aygen E, et al (2005). The possible contribution of 129I in the drinking water and food supply to the nodular formation of thyroid tissue. Health Phys, 88(3): 243-7.
11596	Dolan TH, Gibson LE (1970). Complications of iodide therapy in patients with cystic fibrosis. The Journal of Pediatrics, 79(4): 684-7.
11721	Drexhage HA (1996). Autoimmunity and thyroid growth. Where do we stand? European Journal of Endocrinology, 135: 39-45.
11609	Drucker D, Eggo MC, Salit IE, Burrow GN (1984). Ethionamide-induced goitrous hypothyroidism. Annals of Internal Medicine, 100: 837-9.
9656	Dumont JE, Ermans AM, Maenhaut C, Coppee F, Stanbury JB (1995). Large goitre as a maladaptation to iodine deficiency. Clinical Endocrinology, 43(1): 1-10.
11562	Dumont JE, Maenhaut C, Lamy F (1992). Control of Thyroid cell proliferation and goitrogenesis. Trends Endocrinol Metab, 3: 12-17.
65918	Duncea I, Pepene CE (2008). IFNalpha-induced recurrence of Graves' disease ten years after thyroidectomy in chronic viral hepatitis C. Case report. J Gastrointestin Liver Dis, 17(4): 453-6.
11608	Eason RJ, Croxson MS, Lim TMT, Evans MC et al (1984). Goitre and thyroid dysfunction during chronic amiodarone treatment. New Zealand Medical Journal, 97: 216-9.
11737	Eastman CJ, Phillips DI (1988). Endemic goitre and iodine deficiency disorders-aetiology, epidemiology and treatment. Bailliere's Clinical Endocrinology and Metabolism, 2(3): 719-35.
65921	Egert S, Rimbach G (2011). Which sources of flavonoids: complex diets or dietary supplements? Adv Nutr, 2: 8-14.
12140	Elnagar B, Eltom M, Karlsson FA, Bourdoux PP, et al (1997). Control of iodine deficiency using iodination of water in a goitre endemic area. International Journal of Food Sciences and Nutrition, 48(2): 119-27.
11605	Eltom M, Hofvander Y, Torelm I, Fellstrom B (1984). Endemic goitre in the Darfur region (Sudan): epidemiology and aetiology. Acta Med Scand, 215: 467-75.
11613	Eltom M, Salih MAM, Bostrom H & Dahlberg PA (1985). Differences in aetiology and thyroid function in endemic goitre between rural and urban areas of the Darfur region of the Sudan. Acta Endocrinologica, 108: 356-60.
11712	Ericsson UB, Lingarde F (1991). Effects of cigarette smoking on thyroid function and the prevalence of goitre, thyrotoxicosis and autoimmune thyroiditis. Journal of Internal Medicine, 229: 67-71.
11694	Ermans AM, Delange F, van der Velden M, Kinthaert J (1973). Goitrogenic action of cyanogenic glucosides present in cassava: a possible etiologic factor of endemic goiter in the Idjwi Island. Acta Endocrinologica, 79(Supplement): 31.
11888	Fardella C, Lopez JM, Valdes ME, Nunez M et al (1990). Autoimmune thyroid disease in the puerperium. Predictive value of thyroid enlargement and related hormonal changes during pregnancy. J Endocrinol Invest, 13(4): 283-6.
11529	Farwell AP, Abend SL, Huang SKS, Patwardhan N, Braverman LE (1990). Thyroidectomy for amiodarone-induced thyrotoxicosis. JAMA, 263(11): 1526-8.
12632	Feldt-Rasmussen U, Glinoer D, Orgiazzi J (1993). Reassessment of antithyroid drug therapy of graves' disease. Annual Review of Medicine, 44: 323-34.
11744	Fieve RR, Platman SR (1969). Follow-up studies of lithium and thyroid function in manic depressive illness. Am J Psychiatry, 125(10): 1443-5.

11520	Figge J, Dluhy RG (1990). Amiodarone-induced elevation of thyroid stimulating hormone in patients receiving levothyroxine for primary hypothyroidism. <i>Annals of Internal Medicine</i> , 113(7): 553-5.
11726	Filteau SM, Sullivan KR, Anwar US, Anwar ZR, Tomkins AM (1994). Iodine deficiency alone cannot account for goitre prevalence among pregnant women in Modhupur, Bangladesh. <i>European Journal of Clinical Nutrition</i> , 48: 293-302.
11714	Fisch A, Pichard E, Prazuck T, Sebbag R, et al (1993). A new approach to combating iodine deficiency in developing countries: the controlled release of iodine in water by a silicone elastomer. <i>American Journal of Public Health</i> , 83(4): 540-5.
64828	Fister P, Gaberscek S, Zaletel K, Krhin B, Gersak K, Hojker S (2009). Thyroid volume changes during pregnancy and after delivery in an iodine-sufficient republic of Slovenia. <i>Eur J Obstet Gynecol Reprod Biol</i> , 145: 45-8.
11864	Foo LC, Letchuman GR, Nafikudin M, Azriman R, et al (1994). Endemic Goiter in the Lemanak and Al River villages of Sarawak. <i>Southeast Asian J Trop Med Public Health</i> , 25(3): 575-8.
12049	Foo LC, Zainab T, Goh SY, Letchuman GR et al (1996). Iodization of village water supply in the control of endemic iodine deficiency in rural Sarawak, Malaysia. <i>Biomedical and Environmental Sciences</i> , 9: 236-41.
17598	Foo LC, Zulfiqar A, Nafikudin M, et al (1999). Local versus WHO/International Council for Control of Iodine Deficiency Disorders-recommended thyroid volume reference in the assessment of iodine deficiency disorders. <i>European Journal of Endocrinology</i> , 140: 491-7.
11595	Fradkin JE and Wolff J (1983). Iodide-Induced Thyrotoxicosis. <i>Medicine</i> , 62(1): 1-20.
11534	Fradkin JE, Wolff J (1983). Iodide-induced thyrotoxicosis. <i>Medicine</i> , 62(1): 1-20.
65920	Franklyn JA, Boelaert K (2012). Thyrotoxicosis. <i>Lancet</i> , 379: 1155-66.
11535	Franklyn JA, Davis JR, Gammie MD, Littler WA (1985). Amiodarone and thyroid hormone action. <i>Clinical Endocrinology</i> , 22: 257-64.
64890	Friedman GD, Asgari MM, Warton M, Chan J, Habel LA (2012). Antihypertensive drugs and lip cancer in non-hispanic whites. <i>Arch Intern Med</i> , 6: E1-6.
65923	Frilling A, Liu C, Weber F (2004). Benign multinodular goiter. <i>Scandinavian Journal of Surgery</i> , 93: 278-81.
11634	Fuks Z, Glatstein E, Marsa GW, Bagshaw MA et al (1976). Long term effects of external radiation on the pituitary and thyroid glands. <i>Cancer</i> , 37: 1152-61.
65922	Gaberscek S, Zaletel K (2011). Thyroid physiology and autoimmunity in pregnancy and after delivery. <i>Expert Rev Clin Immunol</i> , 7(5): 697-707.
12090	Gaitan E (1973). Water-borne goitrogens and their role in the etiology of endemic goiter. <i>World Review of Nutrition & Dietetics</i> , 17: 53-90.
12064	Gaitan E (1983). Endemic goiter in Western Colombia. <i>Ecology of Disease</i> , 2(4): 295-308.
11735	Gaitan E (1988). Goitrogens. <i>Bailliere's Clinical Endocrinology and Metabolism</i> , 2(3): 683-702.
11631	Gaitan E (1990). Goitrogens in food and water. <i>Annu Rev Nutr</i> , 10: 21-39.
11691	Gaitan E, Medina P, DeRouen TA, Zia MS (1980). Goiter prevalence and bacterial contamination of water supplies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 51(5): 957-61.
64829	Galanti MR, Granath F, Cnattingius S, Ekbom-Schnell A, Ekbom A (2005). Cigarette smoking and the risk of goitre and thyroid nodules amongst parous women. <i>J Intern Med</i> , 258: 257-64.
11536	Georges JL, Normand JP, Lenormand ME & Schwob J (1992). Life-threatening thyrotoxicosis induced by amiodarone in patients with benign heart disease. <i>European Heart Journal</i> , 13: 129-132.

80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
65924	Gkountouvas A, Chatjimarkou F, Sevastiadou M, Ntoula E, Georgiadis P, Kaldrimidis P (2010). Diffuse goiter and severe hypothyroidism due to metastasis to the thyroid. <i>Case Rep Oncol</i> , 3: 439-44.
66927	Goldner WS, Sandler DP, Yu F, Hoppin JA et al (2010). Pesticide use and thyroid disease among women in the agricultural health study. <i>Am J Epidemiol</i> , 171(4): 455-64.
11602	Goluboff LG, Sisson JC, Hamburger JI (1974). Hyperthyroidism associated with pregnancy. <i>Obstetrics & Gynecology</i> , 44(1): 107-116.
64830	Gomez JM, Maravall FJ, Gomez N, Guma A, Soler J (2000). Determinants of thyroid volume as measured by ultrasonography in healthy adults randomly selected. <i>Clin Endocrinol (Oxf)</i> , 53: 629-34.
65352	Goodman JE, Kerper LE, Boyce CP, Prueitt RL, Rhomberg LR (2010). Weight-of-evidence analysis of human exposures to dioxin and dioxin-like compounds and associations with thyroid hormone levels during early development. <i>Regulatory Toxicology & Pharmacology</i> , 58: 79-99.
11521	Graham GD, Burman KD (1986). Radioiodine treatment of graves' disease. An assessment of its potential risks. <i>Annals of Internal Medicine</i> , 105: 900-5.
11619	Griffiths NJ, Murley RS, Gulin R, Simpson RD, et al (1974). Thyroid function following partial thyroidectomy. <i>British Journal of Surgery</i> , 61: 626-32.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian participants in British nuclear tests in Australia. Vol 2: Mortality and cancer incidence. Department of Veterans' Affairs, Canberra, .
11889	Gutekunst R, Scriba PC (1989). Goiter and Iodine deficiency in Europe. the european Thyroid Association report as updated in 1988. <i>J Endocrinol Invest</i> , 12(3): 209-20.
11710	Guze Bh, Baxter LR (1986). Lithium-induced goiter and voice changes. <i>J Clin Pschopharmacol</i> , 6(2): 120-1.
17619	Habu S, Watanobe H, Kimura K-I & Suda T (1999). A case of amyloid goiter secondary to Crohn's Disease. <i>Endocrine Journal</i> , 46(1): 179-82.
11665	Hadjimarkos DM (1972). Fluoride and goitre. <i>The Lancet</i> , 1(764): 1343.
11589	Hamburger JI (1986). The various presentations of thyroiditis: diagnostic considerations. <i>Annals of Internal Medicine</i> , 104: 219-24.
15999	Hamilton TE, van Belle G, LoGerfo JP (1987). Thyroid neoplasia in Marchall Islanders exposed to nuclear fallout. <i>JAMA</i> , 258(5): 629-36.
9606	Hancock SL, McDougall IR, Constine LS (1995). Thyroid abnormalities after therapeutic external radiation. <i>Int J Radiation Oncology Biol Phys</i> , 31(5): 1165-70.
65925	Hansen PS, Brix TH, Bennedbaek FN, Bonnema SJ, Kyvik KO, Hegedus L (2004). Genetic and environmental causes of individual differences in thyroid size: a study of healthy Danish twins. <i>J Clin Endo Metab</i> , 89(5): 2071-7.
11615	Harach HR, Escalante DA, Onativia A, Outes JL, et al (1985). Thyroid carcinoma and thyroiditis in an endemic goitre region before and after iodine prophylaxis. <i>Acta Endocrinologica</i> , 108: 55-60.
11891	Harjai KJ, Ligata AA (1996). Amiodarone induced Hyperthyroidism: A case series and brief review of literature. <i>Pacing & Clinical Electrophysiology</i> , 19(11 pt 1): 1548-54.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
11641	Hasen J (1974). Serum triiodothyronine and thyroid-stimulating hormone levels in a patient with iodide-induced goiter. <i>Israel Journal Medical Science</i> , 10(7): 782-5.

11590	Hegedus L (1986). Thyroid gland volume and thyroid function during and after acute hepatitis infection. <i>Metabolism</i> , 35(6): 495-8.
67305	Hegedus L, Bonnema SJ (2010). Approach to management of the patient with primary or secondary intrathoracic Goiter. <i>J Clin Endo Metab</i> , 92(12): 5155-62.
64888	Hegedus L, Brix TH, Paschke R (2009). Etiology of simple goiter. <i>Thyroid</i> , 19(3): 209-11.
11617	Hegedus L, Hansen JM, Luhdorf K , Perrild H, et al (1985). Increased frequency of goitre in epileptic patients on long term phenytoin or carbamazepine treatment. <i>Clinical Encocrinology</i> , 23: 423-9.
11585	Hegedus L, Karstrup S, Veiergang D, Jacobsen B,et al (1985). High frequency of goitre in cigarette smokers. <i>Clinical Endocrinology</i> , 22: 287-92.
11578	Heidemann PH, Stubbe P, Schurnbrand P and Prindull G (1982). Iodine-induced hypothyroidism and goiter following lipiodol lymphography. <i>Eur J Pediatr</i> , 138: 82-3.
65926	Hemminki K, Shu X, Li X, Ji J, Sundquist K, Sundquist J (2009). Familial risks for hospitalized Graves' disease and goiter. <i>Eur J Endocrinol</i> , 161: 623-9.
11780	Hempelmann LH (1968). Risk of thyroid neoplasms after irradiation in childhood. Studies of populations exposed to radiation in childhood show a dose response over a wide dose range. <i>Science</i> , 160: 159-63.
11684	Hempelmann LH, Hall WJ, Phillips M, Cooper RA, Ames WR (1975). Neoplasms in persons treated with x-rays in infancy: Fourth survey in 20 years. <i>Journal of the National Cancer Institute</i> , 55(3): 519-30.
12147	Hempelmann LH, Hall WJ, Phillips M, Cooper RA, et al (1975). Neoplasms in persons treated with X-rays in infancy: Fourth survey in 20 years. <i>Journal of the National Cancer Institute</i> , 55(3): 519-30.
11690	Hendeles L (1980). Iodide containing theophylline products. <i>The Journal of Pediatrics</i> , 96(2): 344-5.
11583	Hershman JM, Due DT, Sharp B, My L,et al (1983). Endemic goiter in Vietnam. <i>Journal of Clinical Endocrinology and Metabolism</i> , 57(2): 243-9.
11656	Hetzl BS (1970). The control of iodine deficiency. <i>The Medical Journal of Australia</i> , 2(14): 615-22.
11624	Hetzl BS (1983). Iodine deficiency disorders (IDD) and their eradication. <i>The Lancet</i> , 2(8359): 1126-9.
11625	Hintze G, Emrich D, Richter K, H Thal, et al (1988). Effect of voluntary intake of iodinated salt on prevalence of goitre in children. <i>Acta Endocrinologica (Copenh)</i> , 117: 333-8.
64897	Hirfanoglu T, Serdaroglu A, Camurdan O, Cansu et al (2007). Thyroid function and volume in epileptic children using carbamazepine, oxcarbazepine and valproate. <i>Pediatr Int</i> , 49: 822-6.
11540	Hirota Y, Tamai H, Hayashi Y, Matsubayashi S, et al (1986). Thyroid function and histology in forty-five patients with hyperthyroid graves' disease in clinical remission more than ten years after thionamide drug treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 62(1): 165-9.
64823	Hoang TD, Mai VQ, Clyde PW, Glister BC, Shakir MK (2011). Multinodular goiter as the initial presentation of systemic sarcoidosis: Limitation of fine-needle biopsy. <i>Respir Care</i> , 56(7): 1029-32.
12638	Holm LE & Alinder I (1982). Relapses after thionamide therapy for Graves' disease. <i>Acta Med Scand</i> , 211: 489-92.
11670	Horn K, Erhardt F, Fahlbusch R, Pickardt CR, et al (1976). Recurrent goiter, hyperthyroidism, galactorrhea and amenorrhea due to a thyrotropin and prolactin-producing pituitary tumor. <i>Journal of Clinical Endocrinology & Metabolism</i> , 43(1): 137-43.
72597	Hsu WL, Preston DL, Soda M et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.

11686	Humphrey ML, Burman KD (1992). Retrosternal and intrathoracic Goiter. <i>The Endocrinologist</i> , 2: 195-201.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>BJC</i> , 109(7): 1989-96.
11976	Hunter WR, McDougall CDM, Evans RW (1968). Amyloid goitre. <i>The British Journal of Surgery</i> , 55(12): 885-9.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
65927	Iglesias P, Diez JJ (2009). Thyroid dysfunction and kidney disease. <i>Eur J Endocrinol</i> , 160: 503-15.
64822	Imaizumi M, Usa T, Tominaga T, Neriishi K et al (2006). Radiation dose-response relationships for thyroid nodules and autoimmune thyroid diseases in Hiroshima and Nagasaki atomic bomb survivors 55-58 years after radiation exposure. <i>JAMA</i> , 295(9): 1011-22.
11701	Ingenbleek Y, Luypaert B, De Nayer PH (1980). Nutritional status and endemic goitre. <i>The Lancet</i> , Feb 23: 388-91.
12123	Inoue M, Taketani N, Sato T, Nakajima H (1975). High incidence of chronic lymphocytic thyroiditis in apparently healthy school children: epidemiological and clinical study. <i>Endocrinologia Japonica</i> , 22(6): 483-8.
17196	Inskip PD, Hartshorne MF, Tekkel M, et al (1997). Thyroid nodularity and cancer among Chernobyl cleanup workers from Estonia. <i>Radiation Research</i> , 147: 225-35.
80754	International Atomic Energy Agency (undated). Glossary. . Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
11778	Isichel UP, Morimoto I, Das SC, Egbuta JO, et al (1995). Endemic goiter in the Jos plateau region of Northern Nigeria. <i>Endocrine Journal</i> , 42(1): 23-9.
65928	Ittermann T, Schmidt CO, Kramer A, Below H et al (2008). Smoking as a risk factor for thyroid volume progression and incident goiter in a region with improved iodine supply. <i>Eur J Endocrinol</i> , 159: 761-6.
12086	Jacobson DR, Fleming BJ (1984). Graves' disease with ophthalmopathy following radiotherapy for Hodgkin's disease. <i>The American Journal of the Medical Sciences</i> , 288: 217-20.
11980	James PD (1972). Amyloid goitre. <i>Journal of Clinical Pathology</i> , 25: 683-8.
66938	Jameson JL, Weetman AP (2012). Disorders of the thyroid gland. Hypothyroidism. <i>Harrison's Principles of Internal Medicine</i> , 18th Edition, Chapter 341: 2918-22. .
65904	Jameson JL, Weetman AP (2012). Disorders of the thyroid gland. Introduction. <i>Harrison's Principles of Internal Medicine</i> , 18th Edition, Chapter 341: 2911. .
36094	Jereczek-Fossa BA, Alterio D, Jassem J, et al (2004). Radiotherapy-induced thyroid disorders. <i>Cancer Treatment Reviews</i> , 30: 369-84.
65348	Johnson ES, Shorter C, Bestervelt LL, Patterson DG et al (2001). Serum hormone levels in humans with low serum concentrations of 2,3,7,8-TCDD. <i>Toxicology and Industrial Health</i> , 17: 105-12.
11611	Johnson G (1984). Lithium. <i>The Medical Journal of Australia</i> , 141(9): 595-601.
16006	Jooste PL, Weight MJ, Kriek JA, Louw AJ (1999). Endemic goitre in the absence of iodine deficiency in school children of the Northern Cape Province of South Africa. <i>European Journal of Clinical Nutrition</i> , 53: 8-12.
64820	Jusufovic S, Hodzic E (2011). Role of chronic hemodialysis in thyroid gland morphology disorders. <i>Med Arch</i> , 65(6): 327-9.
16010	Kahaly G, Dienes HP, Beyer J, Hommel G (1997). Randomized, double blind, placebo-controlled trial of low dose iodide in endemic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 82(12): 4049-53.

16007	Kahaly GJ, Dienes HP, Beyer J, Hommel G (1998). Iodide induces thyroid autoimmunity in patients with endemic goitre: a randomised, double-blind, placebo-controlled trial. <i>European Journal of Endocrinology</i> , 139: 290-7.
11618	Kamoi K, Mitsima T, Sato H, Yokoyama M, et al (1985). Hyperthyroidism caused by a pituitary thyrotrophin secreting rumour with excessive secretion of thyrotrophin releasing hormone and subsequently followed by Graves' disease in a middle aged woman. <i>Acta Endocrinologica</i> , 110: 373-82.
12146	Kanoh T, Shimada H, Uchino H, Matsumura K (1989). Amyloid goiter with hypothyroidism. <i>Arch Pathol Lab Med</i> , 113(5): 542-4.
12063	Kanoh T, Shimada H, Uchino H, Matsumura K (1989). Amyloid goiter with hypothyroidism. <i>Archives of Pathology & Laboratory Medicine</i> , 113(5): 542-4.
11892	Kapil U, Saxena N, Ramachandran S, Balamurugan A, et al (1996). Assessment of Iodine deficiency disorders using the 30 cluster approach in the National Capital Territory of Delhi. <i>Indian Pediatrics</i> , 33(12): 1013-7.
11728	Kaplan J, Ish-Shalom S (1991). Goiter and hypothyroidism during re-treatment with amidarone in a patient who previously experienced amiodarone-induced thyrotoxicosis. <i>The American Journal of Medicine</i> , 90: 750-2.
16014	Kaplan MM, Boice JD, Ames DB, Rosenstein M (1987). Thyroid, parathyroid, and salivary gland evaluations in patients exposed to multiple fluoroscopic examinations during tuberculosis therapy: A pilot study. <i>Journal of Clinical Endocrinology</i> , 66(2): 376-82.
11658	Kaplan MM, Garnick MB, Gelber R, Li FP, et al (1983). Risk factors for thyroid abnormalities after neck irradiation for childhood cancer. <i>The American Journal of Medicine</i> , 74: 272-80.
11733	Kaptein EM, Quion-Verde H, Chooljian CJ, Tang WW, et al (1988). The thyroid in end-stage renal disease. <i>Medicine</i> , 67(3): 187-97.
17667	Kasagi K, Shimatsu A, Miyamoto S, et al (1999). Goiter associated with acromegaly: sonographic and scintigraphic findings of the thyroid gland. <i>Thyroid</i> , 9(8): 791-6.
16009	Kasatkina EP, Shilin DE, Rosenbloom AL, Pykov MI, et al (1997). Effects of low level radiation from the Chernobyl accident in a population with iodine deficiency. <i>Eur J Pediatr</i> , 156: 916-20.
18928	Kearsley J, Kaldor J, Smart R, Loy J and Hickey K (2000). The Report of the RMA Subcommittee on Ionising Radiation Dose, . Department of Veterans Affairs, Canberra.
17545	Kendall GM, Muirhead CR, MacGibbon BH, et al (1992). Mortality and occupational exposure to radiation: first analysis of the National Registry for Radiation Workers. <i>BMJ</i> , 304: 220-5.
16000	Kerber RA, Till JE, Simon SL, et al (1993). A cohort study of thyroid disease in relation to fallout from nuclear weapons testing. <i>JAMA</i> , 270(17): 2076-82.
11777	Keyvani F, Yassai M, Kimiagar M (1988). Vitamin A status and endemic goiter. <i>International Journal of Vitamin Nutrition Research</i> , 58: 155-60.
17161	Khan LK, Li R, Gootnick D (1998). Thyroid abnormalities related to iodine excess from water purification units. <i>Lancet</i> , 352: 1519.
11642	Khin-Maung-Naing, Cho-New-Oo, Tin-Tin-Oo, Thane-Toe (1989). A study on the aetiology of endemic goitre in lowland Burma. <i>European Journal of Clinical Nutrition</i> , 43: 693-8.
11632	Kimiagar M, Azizi F, Navai L, Yassai M et al (1990). Survey of iodine deficiency in a rural area near Tehran: association of food intake and endemic goitre. <i>European Journal of Clinical Nutrition</i> , 44: 17-22.
12050	Kinsella TJ, Fraass BA, Glatstein E (1982). Late effects of radiation therapy in the treatment of Hodgkin's disease. <i>Cancer Treatment Reports</i> , 66(4): 991-1001.

65954	Knudsen N, Bulow I, Laurberg P, Perrild H, Ovesen L, Jorgensen T (2002). High occurrence of thyroid multinodularity and low occurrence of subclinical hypothyroidism among tobacco smokers in a large population study. <i>J Endocrinology</i> , 175: 571-6.
64819	Knudsen N, Bulow I, Laurberg P, Ovesen L, Perrild H, Jorgensen T (2002). Association of tobacco smoking with goiter in a low-iodine-intake area. <i>Arch Intern Med</i> , 162: 439-43.
64892	Knudsen N, Laurberg P, Perrild H, Bulow I, Ovesen L, Jorgensen T (2002). Risk factors for goiter and thyroid nodules. <i>Thyroid</i> , 12(10): 879-88.
12808	Konde M, Ingenbleek Y, Daffe M, Sylla B, et al (1994). Goitrous endemic in Guinea. <i>The Lancet</i> , 344(8938): 1675-78.
65929	Konishi T, Okamoto Y, Ueda M, Fukuda Y et al (2011). Drug discontinuation after treatment with minimum maintenance dose of an antithyroid drug in Grave's disease: a retrospective study on effects of treatment duration with minimum maintenance dose on lasting remission. <i>Endocr J</i> , 58(2): 95-100.
11614	Kourtras DA, Sinaniotis CA (1973). Iodide goiter following lymphography. <i>The Journal of Pediatrics</i> , 83(1): 83-4.
17359	Krissenko N (1997). Overview of 1993 research activities in Belarus related to the Chernobyl accident. <i>Stem Cells</i> , 15(Suppl 2): 207-10.
12145	Kusic Z, Dakovic N, Kaic-Rak A, Karner I, et al (1996). Current status of endemic goiter in Croatia: The results of a nationwide study (1995). <i>Journal of Endocrinological Investigation</i> , 19(4): 210-4.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
11673	Lamberg BA (1991). Endemic goitre-iodine deficiency disorders. <i>Annals of Medicine</i> , 23: 367-72.
11725	Lamberg BA (1993). Iodine deficiency disorders and endemic goitre. <i>European Journal of Clinical Nutrition</i> , 47: 1-8.
11696	Lane RJM, Clark F, McCollum JK (1977). Oxyphenbutazone-induced goitre. <i>Postgraduate Medical Journal</i> , 53: 91-5.
65349	Langer P (2010). The impacts of organochlorines and other persistent pollutants on thyroid and metabolic health. <i>Frontiers in Neuroendocrinology</i> , 31: 497-518.
67010	Langer P, Kocan A, Tajtakova M, Susienkova K et al (2009). Multiple adverse thyroid and metabolic health signs in the population from the area heavily polluted by organochlorine cocktail (PCB, DEE, HCB, dioxin). <i>Thyroid Research</i> , 2: 3.
67011	Langer P, Tajtakova M, Fodor G, Kocan A et al (1998). Increased thyroid volume and prevalence of thyroid disorders in an area heavily polluted by polychlorinated biphenyls. <i>Eur J Endocrinol</i> , 139: 402-9.
65353	Langer P, Tajtakova M, Kocan A, Petrik J et al (2007). Thyroid ultrasound volume, structure and function after long-term high exposure of large population of polychlorinated biphenyls, pesticides and dioxin. <i>Chemosphere</i> , 69: 118-27.
12053	Latham MC, Grech P (1967). The effects of excessive fluoride intake. <i>American Journal of Public Health & the Nations Health</i> , 57(4): 651-60.
11541	Laurberg P, Hansen PEB, Iversen E, Jensen SE, Weeke J (1986). Goitre size and outcome of medical treatment of graves' disease. <i>Acta Endocrinologica</i> , 111: 39-43.
67306	Laurberg P, Jorgensen T, Perrild H, Ovesen L et al (2006). The Danish investigation on iodine intake and thyroid disease, DanThyr: status and perspectives. <i>Eur J Endocrinol</i> , 155: 219-28.

64845	Laurberg P, Pedersen IB, Knudsen N, Ovesen L, Andersen S (2001). Environmental iodine intake affects the type of nonmalignant thyroid disease. <i>Thyroid</i> , 11(5): 457-69.
65930	Laurberg P, Pedersen KM, Hreidarsson A, Sigfusson N, Iversen E, Knudsen PR (1998). Iodine intake and the pattern of thyroid disorders: A comparative epidemiological study of thyroid abnormalities in the elderly in Iceland and in Jutland, Denmark. <i>J Clin Endocrinol Metab</i> , 83(3): 765-9.
11709	Laurberg P, Pedersen KM, Vestergaard H, Sigurdsson G (1991). High incidence of multinodular toxic goitre in the elderly population in a low iodine intake area vs. high incidence of graves' disease in the young in a high iodine intake area: comparative surveys of thyrotoxicosis epidemiology in East-Jutland Denmark and Iceland. <i>J Int Med</i> , 229: 415-20.
17714	Lazarus H (1999). Is thyroxine during lithium therapy necessary? <i>Journal of Endocrinology Investigation</i> , 21(11): 784-86.
12809	Lazarus JH (1995). [Comment] Endemic goitre in Guinea. <i>The Lancet</i> , 345(8948): 514-15.
64831	Lazarus JH (2009). Lithium and thyroid. <i>Best Pract Res Clin Endocrinol Metab</i> , 23: 723-33.
11597	Lazarus JH, John R, Bennie EH, Chalmers RJ and Crockett G (1981). Lithium therapy and thyroid function: a long term study. <i>Psychological Medicine</i> , 11: 85-92.
11743	Lazarus JH, Parkes AB, John R, N'Diaye M, Prysor-Jones SG (1992). Endemic goitre in Senegal-thyroid function etiological factors and treatment with oral iodized oil. <i>Acta Endocrinologica</i> , 126: 149-54.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
11671	Lee S, Chow CC, Wing YK, Shek CC (1992). Thyroid abnormalities during chronic lithium treatment in Hong Kong Chinese: a controlled study. <i>Journal of Affective Disorders</i> , 26: 173-8.
11574	Lee VW, Rubinow A, Pehrson J, Skinner M, Cohen AS (1984). Amyloid goitre: preoperative scintigraphic diagnosis using Tc-99m pyrophosphate. <i>The Journal of Nuclear Medicine</i> , 25: 468-71.
11700	Levy RP, Newman DM, Rejali LS, Barford DA (1980). The myth of goiter in pregnancy. <i>Am J Obstet Gynecol</i> , 137: 701-3.
11734	Li M, Qu CY, Qian Q, J Q, et al (1987). Endemic goitre in Central China caused by excessive iodine intake. <i>The Lancet</i> , 2(8553): 257-9.
11975	Liewendahl K, Gordin A (1974). Iodine-induced toxic diffuse goitre. <i>Acta Med Scand</i> , 196: 237-9.
12092	Liewendahl K, Turula M (1972). Iodide-induced goitre and hypothyroidism in a patient with chronic lymphocytic thyroiditis. <i>Acta Endocrinologica</i> , 71(2): 289-96.
16191	Lin CC, Chen TW, Ng YY, et al (1998). Thyroid dysfunction and nodular goiter in hemodialysis and peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 18: 516-21.
12822	Lio S, Marinuzzi G & Monaco F (1989). Role of smoking in goiter morphology and thyrotropin response to TRH in untreated goitrous women. <i>Journal of Endocrinology Investigation</i> , 12: 93-7.
16015	Little M and Sharp C (1996). Risk of thyroid nodules in subjects occupationally exposed to radiation: a cross sectional study. <i>Correspondence - Occupational and Environmental Medicine</i> , 53: 575-6.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.

11893	Loeffler JS, Tarbell NJ, Garber JR. Mauch P (1988). The development of Graves' Disease following radiation therapy in Hodgkin's Disease. <i>Int J Radiat Oncol Biol Phys</i> , 14: 175-8.
11895	Lombardi G, Panza N, Biondi B, Di Lorenzo L, et al (1993). Effects of lithium treatment on hypothalamic-pituitary-thyroid axis: A longitudinal study. <i>J Endocrinol Invest</i> , 16(4): 259-63.
11896	Long TJ, Felice ME, Hollingsworth DR (1985). Goiter in pregnant teenagers. <i>Am J Obstet Gynecol</i> , 152(6 Pt 1): 670- 4.
65931	Lorberboym M, Schachter P (2007). Drug-induced thyrotoxicosis: The surgical option. <i>IMAJ</i> , 9: 79-82.
12122	Loviselli A, Bocchetta A, Mossa P, Velluzzi F, et al (1997). Value of thyroid echography in the long-term follow-up of lithium-treated patients. <i>Neuropsychobiology</i> , 36(1): 37-41.
12060	Ma T, Lu TZ, Wang SY, Dong CF, et al (1989). High-iodide endemic goiter. <i>Chinese Medical Journal</i> , 95(9): 692-6.
11581	Maberly GF, Corcoran JM, Eastman CJ (1982). The effect of iodized oil on goitre size, thyroid function and the development of the jod Basedow phenomenon. <i>Clinical Endocrinology</i> , 17: 253-9.
11516	Mack E (1995). Management of patients with substernal goiters. <i>Surgical Clinics of North America</i> , 75(3): 377-94.
11781	Mafauzy M, Mohamad WBW, Anum MYY, Musalmah M (1995). Urinary iodine excretion in the northeast of peninsular Malaysia. <i>SouthEast Asian Journal of Tropical Medicine Public Health</i> , 26(1): 138-42.
11785	Mahdi EEL, Eltom M, Karlsson FA, Mukhtar E (1986). Water goitrogens and endemic goitre in the Sudan. <i>Tropical and Geographical Medicine</i> , 38: 180-2.
11897	Manzoni GC, Bono G, Lanfranchi M, Micieli G, et al (1983). Lithium carbonate in cluster headache: assessment of its short- and long-term therapeutic efficacy. <i>Cephalgia</i> , 3(2): 109-14.
64894	Markou K, Georgopoulos N, Kyriazophoulou K Vagenakis AG (2001). Iodine-induced hypothyroidism. <i>Thyroid</i> , 11(5): 501-10.
11537	Martino E, Aghini-Lombardi F, Lippi F, Bashieri L, Safran M, Braverman LE & Pinchera A (1985). Twenty-four hour radioactive iodine uptake in 35 patients with amiodarone associated thyrotoxicosis. <i>The Journal of Nuclear Medicine</i> , 26: 1402-7.
12055	Martino E, Loviselli A, Velluzzi F, Murtas ML, et al (1994). Endemic goiter and thyroid function in Central-Southern Sardinia: report on an extensive epidemiological survey. <i>Journal of Endocrinology Investigation</i> , 17: 653-7.
11576	Martino E, Safran M, Aghini-Lombardi F, Rajatanavin R et al (1984). Environmental iodine intake and thyroid dysfunction during chronic amiodarone therapy. <i>Annals of Internal Medicine</i> , 101: 28-34.
11898	Martins MC, Lima N, Knobel M, Medeiros-Neto G (1989). Natural course of iodine-induced thyrotoxicosis (Jodbasedow) in endemic goiter area: A 5 year follow-up. <i>J Endocrinol Invest</i> , 12(4): 239-44.
11629	Mattijssen VJM, De Mulder PHM, Van Liessum PA, Corstens FHM, et al (1990). Hypothyroidism and goitre in a patient during treatment with Interleukin-2. <i>Cancer</i> , 65(12): 2686-8.
11646	Mauch PM, Weinstein H, Botnick L, Belli J & Cassady RJ (1983). An evaluation of long-term survival and treatment complications in children with Hodgkin's disease. <i>Cancer</i> , 51: 925-32.
11692	Maxon HR, Saenger EL, Thomas SR, Buncher CR, et al (1980). Clinically important radiation-associated thyroid disease. A controlled study. <i>JAMA</i> , 244(16): 1802-5.
11527	Maxon HR, Thomas SR, Saenger EL, Buncher CR, et al (1977). Ionizing irradiation and the induction of clinically significant disease in the human thyroid gland. <i>The American Journal of Medicine</i> , 63: 967-78.

11588	McDermott MT, Burman KD, Hofeldt FD, Kidd GS (1986). Lithium-associated thyrotoxicosis. <i>The American Journal of Medicine</i> , 80: 1245-8.
11621	McDougall R (1991). Graves' Disease: Current Concepts. <i>Medical Clinics of North America</i> , 75(1): 79-95.
12035	McLaren EH, Alexander WD (1979). Goitrogens. <i>Clinics in Endocrinology and Metabolism</i> , 8(1): 129-44.
64887	Medeiros-Neto G, Camargo RY, Tomimori EK (2012). Approach to and treatment of Goiters. <i>Med Clin North Am</i> , 96: 351-68.
67071	Meeker JD, Altshul L, Hauser R (2007). Serum PCBs,p,p'-DDE and HCB predict thyroid hormone levels in men. <i>Environ Res</i> , 104(2): 296-304.
11601	Melia P, Sinanan K, O'Donoghue F (1972). Goiter in psychiatric patients. <i>American Journal of Psychiatry</i> , 129(5): 632.
65796	Messina M, Redmond G (2006). Effects of soy protein and soybean isoflavones on thyroid function in healthy adults and hypothyroid patients: a review of the relevant literature. <i>Thyroid</i> , 16(3): 249-58. [Abstract]
16004	Mettler FA, Williamson MR, Royal HD, Hurley JR, et al (1992). Thyroid nodules in the population living around Chernobyl. <i>JAMA</i> , 268(5): 616-9.
12814	Michaelson SM (1971). Biomedical aspects of microwave exposure. <i>American Industrial Hygiene Association Journal</i> , 32(5): 338-45.
5224	Michaelson SM (1982). Health implications of exposure to radiofrequency/microwave energies. <i>Br J Ind Med</i> , 39: 105-19.
65797	Milerova J, Cerovska J, Zamrazil V, Bilek R, Lapcik O, Hampl R (2006). Actual levels of soy phytoestrogens in children correlate with thyroid laboratory parameters. <i>Clin Chem Lab Med</i> , 44(2): 171-4. [Abstract]
65157	Mitra ES, Niederkohr RD, Rodriguez C, El-Maghraby, McDougall (2008). Uncommon causes of thyrotoxicosis. <i>J Nucl Med</i> , 49: 265-78.
65802	Miyai K, Tokushige T, Kondo M, Iodine research group (2008). Suppression of thyroid function during ingestion of seaweed "Kombu" (<i>Laminaria japonica</i>) in normal Japanese adults. <i>Endocrine Journal</i> , 55(6): 1103-8.
12093	Mlingi NLV, Bokanga M, Kavishe FP, Gebre-Medhin M, Rosling H (1996). Milling reduces the goitrogenic potential of cassava. <i>International Journal of Food Sciences and Nutrition</i> , 47(6): 445-54.
11662	Mortimer RH, Hill GE, Galligan JP, Bransden AI, et al (1986). Hypothyroidism and graves' disease after mantle irradiation: a follow up study. <i>Aust N Z J Med</i> , 16: 347-51.
11587	Mortimer RH, Hill GE, Galligan JP, Bransden AI, et al (1986). Hypothyroidism and Graves' disease after mantle irradiation: a follow up study. <i>Australian & New Zealand Journal of Medicine</i> , 16: 347-51.
12153	Moulding T, Fraser R (1970). Hypothyroidism related to ethionamide. <i>American Review of Respiratory Disease</i> , 101(1): 90-4.
27791	Mueller J, Gaus C, Alberts V et al (2002). Examination of the potential exposure of Royal Australian Navy (RAN) personnel to polychlorinated dibenzodioxins and polychlorinated dibenzofurans via drinking water, . The National Research Centre for Environmental Toxicology.
11600	Mujtaba Q, Burrow GN (1975). Treatment of hyperthyroidism in pregnancy with propylthiouracil and methimazole. <i>Obstetrics & Gynecology</i> , 46(3): 282-6.
12048	Munkner T (1969). Studies on goitre due to para-aminosalicylic acid. <i>Scandinavian Journal of Respiratory Disease</i> , 50(3): 212-26.
64929	Murphy MS, Walsh CH (2004). Thyroid function in haemochromatosis. <i>Ir J Med Sci</i> , 173(1): 27-9.
11698	Murray IP, Stewart RD (1967). Iodide goitre. <i>The Lancet</i> , 1(496): 922-5.
17198	Musolino SV, Greenhouse NA, Hull AP (1997). An estimate by two methods of thyroid absorbed doses due to bravo fallout in several Northern Marshall Islands. <i>Health Physics</i> , 73(4): 651-62.

65803	Mussig K, Thamer C, Bares R, Lipp HP, Haring HU, Gallwitz (2005). Iodine-induced thyrotoxicosis after ingestion of kelp-containing tea. <i>J Gen Intern Med</i> , 21: C11-4.
12810	Nagataki S, Shibata Y, Inoue S, Yokoyama N, et al (1994). Thyroid diseases among atomic bomb survivors in Nagasaki. <i>JAMA</i> , 272(5): 364-70.
65354	Nagayama J, Tsuji H, Iida T, Hirakawa H, Matsueda T, Ohki M (2001). Effects of contamination level of dioxins and related chemicals on thyroid hormone and immune response systems in patients with "Yusho". <i>Chemosphere</i> , 43: 1005-10.
11783	Nakamura S, Kosaka J, Sugimoto M, Watanabe H et al (1990). Silent thyroiditis following rubella. <i>Endocrinologia Japonica</i> , 37(1): 79-85.
65069	Namba H, Yamashita S, Kimura H, Yokoyama N et al (1993). Evidence of thyroid volume increase in normal subjects receiving excess iodide. <i>J Clin Endo Metab</i> , 76(3): 605-8.
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP, .
11648	Nelson DF, Reddy KV, O'Mara RE, & Rubin P (1978). Thyroid abnormalities following neck irradiation for Hodgkin's disease. <i>Cancer</i> , 42: 2553-62.
11738	Nelson M, Wickus GG, Caplan RH, Beguin EA (1987). Thyroid gland size in pregnancy. An ultrasound and clinical study. <i>The Journal of Reproductive Medicine</i> , 32(12): 888-90.
11687	Newton RW (1975). Side effects of drugs used to treat tuberculosis. <i>Scottish Medical Journal</i> , 20(2): 47-9.
17706	Nikiforov Y & Gnepp DR (1999). Pathomorphology of thyroid gland lesions associated with radiation exposure: the Chernobyl experience and review of the literature. <i>Advances in Anatomic Pathology</i> , 6(2): 78-91.
65798	Nikiforov YE, Heffess C, Korzenko AV, Fagin JA, Gnepp DR (1995). Characteristics of follicular tumors and nonneoplastic thyroid lesions in children and adolescents exposed to radiation as a result of the Chernobyl disaster. <i>Cancer</i> , 76(5): 900-9. [Abstract]
11894	Nora NA, Mujais SK (1991). Uremic goiter: the malevolent iodide. <i>The International Journal of Artificial Organs</i> , 14(10): 622-4.
9741	Nunery WR, Martin RT, Heinz GW, Gavin TJ (1993). The association of cigarette smoking with clinical subtypes of ophthalmic Graves' disease. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 9(2): 77-82.
64567	Nyenwe EA, Dagogo-Jack S (2007). Recognizing iodine deficiency in iodine-replete environments. <i>NEJM</i> , 357(12): 1263-4.
11715	Nygaard B, Gideon P, Dige-Petersen H, Jespersen N, et al (1993). Thyroid volume and morphology and urinary iodine excretion in a Danish municipality. <i>Acta Endocrinologica</i> , 129: 505-10.
16013	Nygaard B, Knudsen JH, Hegedus L, et al (1997). Thyrotropin receptor antibodies and Graves' disease, a side-effect of 131I treatment in patients with nontoxic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 82(9): 2926-30.
17138	Nygaard B, Knudsen JH, Hegedus L, et al (1997). Thyrotropin receptor antibodies and Graves' Disease, a side-effect of 131 I treatment in patients with nontoxic goiter. <i>J Clin Endocrinol Metab</i> , 82(9): 2926-30.
11532	O'Doherty MJ, Kettle AG, Eustance CNP, Mountford PJ et al (1993). Radiation dose rates from adult patients receiving 131 I therapy for thyrotoxicosis. <i>Nuclear Medicine Communications</i> , 14: 160-8.
11731	Oliveira AL, Batista JI, Silva AP, Sobrinho LG, Rocha LC (1991). Endemic goitre in Guinea-Bissau. <i>Bulletin of the World Health Organization</i> , 69: 347-8.
12088	Osman AK, Basu TK, Dickerson JW (1983). A goitrogenic agent from Millet (<i>Pennisetum typhoides</i>) in Darfur Province, Wester Sudan. <i>Annals of Nutrition and Metabolism</i> , 27(1): 14-8.

11573	Osman AK, Fatah AA (1981). Factors other than iodine deficiency contributing to the endemicity of goitre in Darfur province (Sudan). <i>Journal of Human Nutrition</i> , 35: 302-9.
65895	Ostroumova E, Brenner A, Oliynyk V, McConnell R, et al (2009). Subclinical hypothyroidism after radioiodine exposure: Ukrainian-American cohort study of thyroid cancer and thyroid diseases after the Chornobyl accident (1998-2000). <i>Environ Health Perspect</i> , 117(5): 745-50.
11533	Othman S, Phillips DIW, Parkes AB, Richards CJ, et al (1990). A long-term follow-up of postpartum thyroiditis. <i>Clinical Endocrinology</i> , 92: 559-64.
57458	O'Toole BI, Catts SV, Outram S, Pierse KR, Cockburn J (2009). The physical and mental health of Australian Vietnam veterans 3 decades after the war and its relation to military service, combat, and post-traumatic stress disorder. <i>Am J Epidemiol</i> , : [Epub ahead of print].
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
17631	Ozata M, Salk M, Aydin A, et al (1999). Iodine and zinc, but not selenium and copper, deficiency exists in a male Turkish population with endemic goiter. <i>Biological Trace Element Research</i> , 69(3): 211-6.
11779	Ozbakir O, Dogukan A, Lelesyimur F (1995). The prevalence of thyroid dysfunction among elderly subjects in an endemic goiter area of Central Anatolia. <i>Endocrine Journal</i> , 42(5): 713-6.
65799	Ozdemir D, Dagdelen S, Erbas T, Sokmensuer C, Erbas B, Cila A (2011). Amyloid goiter and hypopituitarism in a patient with systemic amyloidosis. <i>Amyloid</i> , 18(1): 32-4. [Abstract]
11717	Pacaud D, Van Vliet G, Delvin E, Garel L, et al (1995). A third world endocrine disease in a 6 year old North American boy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 80(9): 2574-6.
12633	Page SR, Sheard CE, Herbert M, Hopton M et al (1996). A comparison of 20 or 40 mg per day of carbimazole in the initial treatment of hyperthyroidism. <i>Clinical Endocrinology</i> , 45: 511-15.
80756	Paquet F, Etherington G, Bailey MR, et al. On behalf of ICRP (2015). Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection, . .
11620	Parker LN, Belsky JL, Mandai T, Blot WJ et al (1973). Serum thyrotropin level and goiter in relation to childhood exposure to atomic radiation. <i>Journal Clinical Endocrinology Metabolism</i> , 37: 797-804.
11681	Parker LN, Belsky JL, Mandai T, Blot WJ, et al (1973). Serum thyrotropin level and goiter in relation to childhood exposure to atomic radiation. <i>J Clin Endocrinol Metab</i> , 37: 797-804.
11657	Parsons V, Davies C, Goode C, Ogg C, Siddiqui J et al (1971). Aluminium in bone from patients with renal failure. <i>BMJ</i> , 4: 273-5.
64832	Paschke R (2011). Molecular pathogenesis of nodular goiter. <i>Langenbecks Arch Surg</i> , 396: 1127-36.
67308	Paschke R (2011). Nodulogenesis and goitrogenesis. <i>Ann Endocrinol (Paris)</i> , 72(2): 117-9. [Abstract]
67072	Patrick L (2009). Thyroid disruption: Mechanisms and clinical implications in human health. <i>Alternative Medicine Review</i> , 14(4): 326-46.
64889	Pauwels EK, Smit WA, Slats A, Bourguignon M, Overbeek F (2000). Health effects of therapeutic use of 131I in hyperthyroidism. <i>Q J Nucl Med</i> , 44: 333-9.
65347	Pavuk M, Schechter AJ, Akhtar FZ, Michalek JE (2003). Serum 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) levels and thyroid function in air force veterans of the Vietnam war. <i>Ann Epidemiol</i> , 13: 335-43.
12121	Paynter OE, Burin GJ, Jaeger RB, Gregorio CA (1988). Goitrogens and thyroid follicular cell neoplasia: evidence for a threshold process. <i>Regulatory Toxicology & Pharmacology</i> , 8(1): 102-19.

65355	Pearce EN, Braverman LE (2009). Environmental pollutants and the thyroid. Best Pract Res Clin Endocrinol Metab, 23: 801-13.
56963	Pelclova D, Urban P, Preiss J, Lukas E, et al (2006). Adverse health effects in humans exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Reviews on Environmental Health, 21(2): 119-38.
11594	Penfold JL, Pearson CC, Savage Jp, Morris LL (1978). Iodide induced goitre and hypothyroidism in infancy and childhood. Aust Pediat J, 14: 69-73.
11577	Perrild H, Hegedus L, Arnung K (1984). Sex related goitrogenic effect of lithium carbonate in healthy young subjects. Acta Endocrinologica, 106: 203-8.
11643	Perrild H, Hegedus L, Bastrup PC, Kayser L et al (1990). Thyroid function and ultrasonically determined thyroid size in patients receiving long-term Lithium treatment. American Journal of Psychiatry, 147(11): 1518-21.
11711	Petersen K, Lindstedt G, Lunberg PA, Bengtsson C, et al (1991). Thyroid disease in middle-aged and elderly Swedish women: thyroid-related hormones, thyroid dysfunction and goitre in relation to age and smoking. Journal of Internal Medicine, 229: 407-14.
9659	Pharoah PD, Heywood PF (1994). Endemic goitre and cretinism in the Simbai and Tep-Tep areas of Madang Province, Papua New Guinea. Papua New Guinea Medical Journal, 37(2): 110-5.
11580	Phillips DIW, Barker DJP, Winter PD, Osmond C (1983). Mortality from thyrotoxicosis in England and Wales and its association with the previous prevalence of endemic goitre. Journal of Epidemiology and Community Health, 37: 305-9.
11741	Phillips DIW, Nelson M, Barker DJ, Morris JA, Wood TJ (1988). Iodine in milk and the incidence of thyrotoxicosis in England. Clinical Endocrinology, 28: 61-6.
11640	Pilepich MV, Jackson I, Munzenrider JE, Brown RS (1978). Graves' disease following irradiation for Hodgkin's disease. JAMA, 240(13): 1381-2.
12054	Pillai NK, Thangavelu M, Ramalingaswami V (1976). Nodular lesions of the thyroid in an area of high background radiation in coastal Kerala, India. Indian Journal of Medicine Research, 64(4): 537-44.
11635	Piziak VK, Sellman JE, Othmer E (1978). Lithium and hypothyroidism. Journal of Clinical Psychiatry, 39: 709-11.
11680	Podoba J, Michajlovskij M, Stukovsky R (1973). Iodine deficiency, environmental goitrogens and genetic factors in the etiology of endemic goiter. Acta Endocrinol Suppl (Copenh), 179: 36-7.
11659	Porter AT, Ostrowski MJ (1988). Fluctuating thyroid dysfunction following irradiation of the neck for the treatment of Hodgkin's disease. Journal of the Royal Society of Medicine, 81: 45-6.
16001	Pottern LM, Kaplan MM, Larsen PR, Silva JE, et al (1990). Thyroid nodularity after childhood irradiation for lymphoid hyperplasia: A comparison of questionnaire and clinical findings. J Clin Epidemiol, 43(5): 449-60.
12052	Prager EM, Gardner RE (1979). Iatrogenic hypothyroidism from topical iodine-containing medications. Western Journal of Medicine, 130(6): 553-5.
11672	Prescott E, Netterstrom B, Faber J, Hegedus L, et al (1992). Effect of occupational exposure to cobalt blue dyes on the thyroid volume and function of female plate painters. Scand J Work Environ Health, 18: 101-4.
45968	Preston DL, Ron E, Tokuoka S, Funamoto S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. Radiation Research, 168: 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, Suyama A, Mabuchi K (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. Radiation Research, 160: 381-407.
12695	Prummel MF, Wiersinga WM (1993). Smoking and risk of graves' disease. JAMA, 269(4): 479-82.

58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. . Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
9658	Radosavljevic VR, Jankovic SM, Marinkovic JM (1996). Stressful life events in the pathogenesis of Graves' disease. <i>European Journal of Endocrinology</i> , 134(6): 699-701.
64833	Rahman A, Deacon N, Panther B, Chesters J, Savige G (2010). Is Gippsland environmentally iodine deficient? Water iodine concentrations in the Gippsland region of Victoria, Australia. <i>Aust J Rural Health</i> , 18: 223-9.
12154	Rajasoorya C (1993). Examining the therapeutic options in hyperthyroidism- a personal perspective. <i>Annals of the Academy of Medicine, Singapore</i> , 22(4): 617-23.
11688	Rallison ML, Dobyns BM, Keating FR, Rall JE et al (1975). Thyroid nodularity in children. <i>JAMA</i> , 233: 1069-72.
12051	Rallison ML, Kumagai LF, Tyler FH (1967). Goitrous hypothyroidism induced by amino-gluthimide, anticonvulsant drug. <i>Journal of Clinical Endocrinology & Metabolism</i> , 27(2): 265-72.
11899	Ramirez G, Jubiz W, Gutch CF, Kolff WJ (1972). Thyroid function in chronic renal failure: effects of chronic hemodialysis. <i>Trans Amer Soc Artif Int Organs</i> , 18(0): 244-9.
11729	Rasmussen N G, Hornnes PJ, Hegedus L (1989). Ultrasonographically determined thyroid size in pregnancy and post partum: the goitrogenic effect of pregnancy. <i>American Journal of Obstetric Gynecology</i> , 160: 1216-20.
12087	Regalbuto C, Squarrito S, La Rosa GL, Cercabene G, et al (1996). Longitudinal study on goiter prevalence and goitrogen factors in northeastern Sicily. <i>Journal of Endocrinological Investigation</i> , 19(9): 638-45.
12639	Reid DJ (1987). Hyperthyroidism and hypothyroidism complicating the treatment of thyrotoxicosis. <i>British Journal of Surgery</i> , 74: 1060-62.
12634	Reinwein D, Benker G, Lazarus JH, Alexander WD & The European Multicenter Study Group on Antithyroid Drug Treatment (1993). A prospective randomized trial of antithyroid drug dose in graves' disease therapy. <i>Journal of Clinical Endocrinology & Metabolism</i> , 76: 1516-21.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs, : .
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs, : .
64844	Rhee CM, Bhan I, Alexander EK, Brunelli SM (2012). Association between iodinated contrast media exposure and incident hyperthyroidism and hypothyroidism. <i>Arch Intern Med</i> , 172(2): 153-9.
65896	Rios A, Rodriguez JM, Moya MR, Galindo PJ et al (2006). Associations of HLA-C alleles with multinodular goiters. <i>Arch Surg</i> , 141: 123-8.
64891	Robbins J, Dunn JT, Bouville A, Kravchenko VI et al (2001). Iodine nutrition and the risk from radioactive iodine: a workshop report in the Chernobyl long-term follow-up study. <i>Thyroid</i> , 11(5): 487-91.
64575	Roberts CGP, Ladenson PW (2004). Hypothyroidism. <i>Lancet</i> , 363: 793-803.
12285	Robinette CD, Silverman C, & Jablon S (1980). Effects upon health of occupational exposure to microwave radiation (RADAR). <i>American Journal of Epidemiology</i> , 112: 39-53.
64834	Ron E, Brenner A (2010). Non-malignant thyroid diseases after a wide range of radiation exposures. <i>Rad Res</i> , 174: 877-88.
7180	Ron E, Modan B, Preston D, Alfandary E, et al (1989). Thyroid neoplasia following low-dose radiation in childhood. <i>Rad Res</i> , 120: 516-31.
12094	Rosen IB, Bedard YC, Walfish PG, Bain J (1978). Metastasis of cancer to the thyroid gland as a cause of goitre. <i>Canadian Medical Association Journal</i> , 118(10): 1265-8.

12062	Rosen IB, Bedard YC, Walfish PG, Bain J (1978). Metastasis of cancer to the thyroid gland as a cause of goitre. Canadian Medical Association Journal, 118(10): 1265-8.
11525	Rosen IB, Palmer JA, Bain J, Strawbridge H et al (1983). Efficacy of needle biopsy in postradiation thyroid disease. Surgery, 94(6): 1002-7.
11607	Rosen IB, Simpson JA, Sutcliffe, Gorenstein L (1984). High-dose radiation and the emergence of thyroid nodular disease. Surgery, 96(6): 988-95.
11745	Roti E, Gardini E, Minelli R, Salvi M et al (1989). Methimazole and serum thyroid hormone concentrations in hyperthyroid patients: effects of single and multiple daily doses. Annals of Internal Medicine, 111(2): 181-2.
11530	Roti E, Robuschi G, Gardini E, Montermini M, Salvi M, et al (1988). Comparison of methimazole, methimazole and sodium ipodate, and methimazole and saturated solution of potassium iodide in the early treatment of hyperthyroid graves' disease. Clin Endocrinol (Oxf), 28: 305-14.
11653	Royce PC, MacKay BR, DiSabella PM (1979). Value of postirradiation screening for thyroid nodules. A controlled study of recalled patients. JAMA, 242(24): 2675-8.
11660	Safa AM, Schumacher OP, Rodriguez-Antunez A (1975). Long-term follow-up results in children and adolescents treated with radioactive iodine (131 I) for hyperthyroidism. NEJM, 292(4): 167-71.
65897	Sakurai K, Fukazawa H, Arihara Z, Yoshida K (2010). Sunitinib-induced thyrotoxicosis followed by persistent hypothyroidism with shrinkage of thyroid volume. Tohoku J Exp Med, 222: 39-44.
11586	Samanta A, Jones GR, Burden AC, Barrie WW (1985). Thoracic inlet compression due to amiodarone induced goitre. Postgraduate Medical Journal, 61: 249-50.
11913	Sankar R, Pulger T, Rai TB, Gomathi S et al (1994). Iodine deficiency disorders in school children of Sikkim. Indian J Pediatr, 61(4): 407-14.
12065	Sanker R, Pulger T, Rai TB, Gomathi S, Pandav CS (1994). Iodine deficiency disorders in school children of Sikkim. Indian Journal of Pediatrics, 61: 407-14.
11606	Sanmarti A, Permyer-Miralda G, Castellanos JM, Foz-Sala M et al (1984). Chronic administration of amiodarone and thyroid function: a follow-up study. American Heart Journal, 108(5): 1262-8.
67073	Saranac L, Zivanovic S, Bjelakovovic B, Stamenkovic H, et al (2011). Why is the thyroid so prone to autoimmune disease? Horm Res Paediatr, 75: 157-65.
64835	Savchenko OV, Toupelev PA (2012). Lead, cadmium, manganese, cobalt, zinc and copper levels in whole blood of urban teenagers with non-toxic diffuse goiter. Int J Enviro Health Res, 22(1): 51-9.
11746	Scherer J (1994). The prevalence of goiter in psychiatric outpatients suffering from affective disorder. Am J Psychiatry, 151(3): 453-4.
11652	Schimpff SC, Diggs CH, Wiswell JG, Salvatore PC, & Wiernik PH (1980). Radiation-related thyroid dysfunction: implications for the treatment of Hodgkin's disease. Annals of Internal Medicine, 92: 91-8.
11900	Schneider AB (1989). Thyroid nodules following childhood irradiation: A 1989 update. Thyroid Today, 12: 1-7.
11582	Schneider AB, Favus MJ, Stachura ME, Arnold J, et al (1978). Incidence, prevalence and characteristics of radiation-induced thyroid tumors. The American Journal of Medicine, 64: 243-52.
11531	Schneider AB, Shore-Freedman E, Weinstein RA (1986). Radiation-induced thyroid and other head and neck tumors: occurrence of multiple tumors and analysis of risk factors. Journal of Clinical Endocrinology and Metabolism, 63: 107-12.
67012	Schreinemachers DM (2010). Perturbation of lipids and glucose metabolism associated with previous 2,4-D exposure: a cross sectional study of NHANES III data 1988-1994. Environ Health, 9: 11.

11974	Sederholm T, Kouvalainen, Lamberg B-A (1968). Cobalt-induced hypothyroidism and polycythemia in lipoid nephrosis. <i>Acta Med Scand</i> , 184: 301-6.
17277	Seigel RD, Lee SL (1998). Toxic nodular goiter. Toxic adenoma and toxic multinodular goiter. <i>Endocrinology and Metabolism Clinics of North America</i> , 27(1): 151-68.
65800	Sethi Y, Gulati A, Sigh I, Rao S, Singh N (2011). Amyloid goiter: a case of primary thyroid amyloid disease. <i>Laryngoscope</i> , 121(5): 961-4. [Abstract]
12091	Shalet SM, Rosenstock JD, Beardwell CG, Pearson D, Jones PH (1977). Thyroid dysfunction following external irradiation to the neck for Hodgkin's disease in childhood. <i>Clinical Radiology</i> , 28(5): 511-15.
12635	Shigemasa C, Mitani Y, Taniguchi S, Adachi T, et al (1990). Three patients who spontaneously developed persistent hypothyroidism during or following treatment with antithyroid drugs for Graves' hyperthyroidism. <i>Archives of Internal Medicine</i> , 150: 1105-109.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
17342	Shore RE, Woodard E, Hildreth N, et al (1985). Thyroid tumours following thymus irradiation. <i>Journal of the National Cancer Institute</i> , 74: 1177-84.
12812	Silverman C (1979). Epidemiologic approach to the study of microwave effects. <i>Bull N Y Acad Med</i> , 55(11): 1166-81.
12873	Silverman C (1980). Epidemiologic studies of microwave effects. <i>Proceedings of the IEEE</i> , 68(1): 78-84.
11651	Smith RE, Adler RA, Clark P, Brinck-Johnsen T, Tulloh ME, Colton T (1981). Thyroid function after mantle irradiation in Hodgkin's disease. <i>JAMA</i> , 245(1): 46-9.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , [Epub ahead of print]: .
59534	Sokolnikov ME, Gilbert ES, Preston DL, Ron E, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.
9655	Sonino N, Girelli ME, Boscaro M, Fallo F, Busnardo B, Fava GA (1993). Life events in the pathogenesis of Graves' disease. A controlled study. <i>Acta Endocrinologica</i> , 128(4): 293-6.
65425	Spaulding SW (2011). The possible roles of environmental factors and the aryl hydrocarbon receptor in the prevalence of thyroid diseases in Vietnam era veterans. <i>Curr Opin Endocrinol Diabetes Obes</i> , 18: 315-20.
12641	Stege R (1980). Antithyroid drug therapy in hyperthyroidism. Recurrence, hypothyroidism and thyroid antibodies. <i>Acta Chirurgica Scandinavica</i> , Supplement 501: 1-130.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. The International Commission on Radiological Protection, .
11697	Stewart JC, Vidor GI (1976). Thyrotoxicosis induced by iodine contamination of food- a common unrecognised condition? <i>BMJ</i> , 1: 372-5.
16005	Stewart RR, David CL, Eftekhari F, Reid HL, et al (1989). Thyroid gland: US in patients with Hodgkin disease treated with radiation therapy in childhood. <i>Radiology</i> , 172: 159-63.
11563	Stockigt JR (1993). Hyperthyroxinemia secondary to drugs and acute illness. <i>The Endocrinologist</i> , 3: 67-72.

67309	Stoppa-Vaucher S, Vilet GV, Deladoey J (2011). Discovery of a fetal goiter on prenatal ultrasound in women treated for Graves' disease: first, do no harm. <i>Thyroid</i> , 21(8): 931.
11523	Swelstad J, Scanlon EF, Murphy D, Garces R, et al (1977). Thyroid disease following irradiation for benign conditions. <i>Arch Surg</i> , 112: 380-3.
16012	Szabolcs I, Podoba J, Feldkampt J, Dohan O, et al (1997). Comparative screening for thyroid disorders in old age in areas of iodine deficiency, long-term iodine prophylaxis and abundant iodine intake. <i>Clinical Endocrinology</i> , 47: 87-92.
64898	Tadi K, Chang Y, Ashok BT, Chen Y et al (2005). 3,3'-Diindolylmethane, a cruciferous vegetable derived synthetic anti-proliferative compound in thyroid disease. <i>Biochem Biophys Res Commun</i> , 337: 1019-25.
65898	Talwar N, Mohan S, Ravi B, Andley M, Kumar A (2008). Lithium-induced enlargement of a lingual thyroid. <i>Singapore Med J</i> , 49(3): 254.
65801	Tamagno G, De Carlo E, Muriel G, Scandellari C (2007). A possible link between genetic hemochromatosis and autoimmune thyroiditis. <i>Minerva Med</i> , 98(6): 769-72. [Abstract]
12631	Tamai H, Kasagi K, Takaichi Y, Takamatsu J, et al (1989). Development of spontaneous hypothyroidism in patients with grave's disease treated with antithyroidal drugs: clinical, immunological, and histological findings in 26 patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 69: 49-53.
11909	Tan SH, Lee BW, Uma R, Aw Se et al (1990). TRH stimulation in non-toxic goitres in children and adolescence. <i>The Journal of the Singapore Paediatric Society</i> , 32(1-2): 27- 31.
65899	Tavares AB, de Paula SK, Vaisman M, Teixeira P (2010). Amiodarone and thyrotoxicosis: case reports. <i>Arq Bras Cardiol</i> , 95(5): e122-4.
65068	Teas J, Braverman LE, Kurzer MS, Pino S, Hurley TG, Hebert JR (2007). Seaweed and soy: companion foods in Asian cuisine and their effects on thyroid function in American women. <i>J Med Food</i> , 10(1): 90-100.
65900	Teng W, Shan Z, Teng X, Guan H et al (2006). Effects of iodine intake on thyroid diseases in China. <i>N Engl J Med</i> , 354: 2783-93.
65901	Teumer A, Rawal R, Homuth G, Ernst F et al (2011). Genome-wide association study identifies four genetic loci associated with thyroid volume and goiter risk. <i>Am J Hum Genet</i> , 88: 664-73.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP, .
65932	The National Health and Medical Research Council (2010). Public Statement: Iodine supplementation for pregnant and breastfeeding women.. Retrieved 26 November 2012, from http://www.nhmrc.gov.au/_files_nhmrc/publications/attachments/new45_statement.pdf
11724	Thilly CH, Swennen B, Bourdoux P, Ntambue K, et al (1993). The epidemiology of iodine-deficiency disorders in relation to goitrogenic factors and thyroid-stimulating-hormone regulation. <i>American Journal of Clinical Nutrition</i> , 57(2Suppl): 267S-70S.
11683	Thilly CH, Vanderpas JB, Bebe N, Ntambue K, et al (1992). Iodine deficiency, other trace elements, and goitrogenic factors in the etiopathogeny of iodine deficiency disorders (IDD). <i>Biological Trace Element Research</i> , 32: 229-43.
11736	Thomas GA, Williams ED (1988). Aetiology of simple goitre. <i>Bailliere's Clinical Endocrinology and Metabolism</i> , 2(3): 703-8.
11911	Todd CH, Bourdeaux PP (1991). Severe iodine deficiency in two endemic goitre areas in Zimbabwe. <i>Central African Journal of Medicine</i> , 37(8): 237-41.
11524	Toft AD (1994). Thyroxine therapy. <i>NEJM</i> , 331(3): 174-80.

11522	Toft AD, Irvine WJ, Sinclair I, McIntosh D, Seth J, & Cameron EHD (1978). Thyroid function after surgical treatment of thyrotoxicosis. A report of 100 cases treated with propranolol before operation. <i>New England Journal Medical</i> , 298: 643-7.
11539	Torring O, Tallstendt L, Wallin G, Lundell G, et al (1996). Graves' hyperthyroidism: treatment with antithyroid drugs, surgery, or radioiodine- a prospective, randomized study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 81(8): 2986-93.
11650	Trikojus VM (1974). Some observations of endemic goitre in Tasmania and Southern Queensland. <i>New Zealand Medical Journal</i> , 80: 491-2.
11598	Trowbridge FL, Hand KA, Nichaman MZ (1975). Findings relating to goiter and iodine in Ten-State nutrition survey. <i>The American Journal of Clinical Nutrition</i> , 28: 712-6.
11616	Trowbridge FL, Matovinovic J, McLaren GD, Nichaman MZ (1975). Iodine and goiter in children. <i>Pediatrics</i> , 56(1): 82-90.
17668	Tsatsoulis A, Johnson EO, Andricula M, et al (1999). Thyroid autoimmunity is associated with higher urinary iodine concentrations in an iodine-deficient area of Northwestern Greece. <i>Thyroid</i> , 9(3): 279-83.
67074	Turyk ME, Anderson HA, Persky VW (2007). Relationships of thyroid hormones with polychlorinated biphenyls, dioxins, furans, and DDE in adults. <i>Environ Health Perspect</i> , 115(8): 1197-203.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1..
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, . Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01- Doses to organs from intake of radioactive materials. DTRA/NTPR- Standard Operating Procedures Manual, ..
11655	Utiger RD (1979). Is external irradiation a risk factor for thyroid disease and thyroid carcinoma? <i>JAMA</i> , 242(24): 2702.
11515	Utiger RD (1995). Cigarette smoking and the thyroid. <i>NEJM</i> , 333(15): 1001-2.
11636	Vagenakis AG, Braverman LE (1975). Adverse effects of iodides on thyroid function. <i>Medical Clinics of North America</i> , 59(5): 1075-88.
64836	Valentino R, Savastano S, Tommaselli AP, Di Biase S et al (2004). Screening a coastal population in southern Italy: iodine deficiency and prevalence of goitre, nutritional aspects and cardiovascular risk factors. <i>Nutr Metab Cardiovasc Dis</i> , 14: 15-9.
11730	van Liessum PA, de Mulder PH, Mattijssen EJ, Corstens FH, et al (1989). Hypothyroidism and goitre during interleukin-2 therapy without lak cells. <i>The Lancet</i> , 1(8631): 224.
11720	Van Loon AJ, Derkzen JT, Bos AF, Rouwe CW (1995). In utero diagnosis and treatment of fetal goitrous hypothyroidism, caused by maternal use of propylthiouracil. <i>Prenatal Diagnosis</i> , 15: 599-604.
11718	Vanderpump MP, French JM, Appleton D, Bates D, et al (1995). The incidence of thyroid disorders in the community: a twenty year follow-up of the Whickham Survey. <i>Clinical Endocrinology</i> , 43: 55-68.
64583	Vanderpump MPJ (2011). The epidemiology of thyroid disease. <i>Br Med Bull</i> , 99: 39-51.
12811	Various (ICCDD). International Council for Control of Iodine Deficiency disorders. World Health Organization, /Nut/94.6 Chapter 5. .

65902	Velayoudom-Cephise FL, Vian E, Bosewa T, Nallet E, Wemeau JL, Donnet JP (2011). A CT scan aspect of "hypodense thyroid gland" after sunitinib treatment for metastatic carcinoma of the kidney. <i>J Clin Endo Metab</i> , 96(3): 590-1.
64837	Vella V (2005). Goitre decline in Italy and contribution of the silent and active prophylaxis. <i>Br J Nutr</i> , 94: 818-24.
12061	Veneman TF, Weymer M, Tjabbes T, van Haeften TW (1989). Relevance of cause of hyperthyroidism in determining its management. <i>Netherlands Journal of Medicine</i> , 35(5-6): 303-8.
65903	Verrotti A, Laus M, Sardapane A, Franzoni E, Chiarelli F (2009). Thyroid hormones in children with epilepsy during long-term administration of carbamazepine and valproate. <i>Eur J Endocrinol</i> , 160: 81-6.
64579	Vestergaard P (2002). Smoking and thyroid disorders - a meta-analysis. <i>Eur J Endocrinol</i> , 146: 153-61.
64893	Vestergaard P, Rejnmark L, Weeke J, Hoeck HC, et al (2002). Smoking as a risk factor for graves' disease, toxic nodular goiter, and autoimmune hypothyroidism. <i>Thyroid</i> , 12(1): 69-75.
64838	Villa F, Dionigi G, Tanda ML, Rovera F, Boni L (2008). Amyloid goiter. <i>Int J Surg</i> , 6: S16-8.
12058	Vir S (1995). Iodine deficiency disorders in India. <i>Indian Journal of Public Health</i> , 39(4): 132-4.
64821	Volzke H, Hoffmann W (2006). Radiation exposure and thyroid disease in Hiroshima and Nagasaki atomic bomb survivors. <i>JAMA</i> , 296(5): 512-3.
67307	Volzke H, Ittermann T, Schmidt CO, Dorr M et al (2009). Subclinical hyperthyroidism and blood pressure in a population based prospective cohort study. <i>Eur J Endocrinol</i> , 161: 615-21.
67310	Volzke H, Schwahn C, Kohlmann T, Kramer A et al (2005). Risk factors for goiter in a previously iodine-deficient region. <i>Exp Clin Endocrinol Diabetes</i> , 113(9): 507-15. [Abstract]
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
11685	Walfish PG, Meyerson J, Provia JP, Vargas MT et al (1992). Prevalence and characteristics of post-partum thyroid dysfunction: results of a survey from Toronto, Canada. <i>J Endocrinol Invest</i> , 15: 265-72.
11915	Wang C, Crapo LM (1997). The epidemiology of thyroid disease and implications for screening. <i>Endocrinology and Metabolism Clinics of North America</i> , 26(1): 189-218.
11630	Wang Z, Boice JD, Wei L, Beebe GW, et al (1990). Thyroid nodularity and chromosome aberrations among women in areas of high background radiation in China. <i>Journal of the National Cancer Institute</i> , 82(6): 478-85.
11977	Weaver DK, Nishiyama RH, Batsakis JG (1976). Iodine induced thyroid disease. <i>Annals of Clinical and Laboratory Science</i> , 6: 545-50.
12640	Werner MC, Romaldini JH, Bromberg N, Werner RS, et al (1989). Adverse effects related to thionamide drugs and their dose regimen. <i>American Journal of Medical Sciences</i> , 287(4): 216-19.
64839	Wesche MF, Wiersinga WM, Smits NJ (1998). Lean body mass as a determinant of thyroid size. <i>Clin Endocrinol (Oxf)</i> , 48: 701-6.
65933	WHO, UNICEF, ICCIDD (2007). Assessment of iodine deficiency disorders and monitoring their elimination. A guide for programme managers. <i>Nutrition</i> , 3rd Edition,. WHO Geneva.
9654	Winsa B, Mandahl A, Karlsson FA (1993). Graves' disease, endocrine ophthalmopathy and smoking. <i>Acta Endocrinologica</i> , 128(2): 156-60.
11649	Wolff J (1969). Iodide goiter and the pharmacologic effects of excess iodide. <i>American Journal of Medicine</i> , 47: 101-24.
17197	Wong FL, Yamada M, Sasaki H, Kodama K, Akiba S, et al (1993). Noncancer disease incidence in the atomic bomb survivors: 1958-1986. <i>Radiation Research</i> , 135: 418-30.

11727	Wong GW, Leung SS, Kwok MM, Oppenheimer SJ (1995). Goitre in Southern Chinese children in Hong Kong. <i>Annals of Tropical Paediatrics</i> , 15: 27-31.
12637	Wood LC & Ingbar SH (1979). Hypothyroidism as a late sequela in patients with Graves' disease treated with antithyroid agents. <i>Journal of Clinical Investigation</i> , 64(5): 1429-36.
10427	World Health Organization (WHO). Electromagnetic Fields (300Hz to 300 GHz). WHO Geneva, Environmental Health Criteria, 137: 15-51, 113-5 & 147-75.
80741	World Nuclear Association (2016). Plutonium. . Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
12089	Wuster C, Steger G, Schmelzle A, Gottswinter J, Minne HW, Ziegler R (1991). Increased incidence of euthyroid and hyperthyroid goiters independently of thyrotropin in patients with acromegaly. <i>Hormone and Metabolic Research</i> , 23(3): 131-4.
12095	Wyss K, Guiral C, Ndikuyeze A, Malonga G, Tanner M (1996). Prevalence of iodine deficiency disorders and goitre in Chad. <i>Tropical Medicine and International Health</i> , 1(5): 723-9.
11626	Yassa R, Saunders A, Nastase C, Camille Y (1988). Lithium-induced thyroid disorders: a prevalence study. <i>Journal of Clinical Psychiatry</i> , 49(1): 14-6.
65907	Yildiz L, Kefeli M, Kose B, Baris S (2009). Amyloid goiter: two cases and a review of the literature. <i>Ann Saudi Med</i> , 29(2): 138-41.
64840	Yoshimoto Y, Ezaki H, Etoh R, Hiraoka T, Akiba S (1995). Prevalence rate of thyroid diseases among autopsy cases of the atomic bomb survivors in Hiroshima, 1951-1985. <i>Rad Res</i> , 141: 278-86.
67014	Yoshizawa K, Heatherly A, Malarkey DE, Walker NJ et al (2007). A critical comparison of murine pathology and epidemiological data to TCD, PCB126, and PeCF. <i>Toxicol Pathol</i> , 35(7): 865-79.
65905	Youn JC, Rhee Y, Park SY, Kim WH et al (2006). Severe hypothyroidism induced by thyroid metastasis of colon adenocarcinoma: A case report and review of the literature. <i>Endocr</i> , 53(3): 339-43.
12059	Zhu XY, Lu TZ, Song XK, Li XT, et al (1984). Endemic goiter due to iodine rich and its pickled vegetables. <i>Chinese Medical Journal</i> , 97(7): 545-8.
64895	Zimmermann MB (2006). The influence of iron status on iodine utilization and thyroid function. <i>Annu Rev Nutr</i> , 26: 367-89.
65906	Zimmermann MB, Hess SY, Molinari L, de Benoist B, et al (2004). New reference values for thyroid volume by ultrasound in iodine-sufficient schoolchildren: a World Health Organization/Nutrition for Health and Development Iodine Deficiency Study Group report. <i>Am J Clin Nutr</i> , 79: 231-7.