



CEREBRAL MENINGIOMA

RMA ID Number	Reference List for RMA214-4 as at June 2017
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). . Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
50490	Aghi MK, Eskandar EN, Carter BS, Curry W Jr, Barker FG II (2007). Increased prevalence of obesity and obesity-related postoperative complications in male patients with meningiomas. <i>Neurosurgery</i> , 61: 754-61.
1659	Ahlbom A (1988). A review of the epidemiologic literature on magnetic fields and cancer. <i>Scand J Work Environ Health</i> , 14(6): 337-43.
1660	Ahlbom A, Norell S, Rodvall Y, Nylander M (1986). Dentists, dental nurses and brain tumours. <i>BMJ (Clin Res Ed)</i> , 292(6521): 662.
80745	ARPANSA (2012). Radiation protection: Beta particles. . Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
59654	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2002). Recommendations for limiting exposure to ionizing radiation (1995) (Guidance note [NOHSC:3022(1995)]) and National standard for limiting occupational exposure to ionizing radiation [NOHSC:1013(1995)]. . Retrieved 7 February 2011, from http://www.arpansa.gov.au/pubs/rps/rpsl.pdf
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA, . .
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. . Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units/cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. . Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
25065	Auvinen A, Hietanen M, Luukkonen R, Koskela RS (2002). Brain tumors and salivary gland cancers among cellular telephone users. <i>Epidemiology</i> , 13(3): 356-9.

80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
9356	Barnett GH, Chou SM, Bay JW (1986). Posttraumatic intracranial meningioma: A case report and review of the literature. <i>Neurosurgery</i> , 18(1): 75-8.
51210	Bejjani GK, Stopak B, Schwartz A, Santi R (1999). Primary dural leiomyosarcoma in a patient infected with human immunodeficiency virus: case report. <i>Neurosurgery</i> , 44(1): 199-202. (Abstract only)
1661	Bellur SN, Chandra V, Anderson RJ (1983). Association of meningiomas with obesity. <i>Ann Neurol</i> , 13(3): 346-7.
49425	Benson VS, Pirie K, Green J et al (2008). Lifestyle factors and primary glioma and meningioma tumours in the Million Women Study cohort. <i>Br J Cancer</i> , 99(1): 185-90.
45665	Berg G, Spallek J, Schuz J, Schlehofer B, et al (2006). Occupational exposure to radio frequency/microwave radiation and the risk of brain tumors: Interphone Study Group, Germany. <i>Am J Epidemiol</i> , 164(6) pp 538-48.
59324	Berrington de Gonzalez A, Darby S (2004). Risk of cancer from diagnostic x-rays: estimates for the UK and 14 other countries. <i>The Lancet</i> , 363(9406): 345-51.
57389	Blecher CM (2010). [Comment] Alarm about computed tomography scans is unjustified. <i>MJA</i> , 192(12): 723-4.
48877	Blettner M, Schlehofer B, Samkange-Zeeb F, et al (2007). Medical exposure to ionising radiation and the risk of brain tumours: interphone study group, Germany. <i>Eur J Cancer</i> , 43: 1990-8.
49416	Bllitshteyn S, Crook JE, Jaeckle KA (2008). Is there an association between meningioma and hormone replacement therapy? <i>J Clin Oncol</i> , 26(2): 279-82.
48871	Bluhm EC, Zahm SH, Fine HA, Black PM, et al (2006). Personal hair dye use and risks of glioma, meningioma, and acoustic neuroma among adults. <i>Am J Epidemiol</i> , 165(1): 63-71.
15157	Boeing H, Schlehofer B, Blettner M & Wahrendorf J (1993). Dietary carcinogens and the risk for glioma and meningioma in Germany. <i>International Journal of Cancer</i> , 53: 561-65.
49422	Bondy M, Ligon BL (1996). Epidemiology and etiology of intracranial meningiomas: a review. <i>Journal of Neuro-Oncology</i> , 29: 197-205.
80727	Braby et al (2011). 3. Radiation exposure from internally deposited radionuclides. , Report 86, 11(2): 33-8. Retrieved 6 February 2017, from Journal of the ICRU
1662	Brada M, Ford D, Ashley S, Bliss JM, et al (1992). Risk of second brain tumour after conservative surgery and radiotherapy for pituitary adenoma. <i>BMJ</i> , 304(6838): 1343-6.
48880	Brenner AV, Linet MS, Selker RG, Shapiro WR, et al (2003). Polio vaccination and risk of brain tumors in adults: no apparent association. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 12: 177-8.
24927	Brenner AV, Linet MS, Fine HA, et al (2002). History of allergies and autoimmune diseases and risk of brain tumors in adults. <i>Journal of Cancer</i> , 99: 252-9.
59653	Brenner DJ, Hall EJ (2007). Computed tomography - an increasing source of radiation exposure. <i>N Engl J Med</i> , 357(22): 2277-84.
1663	Brown AM, Christie D, Devey P, Nie VM, Hicks MN (1993). A cluster of brain tumours in a New South Wales colliery: a problem in interpretation. <i>Aust J Public Health</i> , 17(4): 302-5.
1664	Burch JD, Craib KJ, Choi BC, Miller AB, et al (1987). An exploratory case-control study of brain tumours in adults. <i>J Natl Cancer Inst</i> , 78(4): 601-9.
48866	Cardis E, Richardson L, Deltour I, Armstron B, et al (2007). The INTERPHONE study: design, epidemiological methods, and description of the study population. <i>Eur J Epidemiol</i> , 22: 647-64.

43945	Cardis E, Vrijheid M, Blettner M, Gilbert E, Hakama M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Research</i> , 167(4): 396-416.
43952	Carilli S, Alper A, Emre A (2004). Inguinal cord lipomas. <i>Hernia</i> , 8(3) pp 252-254.
80746	Carter M, Robothem R, Wise K, et al (2006). Australian participants in British nuclear tests in Australia. Department of Veterans' Affairs, Vol 1: Dosimetry. Commonwealth of Australia.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. . Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
48850	Choi EJ, Choi CG, Kim JS (2005). Large cerebral artery involvement in CADASIL. <i>Neurology</i> , 65: 1322-4.
49420	Christensen HC, Kosteljanetz M, Johansen C (2003). Incidences of gliomas and meningiomas in Denmark, 1943 to 1997. <i>Neurosurgery</i> , 52(6): 1327-34.
48849	Christensen HC, Schüz J, Kosteljanetz M, Poulsen HS, et al (2005). Cellular telephones and risk for brain tumors. A population-based, incident case-control study. <i>Neurology</i> , 64: 1189-95.
48868	Claus EB, Black PM, Bondy ML, Calvocoressi L, et al (2007). Exogenous hormone use and meningioma risk. What do we tell our patients? <i>Cancer</i> , 110: 471-6.
1665	Clemmesen J, Fuglsang-Frederiksen V, Plum CM (1974). Are anticonvulsants oncogenic? <i>The Lancet</i> , 1(7860): 705-7.
24979	Cocco P, Heineman EF, Dosemeci M (1999). Occupational risk factors for cancer of the central nervous system (CNS) among US women. <i>American Journal of Industrial Medicine</i> , 36: 70-4.
49421	Collatz Christensen H, Schuz J, Kosteljanetz M, et al (2005). Cellular telephones and risk for brain tumours. <i>Neurology</i> , 64: 1189-95.
48884	Custer B, Longstreth WT Jr, Phillips LE, et al (2006). Hormonal exposures and the risk of intracranial meningioma in women: a population-based case-control study. <i>BMC Cancer</i> , 6: 152.
1666	Daly L, Herity B, Bourke GJ (1994). An investigation of brain tumours and other malignancies in an agricultural research. <i>Occup Environ Med</i> , 51(5): 295-8.
1667	Davis JR, Brownson RC, Garcia R, Bentz BJ, Turner A (1993). Family pesticide use and childhood brain cancer. <i>Arch Environ Contam Toxicol</i> , 24: 87-92.
50141	De Vuyst P, Dumortier P, Rickaert F, Van de Weyer R, et al (1986). Occupational lung fibrosis in an aluminium polisher. <i>Eur J Respir Dis</i> , 68(68): 131-40.
48862	Dimitropoulou P, Nayee S, Liu JF, Demetriou L, et al (2008). Dietary zinc intake and brain cancer in adults: a case-control study. <i>Br J Nutr</i> , 99: 667-73.
24929	Erfurth EM, Bulow B, Milkoczyt Z, et al (2001). Is there an increase in second brain tumours after surgery and irradiation for a pituitary tumour? <i>Clinical Endocrinology</i> , 55: 613-6.
49419	Eskandary H, Sabba M, Khajehpour F, Eskandari M (2005). Incidental findings in brain computed tomography scans of 3000 head trauma patients. <i>Surgical Neurology</i> , 63: 550-3.
49074	Eslick GD, Seex K (2008). A 49-year-old woman with a history of head trauma. <i>Brain Pathol</i> , 18(1): 98-9.
58626	Fazel R, Krumholz HM, Wang Y, Ross JC, et al (2009). Exposure to low-dose ionizing radiation from medical imaging procedures. <i>N Engl J Med</i> , 361(9): 849-57.
1668	Feingold L, Savitz DA, John EM (1992). Use of a job-exposure matrix to evaluate parental occupation and childhood cancer. <i>Cancer Causes Control</i> , 3(2): 161-9.

48869	Flint-Richter P, Sadetzki S (2007). Genetic predisposition for the development of radiation-associated meningioma: an epidemiological study. <i>Lancet Oncol</i> , 8: 403-10.
1669	Floderus B, Persson T, Stenlund C, Wennberg A (1993). Occupational exposure to electromagnetic fields in relation to leukemia and brain tumours: a case-control study in Sweden. <i>Cancer Causes Control</i> , 4(5): 465-76.
25003	Francsechi S, Maso LD, Crosignani P, et al (1998). Risk of cancer other than Kaposi's sarcoma and non-Hodgkin's lymphoma in persons with AIDS in Italy. <i>British Journal of Cancer</i> , 78(7): 966-70.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian participants in British nuclear tests in Australia. Vol 2: Mortality and cancer incidence. Department of Veterans' Affairs, Canberra, . .
50834	Haddad G, Chamoun RB (2006). Meningioma. Retrieved 24 November 2008, from http://www.emedicine.com/neuro/TOPICT209.HTM
43857	Hallel T, Lew S, Bansal M (1988). Villous lipomatous proliferation of the synovial membrane (lipoma arborescens). <i>The Journal of Bone and Joint Surgery</i> , Vol 70 pp 264-270.
51214	Hanemann CO (2008). Magic but treatable? Tumours due to loss of Merlin. <i>Brain</i> , 131(Pt 3):606-15. Epub 2007 Oct 16.
48959	Hardell L, Carlberg M, Mild KH (2005). Case-control study on cellular and cordless telephones and the risk for acoustic neuroma or meningioma in patients diagnosed 2000-2003. <i>Neuroepidemiology</i> , 25: 120-8.
45670	Hardell L, Carlberg M, Soderqvist F, Hansson Mild K, Morgan LL (2007). Long-term use of cellular phones and brain tumours: increased risk associated with use for > or =10 years. <i>Occup Environ Med</i> , Vol 64 pp 626-632.
50480	Hardell L, Carlberg M, Soderqvist F, Hansson Mild K (2008). Meta-analysis of long-term mobile phone use and the association with brain tumours. <i>Int J Oncol</i> , 32: 1097-103.
48960	Hardell L, Carlberg M, Mild KJ (2006). Pooled analysis of two case-control studies on the use of cellular and cordless telephones and the risk of benign brain tumours diagnosed during 1997-2003. <i>Int J Oncol</i> , 28: 509-18.
48961	Hardell L, Mild KH, Carlberg M (2003). Further aspects on cellular and cordless telephones and brain tumours. <i>Int J Oncol</i> , 22: 399-407.
17137	Hardell L, Nasman A, Pahlson A, et al (1999). Use of cellular telephones and the risk for brain tumours: a case-control study. <i>Int J Oncol</i> , 15(1): 113-6.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
8704	Harrison MJ, Wolfe DE, Lau T-S, Mitnick RJ, Sachdev VP (1991). Radiation-induced meningiomas: experience at the Mount Sinai Hospital and review of the literature. <i>J Neurosurg</i> , 75: 564-74.
1699	Harrison MJ, Wolfe DE, Lau T, Mitnick RJ, et al (1991). Radiation-induced meningiomas: experience at the Mount Sinai Hospital and review of the literature. <i>J Neurosurg</i> , 75: 564-74.
48853	Hatch EE, Linet MS, Zhang J, Fine HA, et al (2005). Reproductive and hormonal factors and risk of brain tumours in adult females. <i>Int J Cancer</i> , 114: 797-805.
48882	Hill DA, Linet MS, Black PM, Fine HA, et al (2004). Meningioma and schwannoma risk in adults in relation to family history of cancer. <i>Neuro-Oncology</i> , 6: 274-80.
1698	Hochberg FH, Miller DC (1988). Primary central nervous system lymphoma. <i>L Neurosurg</i> , 68: 835-53.

58622	Holmes EB, White GL, Gaffney DK (2010). Ionizing radiation exposure, medical imaging. . Retrieved 27 September 2010, from http://emedicine.medscape.com/article/1464228-print
72597	Hsu WL, Preston DL, Soda M et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
24931	Hu J, La Vecchia C, Negri E, Chatenenoud L, Bosetti C, Jia X, Liu R, Huang G, Bi D, & Wang C (1999). Diet and brain cancer in adults: a case-control study in Northeast China. <i>International Journal Of Cancer</i> , Vol 81: pp 20-3. Retrieved 12 August 2002, from pp 20-3
48858	Hu J, Little J, Xu T, Zhao X, et al (1999). Risk factors for meningioma in adults: a case-control study in northeast China. <i>Int J Cancer</i> , 83: 299-304.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>BJC</i> , 109(7): 1989-96.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
24807	Independent Expert Group on Mobile Phones [IEGMP] (2000). Chairman - Sir William Stewart. <i>Mobile Phones & Health</i> , . National Radiological Protection Board, Chilton, Didcot, Oxon.
23854	Inskip PD, Tarone RE, Hatch EE, Wilcosky TC, et al (2001). Cellular-telephone use and brain tumors. <i>NEJM</i> , 344(2): 79-86.
24924	Inskip PD, Tarone RE, Hatch EE, et al (2001). Cellular-telephone use and brain tumors. <i>NEJM</i> , 344(2): pp.
48857	Inskip PD, Tarone RE, Hatch EE, Wilcosky TC, et al (2003). Sociodemographic indicators and risk of brain tumours. <i>Int J Epidemiol</i> , 32(2): 225-33.
80754	International Atomic Energy Agency (undated). Glossary. . Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
48886	Iyer RS, Soman CS, Nair CN, Pai SK, et al (1994). Brain tumors following cure of acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 13: 183-6.
50086	Jaggon JR, Char G (2007). Epidemiologic data on meningiomas in Jamaica: the first from the Caribbean. <i>The Internet Journal of Third World Medicine</i> , 5(1).
49426	Jhawar BS, Fuchs CS, Colditz GA, Stampfer MJ (2003). Sex steroid hormone exposures and risk for meningioma. <i>J Neurosurg</i> , 99: 848-53.
51213	Kaba SE, Kyritsis AP (2006). Atypical and malignant meningiomas. <i>Textbook of Uncommon Cancer</i> , 3rd Edition, Chapter summary. John Wiley & Sons, Ltd.
48444	Kan P, Simonsen SE, Lyon JL, Kestle JR (2008). Cellular phone use and brain tumor: a meta-analysis. <i>J Neurooncol</i> , 86: 71-8.
14013	Kaplan S, Novikov I, Modan B (1997). Nutritional factors in the etiology of brain tumors. Potential role of nitrosamines, fat, and cholesterol. <i>American Journal of Epidemiology</i> , 146(10): 832-41.
50140	Khurshid A, Joseph JT, Rachlin J, Cooley TP, et al (1999). Meningioma in four patients with human immunodeficiency virus infection. <i>Mayo Clin Proc</i> , 74: 253-7.
45927	Klaeboe L, Blaasaas KG, Tynes T (2007). Use of mobile phones in Norway and risk of intracranial tumours. <i>European Journal of Cancer Prevention</i> , Vol 16: pp 158-164.
51216	Klaeboe L, Lonn S, Scheie D, Auvinen A, et al (2005). Incidence of intracranial meningiomas in Denmark, Finland, Norway and Sweden, 1968-1997. <i>Int J Cancer</i> , 117(6): 996-1001.
45614	Kleinerman RA, Linet MS, Hatch EE, Tarone RE, Black PM, et al (2005). Self-reported electrical appliance use and risk of adult brain tumors. <i>Am J Epidemiol</i> , 161(2) pp 136-146.

49424	Krampla W, Newrkla S, Pfisterer W, et al (2004). Frequency and risk factors for meningiomas in clinically healthy 75-year-old-patients. <i>Cancer</i> , 100: 1208-12.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
50169	Lahkola A, Salminen T, Raitanen J, Heinavaara S, et al (2008). Meningioma and mobile phone use - a collaborative case-control study in five North European countries. <i>Int J Epidemiol</i> , 37(6): 1304-13.
48860	Lambe M, Coogan P, Baron J (1997). Reproductive factors and the risk of brain tumors: a population-based study in Sweden. <i>Int J Cancer</i> , 72: 389-93.
79423	Lauby-Secretan B, Scocciati C, Loomis D, et al (2016). Body fatness and cancer--viewpoint of the IARC Working Group. <i>N Engl J Med</i> , 375(8): 794-8.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
48864	Lee E, Grutsch J, Persky V, Glick R, et al (2006). Association of meningioma with reproductive factors. <i>Int J Cancer</i> , 119: 1152-7.
43865	Lilly MC, Arregui ME (2002). Lipomas of the cord and round ligament. <i>Annals of Surgery</i> , 235(4) pp 586-590.
48887	Linos E, Raine T, Alonso A, Michaud D (2007). Atopy and risk of brain tumors: a meta-analysis. <i>J Natl Cancer Inst</i> , 99: 1544-50.
43850	Lipoma Arborescens. Obtained from: http://www.mypacs.net/cases/LIPOMA-ARBORESCENS-1882558.html
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.
1673	Longstreth WT Jr, Dennis LK, McGuire VM, et al (1993). Epidemiology of intracranial meningioma. <i>Cancer</i> , 72(3): 639-48.
48878	Longstreth WT Jr, Phillips LE, Drangsholt M, Koepsell TD, et al (2004). Dental x-rays and the risk of intracranial meningioma. A population-based case-control study. <i>Cancer</i> , 100: 1026-34.
45613	Lonn S, Ahlbom A, Hall P, Feychting M, and the Swedish Interphone Study Group (2005). Long term mobile phone use and brain tumor risk. <i>Am J Epidemiol</i> , 161(6) pp 526-535.
1674	Loomis D, Savitz DA (1990). Mortality from brain cancer and leukaemia among electrical workers. <i>Br J Ind Med</i> , 47: 633-8.
48881	Machulla HKG, Steinborn F, Tschigrjai M, Langner J, Rainov NG (2003). Meningioma: is there an association with human leukocyte antigens? <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 12: 1438-42.
1675	Marus G, Levin V, Rutherford GS (1986). Malignant glioma following radiotherapy for unrelated primary tumours. <i>Cancer</i> , 58(4): 886-94.
45928	Mild KH, Hardell L, Carlberg M (2007). Pooled analysis of two Swedish case-control studies on the use of mobile and cordless telephones and the risk of brain tumours diagnosed during 1997-2003. <i>Int J Occup Safety Ergonomics</i> , 13(1) pp 63-71.
15212	Mills PK, Preston-Martin S, Annegers JF, et al (1989). Risk factors for tumors of the brain and cranial meninges in Seventh-Day Adventists. <i>Neuroepidemiology</i> , 8: 266-75.
1676	Modan B, Baidatz D, Mart H, Steinitz R, Levin SG (1974). Radiation-induced head and neck tumours. <i>The Lancet</i> , 1(7852): 277-9.

1677	Monson RR, Peters JM, Johnson MN (1974). Proportional mortality among vinyl-chloride workers. <i>Lancet</i> , 2(7877): 397-8.
45782	Monteiro GT, Pereira RA, Koifman RJ, Koifman S (2006). Head injury and brain tumours in adults: A case-control study in Rio de Janeiro, Brazil. <i>European Journal of Cancer</i> , Vol 42 pp 917-21.
51211	Morgello S, Kotsianti A, Gumprecht JP, Moore F.(1997). Epstein-Barr virus-associated dural leiomyosarcoma in a man infected with human immunodeficiency virus. Case report. <i>J Neurosurg.</i> 86(5): 883-7. Abstract only.
1678	Moulinier A, Mikol J, Pialoux G, Eliazewicz M, et al (1994). Cerebral glial tumours and human immunodeficiency virus-1 Infection. More than a coincidental association. <i>Cancer</i> , 74(2): 686-92.
1679	Musicco M, Sant M, Molinari S, Filippini G, et al (1988). A case-control study of brain gliomas and occupational exposure to chemical carcinogens: the risk to farmers. <i>Am J Epidemiol</i> , 128(4): 778-85.
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP, . .
49423	Navas-Acien A, Pollan M, Gustavsson P, et al (2002). Interactive effect of chemical substances and occupational electromagnetic field exposure on the risk of gliomas and meningiomas in Swedish men. <i>Cancer Epidemiol Biomarkers Prev</i> , 11(11): 1678-83.
49418	Navas-Acien A, Pollan M, Gustavsson P, Plato N (2002). Occupation, exposure to chemicals and risk of gliomas and meningiomas in Sweden. <i>Am J Ind Med</i> , 42: 214-27.
1680	Neglia JP, Meadows AT, Robison LL, Kim TH, et al (1991). Second neoplasms after acute lymphoblastic leukemia in childhood. <i>N Engl J Med</i> , 325(19): 1330-6.
48874	Neglia JP, Robison LL, Stovall M, Liu Y, et al (2006). New primary neoplasms of the central nervous system in survivors of childhood cancer: a report from the childhood cancer survivor study. <i>Journal of the National Cancer Institute</i> , 98(21): 1528-37.
48876	Neglia JP, Robison LL, Stovall M, Liu Y, et al (2006). New primary neoplasms of the central nervous system in survivors of childhood cancer: a report from the childhood cancer survivor study. <i>Journal of the National Cancer Institute</i> , 98(21): 1528-37.
1670	Nelson JS (1990). Pathology of the nervous system. <i>Anderson's Pathology</i> , 9th Edition, Vol 2 42: 2123-96. The CV Mosby Company, St Louis.
43856	Neurocutaneous Syndromes. Chapter 358. Obtained from: http://proxy14.use.hcn.com.au/popup.aspx?alD=106767&print=yes
70194	Ozasa K, Shimizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
80756	Paquet F, Etherington G, Bailey MR, et al. On behalf of ICRP (2015). <i>Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection</i> , . .
48852	Phillips LE, Frankenfeld CL, Drangsholt M, Koepsell TD, et al (2005). Intracranial meningioma and ionizing radiation in medical and occupational settings. <i>Neurology</i> , 64: 350-2.
48851	Phillips LE, Koepsell TD, van Belle G, Kukull WA, et al (2002). History of head trauma and risk of intracranial meningioma: population-based case-control study. <i>Neurology</i> , 58: 1849-52.
48962	Phillips LE, Longstreth WT Jr, Koepsell T, Custer BS, et al (2005). Active and passive cigarette smoking and risk of intracranial meningioma. <i>Neuroepidemiology</i> , 24: 117-22.
38912	Posner JB (2005). <i>Neoplastic Disorders. VI: Neurology</i> , . Retrieved 8 June 2006, from http://acpmedicine.com/acpmedicine/pdf/med1106.pdf

49417	Powles T, Robinson D, Shamash J, et al (2008). The long-term risks of adjuvant carboplatin treatment for stage I seminoma of the testis. <i>Annals of Oncology</i> , 19: 443-7.
45968	Preston DL, Ron E, Tokuoka S, Funamoto S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiation Research</i> , 168: 1-64.
26022	Preston DL, Ron E, Yonehara S, Kobuke T, Fujii H, Kishikawa M, Tokunaga M, Tuoka S, Mabuchi K (2002). Tumors of the nervous system and pituitary gland associated with atomic bomb radiation exposure. <i>JNCI</i> , 94(20): 1555-63.
31294	Preston DL, Ron E, Yonehara S, Kobuke T, et al (2002). Tumors of the nervous system and pituitary gland associated with atomic bomb radiation exposure. <i>J Natl Cancer Inst</i> , 94(20): 1555-63.
35442	Preston DL, Shimizu Y, Pierce DA, Suyama A, Mabuchi K (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Research</i> , 160: 381-407.
1681	Preston-Martin S, Lewis S, Winkelmann R, Borman B, et al (1993). Descriptive epidemiology of primary cancer of the brain, cranial nerves, and cranial meninges in New Zealand, 1948-88. <i>Cancer Causes and Control</i> , 4(6): 529-38.
15294	Preston-Martin S, Mack W (1991). Gliomas and meningiomas in men in Los Angeles County: investigation of exposures to N-Nitroso compounds. <i>Relevance to Human Cancer of N-Nitroso Compounds, Tobacco Smoke and Mycotoxins</i> , IARC Sci Pub No 150: 197-203. .
9293	Preston-Martin S, Mack W & Henderson BE (1989). Risk factors for gliomas and meningiomas in males in Los Angeles county. <i>Cancer Research</i> , 49: 6137-43.
24992	Preston-Martin S, Pogoda JM, Schlehofer B, Blettner M, et al (1998). An international case-control study of adult glioma and meningioma: the role of head trauma. <i>International Journal of Epidemiology</i> , 27: 579-86.
1682	Preston-Martin S, Yu MC, Henderson BE, Roberts C (1983). Risk factors for meningiomas in men in Los Angeles County. <i>J Natl Cancer Inst</i> , 70(5): 863-6.
9492	Preston-Martin S, Paganini-Hill A, Henderson BE, Pike MC, Wood C (1980). Case-control study of intracranial meningiomas in women in Los Angeles County, California. <i>JNCI</i> , 65(1): 67-73.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. . Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
48855	Rajaraman P, De Roos AJ, Stewart PA, Linet MS, et al (2004). Occupation and risk of meningioma and acoustic neuroma in the United States. <i>Am J Ind Med</i> , 45: 395-407.
51215	Rajaraman P, Schwartz BS, Rothman N, Yeager M, et al (2005). Delta-aminolevulinic acid dehydratase polymorphism and risk of brain tumors in adults. <i>Environ Health Perspect</i> , 113(9): 1209-11.
48885	Rajaraman P, Stewart PA, Samet JM, Schwartz BS, et al (2006). Lead, genetic susceptibility, and risk of adult brain tumors. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(12): 2514-20.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs, : .
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs, : .
15527	Rodvall Y, Ahlbom A, Stenlund C, et al (1998). Occupational exposure to magnetic fields and brain tumours in Central Sweden. <i>European Journal of Epidemiology</i> , 14(6): 563-69.
48859	Rodvall Y, Ahlbom A, Pershagen G, Nylander M, Spannare B (1998). Dental radiography after age 25 years, amalgam fillings and tumours of the central nervous system. <i>Oral Oncology</i> , 34: 265-9.

48873	Ron E (2006). Childhood cancer - treatment at a cost. <i>Journal of the National Cancer Institute</i> , 98(21): 1510-1.
1683	Ron E, Modan B, Boice JD Jr, Alfandary E, et al (1988). Tumours of the brain and nervous system after radiotherapy in childhood. <i>N Engl J Med</i> , 319(16): 1033-9.
1684	Ronco G, Costa G, Lynge E (1992). Cancer risk among Danish and Italian farmers. <i>Br J Ind Med</i> , 49: 220-5.
1685	Ryan P, Hurley SF, Johnson AM, Salzberg M, et al (1993). Tumours of the brain and presence of antibodies to toxoplasma gondii. <i>Int J Epidemiol</i> , 22(3): 412-9.
1686	Ryan P, Lee MW, North JB, McMichael AJ (1992). Risk factors for tumours of the brain and meninges. Results from the Adelaide brain tumor study. <i>Int J Cancer</i> , 151: 20-7.
14211	Ryan P, Lee MW, North B, McMichael AJ (1992). Amalgam fillings, diagnostic dental x-rays and tumours of the brain and meninges. <i>European Journal of Cancer Part B, Oral Oncology</i> , 28 B(2): 91-5.
49298	Sadamori N, Shibata S, Mine M, Miyazaki H, et al (1996). Incidence of intracranial meningiomas in Nagasaki atomic-bomb survivors. <i>Int J Cancer</i> , 67: 318-22.
1700	Saleh I, Silberstein HJ, Salner AL, Uphoff DF (1991). Meningioma: the role of a foreign body and irradiation in tumor formation. <i>Neurosurgery</i> , 29(1): 113-19.
8705	Saleh J, Silberstein HJ, Salner AL, Uphoff DF (1991). Meningioma: The role of a foreign body and irradiation in tumor formation. <i>Neurosurgery</i> , 29(1): 113-9.
48879	Samanic CM, De Roos AJ, Stewart PA, Rajaraman P, et al (2008). Occupational exposure to pesticides and risk of adult brain tumors. <i>Am J Epidemiol</i> , 167(8): 976-85.
1687	Sandler DP, Everson RB, Wilcox AJ, Browder JP (1985). Cancer risk in adulthood from early life exposure to parents' smoking. <i>Am J Public Health</i> , 75(5): 487-92.
24933	Schlehofer B, Blettner M, Preston-Martin S, et al (1999). Role of medical history in brain tumour development. Results from the international adult brain tumour study. <i>International Journal of Cancer</i> , 82: 155-60.
1688	Schlehofer B, Blettner M, Becker N, Martinsohn C, Wahrendorf J (1992). Medical risk factors and the development of brain tumours. <i>Cancer</i> , 69(10): 2541-7.
1689	Schneck SA, Penn I (1971). De-novo brain tumours in renal-transplant recipients. <i>The Lancet</i> , 1(7707): 983-6.
48865	Schneider B, Pulhorn H, Rohrig B, Rainov NG (2005). Predisposing conditions and risk factors for development of symptomatic meningioma in adults. <i>Cancer Detection and Prevention</i> , 29: 440-7.
48870	Schoemaker MJ, Swerdlow AJ, Hepworth SJ, et al (2006). History of allergic disease and risk of meningioma. <i>Am J Epidemiol</i> , 165(5): 477-85.
1690	Schuman LM, Choi NW, Gullen WH (1967). Relationship of central nervous system neoplasms to toxoplasma gondii infection. <i>Am J Public Health Nations Health</i> , 57(5): 848-56.
45666	Schuz J, Bohler E, Berg G, Schlehofer B, et al (2006). Cellular phones, cordless phones, and the risks of glioma and meningioma (Interphone Study Group, Germany). <i>Am J Epidemiol</i> , 163(6) pp 512-520.
45654	Schuz J, Bohler E, Schlehofer B, Berg G, et al (2006). Radiofrequency electromagnetic fields emitted from base stations of DECT cordless phones and the risk of glioma and meningioma (Interphone Study Group, Germany). <i>Radiation Research</i> , Vol 166 pp 116-119.
48875	Schuz J, Johansen C (2007). A comparison of self-reported cellular telephone use with subscriber data: agreement between the two methods and implications for risk estimation. <i>Bioelectromagnetics</i> , 28: 130-6.

48883	Schwartzbaum J, Jonsson F, Ahlbom A, Preston-Martin S, et al (2005). Prior hospitalization for epilepsy, diabetes, and stroke and subsequent glioma and meningioma risk. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 14(3): 643-50.
48854	Schwartzbaum J, Jonsson F, Ahlbom A, Preston-Martin S, et al (2003). Cohort studies of association between self-reported allergic conditions, immune-related diagnoses and glioma and meningioma risk. <i>Int J Cancer</i> , 106: 423-8.
49299	Shibata S, Sadamori N, Mine, M, Sekine I (1994). [Comment] Intracranial meningiomas among Nagasaki atomic bomb survivors. <i>The Lancet</i> , 344: 1770.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
49208	Shintani T, Hayakawa N, Hoshi M, Sumida M, et al (1999). High incidence of meningioma among Hiroshima atomic bomb survivors. <i>J Radiat Res</i> , 40: 49-57.
49209	Shintani T, Hayakawa N, Kamada N (1997). High incidence of meningioma in survivors of Hiroshima. <i>The Lancet</i> , 349: 1369.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , [Epub ahead of print]: .
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
59534	Sokolnikov ME, Gilbert ES, Preston DL, Ron E, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. <i>The International Commission on Radiological Protection</i> , . .
48861	Takebayashi T, Varsier N, Kikuchi Y, Wake K, et al (2008). Mobile phone use, exposure to radiofrequency electromagnetic field, and brain tumour: a case-control study. <i>Br J Cancer</i> , 98: 652-9.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. <i>ICRP</i> , . .
1692	Thomas TL, Stolley PD, Stemhagen A, Fonham ET, et al (1987). Brain tumour mortality risk among men with electrical and electronics jobs: a case control study. <i>J Natl Cancer Inst</i> , 79(2): 233-8.
1691	Thomas TL, Waxweiler RJ (1986). Brain tumors and occupational risk factors: A review. <i>Scand J Work Environ Health</i> , 12: 1-15.
48867	Timothy J, Hanna SJ, Furtado N, et al (2007). The use of titanium non-penetrating clips to close the spinal dura. <i>Br J Neurosurg</i> , 21(3): 268-71.
1693	Tornqvist S, Knave B, Ahlbom A, Persson T (1991). Incidence of leukaemia and brain tumours in some electrical occupations. <i>Br J Ind Med</i> , 48(9): 597-603.
1694	Tsang RW, Laperriere NJ, Simpson WJ, Brierley J, et al (1993). Glioma arising after radiation therapy for pituitary adenoma. A report of four patients and estimation of risk. <i>Cancer</i> , 72(7): 2227-33.
1695	Tynes T, Jynge H, Vistnes AI (1994). Leukemia and brain tumours in Norwegian railway workers, a nested case-control study. <i>Am J Epidemiol</i> , 139(7): 645-53.
50012	Umansky F, Shoshan Y, Rosenthal G, Fraifeld S, Spektor S (2008). Radiation-induced meningioma. <i>Neurosurg Focus</i> , 24(5): E7.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1. .

63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, . Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
60234	UNSCEAR (2008). Effects of Ionizing Radiation. UNSCEAR 2006 Report. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1: 99-101. United Nations Publication.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01- Doses to organs from intake of radioactive materials. DTRA/NTPR- Standard Operating Procedures Manual, . .
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
1696	Walsh J, Gye R, Connelley TJ (1969). Meningioma: A Late Complication of Head Injury. <i>MJA</i> , 1(18): 906-8.
9354	Walsh J, Gye R, Connelley TJ (1969). Meningioma: A late complication of head injury. <i>Medical Journal of Australia</i> , 1(18): 906-8.
1697	Ward DW, Mattison ML, Finn R (1973). Association between Previous Tuberculous Infection and Cerebral Glioma. <i>BMJ</i> , 1(5845): 83-4.
9355	Whatmore WJ, Hitchcock ER (1973). Meningioma following trauma. <i>British Journal of Surgery</i> , 60(6): 496-8.
50833	WHO (2008). Neurosurgery. Retrieved 24 November 2008, from http://www.brighamandwomens.org/neurosurgery/menengioma/WHOclassification.aspx
48872	Wigertz A, Lonn S, Mathiesen T, Ahlbom A, et al (2006). Risk of brain tumor associated with exposure to exogenous female sex hormones. <i>Am J Epidemiol</i> , 164(7): 629-36.
48863	Wigertz A, Lonn S, Schwartzbaum J, Hall P, et al (2007). Allergic conditions and brain tumor risk. <i>Am J Epidemiol</i> , 166(8): 941-50.
80741	World Nuclear Association (2016). Plutonium. . Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
45778	Yonehara S, Brenner AV, Kishikawa M, Inskip PD, et al (2004). Clinical and epidemiologic characteristics of first primary tumors of the central nervous system and related organs among atomic bomb survivors in Hiroshima and Nagasaki, 1958-1995. <i>Cancer</i> , 101: 1644-54.
48856	Yousaf I, Byrnes DP, Choudhari KA (2003). Meningiomas induced by high dose cranial irradiation. <i>Br J Neurosurg</i> , 17(3): 219-25.
50013	Zachariah SB, Khoromi S (2006). Meningioma, sphenoid wing. Retrieved 14 August 2008, from http://www.emedicine.com/OPH/topic670.htm
51212	Zevallos-Giampietri EA, Yañes HH, Orrego Puelles J, Barrionuevo C (2004). Primary meningeal Epstein-Barr virus-related leiomyosarcoma in a man infected with human immunodeficiency virus: review of literature, emphasizing the differential diagnosis and pathogenesis. <i>Appl Immunohistochem Mol Morphol</i> , 12(4):387-91. Abstract only.