



## RENAL STONE DISEASE

RMA ID Number	Reference List for RMA371-3 as at June 2019
---------------	---------------------------------------------

90184	Abate EG, Clarke BL (2017). Review of hypoparathyroidism. <i>Front Endocrinol (Lausanne)</i> , 7: 172.
54996	Abbott KC, Schenkman N, Swanson SJ, et al (2003). Hospitalized nephrolithiasis after renal transplantation in the United States. <i>Am J Transplant</i> , 3: 465-70.
90185	Abou-Elela A (2017). Epidemiology, pathophysiology, and management of uric acid urolithiasis: A narrative review. <i>Journal of Advanced Research</i> , 8(5): 513-27.
55799	Abrahams HM, Stoller ML (2003). Infection and urinary stones. <i>Curr Opin Urol</i> , 13: 69-7.
54101	Acar B, Arikan FI, Emeksiz S, et al (2008). Risk factors for nephrolithiasis in children. <i>World J Urol</i> , 26: 627-30.
56721	Access Medicine (2008). Nephrolithiasis. Chapter 281, Retrieved 24 May 2010, from <a href="http://www.proxy14.use.hcn.com.au/popup.aspx?alD=2874829">http://www.proxy14.use.hcn.com.au/popup.aspx?alD=2874829</a>
90186	Afsar B, Kiremit MC, Sag AA, et al (2016). The role of sodium intake in nephrolithiasis: epidemiology, pathogenesis, and future directions. <i>Eur J Intern Med</i> , 35: 16-9.
90187	Afsar S, Sarifakioglu B, Yalbuздag SA, et al (2016). An unresolved relationship: the relationship between lesion severity and neurogenic bladder in patients with spinal cord injury. <i>J Spinal Cord Med</i> , 39(1): 93-8.
54102	Agarwal A, Varshney A, Bansal BS (2008). Concomitant percutaneous nephrolithotomy and transperitoneal laparoscopic pyeloplasty for ureteropelvic junction obstruction complicated by stone. <i>J Endourology</i> , 22(10): 2251-5.
55772	Ahmed HU, Khan AA, Bafaloukas N, et al (2006). Diagnosis and management of renal (ureteric) colic. <i>Br J Hosp Med</i> , 67(9): 465-9.
90188	Ahmed MH, Ahmed HT, Khalil AA (2012). Renal stone disease and obesity: What is important for urologists and nephrologists? <i>Renal Failure</i> , 34(10): 1348-54.
90189	Akkoc Y, Cinar Y, Kismali E (2012). Should complete and incomplete spinal cord injury patients receive the same attention in urodynamic evaluations and ultrasonography examinations of the upper urinary tract? <i>Int J Rehabil Res</i> , 35(2): 178-80.
54184	Ali SK (2006). Renal calculi complicating short-term furosemide therapy after congenital heart surgery. <i>Congenit Heart Dis</i> , 1: 251-3.
54103	Ardizzone S, Puttini PS, Cassinotti A, et al (2008). Extraintestinal manifestations of inflammatory bowel disease. <i>Dig Dis Sci</i> , 40(Suppl 2): S253-9.
90190	Arman F, Shakeri H, Nobakht N, et al (2017). A case of kidney involvement in primary Sjogren's syndrome. <i>Am J Case Rep</i> , 18: 622-6.

90191	Arumainayagam N, Gresty H, Shamsuddin A, et al (2015). Human immunodeficiency virus (HIV)-related stone disease - a potential new paradigm? <i>BJU Int</i> , 116(5): 684-6.
54115	Asplin JR (2008). Nephrolithiasis: introduction. <i>Semin Nephrol</i> , 28(2): 97-8.
54105	Asselman M, Verkoelen CF (2008). Fructose intake as a risk factor for kidney stone disease. <i>Kidney Int</i> , 73: 139-40.
55797	Assimos DG (1996). Nephrolithiasis in patients with urinary diversion. <i>J Urol</i> , 155: 69-70.
54106	Atan L, Andreoni C, Ortiz V, et al (2005). High kidney stone risk in men working in steel industry at hot temperatures. <i>Urology</i> , 65: 858-61.
54114	Atta MG, Deray G, Lucas GM (2008). Antiretroviral nephrotoxicities. <i>Semin Nephrol</i> , 28(6): 563-75.
90194	Avenell A, Mak JC, O'Connell D (2014). Vitamin D and vitamin D analogues for preventing fractures in post-menopausal women and older men. <i>Cochrane Database Syst Rev</i> , 14(4): CD000227.
54124	Bagnis CI, Deray G, Baumelou A, et al (2004). Herbs and the kidney. <i>Am J Kidney Dis</i> , 44(1): 1-11.
54107	Baker MJ, Longyhore DS (2006). Dietary calcium, calcium supplements, and the risk of calcium oxalate kidney stones. <i>Am J Health-Syst Pharm</i> , 63: 772-5.
55796	Bariol S, Farebrother T, Ruthven S, et al (2003). Comparison of urinary stone and stent encrustation: biochemical analysis. <i>J Endourology</i> , 17(9): 741-3.
55795	Bartoletti R, Cai T, Mondaini N, et al (2007). Epidemiology and risk factors in urolithiasis. <i>Urol Int</i> , 79(Suppl 1): 3-7.
55898	Bartoletti R, Cai T, Mondaini N, et al (2007). Epidemiology and risk factors in urolithiasis. <i>Urol Int</i> , 79(Suppl 1): 3-7.
54125	Basiri A, Shakhssalin N, Hosseini-Moghddam SM, et al (2009). Renal transplant in patients with spinal cord injuries. <i>Exp Clin Transplant</i> , 1: 28-32.
55767	Bateson EM (1973). Renal tract calculi and climate. <i>MJA</i> , 2: 111-3.
90195	Bayles AC, Bhatti A, Sakthivel A, et al (2015). "Clip-strasse": A novel complication following partial nephrectomy. <i>Scand J Urol Nephrol</i> , 49(5): 424-5.
54188	Bennett S, Hoffman N, Monga M (2004). Ephedrine- and guaifenesin-induced nephrolithiasis. <i>J Altern Complement Med</i> , 10(6): 967-9.
54108	Berger AD, Wu W, Eisner BH, et al (2009). Patients with primary hyperparathyroidism-why do some form stones? <i>J Urol</i> , 181: 2141-5.
53769	Bernardo NO (2008). [Comment] Endopyeloplasty versus endopyelotomy versus laparoscopic pyeloplasty for primary ureteropelvic junction obstruction. <i>Journal of Endourology</i> , 22(9): 1905. Retrieved 20 August 2009, from 1
54109	Bhalla V, Grimm PC, Chertow GM, et al (2009). Melamine nephrotoxicity: an emerging epidemic in an era of globalization. <i>Kidney Int</i> , 75: 774-9.
90196	Bhatti UH, Duffy AJ, Roberts KE, et al (2016). Nephrolithiasis after bariatric surgery: A review of pathophysiologic mechanisms and procedural risk. <i>Int J Surg</i> , 36(Pt D): 618-23.
90197	Bjelakovic G, Gluud LL, Nikolova D, et al (2014). Vitamin D supplementation for prevention of mortality in adults. <i>Cochrane Database Syst Rev</i> , 1: CD007470.
49495	Boehmer TK, Flanders WD, McGeehin MA, et al (2004). Postservice mortality in Vietnam veterans: 30-year follow-up. <i>Arch Intern Med</i> , 164: 1908-16.
55784	Bogdanovic J, Sekulic V, Manikandan R, et al (2008). [Comments] Do anatomic factors pose a significant risk in the formation of lower pole stones? <i>Urology</i> , 72(2): 466-7. Comments on ID: 55783.

55142	Borghgi L, Meschi T, Amato F, et al (1993). Hot occupation and nephrolithiasis. <i>J Urol</i> , 150: 1757-60.
54983	Borghgi L, Meschi T, Amato F, et al (1996). Urinary volume, water and recurrences in idiopathic calcium nephrolithiasis: a 5-year randomized prospective study. <i>J Urol</i> , 155: 839-43.
54168	Boscolo Berto R, Dal Moro F (2006). [Comment] Re: Time to development of symptomatic urinary calculi in a high risk environment. <i>J Urol</i> , 175(2): 789-90. Comment on ID: 54167.
88055	Both T, Hoorn EJ, Zietse R, et al (2015). Prevalence of distal renal tubular acidosis in primary Sjogren's syndrome. <i>Rheumatology</i> , 54(5): 933-9 + supplementary data.
90198	Bouquegneau A, Dubois BE, Krzesinski JM, et al (2012). Anorexia nervosa and the kidney. <i>Am J Kidney Dis</i> , 60(2): 399-307.
5009	Broadus AE, Horst RL, Lang R, et al (1980). The importance of circulating 1,25-dihydroxyvitamin D in the pathogenesis of hypercalciuria and renal-stone formation in primary hyperparathyroidism. <i>NEJM</i> , 302: 421-6.
5022	Burr RG (1972). Urinary calcium, magnesium, crystals and stones in paraplegia. <i>Paraplegia</i> , 10: 56-63.
56719	Bushinsky DA (2002). Recurrent hypercalciuric nephrolithiasis - does diet help? <i>N Engl J Med</i> , 346(2): 124-5.
89607	Butler R, Inzunza J, Suzuki H, et al (2012). Uric acid stones in the urinary bladder of aryl hydrocarbon receptor (AhR) knockout mice. <i>Proc Natl Acad Sci U S A</i> , 109(4): 1122-6.
90199	Cakiroglu B, Dogan AN, Tas T, et al (2014). A case of recurrent renal aluminum hydroxide stone. <i>Case Rep Urol</i> , 2014: 212314.
55794	Calvert RC, Burgess NA (2005). Urolithiasis and obesity: metabolic and technical considerations. <i>Curr Opin Urol</i> , 15: 113-7.
54113	Cameron MA, Sakhaee K (2007). Uric acid nephrolithiasis. <i>Urol Clin North Am</i> , 34: 335-46.
90200	Capolongo G, Xu LH, Accardo M, et al (2016). Vitamin-D status and mineral metabolism in two ethnic populations with sarcoidosis. <i>J Investig Med</i> , 64(5): 1025-34.
90201	Carlsen J, Durcan J, Zabriskie N, et al (1999). Nephrolithiasis with dorzolamide. <i>Arch Ophthalmol</i> , 117(8): 1087-8.
55793	Carson PJ, Brewster DR (2003). Unique pattern of urinary tract calculi in Australian Aboriginal children. <i>J Paediatr Child Health</i> , 39: 325-8.
90202	Castellano E, Attanasio R, Latina A, et al (2017). Nephrolithiasis in primary hyperparathyroidism: A comparison between silent and symptomatic patients. <i>Endocr Pract</i> , 23(2): 157-62.
55764	Catala V, Sola M, Samaniego J, et al (2009). CT findings in urinary diversion after radical cystectomy: postsurgical anatomy and complications. <i>RadioGraphics</i> , 29: 461-76.
88056	Chadi N, Carter S, Loung RP, et al (2017). Nephrocalcinosis in a young male with anorexia nervosa. <i>CEN Case Rep</i> , 6(2): 164-8.
5010	Chadwick VS, Modha K, Dowling RH (1973). Mechanism for hyperoxaluria in patients with ileal dysfunction. <i>NEJM</i> , 289: 172-6.
78061	Chang ET, Adami HO, Boffetta P, et al (2014). A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and cancer risk in humans. <i>Crit Rev Toxicol</i> , 44(Suppl 1): 1-81.
55806	Chang HR, Pella PM (2006). [Comment] Atazanivir urolithiasis. <i>NEJM</i> , 355: 2158-9.
89613	Chang JW, Ou HY, Chen HL, et al (2013). Hyperuricemia after exposure to polychlorinated dibenzo-p-dioxins and dibenzofurans near a highly contaminated area. <i>Epidemiol</i> , 24(4): 582-9.
90203	Chen CH, Lin CL, Jeng LB (2018). Association between chronic pancreatitis and urolithiasis: A population-based cohort study. <i>PLoS One</i> , 13(3): E0194019.

90205	Chen H, et al (2012). Increased risk of urinary tract calculi among patients with diabetes melitus - a population-based cohort study. <i>Urology</i> , 79: 86-92.
54977	Chen Y, DeVivo MJ, Lloyd LK (2001). Bladder stone incidence in persons with spinal cord injury: determinants and trends, 1973-1996. <i>Urology</i> , 58: 665-70.
56724	Chen Y, DeVivo MJ, Roseman JM (2000). Current trend and risk factors for kidney stones in persons with spinal cord injury: a longitudinal study. <i>Spinal Cord</i> , 38(6): 346-53.
54978	Chen Y, DeVivo MJ, Sover SL, et al (2002). Recurrent kidney stone: a 25-year follow-up study in persons with spinal cord injury. <i>Urology</i> , 60: 228-32.
90204	Chen YH, Liu HP, Chen HY, et al (2011). Ethylene glycol induces calcium oxalate crystal deposition in Malpighian tubules: a <i>Drosophila</i> model for nephrolithiasis/urolithiasis. <i>Kidney Int</i> , 80(4): 369-77.
90206	Cheungpasitporn W, Rossetti S, Friend K, et al (2016). Treatment effect, adherence, and safety of high fluid intake for the prevention of incident and recurrent kidney stones: a systematic review and meta-analysis. <i>J Nephrol</i> , 29: 211-9.
54112	Chiu MC (2008). Melamine-tainted milk product (MTMP) renal stone outbreak in humans. <i>Hong Kong Med J</i> , 14(6): 424-6.
55597	Chung S-D, Chiang I-N, Kuo Y-C, et al (2007). Stones along the whole ureteral stent. <i>Kidney Int</i> , 72: 899-900.
55596	Chung S-D, Tai H-C, Ho C-H, et al (2007). End-stage renal failure from asymptomatic bilateral ureteric stones. <i>Kidney Int</i> , 72: 1416.
90207	Chutipongtanate S, Thongboonkerd V (2011). Ceftriaxone crystallization and its potential role in kidney stone formation. <i>Biochem Biophys Res Commun</i> , 406(3): 396-402.
90208	Cicerello E, Merlo F, Mangano M, et al (2014). Urolithiasis in renal transplantation: diagnosis and management. <i>Arch Ital Urol Androl</i> , 86(4): 257-60.
54110	Ciftcioglu N, Haddad RS, Golden DC, et al (2005). A potential cause for kidney stone formation during space flights: enhanced growth of nanobacteria in microgravity. <i>Kidney Int</i> , 67: 483-91.
55790	Cinman NM, Okeke Z, Smith AD (2007). Pelvic kidney: associated diseases and treatment. <i>J Endourology</i> , 21(8): 836-42.
90209	Cipriani C, Biamonte F, Costa AG, et al (2015). Prevalence of kidney stones and vertebral fractures in primary hyperparathyroidism using imaging technology. <i>J Clin Endocrinol Metab</i> , 100(4): 1309-15.
90210	Clark WF, Sontrop JM, Huang SH, et al (2016). Hydration and chronic kidney disease progression: A critical review of the evidence. <i>Am J Nephrol</i> , 43(4): 281-92.
90211	Clarke BL, Brown EM, Collins MT, et al (2016). Epidemiology and diagnosis of hypoparathyroidism. <i>J Clin Endocrinol Metab</i> , 101(6): 2284-99.
54145	Clayman RV (2005). [Comment] Metabolic abnormalities associated with renal calculi in patients with horseshoe kidneys. <i>J Urol</i> , 174(2): 602-3. Comment on ID: 54144.
54094	Clayman RV (2005). The molecular basis of kidney stones. <i>J Urol</i> , 174(2): 601.
54111	Coe FL, Evan A, Worcester E (2005). Kidney stone disease. <i>J Clin Invest</i> , 115(10): 2598-608.
5011	Coe FL, Kavalach AG (1974). Hypercalciuria and hyperuricosuria in patients with calcium nephrolithiasis. <i>NEJM</i> , 291: 1344-50.
5012	Coe FL, Parks JH, Moore ES (1979). Familial idiopathic hypercalciuria. <i>NEJM</i> , 300: 337-40.

90212	Coe FL, Worcester EM, Evan AP (2016). Idiopathic hypercalciuria and formation of calcium renal stones. <i>Nat Rev Nephrol</i> , 12(9): 519-33.
90213	Conklin L, Sejvar JJ, Kieszak S, et al (2014). Long-term renal and neurologic outcomes among survivors of diethylene glycol poisoning. <i>JAMA Intern Med</i> , 174(6): 912-7.
90214	Corbery B, Lebdai S, Borojeni S, et al (2017). Mesalazine: A novel etiology for drug-induced urinary calculi. <i>Urol J</i> , 15(3): 132-3.
54180	Corbetta S, Baccarelli A, Aroldi A, et al (2005). Risk factors associated to kidney stones in primary hyperparathyroidism. <i>J Endocrinol Invest</i> , 28: 122-8.
89612	Cox B, McBride D, Broughton J, et al (2015). Health conditions in a cohort of New Zealand Vietnam veterans: hospital admissions between 1988 and 2009. <i>BMJ Open</i> , 5(12): e008409.
54126	Cramer JS, Forrest K (2006). Renal lithiasis: addressing the risks of austere desert deployments. <i>Aviat Space Environ Med</i> , 77(6): 649-53.
12255	Crane PJ, Barnard DI, Horsley KD et al (1997). Mortality of national service Vietnam veterans. A report of the 1996 retrospective cohort study of Australian Vietnam veterans, Commonwealth Department of Veterans' Affairs.
54127	Crook TJ, Keoghane SR (2005). [Comment] Renal transplant lithiasis: rare but time-consuming. <i>BJU Int</i> , 95(7): 931-3.
54119	Curhan GC (2007). Epidemiology of stone disease. <i>Urol Clin North Am</i> , 34: 287-93.
90215	Curhan GC (2017). Trimterene nephrotoxicity. Retrieved 11 January 2019, from <a href="https://www.uptodate.com/contents/triamterene-nephrotoxicity">https://www.uptodate.com/contents/triamterene-nephrotoxicity</a>
55765	Curhan GC, Willett WC, Rimm EB, et al (1993). A prospective study of dietary calcium and other nutrients and the risk of symptomatic kidney stones. <i>NEJM</i> , 328: 833-8.
54980	Curhan GC, Willett WC, Speizer FE, et al (2001). Twenty-four-hour urine chemistries and the risk of kidney stones among women and men. <i>Kidney Int</i> , 59: 2290-8.
90216	Cury D, Moss A, Schor N (2013). Nephrolithiasis in patients with inflammatory bowel disease in the community. <i>Int J Nephrol Renovasc Dis</i> , 6: 139-42.
5013	Cushard WG, Simon AB, Canterbury JM, et al (1972). Parathyroid function in sarcoidosis. <i>NEJM</i> , 286: 395-8.
55595	Dabbas M, Maaita M (2002). Ureteric calculus around an intrauterine contraceptive device. <i>J Obstet Gynaecol</i> , 22(1): 101-2.
90217	Daly GF, Barnard EB, Thoreson L (2016). Renal calculi: An unusual presentation of T-cell acute lymphoblastic leukemia. <i>Pediatrics</i> , 137(1): 3877.
54087	Darabi K, Torres G, Chewaproug D (2005). Nephrolithiasis as primary symptom in sarcoidosis. <i>Scand J Urol Nephrol</i> , 39(2): 173-5.
88057	Daudon M, Frochot V, Bazin D, et al (2018). Drug-induced kidney stones and crystalline nephropathy: Pathophysiology, prevention and treatment. <i>Drugs</i> , 78(2): 163-201.
54128	Daudon M, Jungers P (2004). Drug-induced renal calculi. Epidemiology, prevention and management. <i>Drugs</i> , 64(3): 245-75.
54193	Daudon M, Jungers P (2007). Diabetes and nephrolithiasis. <i>Current Diabetes Reports</i> , 7: 443-8.
54129	Daudon M, Lacour B, Jungers P (2005). High prevalence of uric acid calculi in diabetic stone formers. <i>Nephrol Dial Transplant</i> , 20: 468-9.
54130	Daudon M, Lacour B, Jungers P (2006). Influence of body size on urinary stone composition in men and women. <i>Urol Res</i> , 34: 193-9.
54186	Daudon M, Traxer O, Conort P, et al (2006). Type 2 diabetes increases the risk for uric acid stones. <i>J Am Soc Nephrol</i> , 17: 2026-33.

54998	Davidson PJ, Sheerin IG, Frampton C (2009). Renal stone disease in Christchurch, New Zealand. Part I: presentation and epidemiology. <i>N Z Med J</i> , 122(1297): 49-56.
90220	Davis DP, Bramwell KJ, Hamilton RS, et al (1997). Ethylene glycol poisoning: case report of a record-high level and a review. <i>J Emerg Med</i> , 15(5): 653-67.
90221	Dawson CH, Tomson CR (2012). Kidney stone disease: pathophysiology, investigation and medical treatment. <i>Clin Med</i> , 12: 467-71.
88189	De Koninck AS, Groen LA, Maes H, et al (2016). An unusual type of kidney stone. <i>Clin Lab</i> , 62(1-2): 235-9.
55792	Deliveliotis C, Varkarakis J, Argiropoulos V, et al (2002). Shockwave lithotripsy for urinary stones in patients with urinary diversion after radical cystectomy. <i>J Endourology</i> , 16(10): 717-20.
90222	Dell'Orto VG, Belotti EA, Goeggel-Simonetti B, et al (2014). Metabolic disturbances and renal stone promotion on treatment with topiramate: a systematic review. <i>Br J Clin Pharmacol</i> , 77(6): 958-64.
90224	Denburg MR, Leonard MB, Jemielita TO, et al (2017). Risk of urolithiasis in anorexia nervosa: A population-based cohort study using the Health Improvement Network. <i>Eur Eat Disord Rev</i> , 25(5): 406-10.
53770	Desai MM (2008). [Comment] Endopyeloplasty versus endopyelotomy versus laparoscopic pyeloplasty for primary ureteropelvic junction obstruction. <i>Journal of Endourology</i> , 22(9): 1907. Comment on ID: 53769.
54131	Devuyst O, Pirson Y (2007). Genetics of hypercalciuric stone forming diseases. <i>Kidney Int</i> , 72: 1065-72.
90014	Di Carlo HN, Darras FS (2015). Urologic considerations and complications in kidney transplant recipients. <i>Adv Chronic Kidney Dis</i> , 22(4): 306-11.
90225	Diaconescu MR, Costea I, Glod M, et al (2017). Parathyroid adenomas in adults and adolescents. Critical appraisal and surgical strategy in 18 cases. <i>Chirurgia</i> , 112: 18-24.
67648	Diaz Convalia EJ, Cano-Garcia MD, Mijan-Ortiz JL, et al (2017). Androgen deprivation therapy in prostate cancer and risk of developing renal calculi: Results of a case-control study. <i>Med Clin (Barc)</i> , 148(11): 495-7.
54132	Diniz DH, Schor N, Blay SL (2006). Stressful life events and painful recurrent colic of renal lithiasis. <i>J Urol</i> , 176: 2483-7.
5014	Dobbins JW, Binder HJ (1977). Importance of the colon in enteric hyperoxaluria. <i>NEJM</i> , 296: 298-301.
89608	Dong B, Nishimura N, Vogel CF, et al (2010). TCDD-induced cyclooxygenase-2 expression is mediated by the nongenomic pathway in mouse MMDD1 macula densa cells and kidneys. <i>Biochem Pharmacol</i> , 79(3): 487-97.
54176	Duffey BG, Pedro RN, Makhlof A, et al (2008). Roux-en-Y gastric bypass is associated with early increased risk factors for development of calcium oxalate nephrolithiasis. <i>J Am Coll Surg</i> , 206: 1145-53.
54133	Duffey BG, Pedro RN, Kriedberg C, et al (2008). Lithogenic risk factors in the morbidly obese population. <i>J Urol</i> , 179: 1401-6.
90226	Durando M, Tiu H, Kim JS (2017). Sulfasalazine-induced crystalluria causing severe acute kidney injury. <i>Am J Kidney Dis</i> , 70(6): 869-73.
56725	Dusseault BN, Croce KJ, Paid VM Jr (2009). Radiographic characteristics of sulfadiazine urolithiasis. <i>Urology</i> , 73(4): 928. e5-6.
56727	Edvardsson VO, Palsson R, Indridason OS, et al (2009). Familiality of kidney stone disease in Iceland. <i>Scand J Urol Nephrol</i> , 43(5): 420-4.
54981	Eisner BH, Eisenberg ML, Stoller ML (2009). Impact of urine sodium on urine risk factors for calcium oxalate nephrolithiasis. <i>J Urol</i> , 182: 2230-3.
90227	Eisner BH, Porten SP, Bechis SK, et al (2010). Diabetic kidney stone formers excrete more oxalate and have lower urine pH than nondiabetic stone formers. <i>J Urol</i> , 183(6): 2244-8.

55804	Ekeruo WO, Tan YH, Young MD, et al (2004). Metabolic risk factors and the impact of medical therapy on the management of nephrolithiasis in obese patients. <i>J Urol</i> , 172: 159-63.
55594	Eroglu M, Unsal A, Cimentepe E, et al (2003). Giant ureteral stone associated with partial ureteral duplication. <i>Int Urol Nephrol</i> , 35: 485-7.
54177	Evan AP, Coe FL, Lingeman JE, et al (2007). Mechanism of formation of human calcium oxalate renal stones on Randall's plaque. <i>Anat Rec (Hoboken)</i> , 290: 1315-23.
54167	Evans K, Costabile RA (2005). Time to development of symptomatic urinary calculi in a high risk environment. <i>J Urol</i> , 173: 858-61.
90164	Everett CJ, Thompson OM (2016). Association of dioxins, furans and dioxin-like PCBs in human blood with nephropathy among US teens and young adults. <i>Rev Environ Health</i> , 31(2): 195-201.
90228	Fagagnini S, Heinrich H, Rossel JB, et al (2017). Risk factors for gallstones and kidney stones in a cohort of patients with inflammatory bowel diseases. <i>PLoS One</i> , 12(10): e0185193.
55803	Fakheri RJ, Goldfarb DS (2009). [Comment] Association of nephrolithiasis prevalence rates with ambient temperature in the United States: a re-analysis. <i>Kidney Int</i> , 76: 798.
55789	Fakheri RJ, Goldfarb DS (2009). [Comment] Association of nephrolithiasis prevalence rates with ambient temperature in the United States: a re-analysis. <i>Kidney Int</i> , 76: 798.
90229	Fakheri RJ, Goldfarb DS (2011). Ambient temperature as a contributor to kidney stone formation: implications of global warming. <i>Kidney Int</i> , 79: 1178-85.
90230	Favus M (2016). Nephrolithiasis. Retrieved 15 January 2019, from <a href="https://www.ncbi.nlm.nih.gov/books/NBK279069/?report=printable">https://www.ncbi.nlm.nih.gov/books/NBK279069/?report=printable</a>
90231	Feng Y, Jiang T, Wang L (2014). Hyperuricemia and acute kidney injury secondary to spontaneous tumor lysis syndrome in low risk myelodysplastic syndrome. <i>BMC Nephrology</i> , 15: 164.
54175	Ferrari P, Piazza R, Ghidini N, et al (2007). Lithiasis and risk factors. <i>Urol Int</i> , 79(Suppl 1): 8-15.
88058	Ferraro PM, Bonello M, Frigo AC, et al (2011). Cadmium exposure and kidney stone formation in the general population--an analysis of the National Health and Nutrition Examination Survey III Data. <i>J Endourol</i> , 25(5): 875-80.
90232	Ferraro PM, Curhan GC, Gambaro G, et al (2016). Total, dietary, and supplemental vitamin C intake and risk of incident kidney stones. <i>Am J Kidney Dis</i> , 67(3): 400-7.
90233	Ferraro PM, Mandel EI, Curhan GC, et al (2016). Dietary protein and potassium, diet-dependent net acid load, and risk of incident kidney stones. <i>Clin J Am Soc Nephrol</i> , 11(10): 1834-44.
90234	Ferraro PM, Taylor EN, Gambaro G, et al (2014). Caffeine intake and the risk of kidney stones. <i>Am J Clin Nutr</i> , 100(6): 1596-603.
90166	Fiorito F, De Martino L (2014). The presence of dioxin in kidney cells induces cell death with autophagy. <i>Autophagy: Cancer, Other Pathologies, Inflammation, Immunity, Infection, and Aging</i> , Vol 1 Chapter 11: 145-55. Academic Press Inc.
90235	Flannigan R, Choy WH, Chew B, et al (2014). Renal struvite stones--pathogenesis, microbiology, and management strategies. <i>Nat Rev Urol</i> , 11(6): 333-41.
54173	Flythe JE, Rueda JF, Riscoe MK, et al (2009). Silicate nephrolithiasis after ingestion of supplements containing silica dioxide. <i>Am J Kidney Dis</i> , 54(1): 127-30.
90236	Friedersdorff F, El-Bandar N, Busch J, et al (2017). Urolithiasis in renal allografts: Complications and outcomes. <i>Exp Clin Transplant</i> , 15(2): 164-70.

88059	Friedlander JI, Antonelli JA, Pearle MS (2015). Diet: from food to stone. <i>World J Urol</i> , 33(2): 179-85.
90237	Fukai M, et al (2017). Ammonium acid urate urolithiasis in anorexia nervosa: a case report and literature review. <i>Clin Case Rep</i> , 5(5): 685-7.
90238	Fukuhara H, Ichiyanagi O, Kakizaki H, et al (2016). Clinical relevance of seasonal changes in the prevalence of ureterolithiasis in the diagnosis of renal colic. <i>Urolithiasis</i> , 4(6): 529-37.
54120	Gambaro G, Vezzoli G, Casari G, et al (2004). Genetics of hypercalciuria and calcium nephrolithiasis: from the rare monogenic to the common polygenic forms. <i>Am J Kidney Dis</i> , 44(6): 963-86.
90239	Ganesan V, Chen WM, Jain R, et al (2017). Multiple sclerosis and nephrolithiasis: a matched-case comparative study. <i>BJU Int</i> , 119(6): 919-25.
90240	Ganji-Arjenaki M, Nasri H, Rafieian-Kopaei M (2017). Nephrolithiasis as a common urinary system manifestation of inflammatory bowel diseases; a clinical review and meta-analysis. <i>J Nephropathol</i> , 6(3): 264-9.
88060	Geraghty RM, Proietti S, Traxer O, et al (2017). Worldwide impact of warmer seasons on the incidence of renal colic and kidney stone disease: Evidence from a systematic review of literature. <i>J Endourol</i> , 31(8): 729-35.
56731	Gobel U, Kettritz R, Schneider W, et al (2001). The protean face of renal sarcoidosis. <i>J Am Soc Nephrol</i> , 12: 616-23.
55791	Goel A, Dalela D (2008). [Comment] Pelvic kidney: associated diseases and treatment. <i>J Endourology</i> , 22(1): 157. Comment on ID: 55790.
55805	Goldfarb DS (2009). In the clinic. Nephrolithiasis. <i>Ann Intern Med</i> , 151(3): ITC2.
54982	Goldfarb DS, Fischer ME, Keich Y, et al (2005). A twin study of genetic and dietary influences on nephrolithiasis: a report from the Vietnam Era Twin (VET) Registry. <i>Kidney Int</i> , 67: 1053-61.
5015	Goldfarb S (1990). The role of diet in the pathogenesis and therapy of nephrolithiasis. <i>Endocrinol Metab Clin North Am</i> , 19(4): 805-23.
55773	Gontero P, Coker C, Guglielmetti S, et al (2006). An unusual presentation of ureteric colic. <i>Arch Ital Urol Androl</i> , 78(3): 115-6.
90241	Gonzalez RD, Canales BK (2014). Kidney stone risk following modern bariatric surgery. <i>Curr Urol Rep</i> , 15(5): 401.
90242	Gopalakrishnan N, Kamarajan M, Balasubramaniyan T, et al (2016). Diethylene glycol poisoning-induced acute kidney injury. <i>Saudi J Kidney Dis Transplant</i> , 27: 1276-9.
55788	Gopaldas R, Rastogi V, Gulick T (2005). A case of pyonephrosis secondary to ureteral stent calculus. <i>Int Urol Nephrol</i> , 37: 467-70.
55787	Gozen AS, Kilic AS, Aktoz T, et al (2006). Renal anatomical factors for the lower calyceal stone formation. <i>Int Urol Nephrol</i> , 38: 79-85.
54197	Grases F, Costa-Bauza A, Prieto RM (2006). Renal lithiasis and nutrition. <i>Nutrition Journal</i> , 5: 23.
54085	Griffin DG (2004). A review of the heritability of idiopathic nephrolithiasis. <i>J Clin Path</i> , 57: 793-6.
8785	Guest CS, Venn AJ (1992). Mortality of former prisoners of war and other Australian veterans. <i>Med J Aust</i> , 157(2): 132-5.
56730	Guest G, Tete MJ, Beurton D, et al (1993). Urinary lithiasis after kidney transplantation. Experience at a pediatric center [Article in French]. <i>Arch Fr Pediatr</i> , 50(1): 15-9. [Abstract]
56726	Guitard J, Kamar N, Mouzin M, et al (2005). Sulfadiazine-related obstructive urinary tract lithiasis: an unusual cause of acute renal failure after kidney transplantation. <i>Clin Nephrol</i> , 63(5): 405-7.
90243	Gul Z, Monga M (2014). Medical and dietary therapy for kidney stone prevention. <i>Korean J Urol</i> , 55(12): 775-9.
54134	Haleblian GE, Cantor DA, Sur RL, et al (2007). Nephrolithiasis in identical twins: the impact of nature vs nurture. <i>BJU Int</i> , 100: 621-3.



56728	Hall PM (2009). Nephrolithiasis: Treatment, causes, and prevention. <i>Cleve Clin J Med</i> , 76(10): 583-91.
90244	Hanouneh M, Chen TK (2017). Calcium oxalate crystals in ethylene glycol toxicity. <i>N Engl J Med</i> , 377(15): 1467.
54178	Hansen RB, Biering-Sorensen F, Kristensen JK (2007). Urinary calculi following traumatic spinal cord injury. <i>Scand J Urol Nephrol</i> , 41: 115-9.
90245	Hara A, Yang WY, Petit T, et al (2016). Incidence of nephrolithiasis in relation to environmental exposure to lead and cadmium in a population study. <i>Environ Res</i> , 145: 1-8.
88199	Hari SB, Morrow MS (2012). Rethinking nephrolithiasis in military aviation. <i>Aviat Space Environ Med</i> , 83(4): 445-8.
90246	Harraz AM, Kamal AI, Shokeir AA (2016). Urolithiasis in renal transplant donors and recipients: An update. <i>Int J Surg</i> , 36(Pt D): 693-9.
90247	Harraz AM, Zahran MH, Kamal AI, et al (2017). Contemporary management of renal transplant recipients with de novo urolithiasis: A single institution experience and review of the Literature. <i>Exp Clin Transplant</i> , 15(3): 277-81.
90248	Hartman C, Grienlander JI, Moreira DM, et al (2015). Differences in 24-h urine composition between nephrolithiasis patients with and without diabetes mellitus. <i>BJU Int</i> , 115(4): 619-24.
54181	Hau AK, Kwan TH, Li PK (2009). Melamine toxicity and the kidney. <i>J Am Soc Nephrol</i> , 20: 245-50.
54182	Heaney RP (2008). Calcium supplementation and incident kidney stone risk: a systemic review. <i>J Am Coll Nutr</i> , 27(5): 519-27.
90249	Heilberg IP, Goldfarb DS (2013). Optimum nutrition for kidney stone disease. <i>Adv Chronic Kidney Dis</i> , 20(2): 165-74.
54172	Heilberg IP, Schor N (2006). Renal stone disease: causes, evaluation and medical treatment. <i>Arq Bras Endocrinol Metab</i> , 50(4): 823-31.
90250	Hertzog LL, Iwaszko MR, Rangel LJ, et al (2013). Urolithiasis after ileal conduit urinary diversion: a comparison of minimally invasive therapies. <i>J Urol</i> , 189(6): 2152-7.
56729	Hiatt RA, Ettinger B, Caan B, et al (1996). Randomized controlled trial of a low animal protein, high fiber diet in the prevention of recurrent calcium oxalate kidney stones. <i>Am J Epidemiol</i> , 144(1): 25-33.
90251	Hishida E, Masuda T, Akimoto T, et al (2016). Renal failure found during the follow-up of sarcoidosis: The relevance of a delay in the diagnosis of concurrent hypercalcemia. <i>Intern Med</i> , 55(14): 1893-8.
56718	Ho SS, Chu WC, Wong KT, et al (2009). Ultrasonographic evaluation of melamine-exposed children in Hong Kong. <i>N Engl J Med</i> , 360(11): 1156-7.
54088	Holmes RP, Assimos DG (2004). The impact of dietary oxalate on kidney stone formation. <i>Urol Res</i> , 32: 311-6.
55593	Hsiao KC, Voeltz ZL, Pattaras JG (2004). Hair as nidus for ureteral calculus formation: case report. <i>J Endourology</i> , 18(1): 37-8.
89606	Huang CY, Wu CL, Wu JS, et al (2016). Association between blood dioxin level and chronic kidney disease in an Endemic area of exposure. <i>PLoS One</i> , 11(3): e0150248.
54089	Hughes P (2007). Kidney stones epidemiology. <i>Nephrology</i> , 12: S26-S30.
56735	Husmann DA, Milliner DS, Segura JW (1995). Ureteropelvic junction obstruction with a simultaneous renal calculus: long-term followup. <i>J Urol</i> , 153(5): 1399-402.
54090	Hwang MT, Goldfarb DS (2004). Uric acid stones following hepatic transplantation. <i>Urol Res</i> , 32: 423-6.
90252	Ichianagi O, Fukuhara H, Naito S, et al (2017). Rise in ambient temperature predisposes aging, male Japanese patients to renal colic episodes due to upper urolithiasis. <i>Scand J Urol</i> , 51(2): 152-8.

54084	Indridason OS, Birgisson S, Edvardsson VO, et al (2006). Epidemiology of kidney stones in Iceland. A population-based study. <i>Scand J Urol Nephrol</i> , 40(3): 215-20.
56717	Institute of Medicine (2009). Committee to review the health effects in Vietnam veterans of exposure to herbicides. <i>Veterans and Agent Orange Update 2008, Seventh biennial update</i> , The National Academies Press, Washington DC.
56732	Ishii G, Nakajima K, Tanaka N, et al (2009). Clinical evaluation of urolithiasis in Crohn's disease. <i>Int J Urol</i> , 16(5): 477-80.
90253	Issler N, Dufek S, Kleta R, et al (2017). Epidemiology of paediatric renal stone disease: a 22-year single centre experience in the UK. <i>BMC Nephrology</i> , 18(1): 136.
56733	Ivica S, Dragan S (2009). Long-term indwelling double-J stents: bulky kidney and urinary bladder calculosis, spontaneous intraperitoneal perforation of the kidney and peritonitis as a result of "forgotten" double-J stents. <i>Vojnosanit Pregl</i> , 66(3): 242-4.
90254	Izzedine H, Lescure FX, Bonnet F (2014). HIV medication-based orolithiasis. <i>Clin Kidney J</i> , 7(2): 121-6.
38860	Jackson RD, LaCroix AZ, Gass M, et al (2006). Calcium plus Vitamin D supplementation and the risk of fractures. <i>NEJM</i> , 354(7): 669-83.
90255	Jacobsson H, Eriksen J, Karlen P (2013). Mesalazine induced renal calculi. <i>Am J Case Rep</i> , 14: 551-3.
90256	Jalal DI (2016). Hyperuricemia, the kidneys, and the spectrum of associated diseases: a narrative review. <i>Curr Med Res Opin</i> , 32(11): 1863-9.
54412	Ji K, Dharnidharka VR, Hocking B, et al (2009). [Comments] Melamine-contaminated powdered formula and urolithiasis. <i>NEJM</i> , 360(25): 2675-8. Comments on ID: 54411.
54191	Jonat LM, Birmingham CL (2003). Kidney stones in anorexia nervosa: a case report and review of the literature. <i>Eat Weight Disord</i> , 8(4): 332-5.
54091	Jones JA, Cherian SF, Barr YR, et al (2008). Medullary sponge kidney and urinary calculi: aeromedical concerns. <i>Aviat Space Environ Med</i> , 79(7): 707-11.
88061	Kalaitzidis RG, Damigos D, Siamopoulos KC (2014). Environmental and stressful factors affecting the occurrence of kidney stones and the kidney colic. <i>Int Urol Nephrol</i> , 46(9): 1779-84.
54092	Kalorin CM, Bauer R, White MD (2008). Phenytoin metabolite renal calculus: an index case. <i>J Endourology</i> , 22(8): 1665-7.
54135	Kane S (2006). Urogenital complications of Crohn's disease. <i>Am J Gastroenterol</i> , 101: S640-3.
54984	Kaufman DW, Kelly JP, Curhan GC, et al (2008). Oxalobacter formigenes may reduce the risk of calcium oxalate kidney stones. <i>J Am Soc Nephrol</i> , 19: 1197-203.
56723	Ke Z, Wei Q (2004). Water for preventing urinary calculi. The Cochrane Collaboration. Retrieved 26 May 2010, from <a href="http://www2.cochrane.org/reviews/en/ab004292.html">http://www2.cochrane.org/reviews/en/ab004292.html</a>
90257	Keller KJ, Lin CC, Kang JH, et al (2013). Association between osteoporosis and urinary calculus: evidence from a population-based study. <i>Osteoporos Int</i> , 24(2): 651-7.
90258	Khalil C, Mohanty MJ, Kaatz G, et al (2016). Efavirenz-associated urinary matrix stone - A rare presentation. <i>Am J Med Sci</i> , 351(2): 213-4.
88269	Khan MK, Taous A, Sultana SZ, et al (2010). Neck swelling with renal stone. <i>Mymensingh Med J</i> , 19(4): 622-6.
90259	Khan SR, Pearle MS, Robertson WG, et al (2016). Kidney stones. <i>Nat Rev Dis Primers</i> , 2: 16008.

90260	Kim S, Chang Y, Yun KE, et al (2017). Development of nephrolithiasis in asymptomatic hyperuricemia: A cohort study. <i>Am J Kidney Dis</i> , 70(2): 173-81.
90261	Kim SW, Kim SD, Yoo JM, et al (2010). Urolithiasis in patients suffering from malignant hematologic diseases. <i>Yonsei Med J</i> , 51: 244-7.
55786	Kirylyuk K, Gupta M (2007). White star in the black sea: an unusual stone associated with ureteropelvic junction obstruction. <i>Kidney Int</i> , 71: 1330.
54152	Kleinman JG (2007). [Comment] Bariatric surgery, hyperoxaluria, and nephrolithiasis: a plea for close postoperative management of risk factors. <i>Kidney Int</i> , 72: 8-10. Comment on ID: 54151.
54985	Klingler HC, Kramer G, Lodde M, et al (2002). Urolithiasis in allograft kidneys. <i>Urology</i> , 59: 344-8.
88065	Kolbach-Mandal AM, Mandel NS, Cohen SR, et al (2017). Guaifenesin stone matrix proteomics: a protocol for identifying proteins critical to stone formation. <i>Urolithiasis</i> , 45(2): 139-49.
90262	Korkes F, Segal AB, Heilberg IP, et al (2006). Immobilization and hypercalciuria in children. <i>Pediatr Nephrol</i> , 21(8): 1157-60.
90263	Kovesdy CP, Furth S, Zoccali C (2017). Obesity and kidney disease: hidden consequences of the epidemic. <i>Rev Med Chil</i> , 145(3): 281-91.
54136	Ku JH, Jung TY, Lee JK, et al (2006). Risk factors for urinary stone formation in men with spinal cord injury: a 17-year follow-up study. <i>BJU Int</i> , 97: 790-3.
90264	Kum F, Mahmalji W, Hale J, et al (2016). Do stones still kill? An analysis of death from stone disease 1999-2013 in England and Wales. <i>BJU Int</i> , 118(1): 140-4.
54179	Lambert GM (2008). Does intestinal resection affect the absorption of essential vitamins, minerals, and bile salts? An overview of the literature. <i>Ostomy Wound Management</i> , 54(6): 36-47.
56738	Lancina Martin JA, Novas Castro S, Rodriguez-Rivera Garcia J, et al (2002). Multiple urinary lithiasis and nephrocalcinosis secondary to primary Sjogren syndrome. <i>Actas Urol Esp</i> , 26(3): 235-8. [Abstract]
55785	Langenstroer P (2000). Ileal conduit staple reflux: a nidus for renal calculi. <i>Urology</i> , 56: 504-5.
54093	Langman CB (2004). The molecular basis of kidney stones. <i>Curr Opin Pediatr</i> , 16: 188-93.
54410	Langman CB (2009). Melamine, powdered milk, and nephrolithiasis in Chinese infants. <i>NEJM</i> , 360(11): 1139-41.
90265	Leaf DE, Bukberg PR, Goldfarb DS (2012). Laxative abuse, eating disorders, and kidney stones: a case report and review of the literature. <i>Am J Kidney Dis</i> , 60(2): 295-8.
89611	Lebov JF, Engel LS, Richardson D, et al (2016). Pesticide use and risk of end-stage renal disease among licensed pesticide applicators in the Agricultural Health Study. <i>Occup Environ Med</i> , 73(1): 3-12.
90266	Lee MC, Bariol SV (2013). Changes in upper urinary tract stone composition in Australia of the past 30 years. <i>BJU Int</i> , 112(Suppl 2): 65-8.
54097	Lee SC, Kim YJ, Kim TH, et al (2008). Impact of obesity in patients with urolithiasis and its prognostic usefulness in stone recurrence. <i>J Urol</i> , 179: 570-4.
78060	Lei M, Zhang L, Lei J, et al (2015). Overview of emerging contaminants and associated human health effects. <i>Biomed Res Int</i> , 2015: 404796.
54137	Leth PM, Gregersen M (2005). Ethylene glycol poisoning. <i>Forensic Sci Int</i> , 155: 179-84.
90267	Li N, Zhou X, Yuan J, et al (2014). Ceftriaxone and acute renal failure in children. <i>Pediatrics</i> , 133(4): e917-22.
54192	Liebman SE, Taylor JG, Bushinsky DA (2007). Uric acid nephrolithiasis. <i>Curr Rheumatol Rep</i> , 9: 251-7.

54194	Lieske JC (2008). Can biologic nanoparticles initiate nephrolithiasis? <i>Nature Clin Pract Nephrol</i> , 4(6): 308-9.
54979	Lieske JC (2009). Gastric bypass procedures and renal calculi - how should we counsel patients and bariatric surgeons? <i>J Urol</i> , 182: 2105-6.
90268	Lieske JC, Mehta RA, Milliner DS, et al (2015). Kidney stones are common after bariatric surgery. <i>Kidney Int</i> , 87(4): 839-45.
90269	Lo TE, Tan IT (2015). Distal renal tubular acidosis in primary hyperparathyroidism. <i>BMJ Case Reports</i> , 2015: 208120.
90270	Lotan Y, Antonelli J, Jimenez IB, et al (2017). The kidney stone and increased water intake trial in steel workers: results from a pilot study. <i>Urolithiasis</i> , 45(2): 177-83.
54138	Maalouf NM, Cameron MA, Moe OW, et al (2004). Novel insights into the pathogenesis of uric acid nephrolithiasis. <i>Curr Opin Nephrol Hypertens</i> , 13: 181-9.
55802	Maalouf NM, Sakhaee K, Parks JH, et al (2004). Association of urinary pH with body weight in nephrolithiasis. <i>Kidney Int</i> , 65: 1422-5.
90163	MacAulay J (2008). TCDD disrupts gene expression in the developing mouse kidney. Extracts of PhD thesis, 1-34.
90271	Malihi Z, Wu Z, Stewart AW, et al (2016). Hypercalcemia, hypercalciuria, and kidney stones in long-term studies of vitamin D supplementation: a systematic review and meta-analysis. <i>Am J Clin Nutr</i> , 104(4): 1039-51.
55783	Manikandan R, Gall Z, Gunendran T, et al (2007). Do anatomic factors pose a significant risk in the formation of lower pole stones? <i>Urology</i> , 69: 620-4.
90272	Marchini GS, Faria KV, Torricelli FC, et al (2018). Sporadic primary hyperparathyroidism and stone disease: a comprehensive metabolic evaluation before and after parathyroidectomy. <i>BJU Int</i> , 121(2): 281-8.
90273	Marchini GS, Sarkissian C, Tian D, et al (2013). Gout, stone composition and urinary stone risk: a match case comparative study. <i>J Urol</i> , 189(4): 1334-9.
54139	Massey LK, Liebman M, Kynast-Gales SA (2005). Ascorbate increases human oxaluria and kidney stone risk. <i>J Nutr</i> , 135: 1673-7.
54986	Massey LK, Sutton RAL (2004). Acute caffeine effects on urine composition and calcium kidney stone risk in calcium stone formers. <i>J Urol</i> , 172: 555-8.
56736	Matlaga BR, Coe FL, Evan AP, et al (2007). The role of Randall's plaques in the pathogenesis of calcium stones. <i>J Urol</i> , 177(1): 31-8.
54169	Matlaga BR, Kim SC, Watkins SL, et al (2006). Changing composition of renal calculi in patients with neurogenic bladder. <i>J Urol</i> , 175: 1716-9.
54096	Matlaga BR, Shore AD, Magnuson T, et al (2009). Effect of gastric bypass surgery on kidney stone disease. <i>J Urol</i> , 181: 2573-7.
54170	Matlaga BR, Williams JC Jr, Kim SC, et al (2006). Endoscopic evidence of calculus attachment to Randall's plaque. <i>J Urol</i> , 175: 1720-4.
54123	Mattoo A, Goldfarb DS (2008). Cystinuria. <i>Semin Nephrol</i> , 28(2): 181-91.
5016	McGeown MG (1961). Effect of parathyroidectomy on the incidence of renal calculi. <i>Lancet</i> , 1(7177): 586-7.
54095	Mehandru S, Goldfarb DS (2005). Nephrolithiasis complicating treatment of diabetes insipidus. <i>Urol Res</i> , 33: 244-6.
90274	Mehta M, Goldfarb DS, Nazzal L (2016). The role of the microbiome in kidney stone formation. <i>Int J Surg</i> , 36(Pt D): 607-12.
88062	Menon P, Dayal D, Rao SG, et al (2016). Childhood parathyroid adenoma: a rare but important cause of nephrolithiasis. <i>J Pediatr Endocrinol Metab</i> , 29(7): 853-6.
54161	Mente A, Honey RJ, McLaughlin JR, et al (2007). Ethnic differences in relative risk of idiopathic calcium nephrolithiasis in North America. <i>J Urol</i> , 178: 1992-7.

90275	Merino-Salas S, Arrabal-Polo MA, Cano-Garcia Mdel C, et al (2014). Calcium nephrolithiasis induced by topiramate [Article in Spanish]. Arch Esp Urol, 67(3): 284-7.
54999	Meydan N, Barutca S, Caliskan S, et al (2003). Urinary stone disease in diabetes mellitus. Scand J Urol Nephrol, 37: 64-70.
54098	Miller NL (2008). Modern bariatric surgery and nephrolithiasis-are we on the verge of a new epidemic? J Urol, 179: 403-4.
54121	Miller NL, Evan AP, Lingeman JE (2007). Pathogenesis of renal calculi. Urol Clin North Am, 34: 295-313.
54165	Milliner DS (2006). Stones, bones, and hereditary. Acta Paediatrica, 95(Suppl 452): 27-30.
90276	Mirheydar HS, Banapour P, Massoudi R, et al (2014). What is the incidence of kidney stones after chemotherapy in patients with lymphoproliferative or myeloproliferative disorders? Int Braz J Urol, 40(6): 772-80.
88202	Mirski DI (2013). You're the flight surgeon: nephrolithiasis. Aviat Space Environ Med, 84(6): 648-50.
88063	Mitchell DM, Regan S, Cooley MR, et al (2012). Long-term follow-up of patients with hypoparathyroidism. J Clin Endocrinol Metab, 97(12): 4507-14.
88201	Moesch C, Charmes JP, Bouthier F, et al (1995). Calcium oxalate crystalluria in elderly patients and treatment with naftidrofuryl oxalate. Age Ageing, 24(6): 464-7.
54099	Monga M, Macias B, Groppo E, et al (2006). Genetic heritability of urinary stone risk in identical twins. J Urol, 175: 2125-8.
54100	Monga M, Macias, Groppo E, et al (2006). Renal stone risk in a simulated microgravity environment: impact of treadmill exercise with lower body negative pressure. J Urol, 176: 127-31.
55769	Montanari E, Zanetti G (2009). Management of urolithiasis in renal transplantation. Arch Ital Urol Androl, 81(3): 175-81.
88973	Morita T, Ashida A, Fujieda M, et al (2009). Four cases of postrenal renal failure induced by renal stone associated with rotavirus infection. Clin Nephrol, 73(5): 398-402.
55592	Moriyama Y, Minamidate Y, Uasuda M, et al (2008). Acute renal failure due to bilateral ureteral stone impaction in an HIV-positive patient. Urol Res, 36: 275-7.
55782	Mousavi-Bahar SH, Amir-Zargar MA, Gholamrezaie HR (2008). Laparoscopic assisted percutaneous nephrolithotomy in ectopic pelvic kidneys. Int J Urol, 15: 276-8.
5017	Muldoon LD, Resnick MI (1990). Secondary urolithiasis. Endocrinol Metab Clin North Am, 19: 909-18.
88271	Muller CE, Bianchetti M, Kaiser G (1994). Immobilization, a risk factor for urinary tract stones in children. A case report. Eur J Pediatr Surg, 4(4): 201-4.
54997	Najem GR, Seebode JJ, Samady AJ, et al (1997). Stressful life events and risk of symptomatic kidney stones. Int J Epidemiol, 26(5): 1017-23.
54196	Nasr SH, D'Agati VD, Said SM, et al (2008). Oxalate nephropathy complicating Roux-en-Y gastric bypass: an underrecognized cause of irreversible renal failure. Clin J Am Soc Nephrol, 3: 1676-83.
90165	National Academies of Sciences, Engineering, and Medicine (2018). Veterans & Agent Orange: Update 11, 553-9. The National Academic Press, Washington DC.
90277	National Academies of Sciences, Engineering, and Medicine (2018). Veterans and Agent Orange: Update 11. National Academy of Sciences, Washington, D.C. National Academy Press.

28736	National Research Centre for Environmental Toxicology (ENTOX) (2002). Examination of the Potential Exposure of Royal Australian Navy (RAN) Personnel to Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans via Drinking Water, Executive Summary. Queensland Health Scientific Services (QHSS).
90162	Nishimura N, Matsumura F, Vogel CF, et al (2008). Critical role of cyclooxygenase-2 activation in pathogenesis of hydronephrosis caused by lactational exposure of mice to dioxin. <i>Toxicol Appl Pharmacol</i> , 231(3): 374-83.
54183	Nishiura JL, Neves RF, Eloi SR, et al (2009). Evaluation of nephrolithiasis in autosomal dominant polycystic kidney disease patients. <i>Clin J Am Soc Nephrol</i> , 4: 838-44.
90278	Norsworthy AN, Pearson MM (2017). From catheter to kidney stone: The uropathogenic lifestyle of proteus mirabilis. <i>Trends Microbiol</i> , 25(4): 304-15.
90279	Nseyo U, Santiago-Lastra Y (2017). Long-term complications of the neurogenic bladder. <i>Urol Clin North Am</i> , 44(3): 355-66.
54140	Obligado SH, Goldfarb DS (2008). The association of nephrolithiasis with hypertension and obesity: a review. <i>Am J Hypertens</i> , 21(3): 247-64.
90280	Oda E (2014). Overweight and high-sensitivity C-reactive protein are weakly associated with kidney stone formation in Japanese men. <i>Int J Urol</i> , 21(10): 1005-11.
54141	Okada A, Ohshima H, Itoh Y, et al (2008). Risk of renal stone formation induced by long-term bed rest could be decreased by premedication with bisphosphonate and increased by resistive exercise. <i>Int J Urol</i> , 15: 630-5.
55766	Osther PJ, Poulsen AL, Steven K (2000). Stone risk after bladder substitution with the ilealurethral kock reservoir. <i>Scand J Urol Nephrol</i> , 34: 257-61.
54987	Pak CYC, Sakhaee K, Moe O, et al (2003). Biochemical profile of stone-forming patients with diabetes mellitus. <i>Urology</i> , 61: 523-7.
90281	Palazzetti A, Oderda M, Dalmasso E, et al (2015). Urological consequences following renal transplantation: a review of the literature. <i>Urologia</i> , 82(4): 211-8.
54988	Park AM, Storm DW, Fulmer BR, et al (2009). A prospective study of risk factors for nephrolithiasis after roux-en-Y gastric bypass surgery. <i>J Urol</i> , 182: 2334-9.
54142	Parks JH, Coe FL, Evan AP, et al (2008). Clinical and laboratory characteristics of calcium stone-formers with and without primary hyperparathyroidism. <i>BJU Int</i> , 103: 670-8.
54143	Parmar MS (2004). Kidney stones. <i>BMJ</i> , 328: 1420-4.
90282	Pearle MS, Goldfarb DS, Assimos DG, et al (2014). Medical management of kidney stones: AUA guideline. <i>J Urol</i> , 192: 316-24.
90283	Pfau A, Knauf F (2016). Update on nephrolithiasis: Core curriculum 2016. <i>Am J Kidney Dis</i> , 69(6): 973-85.
90284	Pinheiro VB, Baxmann AC, Tiselius HG, et al (2013). The effect of sodium bicarbonate upon urinary citrate excretion in calcium stone formers. <i>Urology</i> , 82(1): 33-7.
90285	Pomara C, Fiore C, D'Errico S, et al (2008). Calcium oxalate crystals in acute ethylene glycol poisoning: a confocal laser scanning microscope study in a fatal case. <i>Clin Toxicol</i> , 46(4): 322-4.
55591	Prajsner A, Szewczyk W, Gawron R (2009). Empyema of retained ureteral stump with gross stone 20 years after nephrectomy. <i>Urology</i> , 73: 993-4.
5018	Pratley SK, Posen S, Reeve TS (1973). Primary hyperparathyroidism experiences with 60 patients. <i>MJA</i> , 1(9).
90286	Prezioso D, Strazzullo P, Lotti T, et al (2015). Dietary treatment of urinary risk factors for renal stone formation. A review of CLU Working Group. <i>Arch Ital Urol Androl</i> , 87(2): 105-20.

54989	Pugliese JM, Baker KC (2009). Epidemiology of nephrolithiasis in personnel returning from Operation Iraqi Freedom. <i>Urology</i> , 74: 56-61.
90287	Qin B, Wang Q, Lu Y, et al (2018). Losartan ameliorates calcium oxalate-induced elevation of stone-related proteins in renal tubular cells by inhibiting NADPH oxidase and oxidative stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2018: 1271864.
55771	Rahman NU, Meng MV, Stoller MI (2003). Infections and urinary stone disease. <i>Current Pharmaceutical Design</i> , 9: 975-81.
90288	Rahman SH, Papadakis GZ, Keil MF, et al (2016). Kidney stones as an underrecognized clinical sign in pediatric cushing disease. <i>J Pediatr</i> , 170: 273-7.
54144	Raj GV, Auge BK, Assimos D, et al (2004). Metabolic abnormalities associated with renal calculi in patients with horseshoe kidneys. <i>J Endourology</i> , 18(2): 157-61.
55781	Rana AM, Bhojwani JP (2009). Percutaneous nephrolithotomy in renal anomalies of fusion, ectopia, rotation, hypoplastic, and pelvicalyceal aberration: uniformity in heterogeneity. <i>J Endourology</i> , 23(4): 609-14.
54185	Rho M, Perazella MA (2007). Nephrotoxicity associated with antiretroviral therapy in HIV-infected patients. <i>Current Drug Safety</i> , 2: 147-54.
90289	Ricchi P, Ammirabile M, Costantini S, et al (2012). Splenectomy is a risk factor for developing hyperuricemia and nephrolithiasis in patients with thalassemia intermedia: a retrospective study. <i>Blood Cells Mol Dis</i> , 49(3-4): 133-5.
90290	Ripley E, Hirsch A (2010). Fifteen years of losartan: what have we learned about losartan that can benefit chronic kidney disease patients? <i>Int J Nephrol Renovasc Dis</i> , 3: 93-8.
55780	Rizzato G (2001). Extrapulmonary presentation of sarcoidosis. <i>Curr Opin Pulm Med</i> , 7: 295-7.
55770	Rizzato G, Colombo P (1996). Nephrolithiasis as a presenting feature of chronic sarcoidosis: a prospective study. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 13: 167-72.
55763	Rodman JS, Mahler RJ (2000). Kidney stones as a manifestation of hypercalcemic disorders. <i>Urol Clin N Am</i> , 27(2): 275-85.
90291	Romero-Vargas L, Barba Abad J, Rosell Costa D, et al (2014). [Staghorn stones in renal graft. Presentation on two cases report and review the bibliography][Article in Spanish]. <i>Arch Esp Urol</i> , 67(7): 650-3. [Abstract]
54189	Ross WR, McGill JB (2006). Epidemiology of obesity and chronic kidney disease. <i>Advances in Chronic Kidney Disease</i> , 13(4): 325-35.
55779	Rubenstein JN, Gonzalez CM, Blunt LW, et al (2004). Safety and efficacy of percutaneous nephrolithotomy in patients with neurogenic bladder dysfunction. <i>Urology</i> , 63: 636-40.
55590	Russinko PJ, Siddiq FM, Zabbo A (2003). A retained ureteral stump with calculi. <i>J Urol</i> , 169: 268.
55589	Russo P (2005). Ureteral obstruction and stents: still a difficult problem for patients and urologists alike. <i>J Urol</i> , 174: 2088.
56734	Rutchik SD, Resnick MI (1998). Ureteropelvic junction obstruction and renal calculi. Pathophysiology and implications for management. <i>Urol Clin N Am</i> , 25(2): 317-21.
54146	Ryall RL (2008). The future of stone research: rummagings in the attic, Randall's plaque, nanobacteria, and lessons from phylogeny. <i>Urol Res</i> , 36: 77-97.
54147	Sakhaee K (2008). Nephrolithiasis as a systemic disorder. <i>Curr Opin Nephrol Hypertens</i> , 17: 304-9.
54148	Sakhaee K (2009). Recent advances in the pathophysiology of nephrolithiasis. <i>Kidney Int</i> , 75: 585-95.
54990	Sakhaee K, Adams-Huet B, Moe OW, et al (2002). Pathophysiologic basis for normouricosuric uric acid nephrolithiasis. <i>Kidney Int</i> , 62: 971-9.

54122	Sakhaee K, Maalouf NM (2008). Metabolic syndrome and uric acid nephrolithiasis. <i>Semin Nephrol</i> , 28(2): 174-80.
90223	Salek T, Andel I, Kurfurstova I (2017). Topiramate induced metabolic acidosis and kidney stones - a case study. <i>Biochem Med</i> , 27(2): 404-10.
90292	Sancak E, et al (2015). Do hypertension, diabetes mellitus and obesity increase the risk of severity of nephrolithiasis? <i>Pak J Med Sci</i> , 31: 566-71.
54149	Sayer JA (2008). The genetics of nephrolithiasis. <i>Nephron Exp Nephrol</i> , 110: e37-e43.
90293	Sayyid RK, Fleshner NE (2016). Diabetes mellitus type 2: A driving force for urological complications. <i>Trends Endocrinol Metab</i> , 27(5): 249-61.
55778	Scales CD Jr, Curtis LH, Norris RD, et al (2007). Changing gender prevalence of stone disease. <i>J Urol</i> , 177: 979-82.
56722	Scheinman SJ (1999). Concise Review: Genetics of nephrolithiasis. <i>Access Medicine</i> . Retrieved 24 May 2010, from <a href="http://proxy14.use.hcn.com.au/updatesContent.aspx?aID=395360&amp;searchStr=genetics+of+nephrolithiasis">http://proxy14.use.hcn.com.au/updatesContent.aspx?aID=395360&amp;searchStr=genetics+of+nephrolithiasis</a>
90294	Schwedler SB, Grone EF, Luft FC (2009). Chronic hypokalaemia and nephrocalcinosis. <i>NDT Plus</i> , 2(4): 314-7.
5019	Schwille PO, Herrmann U (1992). Environmental factors in the pathophysiology of recurrent idiopathic calcium urolithiasis (RCU) with emphasis on nutrition. <i>Urol Res</i> , 20: 72-83.
54174	Seijo LM (2009). [Comment] Pulmonary rehabilitation. <i>N Engl J Med</i> , 360(25): 2678.
54991	Semins MJ, Matlaga BR, Shore AD, et al (2009). The effect of gastric banding on kidney stone disease. <i>Urology</i> , 74: 746-50.
55899	Semins MJ, Shore AD, Makary MA, et al (2010). The association of increasing body mass index and kidney stone disease. <i>J Urol</i> , 183: 571-5.
55768	Serra AC, Moreno RP, Baron FR, et al (2000). Current management of calculi in horseshoe kidneys. <i>Scand J Urol Nephrol</i> , 34: 114-8.
90295	Shadman A, Bastani B (2017). Kidney calculi: Pathophysiology and a systemic disorder. <i>Cleve Clin J Med</i> , 83(6): 463-71.
90296	Shah S, Calle JC (2016). Dietary and medical management of recurrent nephrolithiasis. <i>Cleve Clin J Med</i> , 83(6): 463-71.
90297	Shavit L, Ferraro PM, Johri N, et al (2015). Effect of being overweight on urinary metabolic risk factors for kidney stone formation. <i>Nephrol Dial Transplant</i> , 30(4): 607-13.
90298	Shen AL, Lin HL, Tseng YF, et al (2015). Topiramate may not increase risk of urolithiasis: A nationwide population-based cohort study. <i>Seizure</i> , 29: 86-9.
54171	Shey J, Cameron MA, Sakhaee K, et al (2004). Recurrent calcium nephrolithiasis associated with primary aldosteronism. <i>Am J Kidney Dis</i> , 44(1): e7-e12.
55001	Shiekh FA, Miller VM, Lieske JC (2009). Do calcifying nanoparticles promote nephrolithiasis? A review of the evidence. <i>Clin Nephrol</i> , 71(1): 1-8.
90299	Shimizu H, Ichikawa D, Tamagaki K, et al (2013). Evaluation of postoperative nephrolithiasis and renal dysfunction in gastric cancer patients. <i>Gastric Cancer</i> , 16(3): 338-44.
55000	Shimizu T, Hori H (2009). The prevalence of nephrolithiasis in patients with primary gout: a cross-sectional study using helical computed tomography. <i>J Rheumatol</i> , 36: 1958-62.
90300	Shoag M, Katz BF, Moreira DM, et al (2014). The new epidemiology of nephrolithiasis and renal dysfunction in gastric patients. <i>Adv Chronic Kidney Dis</i> , 22(4): 373-8.
54150	Siener R (2006). Impact of dietary habits on stone incidence. <i>Urol Res</i> , 34: 131-3.



55801	Siener R, Glatz S, Nicolay C, et al (2004). The role of overweight and obesity in calcium oxalate stone formation. <i>Obesity Research</i> , 12(1): 106-13.
55774	Siener R, Schade N, Nicolay C, et al (2005). The efficacy of dietary intervention on urinary risk factors for stone formation in recurrent calcium oxalate stone patients. <i>J Urol</i> , 173: 1601-5.
55777	Sighinolfi MC, Micali S, Grande M, et al (2009). [Comments] Successful management of "overlooked: ureteral stent in transplant kidney. <i>Urology</i> , 73: 445-6. Comments on ID: 55776.
54118	Singh D, Laya AS, Clarkston WK, et al (2009). Jejunoileal bypass: a surgery of the past and a review of its complications. <i>World J Gastroenterol</i> , 15(18): 2277-9.
55588	Singh I (2007). Adult bilateral non-obstructing orthotopic ureteroceles with multiple calculi: endoscopic management with review of literature. <i>Int Urol Nephrol</i> , 39: 71-4.
54151	Sinha MK, Collazo-Clavell ML, Rule A, et al (2007). Hyperoxaluric nephrolithiasis is a complication of Roux-en-Y gastric bypass surgery. <i>Kidney Int</i> , 72: 100-7.
90301	Sirohi M, Katz BF, Moreira DM, et al (2014). Monthly variations in urolithiasis presentations and their associations with meteorologic factors in New York City. <i>J Endourol</i> , 28(5): 599-604.
54153	Siva S, Barrack ER, Reddy GP, et al (2008). A critical analysis of the role of gut <i>Oxalobacter formigenes</i> in oxalate stone disease. <i>BJU Int</i> , 103: 18-21.
90302	Skolarikos A, Dellis A, Knoll T (2015). Ureteropelvic obstruction and renal stones: etiology and treatment. <i>Urolithiasis</i> , 43(1): 5-12.
90303	Small E, Sandefur BJ (2014). Acute renal failure after ingestion of guaifenesin and dextromethorphan. <i>J Emerg Med</i> , 47(1): 26-9.
5020	Smith LH, Fromm H, Hofmann AF (1972). Acquired hyperoxaluria, nephrolithiasis, and intestinal disease. <i>NEJM</i> , 286: 1371-5.
90304	Smith PJ, Basravi S, Schlomer BJ, et al (2011). Comparative analysis of nephrolithiasis in otherwise healthy versus medically complex gastrostomy fed children. <i>J Pediatr</i> , 7(3): 244-7.
90305	Smith SM, Heer M, Shackelford L, et al (2015). Bone metabolism and renal stone risk during International Space Station missions. <i>Bone</i> , 81: 712-20.
90306	Smith SM, Zwart SR, Heer M, et al (2014). Men and women in space: bone loss and kidney stone risk after long-duration spaceflight. <i>J Bone Miner Res</i> , 29(7): 1639-45.
90307	Snellings WM, McMartin KE, Banton MI, et al (2017). Human health assessment for long-term oral ingestion of diethylene glycol. <i>Regul Toxicol Pharmacol</i> , 87(Suppl 2): S1-20.
55776	Somani BK, Todd A, Bramwell S (2008). Successful management of an "overlooked" ureteral stent in a transplant kidney. <i>Urology</i> , 72: 1012.
90308	Sorensen MD, Chi T, Shara NM, et al (2014). Activity, energy intake, obesity, and the risk of incident kidney stones in postmenopausal women: a report from the Women's Health Initiative. <i>J Am Soc Nephrol</i> , 25(2): 362-9.
90309	Sorensen MD, His RS, Chi T, et al (2014). Dietary intake of fiber, fruit and vegetables decreases the risk of incident kidney stones in women: a Women's Health Initiative report. <i>J Urol</i> , 192(6): 1694-9.
90310	Sorensen MD, Kahn AJ, Reiner AP, et al (2012). Impact of nutritional factors on incident kidney stones formation: a report from the WHI OS. <i>J Urol</i> , 187(5): 1645-9.
54154	Soylu A, Ugras YM, Gunes A, et al (2005). Bilateral kidney stones with ureteropelvic junction obstruction. <i>Nat Clin Pract Urol</i> , 2(7): 351-4.

55582	Soyupek S, Armagan A, Kosar A, et al (2005). Risk factors for the formation of a Steinstrasse after shock wave lithotripsy. <i>Urol Int</i> , 74: 323-5.
54155	Spivacow FR, Negri AL, del Valle EE, et al (2008). Metabolic risk factors in children with kidney stone disease. <i>Pediatr Nephrol</i> , 23: 1129-33.
54992	Stamatelou KK, Francis ME, Jones CA, et al (2003). Time trends in reported prevalence of kidney stones in the United States: 1976-1994. <i>Kidney Int</i> , 63: 1817-23.
88066	Stamper RL, Lieberman M, Drake M (2009). Carbonic anhydrase inhibitors. <i>Becker-Shaffer's Diagnosis and Therapy of the Glaucomas</i> , Eighth Edition, Part 6 Chapter 26: 407-19. Elsevier, New York.
90311	Stasinou T, Bourdoumis A, Masood J (2017). Forming a stone in pelviureteric junction obstruction: cause or effect? <i>Int Braz J Urol</i> , 43(1): 13-9.
54156	Stechman MJ, Loh NY, Thakker RV (2007). Genetics of hypercalciuric nephrolithiasis. <i>Ann N Y Acad Sci</i> , 1116: 461-84.
54157	Stoller ML, Chi T, Eisner BH, et al (2009). Changes in urinary stone risk factors in hypocitraturic calcium oxalate stone formers treated with dietary sodium supplementation. <i>J Urol</i> , 181: 1140-4.
54993	Strang AM, Lockhart ME, Amling CL, et al (2008). Living renal donor allograft lithiasis: a review of stone related morbidity in donors and recipients. <i>J Urol</i> , 179: 832-6.
88064	Stravodimos KG, Adamis S, Tyrizis S, et al (2012). Renal transplant lithiasis: Analysis of our series and review of the literature. <i>J Endourol</i> , 26(1): 38-44.
54302	Suh JM, Cronan JJ, Monchik JM (2008). Primary hyperparathyroidism: is there an increased prevalence of renal stone disease? <i>AJR</i> , 191: 908-11.
90312	Swaddiwudhipong W, Limpatanchote P, Nishijo M, et al (2010). Cadmium-exposed population in Mae Sot district, Tak province: 3. Associations between urinary cadmium and renal dysfunction, hypertension, diabetes, and urinary stones. <i>J Med Assoc Thai</i> , 93(2): 231-8.
90313	Swaddiwudhipong W, Mahasakpan P, Limpatanachote P, et al (2011). An association between urinary cadmium and urinary stone disease in persons living in cadmium-contaminated villages in northwestern Thailand: A population study. <i>Env Res</i> , 111(4): 579-83.
89576	Swaddiwudhipong W, Nguntra P, Kaewnate Y, et al (2015). Human health effects from cadmium exposure: comparison between persons living in cadmium-contaminated and non-contaminated areas in northwestern Thailand. <i>Southeast Asian J Trop Med Public Health</i> , 46(1): 133-42.
89610	't Mannelje A, Eng A, Walls C, et al (2018). Morbidity in New Zealand pesticide producers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Environ Int</i> , 110: 22-31.
88067	Tang J, Chonchol MB (2013). Vitamin D and kidney stone disease. <i>Curr Opin Nephrol Hypertens</i> , 22: 383-9.
90315	Tasian GE, Pulido JE, Gasparrini A, et al (2014). Daily mean temperature and clinical kidney stone presentation in five U.S. metropolitan states: a time-series analysis. <i>Environ Health Perspect</i> , 122: 1081-7.
90320	Tavichakortrakool R, Boonsiri P, Prasongwatana V, et al (2017). Differential colony size, cell length, and cellular proteome of <i>Escherichia coli</i> isolated from urine vs. stone nidus of kidney stone patients. <i>Clin Chim Acta</i> , 466: 112-9.
54164	Taylor EN, Curhan GC (2007). Oxalate intake and the risk of nephrolithiasis. <i>J Am Soc Nephrol</i> , 18: 2198-204.
54104	Taylor EN, Curhan GC (2008). Fructose consumption and the risk of kidney stones. <i>Kidney Int</i> , 73: 207-12.
56051	Taylor EN, Curhan GC (2009). Demographic, dietary, and urinary factors and 24-h urinary calcium excretion. <i>Clin J Am Soc Nephrol</i> , 4: 1980-7.

90327	Taylor EN, Curhan GC (2013). Dietary calcium from dairy and nondairy sources, and risk of symptomatic kidney stones. <i>J Urol</i> , 190(4): 1255-9.
56050	Taylor EN, Fung TT, Curhan GC (2009). DASH-style diet associates with reduced risk for kidney stones. <i>J Am Soc Nephrol</i> , 20: 2253-9.
54994	Taylor EN, Stampfer MJ, Curhan GC (2005). Diabetes mellitus and the risk of nephrolithiasis. <i>Kidney Int</i> , 68: 1230-5.
54117	Taylor EN, Stampfer MJ, Curhan GC (2005). Obesity, weight gain, and the risk of kidney stones. <i>JAMA</i> , 293: 455-62.
54187	Taylor EN, Stampfer MJ, Curhan GC (2004). Dietary factors and the risk of incident kidney stones in men: new insights after 14 years of follow-up. <i>J Am Soc Nephrol</i> , 15: 3225-32.
90329	Teasell R, Dittmeier DK (1993). Complications of immobilization and bed rest. Part 2: Other complications. <i>Can Fam Physician</i> , 39: 1440-2, 1445-6.
56720	Teichman JM (2004). Acute renal colic from ureteral calculus. <i>N Engl J Med</i> , 350(7): 684-93.
90330	Tenkorang S, Omana JP, Mellas S, et al (2017). Urolithiasis secondary to primary obstructive megaureter in an adult: a case report. <i>J Med Case Rep</i> , 11(1): 177.
90332	Thomas LD, Elinder CG, Tiselius HG, et al (2013). Dietary cadmium exposure and kidney stone incidence: a population-based cohort study of men & women. <i>Environ Int</i> , 59: 148-51.
90333	Thongprayoon C, Cheungpasitporn W, Vijayvargiya P, et al (2016). The risk of kidney stones following bariatric surgery: a systematic review and meta-analysis. <i>Ren Fail</i> , 38(3): 424-30.
90334	Ticinesi A, Nouvenne A, Borghi L, et al (2017). Water and other fluids in nephrolithiasis: State of the art and future challenges. <i>Critical Reviews in Food Science</i> , 57(5): 963-74.
5021	Torres V, Wilson DM, Hattery RR, et al (1993). Renal stone disease in autosomal dominant polycystic kidney disease. <i>Am J Kidney Dis</i> , 22: 513-9.
90335	Torricelli FC, De S, Gebreselassie S, et al (2014). Type-2 diabetes and kidney stones: impact of diabetes medications and glycemic control. <i>Urology</i> , 84(3): 544-8.
54158	Trevisan A, Gardin C (2005). Nephrolithiasis in a worker with cadmium exposure in the past. <i>Int Arc Occup Environ Health</i> , 78: 670-2.
88430	Trinchieri A (2013). Diet and renal stone formation. <i>Minerva Med</i> , 104(1): 41-54.
54166	Trinchieri A, Castelnuovo C, Lizzano R, et al (2005). Calcium stone disease: a multiform reality. <i>Urol Res</i> , 33: 194-8.
90336	Trinchieri A, Croppi E (2017). Obesity and urolithiasis: evidence of regional influences. <i>Urolithiasis</i> , 45(3): 271-8.
90337	Tsai JL, Tsai SF (2017). Calcium oxalate crystal related kidney injury in a patient receiving Roux-en Y hepaticojejunostomy due to gall bladder cancer. <i>BMC Nephrology</i> , 18(1): 106.
55775	Turk TMT, Koleski FC, Albala DM (1999). Incidence of urolithiasis in cystectomy patients after intestinal conduit or continent urinary diversion. <i>World J Urol</i> , 17: 305-7.
90338	Turney BW, Appleby PN, Reynard JM, et al (2014). Diet and risk of kidney stones in the Oxford cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Eur J Epidemiol</i> , 29(5): 363-9.
90339	Underbjerg L, Sikjaer T, Mosekilde L, et al (2015). The epidemiology of nonsurgical hypoparathyroidism in Denmark: A nationwide case finding study. <i>J Bone Miner Res</i> , 30(9): 1738-44.
90340	Underbjerg L, Sikjaer T, Mosekilde L, et al (2013). Cardiovascular and renal complications to postsurgical hypoparathyroidism: a Danish nationwide controlled historic follow-up study. <i>J Bone Miner Res</i> , 28(11): 2277-85.

54116	Upadhyay D, Jain M (2004). [Comment] Emphysematous cystitis and renal stones in cystic fibrosis. <i>JAMA</i> , 292(16): 1953-4.
90341	Upala S, Jaruvongvanich V, Sanguankeo A (2016). Risk of nephrolithiasis, hyperoxaluria, and calcium oxalate supersaturation increased after Roux-en-Y gastric bypass surgery: a systematic review and meta-analysis. <i>Surg Obes Relat Dis</i> , 12(8): 1513-21.
90342	Valassi E, Crespo I, Santos A, et al (2012). Clinical consequences of Cushing's syndrome. <i>Pituitary</i> , 15: 319-29, 323.
90343	Varda BK, McNabb-Baltar J, Sood A, et al (2015). Urolithiasis and urinary tract infection among patients with inflammatory bowel disease: a review of US emergency department visits between 2006 and 2009. <i>Urology</i> , 85(4): 764-70.
54190	Vega D, Maalouf NM, Sakhaee K (2007). Increased propensity for calcium phosphate kidney stones with topiramate use. <i>Expert Opin Drug Saf</i> , 6(5): 547-57.
1292	Venn AJ, Guest CS (1991). Chronic morbidity of former prisoners of war and other Australian veterans. <i>Med J Aust</i> , 155(10): 705-7, 710-2.
90344	Vestergaard P (2015). Primary hyperparathyroidism and nephrolithiasis. <i>Ann Endocrinol (Paris)</i> , 76(2): 116-9.
54159	Voss S, Hesse A, Zimmermann DJ, et al (2006). Intestinal oxalate absorption is higher in idiopathic calcium oxalate stone formers than in healthy controls: measurements with the [ <sup>13</sup> C <sub>2</sub> ] oxalate absorption test. <i>J Urol</i> , 175: 1711-5.
54160	Wagner CA (2008). [Comment] When proton pumps go sour: urinary acidification and kidney stones. <i>Kidney Int</i> , 73: 1103-5.
53768	Wagner KR, Jarrett TW (2008). Secondary ureteropelvic junction obstruction and renal calculus after failed open pyeloplasty: laparoscopic management. <i>Journal of Endourology</i> , 22(9): 1901-3.
90345	Wan KS, Liu CK, Ko MC, et al (2016). Nephrolithiasis among male patients with newly diagnosed gout. <i>Hong Kong Med J</i> , 22(6): 534-7.
54411	Wang I-J, Chen P-C, Hwang K-C (2009). Melamine and nephrolithiasis in children in Taiwan. <i>NEJM</i> , 360(11): 1157-8.
55732	Wang IJ, Wu YN, Wu WC, et al (2009). The association of clinical findings and exposure profiles with melamine associated nephrolithiasis. <i>Arch Dis Child</i> , 94: 883-7.
90346	Wang LC, Osterberg EC, David SG, et al (2014). Recurrent nephrolithiasis associated with atazanavir use. <i>BMJ Case Reports</i> , 2014: 201565.
89470	Wang S, Huang X, Xu Q, et al (2017). Research progress of mechanisms of ceftiaxone associated nephrolithiasis. <i>Mini-Reviews in Medicinal Chemistry</i> , 17: 1584-7.
55002	Watanabe Y, Ohshima H, Mizuno K, et al (2004). Intravenous pamidronate prevents femoral bone loss and renal stone formation during 90-day bed rest. <i>J Bone Miner Res</i> , 19(11): 1771-8.
54162	Watson RA (2008). [Comment] Re: Ethnic differences in relative risk of idiopathic calcium nephrolithiasis in North America. <i>J Urol</i> , 180(1): 413.
55587	Weiland D, Canales B, Ramani A, et al (2005). Laparoscopic ureterectomy for the management of painful calculi in a ureteral stump. <i>Int J Urol</i> , 12: 845-6.
90347	Weinberg AE, Patel CJ, Chertow GM, et al (2014). Diabetic severity and risk of kidney stone disease. <i>Eur Urol</i> , 65(1): 242-7.
88429	Welk B, Fuller A, Razvi H, et al (2012). Renal stone disease in spinal-cord-injured patients. <i>J Endourol</i> , 26(8): 954-9.
55586	Whelan C, Schwartz BF (2004). Bilateral guaifenesin ureteral calculi. <i>Urology</i> , 63: 175x-xi.
55800	Whitson PA, Pietrzyk RA, Jones JA, et al (2009). Effect of potassium citrate therapy on the risk of renal stone formation during spaceflight. <i>J Urol</i> , 182: 2490-6.

90348	Wiederkehr MR, Moe OW (2011). Uric acid nephrolithiasis: A systemic metabolic disorder. <i>Clin Rev Bone Miner Metab</i> , 9(3-4): 207-17.
41295	Wilson E, Horsley K, van der Hoek R (2005). Australian National Service Vietnam Veterans Mortality and Cancer Incidence Study. Department of Veterans Affairs, Canberra.
43077	Wilson EJ, Horsley KW, van der Hoek R (2005). Cancer incidence in Australian Vietnam Veterans Study, Department of Veterans Affairs and Australian Institute of Health and Welfare, Canberra.
41296	Wilson EJ, Horsley KW, van der Hoek R (2005). The Third Australian Vietnam Veterans Mortality Study. Department of Veterans Affairs, Canberra.
55585	Wimpissinger F, Turk C, Kheifets O, et al (2007). The silence of the stones: asymptomatic ureteral calculi. <i>J Urol</i> , 178: 1341-4.
56737	Wirth GJ, Teuscher J, Graf JD, et al (2006). Efavirenz-induced urolithiasis. <i>Urol Res</i> , 34(4): 288-9.
55583	Wolf JS Jr (2007). Treatment selection and outcomes: ureteral calculi. <i>Urol Clin N Am</i> , 34: 421-30.
90349	Wollersen H, Erdmann F, Risse M, et al (2009). Oxalate-crystals in different tissues following intoxication with ethylene glycol: three case reports. <i>Leg Med</i> , 11(Suppl 1): S488-90.
90350	Wollin DA, Skolarikos A, Preminger GM (2017). Obesity and metabolic stone disease. <i>Curr Opin Urol</i> , 27(5): 422-7.
88068	Wong Y, Cook P, Roderick P, et al (2016). Metabolic syndrome and kidney stone disease: A systematic review of literature. <i>J Endourol</i> , 30(3): 246-53.
54163	Wood HM, Shoskes DA (2006). The role of nanobacteria in urologic disease. <i>World J Urol</i> , 24: 51-4.
54195	Worcester EM, Coe FL (2008). Nephrolithiasis. <i>Prim Care Clin Office Pract</i> , 35: 369-91.
53771	Worcester EM, Coe FL (2008). New insights into the pathogenesis of idiopathic hypercalciuria. <i>Semin Nephrol</i> , 28: 120-32.
54995	Worcester EM, Gillen DL, Evan AP, et al (2007). Evidence that postprandial reduction of renal calcium reabsorption mediates hypercalciuria of patients with calcium nephrolithiasis. <i>Am J Physiol Renal Physiol</i> , 292: F66-75.
54303	Wroe S (2007). Zonisamide and renal calculi in patients with epilepsy: how big an issue? <i>Current Medical Research and Opinion</i> , 23(8): 1765-73.
55584	Xi Q, Wang S, Ye Z, et al (2009). Combined removal of stones with resection of concurrent pathologic ureter may be a preferred treatment for impacted ureteral stones with stricture lesions. <i>J Endourology</i> , 23(2): 243-7.
43536	Yamada M, Wong FL, Fujiwara S, et al (2004). Noncancer disease incidence in atomic bomb survivors, 1958-1998. <i>Radiat Res</i> , 161(6): 622-32.
55798	Yoshihara A, Sue M, Hiroi N, et al (2009). Urinary calculus after kidney transplantation with persistent secondary hyperparathyroidism. <i>Internal Medicine</i> , 48: 577-8.
90351	Yoshimura E, Sawada SS, Lee IM, et al (2016). Body mass index and kidney stones: A cohort study of Japanese men. <i>J Epidemiol</i> , 26(3): 131-6.
89609	Yoshioka W, Kawaguchi T, Fujisawa N, et al (2014). Predominant role of phospholipase A2a in dioxin-induced neonatal hydronephrosis in mice. <i>Sci Rep</i> , 4(4042): 04042.
90352	Zerwekh JE, Odvina CV, Wuermser LA, et al (2007). Reduction of renal stone risk by potassium-magnesium citrate during 5 weeks of bed rest. <i>J Urol</i> , 177(6): 2179-84.
90353	Zhang C, Ren H, Shen P, et al (2015). Clinical evaluation of Chinese patients with primary distal renal tubular acidosis. <i>Intern Med</i> , 54(7): 725-30.

54086	Ziaee SA, Moradi A, Fateh M, et al (2008). Sleep posture and unilateral renal stone formation. Scand J Urol Nephrol, 42(6): 551-4.
90354	Ziemba JB, Matlaga BR (2017). Epidemiology and economics of nephrolithiasis. Investig Clin Urol, 58(5): 299-306.