



CHRONIC LYMPHOCYtic LEUKAEMIA / SMALL LYMPHOCYtic LYMPHOMA

RMA ID Number	Reference List for RMA099-8 as at February 2016
---------------	---

28375	Abrahamsen A F, Andersen A, Nome O, Jacobsen AB, et al (2002). Long-term risk of second malignancy after treatment of Hodgkin's disease: the influence of treatment, age and follow-up time. <i>Ann Oncol</i> , 13(11): 1786-91.
30280	Abu-Shakra M, Gladman DD, Urowitz MB (1996). Malignancy in systemic lupus erythematosus. <i>Arthritis Rheum</i> , 39(6) pp 1050-4.
28192	Acquavella J, Doe J, Tomenson J, Chester G, et al (2003). Epidemiologic studies of occupational pesticide exposure and cancer: regulatory risk assessments and biologic plausibility. <i>Ann Epidemiol</i> , 13: 1-7.
16744	Acquavella J, Olsen G, Cole P, Ireland B, et al (1998). Cancer among farmers: a meta-analysis. <i>Ann Epidemiol</i> , 8: 64-74.
28415	Acquavella JF, Leonard RC (2001). A review of the epidemiology of 1,3-butadiene and chloroprene. <i>Chem Biol Interact</i> , 135-136: 43-52.
30409	Adami J, Gabel H, Lindelof B, Ekstrom K, et al (2003). Cancer risk following organ transplantation: a nationwide cohort study in Sweden. <i>Br J Cancer</i> , 89(7): 1221-7.
20975	Adami J, Gridley G, Nyren O, Dosemeci M, et al (1999). Sunlight and non-Hodgkin's lymphoma: a population-based cohort study in Sweden. <i>International Journal of Cancer</i> , 80: 641-5.
26125	Adami J, Gridley G, Nyren O, Dosemeci M, et al (1999). Sunlight and non-Hodgkin's lymphoma: a population-based cohort study in Sweden. <i>International Journal of Cancer</i> , 80(5): 641-5.
15364	Adami J, Nyren O, Bergstrom R, Ekbom A, et al (1998). Smoking and the risk of leukemia, lymphoma, and the multiple myeloma (Sweden). <i>Cancer Causes & Control</i> , 9(1): 49-56.
38782	Adegoke OJ, Blair A, Shu XO, Sanderson M, et al (2004). Agreement of job-exposure matrix (JEM) assessed exposure and self-reported exposure among adult leukemia patients and controls in Shanghai. <i>Am J Ind Med</i> , 45(3): 281-8.
24075	Ahlbom A, Cardis E, Green A, Linet M, et al (2001). Review of the epidemiologic literature on EMF and health. <i>Environmental Health Perspectives</i> , 109(Suppl 6): 911-33.
21175	Ahlbom A, Feychting M (1999). A Bayesian approach to hazard identification: the case of electromagnetic fields and cancer. <i>Annals of the New York Academy of Sciences</i> , 895: 27-33.
25835	Ahlbom A, Feychting M (1999). A Bayesian approach to hazard identification. The case of electromagnetic fields and cancer. <i>Annals of the New York Academy of Sciences</i> , 895: 27-33.

4774	Ahlborg UG, Lipworth L, Titus-Ernstoff L, et al (1995). Organochlorine compounds in relation to breast cancer, endometrial cancer, and endometriosis: an assessment of the biological and epidemiological evidence. <i>Crit Rev Toxicol</i> , 25(6): 463-531.
38775	Akhtar FZ, Garabrant DH, Ketchum NS, Michalek JE (2004). Cancer in US Air Force Veterans of the Vietnam War. <i>JOEM</i> , 46(2): 123-36.
4596	Aksoy M (1989). Hematotoxicity and carcinogenicity of benzene. <i>Environmental Health Perspectives</i> , 82: 193-7.
29614	Alavanja MC, Blair A, Merkle S, Teske J, Eaton B, Reed B (1989). Mortality among forest and soil conservationists. <i>Arch Environ Health</i> , 44(2): 94-101.
70256	Alavanja MC, Ross MK, Bonner MR (2013). Increased cancer burden among pesticide applicators and others due to pesticide exposure. <i>CA Cancer J Clin</i> , 63: 120-42.
4323	Alavanja MCR, Blair A, Masters MN (1990). Cancer Mortality in the U.S. Flour Industry. <i>J Natl Cancer Inst</i> , 82: 840-8.
14300	Alavanja MCR, Blair A, Merkle S et al (1988). Mortality among agricultural extension agents. <i>American Journal of Industrial Medicine</i> , 14: 167-76.
45751	Alavanja MCR, Bonner MR (2005). Pesticides and human cancer. <i>Cancer Investigation</i> , 23: 700-11.
75728	Alavanja MCR, Hofmann JN, Lynch CF, et al (2014). Non-Hodgkin Lymphoma Risk and Insecticide, Fungicide and Fumigant Use in the Agricultural Health Study. <i>PLoS One</i> , 9(10): e109332.
17038	Alavanja MCR, Rush GA, Stewart P, Blair A (1987). Proportionate mortality study of workers in the grain industry. <i>Journal of the National Cancer Institute</i> , 78(2): 247-52.
45744	Alavanja MCR, Sandler DP, Lynch CF, Knott C, et al (2005). Cancer incidence in the Agricultural Health Study. <i>Scand J Work Environ Health</i> , 31(Suppl 1): 39-45.
45743	Alexander BH, Bloeman L, Allen RH (2005). Sessions on the epidemiology of agricultural exposure and cancer. <i>Scand J Work Environ Health</i> , 31(S): 5-7.
60963	Alexander DD, Mink PJ, Mandel JH, Kelsh MA (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. <i>Occup Med</i> , 56: 485-93.
14069	Alfredsson L, Hammar N, Karlehagen S (1996). Cancer incidence among male railway engine-drivers and conductors in Sweden, 1976-90. <i>Cancer Causes and Control</i> , 7: 377-81.
26298	Altekruse SF, Henley SJ, Thun MJ (1999). Deaths from hematopoietic and other cancers in relation to permanent hair dye use in a large prospective study (United States). <i>Cancer Causes Control</i> , 10(6): 617-25.
20971	Amadori D, Nanni O, Falcini F, Saragoni A, Tison V, Callea A, Scarpi E, Ricci M, Riva N, Buiatti E (1995). Chronic Lymphocytic leukemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on job titles. <i>Occupational and Environmental Medicine</i> , 52: 374-9.
25400	Andersen A, Barlow L, Engeland A, Kjaerheim K, et al (1999). Work-related cancer in the Nordic countries. <i>Scandinavian Journal of Work Environmental & Health</i> , 25 Suppl 2: 6-116.
26300	Anderson JR, Armitage JO, Weisenburger DD (1998). Epidemiology of the non-Hodgkin's lymphomas: distributions of the major subtypes differ by geographic locations. Non-Hodgkin's Lymphoma Classification Project. <i>Ann Oncol</i> , 9(7): 717-20.
51909	Anderson LA, Engels EA (2008). [Comment] Hepatitis C virus infection and non-Hodgkin lymphoma: interesting association or causal relationship? <i>Int J Cancer</i> , 122(8): x-xii.

29432	Anderson LE, Morris JE, Miller DL, Rafferty CN, Ebi KL, Sasser LB (2001). Large granular lymphocytic (LGL) leukemia in rats exposed to intermittent 60 Hz magnetic fields. <i>Bioelectromagnetics</i> , 22(3) pp 185-93.
30038	Andreoli C, Leopardi P, Crebelli R. Detection of DNA damage in human lymphocytes by alkaline single cell gel electrophoresis after exposure to benzene or benzene metabolites. <i>Mutat Res</i> . 1997 Jun 9;377(1):95-104.
25805	Andrews KW, Savitz DA (1999). Accuracy of industry and occupation on death certificates of electric utility workers: implications for epidemiologic studies of magnetic fields and cancer. <i>Bioelectromagnetics</i> , 20(8): 512-8.
15741	Anttila A, Pukkala E, Riala R, Sallmen M. Hemminki K (1998). Cancer incidence among Finnish workers exposed to aromatic hydrocarbons. <i>Int Arch Occup Environ Health</i> , 71: 187-93.
10362	Anttila A, Pukkala E, Sallemen M, Hernberg S, et al (1995). Cancer Incidence among Finnish workers exposed to halogenated hydrocarbons. <i>Journal of Occupational & Environmental Medicine</i> , 37(7): 797-806.
45950	Aoki J, Sato N, Oya N, Inoue T, Endo K (2001). [Abstract] Adult T-cell leukemia. <i>Semin Musculoskelet Radiol</i> , 5(2):95-98.
29804	Arbuckle TE, Burnett R, Cole D, Teschke K, Dosemeci M, Bancej C, Zhang J (2002). Predictors of herbicide exposure in farm applicators. <i>Int Arch Occup Environ Health</i> , 75(6) pp406-414.
28355	Arisawa K, Katamine S, Kamihira S, Kurokawa K, et al (2002). A nested case-control study of risk factors for adult T-cell leukemia/lymphoma among human T-cell lymphotropic virus type-I carriers in Japan. <i>Cancer Causes and Control</i> , 13: 657-63.
31024	Armitage J, D Longo (2004). Malignancies of Lymphoid Cells. <i>Harrison's Online</i> , Chapter 112 pp 3-5, 26-27. Obtained from http://harrisons.accessmedicine.com/server-java/Arknoid/amed/harrisons/co_chapters/ch112/ch112_p04.html
25402	Armstrong B, Theriault G, Guenel P, Deadman J, Goldberg M, Heroux P (1994). Association between exposure to pulsed electromagnetic fields and cancer in electric utility workers in Quebec, Canada, and France. <i>American Journal of Epidemiology</i> , 140(9): 805-20.
52271	Armstrong BK, Krickler A (2007). Sun exposure and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 396-400.
28435	Aschengrau A, Ozonoff D, Paulu C, Coogan P, Vezina R, Heeren T, Zhang Y. Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. <i>Arch Environ Health</i> . 1993 Sep-Oct;48(5):284-292.
15319	Ashmore JP, Krewski D, Zielinski JM, et al (1998). First analysis of mortality and occupational radiation exposure based on the National dose Registry of Canada. <i>American Journal of Epidemiology</i> , 148(6): 564-74.
3082	Asp S, Riihimaki V, Hernberg S, Pukkala E (1994). Mortality and cancer morbidity of Finnish Chlorophenoxy herbicide applicators: An 18-year prospective follow-up. <i>Am J Ind Med</i> , 26: 243-53.
76868	ATSDR (2000). Benzene Toxicity. U.S. Dept. of Health and Human Services Pub
76914	ATSDR (2010). Appendix D: kerosene-based jet fuel: jet propulsion fuel-8 (JP-8) and commercial jet fuel (Jet a). . Retrieved 11 January 2016, from http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=949&pg=5
30607	Australian Government, National Occupational Health and Safety Commission (2004). Exposure Standards: carbon tetrachloride. Obtained from (http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Carbon_tetrachloride).
30609	Australian Government, National Occupational Health and Safety Commission (2004). Exposure Standards: Xylene (o-, m-, p-isomers) (http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Xylene) accessed 6 Feb 2004

30610	Australian Government, National Occupational Health and Safety Commission (2004). Exposure Standards: Benzene (http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Benzene) accessed 6 Feb 2004
30611	Australian Government, National Occupational Health and Safety Commission (2004). Exposure standards: trichloroethylene. . Retrieved 6 February 2004, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Trichloroethylene
30612	Australian Government, National Occupational Health and Safety Commission (2004). Exposure Standards: Acetone (http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Acetone) accessed 6 Feb 2004
31026	Australian Government, National Occupational Health and Safety Information (http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Benzene) accessed 6 Feb 2004.
30605	Australian Institute of Health and Welfare (1999). A study of the health of Australia's Vietnam Veteran community: validation study. Morbidity of Vietnam Veterans, 3. Canberra: AIHW.
26103	Australian Institute of Health and Welfare (2000). Adrenal gland cancer, leukaemia and non-Hodgkin's lymphoma. Morbidity of Vietnam Veterans, Supplementary Report No 2. Australian Institute of Health and Welfare, Canberra.
30606	Australian Institute of Health and Welfare (2000). Adrenal gland cancer, leukaemia and non-Hodgkin's lymphoma. Morbidity of Vietnam Veterans, Supplementary Report No. 2. Commonwealth Department of Veterans' Affairs, Canberra.
60233	Australian Institute of Health and Welfare (2009). Third study of mortality and cancer incidence in aircraft maintenance personnel. A continuing study of F-111 Deseal/Reseal personnel. Cancer series no. 45. Australian Institute of Health and Welfare, Canberra.
36720	Australian Institute of Health and Welfare (AIHW) (2001). Morbidity of Vietnam Veterans. Adrenal gland cancer, leukaemia and non-Hodgkin's lymphoma: REVISED EDITION, Supplementary Report No. 2,. AIWH (Canberra).
28266	Australian Institute of Petroleum (AIP) (2001). Lympho-haematopoietic cancer and exposure to benzene in the Australian petroleum industry. Technical report and appendices. . Retrieved 21 May 2003, from http://www.aip.com.au/pef/case_study.pdf
76838	Aviation Fuels (2015). Shell Aviation Fuels. Retrieved 17 November 2015, from https://www.shell.com/content/dam/shell/static/aviation/downloads/AeroShell-Book/aeroshell-book-2fuels.pdf
41161	Axelsson O (2004). [Comment] Is the evidence for its carcinogenicity conclusive? <i>Occup Environ Med</i> , 61(1): 1.
17039	Axelsson O, Sundell L, Andersson K, Edling C, Hogstedt C, Kling H (1980). Herbicide exposure and tumor mortality. <i>Scand J Work Environ Health</i> , 6: 73-9.
66365	Baan R, Grosse Y, Lauby-Secretan B, El Ghissassi F, (2011). Carcinogenicity of radiofrequency electromagnetic fields. <i>Lancet Oncol</i> , 12(7): 624-6.
58010	Baan R, Grosse Y, Straif K, Secretan B, et al (2009). A review of human carcinogens-Part F: Chemical agents and related occupations. <i>Lancet Oncol</i> , 10: 1143-4.
45753	Baccarelli A, Pesatori AC, Consonni D, Mocarelli P, et al (2005). Health status and plasma dioxin levels in chloacne cases 20 years after the Seveso, Italy accident. <i>British Journal of Dermatology</i> , 152: 459-65.
29612	Band PR, Le ND, Fang R, Deschamps M, et al (1996). Cohort study of Air Canada pilots: Mortality, cancer incidence, and leukemia risk. <i>Am J Epidemiol</i> , 143(2): 137-143.

28502	Bannerji R, Byrd JC. Update on the biology of chronic lymphocytic leukemia. <i>Curr Opin Oncol</i> . 2000 Jan;12(1):22-9.
15430	Baris D, Armstrong BG, Deadman J, Theriault G (1996). A mortality study of electrical utility workers in Quebec. <i>Occupational Environmental Medicine</i> , 53: 25-31.
14762	Baris D, Zahm SH, Cantor KP, Blair A (1998). Agricultural use of DDT and risk of non-Hodgkin's lymphoma: pooled analysis of three case-control studies in the United States. <i>Occupational and Environmental Medicine</i> , 55(8): 522-7.
25480	Barron CI, Baraff AA (1958). Medical considerations of exposure to microwaves (radar). <i>JAMA</i> , 168(9): 1194-9.
76781	Bassig BA, Friesen MC, Vermeulen R, et al (2015). Occupational exposure to benzene and non-Hodgkin lymphoma in a population-based cohort: the Shanghai women's health study. <i>Environmental Health Perspect</i> , 123(10): 971-7.
52471	Bassil KL, Vakil C, Sanborn M, Cole DC, Kaur JS, Kerr KJ (2007). Cancer health effects of pesticides. Systematic review. <i>Can Fam Physician</i> , 53: 1704-11.
50293	Bates MN (2007). Registry-based case-control study of cancer in California firefighters. <i>Am J Ind Med</i> , 50(5): 339-44.
27243	Battista G, Belli S, Comba P, et al (1999). Mortality due to asbestos-related causes among railway carriage construction and repair workers. <i>Occup Med</i> , 49: 536-9.
28373	Baverstock K (2003). [Comment] The 2003 NRPB report on UK nuclear-test veterans. <i>Lancet</i> , 361(9371): 1759-1760.
28469	Bayliss D, Sonawane B (2000). Issues for discussion: benzene-induced leukemia--human studies. <i>Journal of Toxicology & Environmental Health, Part A</i> , 61(5-6): 467-70.
24949	Beall C, Delzell E, Rodu B, Sathiakumar N, Myers S (2001). Cancer and benign tumor incidence among employees in a polymers research complex. <i>Journal of Occupational & Environmental Medicine</i> , 43: 914-24.
29721	Beard J, Sladden T, Morgan G, Berry G, et al (2003). Health impacts of pesticide exposure in a cohort of outdoor workers. <i>Environ Health Perspect</i> , 111(5): 724-30.
10268	Becher H, Flesch-Janys D, Kauppinen T, Kogevinas M, et al (1996). Cancer mortality in German male workers exposed to phenoxy herbicides and dioxins. <i>Cancer causes and control</i> , 7: 312-21.
26350	Becker N, Berger J, Bolm-Audorff U (2001). Asbestos exposure and malignant lymphomas--a review of the epidemiological literature. <i>Int Arch Occup Environ Health</i> , 74(7): 459-69.
28362	Berdon WE (2002). Opening comments. <i>Pediatr Radiol</i> , 32: 223-4.
26825	Bergsagel DE, Wong O, Bergsagel PL, Alexanian R, et al (1999). Benzene and multiple myeloma: appraisal of the scientific evidence. <i>Blood</i> , 94(4): 1174-82.
28000	Berry G, Newhouse ML, Wagner JC (2000). Mortality from all cancers of asbestos factory workers in east London 1933-80. <i>Occup Environ Med</i> , 57(11): 782-5.
14329	Bertazzi PA, Bernucci I, Brambilla G et al (1998). The Seveso studies on early and long-term effects of dioxin exposure: a review. <i>Environmental Health Perspectives</i> , 106(Suppl 2): 625-33.
25817	Bertazzi PA, Consonni D, Bachetti S et al (2001). Health effects of dioxin exposure: a 20-year mortality study. <i>Am J Epidemiol</i> , 153(11): 1031-44.
25816	Bertazzi PA, Consonni D, Bachetti S, et al (2001). Bertazzi et al. Respond to Smith and Lopipero. <i>Am J Epidemiol</i> , 153(11): 1048-9.
25803	Bertazzi PA, Pesatori AC, Bernucci I, Landi MT, Consonni D (1999). Dioxin exposure and human leukemias and lymphomas. Lessons from the Seveso accident and studies on industrial workers. <i>Leukemia</i> , 13(Suppl 1): S72-4.
68348	Bertrand KA, Chang ET, Abel GA et al (2011). Sunlight exposure, vitamin D, and risk of non-Hodgkin lymphoma in the Nurses' Health Study. <i>Cancer Causes Control</i> , 22(12): 1731-41.

2744	Bethwaite PB, Pearce N, Fraser J (1990). Cancer risk in painters: study based on the New Zealand Cancer Registry. <i>Br J Ind Med</i> , 47: 742-6.
70257	Bianchi C, Bianchi T, Ramani L (2007). Malignant mesothelioma of the pleura and other malignancies in the same patient. <i>Tumori</i> , 93: 19-22.
30804	Bianco E, Marcucci F, Mele A, Musto P, Cotichini R, Sanpaolo MG et al (2004). Prevalence of hepatitis C virus infection in lymphoproliferative diseases other than B-cell non-Hodgkin's lymphoma, and in myeloproliferative diseases: an Italian Multi-Center case-control study. <i>Haematologica</i> , 89(1) pp 70-76.
52266	Biggar RJ, Chaturvedi AK, Goedert JJ, Engels EA (2007). AIDS-related cancer and severity of immunosuppression in persons with AIDS. <i>J Natl Cancer Inst</i> , 99: 962-72.
30408	Birkeland SA, Storm HH, Lamm LU et al (1995). Cancer risk after renal transplantation in the Nordic countries, 1964-1986. <i>Int J Cancer</i> , 60(2): 183-9.
26136	Bjornadal L, Lofstrom B, Yin L, Lundberg IE, et al (2002). Increased cancer incidence in a Swedish cohort of patients with systemic lupus erythematosus. <i>Scand J Rheumatol</i> , 31(2): 66-71.
47607	Blair A (2006). [Comment] Occupational exposures and non-Hodgkin lymphoma: where do we stand? <i>Occup Environ Med</i> , 63: 1-2.
3081	Blair A, Dosemeci M, Heineman EF (1993). Cancer and other causes of death among male and female farmers from twenty-three states. <i>Am. Journal of Industrial Med</i> , 23: 729-742.
5050	Blair A, Grauman DJ, Lubin JH, Fraumeni JF Jr (1983). Lung cancer and other causes of death among licensed pesticide applicators. <i>JNCI</i> , 71(1): 31-7.
14763	Blair A, Hartge P, Stewart PA, McAdams M, et al (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: extended follow up. <i>Occupational & Environmental Medicine</i> , 55(3): 161-71.
959	Blair A, Hoar Zahm S, Pearce N E, Heineman EF, Fraumeni JF (1992). Clues to cancer etiology from studies of farmers. <i>Scand J Work Environ Health</i> , 18: 209-15.
28793	Blair A, Petralia SA, Stewart PA. Extended mortality follow-up of a cohort of dry cleaners. <i>Ann Epidemiol</i> . 2003 Jan;13(1):50-56.
68349	Blair A, Purdue MP, Weisenburger DD et al (2007). Chemical exposures and risk of chronic lymphocytic leukaemia. <i>Br J Haematol</i> , 139(5): 753-61.
47608	Blair A, Sandler D, Thomas K, Hoppin JA, et al (2005). Disease and injury among participants in the agricultural health study. <i>J Agric Saf Health</i> , 11(2): 141-50.
47007	Blair A, Sandler DP, Tarone R, Lubin J, et al (2004). Mortality among participants in the Agricultural Health Study. <i>Ann Epidemiol</i> , 15(15): 279-85.
39571	Blair A, Tarone R, Sandler D, et al (2000). Reliability of reporting on lifestyle and agricultural factors by a sample of participants in the agricultural health study from IOWA. <i>AEP</i> , 10(7): 478.
29620	Blair A, White DW (1985). Leukemia cell types and agricultural practices in Nebraska. <i>Arch Environ Health</i> , 40(4): 211-4.
63996	Blair A, Zheng T, Linos A, Stewart PA, Zhang YW, Cantor KP (2000). Occupation and Leukemia: A population-based case-control study in Iowa and Minnesota. <i>Am J Ind Med</i> , 40: 3-14.
30478	Blair E, Tarone R, Sandler D, Lynch C, Rowland A, Wintersteen W, Steen W, Dosemeci M, Alavanja M (2000). Reliability of reporting on lifestyle and agricultural factors by a sample of participants in the agricultural health study from Iowa. <i>Ann Epidemiol</i> , Vol 1, 10(7) pp 478.
21060	Blattner WA (1999). Human retroviruses: the role in cancer. <i>Proceedings of the Association of American Physicians</i> , 111(6): 563-72.

41159	Blettner M, Schlehofer B (1999). Is there an increased risk of leukemia, brain tumors or breast cancer after exposure to high-frequency radiation? Review of methods and results of epidemiologic studies. <i>Med Kin (Munich)</i> , 94(3) pp 150-158. [Abstract only]
29436	Blettner M, Zeeb H, Auvinen A, Ballard TJ, et al (2003). Mortality from cancer and other causes among male airline cockpit crew in Europe. <i>Int J Cancer</i> , 106(6) pp 946-952.
52265	Bloemen LJ, Youk A, Bradley TD, Bodner KM, Marsh G (2004). Lymphohaematopoietic cancer risk among chemical workers exposed to benzene. <i>Occup Environ Med</i> , 61: 270-4.
68350	Boelens J, Lust S, Vanhoecke B et al (2009). Chronic lymphocytic leukaemia. <i>Anticancer Research</i> , 29(2): 605-16.
56052	Boers D, Portengen L, Bueno-de-Mesquita H, Heederik D, Vermeulen R (2010). Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. <i>Occup Environ Med</i> , 67(1): 24-31.
70416	Boers D, Portengen L, Turner WE, et al (2012). Plasma dioxin levels and cause-specific mortality in an occupational cohort of workers exposed to chlorophenoxy herbicides, chlorophenols and contaminants. <i>Occup Environ Med</i> , 69(2): 113-8.
45910	Boffetta P (2006). Human cancer from environmental pollutants: The epidemiological evidence. <i>Mutat Res</i> , 608: 157-62.
26736	Boffetta P, Dosemeci M, Gridley G, Bath H, Moradi T, Silverman D (2001). Occupational exposure to diesel engine emissions and risk of cancer in Swedish men and women. <i>Cancer Causes Control</i> , 12(4): 365-374.
26737	Boffetta P, Kaldor JM (1994). Secondary malignancies following cancer chemotherapy. <i>Acta Oncologica</i> , 33(6): 591-98.
28158	Boffetta P, Matisane L, Mundt KA, Dell LD (2003). Meta-analysis of studies of occupational exposure to vinyl chloride in relation to cancer mortality. <i>Scand J Work Environ Health</i> , 29(3): 220-9.
50297	Boffetta P, McLaughlin JK, La Vecchia C, et al (2008). [Comment] False-positive results in cancer epidemiology: a plea for epistemological modesty. <i>J Natl Cancer Inst</i> , 100: 988-95.
51906	Boffetta P, van der Hel O, Kricker A, Nieters A, et al (2008). Exposure to ultraviolet radiation and risk of malignant lymphoma and multiple myeloma - a multicentre European case-control study. <i>Int J Epidemiol</i> , 37: 1080-94.
29439	Boice JD Jr, Blettner M, Auvinen A. Epidemiologic studies of pilots and aircrew. <i>Health Phys</i> . 2000 Nov;79(5):576-584.
64422	Boice JD Jr, Marano DE, Cohen SS, Mumma MT, et al (2006). Mortality among Rocketdyne workers who tested rocket engines, 1948-1999. <i>J Occup Environ Med</i> , 48: 1070-92.
20637	Boice JD Jr, Marano DE, Fryzek JP, Sadler CJ, McLaughlin JK (1999). Mortality among aircraft manufacturing workers. <i>Occupational and Environmental Medicine</i> , 56: 581-97.
21006	Boice JD, Morin MM, Glass AG, Friedman GD, et al (1991). Diagnostic X-ray procedures and risk of leukemia, lymphoma, and multiple myeloma. <i>JAMA</i> , 265: 1290-4.
45662	Bonner MR, Coble J, Blair A, et al (2007). Malathion exposure and the incidence of cancer in the agricultural health study. <i>Am J Epidemiol</i> , 166(9): 1023-34.
28397	Boorman GA, Rafferty CN, Ward JM, Sills RC (2000). Leukemia and lymphoma incidence in rodents exposed to low-frequency magnetic fields. <i>Radiat Res</i> , 153(5 Pt 2): 627-36.
29719	Borak J, Russi M, Puglisi JP (2000). Meta-analyses of TCE carcinogenicity. <i>Environ Health Perspect</i> , 108(12): A542.
55666	Bouvard V, Baan R, Straif K, Grosse Y, et al (2009). A review of human carcinogens - part B: biological agents. <i>Lancet Oncol</i> , 10(4): 321-2.

75554	Bowling FG (2014). Background and overview of research plan. Report on the Molecular Investigations into the Jet Fuel and Solvent Exposure in the Deseal/Reseal Programme Conducted at the Mater Research Institute (UQ), Brisbane, Chapter 1: 19-29.
29754	Boyle CA, Brann EA. Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. Am J Epidemiol. 1992 Sep 15;136(6):712-721.
7173	Brandt L (1992). Exposure to organic solvents and risk of haematological malignancies. Leukemia Research, 16(1): 67-70.
30499	Breckenkamp J, Berg G, Blettner M (2003). Biological effects on human health due to radiofrequency/microwave exposure: a synopsis of cohort studies. Radiation & Environment Biophysics, Vol 42(3) pp 141-154.
4662	Brett SM, Rodricks JV, Chinchilli VM (1989). Review and update of leukemia risk potentially associated with occupational exposure to benzene. Environ Health Perspect, 82: 267-81.
26072	Briggs NC, Levine RS, Bobo LD, Haliburton WP, Brann EA, Hennekens CH (2002). Wine drinking and risk of non-Hodgkin's lymphoma among men in the United States: a population-based case-control study. American Journal of Epidemiology, 156(5): 454-62.
24910	Brinton LA, Lubin JH, Burich MC, Volton T, Brown SL, Hoover RN (2001). Cancer risk at sites other than the breast following augmentation mammoplasty. Annals of Epidemiology, 11: 248-56.
52260	Britton JA, Khan AE, Rohrmann S, Becker N, et al (2008). Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Haematologica, 93(11): 1666-77.
68351	Brown JR (2008). Inherited predisposition to chronic lymphocytic leukemia. Expert Rev Hematol, 1(1): 51-61.
21505	Brown LM, Gibson R, Blair A, Burmeister LF, et al (1992). Smoking and risk of leukemia. American Journal of Epidemiology, 135(7): 763-8.
28383	Brown LM, Moradi T, Gridley G, et al (2002). Exposures in the painting trades and paint manufacturing industry and risk of cancer among men and women in Sweden. J Occup Environ Med, 44(3): 258-64.
74417	Brown T, Rushton L (2012). Occupational cancer in Britain. Haematopoietic malignancies: leukaemia, multiple myeloma, non-Hodgkins lymphoma. Brit J Cancer, 107: S41-8.
15942	Brownson RC, Reif JS (1988). A cancer registry-based study of occupational risk for lymphoma, multiple myeloma and leukaemia. International Journal of Epidemiology, 17(1): 27-32.
43215	Buja A, Lange JH, Perissinotto E, et al (2005). Cancer incidence among male military and civil pilots and flight attendants: an analysis on published data. Toxicology and Industrial Health, 21: 273-82.
28507	Bukowski JA, Huebner WW, Schnatter AR, Wojcik NC. An analysis of the risk of B-lymphocyte malignancies in industrial cohorts. J Toxicol Environ Health A. 2003 Apr 11;66(7):581-597.
52204	Bullrich F, Fujii H, Calin G, Mabuchi H, et al (2001). Characterization of the 13q14 tumor suppressor locus in CLL: identification of ALT1, an alternative splice variant of the LEU2 gene. Cancer Res, 61(18): 6640-48. [Abstract]
29619	Burmeister LF, Van Lier SF, Isacson P. Leukemia and farm practices in Iowa. Am J Epidemiol. 1982 May;115(5):720-8.
26079	Burnett C, Robinson C, Walker J (1999). Cancer mortality in health and science technicians. American Journal of Industrial Medicine, 36: 155-8.
70417	Burns C, Bodner K, Swaen G, et al (2011). Cancer incidence of 2,4-D production workers. Int J Environ Res, 8: 3579-90.

26080	Burns CJ, Beard KK and Cartmill JB (2001). Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: an update. <i>Occup Environ Med</i> , 58: 24-30.
56502	Burns CJ, Collins JJ, Humphry N, Bodner KM, et al (2010). Correlates of serum dioxin to self-reported exposure factors. <i>Environ Res</i> , 110(2): 131-6.
22112	California Public Utilities Commission (2001). An evaluation of the possible risks from electric and magnetic fields (EMFs) from power line, internal wiring, electrical occupations and appliances: executive summary. Evaluation Based on the California Risk Evaluation Guidelines, Draft 3: 1-19, 72-109. .
28440	Caligaris-Cappio F. Biology of chronic lymphocytic leukemia. <i>Rev Clin Exp Hematol</i> . 2000 Mar;4(1):5-21.
30282	Caligaris-Cappio F. Biology of chronic lymphocytic leukemia. <i>Rev Clin Exp Hematol</i> . 2000 Mar;4(1):5-21
3051	Cantor KP, Blair A, Everett G, Gibson R, et al (1992). Pesticides and other agricultural risk factors for Non-Hodgkin's lymphoma among men in Iowa and Minnesota. <i>Cancer Res</i> , 52: 2447-55.
28078	Cantor KP, Silberman W (1999). Mortality among aerial pesticide applicators and flight instructors: follow-up from 1965-1988. <i>American Journal of Industrial Medicine</i> , 36: 239-47.
30570	Carbon Tetrachloride. Human health effects. Taken from SMRC.
52739	Carbone A, Cesarman E, Spina M, Gloghini A, Schulz TF (2009). HIV-associated lymphomas and gamma-herpesviruses. <i>Blood</i> , 113: 1213-24.
5770	Cardis E, Gilbert ES, Carpenter L, et al (1995). Effects of low doses and low dose rates of external ionizing radiation: Cancer mortality among nuclear industry workers in three countries. <i>Radiat Res</i> , 1142: 117-32.
28622	Carlo GL, Jenrow RS (2000). Scientific progress - wireless phones and brain cancer: current state of the science. 2 (2): E40. Retrieved 26 August 2003, from http://www.medscape.com/viewarticle/408066_print
45909	Carpenter DO (2006). Polychlorinated biphenyls (PCBs): routes of exposure and effects on human health. <i>Reviews on Environmental Health</i> , 21(1): 1-23.
16570	Carpenter L, Higgins C, Douglas A, et al (1994). Combined analysis of mortality in three United Kingdom nuclear industry workforces, 1946-1988. <i>Rad Res</i> , 138: 224-38.
16797	Carpenter LM, Higgins CD, Douglas AJ, Maconochie NE, et al (1998). Cancer mortality in relation to monitoring for radionuclide exposure in three UK nuclear industry workforces. <i>British Journal of Cancer</i> , 78(9): 1224-32.
28420	Cartwright RA, Gurney KA, Moorman AV (2000). Sex ratios and the risks of haematological malignancies. <i>Br J Haematol</i> , 118(4): 1071-7.
1597	Catania JA, Coates TJ, Kegeles S, et al (1992). [Erratum] Condom use in multi-ethnic neighborhoods of San Francisco: the population-based AMEN (AIDS in multi-ethnic neighborhoods) study. <i>Am J Pub Health</i> , 82(6): 998. ID: 0.
21281	Catovsky D (1997). The search for genetic clues in chronic lymphocytic leukemia. <i>Hematology & Cell Therapy</i> , 39(Suppl 1): S5-11.
26333	Cerhan JR, Cantor KP, Williamson K, Lynch CF, et al (1998). Cancer mortality among Iowa farmers: recent results, time trends, and lifestyle factors (United States). <i>Cancer Causes Control</i> , 9(3): 311-319.
26067	Cerhan JR, Janney CA, Vachon CM, Habermann TM, et al (2002). Anthropometric characteristics, physical activity, and risk of non-Hodgkin's lymphoma subtypes and B-Cell chronic lymphocytic leukemia: a prospective study. <i>American Journal of Epidemiology</i> , 156(6): 527-35.
28503	Cerhan JR, Vachon CM, Habermann TM, Ansell SM, et al (2002). Hormone replacement therapy and risk of non-Hodgkin lymphoma and chronic lymphocytic leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> , 11(11): 466-71.

26250	Cerhan JR, Wallace RB, Dick F, Kemp J, et al (2001). Blood transfusions and risk of non-Hodgkin's lymphoma subtypes and chronic lymphocytic leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(4): 361-368.
45951	Cerny J, Slavickova A, Krepelova A, Trneny M, et al (2003). [Letter] Familial chronic lymphocytic leukemia. <i>Journal of Hematology</i> , 88(10):1190-91.
63210	Chang ET, Canchola AJ, Cockburn M, Lu Y et al (2011). Adulthood residential ultraviolet radiation, sun sensitivity, dietary vitamin D, and risk of lymphoid malignancies in the California teachers study. <i>Blood</i> , 118(6): 1591-9.
30641	Chang YM, Tai CF, Yang SC, Chen CJ, et al (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. <i>Ann Epidemiol</i> , 13(9): 652-60.
29479	Charpentier P, Ostfeld AM, Hadjimichael OC, et al (1993). The mortality of US nuclear submariners, 1969-1982. <i>JOM</i> , 35(5): 501-9.
68352	Chen J, McMillan NA (2008). Molecular basis of pathogenesis, prognosis and therapy in chronic lymphocytic leukaemia. <i>Cancer, Biology & Therapy</i> , 7(2): 174-9.
21290	Chen R, Iscovich J, Goldbourt U (1997). Clustering of leukaemia cases in a city in Israel. <i>Statistics in Medicine</i> , 16: 1873-87.
10317	Chen R, Seaton A (1996). A meta-analysis of mortality among workers exposed to organic solvents. <i>Occupational Medicine</i> , 46: 337-44.
26901	Chen R, Seaton A (1998). A meta-analysis of painting exposure and cancer mortality. <i>Cancer Detect Prev</i> , 22(6): 533-9.
30574	Cherry N (2000). Health effects of electromagnetic radiation. Evidence of the Australian Senate Committee, 8th September 2000.
20982	Cheson BD, Bennett JM, Grever M, Kay N, Keating MJ, O'Brien S, Raj KR (1996). National Cancer Institute- sponsored working group guidelines for chronic lymphocytic leukemia: revised guidelines for diagnosis and treatment. <i>Blood</i> , 87(12): 4990-7.
20963	Cheson BD, Bennett JM, Rai KR, Grever MR, Kay NE, Schiffer CA, Oken MM, Keating MJ, Boldt DH, Kempin SJ, & Foon KA (1988). Guidelines for clinical protocols for chronic lymphocytic leukemia: recommendations of the National Cancer Institute Sponsored Working Group. <i>American Journal of Hematology</i> , 29: 152-63.
28482	Chindamo MC, Spector N, Segadas JA, Pimenta G, Vanderborcht B, Morais JC, Milito C, Moraes Coelho HS. Prevalence of hepatitis C infection in patients with non-Hodgkin's lymphomas. <i>Oncol Rep</i> . 2002 May-Jun;9(3):657-9.
70258	Chintapatla R, Battini R, Wiernik PH (2012). Chronic lymphocytic leukemia with essential thrombocythemia: asbestos exposure association? <i>Clin Adv Hematol Oncol</i> , 10(11): 752-7.
30479	Chiorazzi N, Ferrarini M (2003). B cell chronic lymphocytic leukemia: lessons learned from studies of the B cell antigen receptor. <i>Annu Rev Immunol</i> , 21: 841-94.
45663	Chiu BCH, Dave BJ, Blair A, Gapstur SM, et al (2006). Agricultural pesticide use and risk of t(14;18)-defined subtypes of non-Hodgkin lymphoma. <i>Blood</i> , 108(4): 1363-9.
52532	Chiu WA, Caldwell JC, Keshava N, Scott CS (2006). Key scientific issues in the health risk assessment of trichloroethylene. <i>Environ Health Perspect</i> , 114(9): 1445--9.
26073	Chow EJ, Holly EA (2002). Blood transfusions as a risk factor for non-Hodgkin's lymphoma in the San Francisco Bay area: a population-based study. <i>American Journal of Epidemiology</i> , 155(8): 725-31.
3241	Christie D, Robinson K, Gordon I, Bisby J (1991). A prospective study in the Australian petroleum industry. II. Incidence of cancer. <i>Br J Ind Med</i> , 48: 511-4.
8696	Christie D, Robinson K, Gordon I, Bisby J (1991). A prospective study in the Australian petroleum industry. 1 mortality. <i>British J of Industrial Med</i> , 48: 507-10.

30571	Chromic acid. Human health effects. Taken from SMRC.
26274	Cibere J, Sibley J, Haga M (2001). Systemic lupus erythematosus and the risk of malignancy. <i>Lupus</i> , 10(6): 394-400.
30172	Clark CR, Roth RN; Scala RA; Drew RT; Mehlman MA (1991). [Comments] Dangerous properties of petroleum-refining products: carcinogenicity of motor fuels. <i>Teratogenesis Carcinog Mutagen</i> , 11(4): 213-214, 215-218, 218-220, 220-226. Comments on ID: 30171.
68353	Clarke CA, Glaser SL, Gomez SL et al (2011). Lymphoid malignancies in US Asians: incidence rate differences by birthplace and acculturation. <i>Cancer Epidemiol Biomark Prev</i> , 20(6): 1064-77.
28485	Clavel J, Conso F, Limasset JC, Mandereau L, Roche P, et al (1996). Hairy cell leukaemia and occupational exposure to benzene. <i>Occup Environ Med</i> , 53(8) pp 533-9.
28607	Clavel J, Hemon D, Mandereau L, Delemotte B, Severin F and Flandrin G (1996). Farming, pesticide use and hairy-cell leukemia. <i>Scand J Work Environ Health</i> , Vol 22 pp 285-293.
28486	Clavel J, Hemon D, Mandereau L, Delemotte B, Severin F, Flandrin G. Farming, pesticide use and hairy-cell leukemia. <i>Scand J Work Environ Health</i> . 1996 Aug;22(4):285-93.
28436	Clavel J, Mandereau L, Conso F, Limasset JC, Pourmir I, Flandrin G, Hemon D. Occupational exposure to solvents and hairy cell leukaemia. <i>Occup Environ Med</i> . 1998 Jan;55(1):59-64.
41160	Coble J, Hoppin JA, Engel L, Elci OC, et al (2002). Prevalence of exposure to solvents, metals, grain dust, and other hazards among farmers in the Agricultural Health Study. <i>J Expo Anal Environ Epidemiol</i> , 12(6): 418-26. [Abstract]
15939	Cocco P, Blair A, Congia P, Saba G, et al (1997). Proportional mortality of dichloro-diphenyl-trichloroethane (DDT) workers: a preliminary report. <i>Archives of Environmental Health</i> , 52(4): 299-303.
50755	Cocco P, Brennan P, Ibba A, de Sanjose Llongueras S, et al (2008). Plasma polychlorobiphenyl and organochlorine pesticide level and risk of major lymphoma subtypes. <i>Occup Environ Med</i> , 65: 132-40.
26882	Cocco P, Kazerouni N, Zahm SH (2000). Cancer mortality and environmental exposure to DDE in the United States. <i>Environ Health Perspect</i> , 108(1): 1-4.
51925	Cocco P, Piras G, Monne M, Uras A, et al (2008). Risk of malignant lymphoma following viral hepatitis infection. <i>Int J Hematol</i> , 87: 474-83.
70259	Cocco P, Satta G, Dubois S, et al (2013). Lymphoma risk and occupational exposure to pesticides: results of the Epilymph study. <i>Occup Environ Med</i> , 70: 91-8.
62555	Cocco P, t'Mannetje A, Fadda D, Melis M, et al (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. <i>Occup Environ Med</i> , 67: 341-7.
38773	Coggon D, Harris EC, Poole J, Palmer KT (2004). Mortality of workers exposed to ethylene oxide: extended follow up of a British cohort. <i>Occup Environ Med</i> , 61: 358-62.
62169	Cogliano VJ, Baan R, Straif K (2011). Updating IARC's carcinogenicity assessment of benzene. <i>Am J Ind Med</i> , 54: 165-7.
68354	Cole J, Pantanowitz L, Aboulafia D (2009). Human immunodeficiency virus and chronic lymphocytic leukemia. <i>Leukemia & Lymphoma</i> , 50(11): 1885-8.
29796	Cole P, Trichopoulos D, Pastides H, Starr T, et al (2003). Dioxin and cancer: a critical review. <i>Regul Toxicol Pharmacol</i> , 38(3): 378-88.
21149	Coleman M, Beral V (1988). A review of epidemiological studies of the health effects of living near or working with electricity generation and transmission equipment. <i>International Journal of Epidemiology</i> , 17: 1-13.

21129	Coleman MP, Bell CMJ, Taylor HL, Primic-Zakelj M (1989). Leukaemia and residence near electricity transmission equipment: a case-control study. <i>British Journal of Cancer</i> , 60: 793-8.
24994	Collins JJ, Acquavella JF (1998). Review and meta-analysis of studies of acrylonitrile workers. <i>Scandinavian Journal of Work & Environmental Health</i> , 24(Suppl 2): 71-80.
76869	Collins JJ, Anteau SE, Swaen G, et al (2015). Lymphatic and hematopoietic cancers among benzene-exposed workers. <i>JOEM</i> , 57(2): 159-63.
57309	Collins JJ, Bodner K, Aylward LL, Wilken M, Bodner CM (2009). Mortality rates among trichlorophenol workers with exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Am J Epidemiol</i> , 170(4): 501-6.
56057	Collins JJ, Bodner K, Aylward LL, Wilken M, et al (2009). Mortality rates among workers exposed to dioxins in the manufacture of pentachlorophenol. <i>J Occup Environ Med</i> , 51: 1212-9.
56053	Collins JJ, Bodner KM, Wilken M, Haidar S, et al (2007). Serum concentrations of chlorinated dibenzo-p-dioxins and dibenzofurans among former Michigan trichlorophenol and pentachlorophenol workers. <i>J Expo Sci Environ Epidemiol</i> , 17(6): 541-8.
50746	Colt JS, Hartge P, Davis S, Cerhan JR, et al (2007). Hobbies with solvent exposure and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18: 385-90.
53318	Committee on Contaminated Drinking Water at Camp Lejeune; National Research Council (2009). Contaminated water supplies at Camp Lejeune: assessing potential health effects. National Academy of Sciences. National Academy Press, Washington, D.C.
58017	Committee to Review EPA's Toxicological Assessment of Tetrachloroethylene; National Research Council (2010). Review of the Environmental Protection Agency's draft IRIS assessment of tetrachloroethylene, : 3-11, 45-9 , 105-23. The National Academic Press, Washington DC.
29491	Committee to review the health effects in Vietnam of exposure to herbicides (2000). Veterans and Agent Orange: Update 2000. Institute of Medicine., 3rd Biennial Update,. The National Academic Press, Washington DC.
1926	Committee to Review the Health Effects in Vietnam Veterans of Exposure to Herbicides, Institute of Medicine (1996). Veterans and Agent Orange: 1996 Update, . The National Academic Press, Washington DC.
47578	Committee to review the health effects in Vietnam veterans of exposure to herbicides (sixth biennial update) (2007). Veterans and Agent Orange: update 2006., Chapter 9: 645-6. The National Academies Press, Washington DC.
65048	Committee to review the health effects in Vietnam veterans of exposure to herbicides (eighth biennial update) (2010). Veterans and Agent Orange Update 2010, . The National Academic Press, Washington DC.
76765	Commonwealth of Australia (2015). Petrol fuel quality standard. Retrieved 17 November 2015, from https://www.environment.gov.au/topics/environment-protection/fuel-quality/standards/petrol
30034	Consonni D, Pesatori AC, Tironi A, Bernucci I, Zocchetti C, Bertazzi PA. Mortality study in an Italian oil refinery: extension of the follow-up. <i>Am J Ind Med</i> . 1999 Mar;35(3):287-294
55675	Consonni D, Pesatori AC, Zocchetti C, Sindaco R, et al (2008). Mortality in a population exposed to dioxin after the Seveso, Italy accident in 1976: 25 years of follow-up. <i>Am J Epidemiol</i> , 167(7): 847-58.
70418	Cooke R, Laing S, Swerdlow AJ (2010). A case-control study of risk of leukaemia in relation to mobile phone use. <i>Br J Cancer</i> , 103: 1729-35.
24998	Cooksley CD, Hwang LY, Waller DK, Ford CE (1999). HIV-related malignancies: community-based study using linkage of cancer registry and HIV registry data. <i>International Journal of STD & AIDS</i> , 10: 795-802.

21127	Cooper D, Hemmings K, Saunders P (2001). [Comment] Re "cancer incidence near radio and television transmitters in Great Britain. 1. Sutton Coldfield transmitter; 11. All high power transmitters". <i>American Journal of Epidemiology</i> , 153(2): 202-204.
52243	Cooper GS, Jones S (2008). Pentachlorophenol and cancer risk: focusing the lens on specific chlorophenols and contaminants. <i>Environ Health Perspect</i> , 116(8): 1001-8.
14286	Corrao G, Calleri M, Carle F et al (1989). Cancer risk in cohort of licensed pesticide users. <i>Scand J Work Environ Health</i> , 15: 203-9.
26276	Correa A, et al (2000). [Comment] Use of hair dyes, hematopoietic neoplasms, and lymphomas: a literature review. I. Leukemias and myelodysplastic syndromes. <i>Cancer Invest</i> , 18(4): 366-80. Comment on ID: 26139.
54760	Costantini AS, Benvenuti A, Vineis P, Kriebel D, et al (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: evidence from the Italian multicenter case-control study. <i>Am J Ind Med</i> , 51: 803-11.
26167	Costantini AS, Miligi L, Kriebel D, et al (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. <i>Epidemiol</i> , 12(1): 78-87.
20972	Cote TR, Dosemeci M, Rothman N, Banks RB, Biggar RJ (1993). [Comment] Non-Hodgkin's lymphoma and occupational exposure to hair dyes among people with AIDS. <i>American Journal of Public Health</i> , 83(4): 598-9.
47662	Cotter FE, Auer RL (2007). Genetic alteration associated with chronic lymphocytic leukemia. <i>Cytogenet Genome Res</i> , 118(2-4): 310-9. [Abstract]
6813	Cragle DL, McLain RW, Qualters J, Hickey JLS, et al (1988). Mortality among workers at a nuclear fuels production facility. <i>Am J Ind Med</i> , 14: 379-401.
12255	Crane PJ, Barnard DI, Horsley KD et al (1997). Mortality of national service Vietnam veterans. A report of the 1996 retrospective cohort study of Australian Vietnam veterans, . Commonwealth Department of Veterans' Affairs.
12256	Crane PJ, Bernard DI, Horsley KD et al (1997). Mortality of Vietnam veterans: the veteran cohort study, . Commonwealth Department of Veterans' Affairs.
7380	Crump KS (1993). Risk of benzene- induced leukemia: A sensitivity analysis of the pliofilm cohort with additional follow- up and new exposure estimates. <i>Journal of Toxicology and Environmental Health</i> , 42: 219-42.
29206	Curtis R, et al, Risk of leukemia after chemotherapy and radiation treatment for breast cancer, <i>NEJM</i> 1992; 326:1745-1751
29091	Curtis R, et al, The relation of leukaemia risk to radiation dose after cancer of the uterine corpus, <i>JNCI</i> 1994;86:1315-1324
63757	Cypel Y, Kang AH (2010). Mortality patterns of army chemical corps veterans who were occupationally exposed to herbicides in Vietnam. <i>Ann Epidemiol</i> , 20(5): 339-46.
14295	Dahar WS, Bond GG, McLaren EA et al (1988). Update to vinyl chloride mortality study. <i>Journal of Occupational Medicine</i> , 30(8): 648-9.
26855	Dainiak N (2002). Hematologic consequences of exposure to ionizing radiation. <i>Exp Hematol</i> , 30(6): 513-28.
52240	Dal Maso L, Franceschi S (2006). Hepatitis C virus and risk of lymphoma and other lymphoid neoplasms: a meta-analysis of epidemiologic studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(11): 2078-85.
15214	Dalager NA, Kang HK (1997). Mortality among army chemical corps Vietnam Veterans. <i>American Journal of Industrial Medicine</i> , 31: 719-26.
7436	Damber L, et al (1995). A cohort study with regard to the risk of haematological malignancies in patients treated with x-rays for benign lesions in the locomotor system. <i>Acta Oncologica</i> , 34(6): 713-19.

68355	Damle RN, Calissano C, Chiorazzi N (2010). Chronic lymphocytic leukemia: a disease of activated monoclonal B cells. <i>Best Pract Res Clin Haematol</i> , 23(1): 33-45.
29496	d'Amore G, Anglesio L, Tasso M, Benedetto A, Roletti S. Outdoor background ELF magnetic fields in an urban environment. <i>Radiat Prot Dosimetry</i> . 2001;94(4):375-380.
68356	Daniel CR, Sinha R, Park Y et al (2012). Meat intake is not associated with risk of non-Hodgkin lymphoma in a large prospective cohort of U.S. men and women. <i>J Nutr</i> , 142: 1074-80.
69048	Daniels RD, Schubauer-Berigan MK (2011). A meta-analysis of leukaemia risk from protracted exposure to low-dose gamma radiation. <i>Occup Environ Med</i> , 68: 457-64.
28037	Danielsen TE, Langard S, Andersen A (2000). Incidence of cancer among welders and other shipyard workers with information on previous work history. <i>J Occup Environ Med</i> , 42(1): 101-9.
29621	Darby S, et al, Mortality among United Kingdom servicemen who served abroad in the 1950s and 1960s. <i>Br J Ind Med</i> 1990;47:793-804
30565	D'Arena G, Di Renzo N, Brugiattelli M, Vigliotti ML, Keating MJ. Biological and clinical heterogeneity of B-cell chronic lymphocytic leukemia. <i>Leuk Lymphoma</i> . 2003 Feb;44(2):223-8.
29443	Dasdag S, Sert C, Akdag Z, Batun S. Effects of extremely low frequency electromagnetic fields on hematologic and immunologic parameters in welders. <i>Arch Med Res</i> . 2002 Jan-Feb;33(1):29-32.
30180	Davis JM (1999). Inhalation health risks of manganese: an EPA perspective. <i>Neurotoxicology</i> , 20(2-3) pp 511-518.
28369	de Faria JR, de Oliveira JS, Delbone de Faria RM, Silva MR, Goihman S, Yamamoto M, Kerbauy J (2000). Prognosis related to staging systems for chronic lymphocytic leukemia. <i>Sao Paulo Med J</i> , 118(4): 83-8.
23289	de Jong G, Swaen GM, Slangen JJ (1997). Mortality of workers exposed to dieldrin and aldrin: a retrospective cohort study. <i>Occup Environ Med</i> , 54(10): 702-7.
29097	De Renzo A, Persico E, de Marino F, di Giacomo Russo G, et al (2002). High prevalence of hepatitis G virus infection in Hodgkin's disease and B-cell lymphoproliferative disorders: absence of correlation with hepatitis C virus infection. <i>Haematologica</i> , 87(7): 714-18. Discussion 718.
47609	De Roos AJ, Hartge P, Lubin JH, Colt JS, et al (2005). Persistent organochlorine chemicals in plasma and risk of non-Hodgkin's lymphoma. <i>Cancer Res</i> , 65(23): 11214-26.
50727	de Sanjose S, Benavente Y, Vajdic CM, Engels EA, et al (2008). Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. <i>Clin Gastroenterol Hepatol</i> , 6: 451-8.
68357	Deaglio S, Malavasi F (2009). Chronic lymphocytic leukemia microenvironment: shifting the balance from apoptosis to proliferation. <i>Haematologica</i> , 94(6): 752-6.
76917	Defence Work Health and Safety (2014). Exposure to military aviation turbine fuels in defence. Defence Technical Fact Sheet No. 28. Department of Defence.
70419	Degrave E, Meeusen B, Grivegnée AR, et al (2009). Causes of death among Belgian professional military radar operators: a 37-year retrospective cohort study. <i>Int J Cancer</i> , 124: 945-51.
28414	Delzell E, Macaluso M, Sathiakumar N, Matthews R (2001). Leukemia and exposure to 1,3-butadiene, styrene and dimethyldithiocarbamate among workers in the synthetic rubber industry. <i>Chem Biol Interact</i> , 1(135-136): 515-34.
20980	Demeter S, Paloczi K, Vargha P, Lehoczky D (1990). Development of chronic lymphocytic leukaemia after posttraumatic splenectomy. <i>Blut</i> , 60: 331-3.

74422	Department of Veterans Affairs (2003). Disease associated with exposure to certain herbicide agents: chronic lymphocytic leukemia. <i>Federal Register</i> , 68(200): 59540-2.
74420	Department of Veterans Affairs (2010). Diseases associated with exposure to certain herbicide agents (hairy cell Leukemia and other chronic B-cell leukemias, Parkinson's disease and ischemic heart disease). <i>Federal Register</i> , 75(168): 53202-16.
70420	D'Este C, Attia JR, Brown AM, et al (2008). Cancer incidence and mortality in aircraft maintenance workers. <i>Am J Ind Med</i> , 51: 16-23.
35414	Di Virgillio F, Wiley JS (2002). [Comment] The P2X7 receptor of CLL lymphocytes - a molecule with a split personality. <i>Lancet</i> , 360: 1898-99.
13223	Dich J, Zahm SH, Hanberg A, Adami H-O (1997). Pesticides and cancer. <i>Cancer Causes Control</i> , 8(3): 420-43.
21178	Dighiero G, Binet J-L (1996). Chronic lymphocytic leukemia. <i>Hematol Cell Ther</i> , 38: S41-61.
68358	Dighiero G, Hamblin TJ (2008). Chronic lymphocytic leukemia. <i>Lancet</i> , 371(9617): 1017-29.
1594	Dighiero G, Travade P, Chevret S, Fenaux P, et al (1991). B-cell chronic lymphocytic leukemia: present status and future directions. <i>Blood</i> , 78(8): 1901-14.
68359	Diver WR, Patel AV, Thun MJ et al (2012). The associations between cigarette smoking and non-Hodgkin lymphoid neoplasms in large US cohort study. <i>Cancer Causes Control</i> , 23: 1231-40.
26176	Divine BJ, Hartman CM (2001). A cohort mortality study among workers at a 1,3 butadiene facility. <i>Chem Biol Interact</i> , 1: 135-6, 535-53.
24897	Divine BJ, Hartman CM, Wendt JK (1999). Update of the Texaco mortality study 1947-93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals. <i>Occup Environ Med</i> , 56: 174-80.
24932	Divine BJ, Hartman CM, Wendt JK (1999). Update of the Texaco mortality study 1947-93: part 1. Analysis of overall patterns of mortality among refining, research, and petrochemical workers. <i>Occupational Environmental Medicine</i> , 56: 167-73.
29752	Djordjevic Z, et al (1979). A study of the health status of radar workers. <i>Aviation Space and Environmental Medicine</i> , Vol 50 pp 396-398.
28372	Dohner H, Stilgenbauer S, Benner A, Leupolt E, Krober A, Bullinger L, Dohner K, Bentz M, Lichter P (2000). Genomic aberrations & survival in chronic lymphocytic leukemia. <i>N Eng J Med</i> , 343(26): 1910-6.
9621	Dolk H, Elliot P, Shaddick G, Walls P, Thakrar B (1997). Cancer incidence near radio and television transmitters in Great Britain. II. All High Power Transmitters. <i>American Journal of Epidemiology</i> , 145(1): 10-7.
9620	Dolk H, Shaddick G, Walls P, Grundy C, et al (1997). Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield Transmitter. <i>American Journal of Epidemiology</i> , 145(1): 1-9.
3248	Doll R, Peto R (1976). Mortality in relation to smoking: 20 years' observations on male British doctors. <i>BMJ</i> , 22: 1525-36.
22494	Domingo JM, Romero S, Moreno JA, Domingo JA, et al (1999). [Comment] Hepatitis C virus infection and mixed cryoglobulinemia in patients with lymphoproliferative diseases. <i>Haematologica</i> , 84(1): 94-6.
25386	Dreyer NA, Loughlin JE, Rothman KJ (1999). [Comment] Cause-specific mortality in cellular telephone users. <i>JAMA</i> , 282(19): 1814-6.
28357	Duarte-Davidson R, Courage C, Rushton L, Levy L (2001). Benzene in the environment: an assessment of the potential risks to the health of the population. <i>Occup Environ Med</i> , 58(1): 2-13.
52945	Duberg AS, Nordstrom M, Torner A, Reichard O, et al (2005). Non-Hodgkin's lymphoma and other nonhepatic malignancies in Swedish patients with hepatitis C virus infection. <i>Hepatology</i> , 41(3): 652-9.

76779	Edokpolo B, Jimmy Q, Connell D (2015). Health risk assessment for exposure to benzene in petroleum refinery environments. <i>Int J Environ Res Public Health</i> , 12: 595-610.
50719	Egan KM, Sosman JA, Blot WJ (2005). [Comment] Sunlight and reduced risk of cancer: is the real story vitamin D? <i>J Natl Cancer Inst</i> , 97(3): 161-3.
25028	Eheman CR, Tolbert PE, Coates RJ, et al (2000). Case-control assessment of the association between non-Hodgkin's lymphoma and occupational radiation with doses assessed using a job exposure matrix. <i>American Journal of Industrial Medicine</i> , 38: 19-27.
50751	Ekstrom-Smedby KE (2006). Epidemiology and etiology of non-Hodgkin lymphoma - a review. <i>Acta Oncologica</i> , 45(3): 258-71.
53872	El Ghissassi F, Baan R, Straif K, Grosse Y, et al (2009). A review of human carcinogens - Part D: radiation. <i>Lancet Oncol</i> , 10(8): 751-2.
21282	El-Sadek WY, Hassan MH (2000). Chronic lymphocytic leukaemia in Egyptian farm workers exposed to pesticides. <i>Eastern Mediterranean Health Journal</i> , 5(5): 960-6.
26367	Elwood JM (1999). [Comment] Radiofrequency exposure and human cancers. <i>Environmental Health Perspectives</i> , 107(12): A597.
26009	Elwood JM (1999). A critical review of epidemiologic studies of radiofrequency exposure and human cancers. <i>Environ Health Perspect</i> , 107(Suppl 1): 155-68.
30503	Elwood JM (2003). Epidemiological Studies of Radio-Frequency Exposures and Human Cancer. <i>Bioelectromagnetics Supplement</i> , 6: S63-72.
52230	Engels EA (2007). Infectious agents as causes on non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 401-4.
50739	Engels EA, Biggar RJ, Hall HI, Cross H, et al (2008). Cancer risk in people infected with human immunodeficiency virus in the United States. <i>Int J Cancer</i> , 123: 187-94.
28421	Engels EA, Katki HA, Nielsen NM, Winther JF, Hjalgrim H, Gjerris F, Rosenberg PS, Frisch M. Cancer incidence in Denmark following exposure to poliovirus vaccine contaminated with simian virus 40. <i>J Natl Cancer Inst</i> . 2003 Apr 2;95(7):532-539.
70421	Erdem O, Sayal A, Eken A, et al (2012). Evaluation of genotoxic and oxidative effects in workers exposed to jet propulsion fuel. <i>Int Arch Occup Environ Health</i> , 85: 353-61.
51901	Eriksson M, Hardell L, Carlberg M, Akerman M (2008). Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroup analysis. <i>Int J Cancer</i> , 123: 1657-63.
29597	Erren TC (1996). [Comment] Association between exposure to pulsed electromagnetic fields and cancer in electric utility workers in Quebec, Canada and France. <i>American Journal of Epidemiology</i> , 143(8): 841.
42811	Erren TC (1996). [Letter] Association between exposure to pulsed electromagnetic fields and cancer in electric utility workers in Quebec, Canada and France. <i>Am J Epidemiol</i> , Vol 143(8) pp 841.
30623	Expert Committee to Review SAS Veterans' Health Concerns (2003). Final Report of the Expert Panel to Review SAS Veterans' Health Concerns. A report prepared for the Minister for Veterans' Affairs, Commonwealth of Australia, . .
25401	Fear NT, Roman E, Carpenter LM, Newton R, Bull D (1996). Cancer in electrical workers: an analysis of cancer registrations in England, 1981-87. <i>British Journal of Cancer</i> , 73(7): 935-9.
28370	Fegan C (2001). Molecular abnormalities in B-cell chronic lymphocytic leukaemia. <i>Clin Lab Haematol</i> , 23(3): 139-48.
28356	Fegan C (2002). [Comment] Chronic lymphocytic leukaemia: one cell, two diseases? <i>Lancet</i> , 360(9328): 184-6.
30421	Feltelius N, Ekbom A, Blomqvist P. Cancer incidence among patients with ankylosing spondylitis in Sweden 1965-95: a population based cohort study. <i>Ann Rheum Dis</i> . 2003 Dec;62(12):1185-8.

50738	Fernberg P, Odenbro A, Bellocco R, Boffetta P, et al (2006). Tobacco use, body mass index and the risk of malignant lymphomas - a nationwide cohort study in Sweden. <i>Int J Cancer</i> , 118: 2298-302.
52749	Ferreri AJ, Ernberg I, Copie-Bergman C (2009). Infectious agents and lymphoma development: molecular and clinical aspects. <i>J Int Med</i> , 265: 421-38.
21573	Feychting M (1996). Occupational exposure to electromagnetic fields and adult leukaemia: a review of the epidemiological evidence. <i>Radiation and Environmental Biophysics</i> , 35(4): 237-42.
5192	Feychting M, Ahlbom A (1994). Magnetic fields, leukemia and central nervous system tumors in Swedish adults residing near high-voltage power lines. <i>Epidemiology</i> , 5(5): 501-9.
20987	Feychting M, Forssen U, & Floderus B (1997). Occupational and residential magnetic field exposure and leukemia and central nervous system tumors. <i>Epidemiology</i> , 8(4): 384-9.
3572	Fingerhut MA, Halperin WE, Marlow DA, et al (1991). Cancer Mortality in Workers Exposed to 2,3,7,8-Tetrachlordibenzo-p-Dioxin. <i>NEJM</i> , 324(4): 212-8.
29437	Fink JM, Wagner JP, Congleton JJ, Rock JC. Microwave emissions from police radar. <i>Am Ind Hyg Assoc J</i> . 1999 Nov-Dec;60(6):770-776.
22473	Finkelstein MM (2000). Leukemia after exposure to benzene: temporal trends and implications for standards. <i>American Journal of Industrial Medicine</i> , 38(1): 1-7.
29431	Finkelstein MM. Cancer incidence among Ontario police officers. <i>Am J Ind Med</i> . 1998 Aug;34(2):157-162.
26182	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Cancer incidence in a cohort of licensed pesticide applicators in Florida. <i>J Occup Environ Med</i> , 41(4): 279-288.
26115	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Mortality in a cohort of licensed pesticide applicators in Florida. <i>Occup Environ Med</i> , 56(1): 14-21.
1669	Floderus B, Persson T, Stenlund C, Wennberg A (1993). Occupational exposure to electromagnetic fields in relation to leukemia and brain tumours: a case-control study in Sweden. <i>Cancer Causes Control</i> , 4(5): 465-76.
29433	Floderus B, Stenlund C, Carlgren F. Occupational exposures to high frequency electromagnetic fields in the intermediate range (>300 Hz-10 MHz). <i>Bioelectromagnetics</i> . 2002 Dec;23(8):568-577.
22475	Floderus B, Stenlund C, Persson T (1999). Occupational magnetic field exposure and site-specific cancer incidence: a Swedish cohort study. <i>Cancer Causes & Control</i> , 10: 323-32.
5133	Floderus B, Tornqvist S, Stenlund C (1994). Incidence of selected cancers in Swedish railway workers, 1961-79. <i>Cancer Causes Control</i> , 5: 189-94.
29617	Flodin U, et al, Chronic lymphatic leukaemia and engine exhausts, fresh wood, and DDT: a case-referent study <i>Br J Ind Med</i> 1989;45:33-38
942	Floderus B, Persson T, Stenlund C, Wennberg A, et al (1993). Occupational exposure to electromagnetic fields in relation to leukemia and brain tumors: a case-control study in Sweden. <i>Cancer Causes Control</i> , 4: 465-76.
30126	Forni A (1996). Benzene-induced chromosome aberrations: a follow-up study. <i>Environ Health Perspect</i> , 104(Suppl 6): 1309-12.
15929	Franceschi S, Barbone F, Bidoli E, et al (1993). Cancer risk in farmers: results from a multi-site case-control study in north-eastern Italy. <i>Int J Cancer</i> , 53: 740-45.
26027	Franceschi S, La Vecchia C, Dal Maso L, Serraino D, et al (1998). [Comment] Spectrum of AIDS- associated malignant disorders. <i>Lancet</i> , 352(9131): 906-907.
24993	Francsechi S, Maso LD, Crosignani P, Vercelli M, Simonato L, Falcini F, Zanetti R, Barchielli A, Serraino D, & Rezza G (1998). Risk of cancer other than Kaposi's sarcoma and non-Hodgkin's lymphoma in persons with AIDS in Italy. <i>British Journal of Cancer</i> , 78(7): 966-970.

64674	Freedman A, Friedberg JW, Aster JC (2012). Classification of the hematopoietic neoplasms. . Retrieved 1 August 2012, from http://www.uptodate.com/contents/classification-of-the-hematopoietic-neoplasms#H15
26070	Freedman DS, Tolbert PE, Coates R, Brann EA, Kjeldsberg CR (1998). Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men. <i>American Journal of Epidemiology</i> , 148(9): 833-41.
29512	Friedberg W, Copeland K, Duke FE, Nicholas JS, Darden EB Jr, O'Brien K 3rd. Radiation exposure of aircrews. <i>Occup Med</i> . 2002 Apr-Jun;17(2):293-309
20968	Friedman GD (1993). Cigarette smoking, leukemia, and multiple myeloma. <i>Annals of Epidemiology</i> , 3: 425-8.
26849	Fritschi L, Johnson KC, Kliewer EV, Fry R, et al (2002). Animal-related occupations and the risk of leukemia, myeloma, and non-Hodgkin's lymphoma in Canada. <i>Cancer Causes Control</i> , 13(6): 563-71.
30480	Fritschi L, Nadon L, Benke G, Lakhani R, Latreille B, Parent ME, Siemiatycki J (2003). Validation of expert assessment of occupational exposures. <i>Am J Ind Med</i> , 43(5) pp 519-522.
62244	Frost G, Brown T, Harding AH (2011). Mortality and cancer incidence among British agricultural pesticide users. <i>Occup Med</i> , 61: 303-10.
26124	Fryzek JP, Mellekjaer L, McLaughlin JK, Blot WJ, Olsen JH (1999). Cancer risk among patients with finger and hand joint and temporo-mandibular joint prostheses in Denmark. <i>Int J Cancer</i> , 81(5): 723-5.
28387	Fryzek JP, Ye W, Signorello LB, et al (2002). Incidence of cancer among patients with knee implants in Sweden, 1980-1994. <i>Cancer</i> , 94(11): 3057-62.
30573	Fuel oil No.2. Human health effects. Taken from SMRC
68360	Gaidano G, Foa R, Dalla-Favera R (2012). Molecular pathogenesis of chronic lymphocytic leukemia. <i>J Clin Invest</i> , 122(10): 3432-8.
21059	Gajewski AK, Rozycki Z, Słowikowska MG, Krzyzanowski M, Majle T (1988). Medical diagnostic X-Ray irradiation and risk of leukemia in urban adult population of Poland. 11 Bone marrow dose distributions. <i>Roczniki Panstwowego Zakladu Higieny</i> , 39(5): 337-43.
60693	Galbraith D, Gross SA, Paustenbach D (2010). Benzene and human health: a historical review and appraisal of associations with various diseases. <i>Crit Rev Toxicol</i> , 40(S2): 1-46.
21058	Gale RP (1988). Current issues in chronic lymphocytic leukemia. <i>Nouvelle Revue Francaise d Hematologie</i> , 30(5-6): 263-5.
28814	Gallagher B, Wang Z, Schymura MJ, Kahn A, Fordyce EJ (2001). Cancer incidence in New York State acquired immunodeficiency syndrome patients. <i>Am J Epidemiol</i> , 154(6): 544-6.
29435	Galloni P, Marino C. Effects of 50 Hz magnetic field exposure on tumor experimental models. <i>Bioelectromagnetics</i> . 2000 Dec;21(8):608-14.
15211	Gambini GF, Mantovani C, Pira E, Piolatto PG, Negri E (1997). Cancer mortality among rice growers in Novara Province, Northern Italy. <i>American Journal of Industrial Medicine</i> , 31: 435-41.
68361	Gao Y, Kristinsson SY, Goldin LR, et al (2009). Increased risk for non-Hodgkin lymphoma in individuals with celiac disease and a potential familial association. <i>Gastroenterology</i> , 136(1): 91-8.
28847	Garabrant DH, Philbert MA (2002). Review of 2,4-dichlorophenoxyacetic acid (2,4-D) epidemiology and toxicology. <i>Critical Reviews in Toxicology</i> , 32(4): 233-57.
30040	Garaj-Vrhovac V. Micronucleus assay and lymphocyte mitotic activity in risk assessment of occupational exposure to microwave radiation. <i>Chemosphere</i> . 1999 Dec;39(13):2301-2312.

29717	Garcia AM, Orts E, Esteban V, Porcuna JL (2000). Experts' assessment of probability and level of pesticide exposure in agricultural workers. <i>J Occup Environ Med</i> , 42(9) pp 911-916.
28371	Garcia-Manero G (2001). [Comment] Chromosomal abnormalities in chronic lymphocytic leukemia. <i>N Engl J Med</i> , 344(16): 1254. Comment on ID: 28372.
68362	Garcia-Munoz R, Galiacho VR, Llorente L (2012). Immunological aspects in chronic lymphocytic leukemia (CLL) development. <i>Ann Hematol</i> , 91: 981-96.
21504	Garfinkel L, Boffetta P (1990). Association between smoking and leukemia in two American cancer society prospective studies. <i>Cancer</i> , 65: 2356-60.
21150	Garland FC, Shaw E, Gorham ED, et al (1990). Incidence of leukemia in occupations with potential electromagnetic field exposure in United States Navy personnel. <i>American Journal of Epidemiology</i> , 132: 293-303.
43487	Garson OM, McRobert TL, Campbell LJ, Hocking BA, Gordon I (1991). A chromosomal study of workers with long term exposure to radiofrequency radiation. <i>Med J Aust</i> , 155: 289-92.
30169	Gerber GB, Leonard A, Hantson P. Carcinogenicity, mutagenicity and teratogenicity of manganese compounds. <i>Crit Rev Oncol Hematol</i> . 2002 Apr;42(1):25-34.
27276	Gharagozloo S, Khoshnoodi J, Shokri F (2001). Hepatitis C virus infection in patients with essential mixed cryoglobulinemia, multiple myeloma and chronic lymphocytic leukemia. <i>Pathol Oncol Res</i> , 7(2): 135-9.
45952	Ghiotto F, Fais F, Valetto A, Albesiano E, et al (2004). Remarkably similar antigen receptors among a subset of patients with chronic lymphocytic leukemia. <i>J Clin Invest</i> , 113(7):1008-1016.
7183	Gilbert ES, Cragle DL, Wiggs LD (1993). Updated analyses of combined mortality data for workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Weapons Plant. <i>Radiation Research</i> , 136: 408-421.
52359	Giordano TP, Henderson L, Landgren O, Chiao EY, et al (2007). Risk of non-Hodgkin lymphoma and lymphoproliferative precursor diseases in US veterans with hepatitis C virus. <i>JAMA</i> , 297(18): 2010-7.
64982	Glass D, Sim M, Del Monaco A, Simpson P, Murray V (2009). Final report on Queensland fire fighters' cancer incidence study. Monash University, : 1-24.
26864	Glass DC, Adams GG, Manuell RW, Bisby JA (2000). Retrospective exposure assessment for benzene in the Australian petroleum industry. <i>Ann Occup Hyg</i> , 44(4): 301-20.
27532	Glass DC, Gray CN, Adams GG, Manuell RW, Bisby JA (2001). Validation of exposure estimation for benzene in the Australian petroleum industry. <i>Toxicology and Industrial Health</i> , 17(4): 113-27.
30508	Glass DC, Gray CN, Jolley DJ, Gibbons C, et al (2003). Leukemia risk associated with low-level benzene exposure. <i>Epidemiology</i> , 14(5): 569-77.
36950	Glass DC, Gray CN, Jolley DJ, Gibbons C, et al (2003). Leukemia Risk Associated With Low-Level Benzene Exposure. <i>Epidemiology</i> , 14(5) pp 569-77.
25879	Godward S, Sandhu M, Skinner J, et al; Johansen C, Boice JD, McLaughlin JK, et al (2001). [Comments] Cellular telephones and cancer - a nationwide cohort study in Denmark. <i>JNCI</i> , 93(11): 878-9.
26030	Goedert JJ (2000). The epidemiology of acquired immunodeficiency syndrome malignancies. <i>Semin Oncol</i> , 27(4): 390-401.
26026	Goedert JJ, Cote TR, Virgo P, et al (1998). Spectrum of AIDS-associated malignant disorders. <i>Lancet</i> , 351(9119): 1833-9.
13000	Golden AL, Markowitz SB, Landrigan PJ (1995). The risk of cancer in firefighters. <i>Occupational Medicine: State of the Art Reviews</i> , 10(4): 803-20.
29438	Goldhagen P. Overview of aircraft radiation exposure and recent ER-2 measurements. <i>Health Phys</i> . 2000 Nov;79(5):526-544.

68363	Goldin LR, Slager SL (2007). Familial CLL: Genes and environment. Hematology Am Soc Hematol Educ Program, : 339-45.
30173	Golding BT, Watson WP (1999). Possible mechanisms of carcinogenesis after exposure to benzene. IARC Sci Publ, 150: 75-88.
26401	Goldsmith JR (1995). Epidemiologic evidence of radiofrequency radiation (microwave) effects on health in military, broadcasting, and occupational studies. International Journal of Occupational & Environmental Health, 1(1): 47-57.
14259	Goldsmith JR (1997). Epidemiologic evidence relevant to radar (microwave) effects. Environmental Health Perspectives, 105(suppl 6): 1579-87.
60464	Goldstein BD (2010). Benzene as a cause of lymphoproliferative disorders. Chemico-Biological Interactions, 184: 147-50.
26558	Goldstein LS, Kheifets L, van Deventer E, et al (2002). [Comments] Long-term exposure of Emicro-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. Radiat Res, 159(2): 275-8.
28001	Goodman M, Morgan RW, Ray R, Malloy CD, Zhao K (1999). Cancer in asbestos-exposed occupational cohorts: a meta-analysis. Cancer Causes Control, 10(5): 453-65.
45953	Gorgels WJ, van Poppel G, Jarvis MJ, Stenhuis W, Kok FJ (1992). [Abstract] Passive smoking and sister-chromatid exchanges in lymphocytes. Mutat Res, 279(4):233-8.
30177	Grant GM, Shaffer KM, Kao WY, Stenger DA, Pancrazio JJ. Investigation of in vitro toxicity of jet fuels JP-8 and Jet A. Drug Chem Toxicol. 2000 Feb;23(1):279-291.
64818	Graveling RA, Crawford JO (2010). Occupational health risks in firefighters: Strategic consulting report: P530. Institute of Occupation Medicine (IOM), . The Industrial Injuries Advisory Council.
70260	Gray JW, Burns CJ, Mahlborg WM (2013). [Comment] Increased cancer burden among pesticide applicators and others due to pesticide exposure. CA Cancer J Clin, 63: 364-6. Comment on ID: 70256.
29472	Grayson JK, Lyons TJ (1996). Cancer incidence in United States Air Force aircrew,1975-89. Aviat Space Environ Med, 67(2): 101-104.
16747	Green LM (1991). A cohort mortality study of forestry workers exposed to phenoxy acid herbicides. British Journal of Industrial Medicine, 48: 234-8.
29478	Gribbin MA, Weeks JL, & Howe GR (1993). Cancer mortality (1956-1985) among male employees of atomic energy of Canada limited with respect to occupational exposure to external low-linear-energy-transfer ionizing radiation. Radiation Research, 133: 375-80.
3250	Gridley G, McLaughlin JK, Ekblom A, Klareskog L, et al (1993). Incidence of cancer among patients with rheumatoid arthritis. J Nat Can Institute, 85(4): 307-11.
8931	Grodstein F, Hennekens CH, Colditz GA, Hunter DJ, et al (1994). A prospective study of permanent hair dye use and hematopoietic cancer. J Natl Cancer Inst, 86(19): 1466-70.
28509	Grossblatt N, Kelly K (2003). Insecticides and Solvents. Gulf War and Health., Vol 2 Chapter 5: 147-152, 338-364. National Academy Press, Washington, D.C.
52517	Grosse Y, Baan R, Straif K, Secretan B, et al (2007). Carcinogenicity of 1,3-butadiene, ethylene oxide, vinyl chloride, vinyl fluoride, and vinyl bromide. Lancet Oncol, 8(8): 679-80.
30509	Groves FD, Lazarchick JS (2003). [LETTER] Anthropometric Characteristics, Physical Activity and Risk of Non-Hodgkin's Lymphoma Subtypes & B-Cell Chronic Lymphocytic Leukemia: A Prospective Study. American Journal of Epidemiology, 258(2) pp 190.
18977	Groves FD, Linet MS, Travis LB, et al (2000). Cancer surveillance series: non-Hodgkin's Lymphoma incidence by histologic subtype in the United States from 1978 through 1995. Journal of the National Cancer Institute, 92(15): 1240-51.

25344	Groves FD, Page WF, Gridley G, Lisimaque L, Stewart PA, Tarone RE, Gail MH, Boice JD, Jr, Beebe GW (2002). Cancer in Korean War Navy technicians: mortality survey after 40 years. <i>American Journal of Epidemiology</i> , 155(9): 810-8.
27874	Grulich AE, Li Y, McDonald A, Correll PKL, et al (2002). Rates of non-AIDS-defining cancers in people with HIV infection before and after AIDS diagnosis. <i>AIDS</i> , 16(8): 1155-61.
50698	Grulich AE, Vajdic CM (2005). The epidemiology of non-Hodgkin lymphoma. <i>Pathology</i> , 37(6): 409-19.
25531	Grulich AE, Wan X, Law MG, Coates M, Kaldor JM (1999). Risk of cancer in people with AIDS. <i>AIDS</i> , 13(7): 839-43.
75974	Gudzenko N, Hatch M, Bazyka D, et al (2015). Non-radiation risk factors for leukemia: A case-control study among Chernobyl cleanup workers in Ukraine. <i>Environ Res</i> , 142: 72-6.
25804	Guenel P, Imbernon E, Chevalier A, Crinquand-Calastreng A, Goldberg M (2002). Leukemia in relation to occupational exposures to benzene and other agents: a case-control study nested in a cohort of gas and electric utility workers. <i>Am J Ind Med</i> , 42(2): 87-97.
9687	Guenel P, Nicolau J, Imbernon E, Chevalier, Goldberg M (1996). Exposure to 50-Hz electric field and incidence of leukemia, brain tumors, and other cancers among French electric utility workers. <i>Am J Epidemiology</i> , 144(12): 1107-21.
10429	Guenel P, Raskmark P, Andersen JB, Lynge E (1993). Incidence of cancer in persons with occupational exposure to electromagnetic fields in Denmark. <i>Br J Ind Med</i> , 50: 758-63.
50710	Guidotti TL (2007). Evaluating causality for occupational cancers: the example of firefighters. <i>Occupational Medicine</i> , 57: 466-71.
69391	Gun RT, Pratt N, Ryan P, et al (2006). Update of mortality and cancer incidence in the Australian petroleum industry cohort. <i>Occup Environ Health</i> , 63: 476-81.
40671	Gun RT, Pratt NL, Griffith EC, Adams GG, Bisby JA, Robinson KL (2004). Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. <i>Occup Environ Med</i> , 61(2): 150-6.
24917	Gundestrup M, Storm HH (1999). Radiation-induced acute myeloid leukaemia and other cancers in commercial jet cockpit crew: a population-based cohort study. <i>The Lancet</i> , 354: 2029-31.
45754	Guzelian P, Quattrochi L, Karch N, et al (2006). Does dioxin exert toxic effects in humans at or near current background body levels? An evidence-based conclusion. <i>Human & Experimental Toxicology</i> , 25: 99-105.
46931	Guzelian P, Victoroff MS, Halmes NC, James RC, Guzelian CP (2005). Evidence-based toxicology: a comprehensive framework for causation. <i>Hum Experimental Toxicol</i> , 24: 161-201.
30575	Habash RW, Brodsky LM, Leiss W, Krewski D, Repacholi M. Health risks of electromagnetic fields. Part I: Evaluation and assessment of electric and magnetic fields. <i>Crit Rev Biomed Eng</i> . 2003;31(3):141-195.
26035	Hakansson N, Floderus B, Gustavsson P, Feychting M, Hallin N (2001). Occupational sunlight exposure and cancer incidence among Swedish construction workers. <i>Epidemiology</i> , 12(5): 552-7.
26856	Hakansson N, Floderus B, Gustavsson P, Johansen C, Olsen JH (2002). Cancer incidence and magnetic field exposure in industries using resistance welding in Sweden. <i>Occup Environ Med</i> , 59(7): 481-86.
30563	Hallek M, Bergmann M, Emmerich B. Chronic lymphocytic leukaemia: up-dated recommendations on diagnosis and treatment. <i>Onkologie</i> . 2004 Feb;27(1):97-104.
28480	Hamblin T (2002). [Comment] Is chronic lymphocytic leukemia one disease? <i>Haematologica</i> , 87(12): 35-8.
68364	Hamblin TJ (2008). [Comment] Have we been wrong about ionizing radiation and chronic lymphocytic leukemia? <i>Leukemia Research</i> , 32: 523-5.

29475	Hammar N, Linnertsjo A, Alfredsson L, Dammstrom BG, Johansson M, Eliasch H. Cancer incidence in airline and military pilots in Sweden 1961-1996. <i>Aviat Space Environ Med.</i> 2002 Jan;73(1):2-7.
4549	Hansen ES (1993). A follow-up study on the mortality of truck drivers. <i>Am J Ind Med</i> , 23: 811-21.
29603	Hansen ES, Hasle H, Lander F (1992). A cohort study on cancer incidence among Danish gardeners. <i>Am J Ind Med</i> , 21(5): 651-660.
53807	Hansen ES, Lander F, Lauritsen JM (2007). Time trends in cancer risk and pesticide exposure, a long-term follow-up of Danish gardeners. <i>Scand J Work Environ Health</i> , 33(6): 465-9.
26184	Hansen J, Raaschou-Nielsen O, Christensen JM, Johansen I, et al (2001). Cancer incidence among Danish workers exposed to trichloroethylene. <i>J Occup Environ Med</i> , 43(2): 133-39.
28540	Hansson Mild K, Hardell L, Kundi M and Mattsson MO (2003). Mobile telephones and cancer: is there really no evidence of an association? <i>International Journal of Molecular Medicine</i> , Vol 12 pp 67-72.
28609	Hardell L, Eriksson M and Nordstrom M (2002). Exposure to pesticides as risk factor for non-Hodgkin's lymphoma and hairy cell leukemia: pooled analysis of two Swedish case-control studies. <i>Leukemia and Lymphoma</i> , 43(5) pp 1043-1049.
50697	Hardell L, Eriksson M, Carlberg M, et al (2005). Use of cellular or cordless telephones and the risk for non-Hodgkin's lymphoma. <i>Int Arch Occup Environ Health</i> , 78: 625-32.
28604	Hardell L, Eriksson M, Nordstrom M (2002). Exposure to pesticides as risk factor for non-Hodgkin's lymphoma and hairy cell leukemia: pooled analysis of two Swedish case-control studies. <i>Leuk Lymphoma</i> , 43(5):1043-9.
25880	Hardell L, Mild KH (2001). [Comment] Re: cellular telephones and cancer - a nationwide cohort study in Denmark. <i>JNCI</i> , 93(12): 952-53.
25808	Harrington JM, Nichols L, Sorahan T, van Tongeren M (2001). Leukaemia mortality in relation to magnetic field exposure: findings from a study of United Kingdom electricity generation and transmission workers, 1973-97. <i>Occup Environ Med</i> , 58(2): 307-14.
7175	Harrington JM, Rose FG, Koh D (1994). Paint - Health and environmental risk management. <i>Asia-Pacific Journal of Public Health</i> , 7(2): 115-8.
20964	Harris NE, Jaffe ES, Stein H, Banks PM, Chan JKC, Cleary ML, Delsol G, De Wolf-Peeters C, Falini B, Gatter KC, Grogan TM, Isaacson PG, Knowles DM, Mason DY, Muller-Hermelink H-K, Pileri SA, Piris MA, Ralfkiaer E, & Warnke RA (1994). A revised European-American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group. <i>Blood</i> , 84: 1361-92.
28538	Harris NL, Jaffe ES, Diebold J, et al (2000). The World Health Organization classification of neoplasms of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee Meeting - Airlie House, Virginia, November, 1997. <i>The Hematology Journal</i> , 1: 53-66.
28508	Harris NL, Jaffe ES, Diebold J, Flandrin G, Muller-Hermelink HK, Vardiman J, Lister TA, Bloomfield CD (2000). The World Health Organization classification of hematological malignancies report of the Clinical Advisory Committee meeting, Airlie House, Virginia, November, 1997. <i>Hematol J.</i> 13(2) pp 193-207.
28596	Harris NL, Jaffe ES, Vardiman JW, Stein H, et al (2001). World Health Classification of Tumours: Pathology and genetics of tumours of haematopoietic and lymphoid tissues. <i>International Agency for Research on Cancer (IARC)</i> , : 12-13; 109-117, 119-187, 189-203. IARC Press: Lyon.
26139	Hartge P (2000). Hair dyes, cancer, and epidemiology. <i>Cancer Invest</i> , 18(4): 408. Retrieved 6 January 2003, from 408
53714	Hatcher JM, Pennell KD, Miller GW (2008). Parkinson's disease and pesticides: a toxicological perspective. <i>Trends in Pharmacological Sciences</i> , 29(6): 322-9.

26837	Hausfater P, Cacoub P, Sterkers Y, Thibault V, Amoura Z, Nguyen L, Ghillani P, Leblond V and Piette JC (2001). Hepatitis C virus infection and lymphoproliferative diseases: prospective study on 1,576 patients in France. <i>Am J Hematol</i> , 64(2): 168-71.
25131	Havas M (2000). Biological effects of non-ionizing electromagnetic energy: A critical review of the reports by the US National Research Council and the US National Institute of Environmental Health Sciences as they relate to the broad realm of EMF bioeffects. <i>Environmental Reviews</i> , 8(3): 173-253.
26594	Hayes RB, Songnian Y, Dosemeci M, Linet M (2001). Benzene and lymphohematopoietic malignancies in humans. <i>Am J Ind Med</i> , 40(2): 117-26.
26177	Hayes RB, Yin S, Rothman N, et al (2000). Benzene and lymphohematopoietic malignancies in China. <i>J Toxicol Environ Health</i> , 61(5-6): 419-32.
14485	Hayes RB, Yin S-N, Dosemeci M et al (1997). Benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 89(14): 1065-71.
76830	Health Watch (2013). 14th Report of the Australian Institute of Petroleum Health Surveillance Program November 2013. Report by Monash University Monash Centre for Occupational and Environmental Health (MonCOEH) and Department of Epidemiology and Preventive Medicine (DEPM). Monash University, 14th Edition, . .
28091	Hearne FT, Pifer JW (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. <i>Journal of Occupational & Environmental Medicine</i> , 41(12): 1154-69.
29408	Heath CW Jr Electromagnetic field exposure and cancer: a review of epidemiologic evidence. <i>CA Cancer J Clin</i> . 1996 Jan-Feb;46(1):29-44
28422	Hermouet S, Sutton CA, Rose TM, Greenblatt RJ, Corre I, Garand R, Neves AM, Bataille R, Casey JW. Qualitative and quantitative analysis of human herpesviruses in chronic and acute B cell lymphocytic leukemia and in multiple myeloma. <i>Leukemia</i> . 2003 Jan;17(1):185-95
13003	Herrinton LJ & Friedman GD (1998). Cigarette smoking and risk of non-Hodgkin's lymphoma subtypes. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 7(1): 25-8.
20065	Hertzman C, Teschke K, Ostry A, Hershler R, Dimich-Ward H, Kelly S, Spinelli JJ, Gallagher RP, McBride M, & Marion SA (1997). Mortality and cancer incidence among sawmill workers exposed to chlorophenolate wood preservatives. <i>American Journal of Public Health</i> , 87(1): 71-9.
38753	Heynick LN, Johnston SA, Mason PA (2003). Radio frequency electromagnetic fields: cancer, mutagenesis, and genotoxicity. <i>Bioelectromagnetics Supplement</i> , Vol 6 pp S74-S100.
47610	Hillmen P (2005). [Comment] Chronic lymphocytic leukemia - aiming at a moving target! <i>Haematologica</i> , 90(11): 1451-2.
28418	Hjalgrim H, Askling J, Sorensen P, et al (2000). Risk of Hodgkin's disease and other cancers after infectious mononucleosis. <i>J Natl Can Inst</i> , 92(18): 1522-8.
51893	Hjalgrim H, Engels EA (2008). Infectious aetiology of Hodgkin and non-Hodgkin lymphomas: a review of the epidemiological evidence. <i>J Intern Med</i> , 264: 537-48.
20962	Hjelle B (1991). Human T-cell leukemia/lymphoma viruses. Life cycle, pathogenicity, epidemiology, and diagnosis. <i>Arch Pathol Lab Med</i> , 115: 440-50.
1599	Hjelle B, Mills R, Swenson S, Mertz G, et al (1991). Incidence of hairy cell leukemia, mycosis fungoides, and chronic lymphocytic leukemia in first known HTLV-II-endemic population. <i>J Infect Dis</i> , 163(3): 435-40.
3460	Hoar SK, Blair A, Holmes FF, Boysen CD, et al (1986). Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. <i>JAMA</i> , 256(9): 1141-7.
16768	Hoar SK, Blair A, Holmes FF, Boysen CD, Robel RJ, Hoover R, Fraumeni JF Jr (1986). Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. <i>JAMA</i> , 256(9): 1141-7; Erratum: 256(24) :3351.

1598	Hoar Zahm S, Weisenburger DD, Babbitt PA, Saal RC, et al (1992). Use of hair coloring products and the risk of lymphoma, multiple myeloma, and chronic lymphocytic leukemia. <i>Am J Pub Health</i> , 82(7): 990-997.
26366	Hocking B (1999). [Comment] A critical review of epidemiologic studies of radiofrequency exposure and human cancers. <i>Environmental Health Perspectives</i> , 107(12): A596-A597.
14035	Hocking B, Gordon IR, Grain HL, Hatfield GE (1996). Cancer incidence and mortality and proximity to TV towers. <i>Medical Journal of Australia</i> , 165(2): 601-5.
68365	Hodgson K, Ferrer G, Montserrat E et al (2011). Chronic lymphocytic leukemia and autoimmunity: a systematic review. <i>Haematologica</i> , 96(5): 752-61.
68366	Hoffbrand AV, Hamblin TJ (2007). Is "leukemia" an appropriate label for all patients who meet the diagnostic criteria of chronic lymphocytic leukemia? <i>Leukemia Research</i> , 31: 273-5.
29686	Hoiberg A, Blood C (1983). Age-specific morbidity among Navy pilots. <i>Aviat Space Environ Med</i> , (54): 912-8.
26147	Holly EA, Lele C, Bracci PM (1998). Hair-color products and risk for non-Hodgkin's lymphoma: a population-based study in the San Francisco bay area. <i>Am J Public Health</i> , 88(12): 1767-73.
21476	Holohan T (1999). [Comment] Non-ionizing electromagnetic radiation and public health. <i>Irish Medical Journal</i> , 92(7): 421-422.
30039	Holyoake TL, Freshney MG, Samuel K, Ansell J, Watson GE, Wright EG, Graham GJ, Pragnell IB. In vivo expansion of the endogenous B-cell compartment stimulated by radiation and serial bone marrow transplantation induces B-cell leukaemia in mice. <i>Br J Haematol</i> . 2001 Jul;114(1):49-56.
28434	Hone P, Edwards A, Halls J, Cox R, Lloyd D. Possible associations between ELF electromagnetic fields, DNA damage response processes and childhood leukaemia. <i>Br J Cancer</i> . 2003 Jun 16;88(12):1939-1941.
29440	Hood W, Nicholas J, Butler G, Lackland D, Hoel D, Mohr L. Magnetic field exposure of commercial airline pilots. <i>Ann Epidemiol</i> . 2000 Oct 1;10(7):479.
26075	Hooiveld M, Heederik DJJ, Kogevinas M, Boffetta P, et al (1998). Second follow-up of a Dutch cohort occupationally exposed to phenoxy herbicides, chlorophenols, and contaminants. <i>American Journal of Epidemiology</i> , 147(9): 891-901.
25813	Hoover RN (1999). [Comment] Dioxin dilemmas. <i>JNCI</i> , 91(9): 745-6. Comment on ID: 25814.
13341	Hotz P, Lauwerys RR (1997). Hematopoietic and lymphatic malignancies in vehicle mechanics. <i>Critical Reviews in Toxicology</i> , 27(5): 443-94.
28425	Houlston RS, Catovsky D, Yuille MR (2002). Genetic susceptibility to chronic lymphocytic leukemia. <i>Leukemia</i> , 16(6) pp 1008-14.
30507	Houlston RS, Sellick G, Yuille M, Matutes E, Catovsky D (2003). Causation of Chronic Lymphocytic Leukemia - Insights from Familial Disease. <i>Leukemia Research</i> , 27(10): 871-76.
20977	Huebner WW, Chen VW, Friedlander BR, Wu XC, Jorgensen G, Bhojani FA, Friedmann CH, Schmidt BA, Sales EA, Joy JA, Correa CN (2000). Incidence of lymphohaematopoietic malignancies in a petrochemical industry cohort: 1983-94 follow up. <i>Occupational and Environmental Medicine</i> , 57: 605-14.
20988	Huebner WW, Schnatter AR, Nicolich MJ, Jorgensen G (1997). Mortality experience of a young petrochemical industry cohort. 1979-1992 follow-up study of US-based employees. <i>Journal of Occupational & Environmental Medicine</i> , 39(10): 970-82.
29476	Hug DH, Hunter JK, Dunkerson DD (2003). [Comment] Pilots & melanoma. <i>Aviation, Space, and Environmental Medicine</i> , 74(2): 187.
29790	IARC (1987). An updating of IARC monographs. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volumes 1-42 Supplement No. 7. IARC, Lyon, France.

32739	IARC (1989). International Agency for Research on Cancer Overall Evaluations of Carcinogenicity Risks to Humans. Occupational Exposures in Petroleum Refining; Crude Oil and Major Petroleum Fuels, Vol 45: IARC, Lyon, France. .
30601	IARC (1990). Chromium, nickel and welding. IARC monographs on the evaluation of carcinogenic risks to humans, Vol 49: .
30600	IARC (1994). International Agency for Research on Cancer Overall Evaluations of Carcinogenicity Risks to Humans: Some Industrial Chemicals: Vol 60. IARC, Lyon, France.
30599	IARC (1999). International Agency for Research on Cancer Overall Evaluations of Carcinogenicity Risks to Humans: Re-evaluation of some Organic Chemicals, Hydrazine and Hydrogen Peroxide (PART THREE): Vol 71. IARC, Lyon, France.
30603	IARC (1999). International Agency for Research on Cancer Overall Evaluations of Carcinogenicity Risks to Humans: Re-evaluation of some Organic Chemicals, Hydrazine and Hydrogen Peroxide (PART ONE): Vol 71. IARC, Lyon, France.
46189	IARC (1999). Surgical implants and other foreign bodies. Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 74. World Health Organization.
32051	IARC (2004). Tobacco smoke and involuntary smoking. IARC monographs on the evaluation of carcinogenic risks to humans, Vol 83. .
74421	IARC (2009). Special report: policy. A review of human carcinogens - Part F: Chemical agents and related occupations. 10 (9): 1143-4. Retrieved 12 March 2015, from www.thelancet.com/oncology
29791	IARC (International Agency for Research on Cancer) (1989). Diesel and Gasoline Engine Exhausts and some Nitroarenes. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 46. IARC, Lyon, France.
30602	IARC (International Agency for Research on Cancer) (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide (Part Two). Overall Evaluations of Carcinogenicity Risks to Humans, 71: .
76150	IARC Working Group (1989). Occupational exposures in petroleum refining; crude oil and major petroleum fuels - SUMMARY of data reported and evaluation. IARC Monographs on the Evaluation of Carcinogenic Risk to Humans, Volume 45. .
29792	IARC Working Group (1989). Some organic solvents, resin monomers and related compounds, pigments and occupational exposures in paint manufacture and painting. IARC Monographs on the Evaluation of Carcinogenicity Risks to Humans, Vol 47. IARC, Lyon, France.
28312	IARC Working Group (1991). IARC Monographs on the evaluation of carcinogenic risks to humans: occupational exposures in insecticide application, and some pesticides. IARC Monographs, 53. IARC Press, Lyon.
29793	IARC Working Group (1995). IARC Monographs on the evaluation of carcinogenic risks to humans - dry cleaning, some chlorinated solvents and other industrial chemicals. IARC Monographs, Vol 63. IARC Press, Lyon.
30598	IARC Working Group (1997). Polychlorinated dibenzo-para-dioxins and polychlorinated dibenzofurans. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 69. World Health Organization, International Agency for Research on Cancer, Lyon France.
29794	IARC Working Group (2002). IARC Monographs on the evaluation of carcinogenic risks to humans - non-ionizing radiation, part 1: static and extremely low-frequency (ELF) electric and magnetic fields. IARC Monographs, 80. IARC Press, Lyon.
46188	IARC Working Group (2006). Inorganic and organic lead compounds. Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 87. World Health Organization.

67141	IARC Working Group (2008). 1,3-butadiene, ethylene oxide and vinyl halides (vinyl fluoride, vinyl chloride and vinyl bromide). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 97. World Health Organization International Agency for Research on Cancer. Lyon France.
68411	IARC Working Group (2009). Biological agents. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100B. World Health Organization, International Agency for Research on Cancer, Lyon France.
60284	IARC Working Group (2010). Alcohol consumption and ethyl carbamate. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 96. World Health Organization, International Agency for Research on Cancer, Lyon France.
60195	IARC Working Group (2010). Painting, Firefighting, and Shiftwork. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 98. World Health Organization, International Agency for Research on Cancer, Lyon France.
70587	IARC Working Group (2011). Non-ionizing radiation, Part 2: Radiofrequency electromagnetic fields. IARC Monographs on the evaluation of carcinogenic risks to humans, Vol 102 Part 2. IARC Press, Lyon.
70863	IARC Working Group (2012). Arsenic, metals, fibres, and dusts, beryllium and beryllium compounds, cadmium and cadmium compounds. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100C: 241-2. IARC Press, Lyon.
68409	IARC Working group (2012). Chemical agents and related occupations. 2,3,7,8-TCDD, 2,3,4,7,8-PeCDF, PCB126. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F. World Health Organization, international Agency for Research on Cancer, Lyon France.
68410	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization, International Agency for Research on Cancer, Lyon France.
68367	Imajoh M, Hashida Y, Taniguchi A et al (2012). Novel human polyomaviruses, Merkel cell polyomavirus and human polyomavirus 9, in Japanese chronic lymphocytic leukemia cases. J Hematol Oncol, 5: 25.
45931	Inamdar KV, Bueso-Ramos CE (2007). Pathology of chronic lymphocytic leukemia: an update. Annals of Diagnostic Pathology, 11: 363-89.
24807	Independent Expert Group on Mobile Phones [IEGMP] (2000). Chairman - Sir William Stewart. Mobile Phones & Health, . National Radiological Protection Board, Chilton, Didcot, Oxon.
7405	Infante PF (1993). State of the science on the carcinogenicity of gasoline with particular reference to cohort mortality study results. Environmental Health Perspectives, 101(S6): 105-9.
63209	Infante PF (2011). The IARC October 2009 evaluation of benzene carcinogenicity was incomplete and needs to be reconsidered. Am J Ind Med, 54: 157-64.
29762	Inskip PD, Kleinerman RA, Stovall M, Cookfair DL, Hadjimichael O, Moloney WC, Monsoon RR, Thompson WD, Wactawski-Wende J, Wagoner JK & Boice JD Jr (1993) Leukemia, lymphoma, and multiple myeloma after pelvic radiotherapy for benign disease. Radiation Research Vol 135(1) pp 108-124
1593	Inskip PD, Monson RR, Wagoner JK, Stovall M, et al (1990). Leukemia following radiotherapy for uterine bleeding. Radiation Research, 122: 107-19.
18294	Institute of Medicine (1994). Veterans and Agent Orange: Health Effects of Herbicides Used in Vietnam. Committee to review the health effects in Vietnam Veterans of exposure to herbicides. , . The National Academic Press, Washington DC 1.
29493	Institute of Medicine (2002). Veterans and Agent Orange Update 2002, . National Academy Press, Washington, D.C.
28337	Institute of Medicine (2002). Veterans and Agent Orange: Update 2002, Chapter 6: 175-299. National Academies Press - Washington, DC.

70865	Institute of Medicine (2014). Veterans and Agent Orange (prepublication). Update 2012, . National Academies Press - Washington, DC.
31027	Institute of Medicine (IOM) (2003). Insecticides and solvents. Gulf war and health, Vol 2. National Academies Press - Washington, DC.
36029	Institute of Medicine (IOM) (2005). Veterans and agent orange, 5th Edition,. The National Academic Press, Washington DC.
52205	Integrated Risk Information System (2004). A-Z list of substances. . Retrieved 20 December 2004, from http://cfpub.epa.gov/ncea/iris/index.cfm?fuseaction=iris.showSubstanceList
30067	Integrated Risk Information System (EPA) (IRIS) (2004). Benzene. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~vT4Am7:1
30062	Integrated Risk Information System (EPA) (IRIS) (2004). Carbon tetrachloride. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~KA5mtz:1
30063	Integrated Risk Information System (EPA) (IRIS) (2004). Gasoline. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~kkn99D:1
30056	Integrated Risk Information System (EPA) (IRIS) (2004). Kerosene. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~LUGix0:3
30060	Integrated Risk Information System (EPA) (IRIS) (2004). Methylchloride. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~Mbmsrt:1
30055	Integrated Risk Information System (EPA) (IRIS) (2004). Methylethyl ketone. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~Z8uGTl:3
30065	Integrated Risk Information System (EPA) (IRIS) (2004). Toluene. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~OP9CI5:1
30059	Integrated Risk Information System (EPA) (IRIS) (2004). Trichloroethane. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~b1RqYj:1
30064	Integrated Risk Information System (EPA) (IRIS), (2004). Fuel oil no. 2. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~XOSIXD:1
30057	Integrated Risk Information System (EPA) (IRIS), a database of the National Library of Medicine's TOXNET system (http://toxnet.nlm.nih.gov) accessed on April 14, 2004 for - ACETONE.
30061	Integrated Risk Information System (EPA) (IRIS), a database of the National Library of Medicine's TOXNET system (http://toxnet.nlm.nih.gov) accessed on April 14, 2004 for - SODIUM HYDROXIDE.
30066	Integrated Risk Information System (EPA) (IRIS), a database of the National Library of Medicine's TOXNET system (http://toxnet.nlm.nih.gov) accessed on April 14, 2004 for - NAPHTHALENE.
30068	Integrated Risk Information System (EPA) (IRIS), a database of the National Library of Medicine's TOXNET system (http://toxnet.nlm.nih.gov) accessed on April 14, 2004 for - HYDRAZINE.
30069	Integrated Risk Information System (EPA) (IRIS), a database of the National Library of Medicine's TOXNET system (http://toxnet.nlm.nih.gov) accessed on April 14, 2004 for - ETHYLTRIMETHLLLEAD.
30058	Integrated Risk Information System (IRIS) (2004). National Library of Medicine's TOXNET system - trichloroethylene. . Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov

24206	International Commission on non-ionizing radiation protection (1998). Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). <i>Health Physics</i> , 74(4): 494-522.
14607	Ireland B, Collins JJ, Buckley CF et al (1997). Cancer mortality among workers with benzene exposure. <i>Epidemiology</i> , 8(3): 318-20.
26424	Irvine D, Davies DM (1999). British airways flightdeck mortality study, 1950-1992. <i>Aviation Space & Environmental Medicine</i> , 70(6): 548-55.
28512	Ishibe N, Sgambati MT, Fontaine L, Goldin LR, Jain N, Weissman N, Marti GE, Caporaso NE. Clinical characteristics of familial B-CLL in the National Cancer Institute Familial Registry. <i>Leuk Lymphoma</i> . 2001 Jun;42(1-2) pp 99-108.
28610	Ivancsits S, Diem E, Jahn O, Rudiger HW (2003). Intermittent extremely low frequency electromagnetic fields cause DNA damage in a dose-dependent way. <i>Int Arch Occup Environ Health</i> , 76(6):431-436.
26830	Iwasaki T, Murata M, Ohshima S, et al (2003). Second analysis of mortality of nuclear industry workers in Japan, 1986-1997. <i>Radiat Res</i> , 159(2): 228-38.
27802	Jackman SM, Grant GM, Kolanko CJ, et al (2002). DNA damage assessment by comet assay of human lymphocytes exposed to jet propulsion fuels. <i>Environmental & Molecular Mutagenesis</i> , 40: 18-23.
28648	Jacobs P, Wood L (2002). Chronic lymphocytic leukaemia--the haematologic basis for diagnosis and treatment. <i>Hematology</i> , 7(1): 33-42.
30809	Jaffe ES, Harris NL, Stein H, Vardiman JW (Eds) (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. World Health Organization Classification of Tumours, . IARC Press: Lyon.
28606	Jahn O (2000). Electromagnetic fields: low dose exposure, current update. <i>Int Arch Occup Environ Health</i> , 73 Suppl:S1-3.
28419	Jarup L, Briggs D, de Hoogh C, Morris S, et al (2002). Cancer risks in populations living near landfill sites in Great Britain. <i>Br J Cancer</i> , 86(11): 1732-6.
15696	Jarvholm B, Mellblom B, Norrman R, Nilsson R, Nordlinder R (1997). Cancer incidence of workers in the Swedish petroleum industry. <i>Occupational and Environmental Medicine</i> , 54: 686-91.
15634	Jauchem JR (1998). Health effects of microwave exposures: a review of the recent (1995-1998) literature. <i>Journal of Microwave Power & Electromagnetic Energy</i> , 33(4): 263-74.
30576	Jauchem JR. A literature review of medical side effects from radio-frequency energy in the human environment: involving cancer, tumors, and problems of the central nervous system. <i>J Microw Power Electromagn Energy</i> . 2003;38(2):103-123.
25881	Johansen C, Boice J Jr, McLaughlin J, Olsen J (2001). Cellular telephones and cancer--a nationwide cohort study in Denmark. <i>J Natl Cancer Inst</i> , 93(3): 203-7.
15425	Johansen C, Olsen JH (1998). Risk of cancer among Danish utility workers-a nationwide cohort study. <i>American Journal of Epidemiology</i> , 147(6): 548-55.
29497	Johansen C, Raaschou-Nielsen O, Skotte J, Thomsen BL, Olsen JH. Validation of a job-exposure matrix for assessment of utility worker exposure to magnetic fields. <i>Appl Occup Environ Hyg</i> . 2002 Apr;17(4):304-310.
76870	John Howard, Administrator World Trade Center Health Program (2014). Minimum latency & types of categories of cancer. , : 1-11.
11770	Johnson JC, Thaul S, Page WF, Crawford H (1997). Mortality of veteran participants in the crossroads nuclear test. <i>Health Physics</i> , 73(1): 187-9.
29760	Johnson RA, Mandel JS, Gibson RW, Mandel JH, Bender AP, Gunderson PD, Renier CM. Data on prior pesticide use collected from self- and proxy respondents. <i>Epidemiology</i> . 1993 Mar;4(2):157-164
57306	Jones DR, Sutton AJ, Abrams KR, Fenty J, et al (2009). Systemic review and meta-analysis of mortality in crop protection product manufacturing workers. <i>Occup Environ Med</i> , 66: 7-15.

75729	Jones RR, Yu C-L, Nuckols JR, et al (2014). Farm residence and lymphohematopoietic cancers in the Iowa Women's Health Study. <i>Environ Res</i> , 133: 353-61.
27793	Kabbur MB, Rogers JV, Gunasekar PP, et al (2001). Effect of JP-8 jet fuel on molecular and histological parameters related to acute skin irritation. <i>Toxicology & Applied Pharmacology</i> , 175: 83-88.
14495	Kagan E, Jacobson RJ (1983). Lymphoid and plasma cell malignancies: asbestos-related disorders of long latency. <i>AJCP</i> , 80(1): 14-20.
30167	Kaiser J (2003). Manganese: a high-octane dispute. <i>Science</i> . <i>Science</i> , 300(5621): 926-928. [Comments] Crump KS, Clewell HJ; Mergler D, Baldwin M (2004) 169-173..
45954	Kampalath B, Barcos MP, Stewart C (2003). [Abstract] Phenotypic heterogeneity of B cells in patients with chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Am J Clin Pathol</i> , 119(6):824-832.
50306	Kang D, Davis LK, Hunt P, Driebel D (2008). Cancer incidence among male Massachusetts firefighters, 1987-2003. <i>Am J Ind Med</i> , 51(5): 329-35.
45172	Kang HK, Dalager Na, Needham LL et al (2006). Health status of Army Chemical Corps Vietnam veterans who sprayed defoliant in Vietnam. <i>Am J Ind Med</i> , 49(11): 875-84.
27800	Kanikkannan N, Patel R, Jackson T, et al (2001). Percutaneous absorption and skin irritation of JP-8 (jet fuel). <i>Toxicology</i> , 161: 1-11.
50761	Karipidis K, Benke G, Sim M, Fritschi L, et al (2007). Occupational exposure to power frequency magnetic fields and risk of non-Hodgkin lymphoma. <i>Occup Environ Med</i> , 64: 25-9.
52954	Karipidis KK, Benke G, Sim MR, Kauppinen T, et al (2007). Occupational exposure to ionizing and non-ionizing radiation and risk of non-Hodgkin lymphoma. <i>Int Arch Occup Environ Health</i> , 80: 663-70.
30597	Kasum CM, Blair CK, Folsom AR, Ross JA. Non-steroidal anti-inflammatory drug use and risk of adult leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> . 2003 Jun;12(6):534-7.
70422	Kaufman DW, Anderson TE, Issaragrisil S (2009). Risk factors for leukemia in Thailand. <i>Ann Hematol</i> , 88: 1079-88.
68368	Kaufman M, Rubin J, Rai K (2009). Diagnosing and treating chronic lymphocytic leukemia in 2009. <i>Oncology (Williston Park)</i> , 23(12): 1030-7.
26841	Kaufmann H, Ackermann J, Nosslinger T, et al (2001). Absence of clonal chromosomal relationship between concomitant B-CLL and multiple myeloma--a report on two cases. <i>Ann Hematol</i> , 80(8): 474-8.
30263	Kauppi M, Pukkala E, Isomaki H. Elevated incidence of hematologic malignancies in patients with Sjogren's syndrome compared with patients with rheumatoid arthritis (Finland). <i>Cancer Causes Control</i> . 1997 Mar;8(2):201-4.
28381	Kay NE, Jelinek DF (2002). B-CLL is the enigma of disease heterogeneity about to be revealed? <i>Blood</i> , 100(4): 1110-1.
18928	Kearsley J, Kaldor J, Smart R, Loy J and Hickey K (2000). The Report of the RMA Subcommittee on Ionising Radiation Dose, . Department of Veterans Affairs, Canberra.
45955	Keating MJ, Chiorazzi N, Messmer B, Damle RN, et al (2003). Biology and treatment of chronic lymphocytic leukemia. <i>Hematology</i> , pp 153-175.
29729	Keller-Byrne JE, Khuder SA, & Schaub EA (1995) Meta-analysis of leukemia and farming. <i>Environmental Research Vol 71</i> pp 1-10.
28376	Kelsh MA, Exuzides KA, Morgan RW, Zhao K (2001). [Comment] Radiofrequency exposure and the risk for brain tumors. <i>Epidemiology</i> , 12(1): 135-6.
29013	Kelsh MA, Kheifets L, Smith R. The impact of work environment, utility, and sampling design on occupational magnetic field exposure summaries. <i>AIHAJ</i> . 2000 Mar-Apr;61(2):174-182.

15719	Kelsh MA, Sahl JD (1997). Mortality among a cohort of electric utility workers, 1960-1991. <i>Journal of Industrial Medicine</i> , 131: 534-44.
40676	Ketchum NS, Michalek JE (2005). Postservice mortality of Air Force veterans occupationally exposed to herbicides during the Vietnam war: 20-year follow-up results. <i>Mil Med</i> , 170(5): 406-13.
46878	Ketchum NS, Michalek JE (2005). Postservice mortality of Air Force veterans occupationally exposed to herbicides during the Vietnam War: 20-year follow-up results. <i>Mil Med</i> , 170(5): 406-13.
16739	Ketchum NS, Michalek JE, Burton JE (1999). Serum dioxin and cancer in veterans of operation ranch hand. <i>American Journal of Epidemiology</i> , 149(7): 630-9.
64679	Khalade A, Jaakkola M, Pukkala E, Jaakkola J (2010). Exposure to benzene at work and the risk of leukemia: a systematic review and meta-analysis. <i>Environ Health</i> , 9: 31.
52276	Khan AE, Gallo V, Linsiesen J, Kaaks R, et al (2008). Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European prospective investigation into cancer and nutrition. <i>Haematologica</i> , 93(6): 842-50.
21351	Kheifets LI, Afifi AA, Buffler PA, Zhang ZW, Matkin CC (1997). Occupational electric and magnetic field exposure and leukemia. <i>Journal of Occupational & Environmental Medicine</i> , 39(11): 1074-91.
25834	Kheifets LI, Afifi AA, Buffler PA, Zhang ZW, Matkin CC (1997). Occupational electric and magnetic field exposure and leukemia: A meta-analysis. <i>Journal of Occupational Environmental Medicine</i> , 39: 1074-91.
23819	Kheifets LI, Gilbert ES, Sussman SS, Guenel P, Sahl JD, Savitz DA, Theriault G (1999). Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: studies from France, Canada, and the United States. <i>Occupational & Environmental Medicine</i> , 56(8): 567-74.
23783	Kheifets LI, Greenberg RS, Neutra RR, Hester GL, Poole CL, Rall DP, Lundell G (2001). Electric and magnetic fields and cancer: case study. <i>American Journal of Epidemiology</i> , 154(12 Suppl): S50-9.
21004	Kheifets LI, London SJ, Peters JM (1997). Leukemia risk and occupational electric field exposure in Los Angeles County, California. <i>American Journal of Epidemiology</i> , 146(1): 87-90.
64860	Kim HA, Kim EM, Park YC, Yu JY et al (2003). Immunotoxicological effects of agent orange exposure to the Vietnam war Korean veterans. <i>Indust Health</i> , 41: 158-66.
45746	Kimbrough RD (2007). [Comment] Letters to the Editor. <i>Environmental Research</i> , 103: 145-6.
21055	Kipps TJ (2000). Chronic lymphocytic leukemia. <i>Current Opinion in Hematology</i> , 7(4): 223-34.
28501	Kipps TJ (2000). Genetics of chronic lymphocytic leukaemia. <i>Hematol Cell Ther</i> , 42(1): 5-14.
28504	Kipps TJ. Chronic lymphocytic leukemia. <i>Curr Opin Hematol</i> . 2000 Jul;7(4):223-34.
54759	Kirkeleit J, Riise T, Bratveit M, Moen BE (2008). Increased risk of acute myelogenous leukemia and multiple myeloma in a historical cohort of upstream petroleum workers exposed to crude oil. <i>Cancer Causes Control</i> , 19: 13-23.
5131	Knave B (1994). Electric and magnetic fields and health outcomes - an overview. <i>Scand J Work Environ Health</i> , 20(Spec No): 78-89.
24669	Knutsson A, Damber L, Jarvholm B (2000). Cancers in concrete workers: results of a cohort study of 33,668 workers. <i>Occup Environ Med</i> , 57(4): 264-7.
11474	Kogevinas M, Becher H, Benn T, Bertazzi PA et al (1997). Cancer mortality in workers exposed to phenoxy herbicides, chlorophenols, and dioxins. <i>American Journal of Epidemiology</i> , 145(12): 1061-75.
45956	Kolar G, Capra JD (2004). Ig V region restrictions in human chronic lymphocytic leukemia suggest some cases have a common origin. <i>J Clin Invest</i> , 113(7): 952-54.

28040	Koskinen K, Pukkala E, Reijula K, Karjalainen A (2003). Incidence of cancer among the participants of the Finnish Asbestos Screening Campaign. <i>Scand J Work Environ Health</i> , 29(1): 64-70.
74416	Kreuziger LMB, Tarchand G, Morrison VA (2014). The impact of Agent Orange exposure on presentation and prognosis of patients with chronic lymphocytic leukemia. <i>Leukemia & Lymphoma</i> , 55(1): 63-6.
23906	Krewski D, Byus CV, Glickman BW, Lotz WG, Mandeville R, McBride ML, Prato FS, Weaver DF (2001). Potential health risks of radiofrequency fields from wireless telecommunication devices. <i>Journal of Toxicology & Environmental Health, Part B</i> , 4(1): 1-143.
25130	Krewski D, Byus CV, Glickman BW, Lotz WG, Mandeville R, McBride ML, Prato FS, Weaver DF (2001). Recent advances in research on radiofrequency fields and health. <i>Journal of Toxicology & Environmental Health, Part B</i> , 4(1): 145-59.
50313	Kricker A, Armstrong BK, Hughes AM, Goumas C, et al (2008). Personal sun exposure and risk of non Hodgkin lymphoma: a pooled analysis from the Interlymph Consortium. <i>Int J Cancer</i> , 122: 144-54.
28505	Kristinsson SY, Vidarsson B, Agnarsson BA, Haraldsdottir V, Olafsson O, Johannesson GM, Eyjolfsson GI, Bjornsdottir J, Onundarson PT, Reykdal S. Epidemiology of hairy cell leukemia in Iceland. <i>Hematol J</i> . 2002;3(3):145-7.
28380	Krober A, Seiler T, Benner A, et al (2002). Vh mutation status, CD38 expression level, genomic aberrations, and survival in chronic lymphocytic leukemia. <i>Blood</i> , 100(4): 1410-6.
26557	Kundi M (2003). [Comment] Long term of e-mu-Pim1 transgenic mice to 898.4 MHz does not increase lymphoma incidence. <i>Radiation Research</i> , 159: 274. Comment on ID: 26556.
20969	Kwong YL, Wong KF, Chan LC, Liang RHS, Chan JKC, Wei D, Chiu EKW, Chan CH, Todd D, & Chan TK (1994). The spectrum of chronic lymphoproliferative disorders in Chinese people. <i>Cancer</i> , 74: 17-81.
29092	La Vecchia C, Tavani A (2002). [Comment] Hair dyes and lymphoid neoplasms: an update. <i>Eur J Cancer</i> , 11(5): 409-12. Retrieved 7 October 2003, from 409-412
45704	LaFiuna KM, Bielawski DM, Posecion NC Jr, Ostrea EM Jr, et al (2007). Association between prenatal pesticide exposures and the generation of leukemia-associated T(8;21). <i>Pediatr Blood Cancer</i> , Vol 49 pp 624-8.
46426	LaFiura KM, Bielawski DM, Posecion NC Jr, Ostrea EM Jr, et al (2007). Association between prenatal pesticide exposures and the generation of leukemia-associated T(8;21). <i>Pediatr Blood Cancer</i> , 49:624-8.
25387	Lagorio S, Rossi S, Vecchia P, De Santis M, Bastianini L, Fusilli M, Ferrucci A, Desideri E, Comba P (1997). Mortality of plastic-ware workers exposed to radiofrequencies. <i>Bioelectromagnetics</i> , 18: 418-21.
5220	Lai H, Singh N (1995). Acute low-intensity microwave exposure increased DNA single-strand breaks in rat brain cells. <i>Bioelectromagnetics</i> , 16(3): 207-10.
26180	Lamba AB, Ward MH, Weeks JL, et al (2001). Cancer mortality patterns among hairdressers and barbers in 24 US states, 1984 to 1995. <i>J Occup Environ Med</i> , 43(3): 250-8.
68369	Lanasa MC (2010). Novel insights into the biology of CLL. <i>Hematology Am Soc Hematol Educ Program</i> , : 70-6.
68370	Landgren O, Gridley G, Check D et al (2007). Acquired immune-related and inflammatory conditions and subsequent chronic lymphocytic leukaemia. <i>Br J Haematol</i> , 139(5): 791-8.
30042	Landrigan PJ (2001). MMT, déjà vu and national security. <i>American Journal of Industrial Medicine</i> , 39(4): 434-35.
7440	Landrigan PJ, Nicholson WJ (1992). Benzene. <i>Environmental and Occupational Medicine</i> , : 861-5. Little Brown & Co., Boston.

28608	Langseth H, Andersen A (2000). Cancer incidence among male pulp and paper workers in Norway. <i>J Work Environ Health</i> , 26(2):99-105.
50304	Larsson SC, Wolk A (2007). Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. <i>Int J Cancer</i> , 121: 1564-70.
29511	Laughrey MS, Grayson JK, Jauchem JR, Misener AE. Radio frequency radiation exposure of the F-15 crewmember. <i>Aviat Space Environ Med</i> . 2003 Aug;74(8):851-857.
28401	Lawrence DW; Hocking B, Gordon I, Hatfield G, Grainb H; Cooper D, Hemmings K, Saunders P; Cherry N; Dolk H (1997). [Comments] Re" cancer incidence near radio and television transmitters in Great Britain". <i>Am J Epidemiol</i> , 146(8): 682-83. (1998) 147(1): 90-91. (2001) 153(2): 202-5.
30481	Lazaridou A, Miraxtsi C, Tokmaktsis A, Hatjiharissi E, Christakis J (2000). [LETTER] Detection of genetic markers on different populations of hematopoietic progenitor cells in B-cell chronic lymphocytic leukemia <i>Blood</i> , 95(11) pp 3634-3635.
27604	Lee E, Burnett CA, Lalich N, Cameron LL, Sestito JP (2002). Proportionate mortality of crop and livestock farmers in the United States, 1984-1993. <i>American Journal of Industrial Medicine</i> , 42(5): 410-20.
41116	Lee JH, Lee HC, Kim HD, Kim JY, Kim DW, Nam YT, Kim KJ (2003). How much are anesthesiologists exposed to electromagnetic fields in operating rooms? <i>Yonsei Med J</i> , Vol 44 (1) pp 133-37 [Abstract Only].
29607	Lee PN. Environmental tobacco smoke and cancer of sites other than the lung in adult non-smokers. <i>Food Chem Toxicol</i> . 2002 Jun;40(6):747-766.
53998	Lee WJ, Alavanja MCR, Hoppin JA, Rusiecki JA, et al (2007). Mortality among pesticide applicators exposed to Chlorpyrifos in the Agricultural Health Study. <i>Environ Health Perspect</i> , 115(4): 528-34.
40648	Lee WJ, Hoppin JA, Blair A, Lubin JH, Dosemeci M, et al (2004). Cancer incidence among pesticide applicators exposed to alachlor in the agricultural health study. <i>Am J Epidemiol</i> , 159(4): 373-80.
30264	Lee WJ, Hoppin JA, Blair A, Lubin JH, et al (2004). Cancer incidence among pesticide applicators exposed to alachlor in the Agricultural Health Study. <i>Am J Epidemiol</i> , 159(4): 373-80.
50628	LeMasters GK, Genaidy AM, Succop P, Deddens J, et al (2006). Cancer risk among firefighters: a review and meta-analysis of 32 studies. <i>JOEM</i> , 48(11): 1189-202.
30178	Lemasters GK, Lockey JE, Olsen DM, Selevan SG, Tabor MW, Livingston GK, New GR (1999). Comparison of internal dose measures of solvents in breath, blood and urine and genotoxic changes in aircraft maintenance personnel. <i>Drug Chem Toxicol</i> , 22(1) pp181-200.
21152	Levallois P; Miller AB; Theriault G, Armstrong BG (1997). [Comments] Re: "Leukemia following occupational exposure to 60-Hz electric and magnetic fields among Ontario electric utility workers" and "Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada and France: 1970-1989.". <i>American Journal of Epidemiology</i> , 145(6): 567-568. Comments on ID: 21153.
13892	Levi F, Randimbison L, la Vecchia C, Erler G, Te VC (1997). Incidence of invasive cancers following squamous cell skin cancer. <i>American Journal of Epidemiology</i> , 146(9): 734-9.
21005	Levi F, Randimbison L, Te VC, La Vecchia V (1996). Non-Hodgkin's lymphomas, chronic lymphocytic leukemias and skin cancers. <i>British Journal of Cancer</i> , 74: 1847-50.
28614	Lewis RJ, Gamble JF, Jorgensen G (2000). Mortality among three refinery/petrochemical plant cohorts. I. 1970 to 1982 active/terminated workers. <i>J Occup Environ Med</i> , 42(7) pp 721-9.

26863	Lewis RJ, Schnatter AR, Katz AM, Thompson FS, et al (2000). Updated mortality among diverse operating segments of a petroleum company. <i>Occup Environ Med</i> , 57(9): 595-604.
9927	Lewis SJ, Bell GM, Cordingley N, Pearlman ED, Rushton L (1997). Retrospective estimation of exposure to benzene in a leukaemia case-control study of petroleum marketing and distribution workers in the United Kingdom. <i>Occupational and Environmental Medicine</i> , 54: 167-75.
21131	Li C-Y, Theriault G, Lin RS (1996). Epidemiological appraisal of studies of residential exposure to power frequency magnetic fields and adult cancers. <i>Occupational & Environmental Medicine</i> , 53: 505-10.
26036	Li C-Y, Theriault G, Lin RS (1997). Residential exposure to 60-hertz magnetic fields and cancer in Taiwan. <i>Epidemiology</i> , 8(1): 25-30.
52287	Lim U, Morton LM, Subar AF, Baris D, et al (2007). Alcohol, smoking, and body size in relation to incident Hodgkin's and non-Hodgkin's lymphoma risk. <i>Am J Epidemiol</i> , 166(6): 697-708.
28379	Lin K, Sherington PD, Dennis M, et al (2002). Relationship between p53 dysfunction, CD38 expression, and IgVh mutation in chronic lymphocytic leukemia. <i>Blood</i> , 100(4): 1404-9.
21559	Linet MS, Cartwright RA (1996). The Leukemias. <i>Cancer Epidemiology and Prevention</i> , Second Edition, Chapter 40: 841-92. Oxford University Press.
21053	Linet MS, Malker HSR, McLaughlin JK, Weiner JA, Stone BJ, Blot WJ, Ericsson JLE, Fraumeni JF (1988). Leukemias and occupation in Sweden: a registry-based analysis. <i>American Journal of Industrial Medicine</i> , 14: 319-30.
1592	Linet MS, McLaughlin JK, Malker HSR, Chow W, et al (1994). Occupation and hematopoietic and lymphoproliferative malignancies among women: a linked registry study. <i>JOM</i> , 36(11): 1187-98.
68371	Linet MS, Schubauer-Berigan MK, Weisenburger DD et al (2007). Chronic lymphocytic leukaemia: an overview of aetiology in light of recent developments in classification and pathogenesis. <i>Br J Haematol</i> , 139(5): 672-86.
8694	Linet MS, Stewart WF, Van Natta ML, McCaffrey LD, Szklo M (1987). Comparison of methods for determining occupational exposure in a case-control interview study of chronic lymphocytic leukemia. <i>J of Occupational Med</i> , 29(2): 136-41.
50630	Linet MS, Taggart T, Severson RK, Cerhan JR, et al (2006). Cellular telephones and non-Hodgkin lymphoma. <i>Int J Cancer</i> , 119: 2382-8.
76762	Linet MS, Yin SN, Gilbert ES (2015). A retrospective cohort study of cause-specific mortality and incidence of hematopoietic malignancies in Chinese benzene-exposed workers. <i>Int J Cancer</i> , 137(9): 2184-97.
64376	Lipworth L, Sonderman JS, Mumma MT, Tarone RE, et al (2011). Cancer mortality among aircraft manufacturing workers. An extended follow-up. <i>JOEM</i> , 53(9): 992-1007.
21061	Lishner M, Hawker G, Amato D (1999). Chronic lymphocytic leukemia in a patient with systemic lupus erythematosus. <i>Acta Hematol</i> , 84: 38-9.
25828	Little MP, Weiss HA, Boice JD Jr, Darby SC, Day NE, Muirhead CR (1999). Risks of leukemia in Japanese atomic bomb survivors, in women treated for cervical cancer, and in patients treated for ankylosing spondylitis. <i>Radiat Res</i> , 152(3): 280-92.
26559	Litvak E, Foster KR, Repacholi MH (2002). Health and safety implications of exposure to electromagnetic fields in the frequency range 300 Hz to 10 MHz. <i>Bioelectromagnetics</i> , 23(1): 68-82.
20989	London SJ, Bowman JD, Sobel E, Thomas DC, Garabrant DH, Pearce N, Bernstein L, & Peters JM (1994). Exposure to magnetic fields among electrical workers in relation to leukemia risk in Los Angeles County. <i>American Journal of Industrial Medicine</i> , 26(1): 47-60.

68372	Longo DL (2012). Malignancies of lymphoid cells. Harrison's Principles of Internal Medicine, 18th Edition, Chapter 110: 919-35. .
21133	Loomis DP, Savitz DA (1990). Mortality from brain cancer and leukaemia among electrical workers. British Journal of Industrial Medicine, 47: 633-38.
11771	Loomis DP, Wolf SH (1996). Mortality of workers at a nuclear materials production plant at Oak Ridge, Tennessee, 1947-1990. American Journal of Industrial Medicine, 29(2): 131-41.
63857	Lorenzon D, Perin T, Bulian P, De Re V et al (2009). Human immunodeficiency virus-associated precursor T-lymphoblastic leukemia/lymphoblastic lymphoma: report of a case and review of the literature. Human Pathology, 40: 1045-9.
68373	Lu Y, Prescott J, Sullivan-Halley J et al (2009). Body size, recreational physical activity, and B-cell non-Hodgkin lymphoma risk among women in the California Teachers Study. Am J Epidemiol, 170(10): 1231-40.
26083	Lundberg I, Milatou-Smith R (1998). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. Scand J Work Environ Health, 24(4): 270-275. Retrieved 6 January 2003, from 270-275
29972	Lundberg I, Milatou-Smith R (1998). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. Scandinavian Journal of Work and Environmental Health, 24(4): 270-5.
74415	Lurker PA, Berman F, Clapp RW, et al (2014). Post-Vietnam military herbicide exposures in UC-123 Agent Orange spray aircraft. Environmental Research, 130: 34-42.
74414	Lurker PA, Berman F, Clapp RW, et al (2014). Response to commentary: post-Vietnam military herbicide exposures in UC-123 Agent Orange spray aircraft. Environmental Research, 131: 215-6.
30511	Lynch HT, Weisenburger DD, Quinn-Laquer B, Watson P, Lynch JF, Sanger WG (2002). Hereditary Chronic Lymphocytic Leukemia: An Extended Family Study & Literature Review. American Journal of Medical Genetics, Vol 115(3) pp 113-7.
17285	Lynge E (1998). Cancer incidence in Danish phenoxy herbicide workers, 1947-1993. Environmental Health Perspectives, 106(Suppl 2): 683-8.
24938	Lynge E (1999). [Comment] Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. Occupational & Environmental Medicine, 56: 215.
13222	Lynge E, Anttila A, Hemminki K (1997). Organic solvents and cancer. Cancer Causes & Control, 8(3): 406-19.
29473	Lyons TJ, Grayson K, Lisanti C (1996). [Comment] Is statistical significance required for public health intervention? Aviation, Space, and Environmental Medicine, 67(4): 389. Comment on ID: 29472.
56151	Macfarlane E, Benke G, Del Monaco A, Sim MR (2010). Causes of death and incidence of cancer in a cohort of Australian pesticide-exposed workers. Ann Epidemiol, 20: 273-80.
45752	Mahajan R, Blair A, Coble J, Lynch CF, et al (2007). Carbaryl exposure and incident cancer in the Agricultural Health Study. Int J Cancer, 121: 1799-1805.
8695	Malone KE, Koepsell TD, Daling JR, Weiss NS, Morris, et al (1989). Chronic lymphocytic leukemia in relation to chemical exposures. Am J Epidemiol, 130: 1152-8.
21057	Mann DL, LeSane F, Boumpas D, Dean M, Blattner WA (1988). HTLV-I infection and chronic lymphocytic leukemia. Nouvelle Revue Francaise d Hematologie, 30(5-6): 267-73.
70423	Manuwald U, Velasco Garrido M, Berger J, et al (2012). Mortality study of chemical workers exposed to dioxins: follow-up 23 years after chemical plant closure. Occup Environ Med, 69(9): 636-42.

21173	Marinella MA, Moseley RH (1996). Chronic lymphocytic leukemia complicating chronic hepatitis C infection. <i>J Clin Gastroenterol</i> , 23: 302.
45957	Marinelli F, La Sala D, Ciccio G, Cattini L, et al (2004). Exposure to 900 MHz electromagnetic field induces an unbalance between pro-apoptotic and pro-survival signals in T-lymphoblastoid leukemia CCRF-CEM cells. <i>J Cell Physiol</i> , 198(2): 324-32. [Abstract]
52207	Marinelli F, La Sala D, Ciccio G, Cattini L, et al (2004). Exposure to 900 MHz electromagnetic field induces an unbalance between pro-apoptotic and pro-survival signals in T-lymphoblastoid leukemia CCRF-CEM cells. <i>J Cell Physiol</i> , 198: 324-332.
29451	Marino AA. Time-dependent hematological changes in workers exposed to electromagnetic fields. <i>Am Ind Hyg Assoc J</i> . 1995 Feb;56(2):189-192.
21352	Markovic-Denic LJ, Jankovic S, Marinkovic J, Radovanovic Z (1995). Brick mortar exposure and chronic lymphocytic leukemia. <i>Neoplasma</i> , 42(2): 79-81.
20967	Marsh BJ (1996). Infectious complications of human T cell leukemia/lymphoma virus type 1 infection. <i>Clinical Infectious Diseases</i> , 23(1): 138-45.
24597	Marsh GM, Gula MJ, Youk AO, Schall LC (1999). Mortality among chemical plant workers exposed to acrylonitrile and other substances. <i>Am J Ind Med</i> , 36(4): 423-36.
74412	Marwick C (2003). Link found between Agent Orange and chronic lymphocytic leukaemia. <i>BMJ (Clin Res Ed)</i> , 326(7383): 242.
13143	Massoudi BL, Talbott EO, Day RD, et al (1997). A case-control study of hematopoietic and lymphoid neoplasms: The role of work in the chemical industry. <i>American Journal of Industrial Medicine</i> , 31: 21-7.
76832	Material Safety Data Sheet (2010). AVGAS 100LL. Version 1.0 Effective date 19 March 2010. . Retrieved 21 December 2015, from http://s01.static-shell.com/content/dam/shell-new/local/country/aus/downloads/fuels/msds/msds-avgas100ll.pdf
69389	McBride D, Cox B, Broughton J, et al (2013). The mortality and cancer experience of New Zealand Vietnam war veterans: a cohort study. <i>BMJ Open</i> , 3: e003379.
56055	McBride DI, Collins JJ, Humphry NF, Herbison P, et al (2009). Mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin at a trichlorophenol plant in New Zealand. <i>JOEM</i> , 51(9): 1049-56.
23960	McCann J, Kavet R, Rafferty CN (2000). Assessing the potential carcinogenic activity of magnetic fields using animal models. <i>Environmental Health Perspectives</i> , 108(Suppl 1): 79-100.
21419	McClure D (1997). Electromagnetic fields and leukaemia risk. <i>Pediatric Nursing</i> , 9(5): 25-7.
29498	McDevitt JJ, Breyse PN, Bowman JD, Sassone DM. Comparison of extremely low frequency (ELF) magnetic field personal exposure monitors. <i>J Expo Anal Environ Epidemiol</i> . 2002 Jan-Feb;12(1):1-8.
26275	McDonald TA, Holland NT, Skibola C, et al (2001). Hypothesis: phenol and hydroquinone derived mainly from diet and gastrointestinal flora activity are causal factors in leukemia. <i>Leukemia</i> , 15(1): 10-20.
26596	McGeoghegan D and Binks K (2000). The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> , 20(2): 111-37.
12630	McGrath MS, Ng VL (1992). Human retroviruses and cancer (P Calabresi & PS Schein - Eds). <i>Medical Oncology</i> , 2nd Edition,: 79-82. McGraw Hill, New York.
7174	McGregor DB, Heseltine E, Moller H (1995). Dry cleaning, some solvents used in dry cleaning and other industrial chemicals. IARC meeting, Lyon, 7-14 February, 1996. <i>Scandinavian Journal of Work, Environmental & Health</i> , 21(4): 310-2.

45749	McHale CM, Zhang L, Hubbard AE, et al (2007). Microarray analysis of gene expression in peripheral blood mononuclear cells from dioxin-exposed human subjects. <i>Toxicology</i> , 229: 101-13.
76834	McHale CM, Zhang L, Smith MT (2012). Current understanding of the mechanism of benzene-induced leukemia in humans: implications for risk assessment. <i>Carcinogenesis</i> , 33(2): 240-52.
28368	McKenna DB, Doherty VR, McLaren KM, Hunter JA (2000). Malignant melanoma and lymphoproliferative malignancy: is there a shared aetiology? <i>Br J Dermatol</i> , 143(1): 171-3.
28417	McKenna DB, Stockton D, Brewster DH, et al (2003). Evidence for an association between cutaneous malignant melanoma and lymphoid malignancy: a population-based retrospective cohort study in Scotland. <i>Br J Cancer</i> , 88(1): 74-8.
47611	McLean D, Pearce N, Langseth H, Jappinen P, et al (2006). Cancer mortality in workers exposed to organochlorine compounds in the pulp and paper industry: an international collaborative study. <i>Environ Health Perspect</i> , 114(7): 1007-12.
30036	Mehlman M, Methyl-tertiary-butyl-ether (MTBE) misclassified Am J Ind Med 2001;39(5):505-508
30171	Mehlman MA. Dangerous properties of petroleum-refining products: carcinogenicity of motor fuels (gasoline) <i>Teratog Carcinog Mutagen</i> . 1990;10(5):399-408.
28398	Mellemkjaer L, Kjoller K, Friis S, McLaughlin JK, Hogsted C, et al (2000). Cancer occurrence after cosmetic breast implantation in Denmark. <i>Int J Cancer</i> , 88(2): 301-6.
30198	Mellemkjaer L, Linet MS, Gridley G, Frisch M, et al (1996). Rheumatoid arthritis and cancer risk. <i>European Journal of Cancer</i> ,32A(10) pp 1753-1757.
50636	Merhi M, Raynal H, Cahuzac E, Vinson F, et al (2007). Occupational exposure to pesticides and risk of hematopoietic cancers: meta-analysis of case-control studies. <i>Cancer Causes Control</i> , 18: 1209-26.
52202	Merler E, silvestri S, Mauro L, Campinoti G (2001). [Comment] Re: Mortality among workers in the geothermal power plants at Larderello, Italy. <i>Am J Ind Med</i> , 39(4): 436-37.
47612	Mester B, Nieters A, Deeg E, Elsner G, Becker N, Seidler A (2006). Occupational and malignant lymphoma: a population based case control study in Germany. <i>Occup Environ Med</i> , 63(1): 17-26.
30113	Michaelson SM (1991). Biological effects of radiofrequency radiation: concepts and criteria. <i>Health Phys</i> , 61(1): 3-14.
3040	Michalek JE, Wolfe WH, Miner JC (1990). Health status of air force veterans occupationally exposed to herbicides in Vietnam. <i>JAMA</i> , 264(14): 1832-6.
30562	Michelozzi P, Capon A, Kirchmayer U, Forastiere F, Biggeri A, Barca A, & Perucci CA (2002) Adult and childhood leukemia near a high-power station in Rome, Italy. <i>American J Epidemiology</i> Vol 155(12) pp 1096-1103
29753	Milham S (1988). Increased mortality in amateur radio operators due to lymphatic and hematopoietic malignancies. <i>American Journal of Epidemiology</i> , 127(1) pp 50-54.
25806	Milham S (2000). [Comment] "Accuracy of industry and occupation on death certificates of electric utility workers: implications for epidemiologic studies of magnetic fields and cancer" by Kurtis W. Andrews and David Savitz, <i>Bioelectromagnetics</i> 20:512-8 (1999). <i>Bioelectromagnetics</i> , 21: 411. Comment on ID: 25805.
14619	Milham S Jr (1988). [Comment] Mortality by license class in amateur radio operators. <i>American Journal of Epidemiology</i> , 128(5): 1175-6.
52293	Miligi L, Costantini AS, Benvenuti A, Kriebel D, et al (2006). Occupational exposure to solvents and the risk of lymphomas. <i>Epidemiology</i> , 17(5): 552-61.

50637	Miligi L, Costantini AS, Veraldi A, et al (2006). Cancer and pesticides. An overview and some results of the Italian Multicenter Case-Control Study on Hematolymphopoietic Malignancies. <i>Ann NY Acad Sci</i> , 1076: 366-77.
26156	Miligi L, Seniori Costantini A, Crosignani P, et al (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. <i>Am J Ind Med</i> , 36(1): 60-69.
21153	Miller AB, To T, Agnew DA, Wall C, et al (1996). Leukemia following occupational exposure to 60-Hz electric and magnetic fields among Ontario electric utility workers. <i>American Journal of Epidemiology</i> , 144: 150-160.
21151	Miller RD, Neuberger JS, Gerald KB (1997). Brain cancer and leukemia and exposure to power-frequency (50- to 60-Hz) electric and magnetic fields. <i>Epidemiologic Reviews</i> , 19: 273-293.
29551	Mills PK, Kwong S (2001). Cancer incidence in the United Farmworkers of America (UFW). <i>American Journal of Industrial Medicine</i> , 40: 596-603.
41281	Mills PK, Kwong S (2001). Cancer incidence in the United Farmworkers of America (UFW), 1987-1997. <i>Am J Ind Med</i> , 40(5): 596-603. [Abstract]
38743	Mills PK, Yang R, Riordan D (2005). Lymphohematopoietic cancers in the United Farm Workers of America (UFW), 1988-2001. <i>Cancer Causes & Control</i> , 16: 823-30.
21068	Minder CE, Pfluger DH (2001). Leukemia, brain tumors, and exposure to extremely low frequency electromagnetic fields in Swiss railway employees. <i>American Journal of Epidemiology</i> , 153(9): 825-35.
25812	Minder CE, Pfluger DH (2001). Minder and Pfluger respond to "electromagnetic fields and cancer in railway workers" by Savitz. <i>American Journal of Epidemiology</i> , 153(9): 839-40.
28367	Mitsiades CS, Mitslades N; Thunberg U, Tobin G, Johnson A, Enblad G et al (2003). [Comments] P2X7 polymorphism and chronic lymphocytic leukemia. <i>Lancet</i> , 361: 1478-9. Comments on ID: 28366.
28423	Miyagi J, Masuda M, Uezato H, Sawada T, et al (2002). [Comment] Increased risk of human herpesvirus-8 infection in patients with adult T cell leukemia/lymphoma in Okinawa. <i>Leukemia</i> , 16(9): 1881-82.
3072	Moder KG, Tefferi A, Cohen MD, Menke DM, Luthra HS (1995). Hematologic malignancies and the use of Methotrexate in rheumatoid arthritis: A retrospective study. <i>Am J Med</i> , 99: 276-81.
28498	Molica S, Levato D. What is changing in the natural history of chronic lymphocytic leukemia? <i>Haematologica</i> . 2001 Jan;86(1):8-12.
763	Moller H, Anders M, Lindvig K, Olsen JH (1994). Obesity and Cancer risk: a Danish Record-Linkage Study. <i>Eur J Cancer</i> , 30A(3): 344-50.
16319	Moller H, Mellempgaard A, Lindvig K, Olsen JH (1994). Obesity and cancer risk: a Danish record-linkage study. <i>European Journal of Cancer</i> , 30A(3): 344-350.
8768	Moloney WC (1987). Radiogenic leukemia revisited. <i>Blood</i> , 70(4): 905-8.
20981	Momose H, Jaffe ES, Shin SS, Chen YY, Weiss LM (1992). Chronic lymphocytic leukemia/small lymphocytic lymphoma with Reed-Sternberg-like cells and possible transformation to Hodgkin's disease. Mediation by Epstein-Barr virus. <i>The American Journal of Surgical Pathology</i> , 16(9): 859-67.
64421	Monnereau A, Orsi L, Troussard X, Berthou C, et al (2008). Cigarette smoking, alcohol drinking, and risk of lymphoid neoplasms: results of a French case-control study. <i>Cancer Causes Control</i> , 19: 1147-60.
27796	Monteiro-Riviere N, Inman A, Riviere J (2001). Effects of short-term high-dose and low-dose dermal exposure to Jet A, JP-8 and JP-8+100 jet fuels. <i>Journal of Applied Toxicology</i> , 21: 485-94.
28537	Montserrat E (1997). Chronic lymphoproliferative disorders. <i>Curr Opin Oncol</i> , 9(1): 34-41.

68374	Montserrat E, Moreno C (2008). Chronic lymphocytic leukaemia: a short overview. <i>Annals of Oncology</i> , 19(7): vii320-5.
21052	Montserrat E, Rozman C (1995). Chronic lymphocytic leukemia: present status. <i>Annals of Oncology</i> , 6: 219-35.
24970	Morgan RW, Kelsh MA, Zhao K, Exuzides A, Heringer S, Negrete W (2000). Radiofrequency exposure and mortality from cancer of the brain and lymphatic/hematopoietic systems. <i>Epidemiology</i> , 11: 118-27.
28377	Morgan RW, Kelsh MA, Zhao K, Exuzides KA (2000). [Comment] Radiofrequency exposure and mortality from cancer of the brain and lymphatic/hematopoietic systems. <i>Epidemiology</i> , 11(2): 118-27.
14768	Morgan RW, Kelsh MA, Zhao K, Heringer S (1998). Mortality of aerospace workers exposed to trichloroethylene. <i>Epidemiology</i> , 9(4): 424-31 ERRATUM: (2000) <i>Epidemiology</i> , 11(3): 360.
45958	Morra E, Montillo M (2004). [Comment] Chronic lymphocytic leukemia in 2003. <i>Haematologica</i> , 89(1): 9-10.
29618	Morris-Brown et al (1990). Pesticide exposures and other agricultural risk factors for leukemia among men in Iowa and Minnesota. <i>Cancer Research</i> , 50(20): 6585-6591.
55863	Morton LM, Engels EA, Holford TR, Leaderer B, et al (2004). Hepatitis C virus and risk of non-Hodgkin lymphoma: a population-based case-control study among Connecticut women. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(3): 425-30.
41046	Morton LM, Hartge P, Holford TR, Holly EA, et al (2005). Cigarette smoking and risk of Non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Cancer Epidemiol Biomarkers Prev</i> , 14(4): 925-33.
47661	Morton LM, Wang SS, Devesa SS, Hartge P, Weisenburger DD, Linet MS (2006). Lymphoma incidence patterns by WHO subtype in the United States, 1992-2001. <i>Blood</i> , 107(1): 265-76.
23853	Moulder JE, Erdreich LS, Malyapa RS, et al (1999). Cell phones and cancer: what is the evidence for a connection? <i>Radiation Research</i> , 151(5): 513-31.
27791	Mueller J, Gaus C, Alberts V et al (2002). Examination of the potential exposure of Royal Australian Navy (RAN) personnel to polychlorinated dibenzodioxins and polychlorinated dibenzofurans via drinking water, . The National Research Centre for Environmental Toxicology.
21177	Mueller N (1991). The epidemiology of HTLV-1 infection. <i>Cancer Causes and Control</i> , 2: 37-52.
10431	Muhm JM (1992). Mortality investigation of workers in an electromagnetic pulse test program. <i>JOM</i> , 34(3): 287-92.
27624	Muirhead CR, Bingham D, Haylock RGE, O'Hagan JA, et al (2003). Follow up of mortality and incidence of cancer 1952-98 in men from the UK who participated in the UK's atmospheric nuclear weapons tests and experimental programmes. <i>Occupational and Environmental Medicine</i> , 60(3): 165-72.
17201	Muirhead CR, Goodill AA, Haylock RG, et al (1999). Occupational radiation exposure and mortality: second analysis of the National Registry for radiation workers. <i>J Radiol Prot</i> , 19(1): 3-26.
52526	Muirhead CR, Hagan JA, Haylock RGE, Phillipson MA, et al (2009). Mortality and cancer incidence following occupational radiation exposure: third analysis of the National Registry for Radiation Workers. <i>Br J Cancer</i> , 100: 206-12.
74408	Muller JF, Gaus C, Bundred K, et al (2001). Co-distillation of agent orange and other persistent organic pollutants in evaporative water distillation. <i>Organohalogen Compounds</i> , 52: 243-246.
1595	Mulligan SP, Catovsky D (1993). The chronic B-cell leukaemias. <i>Aust NZ J Med</i> , 23: 42-50.

26579	Munker R, Grutzner S, Hiller E, et al (1999). Second malignancies after Hodgkin's disease: the Munich experience. <i>Ann Hematol</i> , 78(12): 544-54.
20970	Nanni O, Amadori D, Lugaresi C, et al (1996). Chronic lymphocytic leukemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on a priori exposure matrices. <i>Occupational Environmental Medicine</i> , 53: 652-7.
30505	Nardini E, Neri F, Vicenzi E, Poli G, Capello D, Gaidano G, Vitolo U, Menard S, Balsari A (2003). Thymic Function & Immunoglobulin Mutation Genotype in B-Cell Chronic Lymphocytic Leukemia Patients. <i>International Journal of Cancer</i> , Vol 107(6) pp 958-61.
25532	National Health and Medical Research Council [NHMRC] (1997). The Health effects of passive smoking: a scientific information paper. Report of the NHMRC Working Party, . Department of Health & Family Services.
71803	National Industrial Chemicals Notification and Assessment Scheme (NICNAS) (2001). Benzene - Priority Existing Chemical Assessment Report No. 21. Commonwealth of Australia, . .
26703	National Radiological Protection Board (NRPB) (2001). ELF electromagnetic fields and the risk of cancer: Report of the Advisory Group on Non-ionising Radiation, 12. National Radiological Protection Board, Chilton, Didcot, Oxon OX11 ORQ.
45881	National Toxicology Program (2002). 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD); "dioxin". <i>Rep Carcinog</i> , Vol 10 pp 224-226..
20965	Neely SM (1989). Adult T-Cell leukemia-lymphoma. <i>Western Medical Journal</i> , 150: 557-61.
30512	Nelson BP, Variakojis D, Peterson LC (2002). Leukemic Phase of B-Cell Lymphomas Mimicking Chronic Lymphocytic Leukemia & Variants at Presentation. <i>Modern Pathology</i> , Vol 15(11) pp 1111-20.
45908	Newton M, Young AL (2004). [Comment] The story of 2,4,5-T: a case study of science and societal concerns. <i>Environ Sci Pollut Res Int</i> , 11(4): 207-208.
28427	Ng AK, Bernardo MV, Weller E, Backstrand K, Silver B, Marcus KC, Tarbell NJ, Stevenson MA, Friedberg JW, Mauch PM. Second malignancy after Hodgkin disease treated with radiation therapy with or without chemotherapy: long-term risks and risk factors. <i>Blood</i> . 2002 Sep 15;100(6):1989-1996.
74413	Nguyen NV (2009). Occurrence of persistent toxic substances in soils, sediments, fishes and human breast milk in southern Vietnam. <i>Ecole Polytechnique Federale de Lausanne</i> , . . [Abstract]
29510	Nicholas JS, Butler GC, Davis S, Bryant E, Hoel DG, Mohr LC Jr Stable chromosome aberrations and ionizing radiation in airline pilots. <i>Aviat Space Environ Med</i> . 2003 Sep;74(9):953-956.
29442	Nicholas JS, Butler GC, Lackland DT, Hood WC Jr, Hoel DG, Mohr LC Jr Flight deck magnetic fields in commercial aircraft. <i>Am J Ind Med</i> . 2000 Nov;38(5):548-554.
29441	Nicholas JS, Lackland DT, Butler GC, Mohr LC Jr, Dunbar JB, Kaune WT, Grosche B, Hoel DG. Cosmic radiation and magnetic field exposure to airline flight crews. <i>Am J Ind Med</i> . 1998 Dec;34(6):574-580.
50648	Nieters A, Deeg E, Becker N (2006). Tobacco and alcohol consumption and risk of lymphoma: results of a population-based case-control study in Germany. <i>Int J Cancer</i> , 118: 422-30.
50650	Nieters A, Kallinowski B, Brennan P, Ott M, et al (2006). Hepatitis C and risk of lymphoma: results of the European multicenter case-control study EPILYMPH. <i>Gastroenterology</i> , 131: 1879-86.
52297	Nieters A, Rohrmann S, Becker N, Linseisen J, et al (2008). Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>Am J Epidemiol</i> , 167(9): 1081-9.

29608	Nishino Y, Tsubono Y, Tsuji I, Komatsu S, Kanemura S, Nakatsuka H, Fukao A, Satoh H, Hisamichi S. Passive smoking at home and cancer risk: a population-based prospective study in Japanese nonsmoking women. <i>Cancer Causes Control</i> . 2001 Nov;12(9):797-802.
28363	No authors. (2002). Panel discussion. <i>Pediatr Radiol</i> Vol 32 pp 242-4
28605	Nordstrom M, Hardell L, Linde A, Schloss L, Nasman A (1999). Elevated antibody levels to Epstein-Barr virus antigens in patients with hairy cell leukemia compared to controls in relation to exposure to pesticides, organic solvents, animals, and exhausts. <i>Oncol Res</i> , 11: 539-44.
28439	Nordstrom M, Hardell L, Lindstrom G, Wingfors H, Hardell K, Linde A (2000). Concentrations of organochlorines related to titers to Epstein-Barr virus early antigen IgG as risk factors for hairy cell leukemia. <i>Environ Health Perspect</i> , 108(5): 441-5.
28484	Nordstrom M, Hardell L, Magnuson A, Hagberg H, Rask-Andersen A. Occupational exposures, animal exposure and smoking as risk factors for hairy cell leukaemia evaluated in a case-control study. <i>Br J Cancer</i> . 1998 Jun;77(11):2048-52.
28539	Nordstrom M, Hardell L, Magnusson A, Hagberg H, Rask-Andersen A (1997). Occupation and occupational exposure to UV light as risk factors for hairy cell leukaemia evaluated in a case-control study. <i>Eur J Cancer Prev</i> . 1997 Oct;6(5):467-72.
28736	NRCET (National Research Centre for Environmental Toxicology (ENTOX) (2002). Examination of the potential exposure of Royal Australian Navy (RAN) personnel to polychlorinated dibenzodioxins and polychlorinated dibenzofurans via drinking water. A Report to the Dept Of Veteran Affairs, Australia, . .
46691	NTP (2006). Technical Report on the Toxicology and Carcinogenesis. Studies of 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD). National Institutes of Health. Public Health Service. U.S. Department of Health and Human Services.
14680	O'Brien TR, Decoufle P, Boyle CA (1991). Non-Hodgkin's lymphoma in a cohort of Vietnam veterans. <i>American Journal of Public Health</i> , 81(6): 758-60.
28426	O'Connor SJ, Su'ut L, Morgan GJ, Jack AS (2000). The relationship between typical and atypical B-cell chronic lymphocytic leukemia. A comparative genomic hybridization-based study. <i>Am J Clin Pathol</i> , 114(3): 448-58. Retrieved 14 August 2003, from 448-58
21179	Oliveira MD, Hammerschlag N, Chlattice C, Loueiro P (1998). HTLV-1 infection and adult T-cell leukemia in Brazil: an overview. <i>Revista Paulista de Medicina</i> , 114: 1177-85.
15938	Omar RZ, Barber JA, Smith PP (1999). Cancer mortality and morbidity among plutonium workers at the Sellafield plant of British nuclear fuels. <i>British Journal of Cancer</i> , 79(7/8): 1288-301.
62271	Orsi L, Delabre L, Monnereau A, Delvai P, et al (2009). Occupational exposure to pesticides and lymphoid neoplasms among men: results of a French case-control study. <i>Occup Environ Med</i> , 66(5): 291-8.
60468	Orsi L, Monnereau A, Dananche B, Berthou C, et al (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: results of a French case-control study. <i>Occup Environ Med</i> , 67: 664-72.
30510	Oscier D, Fegan C, Hillmen P, Illidge T, et al (2004). Guidelines on the Diagnosis & Management of Chronic Lymphocytic Leukaemia. <i>British Journal of Haematology</i> , Vol 125(3) pp 294-317.
28378	Oscier DG, Gardiner AC, Mould SJ, Gilde S, Davis ZA, Ibbotson RE, Corcoran MM, Chapman RM, Thomas PW, Coplestone JA, Orchard JA, & Hamblin TJ (2002). Multivariate analysis of prognostic factors in CLL: clinical stage, IGVH gene mutation status, and loss or mutation of the p53 gene are independent prognostic factors. <i>Blood</i> , 100(4): 1177-84.

9920	Ott MG, Zober A (1996). Cause specific mortality and cancer incidence among employees exposed to 2,3,7,8-TCDD after a 1953 reactor accident. <i>Occupational and Environmental Medicine</i> , 53: 606-13.
24971	Owen RD (2000). Possible health risks of radiofrequency exposure from mobile telephones. <i>Epidemiology</i> , 11(2): 99-100.
29808	Oxman AD, Sackett DL, & Guyatt GH. (1993) Users' guides to the medical literature. V1. How to get started. The Evidence-based medicine working group. <i>JAMA</i> , Nov ;270:2093-5
26929	Paavolainen P, Pukkala E, Pulkkinen P, Visuri T (1999). Cancer incidence after total knee arthroplasty. A nationwide Finnish cohort from 1980 to 1996 involving 9,444 patients. <i>Acta Orthop Scand</i> , 70(6): 609-17.
21417	Pachocki KA, Gajewski AK (1991). Exposure to electromagnetic fields and risk of leukemia. <i>Roczniki Panstwowego Zakladu Higieny</i> , 42(3): 217-21.
52201	Paffenbarger RS Jr, Lee I-M, Wing AL (1992). The influence of physical activity on the incidence of site-specific cancer in college alumni. <i>Advances in Experimental Medicine and Biology</i> , 322: 7-15.
30125	Pan SY, Johnson KC, Ugnat AM, et al (2004). Association of obesity and cancer risk in Canada. <i>American Journal of Epidemiology</i> , 159(3): 259-68.
28361	Pangalis GA, Vassilakopoulos TP, Dimopoulou MN, Siakantaris MP, Kontopidou FN, Angelopoulou MK (2002). B-chronic lymphocytic leukemia: practical aspects. <i>Hematol Oncol</i> , 20(3): 103-46.
28400	Parascandola M (2002). Judge rejects cancer data in Maryland cell phone suit. <i>Science</i> , 298(5592): 338.
26299	Parker AS, Cerhan JR, Dick F, Kemp J, Habermann TM, Wallace RB, Sellers TA, Folsom AR (2000). Smoking and risk of non-Hodgkin lymphoma subtypes in a cohort of older women. <i>Leuk Lymphoma</i> , 37(3-4): 341-9.
28429	Parodi S, Vercelli M, Stella A, Stagnaro E, Valerio F. Lymphohaematopoietic system cancer incidence in an urban area near a coke oven plant: an ecological investigation. <i>Occup Environ Med</i> . 2003 Mar;60(3):187-193.
55876	Parsonnet J, Isaacson PG (2004). Bacterial infection and MALT lymphoma. <i>NEJM</i> , 350(3): 213-5.
30500	Pasquini R, Villarini M, Scassellati S, Fatigoni C, Moretti M (2003). Micronucleus induction in cells co-exposed in vitro to 50 Hz magnetic field and benzene, 1,4-benzenediol (hydroquinone) or 1,2,4-benzenetriol. <i>Toxicology in Vitro</i> , Vol 17(5-6) pp 581-586.
22338	Paulu C, Aschengrau A, Ozonoff D (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. <i>Environ Health Perspect</i> , 107(4): 265-71.
36030	Pavuk M, Michalek JE, Schecter A, Ketchum NS, et al (2005). Did TCDD exposure or service in southeast Asia increase the risk of cancer in Air Force Vietnam veterans who did not spray Agent Orange? <i>JOEM</i> , 47(4) pp 335-342.
54754	Pavuk M, Patterson DG Jr, Turner WE, Needham LL, Ketchum NS (2007). Polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs), and dioxin-like polychlorinated biphenyls (PCBs) in the serum of US Air Force veterans in 2002. <i>Chemosphere</i> , 68: 62-8.
13084	Paxton MB (1996). Leukemia risk associated with benzene exposure in the Pliofilm cohort. <i>Environmental Health Perspectives</i> , 104(6): 1431-6.
4608	Paxton MB, Chinchilli VM, Brett SM, Rodricks JV (1994). Leukemia risk associated with benzene exposure in the pliofilm cohort: 1. Mortality update and exposure distribution. <i>Risk Analysis</i> , 14(2): 147-54.
28542	Paydas S, Sahin B, Hazar B, Yavuz S (2000). The association of thyrotoxicosis and chronic lymphoproliferative disorders. <i>Leuk Lymphoma</i> . 2000 Jun;38(1-2):131-5.

26195	Peach HG, Barnett NE (2001). Critical review of epidemiological studies of the association between smoking and non-Hodgkin's lymphoma. <i>Hematol Oncol</i> , 19(2): 67-80.
45882	Pearce MS, Hammal DM, Dorak MT, McNally RJQ, Parker L (2006). Paternal occupational exposure to pesticides or herbicides as risk factors for cancer in children and young adults: a case-control study from the north of England. <i>Archives of Environmental & Occupational Health</i> , 61(3) pp 138-44.
17372	Pearce N, Winkelmann R, Kennedy J, Lewis S, et al (1997). Further follow-up of New Zealand participants in United Kingdom atmospheric nuclear weapons tests in the Pacific. <i>Cancer Causes and Control</i> , 8: 139-45.
1575	Peasatori AC, Consonni D, Tironi A, Zocchetti C, et al (1993). Cancer in a young population in a dioxin-contaminated area. <i>Inter J Epidemiology</i> , 22(6): 1010-3.
45747	Perry C, et al (2004). [Editorial] Organophosphate risk of leukemogenesis. <i>Leukemia Research</i> , Vol 28 pp 905-906.
8039	Pershagen G (1983). The epidemiology of human arsenic exposure. B Fowler (Ed). <i>Biological and environmental effects of arsenic</i> , Chapter 6: 199-232. Elsevier Science Publishers, Amsterdam.
63465	Pesatori AC, Consonni D, Rubagotti M, Grillo P, Bertazzi PA (2009). Cancer incidence in the population exposed to dioxin after the "Seveso accident": twenty years of follow-up. <i>Environ Health</i> , 8: 39.
33802	Petrovitch H, Ross GW, Abbott RD, Sanderson WT, et al (2002). Plantation work and risk of Parkinson disease in a population-based longitudinal study. <i>Archives of Neurology</i> , 59(11): 1787-92.
26859	Pickard AL, Gridley G, Mellekjæ L, Johansen C, Kofoed-Enevoldsen A, Cantor KP, Brinton LA (2002). Hyperparathyroidism and subsequent cancer risk in Denmark. <i>Cancer</i> , 95(8): 1611-7.
52206	Pira E, La Vecchia C, Maroni M (2001). [Comment] Re: Mortality among workers in the geothermal power plants at Larderello, Italy. <i>Am J Ind Med</i> , 39: 438.
15762	Pira E, Turbiglio M, Maroni M, Carrer P, La Vecchia C, Negri E, Iachetta R (1999). Mortality among workers in the geothermal power plants at Larderello, Italy. <i>American Journal of Industrial Medicine</i> , 35: 636-9.
27803	Pleil JD, Smith LB, Zelnick SD (2000). Personal exposure to JP-8 jet fuel vapors and exhaust at air force bases. <i>Environmental Health Perspectives</i> , 108(3): 183-92.
32944	Polednak AP (1976). College athletics, body size, and cancer mortality. <i>Cancer</i> , 38: 382-7.
66632	Polychronakis I, Dounias G, Makropoulos V, et al (2013). Work-related leukemia: a systematic review. <i>J Occup Med Toxicol</i> , 8(1): 14, Epub.
47613	Popp JA, Crouch E, McConnell EE (2006). A weight-of-evidence analysis of the cancer dose-response characteristics of 2,3,7,8-Tetrachlorodibenzodioxin (TCDD). <i>Toxicol Sci</i> , 89(2): 361-9.
28541	Preece AW, Hand JW, Clarke RN, Stewart A (2000). Power frequency electromagnetic fields and health. Where's the evidence? <i>Phys Med Biol</i> , 45(9):R139-154.
8818	Preston DL, Kusumi S, Tomonaga M, Izumi S, et al (1994). Cancer incidence in atomic bomb survivors. Part III: Leukemia, lymphoma and multiple myeloma, 1950-1987. <i>Radiation Res</i> , 137: S68-S97.
30229	Prior P, Symmons DPM, Hawkins CF, Scott DL & Brown R (1984) Cancer morbidity in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> Vol 43 pp 128-131
26183	Pukkala E (1998). Cancer incidence among Finnish oil refinery workers 1971-1994. <i>J Occup Environ Med</i> , 40(8): 675-79.
26031	Pukkala E, Aspholm R, Auvinen A, Eliasch H, Gundestrup M, Haldorsen T, Hammar N, Hrafnkelsson J, Kyyronen P, Linnertsjo A, Rafinsson V, Storm H, Tveten U (2002). Incidence of cancer among Nordic airline pilots over five decades: occupational cohort study. <i>BMJ</i> , 325: 567-71.

29797	Pukkala E, Aspholm R, Auvinen A, et al (2003). Cancer incidence among 10,211 airline pilots: a Nordic study. <i>Aviation, Space, and Environmental Medicine</i> , 74(7): 699-706.
12999	Pukkala E, Notkola V (1997). Cancer incidence among Finnish farmers, 1979-93. <i>Cancer Causes and Control</i> , 8: 25-33.
68375	Purdue MP, Freedman DM, Gapstur SM et al (2010). Circulating 25-hydroxyvitamin D and risk of non-Hodgkin lymphoma. Cohort consortium vitamin D pooling project of rarer cancers. <i>Am J Epidemiol</i> , 172(1): 58-69.
50661	Purdue MP, Hartge P, Davis S, Cerhan JR, et al (2007). Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18: 989-99.
65064	Pylypchuk RD, Schouten LJ, Goldbohm A, Schouten HC, van den Brandt PA (2009). Body mass index, height, and risk of lymphatic malignancies: a prospective cohort study. <i>Am J Epidemiol</i> , 170(3): 297-307.
68376	Queensland Health (2007). Investigation of chronic lymphoid leukemia Gladstone - Calliope, 1996-2004: Full technical report, August 2007. . Retrieved 24 June 2013, from http://www.health.qld.gov.au/ph/documents/caphs/finalgladstone.pdf
28516	Quiros-Roldan E, Moretti F, Torti C, Casari S, Castelli F, Beltrame A, Carosi G. HIV/HTLV co-infection: frequency and epidemiological characteristics among patients admitted to an Italian hospital. <i>Infection</i> . 2003 Jun;31(3):172-3.
26158	Raabe GK, Collingwood KW, Wong O (1998). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas. <i>Am J Ind Med</i> , 33(1): 61-81.
21180	Raabe GK, Wong O (1996). Leukemia mortality by cell type in petroleum workers with potential exposure to benzene. <i>Environ Health Perspect</i> , 104(Suppl 6): 1381-92.
41493	Raaschou-Nielsen O, Hansen J, McLaughlin JK, Kolstad H, et al (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. <i>Am J Epidemiol</i> , 158(12): 1182-92.
26889	Rabkin CS, Tess BH, Christianson RE, Wright WE, Waters DJ, Alter HJ, Van Den Berg BJ (2002). Prospective study of hepatitis C viral infection as a risk factor for subsequent B-cell neoplasia. <i>Blood</i> , 99(11): 4240-2.
26157	Rachet B, Partanen T, Kauppinen T, Sasco AJ (2000). Cancer risk in laboratory workers: an emphasis on biological research. <i>Am J Ind Med</i> , 38(6): 651-65.
21054	Radovanovic Z, Markovic-Denic LK, Jankovic S (1994). Cancer mortality of family members of patients with chronic lymphocytic leukemia. <i>European Journal of Epidemiology</i> , 10: 211-3.
11024	Rahu M, Tekkel M, Veidebaum T, Pukkala E, et al (1997). The Estonian study of Chernobyl cleanup workers: II. Incidence of cancer and mortality. <i>Radiation Research</i> , 147: 653-7.
28488	Ramlow JM (1995). [Comment] Apparent increased risk of leukemia in their highest category of exposure to tetrachloroethylene (PCE) in drinking water. <i>Arch Environ Health</i> , 50(2): 170-73.
15213	Ramlow JM, Spadacene NW, Hoag SR, Stafford BA, Cartmill JB, & Lerner PJ (1996). Mortality in a cohort of pentachlorophenol manufacturing workers, 1940-1989. <i>American Journal of Industrial Medicine</i> , 30: 180-94.
30497	Ravandi F, Verma A, Ridgeway J, Pursell K. Chronic lymphocytic leukemia (B-CLL) occurring with human immunodeficiency virus (HIV) infection: implications. <i>Leuk Res</i> . 2003 Sep;27(9):853-7
28428	Rawstron AC, Yuille MR, Fuller J, Cullen M, et al (2002). Inherited predisposition to CLL is detectable as subclinical monoclonal B-lymphocyte expansion. <i>Blood</i> , 100(7): 2289-91.

45664	Read D, Wright C, Weinstein P, et al (2007). Cancer incidence and mortality in a New Zealand community potentially exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin from 2,4,5-trichlorophenoxyacetic acid manufacture. <i>Aust N Z J Public Health</i> , 31(1): 13-18.
30564	Redaelli A, Stephens JM, Laskin BL, Pashos CL, Botteman MF (2003). The burden and outcomes associated with four leukemias: AML, ALL, CLL and CML. <i>Expert Rev Anticancer Ther</i> , 3(3): 311-29.
68377	Rego N, Bianchi S, Moreno P et al (2012). Search for an aetiological virus candidate in chronic lymphocytic leukaemia by extensive transcriptome analysis. <i>Br J Haematol</i> , 157(6): 709-17.
30502	Repacholi MH (2001). Health risks from the use of mobile phones. <i>Toxicology Letters</i> , 120(1-3): 323-31.
24530	Repacholi MH, Greenebaum B (1999). Interaction of static and extremely low frequency electric and magnetic fields with living systems: health effects and research needs. <i>Bioelectromagnetics</i> , 20(3): 133-60.
30556	Repacholi MH. WHO's health risk assessment of ELF fields. <i>Radiat Prot Dosimetry</i> . 2003;106(4):297-299.
28035	Revich B, Aksel E, Ushakova T et al (2001). Dioxin exposure and public health in Chapaevsk, Russia. <i>Chemosphere</i> , 43(4-7): 951-66.
27797	Rhodes AG, LeMasters GK, Lockey JE, et al (2003). The effects of jet fuel on immune cells of fuel system maintenance workers. <i>Journal of Occupational & Environmental Medicine</i> , 45: 79-86.
28513	Rice JM, Boffetta P. 1,3-Butadiene, isoprene and chloroprene: reviews by the IARC monographs programme, outstanding issues, and research priorities in epidemiology. <i>Chem Biol Interact</i> . 2001 Jun 1;135-136:11-26.
50656	Richardson DB, Terschuren C, Hoffmann W (2008). Occupational risk factors for non-Hodgkin's lymphoma: a population-based case-control study in northern Germany. <i>Am J Ind Med</i> , 51: 258-68.
68378	Richardson DB, Wing S, Schroeder J, et al (2005). Ionizing radiation and chronic lymphocytic leukemia. <i>Environmental Health Perspectives</i> , 113: 1-5.
23973	Richter E, Berman T, Ben-Michael E, Laster R, Westin JB (2000). Cancer in radar technicians exposed to radiofrequency/microwave radiation: sentinel episodes. <i>International Journal of Occupational & Environmental Health</i> , 6(3): 187-93.
4655	Rinsky RA (1989). Benzene and leukemia: An epidemiologic risk assessment. <i>Environ Health Perspect</i> , 82: 189-91.
27605	Rinsky RA, Hornung RW, Silver SR, et al (2002). Benzene exposure and hematopoietic mortality: a long-term epidemiological risk assessment. <i>American Journal of Industrial Medicine</i> , 42(6): 474-80.
4602	Rinsky RA, Smith AB, Hornung R, Filloon TG, et al (1987). Benzene and leukemia. An epidemiologic risk assessment. <i>NEJM</i> , 316(17): 1044-50.
29480	Rinsky RA, Zumwalde RD, Waxweiler RJ, et al (1981). Cancer mortality at a naval nuclear shipyard. <i>The Lancet</i> , 1: 231-35.
22083	Ritz B (1999). Cancer mortality among workers exposed to chemicals during uranium processing. <i>Occupational & Environmental Medicine</i> , 41(7): 556-66.
15538	Ritz B, Morgenstern H, Froines J, Young BB (1999). Effects of exposure to external ionizing radiation of cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. <i>American Journal of Industrial Medicine</i> , 35(1): 21-31.
26271	Rix BA, Villadsen E, Engholm G, Lynge E (1998). Hodgkin's disease, pharyngeal cancer, and soft tissue sarcomas in Danish paper mill workers. <i>J Occup Environ Med</i> , 40(1): 55-62.
5200	Robinette CD, Silverman C, Jablon S (1980). Effects upon health of occupational exposure to microwave radiation (Radar). <i>Am J Epidemiol</i> , 112(1): 39-53.

26575	Robinson BA, Colls BM, Fitzharris BM, Aet al (1994). Second malignant neoplasms in patients with Hodgkin's disease. <i>Aust N Z J Med</i> , 24(4): 368-73.
26029	Robinson CF, Petersen M, Palu S (1999). Mortality patterns among electrical workers employed in the U.S. construction industry, 1982-1987. <i>Am J Ind Med</i> , 36(6): 630-7.
52308	Rodriguez-Abreu D, Bordoni A, Zucca E (2007). Epidemiology of hematological malignancies. <i>Ann Oncol</i> , 18(Suppl 1): i3-8.
30399	Rodvall Y, Dich J, Wiklund K. Cancer risk in offspring of male pesticide applicators in agriculture in Sweden. <i>Occup Environ Med</i> . 2003 Oct;60(10):798-801.
28500	Rommens C, Laurier D & Sugier A. (2000). Methodology and results of the nord-cotentin radioecological study. <i>J Radiol Prot.</i> 20(2000)361-380
16743	Ronco G, Costa G, Lynge E (1992). Cancer risk among Danish and Italian farmers. <i>British Journal of Industrial Medicine</i> , 49: 220-5.
25873	Ronneberg A, Haldorsen T, Romundstad P, Andersen A (1999). Occupational exposure and cancer incidence among workers from an aluminium smelter in western Norway. <i>Scand J Work Environ Health</i> , 25(3): 207-14.
46427	Ross JA (2007). [Comment] Looking for leukemia clues in of all places. . . .meconium! <i>Pediatr Blood Cancer</i> , 49:607-8.
45755	Ross JA (2007). Looking for leukemia clues in of all places...meconium! <i>Pediatr Blood Cancer</i> , Vol 49 pp 607-608.
26336	Ross JA, Kasum CM, Davies SM, Jacobs DR, et al (2002). Diet and risk of leukemia in the Iowa women's health study. <i>Cancer Epidemiology Biomarkers & Prevention</i> , 11: 777-81.
24913	Rothman KJ (2000). Epidemiological evidence on health risks of cellular telephones. <i>Lancet</i> , 356: 1837-40.
30128	Rothman N, Smith MT, Hayes RB, Li GL, Irons RD, et al (1996). An epidemiologic study of early biologic effects of benzene in Chinese workers. <i>Environ Health Perspect</i> , 104(Suppl 6): 1365-70.
45702	Rowland RE, Edwards LA, Podd JV (2007). Elevated sister chromatid exchange frequencies in New Zealand Vietnam War veterans. <i>Cytogenet Genome Res</i> , 116: 248-51.
26580	Ruder AM, Ward EM, Brown DP (2001). Mortality in dry-cleaning workers: an update. <i>Am J Ind Med</i> , 39(2): 121-32.
62855	Ruder AM, Yiin JH (2011). Mortality of US pentachlorophenol production workers through 2005. <i>Chemosphere</i> , 83(6): 851-61.
29622	Ruiz-Arguelles GJ, Cantu-Rodriguez OG, Gomez-Almaguer D, Cortes-Franco J, Gongora-Biachi RA, Pizzuto J, Rodriguez-Carrillo J, Romero-Garcia F, Torre-Lopez E, Apreza-Molina MG, Mercado-Diaz L (1996). Hairy cell leukemia is infrequent in Mexico and has a geographic distribution. <i>Am J Hematol</i> , 52(4) pp 316-318.
9928	Rushton L, Romaniuk H (1997). A case-control study to investigate the risk of leukaemia associated with exposure to benzene in petroleum marketing and distribution workers in the United Kingdom. <i>Occupational and Environmental Medicine</i> , 54: 152-66.
28438	Rushton L, Romaniuk H. A case-control study to investigate the risk of leukaemia associated with exposure to benzene in petroleum marketing and distribution workers in the United Kingdom. <i>Occup Environ Med</i> . 1997 Mar;54(3):152-166.
30196	Ryan KL, D'Andrea JA, Jauchem JR, Mason PA. Radio frequency radiation of millimeter wave length: potential occupational safety issues relating to surface heating. <i>Health Phys</i> . 2000 Feb;78(2):170-181.
26028	Saarni H, Pentti J, Pukkala E (2002). Cancer at sea: a case-control study among male Finnish seafarers. <i>Occup Environ Med</i> , 59(9): 613-9.
69989	Saberi Hosnijeh F, Christopher Y, Peeters P, et al (2013). Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Occup Environ Med</i> , 70(7): 464-70.

76836	Safe Work Australia (2011). Workplace exposure standards for airborne contaminants. <i>Safe Work Australia</i> , . .
5181	Sahl JD, Kelsh MA, Greenland S (Sahl JD, Kelsh MA, Greenland S). Cohort and nested case-control studies of hematopoietic cancers and brain cancer among electric utility workers. <i>Epidemiology</i> , 4(2): 104-114.
75730	Salem EA, Hegazy MM, El Khouley EA (2014). Pesticide exposure as a risk factor for lymphoproliferative disorders in adults. <i>EMHJ</i> , 20(6): 363-72.
8778	Sali D, Cardis E, Sztanyik L, Auvinen A, et al (1996). Cancer consequences of the Chernobyl accident in Europe outside the former USSR: a review. <i>Int J Cancer</i> , 67: 343-52.
28543	Salim R, Wang L, Lin K, Clark RE (2002). Chronic lymphocytic leukaemia developing in the course of chronic myeloid leukaemia. <i>Leuk Lymphoma</i> , 43(11):2225-7.
5135	Salvatore JR (1993). [Comment] Radar Guns. <i>J Natl Cancer Inst</i> , 85(1): 67-9.
30506	Samanic C, Gridley G, Chow WH, et al (2004). Obesity & Cancer Risk Among White & Black United State Veterans. <i>Cancer Causes & Control</i> , 15(1): 35-43.
27608	Santos J, Palacios R, Ruiz J, Gonzalez M, et al (2002). Unusual malignant tumours in patients with HIV infection. <i>International Journal of STD and AIDS</i> , 13(10): 674-6.
5219	Sarkar S, Ali S, Behari J (1994). Effect of low power microwave on the mouse genome: a direct DNA analysis. <i>Mutat Res</i> , 320(1-2): 141-7.
24729	Sathiakumar N, Delzell E (2000). An updated mortality study of workers at a dye and resin manufacturing plant. <i>J Occup Environ Med</i> , 42(7) pp 762-71.
26168	Satin KP, Bailey WJ, Newton KL, et al (2002). Updated epidemiological study of workers at two California petroleum refineries. <i>Occup Environ Health</i> , 59(4): 248-56.
21174	Savitz DA (1995). Overview of occupational exposure to electric and magnetic fields and cancer: advancements in exposure assessment. <i>Environmental Health Perspectives</i> , 103: 69-74.
21067	Savitz DA (2001). Invited commentary: electromagnetic fields and cancer in railway workers. <i>American Journal of Epidemiology</i> , 153(9): 836-8.
25811	Savitz DA (2001). Invited commentary: electromagnetic fields and cancer in railway workers. <i>American Journal of Epidemiology</i> , 153(9): 836-8.
13051	Savitz DA, Andrews KW (1997). Review of epidemiologic evidence on benzene and lymphatic and hematopoietic cancers. <i>American Journal of Industrial Medicine</i> , 31(3): 287-95.
21418	Savitz DA, Cai J, van Wijngaarden E, Loomis D, Michlan G, Dufort V, Kleckner RC, Nylander-French L, Kromhout H, Zhou H (2000). Case-cohort analysis of brain cancer and leukemia in electric utility workers using a refined magnetic field job-exposure matrix. <i>American Journal of Industrial Medicine</i> , 38(4): 417-25.
24943	Savitz DA, Cai J, van Wijngaarden E, Loomis D, Mihlan G, Dufort V, Kleckner RC, Nylander-French L, Kromhout H, Zhou H (2000). Case-cohort analysis of brain cancer and leukemia in electric utility workers using a refined magnetic field job-exposure matrix. <i>American Journal of Industrial Medicine</i> , 38: 417-25.
21132	Savitz DA, Calle EE (1987). Leukemia and occupational exposure to electromagnetic fields: review of epidemiologic surveys. <i>Journal of Occupational Medicine</i> , 29(1) pp 47-51.
1706	Savitz DA, Loomis DP (1995). Magnetic field exposure in relation to leukemia and brain cancer mortality among electric utility workers. <i>Am J Epidemiol</i> , 14(2): 123-34.
21154	Savitz DA, Loomis DP (1995). Magnetic field exposure in relation to leukemia and brain cancer mortality among electric utility workers. <i>American Journal of Epidemiology</i> , 141: 123-34.
45705	Schechter A, Birnbaum L, Ryan JJ, et al (2006). Dioxins: an overview. <i>Environmental Research</i> , 101: 419-28.

45745	Schechter A, et al (2007). [Comment] Response. Environmental Research, 103: 147-8.
45911	Schechter A, Quynh HT, Papke O, et al (2006). Agent orange, dioxins, and other chemical of concern in Vietnam: Update 2006. J Occup Environ Med, 48: 408-13.
933	Scheinberg DA, Golde DW (1994). The leukemias. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 310: 1764-74. .
10343	Schnatter AR, Armstrong TW, Nicolich MJ, Thompson FS, et al (1996). Lymphohaematopoietic malignancies and quantitative estimates of exposure to benzene in Canadian petroleum distribution workers. Occupational Environmental Medicine, 53(11): 773-81.
30129	Schnatter AR, Armstrong TW, Thompson LS, Nicolich MJ, Katz AM, Huebner WW, Pearlman ED (1996). The relationship between low-level benzene exposure and leukemia in Canadian petroleum distribution workers. Environ Health Perspect, 104 Suppl 6 pp 1375-1379.
68379	Schnatter AR, Glass DC, Tang G et al (2012). Myelodysplastic syndrome and benzene exposure among petroleum workers: An international pooled analysis. J Natl Can Inst, 104: 1724-37.
3733	Schnatter AR, Katz AM, Nicolich MJ, Theriault G (1993). A Retrospective Mortality Study among Canadian Petroleum Marketing and Distribution Workers. Environmental Health Perspectives Supplements, 101(S6): 85-99.
38739	Schnatter AR, Rosamilia K, Wojcik NC (2005). Review of the literature on benzene exposure and leukemia subtypes. Chemico-Biological Interactions, 153-154: 9-21.
26297	Schnatter R (2000). Petroleum worker studies and benzene risk assessment. J Toxicol Environ Health Part A, 61(5-6): 433-7.
50647	Schollkopf C, Smedby KE, Hjalgrim H, Rostgaard K, et al (2008). Hepatitis C infection and risk of malignant lymphoma. Int J Cancer, 122(8): 1885-90.
5222	Schreiber GH, Swaen GMH, Meijers JMM, Slangen JJM, Sturmans F (1993). Cancer mortality and residence near electricity transmission equipment: A retrospective cohort study. Int J Epidemiol, 22(1): 9-15.
25984	Schreinemachers DM (2000). Cancer mortality in four northern wheat-producing states. Environ Health Perspect, 108(9): 873-81.
30482	Schriever F, Huhn D. New directions in the diagnosis and treatment of chronic lymphocytic leukaemia. Drugs. 2003;63(10):953-69.
30035	Schroeder JC, Savitz DA. Lymphoma and multiple myeloma mortality in relation to magnetic field exposure among electric utility workers. Am J Ind Med. 1997 Oct;32(4):392-402.
68388	Schubauer-Berigan MK, Daniels RD, Flemming DA et al (2007). Chronic lymphocytic leukaemia and radiation: findings among workers at five US nuclear facilities and a review of the recent literature. Br J Haematol, 139(5): 799-808.
16958	Schwartz DA, Vaughan TL, Heyer NJ, Koepsell TD, et al (1988). B cell neoplasms and occupational asbestos exposure. American Journal of Industrial Medicine, 14(6): 661-71.
21056	Schwartz DA, Vaughan TL, Heyer NJ, Koepsell TD, Lyon JL, Swanson GM, Weiss NS (1988). B cell neoplasms and occupational asbestos exposure. American Journal of Industrial Medicine, 14: 661-71.
45748	Schwarz M, Appel KE (2005). Carcinogenic risks of dioxin: mechanistic considerations. Regulatory Toxicology and Pharmacology, 43: 19-34.
41492	Scott CS, Chiu WA (2006). Trichloroethylene cancer epidemiology: A consideration of select issues. Environ Health Perspect, 114(9): 1471-78.
20966	Seaton RA (1997). [Comment] Tuberculosis and human T-cell lymphotropic virus type 1 infection. Clinical Infectious Diseases, 24(4): 1026.
63142	Seidler A, Becker N, Nieters A, Arhelger R, et al (2010). Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. Int Arc Occup Environ Health, 83: 563-70.

55859	Seidler A, Mohner M, Berger J, Mester B, et al (2007). Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. 2 (2). Retrieved 9 March 2010, from http://www.occup-med.com/content/2/1/2
68392	Seifert M, Sellmann L, Bloehdorn J et al (2012). Cellular origin and pathophysiology of chronic lymphocytic leukemia. <i>J Exp Med</i> , 209(12): 2183-98.
14820	Selden A, Ahlborg G Jr (1991). Mortality and cancer morbidity after exposure to military aircraft fuel. <i>Aviation, Space, and Environmental Medicine</i> , 62: 789-94.
63571	Selden AI, Ahlborg G (2011). Cancer morbidity in Swedish dry-cleaners and laundry workers: historically prospective cohort study. <i>Int Arch Occup Environ Health</i> , 84(4): 435-43.
29866	Semenciw RM, Morrison HI, Morrison D, Mao Y. Leukemia mortality and farming in the prairie provinces of Canada. <i>Can J Public Health</i> . 1994 May-Jun;85(3):208-211
28364	Sen F, Lai R, Albitar M (2002). Chronic lymphocytic leukemia with t(14;18) and trisomy 12. <i>Arch Pathol Lab Med</i> , 126(12): 1543-6.
28430	Seniari Costantini A, Quinn M, Consonni D, Zappa M. Exposure to benzene and risk of leukemia among shoe factory workers. <i>Scand J Work Environ Health</i> . 2003 Feb;29(1):51-59.
50728	Serraino D, Piselli P, Angeletti C, Scuderi M, et al (2005). Infection with Epstein-Barr virus and cancer: an epidemiological review. <i>J Biol Regul Homeost Agents</i> , 19: 63-70.
26296	Settimi L, Costellati L, Naldi M, et al (1999). Mortality among workers in an Italian cigarette factory. <i>Occup Med</i> , 49(6): 361-4.
52203	Shanafelt TD, Call TG (2004). Current approach to diagnosis and management of chronic lymphocytic leukemia. <i>Mayo Clin Proc</i> , 79(3): 388-98.
30552	Shanafelt TD, Geyer SM, Kay NE. Prognosis at diagnosis: integrating molecular biologic insights into clinical practice for patients with CLL. <i>Blood</i> . 2004 Feb 15;103(4):1202-10.
68393	Shanshal M, Haddad RY (2012). Chronic lymphocytic leukemia. <i>Dis Mon</i> , 58(4): 153-67.
21128	Sheikh K, Arbor A (1986). Exposure to electromagnetic fields and the risk of leukemia. <i>Archives of Environmental Health</i> , 41(1): 56-63.
30501	Sheppard AR, Kavet R, Renew DC (2002). Exposure Guidelines for Low-Frequency Electric and Magnetic Fields: Report from the Brussels Workshop. <i>Health Physics</i> , Vol 83(3) pp 324-32.
29434	Shi B, Isseroff RR, Nuccitelli R. Power line frequency electromagnetic fields do not increase the rate of protein synthesis in human skin fibroblasts as previously reported. <i>Bioelectromagnetics</i> . 2003 Oct;24(7):465-472.
36108	Shore RE, Moseson M, Harley N, Pasternack BS (2003). Tumors and other diseases following childhood X-ray treatment for ringworm of the scald (<i>Tinea Capitis</i>). <i>Health Phys</i> , 85(4): 404-8.
28511	Siegel R, Gartenhaus R, Kuzel (2001). HTLV-I associated leukemia/lymphoma: epidemiology, biology, and treatment. HIV & HTLV-1 associated malignancies. JA Sparano (Ed). <i>HIV & HTLV-1 Associated Malignancies</i> , Chapter 3: 75-88. Kluwer Academic Publishers Boston/Dordrecht/London.
30483	Sielken RL Jr, Valdez-Flores C. Dose-response implications of the University of Alabama study of lymphohematopoietic cancer among workers exposed to 1,3-butadiene and styrene in the synthetic rubber industry. <i>Chem Biol Interact</i> . 2001 Jun 1;135-136:637-51.
26886	Signorello LB, Ye W, Fryzek JP, Lipworth L, Fraumeni JF Jr, Blot WJ, McLaughlin JK, Nyren O (2001). Nationwide study of cancer risk among hip replacement patients in Sweden. <i>J Natl Cancer Inst</i> , 93(18): 1405-10.
68394	Silver SR, Hiratzka SL, Schubaur-Berigan MK et al (2007). Chronic lymphocytic leukemia radiogenicity: a systematic review. <i>Cancer Causes Control</i> , 18(10): 1077-93.

27606	Silver SR, Rinsky RA, Cooper SP, Hornung RW, Lai D (2002). Effect of follow-up time on risk estimates: a longitudinal examination of the relative risks of leukemia and multiple myeloma in a rubber hydrochloride cohort. <i>American Journal of Industrial Medicine</i> , 42(6) pp 481-489.
76831	Sim M, Clarke D, Forbes A, et al (2015). Australian Gulf War Veterans' Follow Up Health Study: Summary Report. Monash University, : .
28499	Simmonds J (2000). [Comment] Assessing the risks of leukaemia from ionising radiation exposure. <i>J Radiol Prot</i> , 4: 349-51.
28433	Singer C, Goldstone T. Chronic lymphocytic leukaemia. <i>Clin Med</i> . 2001 Sep-Oct;1(5):350-3
28432	Skinner J, Mee TJ, Blackwell RP, Maslanyj MP, Simpson J, et al (2002). United Kingdom Childhood Cancer Study Investigators. Exposure to power frequency electric fields and the risk of childhood cancer in the UK. <i>Br J Cancer</i> , 87(11): 1257-66.
25815	Smith AH, Lopipero P (2001). Invited commentary: How do the Seveso findings affect conclusions concerning TCDD as a human carcinogen? <i>American Journal of Epidemiology</i> , 153(11): 1045-7.
76773	Smith MT (2010). Advances in understanding benzene health effects and susceptibility. <i>Annu Rev Public Health</i> , 31: 133-48.
52318	Smith MT, Jones RM, Smith AH (2007). Benzene exposure and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 385-91.
30127	Smith MT, Zhang L (1998). Biomarkers of leukemia risk: benzene as a model. <i>Environ Health Perspect</i> , 106(Suppl 4): 937-46.
25882	Snyder R (2002). Benzene and leukemia. <i>Crit Rev Toxicol</i> , 32(3): 155-210.
76840	Snyder R (2012). Leukemia and benzene. <i>Int J Environ Res Public Health</i> , 9: 2875-93.
4652	Snyder R, Kalf GF (1994). A perspective on benzene leukemogenesis. <i>Critical Reviews in Toxicology</i> , 24(3): 177-209.
30569	Sodium Hydroxide. Taken from SMRC.
26169	Sont WN, Zielinski JM, Ashmore JP, et al (2001). First analysis of cancer incidence and occupational radiation exposure based on the national dose registry of Canada. <i>Am J of Epidemiol</i> , 153(4): 309-18.
70261	Sorahan T (2012). Cancer incidence in UK electricity generation and transmission workers, 1973-2008. <i>Occup Med</i> , 62: 496-505.
38735	Sorahan T, Kinlen LJ, Doll R (2005). Cancer risks in a historical UK cohort of benzene exposed workers. <i>Occup Environ Med</i> , 62(4): 231-6.
26193	Sorahan T, Nichols L, Harrington JM (2002). Mortality of United Kingdom oil refinery and petroleum distribution workers, 1951-1998. <i>Occup Med</i> , 52(6): 333-9.
26160	Sperati A, Rapiti E, Settini L, et al (1999). Mortality among male licensed pesticide users and their wives. <i>Am J Ind Med</i> , 36(1): 142-6.
43014	Spinelli J, Band PR, Svirchev LM, Gallagher RP (1991). Mortality and cancer incidence in aluminium reduction plant workers. <i>J Occup Med</i> , 33(11): 1150-5.
45750	Spinelli JJ, Ng CH, Weber J-P, et al (2007). Organichlorines and risk of non-Hodgkin lymphoma. <i>Int J Cancer</i> , 121: 2767-75.
7450	Spirtas R, Stewart PA, Lee JS, et al (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility. I epidemiological results. <i>British Journal of Industrial Medicine</i> , 48: 515-30.
26238	Stagnaro E, Ramazzotti V, Crosignani P, et al (2001). Smoking and hematolymphopoietic malignancies. <i>Cancer Causes Control</i> , 12(4): 325-334.
45959	Staines A, Cartwright RA (1993). [Abstract] Hairy cell leukaemia: descriptive epidemiology and a case-control study. <i>Br J Haematol</i> , 85(4):714-7.

15930	Stark AD, Chang HW, Fitzgerald EF, et al (1990). A retrospective cohort study of cancer incidence among New York State farm bureau members. <i>Archives of Environmental Health</i> , 45(3): 155-62.
16976	Stebbing JH, Lucas HF, Stehney AF (1984). Mortality from cancers of major sites in female radium dial workers. <i>American Journal of Industrial Medicine</i> , 5(6): 435-59.
37715	Steenland K, Bertazzi P, Baccarelli A et al (2004). Dioxin Revisited: Developments since the 1997 IARC classification of dioxin as a human carcinogen. <i>Environ Health Perspect</i> , 112(13): 1265-8.
24609	Steenland K, Boffetta P (2000). Lead and cancer in humans: where are we now? <i>Am J Ind Med</i> , 38(3): 295-9.
23674	Steenland K, Palu S (1999). Cohort mortality study of 57 000 painters and other union members: a 15 year update. <i>Occup Environ Med</i> , 56: 315-21.
25814	Steenland K, Piacitelli L, Deddens J, Fingerhut M, et al (1999). Cancer, heart disease, and diabetes in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>J Natl Cancer Inst</i> , 91(9): 779-86.
38736	Steenland K, Stayner L, Deddens J (2004). Mortality analyses in a cohort of 18 235 ethylene oxide exposed workers: follow up extended from 1987 to 1998. <i>Occup Environ Med</i> , 61(1): 2-7.
74959	Stenehjem JS, Kiaerheim K, Bratveit M, et al (2015). Benzene exposure and risk of lymphohaematopoietic cancers in 25?000 offshore oil industry workers. <i>Br J Cancer</i> , 112(9): 1603-12.
45960	Stevenson FK, Caligaris-Cappio F (2004). Chronic lymphocytic leukemia: revelations from the B-cell receptor. <i>Blood</i> , 103(12):4389-4395.
28424	Stilgenbauer S, Bullinger L, Lichter P, Dohner H; German CLL Study Group (GCLLSG). Chronic lymphocytic leukemia. Genetics of chronic lymphocytic leukemia: genomic aberrations and V(H) gene mutation status in pathogenesis and clinical course. <i>Leukemia</i> . 2002 Jun;16(6):993-1007
1596	Stone R (1992). [Comment] Polarized debate: EMFs and cancer. <i>Science</i> , 258: 1724-5.
1703	Storm FK (1995). [Comment] Re: "Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada, and France: 1970-1989". <i>Am J Epidemiol</i> , 142(9): 1007.
43011	Storm HH (1996) [Letter] Cancer registries in epidemiologic research. <i>Cancer Causes Control</i> , Vol 7 (3) pp 299-301.
52324	Straif K, Baan R, Grosse Y, Secretan B, et al (2007). Carcinogenicity of shift-work, painting, and fire-fighting. <i>Lancet Oncol</i> , 8(12): 1065-6.
76764	Straube S, Westphal GA, Hallier E (2010). [Comment] Comment on: implications of latency period between benzene exposure and development of leukemia- a synopsis of literature. <i>Chemico-Biological Interactions</i> , 186(2): 248-9.
43012	Svensson B, Nise G, Englander V, Attewell R, et al (1990). Deaths and tumours among rotogravure printers exposed to toluene. <i>Br J Ind Med</i> , Vol 47 (6) pp 372-9.
15118	Svensson BG, Mikoczy Z, Stromberg U, Hagmar L (1995). Mortality and cancer incidence among Swedish fishermen with a high dietary intake of persistent organochlorine compounds. <i>Scandinavian Journal of Work, Environmental and Health</i> , 21(2): 106-15.
14285	Swaen GH, van Vliet C, Slangen JJ et al (1992). Cancer mortality among licensed herbicide applicators. <i>Scand J Work Environ Health</i> , 18: 201-4.
64418	Swaen GM, Burns C, Teta JM, Bodner K, Keenan D, Bodnar CM (2009). Mortality study update of ethylene oxide workers in chemical manufacturing: a 15 year update. <i>J Occup Environ Med</i> , 51: 714-23.
29783	Swaen GM, de Jong G, Slangen JJ, van Amelsvoort LG (2002). Cancer mortality in workers exposed to dieldrin and aldrin: an update. <i>Toxicol Ind Health</i> , 18(2): 63-70.

29867	Swaen GM, Slangen JJ. Gasoline consumption and leukemia mortality and morbidity in 19 European countries: an ecological study. <i>Int Arch Occup Environ Health</i> . 1995;67(2):85-93.
29784	Swaen GM, Slangen JM, Ott MG, Kusters E, et al (1996). Investigation of a cluster of ten cases of Hodgkin's disease in an occupational setting. <i>Int Arch Occup Environ Health</i> , 68(4) pp 224-8.
40700	Swaen GMH, van Amelsvoort LGPM, Slangen JJM, Mohren DCL (2004). Cancer mortality in a cohort of licensed herbicide applicators. <i>Int Arch Occup Environ Health</i> , 77(4): 293-5.
45961	Swansbury J (2003). [Abstract] Lymphoid disorders other than common acute lymphoblastic leukemia: background. <i>Methods Mol Biol</i> , Vol 220 pp 93-110.
28160	Szeszenia-Dabrowska N, Urszula W, Szymczak W, Strzelecka A (2002). Mortality study of workers compensated for asbestosis in Poland, 1970-1997. <i>Int J Occup Med Environ Health</i> , 15(3): 267-78.
10413	Szmigielski S (1996). Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation. <i>The Science of the Total Environment</i> , 180: 9 - 17.
34856	't Mannetje A, McLean D, Cheng S et al (2005). Mortality in New Zealand workers exposed to phenoxy herbicides and dioxins. <i>Occup Environ Med</i> , 63(1): 34-40.
68395	Tadmor T, Aviv A, Polliack A (2011). Merkel cell carcinoma, chronic lymphocytic leukemia and other lymphoproliferative disorders: an old bond with possible new viral ties. <i>Annals of Oncology</i> , 22: 250-6.
21106	Tajima K, Cartier L (1995). Epidemiological features of HTLV-I and adult T cell leukemia. <i>Intervirology</i> , 38: 238-46.
28374	Talbot-Smith A, Fritschi L, Divitini ML, et al (2003). Allergy, atopy, and cancer: a prospective study of the 1981 Busselton cohort. <i>Am J Epidemiol</i> , 157(7): 606-12.
28360	Tamura K, Sawada H, Izumi Y, et al (2001). Chronic lymphocytic leukemia (CLL) is rare, but the proportion of T-CLL is high in Japan. <i>Eur J Haematol</i> , 67(3): 152-7.
13002	Tatham L, Tolbert P & Kjeldsberg C (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(5): 551-8.
21176	Taylor HG, Nixon N, Sheeran TP, Dawes PT (1989). Rheumatoid arthritis and chronic lymphatic leukaemia. <i>Clinical and Experimental Rheumatology</i> , 7: 529-32.
31304	Teitelbaum SL (2002). Questionnaire assessment of nonoccupational pesticide exposure in epidemiologic studies of cancer. <i>J Expo Anal Environ Epidemiol</i> , 12(5) pp 373-380.
28413	Teramoto N, Gogolak P, Nagy N, Maeda A, Kvarnung K, Bjorkholm T, Klein E (2000). Epstein-Barr virus-infected B-chronic lymphocyte leukemia cells express the virally encoded nuclear proteins but they do not enter the cell cycle. <i>J Hum Virol</i> , 3(3): 125-36.
29868	Terstegge CW, Swaen GM, Slangen JJ, Van Vliet C. (1995) Mortality patterns among commercial painters in the Netherlands. <i>Int J Occup Environ Health Vol 1</i> pp 303-310
26165	Teta MJ, Sielken RL Jr, Valdez-Flores C (1999). Ethylene oxide cancer risk assessment based on epidemiological data: application of revised regulatory guidelines. <i>Risk Anal</i> , 19(6): 1135-1155.
30608	The Non-Hodgkin's Lymphoma Classification Project (1997) A clinical evaluation of the International Lymphoma study Group classification of non-Hodgkin's lymphoma. <i>The Non-Hodgkin's Lymphoma Classification Project. Blood</i> 1997;89:3909-18
76021	The University of Newcastle Research Associates (TUNRA) Ltd and Hunter Medical Research Institute (2004). Table 2: Summary of chemicals used with F-111 DSRS programs and their associated cancer classifications. <i>Study of Health Outcomes in Aircraft Maintenance Personnel (SHOAMP). Mortality and Cancer Incidence Study</i> , : 20-1. Commonwealth of Australia.

10435	Theriault G, Goldberg M, Miller AB, et al (1994). Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada, and France:1970-1989. <i>Am J Epidemiol</i> , 139(6): 550-72.
21130	Theriault G, Li CY (1997). Risks of leukaemia among residents close to high voltage transmission electric lines. <i>Occupational & Environmental Medicine</i> , 54: 625-8.
24615	Thomas E, Brewster DH, Black RJ, Macfarlane GJ (2000). Risk of malignancy among patients with rheumatic conditions. <i>Int J Cancer</i> , 88(3): 497-502.
14146	Thomas TL, Kang HK (1990). Mortality and morbidity among army chemical corps Vietnam Veterans: a preliminary report. <i>Am J Ind Med</i> , 18: 665-73.
26118	Thorn A, Gustavsson P, Sadigh J, Westerlund-Hannestrand B, et al (2000). Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides. <i>Occup Environ Med</i> , 57(10): 718-20.
28358	Thorn J, Kerekes E (2001). Health effects among employees in sewage treatment plants: A literature survey. <i>Am J Ind Med</i> , 40(2): 170-9.
28366	Thunberg U, Tobin G, Johnson A, et al (2002). Polymorphism in the P2X7 receptor gene and survival in chronic lymphocytic leukaemia. <i>Lancet</i> , 360(9349): 1935-9.
63817	Thygesen LC, Nielsen OJ, Johansen C (2009). Trends in adult leukemia incidence and survival in Denmark, 1943-2003. <i>Cancer Causes Control</i> , 20: 1671-80.
41158	Tickner JA (2002). Developing scientific and policy methods that support precautionary action in the face of uncertainty - the Institute of Medicine Committee on Agent Orange. <i>Public Health Rep</i> , 117(6) pp 534-545. [Abstract only]
68407	Tolstov YL, Arora R, Scudiere SC et al (2010). [Comment] Lack of evidence for direct involvement of Merkel cell polyomavirus (MCV) in chronic lymphocytic leukemia (CLL). <i>Blood</i> , 115(23): 4973-4.
24937	Tomenson JA, Bonner SM, Heijne CG, Farrar DG, Cummings TF (1997). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. <i>Occupational and Environmental Medicine</i> , 54: 470-6.
45703	Torchio P, Lepore AR, Corrao G, et al (1994). Mortality study on a cohort of Italian licensed pesticide users. <i>The Science of the Total Environment</i> , 149: 183-91.
1693	Tornqvist S, Knave B, Ahlbom A, Persson T (1991). Incidence of leukaemia and brain tumours in some electrical occupations. <i>Br J Ind Med</i> , 48(9): 597-603.
28431	Travier N, Gridley G, De Roos AJ, Plato N, Moradi T, Boffetta P. Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. <i>Scand J Work Environ Health</i> . 2002 Oct;28(5):341-348.
76763	Triebig G (2010). Implications of latency period between benzene exposure and development of leukemia - a synopsis of literature. <i>Chemico-Biological Interactions</i> , 184(1-2): 26-9.
68396	Tsai HT, Cross AJ, Graubard BI et al (2010). Dietary factors and risk of chronic lymphocytic leukemia and small lymphocytic lymphoma: A pooled analysis of two prospective studies. <i>Cancer Epidemiol Biomark Prev</i> , 19: 2680-4.
29606	Tsai SP, Wendt JK (2001). Health findings from a mortality and morbidity surveillance of refinery employees. <i>Ann Epidemiol</i> , 11(7): 466-76.
28514	Tsai SP, Wendt JK, Ransdell JD (2001). A mortality, morbidity, and hematology study of petrochemical employees potentially exposed to 1,3-butadiene monomer. <i>Chem Biol Interact</i> , Vol 135-136 pp 555-567.
20978	Tsang WYW, Chan JKC (1993). [Comment] Epstein-Barr virus and Reed-Sternberg-like cells in chronic lymphocytic leukemia. <i>J Surg Pathol</i> , 117(8): 853-54.
74419	Tuyet-Hanh TT, Vu-Anh L, Ngoc-Bich N, et al (2010). Environmental health risk assessment of dioxin exposure through foods in a dioxin hot spot - Bien Hoa City, Vietnam. <i>Int J Environ Res Public Health</i> , 7: 2395-406.
30513	Tynes T, Haldorsen T (2003). Residential & Occupational Exposure to 50 Hz Magnetic Fields & Hematological Cancers in Norway. <i>Cancer Causes & Control</i> , 14(8): 715-720.

41117	Tynes T, Hannevik M, Andersen A, Vistnes AI, Haldorsen T (1996). Incidence of breast cancer in Norwegian female radio and telegraph operators. <i>Cancer Causes Control</i> , Vol 7 (2) pp 197-204 [Abstract Only].
1707	Tynes T, Jynge H, Vistnes AI (1994). Leukemia and brain tumors in Norwegian railway workers, a nested case-control study. <i>Am J Epidemiol</i> , 139(7): 645-53.
14624	Tynes T, Reitan JB, Andersen A (1994). Incidence of cancer among workers in Norwegian hydroelectric power companies. <i>Scandinavian Journal of Work Environment and Health</i> , 20: 339-44.
28392	Uehara M, Takahashi K, Hoshuyama T, Pan G, Feng Y (2003). Geographical correlation between ambient UVB level and mortality risk of leukemia in Japan. <i>Environ Res</i> , 92(2): 78-84.
27801	Ullrich SE (1999). Dermal application of JP-8 jet fuel induces immune suppression. <i>Toxicological Sciences</i> , 52: 61-7.
28041	Ulvestad B, Kjaerheim K, Martinsen JI, Damberg G, Wannag A, Mowe G, Andersen A (2002). Cancer incidence among workers in the asbestos-cement producing industry in Norway. <i>Scand J Work Environ Health</i> , 28(6): 411-7.
29507	Ungs TJ (1996). [Comments] Cancer incidence in USAF aircrew. <i>Aviat Space Environ Med</i> , 67(8): 794. Comments on ID: 294720.
18947	United Nations Scientific Committee on the Effects of Atomic Radiation [UNSCEAR] (2000). Epidemiological Evaluation of Radiation-Induced Cancer: Annex F. United Nations General Assembly, Forty-ninth session of UNSCEAR Vienna R.607: 1-188. .
26556	Utteridge TD, Gebiski V, Finnie JW, et al (2002). Long-term exposure of E-mu-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. <i>Radiation Research</i> , 158(3): 357-64.
14268	Valberg PA (1997). Radio frequency radiation (RFR) : the nature of exposure and carcinogenic potential. <i>Cancer Causes and Control</i> , 8(3): 323-32.
64419	Valdez-Flores C, Sielken RL Jr, Teta MJ (2010). Quantitative cancer risk assessment based on NIOSH and UCC epidemiological data for workers exposed to ethylene oxide. <i>Regul Toxicol Pharmacol</i> , 56: 313-20.
70262	van Balen E, Font R, Cavalle N, et al (2006). Exposure to non-arsenic pesticides is associated with lymphoma among farmers in Spain. <i>Occup Environ Med</i> , 63: 663-8.
47614	Van den Berg M, Birnbaum LS, Denison M, De Vito M, et al (2006). The 2005 World Health Organization reevaluation of human and mammalian toxic equivalency factors for dioxins and dioxin-like compounds. <i>Toxicol Sci</i> , 93(2): 223-41.
28399	Van Den Heuvel R, Leppens H, Nemethova G, Verschaeve L (2001). Haemopoietic cell proliferation in murine bone marrow cells exposed to extreme low frequency (ELF) electromagnetic fields. <i>Toxicology in Vitro</i> , 15(4-5): 351-5.
24771	van Kaick G, Dalheimer A, Hornik S, Kaul A, et al (1999). The German Thorotrast study: recent results and assessment of risks. <i>Radiation Research</i> , 152: S64-S71.
26576	van Leeuwen FE, Klokman WJ, Veer MB, et al (2000). Long-term risk of second malignancy in survivors of Hodgkin's disease treated during adolescence or young adulthood. <i>J Clin Oncol</i> , 18(3): 487-97.
46311	Van Maele-Fabry G, Duhayon S, Lison D (2007). A systematic review of myeloid leukemias and occupational pesticide exposure. <i>Cancer Causes Control</i> , 18: 457-78.
69135	Van Maele-Fabry G, Duhayon S, Mertens C, et al (2008). Risk of leukaemia among pesticide manufacturing workers: a review and meta-analysis of cohort studies. <i>Environ Res</i> , 106(1): 121-37.
30504	van Netten C, Brands RH, Hopton Cann SA, Spinelli JJ, Sheps SB (2003). Cancer Cluster Among Policy Detachment Personnel. <i>Environment International</i> , Vol 28(7) pp 567-572.

29015	van Wijngaarden E, Savitz DA, Kleckner RC, Kavet R, Loomis D (2001). Mortality patterns by occupation in a cohort of electric utility workers. <i>Am J Ind Med</i> , 40(6): 667-73.
26419	Varady E, Deak B, Molnar ZS, et al (2001). Second malignancies after treatment for Hodgkin's disease. <i>Leuk Lymphoma</i> , 42(6): 1275-81.
30112	Velizarov S, Raskmark P, Kwee S. The effects of radiofrequency fields on cell proliferation are non-thermal. <i>Bioelectrochem Bioenerg</i> . 1999 Feb;48(1):177-180.
21148	Verkasalo PK (1996). Magnetic fields and leukemia - risk for adults living close to power lines. <i>Scand J Work Environ Health</i> , 22(suppl 2): S5-54.
25807	Verkasalo PK (1996). Magnetic fields and leukemia--risk for adults living close to power lines. <i>Scand J Work Environ Health</i> , 22(Suppl 2): 1-56.
14620	Verkasalo PK, Pukkala E, Kaprio J et al (1996). Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: nationwide cohort study. <i>British Medical Journal</i> , 313: 1047-51.
14305	Verschaeve L, Maes A (1998). Genetic, carcinogenic and teratogenic effects of radiofrequency fields. <i>Mutation Research</i> , 410(2): 141-65.
14862	Veterans and Agent Orange (1998). Review of the health effects in Vietnam Veterans of exposure to herbicides. Institute of Medicine., . The National Academic Press, Washington DC.
74418	Viel J-F, Floret N, Deconinck E, et al (2011). Increased risk of non-Hodgkin lymphoma and serum organochlorine concentrations among neighbors of a municipal solid waste incinerator. <i>Environment International</i> , 37: 449-53.
961	Viel JF, Richardson ST (1993). Lymphoma, multiple myeloma and leukaemia among French farmers in relation to pesticide exposure. <i>Soc Sci Med</i> , 37(6): 771-7.
21447	Villeneuve PJ, Agnew DA, Miller AB, Corey PN, Purdham JT (2000). Leukemia in electric utility workers: the evaluation of alternative indices of exposure to 60Hz electric and magnetic fields. <i>American Journal of Industrial Medicine</i> , 37: 607-17.
57307	Villeneuve PJ, Steenland K (2010). [Comment] Re: "Mortality rates among trichlorophenol workers with exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin". <i>Am J Epidemiol</i> , 171(1): 129-30. Comment on ID: 57309.
26084	Vineis P, Crosignani P, Sacerdote C, Fontana A, Masala G, et al (2000). Haematopoietic cancer and medical history: a multicentre case control study. <i>J Epidemiol Community Health</i> , 54(6): 431-6.
1567	Visintainer PF, Barone M, McGee H, Peterson EL (1995). Proportionate mortality study of Vietnam-era Veterans of Michigan. <i>JOEM</i> , 37(4): 423-8.
47576	Viswanatha DS, Dogan A (2007). Hepatitis C virus and lymphoma. <i>J Clin Pathol</i> , 60(12): 1378-83.
60463	Vlaanderen J, Lan Q, Kromhout H, Rothman N, Vermeulen R (2011). Occupational benzene exposure and the risk of lymphoma subtypes: a meta-analysis of cohort studies incorporating three study quality dimensions. <i>Environ Health Perspect</i> , 119(2): 159-67.
29474	Vlassov VV (1999). [Comment] Cancer incidence in USAF aircrew. <i>Aviation, Space, and Environmental Medicine</i> , 70(1): 89-90. Comment on ID: 29472.
28515	Voulgari PV, Vartholomatos G, Kaiafas P, Bourantas KL, Drosos AA. Rheumatoid arthritis and B-cell chronic lymphocytic leukemia. <i>Clin Exp Rheumatol</i> . 2002 Jan-Feb;20(1):63-5.
21420	Voutsadakis IA (2000). Apoptosis and the pathogenesis of lymphoma. <i>Acta Oncologica</i> , 39(2): 151-6.
68399	Vyas N, Hassan A (2012). Recent advances in chronic lymphocytic leukemia. <i>Indian J Cancer</i> , 49(1): 137-43.
26375	Waddell BL, Zahm SH, Baris D, et al (2001). Agricultural use of organophosphate pesticides and the risk of non-Hodgkin's lymphoma among male farmers (United States). <i>Cancer Causes Control</i> , 12(6): 509-17.

76893	Wang L, He X, Bi Y, et al (2012). Stem cell and benzene-induced malignancy and hematotoxicity. <i>Chem Res Toxicol</i> , 25(7): 1303-15.
29718	Wang Y, Lewis-Michl EL, Hwang SA, Fitzgerald EF, Stark AD. Cancer incidence among a cohort of female farm residents in New York State. <i>Arch Environ Health</i> . 2002 Nov-Dec;57(6):561-567.
24707	Wannamethee SG, Shaper AG, Walker M (2001). Physical activity and risk of cancer in middle-aged men. <i>Br J Cancer</i> , 85(9): 1311-6.
7451	Ward JH (1992). Hematologic effects of occupational hazards. <i>Environmental and Occupational Medicine</i> , 2nd Edition,: 619-31. Little, Brown & Co., Boston.
20703	Wartenberg D, Reyner D, Scott CS (2000). Trichloroethylene and cancer: epidemiologic evidence. <i>Environmental Health Perspectives</i> , 108(S2): 161-76.
29720	Wartenberg D, Scott CS (2002). Carcinogenicity of trichloroethylene. <i>Environ Health Perspect</i> , 110(1): A13-14.
26828	Wassberg C, Thorn M, Yuen J, et al (1999). Cancer risk in patients with earlier diagnosis of cutaneous melanoma in situ. <i>Int J Cancer</i> , 83(3): 314-17.
7499	Watanabe KK, Kang HK, Dalager NA (1995). Cancer mortality risk among military participants of a 1958 atmospheric nuclear weapons test. <i>American Journal of Public Health</i> , 85(4): 523-7.
12938	Waterhouse D, Carman WJ, Schottenfeld D, Gridley G, et al (1996). Cancer incidence in the rural community of Tecumseh, Michigan: a pattern of increased lymphopoietic neoplasms. <i>Cancer</i> , 77(4): 763-70.
20974	Waterhouse D, Carman WJ, Schottenfeld D, Gridley G, McLean S (1996). Cancer incidence in the rural community of Tecumseh, Michigan. A pattern of increased lymphopoietic neoplasms. <i>Cancer</i> , 77(4): 763-70.
70263	Weisenburger DD, Chiu BC (2002). Does asbestos exposure cause non-Hodgkin's lymphoma or related hematolymphoid cancers? A review of the epidemiologic literature. <i>Clin Lymphoma</i> , 3(1): 36-40.
13870	Weiss HA, Darby SC, Fearn T, Doll R (1995). Leukemia mortality after X-Ray treatment for ankylosing spondylitis. <i>Radiation Research</i> , 142: 1-11.
45912	Wernke MJ, Schell JD (2004). Solvents and malignancy. <i>Clin Occup Environ Med</i> , Vol 4 pp 513-527.
23598	Weyer PJ, Cerhan JR, Kross BC, et al (2001). Municipal drinking water nitrate level and cancer risk in older women: the Iowa Women's Health Study. <i>Epidemiology</i> , 12(3): 327-38.
29368	Whalen MM, Loganathan BG, Yamashita N, Saito T (2003). Immunomodulation of human natural killer cell cytotoxic function by triazine & carbamate pesticides. <i>Chemico-Biological Interactions</i> , Vol 145 pp 311-319.
30179	White RD (1999). Refining and blending of aviation turbine fuels. <i>Drug Chem Toxicol</i> , 22(1): 143-153.
19170	Wiebelt H, Becker N (1999). Mortality in a cohort of toluene exposed employees (Rotogravure printing plant workers). <i>Journal of Occupational & Environmental Medicine</i> , 41(12): 1134-9.
23575	Wiggs LD, Cox-deVore CA, Wilkinson GS, Reyes M (1991). Mortality among workers exposed to external ionizing radiation at a nuclear facility in Ohio. <i>Journal of Occupational Medicine</i> , 33(5): 632-7.
960	Wigle DT, Semenciw RM, Wilkins K, et al (1990). Mortality study of Canadian male farm operators: non-Hodgkin's lymphoma and agricultural practices in Saskatchewan. <i>J Natl Cancer Inst</i> , 82(7): 575-82.
3611	Wiklund K, Dich J (1994). Cancer Risks among Female Farmers in Sweden. <i>Cancer Causes and Control</i> , 5: 449-57.
16955	Wiklund K, Dich J (1995). Cancer risks among male farmers in Sweden. <i>European Journal of Cancer Prevention</i> , 4(1): 81-90.
3849	Wiklund K, Dich J, Holm L-E, Eklund G (1989). Risk of cancer in pesticide applicators in Swedish agriculture. <i>Br Journal of Industrial Med</i> , 46: 809-14.

8934	Wilcosky TC, Checkoway H, Marshall EG, Tyroler HA (1984). Cancer mortality and solvent exposures in the rubber industry. <i>Am Ind Hyg Assoc J</i> , 45(12): 809-811.
7381	Wilkinson GS, Dreyer NA (1991). Leukemia among Nuclear Workers with Protracted Exposure to Low-Dose Ionizing Radiation. <i>Epidemiology</i> , 2(4): 305-9.
26116	Wilkinson P, Thakrar B, Walls P, Landon M, Falconer S, Grundy C, Elliott P (1999). Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain. <i>Occup Environ Med</i> , 56(9): 577-80.
50930	Willett EV, Morton LM, Hartge P, Becker N, et al (2008). Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph consortium. <i>Int J Cancer</i> , 122: 2062-70.
30604	Williams PR, Cushing CA and Sheehan PJ (2003). Data available for evaluating the risks and benefits of MTBE and Ethanol as alternative fuel oxygenates. <i>Risk Analysis</i> , 23(5) pp 1085-1115.
74423	Wilson E, Horsley K, van der Hoek R (2004). Dioxin in Vietnam: Characterisation, monitoring, remediation and effects. Cancer incidence in Australian Vietnam Veterans. <i>Organohalogen Compounds</i> , 66: 3628-33.
41295	Wilson E, Horsley K, van der Hoek R (2005). Australian National Service Vietnam Veterans Mortality and Cancer Incidence Study, . Department of Veterans Affairs, Canberra.
35366	Wilson EJ, Horsley KW (2003). Health effects of Vietnam service. <i>ADF Health</i> , 4(2): 59-65.
43077	Wilson EJ, Horsley KW, van der Hoek R (2005). Cancer incidence in Australian Vietnam veterans study. Australian Institute of Health and Welfare, . Department of Veterans Affairs, Canberra.
41296	Wilson EJ, Horsley KW, van der Hoek R (2005). The Third Australian Vietnam Veterans Mortality Study, . Department of Veterans Affairs, Canberra.
28810	Wolk A, Gridley G, Svensson M, et al (2001). A prospective study of obesity and cancer risk (Sweden). <i>Cancer Causes Control</i> , 12(1): 13-21.
4594	Wong O (1995). Risk of acute myeloid leukaemia and multiple myeloma in workers exposed to benzene. <i>Occup Environ Med</i> , 52: 380-4.
26040	Wong O (1999). A critique of the exposure assessment in the epidemiologic study of benzene-exposed workers in China conducted by the Chinese Academy of Preventive Medicine and the US National Cancer Institute. <i>Regul Toxicol Pharmacol</i> , 30(3): 259-67.
29971	Wong O (1999). A critique of the exposure assessment in the epidemiologic study of benzene-exposed workers in China conducted by the Chinese Academy of Preventive Medicine and the US National Cancer Institute. <i>Regulatory Toxicology and Pharmacology</i> , 30: 259-67.
24625	Wong O, Harris F (2000). Cancer mortality study of employees at lead battery plants and lead smelters, 1947-1995. <i>Am J Ind Med</i> , 38(3): 255-70.
26186	Wong O, Harris F, Rosamilia K, et al (2001). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas, 1945 to 1996. <i>J Occup Environ Med</i> , 43(4): 384-401.
4601	Wong O, Harris F, Smith TJ (1993). Health effects of gasoline exposure. II. Mortality patterns of distribution workers in the United States. <i>Environ Health Perspect</i> , 101(Suppl 6): 63-76.
3260	Wong O, Raabe GK (1989). Critical review of cancer epidemiology in petroleum industry employees, with a quantitative meta-analysis by cancer site. <i>Am J Ind Med</i> , 15: 283-310.
7345	Wong O, Raabe GK (1995). Cell-type-specific leukemia analyses in a combined cohort of more than 208,000 petroleum workers in the United States and the United Kingdom, 1937-1989. <i>Regulatory Toxicology and Pharmacology</i> , 21: 307-21.

12903	Wong O, Raabe GK (1997). Multiple myeloma and benzene exposure in a multinational cohort of more than 250,000 petroleum workers. <i>Regulatory, Toxicology & Pharmacology</i> , 26: 188-99.
28437	Wong O, Raabe GK, Rushton L, Romanuik H (1998). [Comment] Acute myeloid and monocytic leukaemia and benzene exposure in petroleum distribution workers in the United Kingdom. <i>Occup Environ Med</i> , 55(5): 360-61.
22497	Wong O, Trent L, Harris F (1999). Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline. <i>Occupational & Environmental Medicine</i> , 56: 217-21.
28506	Wong O. Recent findings and new initiatives for epidemiologic research on benzene. <i>J Toxicol Environ Health A</i> . 2000 Nov;61(5-6):457-466.
26197	Wong O; Hayes RB, Linet M, Dosemeci M, et al (1998). [Comment] Re: Benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 90(6): 469-71.
28382	World Health Organization (2000). Death rates of "atomic vets". <i>Public Health Reports</i> , 115(1): 8.
10427	World Health Organization (WHO). Electromagnetic Fields (300Hz to 300 GHz). WHO Geneva, <i>Environmental Health Criteria</i> , 137: 15-51, 113-5 & 147-75.
28393	Xie Y, Davies SM, Xiang Y, Robison LL, Ross JA (2003). Trends in leukemia incidence and survival in the United States (1973-1998). <i>Cancer</i> , 97(9): 2229-35.
21062	Yamaguchi K, Takatsuki K (1993). Adult T cell leukemia-lymphoma. <i>Bailliere's Clinical Haematology</i> , 6(4): 899-915.
28722	Yamaguchi K, Watanabe T. Human T lymphotropic virus type-I and adult T-cell leukemia in Japan. <i>Int J Hematol</i> . 2002 Aug;76 Suppl 2:240-5.
28623	Yamamoto S (2002). Leukemia incidence in the world. <i>Jpn J Clin Oncol</i> , 32(8):323-326.
12516	Yost MG (1992). Occupational health effects of nonionizing radiation. <i>Occupational Medicine</i> , 7(3): 543-66.
45879	Young AL, Giesy JP, Jones PD, et al (2004). Environmental fate and bioavailability of Agent Orange and its associated dioxin during the Vietnam War. <i>Environ Sci Pollut Res Int</i> , 11(6): 359-70.
45880	Young AL, Newton M (2004). Long overlooked historical information on Agent Orange and TCDD following massive applications of 2,4,5-T-containing herbicides, Eglin Air Force Base, Florida. <i>Environ Sci Pollut Res Int</i> , 11(6): 209-21.
45701	Young AL, Regens JL (2005). Serum TCDD levels and health effects from elevated exposure: medical and scientific evidence. <i>ESPR</i> , 12(1): 1-4.
20979	Yuille MR, Matutes E, Marossy A, Hilditch B, Catovsky D, Houlston RS (2000). Familial chronic lymphocytic leukaemia: a survey and review of published studies. <i>British Journal of Haematology</i> , 109: 794-9.
28359	Yuille MR, Matutes E, Marossy A, Hilditch B, Catovsky D, Houlston RS (2000). Familial chronic lymphocytic leukaemia: a survey and review of published studies. <i>Br J Haematol</i> , 109(4): 794-9.
69050	Zablotska LB, Bazyka D, Lubin JH, et al (2013). Radiation and the risk of chronic lymphocytic and other leukemias among Chernobyl cleanup workers. <i>Environ Health Perspect</i> , 121(1): 59-65.
14601	Zahm SH (1997). Mortality study of pesticide applicators and other employees of a lawn care service company. <i>J Occup Environ Med</i> , 39(11): 1055-67.
14649	Zahm SH, Weisenburger DD, Babbitt PA et al (1990). A case-control study of non-Hodgkin's lymphoma and the herbicide 2,4-dichlorophenoxyacetic acid (2,4 -D) in eastern Nebraska. <i>Epidemiology</i> , 1: 349-56.
20973	Zahm SH, Weisenburger DD, Babbitt PA, Saal RC, Vaught JB, & Blair A (1992). Use of hair coloring products and the risk of lymphoma, multiple myeloma, and chronic lymphocytic leukemia. <i>American Journal of Public Health</i> , 82(7): 990-7.

13045	Zahm SH, Weisenburger DD, Holmes FF, Cantor KP, et al (1997). Tobacco and non-Hodgkin's lymphoma: combined analysis of three case-control studies. (US). <i>Cancer Causes & Control</i> , 8(2): 159-66.
30041	Zayed J (2001). Use of MMT in Canadian gasoline: health and environment issues. <i>Am J Ind Med</i> , 39(4): 426-33.
30484	Zeeb H, Blettner M, Langner I, Hammer GP, Ballard TJ, et al (2003). Mortality from cancer and other causes among airline cabin attendants in Europe: a collaborative cohort study in eight countries. <i>Am J Epidemiol</i> , Vol 158(1) pp 35-46.
27804	Zeiger E, Smith L (1998). The first international conference on the environmental health and safety of jet fuel. <i>Environmental Health Perspectives</i> , 106(11): 763-64.
28365	Zent CS, Kyasa MJ, Evans R, Schichman SA (2001). Chronic lymphocytic leukemia incidence is substantially higher than estimated from tumor registry data. <i>Cancer</i> , 92(5): 1325-30.
30037	Zhang L, Eastmond DA, Smith MT (2002). The nature of chromosomal aberrations detected in humans exposed to benzene. <i>Crit Rev Toxicol</i> , 32(1) pp 1-42.
26187	Zheng T, Blair A, Zhang Y, et al (2002). Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. <i>J Occup Environ Med</i> , 44(5): 469-74.
20976	Zheng T, Owens PH; Adami J (2000). [Comments] Hodgkin's lymphoma. <i>Journal of Cancer</i> , 87: 884-86.
26188	Zheng T, Zahm SH, Cantor KP, et al (2001). Agricultural exposure to carbamate pesticides and risk of non-Hodgkin lymphoma. <i>J Occup Environ Med</i> , 43(7): 641-9.
950	Zheng W, Linet MS, Shu X, Pan R, et al (1993). Prior medical conditions and the risk of adult leukemia in Shanghai, People's Republic of China. <i>Cancer Causes Control</i> , 4: 361-8.
26578	Zhu D, Thompsett AR, Bedu-Addo G, Stevenson FK, Bates I (1999). VH gene sequences from a novel tropical splenic lymphoma reveal a naive B cell as the cell of origin. <i>Br J Haematol</i> , 107(1): 114-20.
30572	Zinc Chromate. Human health effects. Taken from SMRC.