



# MESANGIAL IgA GLOMERULONEPHRITIS

RMA ID Number	Reference List for RMA307-3 as at May 2021
---------------	--

98829	Abbad L, Monteiro RC, Berthelot L (2020). Food antigens and transglutaminase 2 in IgA nephropathy: Molecular links between gut and kidney. <i>Mol Immunol</i> , 121: 1-6.
98831	Ahuja TS, Funtanilla M, de Groot JJ, et al (1998). IgA nephropathy in psoriasis. <i>Am J Nephrol</i> , 18(5): 425-9.
21237	Alamartine E, Sabatier JC, Guerin C, et al (1991). Prognostic factors in mesangial IgA glomerulonephritis: an extensive study with univariate and multivariate analyses. <i>Am J Kidney Dis</i> , 18(1): 12-9.
63762	Alamartine E, Sauron C, Laurent B, et al (2011). The use of the Oxford classification of IgA nephropathy to predict renal survival. <i>Clin J Am Soc Nephrol</i> , 6(10): 2384-8.
62940	Altay M, Unverdi S, Altay FA, et al (2010). Renal injury due to hepatic hydatid disease. <i>Nephrol Dial Transplant</i> , 25(8): 2611-5.
98832	AlQahtani H, Alqahtani FY, Aleanizy FS, et al (2019). IgA nephropathy flare-up mimicking staphylococcus post-infection glomerulonephritis in patient with staphylococcus aureus infection treated with cefazolin: A case report and brief review of the literature. <i>Am J Case Rep</i> , 20: 508-10.
98833	Ambruzs JM, Walker PD, Larsen CP (2014). The histopathologic spectrum of kidney biopsies in patients with inflammatory bowel disease. <i>Clin J Am Soc Nephrol</i> , 9(2): 265-70.
98834	Andrassy K, Waldherr R, Erb A, et al (1992). De novo glomerulonephritis in patients during remission from Wegener's granulomatosis. <i>Clin Nephrol</i> , 38(6): 295-8. [Abstract]
98835	Anwar N, Gokal R (1993). Simultaneous occurrence of IgA nephropathy and sarcoidosis in the context of pre-existent minimal change nephrotic syndrome. <i>Nephron</i> , 65(2): 310-2.
63700	Azevedo DC, Ferreira GA, Carvalho MA (2011). IgA nephropathy in patients with spondyloarthritis followed-up at the Rheumatology service of hospital das Clinicas/UFMG. <i>Rev Bras Reumatol</i> , 51(5): 412-22.
62627	Azevedo DC, Ferreira GA, Carvalho MA (2011). IgA nephropathy in spondyloarthritis. <i>Rev Bras Reumatol</i> , 51(1): 104-8.
63744	Barratt J, Feehally J (2011). Primary IgA nephropathy: New insights into pathogenesis. <i>Semin Nephrol</i> , 31(4): 349-60.
21046	Basile C, Semeraro A, Montanaro A, et al (1998). IgA nephropathy in a patient with systemic lupus erythematosus. <i>Nephrol Dial Transplant</i> , 13(7): 1891-2.
21048	Beaufils H, Jouanneau C, Katlama C, et al (1995). HIV-associated IgA nephropathy--a post-mortem study. <i>Nephrol Dial Transplant</i> , 10(1): 35-8.
98836	Bermejo S, Soler MJ, Gimeno J, et al (2016). Predictive factors for non-diabetic nephropathy in diabetic patients. The utility of renal biopsy. <i>Nefrologia</i> , 36(5): 535-44.

98837	Berthoux F, Mariat C, Maillard N (2013). Overweight/obesity revisited as a predictive risk factor in primary IgA nephropathy. <i>Nephrol Dial Transplant</i> , 28(Suppl 4): iv160-6.
21367	Beukhof JR, Kardaun O, Ockhuizen Th, et al (1987). Kidney survival in IgA nephropathy: multiple regression analysis of genetically differing subpopulations--is IgA nephropathy a real disease entity? <i>Semin Nephrol</i> , 7(4): 367-9.
98839	Bhagat Singh AK, Jeyaruban AS, Wilson GJ, et al (2019). Adalimumab-induced IgA nephropathy. <i>BMJ Case Rep</i> , 12(3): e226442.
62643	Bhatt N, Bhatt N (2007). [Comment] IgA nephropathy in cystic fibrosis. <i>Clin Nephrol</i> , 67(6): 403-4.
98840	Bhimma R (2019). Henoch-Schonlein purpura. Retrieved 1 October 2020, from <a href="https://emedicine.medscape.com/article/984105-overview">https://emedicine.medscape.com/article/984105-overview</a>
21587	Bombassei GJ, Kaplan AA (1992). The association between hydrocarbon exposure and anti-glomerular basement membrane antibody-mediated disease (Goodpasture's syndrome). <i>Am J Ind Med</i> , 21(2): 141-53.
98841	Boonpheng B, Cheungpasitporn W, Wijarnpreecha K (2018). Renal disease in patients with celiac disease. <i>Minerva Med</i> , 109(2): 126-40.
98842	Booth JW, Hamzah L, Jose S, et al (2016). Clinical characteristics and outcomes of HIV-associated immune complex kidney disease. <i>Nephrol Dial Transplant</i> , 31(12): 2099-107.
57304	Brake M, Somers D (2010). IgA nephropathy. Retrieved 7 July 2010, from <a href="http://emedicine.medscape.com/article/239927">http://emedicine.medscape.com/article/239927</a>
98843	Browning SG (2018). The roles of systemic lupus erythematosus and immunoglobulin A nephropathy in glomerular disease. <i>Nurs Clin North Am</i> , 53(4): 531-9.
98844	Bu R, Li Q, Duan ZY, et al (2015). Clinicopathologic features of IgA-dominant infection-associated glomerulonephritis: a pooled analysis of 78 cases. <i>Am J Nephrol</i> , 41(2): 98-106.
21363	Caillette A, Tabakian A, Colon S, et al (1993). IgA mesangial nephropathy in over-75-year-old patients. <i>Contrib Nephrol</i> , 105: 152-6.
98845	Campbell P (1999). Pernicious anemia and IgA nephropathy: a reply to Nunes et al. <i>Clin Nephrol</i> , 51(6): 391-2.
98846	Canas L, Lopez D, Perez JF, et al (2015). Recurrent glomerulonephritis in renal transplantation: Experience in our renal transplantation center. <i>Transplant Proc</i> , 47(8): 2354-6.
21364	Caraman PL, Azoulay E, Kessler M, et al (1993). Mucosal infections and allergy in IgA nephropathy. A retrospective study. <i>Association des Nephrologues de l'Est de la France. Contrib Nephrol</i> , 104: 24-30.
98847	Carbayo J, Rodriguez-Benitez P, Diaz-Crespo F, et al (2019). IgA dominant postinfectious glomerulonephritis secondary to cutaneous infection by methicillin-resistant <i>Staphylococcus aureus</i> . <i>Nefrologia</i> , 39(4): 446-8.
63697	Cattran DC, Coppo R, Cook HT, et al (2009). The Oxford classification of IgA nephropathy: rationale, clinicopathological correlations, and classification. <i>Kidney Int</i> , 76(5): 534-45.
98848	Cazorla-Lopez JM, Wu J, Villanego-Fernandez F, et al (2020). IgA nephropathy after renal transplant: Recurrences and de novo cases. <i>Transplant Proc</i> , 52(2): 515-8.
98849	Cha YJ, Lim BJ, Kim BS, et al (2016). Smoking-related renal histologic injury in IgA nephropathy patients. <i>Yonsei Med J</i> , 57(1): 209-16.
21037	Chadban S (2001). Glomerulonephritis recurrence in the renal graft. <i>J Am Soc Nephrol</i> , 12(2): 394-402.
62647	Chan GS, Lam MF, Au WY, et al (2004). [Comment] IgA nephropathy complicating graft-versus-host disease, another nephropathy causing nephrotic syndrome after bone marrow transplantation. <i>Histopathology</i> , 45(6): 648-51.

62626	Cherubini C, Barbera G, Di Giulio SD, et al (2001). Lymphomas and IgA nephropathy. <i>Nephrol Dial Transplant</i> , 16(8): 1722-3.
98850	Cheung CK, Barratt J (2020) Clinical presentation and diagnosis of IgA nephropathy. Retrieved 22 September 2020, from <a href="https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-iga-nephropathy">https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-iga-nephropathy</a>
98858	Cho SB, Kim J, Kang SW, et al (2013). Renal manifestations in 2007 Korean patients with Behcet's disease. <i>Yonsei Med J</i> , 54(1): 189-96.
62920	Coccoli P, Esposito P, Cianciaruso B, et al (2007). Hepatitis C and kidney disease. <i>Dig Liver Dis</i> , 39(Suppl 1): s83-5.
98859	Coppo R (2018). The gut-renal connection in IgA nephropathy. <i>Semin Nephrol</i> , 38(5): 504-12.
62724	Corrado A, Quarta L, Di Palma AM, et al (2007). IgA nephropathy in systemic lupus erythematosus. <i>Clin Exp Rheumatol</i> , 25(3): 467-9.
98860	Cossey LN, Messias N, Messias E, et al (2014). Defining the spectrum of immunoglobulin A-dominant/codominant glomerular deposition in diabetic nephropathy. <i>Hum Pathol</i> , 45(11): 2294-301.
21171	D'Amico G (1998). Pathogenesis of immunoglobulin A nephropathy. <i>Curr Opin Nephrol Hypertens</i> , 7(3): 247-50.
18480	Damjanov J, Amato JA (1979). Progression of renal disease in Henoch-Schonlein purpura after influenza vaccination. <i>JAMA</i> , 242(23): 2555-6.
98861	da Silva LS, Almeida BL, de Melo AK, et al (2016). IgA nephropathy in systemic lupus erythematosus patients: case report and literature review. <i>Rev Bras Reumatol Engl Ed</i> , 56(3): 270-3.
62930	Davin JC, Ten Berge IJ, Weening JJ (2001). What is the difference between IgA nephropathy and Henoch-Schonlein purpura nephritis? <i>Kidney Int</i> , 59(3): 823-34.
21284	De Siati L, Paroli M, Ferri C, et al (1999). Immunoglobulin A nephropathy complicating pulmonary tuberculosis. <i>Ann Diagn Pathol</i> , 3(5): 300-3.
62726	De Stefano R, Frati E, Brugnano R, et al (2011). IgA glomerulonephritis associated with Churg-Strauss syndrome. <i>Clin Exp Rheumatol</i> , 29(1 Suppl 64): S141-2.
21242	Denizot Y, Aupetit C, Bridoux F, et al (2000). Deregulated platelet-activating factor levels and acetylhydrolase activity in patients with idiopathic IgA nephropathy. <i>Nephrol Dial Transplant</i> , 15(9): 1344-7.
21710	Denny-Brown D (1947). Neurological conditions resulting from prolonged and severe dietary restriction; case reports in prisoners-of-war, and general review. <i>Medicine (Baltimore)</i> , 26(1): 41-113.
98862	Dey AK, Bhattacharya A, Majumdar A (2013). Hepatitis C as a potential cause of IgA nephropathy. <i>Indian J Nephrol</i> , 23(2):143-5.
98863	Di Lernia V (2017). IgA nephropathy during treatment with TNF-alpha blockers: Could it be predicted? <i>Med Hypotheses</i> , 107: 12-3.
21039	Donadio JV Jr, Grande JP (1997). Immunoglobulin A nephropathy: a clinical perspective. <i>J Am Soc Nephrol</i> , 8(8): 1324-32.
21063	Durand JM, Burtey S (1999). [Comments] Glomerulonephritis. <i>Lancet</i> , 354(9176): 428-9.
98864	Elaziz MM, Fayed A (2018). Patterns of renal involvement in a cohort of patients with inflammatory bowel disease in Egypt. <i>Acta Gastroenterol Belg</i> , 81(3): 381-5.
21293	Endo Y (1997). IgA nephropathy- human disease and animal model. <i>Ren Fail</i> , 19(3): 347-71.
98865	Endo Y, Hara M (1986). Glomerular IgA deposition in pulmonary diseases. <i>Kidney Int</i> , 29(2): 557-62.
21073	Endo Y, Kanbayashi H (1994). Etiology of IgA nephropathy syndrome. <i>Pathol Int</i> , 44(1): 1-13.
21509	Endtz LJ, Frenay J, Goor C (1983). Vasculitic neuropathy in RA. <i>Neurology</i> , 33(12): 1635-6.

21170	Feehally J, Allen AC (1999). Structural features of IgA molecules which contribute to IgA nephropathy. <i>J Nephrol</i> , 12(2): 59-65.
21537	Feehally J, Allen AC (1999). Pathogenesis of IgA nephropathy. <i>Ann Med Interne (Paris)</i> , 150(2): 91-8.
62630	Fernandez J, Sanz-Gallen P, Nogue S (2010). [Follow-up of two patients with mesangial IgA glomerulonephritis exposed to cadmium and organic solvents]. <i>An Sist Sanit Navar</i> , 33(3): 309-13 [Article in Spanish].
21538	Ferrario F, Rastaldi MP, Napodano P (1999). Morphological features in IgA nephropathy. <i>Ann Med Interne (Paris)</i> , 150(2): 108-16.
62939	Fored M, Nise G, Ejerblad E, et al (2004). Absence of association between organic solvent exposure and risk of chronic renal failure: a nationwide population-based case-control study. <i>J Am Soc Nephrol</i> , 15(1): 180-6.
62646	Forshaw MJ, Guirguis O, Hennigan TW (2005). IgA nephropathy in association with Crohn's disease. <i>Int J Colorect Dis</i> , 20(5): 463-5.
97852	Fousekis FS, Mitselos IV, Christodoulou DK (2020). Extrahepatic manifestations of hepatitis E virus: An overview. <i>Clin Mol Hepatol</i> , 26(1): 16-23.
21235	Galla JH (1995). IgA nephropathy. <i>Kidney Int</i> , 47(2): 377-87.
21430	Garcia R, Silva R, Silva D (1995). [Alcohol consumption and IgA mesangial glomerulonephritis (Berger's disease)]. <i>Rev Med Chil</i> , 123(1): 37-43 [Article in Spanish].
21711	Gaughan WJ, Hassan MH, McCue PA, et al (1999). Association of IgA nephropathy with <i>Clostridium difficile</i> colitis. <i>Am J Kidney Dis</i> , 34(4): e16.
62921	George E, Nadkarni GN, Estrella MM, et al (2011). The impact of hepatitis C coinfection on kidney disease related to human immunodeficiency virus (HIV): a biopsy study. <i>Medicine (Baltimore)</i> , 90(5): 289-95.
21365	Girelli CM, Cuvello P, Limido E, et al (1996). Duodenogastric reflux: an update. <i>Am J Gastroenterol</i> , 91(4): 648-53.
21049	Glasscock RJ (1994). IgA nephropathy: report of a symposium down under. <i>Nephrol Dial Transplant</i> , 9(9): 1341-3.
62631	Glasscock RJ (2011). The pathogenesis of IgA nephropathy. <i>Curr Opin Nephrol Hypertens</i> , 20(2): 153-60.
64161	Gordon A, Menahem S, Mitchell J, et al (2004). Combination pegylated interferon and ribavirin therapy precipitating acute renal failure and exacerbating IgA nephropathy. <i>Nephrol Dial Transplant</i> , 19(8): 2155.
98866	Grewal SK, Wan J, Denburg MR, et al (2017). The risk of IgA nephropathy and glomerular disease in patients with psoriasis: a population-based cohort study. <i>Br J Dermatol</i> , 176(5): 1366-9.
21241	Haas M (1996). IgA nephropathy histologically resembling focal-segmental glomerulosclerosis: a clinicopathologic study of 18 cases. <i>Am J Kidney Dis</i> , 28(3): 365-71.
21240	Haas M (1997). Histologic subclassification of IgA nephropathy: a clinicopathologic study of 244 cases. <i>Am J Kidney Dis</i> , 29(6): 829-42.
21038	Haas M, Nair R, Kovesdy C (2000). A 49-year-old woman with hematuria, proteinuria, and glomerular immune complex deposits containing IgA and IgG. <i>Am J Kidney Dis</i> , 36(6): 1281-5.
62641	Haas M, Racusen LC, Bagnasco SM (2008). IgA-dominant postinfectious glomerulonephritis: a report of 13 cases with common ultrastructural features. <i>Hum Pathol</i> , 39(9): 1309-16.
21549	Haber RW, Joseph M (1962). Neurological manifestations after amphotericin B therapy. <i>Br Med J</i> , 1(5273): 230-1.
98867	Hamada K, Nagai S, Ono T, et al (2003). Sarcoidosis complicated with IgA nephropathy. <i>Sarcoidosis Vasc Diffuse Lung Dis</i> , 20(1): 69-73.

62728	Han SH, Kang EW, Kie JH, et al (2010). Spontaneous remission of IgA nephropathy associated with resolution of hepatitis A. <i>Am J Kidney Dis</i> , 56(6): 1163-7.
98868	Hara M, Nemoto T, Hijima T, et al (2013). A case of IgA nephropathy associated with mycosis fungoides that developed into rapidly progressive glomerulonephritis. <i>Clin Nephrol</i> , 79(2): 161-5.
98869	Harada Y, Sakai K, Asaka S, et al (2017). Angioimmunoblastic T-cell lymphoma associated with IgA nephropathy. <i>Intern Med</i> , 56(1): 85-9.
98870	He D, Wang R, Liang S, et al (2020). Comparison of secondary IgA nephropathy in patients with ankylosing spondylitis and rheumatoid arthritis. <i>Mod Rheumatol</i> , 30(4): 648-56.
98871	Hemminger J, Arole V, Ayoub I, et al (2018). Acute glomerulonephritis with large confluent IgA-dominant deposits associated with liver cirrhosis. <i>PLoS One</i> , 13(4): e0193274.
21369	Hernandez JI, Gomez-Roman J, Rodrigo E, et al (1997). Bronchiolitis obliterans and IgA nephropathy. A new cause of pulmonary-renal syndrome. <i>Am J Respir Crit Care Med</i> , 156(2 Pt 1): 665-8.
62927	Hogg RJ (2010). Idiopathic immunoglobulin A nephropathy in children and adolescents. <i>Pediatr Nephrol</i> , 25(5): 823-9.
62625	Horino T, Takao T, Terada Y (2010). IgA nephropathy in a patient with systemic lupus erythematosus. <i>Lupus</i> , 19(5): 650-4.
98872	Horvatic I, Tisljar M, Kacinari P, et al (2014). Non-diabetic renal disease in Croatian patients with type 2 diabetes mellitus. <i>Diabetes Res Clin Pract</i> , 104(3): 443-50.
21592	Hotz P (1994). Occupational hydrocarbon exposure and chronic nephropathy. <i>Toxicology</i> , 90(3): 163-283.
21044	Hsu SI, Ramirez SB, Winn MP, et al (2000). Evidence for genetic factors in the development and progression of IgA nephropathy. <i>Kidney Int</i> , 57(5): 1818-35.
62937	Hu SL, Colvin GA, Rifai A, et al (2010). Glomerulonephritis after hematopoietic cell transplantation: IgA nephropathy with increased excretion of galactose-deficient IgA1. <i>Nephrol Dial Transplant</i> , 25(5): 1708-13.
98873	Huang PP, Shu DH, Su Z, et al (2019). Association between lifestyle, gender and risk for developing end-stage renal failure in IgA nephropathy: a case-control study within 10 years. <i>Ren Fail</i> , 41(1): 914-20.
21064	Hung KY, Chen WY, Yen TS, et al (1996). Adult primary IgA nephropathy and common viral infections. <i>J Infect</i> , 32(3): 227-30.
21166	Hunley TE, Kon V (1999). IgA nephropathy. <i>Curr Opin Pediatr</i> , 11(2): 152-7.
21371	Ibels LS, Gyory AZ (1994). IgA nephropathy: analysis of the natural history, important factors in the progression of renal disease, and a review of the literature. <i>Medicine (Baltimore)</i> , 73(2): 79-102.
98874	Innes A, Cotton RE, Burden RP (1990). Association of IgA nephropathy and myasthenia gravis. <i>Nephron</i> , 54(4): 354.
20350	Institute of Medicine (2000). <i>Gulf War and Health: Volume 1 - Depleted Uranium, Pyridostigmine Bromide, Sarin, Vaccines</i> . Institute of Medicine, National Academies Press - Washington, DC.
62629	Iwazu Y, Akimoto T, Muto S, et al (2011). Clinical remission of Henoch-Schonlein purpura nephritis after a monotherapeutic tonsillectomy. <i>Clin Exp Nephrol</i> , 15(1): 132-5.
62932	Jacob S, Hery M, Protois JC, et al (2007). New insight into solvent-related end-stage renal disease: occupations, products and types of solvents at risk. <i>Occup Environ Med</i> , 64(12): 843-8.

55628	Jacob S, Hery M, Protois JC, et al (2007). Effect of organic solvent exposure on chronic kidney disease progression: the GN-PROGRESS Cohort Study. <i>J Am Soc Nephrol</i> , 18(1): 274-81.
98875	Jain A, Srinivas BH, Emmanuel D, et al (2018). Renal involvement in primary Sjogren's syndrome: a prospective cohort study. <i>Rheumatol Int</i> , 38(12): 2251-62.
62644	Jasiurkowski B, Raj J, Wisinger D, et al (2006). Cholestatic jaundice and IgA nephropathy induced by OTC muscle building agent superdrol. <i>Am J Gastroenterol</i> , 101(11): 2659-62.
98876	Jegatheesan D, Nath K, Reyaldeen R, et al (2016). Epidemiology of biopsy-proven glomerulonephritis in Queensland adults. <i>Nephrology (Carlton)</i> , 21(1): 28-34.
98877	Jhaveri KD, Shah HH, Patel C, et al (2014). Glomerular diseases associated with cancer, chemotherapy, and hematopoietic stem cell transplantation. <i>Adv Chronic Kidney Dis</i> , 21(1): 48-55.
21047	Johnson RJ (1994). The glomerular response to injury: progression or resolution? <i>Kidney Int</i> , 45(6): 1769-82.
21541	Johnston PA, Brown JS, Braumholtz DA, et al (1992). Clinico-pathological correlations and long-term follow-up of 253 United Kingdom patients with IgA nephropathy. A report from MRC glomerulonephritis registry. <i>Q J Med</i> , 84(304): 619-27.
21238	Jones CL, Powell HR, Kincaid-Smith P, et al (1990). Polymeric IgA and immune complex concentrations in IgA-related renal disease. <i>Kidney Int</i> , 38(2): 323-31.
62634	Jonkers IJ, van Buren M (2009). Nephrotic-range proteinuria in a patient with a renal allograft treated with sorafenib for metastatic renal-cell carcinoma. <i>Clin Exp Nephrol</i> , 13(4): 397-401.
21561	Julian BA, Tomana M, Novak J, et al (1999). Progress in the pathogenesis of IgA nephropathy. <i>Adv Nephrol Necker Hosp</i> , 29: 53-72.
98878	Kaartinen K, Safa A, Kotha S, et al (2019). Complement dysregulation in glomerulonephritis. <i>Semin Immunol</i> , 45: 101331.
21510	Kaldor J, Speed BR (1984). Guillain-Barre syndrome and campylobacter jejuni: a serological study. <i>Br Med J (Clin Res Ed)</i> , 288(6434): 1867-70.
98880	Kamar N, Weclawiak H, Guilbeau-Frugier C, et al (2012). Hepatitis E virus and the kidney in solid-organ transplant patients. <i>Transplantation</i> , 93(6): 617-23.
21543	Kang SW, Choi KH, Park JH, et al (1995). Prognostic factors and renal survival rates in IgA nephropathy. <i>Yonsei Med J</i> , 36(1): 45-52.
62645	Kano K, Nishikura K, Arisaka O (2005). Does growth hormone therapy induce IgA nephropathy? <i>Pediatr Nephrol</i> , 20(12): 1821-2.
21051	Kasuno K, Ono T, Kamata T, et al (1997). IgA nephropathy associated with polycythaemia vera: accelerated course. <i>Nephrol Dial Transplant</i> , 12(1): 212-5.
63698	Kataoka H, Ohara M, Shibui K, et al (2012). Overweight and obesity accelerate the progression of IgA nephropathy: prognostic utility of a combination of BMI and histopathological parameters. <i>Clin Exp Nephrol</i> , 16(5): 706-12.
62642	Khaira A, Rathi OP, Mahajan S, et al (2008). Lupus vulgaris with tubercular lymphadenitis and IgA nephropathy. <i>Clin Exp Nephrol</i> , 12(1): 79-81.
62640	Kiattisunthorn K, Premasathian N, Wongwiwatana A, et al (2008). Evaluating the clinical course and prognostic factors of posttransplantation immunoglobulin A nephropathy. <i>Transplant Proc</i> , 40(7): 2349-54.
98882	Kikuchi H, Aoyagi M, Nagahama K, et al (2014). IgA-dominant postinfectious glomerulonephritis associated with Escherichia coli infection caused by cholangitis. <i>Intern Med</i> , 53(22): 2619-24.

98901	Kim JS, Choi M, Nam CH, et al (2015). Concurrent drug-induced linear immunoglobulin A dermatosis and immunoglobulin A nephropathy. <i>Ann Dermatol</i> , 27(3): 315-8.
21243	Kincaid-Smith P (1999). Treatment of mesangial immunoglobulin a glomerulonephritis. <i>Semin Nephrol</i> , 19(2): 166-72.
62633	Kirylyuk K, Julian BA, Wyatt RJ, et al (2010). Genetic studies of IgA nephropathy: past, present, and future. <i>Pediatr Nephrol</i> , 25(11): 2257-68.
98902	Kishi S, Minato M, Saijo A, et al (2018). IgA nephropathy after nivolumab therapy for postoperative recurrence of lung squamous cell carcinoma. <i>Intern Med</i> , 57(9): 1259-63.
98903	Kluger N, Du-Thanh A, Bessis D, et al (2015). Psoriasis-associated IgA nephropathy under infliximab therapy. <i>Int J Dermatol</i> , 54(3): e79-80.
21473	Knight JF, Falk MC, Ng G, et al (1995). IgA nephropathy: immunogenetic studies of Australian patients. <i>Contrib Nephrol</i> , 111: 18-23.
98904	Kobak S, Hudaverdi O, Keser G, et al (2011). Coexistence of systemic lupus erythematosus, Hashimoto's thyroiditis and IgA nephropathy in the same patient. <i>Mod Rheumatol</i> , 21(1): 89-91.
98905	Kocak G, Huddam B, Azak A, et al (2012). Coexistent findings of renal glomerular disease with Hashimoto's thyroiditis. <i>Clin Endocrinol (Oxf)</i> , 76(5): 759-62.
21169	Komatsuda A, Imai H, Wakui H, et al (1996). Clinicopathological analysis and therapy in hepatitis C virus-associated nephropathy. <i>Intern Med</i> , 35(7): 529-33.
21398	Korpela M, Mustonen J, Teppo AM, et al (1997). Mesangial glomerulonephritis as an extra-articular manifestation of rheumatoid arthritis. <i>Br J Rheumatol</i> , 36(11): 1189-95.
21239	Koyama A, Igarashi M, Kobayashi M (1997). Natural history and risk factors for immunoglobulin A nephropathy in Japan. Research Group on Progressive Renal Diseases. <i>Am J Kidney Dis</i> , 29(4): 526-32.
98906	Krasselt M, Halbritter J, Amann K, et al (2020). ANCA-positive IgA nephropathy in a patient with ANA-positive long-standing rheumatoid arthritis and type 1 diabetes. <i>Clin Exp Rheumatol</i> , 38(Suppl 124(2)): 241-2.
98907	Kurihara I, Nakayama K, Sato H, et al (1999). Diffuse panbronchiolitis and IgA nephropathy: relation to bronchus-associated lymphoid tissue. <i>Nephron</i> , 81(4): 450-1.
62650	La Villa G, Pantaleo P, Tarquini R, et al (2003). Multiple immune disorders in unrecognized celiac disease: a case report. <i>World J Gastroenterol</i> , 9(6): 1377-80.
21517	Lang DR, Allos BM, Blaser MJ (1997). Workshop summary and recommendations regarding the development of Guillain-Barre syndrome following campylobacter infection. <i>J Infect Dis</i> , 176(Suppl 2): S198-200.
21041	Lau YK, Woo KT (1997). A link between IgA nephropathy and "heaty" diet with restriction to water intake? <i>Clin Nephrol</i> , 48(6): 393-4.
18477	Layward L, Allen AC, Harper SJ, et al (1993). Deficiency of IgG subclass antibody response to tetanus toxoid associated with serum IgA levels in IgA nephropathy. <i>Clin Nephrol</i> , 40(3): 131-6.
62938	Leone JE, Kern A, Williamson JD, et al (2010). Autoimmune dysfunction and subsequent renal insufficiency in a collegiate female athlete: a case report. <i>J Athl Train</i> , 45(6): 645-9.
98908	Li S, Siyuan T, Jiangmin F, et al (2017). Analysis of the association between Mycobacterium tuberculosis infection and Immunoglobulin A nephropathy by early secreted antigenic target 6 detection in renal biopsies: a prospective study. <i>Postgrad Med</i> , 129(3): 307-11.
98909	Liang JH, Fang YW, Yang AH, et al (2016). Devastating renal outcome caused by skin infection with methicillin-resistant Staphylococcus aureus: A case report. <i>Medicine (Baltimore)</i> , 95(26): e4023.

62632	Liess BD, Mytyk C, Calhoun KH, et al (2010). Tonsillectomy for the treatment of tonsillitis-induced immunoglobulin A nephropathy. <i>Am J Otolaryngol</i> , 31(6): 485-8.
98910	Lim WH, Shingde M, Wong G (2019). Recurrent and de novo glomerulonephritis after kidney transplantation. <i>Front Immunol</i> , 10: 1944.
21074	Lind KM, Gaub J, Pedersen RS (1994). Henoch-Schonlein purpura associated with campylobacter jejuni enteritis. <i>Scand J Urol Nephrol</i> , 28(2): 179-81.
18492	Louie JS, Nies KM, Shoji KT, et al (1978). Clinical and antibody responses after influenza immunization in systemic lupus erythematosus. <i>Ann Intern Med</i> , 88(6): 790-2.
98911	Marinchev L, Atanasova S, Robeva R, et al (2009). Diffuse mesangial IgA glomerulonephritis in a patient with rheumatoid arthritis: a possible extra-articular manifestation in rheumatoid arthritis. <i>BMJ Case Rep</i> , 2009: bcr07.2008.0394.
62733	Marocchi E, Spadaro A, Giannakakis K, et al (2010). Infliximab in a patient with ankylosing spondylitis and secondary IgA nephropathy requiring haemodialysis. <i>Clin Exp Rheumatol</i> , 28(3): 440.
62639	Masutani K, Fujisaki K, Maeda H, et al (2008). Tubulointerstitial nephritis and IgA nephropathy in a patient with advanced lung cancer treated with long-term gefitinib. <i>Clin Exp Nephrol</i> , 12(5): 398-402.
21518	Mendes DG, Nawalkar RR, Eldar S (1991). Post-irradiation femoral neuropathy. A case report. <i>J Bone Joint Surg Am</i> , 73(1): 137-40.
98912	Min B, Kim G, Kang T, et al (2016). IgA nephropathy in a laboratory worker that progressed to end-stage renal disease: a case report. <i>Ann Occup Environ Med</i> , 28: 35.
98913	Mirioglu S, Caliskan Y, Goksoy Y, et al (2017). Recurrent and de novo glomerulonephritis following renal transplantation: higher rates of rejection and lower graft survival. <i>Int Urol Nephrol</i> , 49(12): 2265-72.
98914	Miyazaki M, Kimura N, Imai K, et al (1989). Association of IgA nephropathy and myasthenia gravis. <i>Nephron</i> , 51(3): 402-4.
98915	Moeller S, Canetta PA, Taylor AK, et al (2014). Lack of serologic evidence to link IgA nephropathy with celiac disease or immune reactivity to gluten. <i>PLoS One</i> , 9(4): e94677.
21167	Montenegro V, Monteiro RC (1999). Elevation of serum IgA in spondyloarthropathies and IgA nephropathy and its pathogenic role. <i>Curr Opin Rheumatol</i> , 11(4): 265-72.
21285	Montinaro V, Gesualdo L, Schena FP (1999). The relevance of experimental models in the pathogenetic investigation of primary IgA nephropathy. <i>Ann Med Interne (Paris)</i> , 150(2): 99-107.
98916	Moroni G, Belingheri M, Frontini G, et al (2019). Immunoglobulin A nephropathy. Recurrence after renal transplantation. <i>Front Immunol</i> , 10: 1332.
62628	Mubarak M (2011). IgA nephropathy: an update on pathogenesis and classification. <i>J Coll Physicians Surg Pak</i> , 21(4): 230-3.
98917	Nagaraju SP, Rangaswamy D, Mareddy AS, et al (2018). Impact of body mass index on progression of primary immunoglobulin a nephropathy. <i>Saudi J Kidney Dis Transpl</i> , 29(2): 318-25.
21066	Nagy Z, Uj M, Szucs G, et al (1996). HIV and IgA nephropathy. <i>Nephrol Dial Transplant</i> , 11(5): 906-7.
98918	Nakamura-Wakatsuki T, Kato Y, Sakurai K, et al (2013). A case of severe erythrodermic psoriasis associated with IgA nephropathy. <i>Int J Dermatol</i> , 52(12): 1579-81.
62734	Nakayama M, Kaizu Y, Uesugi N, et al (2008). A case of IgA nephropathy and renal hemosiderosis associated with primary hemochromatosis. <i>Ren Fail</i> , 30(8): 813-7.



62638	Navaneethan SD, Taylor J, Goldman B, et al (2009). Anti-neutrophil cytoplasmic antibody associated crescentic IgA nephropathy in hematopoietic stem cell transplantation. <i>Clin Nephrol</i> , 71(1): 59-62.
62922	Nebuloni M, Barbiano di Belgiojoso G, Genderini A, et al (2009). Glomerular lesions in HIV- positive patients: a 20- year biopsy experience from Northern Italy. <i>Clin Nephrol</i> , 72(1): 38-45.
98919	Ng MS, Francis L, Pillai E, et al (2018). Paraneoplastic immunoglobulin A nephropathy and associated focal segmental glomerulosclerosis in asymptomatic low volume B-cell lymphoma - a case report. <i>BMC Nephrol</i> , 19(1): 224.
98920	Nunes JP, Faria MS, Monteiro MC, et al (1997). IgA nephropathy and pernicious anemia. <i>Clin Nephrol</i> , 47(3): 204. [Abstract]
62654	Ohsawa I, Ohi H, Endo M, et al (2001). A case of renal involvement in persistent immune activation caused by chlamydial salpingitis. <i>Virchows Arch</i> , 438(3): 306-11.
98921	Oki R, Hirakawa Y, Kimura H, et al (2020). Renal effects after pembrolizumab treatment for non-small cell lung carcinoma. <i>Intern Med</i> , 59(7): 977-81.
98924	Okumi M, Okada D, Unagami K, et al (2019). Higher immunoglobulin A nephropathy recurrence in related-donor kidney transplants: The Japan Academic Consortium of Kidney Transplantation study. <i>Int J Urol</i> , 26(9): 903-9.
62725	Orth SR, Odoni G, Ogata H, et al (2000). Smoking as a risk factor for end-stage renal failure in patients with primary renal disease. <i>Contrib Nephrol</i> , 130: 190-23.
63699	Ortiz F, Gelpi R, Koskinen P, et al (2012). IgA nephropathy recurs early in the graft when assessed by protocol biopsy. <i>Nephrol Dial Transplant</i> , 27(6): 2553-8.
98926	Ouyang Y, Xie J, Yang M, et al (2016). Underweight is an independent risk factor for renal function deterioration in patients with IgA nephropathy. <i>PLoS One</i> , 11(9): e0162044.
98928	Ozcarar L, Ekiz T, Yalcin S, et al (2013). IgA nephropathy in an ankylosing spondylitis patient during infliximab therapy: chicken, egg or mother and child reunion? <i>Acta Reumatol Port</i> , 38(4): 310.
98930	Ozkok A, Yildiz A (2014). Hepatitis C virus associated glomerulopathies. <i>World J Gastroenterol</i> , 20(24): 7544-54.
18493	Pabico RC, Douglas RG, Betts RF, et al (1974). Influenza vaccination of patients with glomerular diseases. Effects on creatinine clearance, urinary protein excretion, and antibody response. <i>Ann Intern Med</i> , 81(2): 171-7.
98932	Pai AB, Mason DL (2010). Acute kidney injury. <i>Drug-Induced Diseases: Prevention, Detection, and Management</i> , 2nd Edition, Chapter 43: 853-71. ASHP Publications, Bethesda, MD.
21500	Pai P, Hindell P, Stevenson A, et al (1997). Genetic variants of microsomal metabolism and susceptibility to hydrocarbon-associated glomerulonephritis. <i>QJM</i> , 90(11): 693-8.
98934	Parente YD, Castro AL, Araujo FB, et al (2019). Acute renal failure by rapidly progressive glomerulonephritis with IgA deposition in a patient concomitantly diagnosed with multibacillary Hansen's disease: a case report. <i>J Bras Nefrol</i> , 41(1): 152-6.
62936	Pasch A, Frey FJ (2006). Coxsackie B viruses and the kidney--a neglected topic. <i>Nephrol Dial Transplant</i> , 21(5): 1184-7.
21050	Pettersson E (1997). IgA nephropathy: 30 years on. <i>J Intern Med</i> , 242(5): 349-53.
21077	Piette WW (1997). What is Schonlein-Henoch purpura, and why should we care? <i>Arch Dermatol</i> , 133(4): 515-8.

62651	Pola E, Logroscino G, De Santis V, et al (2003). Onset of Berger disease after Staphylococcus aureus infection: septic arthritis after anterior cruciate ligament reconstruction. <i>Arthroscopy</i> , 19(4): E29.
21107	Porro A, Lomonte C, Coratelli P, et al (1992). Chronic glomerulonephritis and exposure to solvents: a case-referent study. <i>Br J Ind Med</i> , 49(10): 738-42.
62721	Pouria S, Barratt J (2008). Secondary IgA nephropathy. <i>Semin Nephrol</i> , 28(1): 27-37.
18479	Pozzetto B, Genin C, Gaudin OG, et al (1987). Live poliovirus vaccine in patients with chronic glomerulonephritis: effects on renal function and specific antibody response. <i>Clin Nephrol</i> , 28(4): 194-8.
98935	Pradeep I, Anupama SH, Koshy P, et al (2019). A rare association of Mycobacterium tuberculosis infection of kidney and urinary tract with immunoglobulin A nephropathy. <i>Indian J Med Microbiol</i> , 37(4): 587-9.
98936	Rajagopala S, Parameswaran S, Ajmera JS, et al (2017). Diffuse alveolar hemorrhage in IgA nephropathy: case series and systematic review of the literature. <i>Int J Rheum Dis</i> , 20(1): 109-21.
21550	Ravnskov U (1992). Hydrocarbons and renal failure: primary damage in glomerulonephritis is tubular, not glomerular. <i>Nephron</i> , 61(2): 243.
21527	Ravnskov U (2000). Hydrocarbon exposure may cause glomerulonephritis and worsen renal function: evidence based on Hill's criteria for causality. <i>QJM</i> , 93(8): 551-6.
21588	Ravnskov U (2000). Hydrocarbons may worsen renal function in glomerulonephritis: a meta-analysis of the case-control studies. <i>Am J Ind Med</i> , 37(6): 599-606.
62931	Ravnskov U (2005). Experimental glomerulonephritis induced by hydrocarbon exposure: a systematic review. <i>BMC Nephrol</i> , 6: 15.
98937	Ricco M, Thai E, Cella S (2016). Silicosis and renal disease: insights from a case of IgA nephropathy. <i>Ind Health</i> , 54(1): 74-8.
62637	Riley AM, Wall BM, Cooke CR (2009). Favorable outcome after aggressive treatment of infection in a diabetic patient with MRSA-related IgA nephropathy. <i>Am J Med Sci</i> , 337(3): 221-3.
62933	Rodrigues VL, Otoni A, Voieta I, et al (2010). Glomerulonephritis in schistosomiasis mansoni: a time to reappraise. <i>Rev Soc Bras Med Trop</i> , 43(6): 638-42.
54189	Ross WR, McGill JB (2006). Epidemiology of obesity and chronic kidney disease. <i>Adv Chronic Kidney Dis</i> , 13(4): 325-35.
21551	Roy AT, Brautbar N, Lee DB (1991). Hydrocarbons and renal failure. <i>Nephron</i> , 58(4): 385-92.
21540	Rychlik I, Andrassy K, Waldherr R, et al (1999). Clinical features and natural history of IgA nephropathy. <i>Ann Med Interne (Paris)</i> , 150(2): 117-26; Erratum: 150(3); 272.
98938	Ryu J, Ryu H, Kim S, et al (2019). Comparison of cancer prevalence between patients with glomerulonephritis and the general population at the time of kidney biopsy. <i>PLoS One</i> , 14(10): e0224024.
98939	Saha MK, Julian BA, Novak J, et al (2018). Secondary IgA nephropathy. <i>Kidney Int</i> , 94(4): 674-81.
98940	Salim SA, Fulop T, Juncos LA (2020). IgA nephropathy. Retrieved 22 September 2020, from <a href="https://emedicine.medscape.com/article/239927-overview">https://emedicine.medscape.com/article/239927-overview</a>
21071	Satko SG, Iskandar SS, Appel RG (2000). IgA nephropathy and Reiter's syndrome. Report of two cases and review of the literature. <i>Nephron</i> , 84(2): 177-82.
98941	Sato Y, Furuyama K, Suzuki T, et al (2019). Acute kidney injury in an adult patient with IgA nephropathy and chronic replicative Epstein-Barr virus infection. <i>CEN Case Rep</i> , 8(4): 285-91.

98900	Satoskar AA, Suleiman S, Ayoub I, et al (2017). Staphylococcus infection-associated GN - spectrum of IgA staining and prevalence of ANCA in a single-center cohort. <i>Clin J Am Soc Nephrol</i> , 12(1): 39-49.
21516	Scott DG, Bacon PA, Tribe CR (1981). Systemic rheumatoid vasculitis: a clinical and laboratory study of 50 cases. <i>Medicine (Baltimore)</i> , 60(4): 288-97.
55883	Shaer AJ, Stewart LR, Cheek DE, et al (2003). IgA antiglomerular basement membrane nephritis associated with Crohn's disease: a case report and review of glomerulonephritis in inflammatory bowel disease. <i>Am J Kidney Dis</i> , 41(5): 1097-103.
98899	Shah HH, Patel C, Jhaveri KD (2013). Complete remission of hepatitis B virus-associated nephrotic syndrome from IgA nephropathy following peginterferon therapy. <i>Ren Fail</i> , 35(2): 295-8.
21078	Shigematsu H (1997). Histological grading and staging of IgA nephropathy. <i>Pathol Int</i> , 47(4): 194-202.
98898	Shimamoto M, Ohsawa I, Suzuki H, et al (2015). Impact of body mass index on progression of IgA nephropathy among Japanese patients. <i>J Clin Lab Anal</i> , 29(5): 353-60.
62729	Singri N, Gleason B, Flamm SL, et al (2004). Secondary IgA nephropathy presenting as nephrotic syndrome with glomerular crescentic changes and acute renal failure in a patient with autoimmune hepatitis. <i>J Nephrol</i> , 17(1): 125-9.
18478	Sissons JG, Sinclair JH, Borysiewicz LK (1991). Pathogenesis of human cytomegalovirus disease and the kidney. <i>Kidney Int Suppl</i> , 35: S8-12.
21168	Smith SM, Leaber R, Lefebvre R, et al (1993). Pathogenesis of IgA nephropathy in ethanol consumption: animal model and cell culture studies. <i>Alcohol</i> , 10(6): 477-80.
98897	Sofue T, Suzuki H, Ueda N, et al (2018). Post-transplant immunoglobulin A deposition and nephropathy in allografts. <i>Nephrology (Carlton)</i> , 23(Suppl 2): 4-9.
62623	Solak Y (2010). [Comment] Renal injury due to hepatic hydatid disease. <i>Nephrol Dial Transplant</i> , 25(12): 4115-6; author's reply 4116.
25350	Solvents Council (1998 (2011)). Solvents explained. Retrieved 17 October 2002, from <a href="http://solvents.americanchemistry.com/Solvents-Explained/solvents-explained.pdf">http://solvents.americanchemistry.com/Solvents-Explained/solvents-explained.pdf</a> (Original article not saved and no longer available. Current version uploaded instead 4/11/13)
21072	Stengel B, Cenee S, Limasset JC, et al (1995). Organic solvent exposure may increase the risk of glomerular nephropathies with chronic renal failure. <i>Int J Epidemiol</i> , 24(2): 427-34.
62722	Stengel B, Cenee S, Limasset JC, et al (1996). [Glomerular nephropathies and exposure to organic solvents--a case-control study.] <i>Bull Acad Natl Med</i> , 180(4): 871-9; discussion: 879-83 [Article in French].
21065	Stratta P, Segoloni GP, Canavese C, et al (1996). Incidence of biopsy-proven primary glomerulonephritis in an Italian province. <i>Am J Kidney Dis</i> , 27(5): 631-9.
21075	Strom EH, Durmuller U, Gudat F, et al (1994). Hepatitis C virus plays no role in the pathogenesis of immunoglobulin A nephropathy in liver cirrhosis. <i>Nephron</i> , 67(3): 370.
21431	Sugiyama N, Shimizu J, Nakamura M, et al (1993). Clinicopathological study of the effectiveness of tonsillectomy in IgA nephropathy accompanied by chronic tonsillitis. <i>Acta Otolaryngol Suppl</i> , 508: 43-8.
21452	Suzuki S, Gejyo F, Nakatomi Y, et al (1996). Role of IgA, IgG, and IgM antibodies against haemophilus parainfluenzae antigens in IgA nephropathy. <i>Clin Nephrol</i> , 46(5): 287-95.
21370	Suzuki S, Nakatomi Y, Sato H, et al (1994). Haemophilus parainfluenzae antigen and antibody in renal biopsy samples and serum of patients with IgA nephropathy. <i>Lancet</i> , 343(8888): 12-6.

98896	Takada D, Sumida K, Sekine A, et al (2017). IgA nephropathy featuring massive wire loop-like deposits in two patients with alcoholic cirrhosis. <i>BMC Nephrol</i> , 18(1): 362.
21040	Takebayashi S, Hisano S, Sasatomi Y (1999). [Comment] Acute IgA nephritis following bone fracture: a study of five cases. <i>Clin Nephrol</i> , 52(3): 188-90.
21043	Takeuchi O, Oikawa T, Usami T, et al (1999). A case of IgA nephropathy after ABO-incompatible living kidney transplantation. <i>Clin Transplant</i> , 13(Suppl 1): 38-42.
98895	Tanabe K, Kanzaki H, Wada T, et al (2020). Nivolumab-induced IgA nephropathy in a patient with advanced gastric cancer: A case report. <i>Medicine (Baltimore)</i> , 99(21): e20464.
62648	Tanaka H, Waga S (2003). [Comment] Acute IgA nephropathy following keloid scar formation due to burn injury. <i>Clin Nephrol</i> , 60(6): 440-1.
62635	Tanaka M, Yamada S, Iwasaki Y, et al (2009). Impact of obesity on IgA nephropathy: comparative ultrastructural study between obese and non-obese patients. <i>Nephron Clin Pract</i> , 112(2): c71-8.
21236	Tanaka R, Iijima K, Xu H, et al (1999). Role of platelet-activating factor acetylhydrolase gene mutation in Japanese childhood IgA nephropathy. <i>Am J Kidney Dis</i> , 34(2): 289-95.
21076	Tancrede-Bohin E, Ochonisky S, Vignon-Pennamen MD, et al (1997). Schonlein-Henoch purpura in adult patients. Predictive factors for IgA glomerulonephritis in a retrospective study of 57 cases. <i>Arch Dermatol</i> , 133(4): 438-42.
62732	Tang Z, Ji SM, Chen DR, et al (2008). Recurrent or de novo IgA nephropathy with crescent formation after renal transplantation. <i>Ren Fail</i> , 30(6): 611-6.
98894	Tossier C, Pilette C, Guillemainault L, et al (2014). [Comment] Diffuse panbronchiolitis and IgA nephropathy. <i>Am J Respir Crit Care Med</i> , 189(1): 106-9.
21291	van Es LA, van den Wall Bake AW, Stad RK, et al (1995). Enigmas in the pathogenesis of IgA nephropathy. <i>Contrib Nephrol</i> , 111: 169-75; discussion 175-6.
98893	Vegh Z, Macsai E, Lakatos L, et al (2017). [Comment] The incidence of glomerulonephritis in a population-based inception cohort of patients with inflammatory bowel disease. <i>Dig Liver Dis</i> , 49(6): 718-9.
98892	Vrtovsnik F, Queffeuilou G, Skhiri H, et al (1999). Simultaneous IgA nephropathy and Wegener's granulomatosis--overlap or coincidence (the role of renal biopsy). <i>Nephrol Dial Transplant</i> , 14(5): 1266-7.
21045	Wakai K, Kawamura T, Matsuo S, et al (1999). Risk factors for IgA nephropathy: a case-control study in Japan. <i>Am J Kidney Dis</i> , 33(4): 738-45.
62653	Wakai K, Nakai S, Matsuo S, et al (2002). Risk factors for IgA nephropathy: a case-control study with incident cases in Japan. <i>Nephron</i> , 90(1): 16-23.
21368	Waldherr R, Ilkenhans C, Ritz E (1992). How frequent is glomerulonephritis in diabetes mellitus type 11? <i>Clin Nephrol</i> , 37(6): 271-3.
62624	Wang L, Zhang Y, Chen S, et al (2010). Association of metabolic syndrome and IgA nephropathy. <i>J Clin Pathol</i> , 63(8): 697-701.
62935	Wang NS, Wu ZL, Zhang YE, et al (2003). Role of hepatitis B virus infection in pathogenesis of IgA nephropathy. <i>World J Gastroenterol</i> , 9(9): 2004-8.
62934	Wang NS, Wu ZL, Zhang YE, et al (2005). Existence and significance of hepatitis B virus DNA in kidneys of IgA nephropathy. <i>World J Gastroenterol</i> , 11(5): 712-6.

62636	Wang Y, Tang HT, Xia ZF, et al (2009). [Comment] Acute IgA nephropathy following high-voltage electrical burn injury. <i>Clin Nephrol</i> , 71(5): 588-9.
98891	Wang Y, Tao Y (2018). Tuberculosis-associated IgA nephropathy. <i>J Int Med Res</i> , 46(7): 2549-57.
21542	Wardle EN (2000). Rationales for treating IgA nephropathies. <i>Ren Fail</i> , 22(1): 1-16.
62727	Wen YK, Chen ML (2011). IgA-dominant postinfectious glomerulonephritis: not peculiar to staphylococcal infection and diabetic patients. <i>Ren Fail</i> , 33(5): 480-5.
92977	Wijarnpreecha K, Thongprayoon C, Panjawan P, et al (2016). Celiac disease and the risk of kidney diseases: A systematic review and meta-analysis. <i>Dig Liver Dis</i> , 48(12): 1418-24.
62652	Winters MJ, Hurley RM, Lirenman DS (2002). ANCA-positive glomerulonephritis and IgA nephropathy in a patient on propylthiouracil. <i>Pediatr Nephrol</i> , 17(4): 257-60.
21366	Woo KT, Chiang GS, Pall A, et al (1993). The changing pattern of glomerulonephritis in Singapore over the past two decades. <i>Clin Nephrol</i> , 52(2): 96-102.
62649	Woo KT, Lau YK (2003). Factors associated with progression of IgA nephropathy. <i>Clin Nephrol</i> , 59(6): 481-2.
21472	Wrone EM, Carey H, Reilly RF (1997). Glomerular lesions in HIV-infected patients. A Yale University Department of Medicine Residency peer-Teaching Conference. <i>Yale J Biol Med</i> , 70(2): 161-73.
98890	Wu C, Wang AY, Li G, et al (2018). Association of high body mass index with development of interstitial fibrosis in patients with IgA nephropathy. <i>BMC Nephrol</i> , 19(1): 381.
21042	Wyatt RJ, Julian BA, Baehler RW, et al (1998). Epidemiology of IgA nephropathy in central and eastern Kentucky for the period 1975 through 1994. Central Kentucky Region of the Southeastern United States IgA Nephropathy DATABANK Project. <i>J Am Soc Nephrol</i> , 9(5): 853-8.
62731	Yacoub G, Kosseifi SG, Shah LS, et al (2008). IgA nephropathy and small cell lung carcinoma. <i>Tenn Med</i> , 101(3): 35-7, 40.
98889	Yahata M, Nakaya I, Sakuma T, et al (2013). Immunoglobulin A nephropathy with massive paramesangial deposits caused by anti-vascular endothelial growth factor therapy for metastatic rectal cancer: a case report and review of the literature. <i>BMC Res Notes</i> , 6: 450.
62730	Yamamoto R, Nagasawa Y, Shoji T, et al (2010). Cigarette smoking and progression of IgA nephropathy. <i>Am J Kidney Dis</i> , 56(2): 313-24.
98888	Yang M, Li FG, Xie XS, et al (2014). CagA, a major virulence factor of <i>Helicobacter pylori</i> , promotes the production and underglycosylation of IgA1 in DAKIKI cells. <i>Biochem Biophys Res Commun</i> , 444(2): 276-81.
21502	Yaqoob M, Bell GM, Percy DF, et al (1992). Primary glomerulonephritis and hydrocarbon exposure: a case-control study and literature review. <i>Q J Med</i> , 83(301): 409-18.
21501	Yaqoob M, Stevenson A, Mason H, et al (1993). Hydrocarbon exposure and tubular damage: additional factors in the progression of renal failure in primary glomerulonephritis. <i>Q J Med</i> , 86(10): 661-7.
98887	Yonekura Y, Goto S, Sugiyama H, et al (2015). The influences of larger physical constitutions including obesity on the amount of urine protein excretion in primary glomerulonephritis: research of the Japan Renal Biopsy Registry. <i>Clin Exp Nephrol</i> , 19(3): 359-70.
21292	Yoshikawa N, Nakamura H, Ito H (1994). IgA nephropathy in children and adults. <i>Springer Semin Immunopathol</i> , 16(1): 105-20.
62723	Zadrazil J, Tichy T, Horak P, et al (2006). IgA nephropathy associated with psoriasis vulgaris: a contribution to the entity of "psoriatic nephropathy". <i>J Nephrol</i> , 19(3): 382-6.

98886	Zhang L, Xue S, Yu J, et al (2019). IgA nephropathy associated with erythrodermic psoriasis: A case report. <i>Medicine (Baltimore)</i> , 98(19): e15433.
98885	Zhang Y, Wang HB, Chu B, et al (2020). Disparate effects of methicillin-resistant <i>Staphylococcus aureus</i> infection on renal function in IgA-dominant infection-associated glomerulonephritis and menstrual toxic shock syndrome: a case report and literature review. <i>J Int Med Res</i> , 48(8):300060520933810.
98884	Zheng N, Fan J, Wang B, et al (2017). Expression profile of BAFF in peripheral blood from patients of IgA nephropathy: Correlation with clinical features and <i>Streptococcus pyogenes</i> infection. <i>Mol Med Rep</i> , 15(4): 1925-35.
98883	Zhu TT, Wang L, Wang HL, et al (2016). <i>Helicobacter pylori</i> participates in the pathogenesis of IgA nephropathy. <i>Ren Fail</i> , 38(9): 1398-404.