



HAEMOCHROMATOSIS

RMA ID Number	Reference List for Investigation RMA223-1 as at February 2012
1305	Bizzaro N, Piazza I, Baldo G, Baritussio A (1993). Alcohol induced burr cell (echinocytic) haemolytic anaemia and haemochromatosis. <i>Clin Lab Haematol</i> , 15(3): 93-102.
1306	Flexner JM (1991). Hemochromatosis: diagnosis and treatment. <i>Comprehensive Therapy</i> , 17(11): 7-9.
1307	Holland K, Spivak JL (1989). Hemochromatosis. <i>Med Clin North Am</i> , 73(4): 831-45.
1308	Powell LW, Isselbacher KJ (1994). Hemochromatosis. KJ Isselbacher, E Braunwald, JD Wilson, JB Martin, AS Fauci , DL Kasper (Eds). <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 345: 2069 & 2073. McGraw Hill, New York.
1309	DN Holvey, JH Talbott et al (Eds) (1996). Disturbances in iron metabolism. <i>The Merck Manual of Diagnosis and Therapy</i> , 12th Edition, Chapter 7: 1092-3. Merck Research Laboratories, Whitehouse Station.
1310	Simon M (1985). Annotation: secondary iron overload and the haemochromatosis allele. <i>Br J Haematol</i> , 60(1): 1-5.
1311	Stocks AE, Powell LW (1973). Carbohydrate intolerance in idiopathic hemochromatosis and cirrhosis of the liver. <i>Q J Med</i> , 42(168): 733-749.
1312	Simon M, Le Mignon L, Fauchet R, Yaouanq J, et al (1987). A study of 609 HLA haplotypes marking for the hemochromatosis gene: (1) mapping of the gene near the HLA-A locus and characters required to define a heterozygous population and (2) hypothesis concerning the underlying cause of hemochromatosis-HLA association. <i>Am J Hum Genet</i> . 1987 Aug;41(2):89-105, 41(2): 89-105.
1313	Schafer AI, Cheron RG, Dluhy R, Cooper B, et al (1981). Clinical consequences of acquired transfusional iron overload in adults. <i>NEJM</i> , 304: 319-24.
1314	Lu J, Hayashi K (1994). Selective iron deposition in pancreatic islet B cells of transfusional iron-overloaded autopsy cases. <i>Pathol Int</i> , 44(3): 194-9.
1315	Angelucci E, Baronciani D, Lucarelli G, Giardini C, et al (1993). Liver iron overload and liver fibrosis in thalassemia. <i>Bone Marrow Transplant</i> , 12(1): 29-31.
1316	Shirota T, Shinoda T, Aizawa T, Mizukami T, et al (1992). Primary hypothyroidism and multiple endocrine failure in association with hemochromatosis in a long-term hemodialysis patient. <i>Clin Nephrol</i> , 38(2): 105-9.
1317	Taccone-Gallucci M, Di Nucci G, Meloni C, Mariani G, et al (1987). Risk of iron overload and "hemochromatosis allele(s)" in patients on maintenance hemodialysis. <i>Am J Nephrol</i> , 7: 28-32.

1318	Niederau C, Stremmel W, Strohmeyer GWW (1994). Clinical spectrum and management of haemochromatosis. <i>Baillieres Clin Haematol</i> , 7(4): 881-901.
1319	Jawinska EC, Pyper WR, Burt MJ, Francis LJ, et al (1995). Haplotype analysis in Australian hemochromatosis patients: evidence for a predominant ancestral haplotype exclusively associated with hemochromatosis. <i>Am J Hum Genet</i> , 56(2): 428-433.
1320	Gordeuk VR (1992). Hereditary and nutritional iron overload. <i>Baillieres Clin Haematol</i> , 5(1): 169-86.
1321	Hakim RM, Stivelman JC, Schulman G, Fosburg M, et al (1987). Iron overload and mobilization in long-term hemodialysis patients. <i>Am J Kidney Diseases</i> , 10(4): 293-9.
1322	Finch SC, Finch CA (1955). Idiopathic hemochromatosis, an iron storage disease: A. Iron metabolism in hemochromatosis. <i>Medicine (Baltimore)</i> , 34(4): 381-430.
1323	Schafer AI, Cheron RG, Dluhy R, Cooper B, et al (1981). Clinical consequences of acquired transfusional iron overload in adults. <i>NEJM</i> , 304(6): 319-24.
1324	Short EM, Winkle RA, Billingham ME (1981). Myocardial involvement in idiopathic hemochromatosis: morphologic and clinical improvement following venesection. <i>Am J Med</i> , 70(6): 1275-9.
1325	McLaren GD, Muir WA, Kellermeyer RW (1983). Iron overload disorders: natural history, pathogenesis, diagnosis, and therapy. <i>Crit Rev Clin Lab Sci</i> , 19(3): 205-66.
1326	Jacobs A (1985). Iron deficiency and iron overload. <i>Crit Rev Oncol Hematol</i> , 3(2): 43-18.
1327	Stremmel W, Kley HK, Kruskemper HL, Strohmeyer G (1985). differing abnormalities in estrogen and androgen and insulin metabolism in idiopathic hemochromatosis versus alcoholic liver disease. <i>Semin Liver Dis</i> , 5(1): 84-93.
1328	Powell, LW, Jazwinska, Hallida JW; Pippard MJ; Britton RS, Tavill AS, Bacon BR; Brock JH (1995). Primary iron overload; Secondary iron overload; Mechanisms of iron toxicity; Iron in infection, immunity, inflammation and neoplasia. <i>Iron Metabolism in Health & Disease</i> J H Brock, J W Halliday, M J Pippard, L W Powell (Eds), 8,9,10 & 11: 227-389. WB Saunders Company Ltd, London.
7983	Tsukamoto H, Horne W, Kamimura S, Niemala O, et al (1996). Alcohol and iron: a radical combination? <i>Hepatology</i> , 23(6): 1700-3.
7984	Day CP (1996). Is necroinflammation a prerequisite for fibrogenesis? <i>Hepato-Gastroenterology</i> , 43: 104-20.
8021	Bothwell TH, Charlton RW (1988). Historical overview of haemochromatosis. <i>Annals of New York Academy of Sciences</i> , 526: 1-10.
18938	Sampietro M, Fiorelli G & Fargion S. (1999). Iron overload in porphyria cutanea tarda. <i>Haematologica</i> Vol 84 pp 248-253.
40458	O'Neil J, Powell L (2005). Clinical aspects of hemochromatosis. <i>Semin Liver Dis</i> , 25(4): 381-91.
47798	Piperno A, Fargion S, D'Alba R, Roffi L, et al (1992). Liver damage in Italian patients with hereditary hemochromatosis is highly influenced by hepatitis B and C virus infection. <i>J Hepatol</i> , 16: 364-8.

56831	Utzschneider KM, Kowdley KV (2010). Hereditary hemochromatosis and diabetes mellitus: implications for clinical practice. <i>Nat Rev Endocrinol</i> , 6: 26-33.
56839	Garcia-Compean D, Jaquez-Quintana JO, Maldonado-Garza H (2009). Hepatogenous diabetes. Current views of an ancient problem. <i>Ann Hepatol</i> , 8(1): 13-20.
57722	Bryant J, Cooper K, Picot J, Clegg A, et al (2008). A systematic review of the clinical validity and clinical utility of DNA testing for hereditary haemochromatosis type 1 in at-risk populations. <i>J Med Genet</i> , 45: 513-8.
57723	Pietrangelo A (2006). Molecular insights into the pathogenesis of hereditary haemochromatosis. <i>Gut</i> , 55: 564-8.
57724	Shander A, Cappellini MD, Goodnough LT (2009). Iron overload and toxicity: the hidden risk of multiple blood transfusions. <i>Vox Sanguinis</i> , 97: 185-97.
57725	Alexander J, Kowdley KV (2009). HFE-associated herediatry hemochromatosis. <i>Genet Med</i> , 11(5): 307-13.
57726	Malyszko J (2009). Hemojuvelin: the hepcidin story continues. <i>Kidney Blood Press Res</i> , 32: 71-6.
57727	Brissot P, Troadec M-B, Bardou-Jacquet E, et al (2008). Current approach to hemochromatosis. <i>Blood Reviews</i> , 22: 195-210.
57728	Adams PC, Barton JC (2007). Haemochromatosis. <i>Lancet</i> , 370: 1855-60.
57729	Beutler E (2007). Iron storage disease: facts, fiction and progress. <i>Blood Cell Mol Dis</i> , 39: 140-7.
57730	Weiss G (2010). Genetic mechanisms and modyifying factors in hereditary hemochromatosis. <i>Nat Rev Gastroenterol Hepatol</i> , 7: 50-8.
57731	Batts KP (2007). Iron overload syndromes and the liver. <i>Mod Pathol</i> , 20: S31-9.
57732	Wood MJ, Powell LW, Ramm GA (2008). Environmental and genetic modifiers of the progression to fibrosis and cirrhosis in hemochromatosis. <i>Blood</i> , 111(9): 4456-62.
57733	Pietrangelo A (2005). Non-HFE hemochromatosis. <i>Semin Liver Dis</i> , 25(4): 450-60.
57734	Dolbey CH (2001). Hemochromatosis: a review. <i>Clin J Oncol Nurs</i> , 5(6): 257-60.
57735	Schumann K (2001). Safety aspects of iron in food. <i>Ann Nutr Metab</i> , 45(3): 91-101.
57736	De Gobbi M, Roetto A, Piperno A, Mariani R, et al (2002). Natural history of juvenile haemochromatosis. <i>Br J Haematol</i> , 117: 973-9.
57737	Dooley JS (2002). Diagnosis and management of genetic haemochromatosis. <i>Best Pract Res Clin Haematol</i> , 15(2): 277-93.
57738	Whittington CA, Kowdley KV (2002). Review article: haemochromatosis. <i>Aliment Pharmacol Ther</i> , 16: 1963-75.

57739	Burke W, Reyes M, Imperatore G (2002). Hereditary haemochromatosis: a realistic approach to prevention of iron overload disease in population. <i>Best Pract Res Clin Haematol</i> , 15(2): 315-28.
57740	Ajoka RS, Kushner JP (2003). Clinical consequences of iron overload in hemochromatosis homozygotes. <i>Blood</i> , 101(9): 3351-4.
57741	Anderson GJ, Powell LW (2002). HFE and non-HFE hemochromatosis. <i>Int J Hematol</i> , 76: 203-7.
57742	Fletcher LM, Bridle KR, Crawford DHG (2003). Effect of alcohol on iron storage diseases of the liver. <i>Best Pract Res Clin Gastroenterol</i> , 17(4): 663-77.
57743	Fletcher LM, Powell LW (2003). Hemochromatosis and alcoholic liver disease. <i>Alcohol</i> , 30: 131-6.
57744	Pietrangelo A (2003). Non-HFE hemochromatosis. <i>Hepatology</i> , 39(1): 21-9.
57745	Singhal A, Moreea S, Reynolds PD, Bzeizi KI (2004). Coeliac disease and hereditary haemochromatosis: association and implications. <i>Eur J Gastroenterol Hepatol</i> , 16: 235-7.
57746	Moalem S, Weinberg ED, Percy ME (2004). Hemochromatosis and the enigma of misplaced iron: implications for infectious disease and survival. <i>BioMetals</i> , 17: 135-9.
57747	Limdi JK, Crampton JR (2004). Hereditary haemochromatosis. <i>Q J Med</i> , 97: 315-24.
57748	Kostler E, Porst H, Wollina U (2005). Cutaneous manifestations of metabolic diseases: uncommon presentations. <i>Clin Dermatol</i> , 23: 457-64.
57749	Distante S (2006). Genetic predisposition to iron overload: prevalence and phontypic expression of hemochromatosis-associated HFE-C282Y gene mutation. <i>Scand J Clin Lab Invest</i> , 66: 83-100.
58128	Fleming RE, Britton RS, Waheed A, Sly WS, Bacon Br (2004). Pathogenesis of hereditary hemochromatosis. <i>Clin Liver Dis</i> , 8: 755-73.
58129	Clouston AD, Jonsson JR, Powell EE (2007). Steatosis as a cofactor in other liver diseases: hepatitis C virus, alcohol, hemochromatosis, and others. <i>Clin Liver Dis</i> , 11: 173-89.
58130	Sams H, Kiripolsky MG, Bhat L, Stricklin GP (2004). Porphyria cutanea tarda, hepatitis C, alcoholism, and hemochromatosis: a case report and review of the literature. <i>Cutis</i> , 73: 188-90.
58131	Fix OK, Kowdley KV (2007). Hereditary hemochromatosis. <i>Minerva Med</i> , 99(6): 605-17.
58132	Powell LW, Dixon JL, Ramm GA, Purdie DM, Lincoln DJ, et al (2006). Screening for hemochromatosis in asymptomatic subjects with or without a family history. <i>Arch Intern Med</i> , 166: 294-301.
58133	Jacobs EMG, Verbeek ALM, Kreeftenberg HG, et al (2007). Changing aspects of HFE-related hereditary haemochromatosis and endeavours to early diagnosis. <i>Neth J Med</i> , 65(11): 419-24.
58134	McDonnell SM, Witte D (1997). Hereditary hemochromatosis. Preventing chronic effects of this underdiagnosed disorder. <i>Postgrad Med</i> , 102(6): 83-94.
58135	Morrison ED, Kowdley KV (2000). Genetic liver disease in adults. Early recognition of the three most common causes. <i>Postgrad Med</i> , 107(2): 147-59.

58136	Rosalki SB (2002). Genetic haemochromatosis. IJCP, 56(8): 609-10.
58137	Lambrecht RW, Bonkovsky HL (2002). Hemochromatosis and prophylaxis. Semin Gastrointest Dis, 13(2): 109-19.
58138	Kang JO (2001). Chronic iron overload and toxicity: clinical chemistry perspective. Clin Lab Sci, 14(3): 209-27.
58139	Ayonrinde OT, Milward EA, Chua ACG, Trinder D, Olynyk JK (2008). Clinical perspectives on hereditary hemochromatosis. Crit Rev Clin Lab Sci, 45(5): 451-84.
58140	Adams PC (2004). Hemochromatosis. Clin Liver Dis, 8: 735-53.
58141	Stremmel W, Karner M, Manzhalii E, Gilles W, et al (2007). Liver and iron metabolism - a comprehensive hypothesis for the pathogenesis of genetic hemochromatosis. Z Gastroenterol, 45: 71-5.
58142	Pietrangelo A (2006). Hereditary hemochromatosis. Annu Rev Nutr, 26: 251-70.
58143	Beaton MD, Adams PC (2007). The myths and realities of hemochromatosis. Can J Gastroenterol, 21(2): 101-4.
58144	Bonkovsky HL, Jawaid Q, Tortorelli K, LeClair P, et al (1999). Non-alcoholic steatohepatitis and iron: increased prevalence of mutations of the HFE gene in non-alcoholic steatohepatitis. J Hepatol, 31: 421-9.
58145	Longo F, Zecchina G, Sbaiz L, Fischer R, et al (1999). The influence of hemochromatosis mutations on iron overload of thalassemia major. Haematologica, 84(9): 799-803.
58146	Waalen J, Beutler E (2005). Beware of multiple comparisons: a study of symptoms associated with mutations of the HFE hemochromatosis gene. Clinica Chimica Acta, 361: 128-34.
58147	Ellervik C, Birgens H, Tybjaerg-Hansen A, Nordestgaard BG (2007). Hemochromatosis genotypes and risk of 31 disease endpoints: meta-analyses including 66,000 cases and 226,000 controls. Hepatology, 46: 1071-80.
58148	Olsson KS, Vaisanen M, Konar J, Bruce A (1997). The effect of withdrawal of food iron fortification in Sweden as studied with phlebotomy in subjects with genetic hemochromatosis. Eur J Clin Nutr, 51: 782-6.
58149	Fleming RE, Britton RS, Waheed A, Sly WS, Bacon BR (2005). Pathophysiology of hereditary hemochromatosis. Semin Liver Dis, 25(4): 411-9.
58226	Beaton Md, Adams PC (2006). Prognostic factors and survival in patients with hereditary hemochromatosis and cirrhosis. Can J Gastroenterol, 20(4): 257-60.
58227	De Filippi F, Fraquelli M, Conte D, Soffrendini R, et al (1998). High prevalence but low pathogenicity of hepatitis G virus infection in Italian patients with genetic haemochromatosis. Ital J Gastroenterol Hepatol, 30: 529-33.
58228	Vergani A, Bovo G, Trombini P, Caronni N, et al (1999). Semiquantitative and qualitative assessment of hepatic iron in patients with chronic viral hepatitis: relation with grading, staging and haemochromatosis mutations. Ital J Gastroenterol Hepatol, 31: 395-400.

58229	Wojcik JP, Speechley MR, Kertesz AE, et al (2002). Natural history of C282Y homozygoes for hemochromatosis. <i>Can J Gastroenterol</i> , 16(5): 297-302.
58230	Jacobs EMG, Hendriks JCM, Marx JJM, van Deursen BM, et al (2007). Morbidity and mortality in first-degree relatives of C282Y homozygous probands with clinically detected haemochromatosis compared with the general population: the Hemochromatosis Family Study (HEFAS). <i>Neth J Med</i> , 65(11): 425-33.
58338	Fowler C (2008). Hereditary hemocheomatosis: pathophysiology, diagnosis, and management. <i>Crit Care Nurs Clin N Am</i> , 20: 191-201.
59486	Powell LW (2008). Hemochromatosis. Anthony S Fauci, et al [Eds]. <i>Harrison's Internal Medicine</i> , 17th Edition, Chapter 351: 2429-33. McGraw Hill Companies Inc.
59487	Allen KJ, Gurrin LC, Constantine CC, Osborne NJ, et al (2008). Iron-overload-related disease in HFE hereditary hemochromatosis. <i>NEJM</i> , 358(3): 221-30.
59488	Olynyk JK, Cullen DJ, Aquilia S, Rossi E, et al (1999). A population-based study of the clinical expression of the hemochromatosis gene. <i>NEJM</i> , 341: 718-24.
59489	Scotet V, Merour M-C, Mercier A-Y, Chanu B, et al (2003). Hereditary hemochromatosis: effect of excessive alcohol consumption on disease expression in patients homozygous for the C282Y mutation. <i>Am J Epidemiol</i> , 158(2): 129-34.
59559	Loreal O, Deugnier Y, Moirand R, Lauvin L, et al (1992). Liver fibrosis in genetic hemochromatosis. Respective roles of iron and non-iron-related factors in 127 homozygous patients. <i>J Hepatol</i> , 16: 122-7.
59560	Adams PC, Agnew S (1996). Alcoholism in hereditary hemochromatosis revisited: prevalence and clinical consequences among homozygous siblings. <i>Hepatology</i> , 25(2): 724-7.
59561	Deugnier Y, Brissot P, Loreal O (2008). Iron and the liver: update 2008. <i>J Hepatol</i> , 48: S113-23.
59562	Olynyk JK, Knuiman MW, Divitini ML, Bartholomew HC, et al (2005). Effects of the HFE gene mutations and alcohol on iron status, liver biochemistry and morbidity. <i>J Gastroentero Hepatol</i> , 20: 1435-41.
59563	Fletcher LM, Dixon JL, Purdie DM, Powell LW, Crawford DHG (2002). Excess alcohol greatly increases the prevalence of cirrhosis in hereditary hemochromatosis. <i>Gastroenterol</i> , 122(2): 281-9.
59564	Britton RS, Bacon BR (2002). [Comment] Hereditary hemochromatosis and alcohol: a fibrogenic cocktail. <i>Gastroenterol</i> , 122(2): 163-5. Comment on ID: 59563.
59565	Le Lan C, Mosser A, Ropert M, Detivaud L, et al (2010). Sex and acquired co-factors determine phenotypes of ferroportin disease. <i>Gastroenterol</i> , : [Epub ahead of print].
59650	Asberg A, Hveem K, Thorstensen K, Ellekjaer E, et al (2001). Screening for hemochromatosis: high prevalence and low morbidity in an unselected population of 65,238 persons. <i>Scand J Gastroenterol</i> , 36(10): 1108-15.
59651	Adams PC (2001). [Comment] Hemochromatosis: the irony of population screening. <i>Scand J Gastroenterol</i> , 36(10): 1009-10. Comment on ID: 59650.
59652	Hauge A, Borch-Johnsen B; Asberg A, et al (2002). [Comments] High prevalence of hemochromatosis in Nord-Trondelag. <i>Scand J Gastroenterol</i> , 37: 987-91. Comments on ID: 59650.

60880	Shan Y, Lambrecht RW, Bonkovsky HL (2005). Association of hepatitis C virus infection with serum iron status: analysis of data from the third National Health and Nutrition Examination Survey. <i>CID</i> , 40: 834-40.
60881	Milward EA, Baines SK, Knuiman MW, Bartholomew HC, et al (2008). Noncitrus fruits as a novel dietary environmental modifiers of iron stores in people with or without HFE gene mutations. <i>Mayo Clin Proc</i> , 83(5): 543-9.
60882	McCune CA (2008). Sex, drugs, and "heavy metal": does diet also matter in the clinical expression of hereditary hemochromatosis? <i>Mayo Clin Proc</i> , 83(5): 526-8.
60883	Frank J, Poblete-Gutierrez P, Weiskirchen R, et al (2006). Hemochromatosis gene sequence deviations in German patients with porphyria cutanea tarda. <i>Physiol Res</i> , 55(Suppl 2): S75-83.
60884	Aranda N, Viteri FE, Montserrat C, Arija V (2010). Effects of C282Y, H63D, and S65C HFE gene mutations, diet, and life-style factors on iron status in a general Mediterranean population from Tarragona, Spain. <i>Ann Hematol</i> , 89: 767-73.
60885	Oliver JD (2005). Wound infections caused by <i>vibrio vulnificus</i> and other marine bacteria. <i>Epidemiol Infect</i> , 133: 383-91.
60886	Heath A-LM, Roe MA, Oyston SL, Gray AR, et al (2008). Blood loss is a stronger predictor of iron status in men than C282Y heterozygosity or diet. <i>J Am Coll Nutr</i> , 27(1): 158-67.
60887	Koenig KL, Mueller J, Rose T (1991). <i>Vibrio vulnificus</i> . Hazard on the half shell. <i>West J Med</i> , 155: 400-3.
60888	McLaren GD, Gordeuk VR (2009). Hereditary hemochromatosis: insights from the Hemochromatosis and Iron Overload Screening (HEIRS) Study. <i>Hematology</i> , 195-206.
60889	Dubois S, Kowdley KV (2004). Review article: targeted screening for hereditary haemochromatosis in high-risk groups. <i>Aliment Pharmacol Ther</i> , 20: 1-14.
60890	Harrison-Findik DD (2007). Role of alcohol in the regulation of iron metabolism. <i>World J Gastroenterol</i> , 13(37): 4925-30.
60891	Hurrell R, Egli I (2010). Iron bioavailability and dietary reference values. <i>Am J Clin Nutr</i> , 91(Suppl): 1461S-7.
60892	Cade JE, Moreton JA, O'Hara B, Greenwood DC, et al (2005). Diet and genetic factors associated with iron status in middle-aged women. <i>Am J Clin Nutr</i> , 82: 813-20.
60983	Krijt J, Vokurka M, Chang K-T, Necas E (2004). Expression of Rgmc, the murine ortholog of hemajuvelin gene, is modulated by development and inflammation, but not by iron status or erythropoietin. <i>Blood</i> , 104: 4308-10.
60984	Ramm GA, Ruddell RG (2010). Iron homeostasis, hepatocellular injury, and fibrogenesis in hemochromatosis: the role of inflammation in a noninflammatory liver disease. <i>Semin Liver Dis</i> , 30(3): 271-87.
60986	Gisslen K, Gyulai C, Nordstrom P, Alfredson H (2007). Normal clinical and ultrasounds findings indicate a low risk to sustain jumper's knee patellar tendinopathy: a longitudinal study on Swedish elite junior volleyball players. <i>Br J Sports Med</i> , 41: 253-8.
61034	Sikorska K, Bielawski KP, Stalke P, Lakomy EA, et al (2005). HFE gene mutations in Polish patients with disturbances of iron metabolism: an initial assessment. <i>Int J Mol Med</i> , 16: 1151-6.

61035	Eisenbach C, Gehrke SG, Stremmel W (2004). Iron, the HFE gene, and hepatitis C. <i>Clin Liver Dis</i> , 8: 775-85.
61036	Moinuddin MJ, Figueiredo V, Amanullah AM (2010). Infiltrative diseases of the heart. <i>Rev Cardiovasc Med</i> , 11(4): 218-27.
61037	Beutelspacher SC, Serbecic N, Tan PH, Mehrabi M, et al (2004). Low dose-ethanol modulates toxic effect of iron-overloading in the liver. <i>J Nutr Sci Vitaminol</i> , 50: 78-86.
61038	Ambrus JL, Islam A, Akhter S, Dembinski W, et al (2004). Multiple medical problems following agent orange exposure. <i>J Med</i> , 35(1-6): 265-9.
61093	Carlsson A (2009). Hereditary hemochromatosis: a neglected diagnosis in orthopedics. A series of 7 patients with ankle arthritis, and a review of the literature. <i>Acta Orthopaedica</i> , 80(3): 371-4.
61094	Dubois S, Kowdley KV (2004). Review article: targeted screening for hereditary haemochromatosis in high-risk groups. <i>Aliment Pharmacol Ther</i> , 20: 1-14.
61095	Jordan JM (2004). Arthritis in hemochromatosis or iron storage disease. <i>Curr Opin Rheum</i> , 16: 62-6.
61096	Lubitz SA, Goldbarg SH, Mehta D (2008). Sudden cardiac death in infiltrative cardiomyopathies: sarcoidosis, scleroderma, amyloidosis, hemachromatosis. <i>Prog Cardiovasc Dis</i> , 51(1): 58-73.
61097	Lewis AS, Courtney CH, Atkinson AB (2009). All patients with 'idiopathic' hypopituitarism should be screened for hemochromatosis. <i>Pituitary</i> , 12: 273-5.
61098	Yen AW, Fancher TL, Bowlus CL (2006). Revisiting hereditary hemochromatosis: current concepts and progress. <i>Am J Med</i> , 119: 391-9.
61099	Pietrangelo A (2010). Hereditary hemochromatosis: pathogenesis, diagnosis, and treatment. <i>Gastroenterol</i> , 139: 393-408.
61100	Beutler E, Gelbart T (2006). Helicobacter pylori infection and HFE hemochromatosis. <i>Blood Cell Mol Dis</i> , 37: 188-91.
61101	Khan FA, Fisher MA, Khakoo RA (2007). Association of hemochromatosis with infectious diseases: expanding spectrum. <i>Int J Infect Dis</i> , 11: 482-7.
61102	Lee P, Rice L, McCarthy JJ, Beutler E (2009). Severe iron overload with a novel aminolevulinate synthase mutation and hepatitis C infection. A case report. <i>Blood Cell Mol Dis</i> , 42: 1-4.
61103	Francanzani AL, Piperno A, Valenti L, Fraquelli M, et al (2010). Hemochromatosis in Italy in the last 30 years: role of genetic and acquired factors. <i>Hepatology</i> , 51: 501-10.
61104	Singh M, Ashwell M, Sanderson P, Cade J, et al (2006). Risk of iron overload in carriers of genetic mutations associated with hereditary haemochromatosis: UK food standards agency workshop. <i>Br J Nutr</i> , 96: 770-3.
61105	Tao M, Pelletier DL (2009). The effect of dietary iron intake on the development of iron overload among homozygotes for haemochromatosis. <i>Public Health Nutrition</i> , 12(10): 1823-9.
61106	van der A DL, Peeters PHM, Grobbee DE, Roest M, et al (2006). HFE genotypes and dietary heme iron: no evidence of strong gene - nutrient interaction on serum ferritin concentrations in middle-aged women. <i>Nutr Metab Cardiovasc Dis</i> , 16: 60-8.

61107	Deugnier Y, Mosser J (2008). Modifying factors of the HFE hemochromatosis phenotype. <i>Expert Rev Gastroenterol Hepatol</i> , 2(4): 531-40.
61243	Borgna-Pignatti C, Solinas A, Bombieri C, Micciolo R, et al (1998). The haemochromatosis mutations do not modify the clinical picture of thalassaemia major in patients regularly transfused and chelated. <i>Br J Haematol</i> , 103: 813-6.
61244	Ohtake T, Saito H, Hosoki Y, Inoue M, et al (2007). Hepcidin is down-regulated in alcohol loading. <i>Alcoholism: Clin Exp Res</i> , 31(S1): 2S-8S.
61245	Bridle KR, Cheung T-K, Murphy TL, Walters MM, et al (2006). Hepcidin is down-regulated in alcoholic liver injury: implications for the pathogenesis of alcoholic liver disease. <i>Alcoholism: Clin Exp Res</i> , 30(1): 106-12.
61322	Sharma V, Panigrahi I, Dutta P, Tyagi S, et al (2007). HFE mutation H63D predicts risk of iron over load in thalassemia intermedia irrespective of blood transfusions. <i>Indian J Pathol Microbiol</i> , 50(1): 82-5.
61323	Sparacia G, Iaia A, Banco A, D'Angelo P, Iagalla R (2000). Transfusional hemochromatosis: quantitative relation of MR imaging pituitary signal intensity reduction to hypogonadotropic hypogonadism. <i>Radiology</i> , 215: 818-23.
61558	Luque-Ramirez M, Alvarez-Blasco F, Botella-Carretero JI, et al (2007). Increased body iron stores of obese women with polycystic ovary syndrome are a consequence of insulin resistance and hyperinsulinism and are not a result of reduced menstrual losses. <i>Diabetes Care</i> , 30(9): 2309-13.
61559	Allen KJ, Bertalli NA, Osborne NJ, Constantine CC, et al (2010). HFE cyc282Tyr homozygotes with serum ferritin concentrations below 1000 ug/L are at low risk of hemochromatosis. <i>Hepatology</i> , 52: 925-33.
61560	Gurrin LC, Bertalli NA, Dalton GW, Osborne NJ, et al (2009). HFE C282Y/H63D compound heterozygotes are at low risk of hemochromatosis-related morbidity. <i>Hepatology</i> , 50: 94-101.
61561	Yildirim A, Meral M, Kaynar H, Polat H, Ucar EY (2007). Relationship between serum levels of some acute-phase proteins and stage of disease and performance status in patients with lung cancer. <i>Med Sci Monit</i> , 13(4): CR195-200.
61562	Martinez-Garcia MA, Luque-Ramirez M, San-Millan JL, Escobar-Morreale HF (2009). Body iron stores and glucose intolerance in premenopausal women. <i>Diabetes Care</i> , 32: 1525-30.
61563	Fargion S, Valenti L, Fracanzani AL (2011). Beyond hereditary hemochromatosis: new insights into the relationship between iron overload and chronic liver diseases. <i>Dig Liver Dis</i> , 43: 89-95.
61564	Cunha BA, Pherez FM, Katz DS (2010). Fever of unknown origin (FUO) due to a solitary cavitary lung lesion: the deadly ferritin-laced doughnut. <i>Heart & Lung</i> , 39: 340-4.
61565	Song M-K, Chung J-S, Seol Y-M, Choi Y-J, Cho G-J (2009). Elevation of serum ferritin is associated with the outcome of patients with newly diagnosed multiple myeloma. <i>Korean J Intern Med</i> , 24: 368-73.
61566	Kong Z-D, Zu D, Zhang W, Zhao Y, et al (2010). Clinical features and prognosis in adult-onset still's disease: a study of 104 cases. <i>Clin Rheumatol</i> , 29: 1015-9.
61567	Novak S, Anic F, Luke-Vrbanic TS (2011). Extremely high serum ferritin levels as a main diagnostic tool of adult-onset Still's disease. <i>Rheumatol Int</i> , : [Epub ahead of print].

61568	Waalen J, Felitti VJ, Gelbart T, Beutler E (2008). Screening for hemochromatosis by measuring ferritin levels: a more effective approach. <i>Blood</i> , 111: 3373-6.
61569	Tong H, Ren Y, Liu H, Ziao F, Mai W, et al (2008). Clinical characteristics of T-cell lymphoma associated with hemophagocytic syndrome. <i>Leukema & Lymphoma</i> , 49(1): 81-7.
61611	Kerzel S, Zemlin M, Komhoff M, Klaus G, Maier RF (2009). Hyperferritinemia as the diagnostic clue in life-threatening hemophagocytic lymphohistiocytosis. <i>Klin Padiatr</i> , 221: 318-21.
61612	Singh KJ, Singh SK, Suri A, Vijan V, Goswami AK (2005). Serum ferritin in renal cell carcinoma: effect of tumor size, volume grade, and stage. <i>Ind J Cancer</i> , 42(4): 197-200.
61632	Freixenet N, Remacha A, Berlanga E, Caixas A, et al (2009). Serum soluble transferrin receptor concentrations are increased in central obesity. Results from a screening programme for hereditary hemochromatosis in men with hyperferritinemia. <i>Clinica Chimica Acta</i> , 400: 111-6.
61633	Powell EE, Ali A, Clouston AD, Dixon J, et al (2005). Steatosis is a cofactor in liver injury in hemochromatosis. <i>Gastroenterology</i> , 129: 1937-43.
61634	Bekri S, Gual P, Anty R, Luciani N, et al (2006). Increased adipose tissue expression of hepcidin in severe obesity is independent from diabetes and NASH. <i>Gastroenterology</i> , 131: 788-96.
61635	Laine F, Deugnier Y, Pontchaillou C, Centre d'Investigation Clinique (2006). Increased expression of hepcidin in obese patients: impact on phenotypic pathophysiology of dysmetabolic iron overload syndrome. <i>Gastroenterology</i> , 131: 2028-31.
61719	Wallace DF, Subramaniam VN (2009). Co-factors in liver disease: the role of HFE-related hereditary hemochromatosis and iron. <i>Biochimica et Biophysica Acta</i> , 1790: 66-70.
61762	Beutler E, Waalen J, Gelbart (2005). Chronic inflammation does not appear to modify the homozygous hereditary hemochromatosis phenotype. <i>Blood Cell Mol Dis</i> , 35: 326-7.
61796	Adams PC (2001). Is there a threshold of hepatic iron concentration that leads to cirrhosis in C282Y hemochromatosis? <i>The American Journal of Gastroenterology</i> , 96(2): 2265-6.
61837	Solomon LR; Mussallam KM, Taher AT; Taccone-Gallucci M, Manca-di-Villahermosa S, Noce A; Brittenham GM (2011). [Comments] Iron-chelating therapy for transfusional iron overload. <i>N Eng J Med</i> , 364(115): 1475-7.
61898	Valenti L, Fracanzani AL, Bugianesi E, Dongiovanni P, et al (2010). Clinical advances in liver, pancreas, and biliary tract. <i>Gastroenterology</i> , 138: 905-12.
61899	Neri S, Pulvirenti D, Signorelli S, Ignaccolo L, et al (2008). The HFE gene heterozygosity H63D: a cofactor for liver damage in patients with steatohepatitis? Epidemiological and clinical considerations. <i>Internal Medicine</i> , 38: 254-8.
61900	Valenti L, et al; Nelson JE, Kowdley KV (2008). [Comments] HFE mutations in nonalcoholic fatty liver disease. <i>Hepatology</i> , 47(5): 1794-5.
61901	Bugianesi E, Manzini P, D'Antico S, Vanni E, et al (2004). Relative contribution of iron burden, HFE mutations and insulin resistance to fibrosis in nonalcoholic fatty liver. <i>Hepatology</i> , 39: 179-87.

61902	Chitturi S, Weltman M, Farrell GC, McDonald D, et al (2002). HFE Mutations, hepatic iron, and fibrosis: ethnic-specific association of NASH with C282Y but not with fibrotic severity. <i>Hepatology</i> , 36: 142-9.
61903	Adams LA, Angulo P, Abraham SC, Torgerson H, et al (2006). The effect of metabolic syndrome, hepatic steatosis and steatohepatitis on liver fibrosis in hereditary hemochromatosis. <i>Liver International</i> , 26: 298-304.
61904	Gomez E, Ortega F, Peces R, Gago E, et al (1984). Serum ferritin in haemodialysis patients: role of blood transfusions and 'Haemochromatosis Alleles' HLA A3, B7 and B14. <i>Nephron</i> , 36: 106-10.
61905	Grigg AP, Bhathal PS (2001). Compound heterozygosity for haemochromatosis gene mutations and hepatic iron overload in allogeneic bone marrow transplant recipients. <i>Pathology</i> , 33: 44-9.
61909	Aigner E, Theurl I, Theurl M, Lederer D, et al (2008). Pathways underlying iron accumulation in human nonalcoholic fatty liver disease. <i>Am J Clin Nutr</i> , 84: 1374-83.
61910	Grittenham GM (2011). Iron-chelating therapy for transfusional iron overload. <i>N Engl J Med</i> , 364: 146-56.
61911	Rossi E, Bulsara MK, Olynk JK, Digby J, et al (2001). Effect of hemochromatosis genotype and lifestyle factors on iron and red cell indices in a community population. <i>Clinical Chemistry</i> , 47: 202-8.
61912	Freixenet N, Moreno-Rosell MS, Barcelo MJ, Serrano A, et al (2010). [Comment] Detection of hereditary hemochromatosis and biochemical iron overload in primary care: a multicenter case finding study in Spain. <i>Am J Hematol</i> , 85(4): 294-6.
61913	Corengia C, Galimberti S, Bovo G, Vergani A, et al (2005). Iron accumulation chronic hepatitis C. Relation of hepatic iron distribution, HFE Genotype, and disease course. <i>Am J Clin Pathol</i> , 124: 846-53.
61914	Chan JS, Shing MM, Lee V, Li CK, Yuen P (2008). Haemophagocytic lymphohistiocytosis in Hong Kong children. <i>Hong Kong Med J</i> , 14: 308-13.
61915	St John AT, Stuart KA, Crawford DH (2011). Testing for HFE-related hemochromatosis. <i>Australian Prescriber</i> , 34(3): 73-6.
62007	Cunningham E (2003). Is there a role for diet in the treatment of hemachromatosis? <i>Journal of the American Dietetic Association</i> , 103(5): 593.
62086	Kowdley KV (2010). [Comment] The role of iron in nonalcoholic fatty liver disease: the story continues. <i>Gastroenterol</i> , 138: 817-9. Comment on ID: 62085.
63116	Fujita N, Miyachi H, Tanaka H, Takeo M et al (2009). Iron overload is associated with hepatic oxidative damage to DNA in nonalcoholic Steatohepatitis. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(2): 424-32.
63117	Brittenham GM (2011). Iron-chelating therapy for transfusional iron overload. <i>N Eng J Med</i> , 364(2): 146-56.
63118	Cojocariu C, Trifan A, Stanciu C (2008). Involvement and role of iron in nonalcoholic steatohepatitis. <i>Rev Med Chir Soc Med Nat Iasi</i> , 112(2): 308. [Abstract]