

Statement of Principles concerning

HAEMOCHROMATOSIS No. 22 of 2012

for the purposes of the

Veterans' Entitlements Act 1986 and Military Rehabilitation and Compensation Act 2004

Title

1. This Instrument may be cited as Statement of Principles concerning haemochromatosis No. 22 of 2012.

Determination

- 2. The Repatriation Medical Authority under subsection **196B(3)** and **(8)** of the *Veterans' Entitlements Act 1986* (the VEA):
 - (a) revokes Instrument No. 6 of 1997 concerning haemochromatosis; and
 - (b) determines in its place this Statement of Principles.

Kind of injury, disease or death

- 3. (a) This Statement of Principles is about haemochromatosis and death from haemochromatosis.
 - (b) For the purposes of this Statement of Principles, "haemochromatosis" means deposition of excessive amounts of iron in parenchymal cells with eventual tissue damage and impaired organ function, due to a genetic disorder of iron metabolism.
 - (c) Haemochromatosis attracts ICD-10-AM code E83.1.
 - (d) In the application of this Statement of Principles, the definition of **"haemochromatosis"** is that given at paragraph 3(b) above.

Basis for determining the factors

4. On the sound medical-scientific evidence available, the Repatriation Medical Authority is of the view that it is more probable than not that **haemochromatosis** and **death from haemochromatosis** can be related to relevant service rendered by veterans or members of the Forces under the VEA, or members under the *Military Rehabilitation and Compensation Act* 2004 (the MRCA).

Factors that must be related to service

5. Subject to clause 7, at least one of the factors set out in clause 6 must be related to the relevant service rendered by the person.

Factors

- 6. The factor that must exist before it can be said that, on the balance of probabilities, **haemochromatosis** or **death from haemochromatosis** is connected with the circumstances of a person's relevant service is:
 - (a) for males, consuming a total of 110 kilograms of alcohol within any five year period before the clinical worsening of haemochromatosis; or
 - (b) for females, consuming a total of 75 kilograms of alcohol within any five year period before the clinical worsening of haemochromatosis; or
 - (c) being infected with hepatitis C virus at the time of the clinical worsening of haemochromatosis; or
 - (d) having chronic blood transfusional overload at the time of the clinical worsening of haemochromatosis, where the last blood transfusion occurred within the one month before the clinical worsening of haemochromatosis; or
 - (e) inability to obtain appropriate clinical management for haemochromatosis.

Factors that apply only to material contribution or aggravation

7. Paragraphs **6(a)** to **6(e)** apply only to material contribution to, or aggravation of, haemochromatosis where the person's haemochromatosis was suffered or contracted before or during (but not arising out of) the person's relevant service.

Inclusion of Statements of Principles

8. In this Statement of Principles if a relevant factor applies and that factor includes an injury or disease in respect of which there is a Statement of Principles then the factors in that last mentioned Statement of Principles apply in accordance with the terms of that Statement of Principles as in force from time to time.

Other definitions

9. For the purposes of this Statement of Principles:

"alcohol" is measured by the alcohol consumption calculations utilising the Australian Standard of 10 grams of alcohol per standard alcoholic drink;

"chronic blood transfusional overload" means:

- (a) cumulative blood transfusions which have reached 120-ml packed red blood cell per kilogram of body weight and a serum ferritin level consistently greater than 1000 nanograms per millilitre;
- (b) liver iron content by biopsy, superconducting quantum interference device or magnetic resonance imaging elevated above 7 milligrams per gram dry weight due to cumulative blood transfusions; or
- (c) at least ten blood transfusions within a two year period which has resulted in a serum ferritin level consistently greater than 1000 nanograms per millilitre;

"death from haemochromatosis" in relation to a person includes death from a terminal event or condition that was contributed to by the person's haemochromatosis;

"ICD-10-AM code" means a number assigned to a particular kind of injury or disease in The International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification (ICD-10-AM), Seventh Edition, effective date of 1 July 2010, copyrighted by the National Centre for Classification in Health, Sydney, NSW, and having ISBN 978 1 74210 154 5;

"relevant service" means:

- (a) eligible war service (other than operational service) under the VEA;
- (b) defence service (other than hazardous service and British nuclear test defence service) under the VEA; or
- (c) peacetime service under the MRCA;

"terminal event" means the proximate or ultimate cause of death and includes:

- (a) pneumonia;
- (b) respiratory failure;
- (c) cardiac arrest;
- (d) circulatory failure; or
- (e) cessation of brain function.

Application

10. This Instrument applies to all matters to which section 120B of the VEA or section 339 of the MRCA applies.

Date of effect

1	11.	This I	nstrument	takes	effect	from	7 N	March	2012
ı		1 1115 1	nsu umem	Lancs	CHUCL	11(7)11	/ IV	тагсп	2012.

Dated this	twenty-fourth	day of	February	2012
Repatriatio	on Seal of the n Medical Authority to this instrument ence of:)))		
			KEN DONAL CHAIRPERSO	_