



TINEA

RMA ID Number	Reference List for RMA019-3 as at June 2024
---------------	---

70536	Abdel-Rahman SM (2008). Strain differentiation of dermatophytes. <i>Mycopathologia</i> , 166(5-6): 319-33.
114579	Agarwal A, Hassanandani T, Das A, et al (2021). 'Mask tinea': tinea faciei possibly potentiated by prolonged mask usage during the COVID-19 pandemic. <i>Clin Exp Dermatol</i> , 46(1): 190-3.
114840	Agrawal S, Singal A, Grover C, et al (2023). Prevalence of onychomycosis in patients with diabetes mellitus: A cross-sectional study from a tertiary care hospital in North India. <i>Indian J Dermatol Venereol Leprol</i> , 89(5): 710-7.
114754	Akay BN, Demirdag HG, Evren E, et al (2019). Deep fungal infection caused by <i>Trichophyton rubrum</i> after heart transplantation. <i>Australas J Dermatol</i> , 60(3): e252-4.
114392	Akhoundi M, Nasrallah J, Marteau A, et al (2022). Effect of household laundering, heat drying, and freezing on the survival of dermatophyte conidia. <i>J Fungi (Basel)</i> , 8(5): 546.
114696	Akinboro AO, Onayemi O, Mejuni AD (2014). Frequency, pattern, and extent of skin diseases in relation to CD4+ cell count among adults with human immunodeficiency virus infection or acquired immunodeficiency syndrome in Osogbo, southwestern Nigeria. <i>Int J Dermatol</i> , 53(4): 416-24.
116068	Al Aboud AM, Crane JS (2023). Tinea capitis. Retrieved 1 February 2024, from https://www.ncbi.nlm.nih.gov/books/NBK536909/
70575	Alavi A, Woo K, Sibbald RG (2007). Common nail disorders and fungal infections. <i>Adv Skin Wound Care</i> , 20(6): 346-57.
114388	Albucker SJ, Falotico JM, Choo ZN, et al (2023). Risk factors and treatment trends for onychomycosis: A case-control study of onychomycosis patients in the All of Us Research Program. <i>J Fungi (Basel)</i> , 9(7): 712.
114599	Ali Dawa M, Tesfa T, Weldegebreal F (2021). Mycological profile and its associated factors among patients suspected of dermatophytosis at Bisidimo Hospital, Eastern Ethiopia. <i>Clin Cosmet Investig Dermatol</i> , 14: 1899-908.
29215	Allen AM, Taplin D, Lowy JA, et al (1972). Skin infections in Vietnam. <i>Mil Med</i> , 137(8): 295-301.
114306	Al-Mahmood A, Al-Sharifi E (2021). Epidemiological characteristics and risk factors of tinea pedis disease among adults attending Tikrit Teaching Hospital/ Iraq. <i>Infect Disord Drug Targets</i> , 21(3): 384-8.
70688	Alvarez MS, Silverberg NB (2006). Tinea capitis. <i>Cutis</i> , 78(3): 189-96.
29189	Aly R, Hay RJ, Del Palacio A, et al (2000). Epidemiology of tinea capitis. <i>Med Mycol</i> , 38(Suppl 1): 183-8.

29200	American Academy of Family Physicians (2000). Tinea Infections: Athlete's foot, jock itch and ringworm. Retrieved 8 October 2003, from http://familydoctor.org/handouts/316.html
29203	American Medical Association (1997). Fungal Skin Infection (Tinea). Retrieved 8 October 2003, from http://www.medem.com/MedLB/article_detailb_for_printer.cfm?article_ID=ZZZ8W2(...
29201	American Osteopathic College of Dermatology (2001). Dermatologic Disease Database: Fungus infections: preventing recurrence. Retrieved 8 October 2003, from http://www.aocd.org/skin/dermatologic_diseases/fungus_preventing.html
114299	Amichai B, Grunwald MH, Davidovici B, et al (2013). The effect of domestic laundry processes on fungal contamination of socks. <i>Int J Dermatol</i> , 52(11): 1392-4.
29218	Anand LC, Singh UK, Rathore BS (1979). Epidemiological study of fungal infection in the armed forces. <i>Indian J Med Res</i> , 70: 398-402.
114841	Andersen PL, Henning MA, Jemec GB, et al (2018). Two cases of proximal subungual onychomycosis caused by <i>Trichophyton rubrum</i> in HIV-negative patients during treatment with TNF-a inhibitors combined with methotrexate. <i>Acta Dermatovenerol Croat</i> , 26(4): 304-6.
70537	Andrews MD, Burns M (2008). Common tinea infections in children. <i>Am Fam Physician</i> , 77(10): 1415-20.
70532	Andrews RM, McCarthy J, Carapetis JR, et al (2009). Skin disorders, including pyoderma, scabies, and tinea infections. <i>Pediatr Clin North Am</i> , 56(6): 1421-40.
114842	Anforth R, Carlos G, Eiris N, et al (2015). Tinea hidden by a vemurafenib-induced phototoxic reaction in a patient with metastatic melanoma taking dexamethasone. <i>Med J Aust</i> , 203(1): 41-2.
114297	Antuori A, Fernandez G, Fernandez A, et al (2019). Epidemiology of dermatophytic infections between 2008 and 2017 in Barcelona, Spain. <i>Enferm Infecc Microbiol Clin (Engl Ed)</i> , 37(10): 642-7.
113608	Aragon-Sanchez J, Lopez-Valverde ME, Viquez-Molina G, et al (2023). Onychomycosis and tinea pedis in the feet of patients with diabetes. <i>Int J Low Extrem Wounds</i> , 22(2): 321-7.
111209	Aref S, Nouri S, Moravvej H, et al (2022). Epidemiology of dermatophytosis in Tehran, Iran: A ten-year retrospective study. <i>Arch Iran Med</i> , 25(8): 502-7.
70519	Aridogan IA, Izol V, Ilkit M (2011). Superficial fungal infections of the male genitalia: a review. <i>Crit Rev Microbiol</i> , 37(3): 237-44.
116077	Australian Medicines Handbook (2023). Guselkumab. Retrieved 1 February 2024, from https://amhonline.amh.net.au/chapters/dermatological-drugs/drugs-psoriasis/immunosuppressants-dermatology/guselkumab?menu=vertical
116079	Australian Medicines Handbook (2023). Immunomodulators and antineoplastics. Retrieved 1 February 2024, from https://amhonline.amh.net.au/chapters/immunomodulators-antineoplastics
116078	Australian Medicines Handbook (2023). Risankizumab. Retrieved 1 February 2024, from https://amhonline.amh.net.au/chapters/dermatological-drugs/drugs-psoriasis/immunosuppressants-dermatology/risankizumab?menu=vertical
116069	Ayrapetyan M, Googe PB, Jolly P, et al (2018). A 61-year-old man with erythematous forearm papules three months after liver transplantation. <i>Transpl Infect Dis</i> , 20(3): e12869.
72258	Babayani M, Salari S, Hashemi SJ, et al (2018). Onychomycosis due to dermatophytes species in Iran: Prevalence rates, causative agents, predisposing factors and diagnosis based on microscopic morphometric findings. <i>J Mycol Med</i> , 28(1): 45-50.

114785	Balaguer-Franch I, Hernandez de la Torre-Ruiz E, Baniandres-Rodriguez O (2021). Generalized dermatophytosis and tinea capitis mimicking psoriasis in a patient with long-term infliximab treatment. <i>Clin Exp Dermatol</i> , 46(4): 750-1.
71775	Bang CH, Yoon JW, Lee HJ, et al (2018). Evaluation of relationships between onychomycosis and vascular diseases using sequential pattern mining. <i>Sci Rep</i> , 8(1): 17840.
114786	Bardazzi F, Balestri R, Rech G, et al (2011). Dermatophytosis during anti-TNF-a monoclonal antibody therapy. <i>Mycoses</i> , 54(5): e619-20.
71592	Bascon L, Galvan JI, Lopez-Riquelme I, et al (2023). Outbreak of dermatophyte infections on the head and neck related to shave haircuts: Description of a multicenter case series. <i>Actas Dermosifiliogr</i> , 114(5): 371-6.
29269	Basnet SB, Basnet NB, Hiruma M (2001). Tinea capitis infection in school children of Nepal. <i>J Epidemiol</i> , 11(3): 126-30.
116070	Baumgardner DJ (2017). Freshwater fungal infections. <i>J Patient Cent Res Rev</i> , 4(1): 32-8.
43497	Baumgardner DJ (2017). Fungal infections from human and animal contact. <i>J Patient Cent Res Rev</i> , 4(2): 78-89.
116071	Bell H (2020). Tinea corporis. Retrieved 1 February 2024, from https://dermnetnz.org/topics/tinea-corporis
29367	Bending A (2002). Fungal nail infections: far more than an aesthetic problem. <i>Br J Community Nurs</i> , 7(5): 254-9.
6672	Benenson AS (1990). Tinea capitis. <i>Control of Communicable Diseases in Man</i> , 15th Edition: 123-9. American Public Health Association, Washington DC.
30109	Benenson AS (1995). Tinea barbae and tinea capitis. <i>Control of Communicable Diseases Manual</i> , 16th Edition: 133-9. American Public Health Association, Washington DC.
72452	Bhagra S, Ganju SA, Sood A, et al (2013). <i>Microsporum gypseum</i> dermatophytosis in a patient of acquired immunodeficiency syndrome: a rare case report. <i>Indian J Med Microbiol</i> , 31(3): 295-8.
29455	Bhutani LK, Mohapatra LN, Kandhari KC (1971). Tinea pedis--a penalty of civilization. A sample survey of rural and urban population. <i>Mykosen</i> , 7(6): 335-6.
29219	Blank H, Taplin D, Zaias N (1969). Cutaneous Trichophyton mentagrophytes infections in Vietnam. <i>Arch Dermatol</i> , 99(2): 135-44.
70586	Bonifaz A, Archer-Dubon C, Saul A (2004). Tinea imbricata or Tokelau. <i>Int J Dermatol</i> , 43(7): 506-10.
70521	Bonifaz A, Vazquez-Gonzalez D (2011). Tinea imbricata in the Americas. <i>Curr Opin Infect Dis</i> , 24(2): 106-11.
43343	Borba OS, Ogawa MM, Kirsztajn GM, et al (2023). Onychomycosis in immunocompromised population: Phenotypic and molecular identification. <i>Mycoses</i> , 66(11): 1018-24.
114843	Boushab BM, Malick Fall FZ, Ould Cheikh Mohamed Vadel TK, et al (2017). Mucocutaneous manifestations in human immunodeficiency virus (HIV)-infected patients in Nouakchott, Mauritania. <i>Int J Dermatol</i> , 56(12): 1421-4.
11453	Bozdemir NY, Yuksel EI, Toraman ZA, et al (2022). Factors affecting onychomycosis in patients with psoriasis. <i>Dermatol Ther</i> , 35(7): e15513.
7894	Brosh-Nissimov T, Ben-Ami R, Astman N, et al (2018). An outbreak of <i>Microsporum canis</i> infection at a military base associated with stray cat exposure and person-to-person transmission. <i>Mycoses</i> , 61(7): 472-6.
116072	Buczek M (2017). Sandy beach microbes: the good, the bad, and the flesh-eating. Retrieved 1 February 2024, from https://asm.org/Articles/2017/August/sandy-beach-microbes-the-good-the-bad-and-the-fles

7876	Buder V, Augustin M, Schafer I, et al (2018). [Prevalence of dermatomycoses in professional football players : A study based on data of German Bundesliga fitness check-ups (2013-2015) compared to data of the general population]. <i>Hautarzt</i> , 69(5): 401-7 [Article in German]. [Abstract]
72455	Budihardja D, Freund V, Mayser P (2010). Widespread erosive tinea corporis by <i>Arthroderma benhamiae</i> in a renal transplant recipient: case report. <i>Mycoses</i> , 53(6): 530-2.
29387	Catterall MD (1975). The incidence and epidemiology of tinea pedis in the crew of a nuclear submarine. <i>J R Nav Med Serv</i> , 61(2): 92-7.
116073	Centres for Disease Control and Prevention (2021). Symptoms of ringworm infections. Retrieved 1 February 2024, from https://www.cdc.gov/fungal/diseases/ringworm/symptoms.html
116067	Champion RH, Burton JL, Burns DA, et al (1998). Mycology. Textbook of Dermatology, 6th Edition, Chapter 31. John Wiley & Sons.
29190	Chan MK, Chong LY (2002). Achilles Project Working Group in Hong Kong. A prospective epidemiologic survey on the prevalence of foot disease in Hong Kong. <i>J Am Podiatr Assoc</i> , 92(8): 450-6.
7869	Chang SJ, Hsu SC, Tien KJ, et al (2008). Metabolic syndrome associated with toenail onychomycosis in Taiwanese with diabetes mellitus. <i>Int J Dermatol</i> , 47(5): 467-72.
7867	Chanyachailert P, Leeyaphan C, Bunyaratavej S (2023). Cutaneous fungal infections caused by dermatophytes and non-dermatophytes: An updated comprehensive review of epidemiology, clinical presentations, and diagnostic testing. <i>J Fungi (Basel)</i> , 9(6): 669.
114591	Charpartidis S, Siopi M, Pappas G, et al (2023). Changing epidemiology of tinea capitis in Athens, Greece: The impact of immigration and review of literature. <i>J Fungi (Basel)</i> , 9(7): 703.
114592	Cheikhrouhou S, Attoini A, Aloui D, et al (2021). Epidemiological, clinical and mycological study of dermatomycosis in diabetic patients. <i>Tunis Med</i> , 99(8): 911-8.
72460	Cohen AD, Wolak A, Alkan M, et al (2005). Prevalence and risk factors for tinea pedis in Israeli soldiers. <i>Int J Dermatol</i> , 44(12): 1002-5.
114593	Coulibaly O, Thera MA, Piarroux R, et al (2015). High dermatophyte contamination levels in hairdressing salons of a West African suburban community. <i>Mycoses</i> , 58(2): 65-8.
114594	Courtellemont L, Chevrier S, Degeilh B, et al (2017). Epidemiology of <i>Trichophyton verrucosum</i> infection in Rennes University Hospital, France: A 12-year retrospective study. <i>Med Mycol</i> , 55(7): 720-4.
114698	Cozzani E, Agnoletti AF, Speziari S, et al (2016). Epidemiological study of onychomycosis in older adults with onychodystrophy. <i>Geriatr Gerontol Int</i> , 16(4): 486-91.
72483	Czaika VA (2013). Effective treatment of tinea corporis due to <i>Trichophyton mentagrophytes</i> with combined isoconazole nitrate and diflucortolone valerate therapy. <i>Mycoses</i> , 56(Suppl 1): 30-2.
114844	da Silva BC, Paula CR, Auler ME, et al (2014). Dermatophytosis and immunovirological status of HIV-infected and AIDS patients from Sao Paulo city, Brazil. <i>Mycoses</i> , 57(6): 371-6.
116074	Daadaa N, Ben Tanfous A (2023). Favus. Retrieved 1 February 2024, from https://www.ncbi.nlm.nih.gov/books/NBK559024/
114595	Daeschlein G, Rauch L, Haase H, et al (2019). [Influence of nutrition, common autoimmune diseases and smoking on the incidence of foot mycoses]. <i>Hautarzt</i> , 70(8): 581-93 [Article in German]. [Abstract]
114596	Daggett C, Brodell RT, Daniel CR, et al (2019). Onychomycosis in athletes. <i>Am J Clin Dermatol</i> , 20(5): 691-8.
114845	Dai Y, Xia X, Shen H (2019). Multiple abscesses in the lower extremities caused by <i>Trichophyton rubrum</i> . <i>BMC Infect Dis</i> , 19(1): 271.

114598	Das A, Sil A, Jaiswal S, et al (2022). Erythrodermic dermatophytosis: an alarming consequence of steroid abuse and misuse. A multicentre prospective study from India. <i>Clin Exp Dermatol</i> , 47(9): 1735-8.
114597	Das A, Sil A, Verma SB, et al (2022). Tinea pseudoimbricata: observations from a clinicoepidemiological and mycological study from eastern India. <i>Clin Exp Dermatol</i> , 47(1): 147-9.
29221	Davis DM, Garcia RL, Riordon JP, et al (1972). Dermatophytes in military recruits. <i>Arch Dermatol</i> , 105(4): 558-60.
114693	De Brito M, Halliday C, Dutta B, et al (2020). A prickly souvenir from a hedgehog cafe: tinea manuum secondary to <i>Trichophyton erinacei</i> via international spread. <i>Clin Exp Dermatol</i> , 45(4): 459-61.
114600	de Hoog GS, Dukik K, Monod M, et al (2017). Toward a novel multilocus phylogenetic taxonomy for the dermatophytes. <i>Mycopathologia</i> , 182(1-2): 5-31.
114601	de Oliveira Pereira F, Gomes SM, Lima da Silva S, et al (2021). The prevalence of dermatophytoses in Brazil: a systematic review. <i>J Med Microbiol</i> , 70(3).
29173	Del Mar M, De Ocariz S, Arenas R, et al (2001). Frequency of toenail onychomycosis in patients with cutaneous manifestations of chronic venous insufficiency. <i>Int J Dermatol</i> , 40(1): 18-25.
116075	Department of Health, New York State (2011). Ringworm. Retrieved 1 February 2024, from https://www.health.ny.gov/diseases/communicable/ringworm/fact_sheet.htm
116076	Department of Health, Victorian State Government (2015). Ringworm or tinea (dermatophytosis). Retrieved 1 February 2024, from https://www.health.vic.gov.au/infectious-diseases/ringworm-or-tinea-dermatophytosis
29178	Devliotou-Panagliotidou D, Koussidou-Eremondi T, Chaidemenos GC, et al (2001). Tinea capitis in adults during 1981-95 in northern Greece. <i>Mycoses</i> , 44(9-10): 398-400.
72748	Dogen A, Gumral R, Oksuz Z, et al (2013). Epidemiology of dermatophytosis in junior combat and non-combat sports participants. <i>Mycoses</i> , 56(2): 95-100.
114605	Dolenc-Voljc M, Gasparic J (2017). Human infections with microsporum gypseum complex (<i>Nannizzia gypsea</i>) in Slovenia. <i>Mycopathologia</i> , 182(11-12): 1069-75.
114602	Dong B, Chen Y, Yu H, et al (2023). Epidemiology and aetiology of tinea capitis in Wuhan and its surrounding areas from 2011 till the present: A single-center retrospective study. <i>Mycopathologia</i> , 188(5): 479-88.
114603	Duarte B, Galhardas C, Cabete J (2019). Adult tinea capitis and tinea barbae in a tertiary Portuguese hospital: A 11-year audit. <i>Mycoses</i> , 62(11): 1079-83.
114604	Eba M, Njunda AL, Mouliom RN, et al (2016). Onychomycosis in diabetic patients in Fako Division of Cameroon: prevalence, causative agents, associated factors and antifungal sensitivity patterns. <i>BMC Res Notes</i> , 9(1): 494.
29337	Ekavithayopas A, Phooijitre B, Puapan Y, et al (1988). Outbreaks of <i>Trichophyton mentagrophytes</i> infection in a premature baby ward. <i>J Med Assoc Thai</i> , 71(Suppl 3): 38-40.
114606	Ekeng BE, Kibone W, Itam-Eyo AE, et al (2023). Onychomycosis in patients with diabetes mellitus in Africa: A global scoping review, 2000-2021. <i>Mycopathologia</i> , 188(3): 173-82.
114607	Elewski BE, Tosti A (2015). Risk factors and comorbidities for onychomycosis: Implications for treatment with topical therapy. <i>J Clin Aesthet Dermatol</i> , 8(11): 38-42.
29428	Elston DM (2001). Dermatophytosis in the military. <i>Cutis</i> , 67(5): 34-5.

114846	Ergen EN, Donaldson SL, Stratton MS, et al (2018). Image Gallery: Molluscum contagiosum-like facial lesions in a patient with a renal transplant: deep dermatophytosis due to <i>Trichophyton rubrum</i> . <i>Br J Dermatol</i> , 178(5): e328.
73014	Erwin BL, Styke LT, Kyle JA (2013). Fungus of the feet and nails. <i>US Pharm</i> , 38(6): 51-4.
56394	Farage MA, Miller KW, Berardesca E, et al (2007). Incontinence in the aged: contact dermatitis and other cutaneous consequences. <i>Contact Dermatitis</i> , 57(4): 211-7.
114608	Fardet L, Petersen I, Nazareth I (2016). Common infections in patients prescribed systemic glucocorticoids in primary care: A population-based cohort study. <i>PLoS One</i> , 13(5): e1002024.
70573	Field LA, Adams BB (2008). Tinea pedis in athletes. <i>Int J Dermatol</i> , 47(5): 485-92.
114847	Fike JM, Kollipara R, Alkul S, et al (2018). Case report of onychomycosis and tinea corporis due to <i>microsporum gypseum</i> . <i>J Cutan Med Surg</i> , 22(1): 94-6.
114848	Filho AM, Ventura CG, Criado PR, et al (2017). Hemodialysis and kidney transplantation as predisposing conditions to onychomycosis. <i>Nephron</i> , 137(1): 38-46.
29165	Frieden IJ (1999). Tinea capitis: asymptomatic carriage of infection. <i>Pediatr Infect Dis J</i> , 18(2): 186-90.
72749	Fukunaga A, Washio K, Ogura K, et al (2013). Onychomycosis as a warning sign for peripheral arterial disease. <i>Acta Derm Venereol</i> , 93: 747-8.
70534	Fuller LC (2009). Changing face of tinea capitis in Europe. <i>Curr Opin Infect Dis</i> , 22(2): 115-8.
114609	Furlan KC, Kakizaki P, Chartuni JC, et al (2017). Sycosiform tinea barbae caused by <i>trichophyton rubrum</i> and its association with autoinoculation. <i>An Bras Dermatol</i> , 92(1): 160-1.
114610	Gallo L, Cinelli E, Fabbrocini G, et al (2019). A 15-year retrospective study on the prevalence of onychomycosis in psoriatic vs non-psoriatic patients: A new European shift from dermatophytes towards yeast. <i>Mycoses</i> , 62(8): 659-64.
72639	Gazes MI, Zeichner J (2013). Onychomycosis in close quarter living review of the literature. <i>Mycoses</i> , 56(6): 610-3.
114849	Ginter-Hanselmayer G, Nenoff P, Kurrat W, et al (2016). [Tinea in the genital area : A diagnostic and therapeutic challenge]. <i>Hautarzt</i> , 67(9): 689-99 [Article in German].
70574	Ginter-Hanselmayer G, Weger W, Ilkit M, et al (2007). Epidemiology of tinea capitis in Europe: current state and changing patterns. <i>Mycoses</i> , 50(Suppl 2): 6-13.
116080	Gnanasegaram M (2018). Majocchi granuloma. Retrieved 1 February 2024, from https://dermnetnz.org/topics/majocchi-granuloma
114613	Gnat S, Lagowski D, Dylag M, et al (2022). European hedgehogs (<i>Erinaceus europaeus</i> L.) as a reservoir of dermatophytes in Poland. <i>Microb Ecol</i> , 84(2): 363-75.
114612	Gnat S, Lagowski D, Nowakiewicz A, et al (2021). A global view on fungal infections in humans and animals: infections caused by dimorphic fungi and dermatophytes. <i>J Appl Microbiol</i> , 131(6): 2688-704.
114611	Gnat S, Nowakiewicz A, Lagowski D, et al (2019). Host- and pathogen-dependent susceptibility and predisposition to dermatophytosis. <i>J Med Microbiol</i> , 68(6): 823-36.
116081	Goldstein AO, Goldstein BG (2023). Dermatophyte (tinea) infections. Retrieved 1 February 2024, from https://www.uptodate.com/contents/dermatophyte-tinea-infections

114695	Greenstein JI (2018). Diffuse dermatophytosis occurring on dimethyl fumarate therapy. <i>Mult Scler</i> , 24(7): 999-1001.
70517	Grosset-Janin A, Nicolas X, Saraux A (2012). Sport and infectious risk: a systematic review of the literature over 20 years. <i>Med Mal Infect</i> , 42(11): 533-44.
29212	Gudnadottir G, Hilmarsdottir I, Sigurgeirsson B (1999). Onychomycosis in Icelandic swimmers. <i>Acta Derm Venereol</i> , 79(5): 376-7.
72440	Guidotti TL (2014). Health Risks and Occupation as a Firefighter. Medical Advisory Services, Department of Veterans' Affairs, Commonwealth of Australia.
114697	Gupta AK, Daigle D, Foley KA (2015). The prevalence of culture-confirmed toenail onychomycosis in at-risk patient populations. <i>J Eur Acad Dermatol Venereol</i> , 29(6): 1039-44.
70518	Gupta AK, Drummond-Main C, Cooper EA, et al (2012). Systematic review of nondermatophyte mold onychomycosis: diagnosis, clinical types, epidemiology, and treatment. <i>J Am Acad Dermatol</i> , 66(3): 494-502.
29172	Gupta AK, Gupta MA, Summerbell RC, et al (2000). The epidemiology of onychomycosis: possible role of smoking and peripheral arterial disease. <i>J Eur Acad Dermatol Venereol</i> , 14(6): 466-9.
29213	Gupta AK, Humke S (2000). The prevalence and management of onychomycosis in diabetic patients. <i>Eur J Dermatol</i> , 10(5): 379-84.
29270	Gupta AK, Jain HC, Lynde CW, et al (1997). Prevalence and epidemiology of unsuspected onychomycosis in patients visiting dermatologists' offices in Ontario, Canada--a multicenter survey of 2001 patients. <i>Int J Dermatol</i> , 36(10): 783-7.
114614	Gupta AK, Lynde CW, Jain HC, et al (1997). A higher prevalence of onychomycosis in psoriasis compared with non-psoriasis: a multicentre study. <i>Br J Dermatol</i> , 136(5): 786-9.
114850	Gupta AK, Simkovich AJ, Hall DC (2022). The march against onychomycosis: A systematic review of the sanitization methods for shoes, socks, and textiles. <i>J Am Podiatr Med Assoc</i> , 112(4): 21-223.
114758	Gutierrez-Ballesteros J, Nebreda-Mayoral T, Gutierrez-Rodriguez MC, et al (2023). Tinea corporis of rare aetiology in patient with immunosuppressive treatment. <i>Enferm Infect Microbiol Clin (Engl Ed)</i> , 41(3): 187-8.
114615	Ha SJ, Han KD, Song Y, et al (2018). Weight change and risk of onychomycosis: A nationwide cohort study in Korea. <i>J Am Acad Dermatol</i> , 78(3): 613-4.
72810	Hamnerius N, Berglund J, Faergemann J (2004). Pedal dermatophyte infection in psoriasis. <i>Br J Dermatol</i> , 150(6): 1125-8.
114616	Haneke E, Roseeuw D (1999). The scope of onychomycosis: epidemiology and clinical features. <i>Int J Dermatol</i> , 38(Suppl 2): 7-12.
70584	Hay R (2005). Literature review. Onychomycosis. <i>J Eur Acad Dermatol Venereol</i> , 19(Suppl 1): 1-7.
114617	Hay RJ (2017). Tinea capitis: current status. <i>Mycopathologia</i> , 182(1-2): 87-93.
114618	Hennessee IP, Benedict K, Dulski TM, et al (2023). Racial disparities, risk factors, and clinical management practices for tinea capitis: An observational cohort study among US children with Medicaid. <i>J Am Acad Dermatol</i> , 89(6): 1261-4.
6671	Hernandez AD (1985). Agents of dermatophytosis and other superficial mycoses. <i>Principles and Practice of Infectious Diseases</i> , 2nd Edition, Chapter 226, Part III: 1493-9. John Wiley & Sons.
72607	Heymann DL (Ed) (2008). <i>Tinea barbae and tinea capitis. Control of Communicable Diseases Manual</i> , 19th Edition: 172-9. American Public Health Association, Washington DC.

116082	Hillan A (2022). Fungal nail infections. Retrieved 1 February 2024, from https://dermnetnz.org/topics/fungal-nail-infections#
103171	Hirschmann J (2017). Fungal, bacterial, and viral infections of the skin. Scientific American Medicine, Chapter 2, Section VII. BC Decker Inc, Philadelphia.
73149	Ho KM, Cheng TS (2010). Common superficial fungal infections - a short review. <i>Hong Kong Med Diary</i> , 15(11): 23-7.
114619	Hung YT, Huang YH, Sun PL (2022). Tinea incognito with intrafamilial outbreak caused by <i>Microsporum canis</i> . <i>J Pediatr</i> , 244: 242-3.
70522	Ilkit M (2010). Favus of the scalp: an overview and update. <i>Mycopathologia</i> , 170(3): 143-54.
114621	Ilkit M, Ali Saraci M, Kurdak H, et al (2010). Clonal outbreak of <i>Trichophyton tonsurans</i> tinea capitis gladiatorum among wrestlers in Adana, Turkey. <i>Med Mycol</i> , 48(3): 480-5.
114620	Ilkit M, Demirhindi H (2008). Asymptomatic dermatophyte scalp carriage: laboratory diagnosis, epidemiology and management. <i>Mycopathologia</i> , 165(2): 61-71.
114622	Ilkit M, Durdu M (2015). Tinea pedis: the etiology and global epidemiology of a common fungal infection. <i>Crit Rev Microbiol</i> , 41(3): 374-88.
73016	Infectious Diseases Dermatology (2014). Tinea Pedis. Retrieved 16 September 2014, from http://library.prognosisapp.com/case/infectious/Tinea-Pedis -
114753	Ishibashi T, Ichimura C, Kubo M, et al (2023). Majocchi granuloma in a patient with adult T-cell leukemia. <i>Mycopathologia</i> , 188(3): 259-62.
114623	Ishijima SA, Hiruma M, Sekimizu K, et al (2019). Detection of <i>Trichophyton</i> spp. from footwear of patients with tinea pedis. <i>Drug Discov Ther</i> , 13(4): 207-11.
114851	Ito A, Yamada N, Kimura R, et al (2019). Tinea barbae due to <i>Trichophyton mentagrophytes</i> contracted from calves. <i>Acta Derm Venereol</i> , 99(10): 925-6.
114852	Jabet A, Delliere S, Seang S, et al (2023). Sexually transmitted <i>Trichophyton mentagrophytes</i> genotype VII infection among men who have sex with men. <i>Emerg Infect Dis</i> , 29(7): 1141-4.
116083	Jackson JD (2023). Infectious folliculitis. Retrieved 1 February 2024, from https://www.uptodate.com/contents/infectious-folliculitis
29177	Jacobs JA, Kolbach DN, Vermeulen AH, et al (2001). Tinea incognito due to <i>Trichophyton rubrum</i> after local steroid therapy. <i>Clin Infect Dis</i> , 33(12): E142-4.
29174	Jain S, Sehgal VN (2000). [Comment] Onychomycosis: an epidemiological perspective. <i>Int J Dermatol</i> , 39(2): 100-3.
114624	Jazdarehee A, Malekafzali L, Lee J, et al (2022). Transmission of onychomycosis and dermatophytosis between household members: A scoping review. <i>J Fungi (Basel)</i> , 8(1): 60.
114853	Jha K, Shaw D, Karim A, et al (2021). Immunological response and clinical profile in patients with recurrent dermatophytosis. <i>Mycoses</i> , 64(11): 1429-41.
72864	Kacar N, Ergin S, Ergin C, et al (2007). The prevalence, aetiological agents and therapy of onychomycosis in patients with psoriasis: a prospective controlled trial. <i>Clin Exp Dermatol</i> , 32(1): 1-5.
114625	Kalekhan FM, Asfiya A, Shenoy MM, et al (2020). Role of tinea unguium and other factors in chronic and recurrent dermatophytosis: A case control study. <i>Indian Dermatol Online J</i> , 11(5): 747-52.
29204	Kao GF (2002). Tinea Capitis. Retrieved 8 October 2003, from http://www.emedicine.com/derm/topic420.htm
70572	Kaur R, Kashyap B, Bhalla P (2008). Onychomycosis--epidemiology, diagnosis and management. <i>Indian J Med Microbiol</i> , 26(2): 108-16.

114854	Kaushik N, Pujalte GG, Reese ST (2015). Superficial fungal infections. <i>Prim Care</i> , 42(4): 501-16.
72815	Kawai M, Suzuki T, Hiruma M, et al (2014). A retrospective cohort study of tinea pedis and tinea unguium in inpatients in a psychiatric hospital. <i>Med Mycol J</i> , 55(2): E35-41.
116084	Keefe M (2021). Tinea cruris. Retrieved 1 February 2024, from https://dermnetnz.org/topics/tinea-cruris
114626	Kermani F, Moosazadeh M, Hosseini SA, et al (2020). Tinea gladiatorum and dermatophyte contamination among wrestlers and in wrestling halls: A systematic review and meta-analysis. <i>Curr Microbiol</i> , 77(4): 602-11.
114627	Kershenovich R, Sherman S, Reiter O, et al (2017). A unique clinicopathological manifestation of fungal infection: A case series of deep dermatophytosis in immunosuppressed patients. <i>Am J Clin Dermatol</i> , 18(5): 697-704.
114628	Khosravi AR, Shokri H, Vahedi G (2016). Factors in etiology and predisposition of adult tinea capitis and review of published literature. <i>Mycopathologia</i> , 181(5-6): 371-8.
114629	Kintsurashvili N, Kvlibidze O, Galdava G (2021). Prevalence and risk factors of tinea pedis in Georgian Defense Forces. <i>BMJ Mil Health</i> , 167(6): 433-6.
114650	Klaassen KM, Dulak MG, van de Kerkhof PC, et al (2014). The prevalence of onychomycosis in psoriatic patients: a systematic review. <i>J Eur Acad Dermatol Venereol</i> , 28(5): 533-41.
29267	Koga T, Shimizu, Kubota Y, et al (2000). Guess what! Tinea manus during interferon-alpha therapy for chronic hepatitis C. <i>Eur J Dermatol</i> , 10(7): 565-6.
29391	Kohl TD, Lisney M (2000). Tinea gladiatorum: wrestling's emerging foe. <i>Sports Med</i> , 29(6): 439-47.
114651	Kovitwanichkanont T, Chong AH (2019). Superficial fungal infections. <i>Aust J Gen Pract</i> , 48(10): 706-11.
72873	Kulac M, Acar M, Karaca S, et al (2005). Venous insufficiency in patients with toenail onychomycosis. <i>J Ultrasound Med</i> , 24(8): 1085-9.
114652	Kuruvinla M, Gahalaut P, Zacharia A (2004). A study of skin disorders in patients with primary psychiatric conditions. <i>Indian J Dermatol Venereol Leprol</i> , 70(5): 292-5.
29181	Lacroix C, Baspeyras M, de La Salmoniere P, et al (2002). Tinea pedis in European marathon runners. <i>J Eur Acad Dermatol Venereol</i> , 16(2): 139-42.
114653	Lakshmanan A, Ganeshkumar P, Mohan SR, et al (2015). Epidemiological and clinical pattern of dermatomycoses in rural India. <i>Indian J Med Microbiol</i> , 33(Suppl): 134-6.
114654	Lamb FM, Ottonelli Stopiglia CD, Votoratto G, et al (2013). Frequency of onychomycoses in chronic renal failure patients undergoing hemodialysis in Porto Alegre, Brazil. <i>Acta Dermatovenerol Croat</i> , 21(1): 19-23.
72865	Larruskain J, Pineiro L, Idigoras P, et al (2005). Dermatophytosis with concurrent lesions in distant locations. Prognostic and therapeutic significance. <i>Enferm Infect Microbiol Clin</i> , 23(4): 191-3. [Abstract]
72874	Lawley LP, McCall CO, Lawley TJ (2013). Dermatophytosis. <i>Harrison's Internal Medicine</i> , 18th Edition, Chapter 52: 401-2. McGraw Hill.
72485	Legge BS, Grady JF, Lacey AM (2008). The incidence of tinea pedis in diabetic versus nondiabetic patients with interdigital macerations: a prospective study. <i>J Am Podiatr Med Assoc</i> , 98(5): 353-6.
116085	Lehrer M, Fraser M, Turley RK (2022). Tinea infection. Retrieved 1 February 2024, from https://www.cedars-sinai.org/health-library/diseases-and-conditions/t/tinea-infection.html
78060	Lei M, Zhang L, Lei J, et al (2015). Overview of emerging contaminants and associated human health effects. <i>Biomed Res Int</i> , 2015: 404796.

29180	Leibovici V, Evron R, Dunchin M, et al (2002). Population-based epidemiologic study of tinea pedis in Israeli children. <i>Pediatr Infect Dis J</i> , 21(9): 851-4.
72863	Leibovici V, Hershko K, Ingber A, et al (2008). Increased prevalence of onychomycosis among psoriatic patients in Israel. <i>Acta Derm Venereol</i> , 88: 31-3.
114655	Leibovici V, Ramot Y, Siam R, et al (2014). Prevalence of tinea pedis in psoriasis, compared to atopic dermatitis and normal controls--a prospective study. <i>Mycoses</i> , 57(12): 754-8.
114657	Leung AK, Barankin B, Lam JM, et al (2023). Tinea pedis: an updated review. <i>Drugs Context</i> , 12: 2023.
114656	Leung AK, Lam JM, Leong KF, et al (2020). Tinea corporis: an updated review. <i>Drugs Context</i> , 9: 2020.
29191	Levy LA (1997). Epidemiology of onychomycosis in special-risk populations. <i>J Am Podiatr Assoc</i> , 87(12): 546-50.
114658	Liebich C, Wegin VV, Marquart C, et al (2021). Skin diseases in elite athletes. <i>Int J Sports Med</i> , 42(14): 1297-304.
114659	Lipner SR, Scher RK (2019). Onychomycosis: Clinical overview and diagnosis. <i>J Am Acad Dermatol</i> , 80(4): 835-51.
114862	Lourdes LS, Mitchell CL, Glavin FL, et al (2014). Recurrent dermatophytosis (Majocchi granuloma) associated with chemotherapy-induced neutropenia. <i>J Clin Oncol</i> , 32(27): e92-4.
114660	Lova-Navarro M, Gomez-Moyano E, Martinez Pilar L, et al (2016). Tinea capitis in adults in southern Spain. A 17-year epidemiological study. <i>Rev Iberoam Micol</i> , 33(2): 110-3.
72866	Lowther AL, Somani AK, Camouse M, et al (2007). Invasive Trichophyton rubrum infection occurring with infliximab and long-term prednisone treatment. <i>J Cutan Med Surg</i> , 11(2): 84-8. [Abstract]
114661	Luchsinger I, Bosshard PP, Kasper RS, et al (2015). Tinea genitalis: a new entity of sexually transmitted infection? Case series and review of the literature. <i>Sex Transm Infect</i> , 91(7): 493-6.
114662	Ma L, Li R, Yu J, et al (2009). Majocchi's granuloma in a liver transplant recipient caused by a Trichophyton spp., phenotypically consistent with Trichophyton rubrum var. raubitschekii. <i>Med Mycol</i> , 47(3): 312-6.
114663	Madarasingha NP, Eriyagama S, Jayasekera PI, et al (2022). Characterization of recalcitrant dermatophytosis in a multicenter study in Sri Lanka. <i>Am J Trop Med Hyg</i> , 107(1): 117-21.
70585	Mailler EA, Adams BB (2004). The wear and tear of 26.2: dermatological injuries reported on marathon day. <i>Br J Sports Med</i> , 38(4): 498-501.
29175	Maraki S, Tselentis Y (2000). Survey on the epidemiology of Microsporum canis infections in Crete, Greece over a 5-year period. <i>Int J Dermatol</i> , 39(1): 21-4.
114664	Marin-Maldonado F, Pacheco-Torres AL, Gustafson E (2023). Comparative analysis of onychomycosis in Puerto Rico using molecular and conventional approaches. <i>J Mycol Med</i> , 33(3): 101412.
29198	Maryland Department of Health & Mental Hygiene (2002). Ringworm (tinea) fact sheet. <i>Epidemiology & Disease Control Program</i> .
29199	Mayo Clinic (2003). Ringworm of the body. Retrieved 8 October 2003, from http://www.mayoclinic.com/invoke.cfm?id=DS00489
29202	MayoClinic.com (2003). Athlete's foot. Retrieved 8 October 2003, from http://www.mayoclinic.com/invoke.cfm?id=DS00317
70533	Mayser P, Freund V, Budihardja D (2009). Toenail onychomycosis in diabetic patients: issues and management. <i>Am J Clin Dermatol</i> , 10(4): 211-20.
114665	Mayser P, Handrick W, Nenoff P (2016). [Sports-associated dermatophytoes : An overview]. <i>Hautarzt</i> , 67(9): 680-8 [Article in German]. [Abstract]

114666	Mazur M, Lodyga M, Lanczak A, et al (2018). Majocchi's granuloma (granuloma trichophyticum) in a guinea pig owner: A case report and literature review. <i>J Mycol Med</i> , 28(3): 523-6.
114667	Mesquita JR, Vasconcelos-Nobrega C, Oliveira J, et al (2016). Epizootic and epidemic dermatophytose outbreaks caused by <i>Trichophyton mentagrophytes</i> from rabbits in Portugal, 2015. <i>Mycoses</i> , 59(10): 668-73.
109436	Metin A, Dilek N, Demirseven DD (2015). Fungal infections of the folds (intertriginous areas). <i>Clin Dermatol</i> , 33(4): 437-47.
114669	Mookhoek EJ, Van De Kerkhof PC, Hovens JE, et al (2010). Skin disorders in chronic psychiatric illness. <i>J Eur Acad Dermatol Venereol</i> , 24(10): 1151-6.
114756	Mularoni A, Graziano E, Todaro F (2022). Invasive <i>Trichophyton</i> infection in a liver transplant recipient. <i>Transpl Infect Dis</i> , 24(2): e13794.
114869	Muller VL, Kappa-Markovi K, Hyun J, et al (2021). Tinea capitis et barbae caused by <i>Trichophyton tonsurans</i> : A retrospective cohort study of an infection chain after shavings in barber shops. <i>Mycoses</i> , 64(4): 428-36.
114668	Navarro-Perez D, Tardaguila-Garcia A, Garcia-Oreja S, et al (2023). Onychomycosis associated with diabetic foot syndrome: A systematic review. <i>Mycoses</i> , 66(6): 459-66.
114670	Nenoff P, Kruger C, Ginter-Hanselmayer G, et al (2014). Mycology - an update. Part 1: Dermatomycoses: causative agents, epidemiology and pathogenesis. <i>J Dtsch Dermatol Ges</i> , 12(3): 188-209; quiz 210, 188-211; quiz 212.
114671	Ng LC, Lee CS, Lim BB, et al (2023). Fungus isolated from dermatomycoses: a 9-month prospective study at Hospital Melaka. <i>Med J Malaysia</i> , 78(3): 364-71.
116086	Nigam PK, Syed HA, Saleh D (2023). Tinea pedis. Retrieved 1 February 2024, from https://pubmed.ncbi.nlm.nih.gov/29262247/
29389	Noguchi H, Hiruma M, Kawada A, et al (1994). Tinea pedis survey in members of the Japanese Self-Defense Forces undergoing ranger training. <i>Mycoses</i> , 37(11-12): 461-7.
29390	Noguchi H, Hiruma M, Kawada A, et al (1995). Tinea pedis in members of the Japanese Self-defence Forces: relationships of its prevalence and its severity with length of military service and width of interdigital spaces. <i>Mycoses</i> , 38(11-12): 494-9.
114672	Nowicka D, Baglaj-Oleszczuk M, Maj J (2020). Infectious diseases of the skin in contact sports. <i>Adv Clin Exp Med</i> , 29(12): 1491-5.
116087	Oakley A (2023). Mycology of dermatophyte infections. Retrieved 1 February 2024, from https://dermnetnz.org/topics/mycology-of-dermatophyte-infections
29388	Obasi OE, Adeleke D, Clayton YM (1988). Athlete's foot in boot-wearing policemen in Nigeria. <i>Mycoses</i> , 31(5): 268-70.
114673	Ogasawara Y, Hiruma M, Muto M, et al (2003). Clinical and mycological study of occult tinea pedis and tinea unguium in dermatological patients from Tokyo. <i>Mycoses</i> , 46(3-4): 114-9.
114674	Ogawa T, Matsuda A, Ogawa Y, et al (2023). Risk factors for the development of tinea pedis and onychomycosis: Real-world evidence from a single-podiatry center, large-scale database in Japan. <i>J Dermatol</i> , Online ahead of print.
114675	Ongsri P, Bunyaratavej S, Leeyaphan C, et al (2018). Prevalence and clinical correlation of superficial fungal foot infection in Thai naval rating cadets. <i>Mil Med</i> , 183(9-10): e633-7.
114676	Oz Y, Qoraan I, Oz A, et al (2017). Prevalence and epidemiology of tinea pedis and toenail onychomycosis and antifungal susceptibility of the causative agents in patients with type 2 diabetes in Turkey. <i>Int J Dermatol</i> , 56(1): 68-74.

72663	Ozkan F, Ozturk P, Ozyurt K, et al (2013). Frequency of peripheral arterial disease and venous insufficiency in toenail onychomycosis. <i>J Dermatol</i> , 40(2): 107- 10.
29217	Padhye AA, Thirumalachar MJ, Gokhale BB (1970). Dermatophytoses in Poona, India. Observations on incidence, clinical features, environmental factors and causal agents studied during 1958 to 1963 at sassoon hospitals, Poona. <i>Mycopathol Mycol Appl</i> , 40(3): 325-36.
72809	Papini M, Ciloletti M, Fabrizi V, et al (2013). Skin and nail mycoses in patients with diabetic foot. <i>G Ital Dermatol Venereol</i> , 148(6): 603-8.
72829	Parada H, Verissimo C, Brandao J, et al (2013). Dermatomycosis in lower limbs of diabetic patients followed by podiatry consultation. <i>Rev Iberoam Micol</i> , 30(2): 103-8.
70520	Patel GA, Schwartz RA (2011). Tinea capitis: still an unsolved problem? <i>Mycoses</i> , 54(3): 183-8.
114677	Paudel D, Manandhar S (2015). Dermatophytic infections among the patients attending Di Skin Hospital and Research Center at Maharajgunj Kathmandu. <i>J Nepal Health Res Counc</i> , 13(31): 226-32.
114678	Pendlebury GA, Oro P, Ludlow K, et al (2023). Relevant dermatoses among U.S. military service members: An operational review of management strategies and telemedicine utilization. <i>Cureus</i> , 15(1): e33274.
29171	Perea S, Ramos MJ, Garau M, et al (2000). Prevalence and risk factors of tinea unguium and tinea pedis in the general population in Spain. <i>J Clin Microbiol</i> , 38(9): 3226-30.
114687	Peterson AR, Nash E, Anderson BJ (2019). Infectious disease in contact sports. <i>Sports Health</i> , 11(1): 47-58.
114691	Pichardo-Geisinger R, Mora DC, Newman JC, et al (2014). Comorbidity of tinea pedis and onychomycosis and evaluation of risk factors in Latino immigrant poultry processing and other manual laborers. <i>South Med J</i> , 107(6): 374-9.
29210	Pico MR, Lugo-Somolinos A, Sanchez JL, et al (1992). Cutaneous alterations in patients with chronic renal failure. <i>Int J Dermatol</i> , 31(12): 860-3.
29211	Pier AC, Smith JM, Alexiou H, et al (1994). Animal ringworm--its aetiology, public health significance and control. <i>J Med Vet Mycol</i> , 32(Suppl 1): 133-50.
116088	Pippin MM, Madden ML, Das M (2023). Tinea cruris. Retrieved 1 February 2024, from https://pubmed.ncbi.nlm.nih.gov/32119489/
114688	Pomeranz AJ, Sabinis SS, McGrath GJ, et al (1999). Asymptomatic dermatophyte carriers in the households of children with tinea capitis. <i>Arch Pediatr Adolesc Med</i> , 153(5): 483-6.
114690	Purim KS, Leite N (2014). Sports-related dermatoses among road runners in Southern Brazil. <i>An Bras Dermatol</i> , 89(4): 587-92.
116089	Queensland Government (2017). Tinea (ringworm). Retrieved 1 February 2024, from https://www.qld.gov.au/health/condition/infections-and-parasites/fungal-infections/tinea-ringworm
72484	Rakpara V, Frankel S, Rogers C, et al (2005). Trichophyton tonsurans associated tinea corporis infection with the development of Majocchi's granuloma in a renal transplant patient. <i>J Drugs Dermatol</i> , 4(6): 767-9.
70530	Ramos-E-Silva M, Lima CM, Schechtman RC, et al (2010). Superficial mycoses in immunodepressed patients (AIDS). <i>Clin Dermatol</i> , 28(2): 217-25.
29170	Rich P (2000). Onychomycosis and tinea pedis in patients with diabetes. <i>J Am Acad Dermatol</i> , 43(5 Suppl): S130-4.
29169	Rinaldi MG (2000). Dermatophytosis: epidemiological and microbiological update. <i>J Am Acad Dermatol</i> , 43(5 Suppl): S120-4.

29179	Romano C, Massai L, Asta F, et al (2001). Prevalence of dermatophytic skin and nail infections in diabetic patients. <i>Mycoses</i> , 44(3-4): 83-6.
29168	Roseeuw D (1999). Achilles foot screening project: preliminary results of patients screened by dermatologists. <i>J Eur Acad Dermatol Venereol</i> , 12(Suppl 1): S6-9.
114787	Rouzaud C, Chosidow O, Brocard A, et al (2018). Severe dermatophytosis in solid organ transplant recipients: A French retrospective series and literature review. <i>Transpl Infect Dis</i> , 20(1).
114692	Rouzaud C, Hay R, Chosidow O, et al (2015). Severe dermatophytosis and acquired or innate immunodeficiency: A review. <i>J Fungi (Basel)</i> , 2(1): 4.
29205	Rubeiz N (2002). Tinea. Retrieved 8 October 2003, from http://www.emedicine.com/EMERG/topic592.htm
114870	Saadia A, Reckhow J, Rozenblat M, et al (2019). Kerion of the pubis and vulva with bacterial superinfection: a rare occurrence. <i>BMJ Case Rep</i> , 12(8): e230320.
114788	Sacheli R, Cuypers L, Seidel L, et al (2021). Epidemiology of dermatophytes in Belgium: A 5 years' survey. <i>Mycopathologia</i> , 186(3): 399-409.
114789	Sadahiro A, Moraes JR, Moraes ME, et al (2004). HLA in Brazilian Ashkenazic Jews with chronic dermatophytosis caused by <i>Trichophyton rubrum</i> . <i>Braz J Microbiol</i> , 35: 69-73.
29167	Sadri MF, Farnaghi F, Danesh-Pazhooh M, et al (2000). The frequency of tinea pedis in patients with tinea cruris in Tehran, Iran. <i>Mycoses</i> , 43(1-2): 41-4.
114790	Sakata Y, Ushigami T, Anzawa K, et al (2018). Molecular epidemiology of <i>trichophyton tonsurans</i> , the causative dermatophyte of the tinea gladiatorum epidemic in Japan between 2011 and 2015. <i>Jpn J Infect Dis</i> , 71(2): 140-4.
114791	Sakka N, Shemer A, Barzilai A, et al (2015). Occult tinea pedis in an Israeli population and predisposing factors for the acquisition of the disease. <i>Int J Dermatol</i> , 54(2): 146-9.
114792	Salakshna N, Bunyaratavej S, Matthapan L, et al (2018). A cohort study of risk factors, clinical presentations, and outcomes for dermatophyte, nondermatophyte, and mixed toenail infections. <i>J Am Acad Dermatol</i> , 79(6): 1145-6.
114793	Sanusi T, Gong J, Wang X, et al (2016). Disseminated favus caused by <i>microsporum gypseum</i> in a patient with systemic lupus erythematosus. <i>Acta Derm Venereol</i> , 96(2): 270-1.
114795	Sasagawa Y (2019). Internal environment of footwear is a risk factor for tinea pedis. <i>J Dermatol</i> , 46(11): 940-6.
114796	Saunte DM, Holgersen JB, Haedersdal M, et al (2006). Prevalence of toe nail onychomycosis in diabetic patients. <i>Acta Derm Venereol</i> , 86(5): 425-8.
70535	Seebacher C, Bouchara JP, Mignon B (2008). Updates on the epidemiology of dermatophyte infections. <i>Mycopathologia</i> , 166(5-6): 335-52.
114757	Seetan K, Al-Zubi M (2021). Vitamin D level and tinea capitis, is there an association? <i>J Mycol Med</i> , 31(2): 101112.
114797	Sei Y (2015). [2011 Epidemiological survey of dermatomycoses in Japan]. <i>Med Mycol J</i> , 56(4): J129-35 [Article in Japanese].
114798	Seidel K, Tietze LF, Braun C, et al (2023). Evaluation of the heat sensitivity of <i>Trichophyton rubrum</i> and <i>Trichophyton interdigitale</i> . <i>Eur J Dermatol</i> , 33(1): 19-24.
72453	Semel JD, Goldin H (1996). Association of athlete's foot with cellulitis of the lower extremities: diagnostic value of bacterial cultures of ipsilateral interdigital space samples. <i>Clinical Infect Dis</i> , 23: 1162-4.

114799	Sena LB, Oliveira DC, Paula CD, et al (2015). <i>Trichophyton rubrum</i> dermatophytosis in a patient under chronic use of systemic corticoids: an exuberant presentation. <i>An Bras Dermatol</i> , 90(4): 598-9.
114872	Senel E, Dogruer Senel S, Salmanoglu M (2015). Prevalence of skin diseases in civilian and military population in a Turkish military hospital in the central Black Sea region. <i>J R Army Med Corps</i> , 161(2): 112-5.
114800	Shahzad MK, Hassan T, Tahir R, et al (2022). Efficacy of oral voriconazole in the treatment of dermatophyte infections (<i>tinea corporis</i> and <i>cruris</i>). <i>Pak J Med Sci</i> , 16(2): 330-2.
114801	Shenoy MM, Rengasamy M, Dogra S, et al (2022). A multicentric clinical and epidemiological study of chronic and recurrent dermatophytosis in India. <i>Mycoses</i> , 65(1): 13-23.
114802	Shimoyama H, Sei Y (2019). 2016 Epidemiological survey of dermatomycoses in Japan. <i>Med Mycol J</i> , 60(3): 75-82.
114803	Shimoyama H, Yo A, Makimura K, et al (2020). A case of <i>tinea faciei</i> due to <i>Nannizzia gypsea</i> : Inflammatory eruption on the medial angle of the eyelid. <i>Mycopathologia</i> , 185(4): 699-703.
72459	Shroba J, Olson-Burgess C, Preuett B (2009). A large breakout of <i>Trichophyton tonsurans</i> among health care workers in a pediatric hospital. <i>Am J Infect Control</i> , 37(1): 43-8.
72811	Sigurgeirsson B, Steingrmsson O (2004). Risk factors associated with onychomycosis. <i>J Eur Acad Dermatol Venereol</i> , 18(1): 48-51.
114804	Silva L, Sousa J, Toscano C, et al (2022). Deep dermatophytosis caused by <i>Trichophyton rubrum</i> in immunocompromised patients. <i>An Bras Dermatol</i> , 97(2): 223-7.
29176	Silva-Tavares H, Alchorne MM, Fischman O (2001). <i>Tinea cruris</i> epidemiology (Sao Paulo, Brazil). <i>Mycopathologia</i> , 149(3): 147-9.
114805	Singh S, Verma P, Chandra U, et al (2019). Risk factors for chronic and chronic-relapsing <i>tinea corporis</i> , <i>tinea cruris</i> and <i>tinea faciei</i> : Results of a case-control study. <i>Indian J Dermatol Venereol Leprol</i> , 85(2): 197-200.
114806	Singla P, Garg S, Singh P, et al (2023). Clinicomycological profile and risk factors for dermatophytosis at a teaching tertiary care centre in North India: A cross-sectional study. <i>Infect Disord Drug Targets</i> , 23(6): e280423216334.
70531	Skerlev M, Miklic P (2010). The changing face of <i>Microsporum</i> spp infections. <i>Clin Dermatol</i> , 28(2): 146-50.
29220	Smith EB, Taylor KS (1968). Groin dermatitis in military personnel. <i>Dermatol Int</i> , 7(4): 209-11.
29166	Smith HR, Holloway D, Armstrong DK, et al (2000). Association between <i>tinea manuum</i> and male manual workers. <i>Contact Dermatitis</i> , 42(1): 45.
116090	Snyder A, Aleisa A, Lewis J, et al (2021). Cryptic deep dermatophytosis in a renal transplant recipient with hidradenitis suppurativa. <i>JAAD Case Rep</i> , 9: 86-9.
114807	Son JH, Doh JY, Han K, et al (2022). Risk factors of dermatophytosis among Korean adults. <i>Sci Rep</i> , 12(1): 13444.
114755	Sriram N, Rutherford A, La Hoz R, et al (2022). <i>Trichophyton</i> onychomycosis and deep dermatophytosis in a post-heart transplant patient. <i>Transpl Infect Dis</i> , 24(3): e13830.
114808	Sultana S, Jaigirdar QH, Islam MA, et al (2018). Frequency of fungal species of onychomycosis between diabetic and non-diabetic patients. <i>Mymensingh Med J</i> , 27(4): 752-6.
29207	Svejgaard E, Christophersen J, Jelsdorf HM (1986). <i>Tinea pedis</i> and erythrasma in Danish recruits. Clinical signs, prevalence, incidence, and correlation to atopy. <i>J Am Acad Dermatol</i> , 14(6): 993-9.
73150	Szepietowski J, Reich A, Garlowska E, et al (2006). Factors influencing coexistence of toenail onychomycosis with <i>tinea pedis</i> and other dermatomycoses. <i>Archives of Dermatology</i> , 142: 1279-84.

114809	Takehara K, Amemiya A, Mugita Y, et al (2017). The association between tinea pedis and feet-washing behavior in patients with diabetes: A cross-sectional study. <i>Adv Skin Wound Care</i> , 30(11): 510-6.
114679	Takehara K, Oe M, Ohashi Y, et al (2019). Differences between patient-reported versus clinician-observed nonulcerative signs and symptoms of the foot in patients with diabetes mellitus. <i>J Wound Ostomy Continence Nurs</i> , 46(2): 113-6.
114794	Talebi-Liasi F, Shinohara MM (2017). Invasive <i>Trichophyton rubrum</i> mimicking blastomycosis in a patient with solid organ transplant. <i>J Cutan Pathol</i> , 44(9): 798-800.
114694	Tan TQ (2023). Tinea pedis and tinea unguium (onychomycosis): (athlete's foot, ringworm of the feet. <i>Atlas of Pediatric Infectious Diseases</i> , 5th Edition, Chapter 147: 714-6. American Academy of Pediatrics.
29429	Taplin D (2001). Dermatophytosis in Vietnam, Part 2. <i>Cutis</i> , 67(5 Suppl): 33-4.
29447	Taplin D (2001). Dermatophytosis in Vietnam. <i>Cutis</i> , 67(5 Suppl): 19-20.
29209	Telfer NR, Matthews JM, Wojnarowska F (1989). Skin disease in haemophiliacs with and without antibodies to the human immunodeficiency virus (HIV): further evidence of altered disease behaviour in different risk groups? <i>Br J Dermatol</i> , 120(6): 795-9.
114810	Thakur R, Kalsi AS (2020). Updates on genital dermatophytosis. <i>Clin Cosmet Investig Dermatol</i> , 13: 743-50.
73151	Thomas J, Jacobson GA, Narkowicz CK, et al (2010). Toenail onychomycosis: an important global disease burden. <i>J Clin Pharm Ther</i> , 35(5): 497-519.
72821	Tosti A, Hay R, Arenas-Guzman R (2005). Patients at risk of onychomycosis--risk factor identification and active prevention. <i>J Eur Acad Dermatol Venereol</i> , 19(Suppl 1): 13-6.
29268	Tosti A, Piraccini BM, Mariani R, et al (1998). Are local and systemic conditions important for the development of onychomycosis? <i>Eur J Dermatol</i> , 8(1): 41-4.
114811	Toyoki M, Hase M, Hirasawa Y, et al (2017). A giant dermatophyte abscess caused by <i>trichophyton rubrum</i> in an immunocompromised patient. <i>Med Mycol J</i> , 58(2): E63-6.
114812	Tsentemeidou A, Vyzantiadis TA, Kyriakou A, et al (2017). Prevalence of onychomycosis among patients with nail psoriasis who are not receiving immunosuppressive agents: Results of a pilot study. <i>Mycoses</i> , 60(12): 830-3.
114813	Uhrlas S, Schroedl W, Mehlhorn C, et al (2018). Molecular epidemiology of <i>Trichophyton quinckeanum</i> - a zoophilic dermatophyte on the rise. <i>J Dtsch Dermatol Ges</i> , 16(1): 21-32.
114814	Vanam HP, Mohanram K, Reddy KS, et al (2019). Naive tinea corporis et cruris in an Immunocompetent adult caused by a geophile <i>Nannizzia gypsea</i> susceptible to Terbinafine - Rarity in the current scenario of Dermatophytosis in India. , 1(6): e000022.
29228	Vander Straten MR, Hossain MA, Ghannoum MA (2003). Cutaneous infections dermatophytosis, onychomycosis, and tinea versicolor. <i>Infect Dis Clin North Am</i> , 17(1): 87-112.
114815	Vazheva G, Zisova L (2021). Tinea barbae profunda caused by <i>Trichophyton rubrum</i> - an autoinoculation from a primary Tinea pedis. <i>Folia Med (Plovdiv)</i> , 63(2): 292-6.
114816	Vazheva GZ, Zisova LG, Becheva EA, et al (2022). In search of dermatophytes - frequency and etiology of fungal infections in patients with and without diabetes mellitus. <i>Folia Med (Plovdiv)</i> , 64(6): 922-31.
114817	Veraldi S, Genovese G, Peano A (2018). Tinea corporis caused by <i>Trichophyton equinum</i> in a rider and review of the literature. <i>Infection</i> , 46(1): 135-7.

72875	Veraldi S, Pontini P, Nazzaro G (2014). A case of tinea imbricata in an Italian woman. <i>Acta Derm Venereol</i> , 95(2): 235-7.
114818	Verma S, Madhu R (2017). The great Indian epidemic of superficial dermatophytosis: An appraisal. <i>Indian J Dermatol</i> , 62(3): 227-36.
114819	Verma SB, Panda S, Nenoff P, et al (2021). The unprecedented epidemic-like scenario of dermatophytosis in India: I. Epidemiology, risk factors and clinical features. <i>Indian J Dermatol Venereol Leprol</i> , 87(2): 154-75.
114820	Verrier J, Monod M (2017). Diagnosis of dermatophytosis using molecular biology. <i>Mycopathologia</i> , 182(1-2): 193-202.
114821	Vetsiou E, Maslin D, Enoch DA, et al (2023). Trichophyton rubrum-induced Majocchi's granuloma in an immunocompromised patient. <i>Lancet Infect Dis</i> , 23(7): 878.
72456	Vilela R, de Oliveira Teixeira F, Vilela L, et al (2007). Exacerbated inflammatory reaction to <i>Trichophyton rubrum</i> infection on an HIV-positive patient successfully treated with fluconazole. <i>Mycopathologia</i> , 163(4): 203-5.
72841	Walling HW (2009). Subclinical onychomycosis is associated with tinea pedis. <i>Br J Dermatol</i> , 161(4): 746-9.
114822	Wang R, Huang C, Zhang Y, et al (2021). Invasive dermatophyte infection: A systematic review. <i>Mycoses</i> , 64(4): 340-8.
116091	Watanabe K (2014). [Two cases of dermatophytosis caused by <i>Microsporum gypseum</i> and isolation of <i>Microsporum gypseum</i> from soil in Chigasaki city]. <i>Med Mycol J</i> , 55(2): J79-83 [Article in Japanese]. [Abstract]
114823	Watanabe S, Anzawa K, Mochizuki T (2017). High prevalence of superficial white onychomycosis by <i>Trichophyton interdigitale</i> in a Japanese nursing home with a geriatric hospital. <i>Mycoses</i> , 60(10): 634-7.
114824	Widaty S, Oktarina C, Suling PL, et al (2022). Mucocutaneous mycoses in people living with human immunodeficiency virus in Indonesia. <i>Mycoses</i> , 65(3): 323-30.
114825	Wiegand C, Burmester A, Tittelbach J, et al (2019). [Dermatophytosis caused by rare anthropophilic and zoophilic agents]. <i>Hautarzt</i> , 70(8): 561-74 [Article in German]. [Abstract]
116108	Wolff K, Johnson RA, Suurmond D, et al (2005). <i>Fitzpatrick's Color Atlas and Synopsis of Clinical Dermatology</i> , 5th Edition. McGraw-Hill, New York.
72454	Wu LC, Sun PL, Chang YT (2013). Extensive deep dermatophytosis cause by <i>Trichophyton rubrum</i> in a patient with liver cirrhosis and chronic renal failure. <i>Mycopathologia</i> , 176(5-6): 457-62.
114759	Xia XJ, Liu ZH (2021). Invasive <i>Microsporum canis</i> infection as a presenting complaint of late-diagnosed HIV infection. <i>Int J STD AIDS</i> , 32(14): 1358-60.
114826	Xie W, Chen Y, Liu W, et al (2023). Seborrheic dermatitis-like adult tinea capitis due to <i>Trichophyton rubrum</i> in an elderly man. <i>Med Mycol Case Rep</i> , 41: 16-9.
72457	Yin B, Xiao Y, Ran Y et al (2013). <i>Microsporum canis</i> infection in three familial cases with tinea capitis and tinea corporis. <i>Mycopathologia</i> , 176(3-4): 259-65.
29214	Zaias N, Rebell G (1996). Chronic dermatophytosis syndrome due to <i>Trichophyton rubrum</i> . <i>Int J Dermatol</i> , 35(9): 614-7.
114827	Zalewski A, Goldust M, Szepietowski JC (2022). Tinea gladiatorum: Epidemiology, clinical aspects, and management. <i>J Clin Med</i> , 11(14): 4066.
114828	Zander N, Schafer I, Radtke M, et al (2017). Dermatological comorbidity in psoriasis: results from a large-scale cohort of employees. <i>Arch Dermatol Res</i> , 309(5): 349-56.

70516	Zaraa I, Hawilo A, Aounallah A, et al (2013). Inflammatory Tinea capitis: a 12-year study and a review of the literature. <i>Mycoses</i> , 56(2): 110-6.
114829	Zhong A, Li G, Wang D, et al (2017). The risks and external effects of diabetic foot ulcer on diabetic patients: A hospital-based survey in Wuhan area, China. <i>Wound Repair Regen</i> , 25(5): 858-63.
114830	Zisova L, Valtchev V, Sotiriou E, et al (2012). Onychomycosis in patients with psoriasis--a multicentre study. <i>Mycoses</i> , 55(2): 143-7.