



GALLSTONE DISEASE (CHOLELITHIASIS)

RMA ID Number	Reference List for RMA023-3 as at August 2025
---------------	---

44133	Abayli B, Colakoglu S, Serin M, et al (2005). Helicobacter pylori in the etiology of cholesterol gallstones. J Clin Gastroenterol, 39(2): 134-7.
44326	Abraham P, Desai DC, Joshi AG (2002). [Comment] Gallstones in portal hypertension: is the liver or the portal hypertension responsible? J Assoc Physicians India, 50: 515-7. Comment on ID: 44246.
75639	Abraham S, Rivero HG, Erlikh IV, et al (2014). Surgical and nonsurgical management of gallstones. Am Fam Physician, 89(10): 795-802.
44127	Acalovschi M (2001). Cholesterol gallstones: from epidemiology to prevention. Postgrad Med J, 77(906): 221-9.
75640	Acalovschi M (2014). Gallstones in patients with liver cirrhosis: Incidence, etiology, clinical and therapeutical aspects. World J Gastroenterol, 20(23): 7277-85.
44248	Acalovschi M, Blendea D, Feier C, et al (2003). Risk factors for symptomatic gallstones in patients with liver cirrhosis: a case-control study. Am J Gastroenterol, 98(8): 1856-60.
75641	Acosta A, Camilleri M (2014). Gastrointestinal morbidity in obesity. Ann N Y Acad Sci, 1311: 42-56.
76537	Adair JD, Ellsmere JC (2014). Late complications of bariatric surgical operations. Retrieved 25 November 2015, from http://www.uptodate.com/contents/late-complications-of-bariatric-surgical-operations
44094	Aerts R, Penninckx F (2003). The burden of gallstone disease in Europe. Aliment Pharmacol Ther, 18(3): 49-53.
76538	Afdhal NH (2015). Epidemiology of and risk factors for gallstones. Retrieved 25 November 2015, from http://www.uptodate.com/contents/epidemiology-of-and-risk-factors-for-gallstones
125004	Afdhal NH, Zakko SF (2022). Gallstones: Epidemiology, risk factors and prevention. Retrieved 5 February 2025, from https://www.uptodate.com/contents/gallstones-epidemiology-risk-factors-and-prevention
102869	Agency for Toxic Substances and Disease Registry (ATSDR) (2021). Toxicological Profile for Perfluoroalkyls. US Department of Health and Human Services.
44096	Ahmed HU, Smith JB, Rudderow DJ, et al (2002). Cholecystectomy in patients with previous spinal cord injury. Am J Surg, 184(5): 452-9.
75642	Ahmed MH, Ali A (2014). Nonalcoholic fatty liver disease and cholesterol gallstones: which comes first? Scand J Gastroenterol, 49(5): 521-7.
76801	Ahmed MH, Barakat S, Almobarak AO (2014). The association between renal stone disease and cholesterol gallstones: the easy to believe and not hard to retrieve theory of the metabolic syndrome. Ren Fail, 36(6): 957-62.

44207	Akatsu T, Yoshida M, Kubota T, et al (2005). Gallstone disease after extended (D2) lymph node dissection for gastric cancer. <i>World J Surg</i> , 29(2): 182-6.
44111	Akin ML, Uluutku H, Erenoglu C, et al (2003). Tamoxifen and gallstone formation in postmenopausal breast cancer patients: retrospective cohort study. <i>World J Surg</i> , 27: 395-9.
75643	Al-Bayati S, Kodayer S (2012). Gallstones in a group of Iraqi patients with type 2 diabetes mellitus. <i>Saudi Med J</i> , 33(4): 412-7.
44298	Alberu J, Gatica M, Cachafeiro-Vilar M, et al (2001). Asymptomatic gallstones and duration of cyclosporine use in kidney transplant recipients. <i>Rev Invest Clin</i> , 53(5): 396-400.
125005	Ali A, Perveen S, Khan I, et al (2021). Symptomatic gallstones in young patients under the age of 30 years. <i>Cureus</i> , 13(11): e19894.
44893	Al-Jiffry BO, Shaffer EA, Saccone GT, et al (2003). Changes in gallbladder motility and gallstone formation following laparoscopic gastric banding for morbid obesity. <i>Can J Gastroenterol</i> , 17(3): 169-74.
76540	Almashhrawi AA, Ahmed KT, Rahman RN, et al (2013). Liver diseases in pregnancy: diseases not unique to pregnancy. <i>World J Gastroenterol</i> , 19(43): 7630-8.
76539	Altiparmak MR, Pamuk ON, Pamuk GE, et al (2003). Incidence of gallstones in chronic renal failure patients undergoing hemodialysis: experience of a centre in Turkey. <i>Am J Gastroenterol</i> , 98(4): 813-20.
44145	Amigo L, Zanlungo S, Mendoza H, et al (1999). Risk factors and pathogenesis of cholesterol gallstones: state of the art. <i>Eur Rev Med Pharmacol Sci</i> , 3(6): 241-6.
75644	Amoako MO, Casella JF, Strouse JJ (2013). High rates of recurrent biliary tract obstruction in children with sickle cell disease. <i>Pediatr Blood Cancer</i> , 60(4): 650-2.
125022	Amorim-Cruz F, Santos-Sousa H, Ribeiro M, et al (2023). Risk and prophylactic management of gallstone disease in bariatric surgery: a systematic review and a Bayesian meta-analysis. <i>J Gastrointest Surg</i> , 27(2): 433-48.
125023	Apstein MD, Dalecki-Chipperfield K (1987). Spinal cord injury is a risk factor for gallstone disease. <i>Gastroenterology</i> , 92(4): 966-8.
125024	Assahafi WY, Sindy BM, Alqahtani YS, et al (2024). Recurrent pyogenic cholangiohepatitis: A case report. <i>Cureus</i> , 16(4): e59142.
43387	Attili AF, De Santis A, Attili F, et al (2005). Prevalence of gallstone disease in first-degree relatives of patients with cholelithiasis. <i>World J Gastroenterol</i> , 11(41): 6508-11.
43385	Au WY, Cheung WC, Chan GC, et al (2003). [Comment] Risk factors for hyperbilirubinemia and gallstones in Chinese patients with b thalassemia syndrome. <i>Haematologica</i> , 88(2): 220-2.
125025	Aune D, Leitzmann M, Vatten LJ (2016). Physical activity and the risk of gallbladder disease: A systematic review and meta-analysis of cohort studies. <i>J Phys Act Health</i> , 13(7): 788-95.
121567	Aune D, Vatten LJ (2016). Diabetes mellitus and the risk of gallbladder disease: A systematic review and meta-analysis of prospective studies. <i>J Diabetes Complications</i> , 30(2): 368-73.
125026	Aune D, Vatten LJ, Boffetta P (2016). Tobacco smoking and the risk of gallbladder disease. <i>Eur J Epidemiol</i> , 31(7): 643-53.
125232	Australian Medicines Handbook (2024). Ciclosporin. Retrieved 14 January 2025, from https://amhonline.amh.net.au/
125324	Australian Medicines Handbook (2024). Tacrolimus. Retrieved 14 January 2025, from https://amhonline.amh.net.au/
125006	Australian Medicines Handbook (2025). Atazanavir. Retrieved 5 February 2025, from https://amhonline.amh.net.au/chapters/anti-infectives/antiretrovirals/hiv-protease-inhibitors/atazanavir

125007	Australian Medicines Handbook (2025). Ceftriaxone. Retrieved 5 February 2025, from https://amhonline.amh.net.au/chapters/anti-infectives/antibacterials/cephalosporins/ceftriaxone
125008	Australian Medicines Handbook (2025). Fibrates. Retrieved 5 February 2025, from https://amhonline.amh.net.au/chapters/cardiovascular-drugs/drugs-dyslipidaemia/fibrates
125061	Australian Medicines Handbook (2025). Somatostatin analogues. Retrieved 6 February 2025, from https://amhonline.amh.net.au/chapters/endocrine-drugs/drugs-other-endocrine-disorders/somatostatin-analogues
125060	Australian Medicines Handbook (2025). Tamoxifen. Retrieved 6 February 2025, from https://amhonline.amh.net.au/chapters/anticancer-drugs/hormonal-anticancer-drugs/selective-estrogen-receptor-modulators/tamoxifen
44118	Aydogdu I, Sari R, Ulu R, et al (2001). The frequency of gallbladder stones in patients with pernicious anemia. <i>J Surg Res</i> , 101(2): 120-3.
125027	Azeem N, Arain MA, Freeman ML (2023). Choledocholithiasis: Clinical manifestations, diagnosis, and management. Retrieved 6 February 2025, from https://sso.uptodate.com/contents/choledocholithiasis-clinical-manifestations-diagnosis-and-management
125028	Azimirad M, Sadeghi A, Hosseinkhan N, et al (2023). Microbiome analysis of bile samples in patients with choledocholithiasis and hepatobiliary disorders. <i>Germs</i> , 13(3): 238-53.
75645	Babakhanian Z, Donovan JA (2013). Biliary manifestations of systemic diseases. <i>Gastrointest Endosc Clin N Am</i> , 23(2): 333-46.
125031	Baig MM, Irfan SA, Sumbal A, et al (2022). Prevalence of gallstones in ulcerative colitis and Crohn's disease: A systematic review and meta-analysis. <i>Cureus</i> , 14(6): e26121.
75731	Balci U, Dogantekin E, Ozer K, et al (2015). Patterns, risks and outcomes of urethral recurrence after radical cystectomy for urothelial cancer; over 20 year single center experience. <i>Int J Surg</i> , 13: 148-51.
75646	Baltas CS, Balanika AP, Sgantzios MN (2009). Gallstones and biliary sludge in Greek patients with complete high spinal cord injury: an ultrasonographical evaluation. <i>Singapore Med J</i> , 50(9): 889-93.
76645	Banim PJ, Luben RN, Wareham NJ, et al (2010). Physical activity reduces the risk of symptomatic gallstones: a prospective cohort study. <i>Eur J Gastroenterol Hepatol</i> , 22: 983-8.
75647	Bartos D, Bartos A, Acalovschi I, et al (2012). Biliary plastic stent as a matrix core for lithogenesis in the common bile duct: a rare cause of jaundice. <i>J Gastrointest Liver Dis</i> , 21(4): 427-9.
75648	Bass G, Gilani SN, Walsh TN (2013). Validating the 5Fs mnemonic for cholelithiasis: time to include family history. <i>Postgrad Med J</i> , 89(1057): 638-41.
75649	Beardsley C, Lim J, Gananadha S (2012). Nonabsorbable suture material in the biliary tract. <i>J Gastrointest Surg</i> , 16(11): 2182-3.
75650	Bektas A, Belet U, Kelkitli E, et al (2005). Ultrasonic gallbladder function in chronic kidney disease: does predialysis, hemodialysis, or CAPD affect it? <i>Ren Fail</i> , 27(6): 677-81.
44088	Belzer C, Kusters JG, Kuipers EJ, et al (2006). [Comment] Urease induced calcium precipitation by <i>Helicobacter</i> species may initiate gallstone formation. <i>Gut</i> , 55(11): 1678-9.
125032	Bergsland E (2024). Somatostatinoma: Clinical manifestations, diagnosis, and management. Retrieved 6 February 2025, from https://www.uptodate.com/contents/somatostatinoma-clinical-manifestations-diagnosis-and-management

125033	Bestari MB, Nugraha ES, Abdurachman SA (2022). Secondary choledocholithiasis in obstructive jaundice patient due to choledochoduodenal-fistula stricture. <i>Acta Med Indones</i> , 54(2): 283-7.
75651	Bhadada SK, Bhansali A, Shah VN, et al (2011). High prevalence of cholelithiasis in primary hyperparathyroidism: a retrospective analysis of 120 cases. <i>Indian J Gastroenterol</i> , 30(2): 100-1.
44895	Bickford CL, Spencer AP (2005). Biliary sludge and hyperbilirubinemia associated with ceftriaxone in an adult: case report and review of the literature. <i>Pharmacotherapy</i> , 25(10): 1389-95.
44100	Bini EJ, McGready J (2005). Prevalence of gallbladder disease among persons with hepatitis C virus infection in the United States. <i>Hepatology</i> , 41(5): 1029-36.
44121	Bohr UR, Kuester D, Meyer F, et al (2007). Low prevalence of helicobacteraceae in gall-stone disease and gall-bladder carcinoma in the German population. <i>Clin Microbiol Infect</i> , 13(5): 525-31.
44171	Bolukbas FF, Bolukbas C, Horoz M, et al (2006). Risk factors associated with gallstone and biliary sludge formation during pregnancy. <i>J Gastroenterol Hepatol</i> , 21(7): 1150-3.
75652	Bonfrate L, Wang DQ, Garruti G, et al (2014). Obesity and the risk and prognosis of gallstone disease and pancreatitis. <i>Best Pract Res Clin Gastroenterol</i> , 28(4): 623-35.
76541	Borgna-Pignatti C, Gamberini MR (2011). Complications of thalassemia major and their treatment. <i>Expert Rev Hematol</i> , 4(3): 353-66.
43386	Borgna-Pignatti C, Rigon F, Merlo L, et al (2003). Thalassemia minor, the Gilbert mutation, and the risk of gallstones. <i>Haematologica</i> , 88(10): 1106-9.
125034	Brooks DC (2024). Gallstone diseases in pregnancy. Retrieved 6 February 2025, from https://sso.uptodate.com/contents/gallstone-diseases-in-pregnancy
47129	Broulik PD, Haas T, Adamek S (2005). Analysis of 645 patients with primary hyperparathyroidism with special references to cholelithiasis. <i>Intern Med</i> , 44(9): 917-21.
47241	Buch S, Schafmayer C, Volzke H, et al (2007). A genome-wide association scan identifies the hepatic cholesterol transporter ABCG8 as a susceptibility factor for human gallstone disease. <i>Nat Genet</i> , 39(8): 995-9.
44162	Buchner AM, Sonnenberg A (2002). Factors influencing the prevalence of gallstones in liver disease: the beneficial and harmful influences of alcohol. <i>Am J Gastroenterol</i> , 97(4): 905-9.
75653	Cafasso DE, Smith RR (2014). Symptomatic cholelithiasis and functional disorders of the biliary tract. <i>Surg Clin North Am</i> , 94(2): 233-56.
75654	Cariati A (2013). Blackberry pigment (whitlockite) gallstones in uremic patient. <i>Clin Res Hepatol Gastroenterol</i> , 37(2): e69-72.
44110	Cariati A, Cetta F, Kawai M, et al (2002). [Comment] Bacteria are not important in the formation of pure cholesterol stones. <i>Am J Gastroenterol</i> , 97(11): 2921-3.
44218	Caroli A, Volpi A, Okolicsanyi L (2004). [Comment] Gallstone disease in diabetics: prevalence and associated factors. <i>Dig Liver Dis</i> , 36(10): 699-700; author reply 700. Comment on ID: 44202.
44090	Caserta L, Riegler G (2002). [Comment] Hepatobiliary alterations in patients with inflammatory bowel disease. <i>Arch Intern Med</i> , 162(11): 1312, Author reply 1312-3.
76542	Ceccato F, Scaroni C, Bascaro M (2015). Clinical use of pasireotide for Cushing's disease in adults. <i>Ther Clin Risk Manag</i> , 11: 425-34.
121519	Cen L, Pan J, Zhou B, et al (2018). Helicobacter Pylori infection of the gallbladder and the risk of chronic cholecystitis and cholelithiasis: A systematic review and meta-analysis. <i>Helicobacter</i> , 23(1): e12457.

123636	Cen L, Wu J, Zhu S, et al (2023). The potential bidirectional association between <i>Helicobacter pylori</i> infection and gallstone disease in adults: A two-cohort study. <i>Eur J Clin Invest</i> , 53(2): e13879.
125035	Cha BH, Jang MJ, Lee SH (2019). Alcohol consumption can reduce the risk of gallstone disease: a systematic review with a dose-response meta-analysis of case-control and cohort studies. <i>Gut Liver</i> , 13(1): 114-31.
43384	Chaar V, Keclard L, Diara JP, et al (2005). Association of UGT1A1 polymorphism with prevalence and age at onset of cholelithiasis in sickle cell anemia. <i>Haematologica</i> , 90(2): 188-93.
75655	Chakravarty AA, Ajmani A, Manchanda S (2012). Incidence of gall stone formation in acromegalic patients on octreotide therapy. <i>Indian J Endocrinol Metab</i> , 16(3): 406-8.
124051	Chan FL, Man SW, Leong LL, et al (1989). Evaluation of recurrent pyogenic cholangitis with CT: analysis of 50 patients. <i>Radiology</i> , 170(1 Pt 1): 165-9.
122225	Chen CH, Huang MH, Yang JC, et al (2006). Prevalence and risk factors of gallstone disease in an adult population of Taiwan: an epidemiological survey. <i>J Gastroenterol Hepatol</i> , 21(11): 1737-43.
121851	Chen G, Wang H, Zhang L, et al (2014). Double common bile duct with choledochal cyst and cholelithiasis: report of a case. <i>Surg Today</i> , 44(4): 778-82.
125038	Chen JH, Tsai MS, Chen CY, et al (2019). Bariatric surgery did not increase the risk of gallstone disease in obese patients: a comprehensive cohort study. <i>Obes Surg</i> , 29(2): 464-73.
75656	Chen LY, Qiao QH, Zhang SC, et al (2012). Metabolic syndrome and gallstone disease. <i>World J Gastroenterol</i> , 18(31): 4215-20.
44900	Chen XG, Liu JQ, Peng MH, et al (2003). Clinical epidemiological study on intrahepatic cholelithiasis: analysis of 8585 cases. <i>Hepatobiliary Pancreat Dis Int</i> , 2(2): 281-4.
125036	Chen Y, Li Y (2017). Related factors of postoperative gallstone formation after distal gastrectomy: A meta-analysis. <i>Indian J Cancer</i> , 54(1): 43-6.
44327	Chew SS, Ngo TQ, Douglas PR, et al (2003). Cholecystectomy in patients with Crohn's ileitis. <i>Dis Colon Rectum</i> , 46(11): 1484-8.
75658	Chiu HF, Chen CC, Kuo HW, et al (2012). Statin use and the risk of gallstone disease: a population-based case-control study. <i>Expert Opin Drug Saf</i> , 11(3): 369-74.
125039	Choi MH, Park IA, Hong IK, et al (1993). A case of biliary ascariasis accompanied by cholelithiasis. <i>Korean J Parasitol</i> , 31(1): 71-4.
43383	Chong VH, Yim HB, Lim CC (2004). Clip-induced biliary stone. <i>Singapore Med J</i> , 45(11): 533-5.
125041	Chou TS, Lin CL, Chen LW, et al (2023). Waist-to-height ratio for the prediction of gallstone disease among different obesity indicators. <i>Obes Sci Pract</i> , 9(1): 30-41.
44103	Chung EJ, Kim MH, Lee SS, et al (2003). [Comment] Primary vs. secondary common bile duct stones: apples and oranges. <i>Endoscopy</i> , 35(1): 92; Author reply: 93.
125042	Chung SD, Huang CC, Lin HC, et al (2016). Increased risk of clinically significant gallstones following an appendectomy: A five-year follow-up study. <i>PLoS One</i> , 11(10): e0165829.
43382	Cirillo DJ, Wallace RB, Rodabough RJ, et al (2005). Effect of estrogen therapy on gallbladder disease. <i>JAMA</i> , 293(3): 330-8.
44126	Collins C, Maguire D, Ireland A, et al (2004). A prospective study of common bile duct calculi in patients undergoing laparoscopic cholecystectomy. Natural history of choledocholithiasis revisited. <i>Ann Surg</i> , 239: 28-33.

124023	Colvin HS, Kimura T, Iso H, et al (2022). Risk factors for gallstones and cholecystectomy: A large-scale population-based prospective cohort study in Japan. <i>Dig Dis</i> , 40(3): 385-93.
75659	Conte D, Fraquelli M, Giunta M, et al (2011). Gallstones and liver disease: an overview. <i>J Gastrointestin Liver Dis</i> , 20(1): 9-11.
384	Cooper AD (1993). Epidemiology, pathogenesis, natural history, and medical therapy of gallstones. <i>Gastrointestinal Disease: Pathophysiology, Diagnosis, Management</i> , 5th Edition, Vol 2 Chapter 89: 1788-804. WB Saunders Co Philadelphia.
386	Coronary Drug Project Research Group (1977). Gallbladder disease as a side effect of drugs influencing lipid metabolism. Experience in the Coronary Drug Project. <i>N Engl J Med</i> , 296(21): 1185-90.
75660	Corredoira J, Alonso MP, Garcia-Garrote F, et al (2014). Streptococcus bovis group and biliary tract infections: an analysis of 51 cases. <i>Clin Microbiol Infect</i> , 20(5): 405-9.
75661	Costi R, Gnocchi A, Di Mario F, et al (2014). Diagnosis and management of choledocholithiasis in the golden age of imaging, endoscopy and laparoscopy. <i>World J Gastroenterol</i> , 20(37): 13382-401.
75662	Courbon E, Laylavoix F, Soulie C, et al (2012). Unexpected atazanavir-associated biliary lithiasis in an HIV-infected patient. <i>J Antimicrob Chemother</i> , 67(1): 250-1.
125044	Cozma MA, Gaman MA, Srichawla BS, et al (2024). Acute cholangitis: a state-of-the-art review. <i>Ann Med Surg (Lond)</i> , 86(8): 4560-74.
75663	Crema E, Silva EC, Franciscon PM, et al (2011). Prevalence of cholelithiasis in patients with chagasic megaesophagus. <i>Rev Soc Bras Med Trop</i> , 44(3): 324-6.
43381	Cuevas A, Miquel JF, Reyes MS, et al (2004). Diet as a risk factor for cholesterol gallstone disease. <i>J Am Coll Nutr</i> , 23(3): 187-96.
75664	Dai CY, Lin CI, Yeh ML, et al (2013). Association between gallbladder stones and chronic hepatitis C: ultrasonographic survey in a hepatitis C and B hyperendemic township in Taiwan. <i>Kaohsiung J Med Sci</i> , 29(8): 430-5.
125045	Dai Y, Luo B, Li W (2023). Incidence and risk factors for cholelithiasis after bariatric surgery: a systematic review and meta-analysis. <i>Lipids Health Dis</i> , 22(1): 5.
44213	Dakdouki GK, Araj GF, Hussein M (2003). Campylobacter jejuni: unusual cause of cholecystitis with lithiasis. Case report and literature review. <i>Clin Microbiol Infect</i> , 9(9): 970-2.
47246	Darko R, Rodrigues OP, Oliver-Commey JO, et al (2005). Gallstones in Ghanaian children with sickle cell disease. <i>West Afr J Med</i> , 24(4): 295-8. [Abstract]
76543	de Bari O, Wang TY, Liu M, et al (2014). Cholesterol cholelithiasis in pregnant women: pathogenesis, prevention and treatment. <i>Ann Hepatol</i> , 13(6): 728-45.
125046	de Herder WW, Hofland J (2023). Somatostatinoma. Retrieved 6 February 2025, from https://www.ncbi.nlm.nih.gov/books/NBK279034/
125047	de Oliveira LC, Nascimento RS, Rocha A, et al (1997). [Cholelithiasis in chronic Chageas' disease patients]. <i>Arq Gastroenterol</i> , 34(4): 222-6 [Article in Portuguese]. [Abstract]
125050	Deshmukh SD, Pathak GS, Ashturkar AV, et al (2011). Ascariasis of gall bladder associated with xanthogranulomatous inflammation and cholelithiasis. <i>Trop Parasitol</i> , 1(2): 138-40.
125051	Dey B, Kaushal G, Jacob SE, et al (2016). Pathogenesis and management of hepatolithiasis: A report of two cases. <i>J Clin Diagn Res</i> , 10(3): PD11-3.
44301	Dhiman RK, Chawla YK (2006). Is there a link between oestrogen therapy and gallbladder disease? <i>Expert Opinion Drug Saf</i> , 5(1): 117-29.

385	Diehl AK (1991). Epidemiology and natural history of gallstone disease. <i>Gastroenterol Clin North Am</i> , 20(1): 1-19.
44168	Dittrick GW, Thompson JS, Campos D, et al (2005). Gallbladder pathology in morbid obesity. <i>Obes Surg</i> , 15(2): 238-42.
125120	Dorland's Medical Dictionary Online (2024). Biliary colic. Retrieved 10 February 2025, from https://www.dorlandsonline.com/dorland/definition?id=65835&searchterm=biliary+colic
125121	Dorland's Medical Dictionary Online (2024). Biliary sludge. Retrieved 10 February 2025, from https://www.dorlandsonline.com/dorland/definition?id=106856&searchterm=biliary+sludge
125122	Dorland's Medical Dictionary Online (2024). Cholelithiasis. Retrieved 10 February 2025, from https://www.dorlandsonline.com/dorland/definition?id=9373&searchterm=cholelithiasis
44092	Dray X, Joly F, Reijasse D, et al (2007). Incidence, risk factors, and complications of cholelithiasis in patients with home parenteral nutrition. <i>J Am Coll Surg</i> , 204(1): 13-21.
44901	Dubach UC, Rosner B, Sturmer T (1991). An epidemiologic study of abuse of analgesic drugs. Effects of phenacetin and salicylate on mortality and cardiovascular morbidity (1968 to 1987). <i>N Engl J Med</i> , 324(3): 155-60.
75665	Ebert E (2012). Gastrointestinal involvement in spinal cord injury: a clinical perspective. <i>J Gastrointest Liver Dis</i> , 21(1): 75-82.
125052	Ellsmere JC (2023). Bariatric operations: Late complications with subacute presentations. Retrieved 6 February 2025, from https://www.uptodate.com/contents/bariatric-operations-late-complications-with-subacute-presentations
75666	Elmehdawi R, Elmajberi S, Behieh A, et al (2009). Prevalence of gall bladder stones among type 2 diabetic patients in Benghazi Libya: a case-control study. <i>Libyan J Med</i> , 4(1): 27-30.
44902	Elseviers MM, De Broe ME (1995). A long-term prospective controlled study of analgesic abuse in Belgium. <i>Kidney Int</i> , 48(6): 1912-9.
75667	Erichsen R, Froslev T, Lash TL, et al (2011). Long-term statin use and the risk of gallstone disease: a population-based case-control study. <i>Am J Epidemiol</i> , 173(2): 162-70.
44085	Erlinger S (2000). Gallstones in obesity and weight loss. <i>Eur J Gastroenterol Hepatol</i> , 12(12): 1347-52.
75668	Erlinger S (2012). Low phospholipid- associated cholestasis and cholelithiasis. <i>Clin Res Hepatol Gastroenterol</i> , 36(Suppl 1): S36-40.
121797	European Association for the Study of the Liver (EASL) (2016). Clinical Practice Guidelines on the prevention, diagnosis and treatment of gallstones. <i>J Hepatol</i> , 65(1): 146-81.
44139	Everhart JE (2001). Gallstones and ethnicity in the Americas. <i>J Assoc Acad Minor Phys</i> , 12(3): 137-43.
90228	Fagagnini S, Heinrich H, Rossel JB, et al (2017). Risk factors for gallstones and kidney stones in a cohort of patients with inflammatory bowel diseases. <i>PLoS One</i> , 12(10): e0185193.
44140	Farrell FJ, Keeffe EB (1998). Diabetes and the hepatobiliary system. <i>Clin Liver Dis</i> , 2(1): 119-31.
44894	Festi D, Colecchia A, Orsini M, et al (1998). Gallbladder motility and gallstone formation in obese patients following very low calorie diets. Use it (fat) to lose it (well). <i>Int J Obes Relat Metab Disord</i> , 22(6): 592-600.
44212	Fortun P, Anagnostopoulos G, Laurence B (2005). Suture material as a nidus for common bile duct stones: taking a closer look. <i>N Z Med J</i> , 118(1210): U1318.

76545	Fracanzani AL, Valenti L, Russello M, et al (2012). Gallstone disease is associated with more severe liver damage in patients with non-alcoholic fatty liver disease. <i>PLoS One</i> , 7: e41183.
76544	Fradin K, Racine AD, Belamarich PF (2014). Obesity and symptomatic cholelithiasis in childhood: epidemiologic and case-control evidence for a strong relation. <i>J Pediatr Gastroenterol Nutr</i> , 58(1): 102-6.
44117	Frankenburg FR, Zanmarini MC (2006). Obesity and obesity-related illnesses in borderline patients. <i>J Pers Disord</i> , 20(1): 71-80.
44089	Fraquelli M, Losco A, Visentin S, et al (2001). Gallstone disease and related risk factors in patients with Crohn disease. <i>Arch Intern Med</i> , 161(18): 2201-4.
75669	Fremont-Rahl JJ, Ge Z, Umana C, et al (2013). An analysis of the role of the indigenous microbiota in cholesterol gallstone pathogenesis. <i>PLoS One</i> , 8(7): e70657.
44093	Galanello R, Piras S, Barella S, et al (2001). Cholelithiasis and Gilbert's syndrome in homozygous B-thalassaemia. <i>Br J Haematol</i> , 115(4): 926-8.
75670	Galyani Moghaddam T, Fakheri H, Abdi R, et al (2013). The incidence and outcome of pregnancy-related biliary sludge/stones and potential risk factors. <i>Arch Iran Med</i> , 16(1): 12-6.
76802	Genctoy G, Ayidaga S, Ergun T, et al (2014). Increased frequency of gallbladder stone and related parameters in hemodialysis patients. <i>Turk J Gastroenterol</i> , 25: 54-8.
75671	Ghazal A, El Sabbagh N, El Riwini M (2011). Presence of <i>Helicobacter</i> spp. DNA in the gallbladder of Egyptian patients with gallstone diseases. <i>East Mediterr Health J</i> , 17(12): 925-9.
123964	Gholami S, Wood L, Berry G, et al (2016). Recurrent pyogenic cholangitis: got stones? <i>Dig Dis Sci</i> , 61(11): 3147-50.
43358	Ghosh JB, Chakrabarty S, Singh A, et al (2004). Wilson's disease - unusual features. <i>Indian J Pediatr</i> , 71(10): 937-8.
75672	Gillen S, Michalski CW, Schuster T, et al (2010). Simultaneous/incidental cholecystectomy during gastric/esophageal resection: systematic analysis of risks and benefits. <i>World J Surg</i> , 34(5): 1008-14.
75673	Gizard E, Ford AC, Bronowicki JP, et al (2014). Systematic review: the epidemiology of the hepatobiliary manifestations in patients with inflammatory bowel disease. <i>Aliment Pharmacol Ther</i> , 40(1): 3-15.
121832	Goai XY, Beardsley CJ, Pretorius CF, et al (2021). Acute cholecystitis in a patient with choledochal cyst and concomitant choledocholithiasis. <i>ANZ J Surg</i> , 91(10): E675-7.
125053	Goet JC, Beelen EM, Biermann KE, et al (2019). Cholecystectomy risk in Crohn's disease patients after ileal resection: a long-term nationwide cohort study. <i>J Gastrointest Surg</i> , 23(9): 1840-7.
121590	Gong Y, He Y, Wan M, et al (2024). Risk factors for gallstones in Crohn's disease: a systematic review and meta-analysis. <i>Dig Dis Sci</i> , 69(11): 4187-202.
124145	Green BT, Rockey DC (2001). Duodenal somatostatinoma presenting with complete somatostatinoma syndrome. <i>J Clin Gastroenterol</i> , 33(5): 415-7.
383	Greenberger NJ, Isselbacher KJ (1994). Diseases of the gallbladder and bile ducts. <i>Principles of Internal Medicine</i> , 13th Edition, Chapter 272: 1507, 1509. McGraw Hill, New York.
75674	Grover BT, Kothari SN (2014). Biliary issues in the bariatric population. <i>Surg Clin North Am</i> , 94(2): 413-25.
43379	Grundy SM (2004). Cholesterol gallstones: a fellow traveler with metabolic syndrome? <i>Am J Clin Nutr</i> , 80(1): 1-2.
121511	Gu S, Hu S, Wang S, et al (2023). Bidirectional association between NAFLD and gallstone disease: a systematic review and meta-analysis of observational studies. <i>Expert Rev Gastroenterol Hepatol</i> , 17(3): 283-93.

57414	Guh DP, Zhang W, Bansback N, et al (2009). The incidence of co-morbidities related to obesity and overweight: a systematic review and meta-analysis. <i>BMC Public Health</i> , 9: 88.
72440	Guidotti TL (2014). Health Risks and Occupation as a Firefighter. Medical Advisory Services, Department of Veterans' Affairs, Commonwealth of Australia.
75675	Gurusamy KS, Davidson BR (2014). Gallstones. <i>BMJ</i> , 348: g2669.
44165	Hahm JS, Lee HL, Park JY, et al (2003). Prevalence of gallstone disease in patients with end-stage renal disease treated with hemodialysis in Korea. <i>Hepatogastroenterology</i> , 50(54): 1792-5.
47925	Hai S, Tanaka H, Kubo S, et al (2003). Choledocholithiasis caused by migration of a surgical clip into the biliary tract following laparoscopic cholecystectomy. <i>Surg Endosc</i> , 17(12): 2028-31. [Abstract]
44119	Haverfield EV, McKenzie CA, Forrester T, et al (2005). UGT1A1 variation and gallstone formation in sickle cell disease. <i>Blood</i> , 105(3): 968-72.
125056	He L, Wang J, Ping F, et al (2022). Association of glucagon-like peptide-1 receptor agonist use with risk of gallbladder and biliary diseases: A systematic review and meta-analysis of randomized clinical trials. <i>JAMA Intern Med</i> , 182(5): 513-9.
47285	Heeney MM (2005). Risk of cholelithiasis in sickle cell anemia. <i>Haematologica</i> , 90(2): 147.
75676	Heida A, Koot BG, vd Baan-Slootweg OH, et al (2014). Gallstone disease in severely obese children participating in a lifestyle intervention program: incidence and risk factors. <i>Int J Obes (Lond)</i> , 38(7): 950-3.
75677	Henao-Moran S, Denova-Gutierrez E, Moran S, et al (2014). Recreational physical activity is inversely associated with asymptomatic gallstones in adult Mexican women. <i>Ann Hepatol</i> , 13(6): 810-8.
125058	Hsu HY, Huang CY, Hwang LC (2019). Sex difference of the predictive value of BMI, waist circumference and percentage body fat mass for gallstone disease. <i>Br J Nutr</i> , 121(8): 955-60.
121570	Huang HH, Hsieh MS, Chen CY (2019). Risk of cholecystectomy in morbidly obese patients after bariatric surgery in Taiwan. <i>Obes Res Clin Pract</i> , 13(2): 191-6.
125059	Huang YL, Zhang KY, Sun YL, et al (2024). The risk of hepatobiliary complications in Clonorchis and Opisthorchis infection: A systematic review and meta-analysis. <i>Acta Trop</i> , 260: 107457.
76546	Hussain A, Nadeem MA, Nisar S, et al (2014). Frequency of gallstones in patients with liver cirrhosis. <i>J Ayub Med Coll Abbottabad</i> , 26(3): 341-3.
44302	Inuzuka S, Tomiyasu N, Kumamoto M, et al (2003). A patient with hyperlipidemia who had a gallbladder stone caused by administration of Fenofibrate. <i>Kurume Med J</i> , 50(1-2): 77-80.
44300	Ishizuk H, Eguchi H, Oda T, et al (2003). Relation of coffee, green tea and caffeine intake to gallstone disease in middle-aged Japanese men. <i>Eur J Epidemiol</i> , 18(5): 401-5.
125074	Jackson SS, Graubard BI, Gabbi C, et al (2024). Association with menopausal hormone therapy and asymptomatic gallstones in US women in the third National Health and Nutrition Examination Study. <i>Sci Rep</i> , 14(1): 191.
75678	Jahani Sherafat S, Tajeddin E, Reza Seyyed Majidi M, et al (2012). Lack of association between Helicobacter pylori infection and biliary tract diseases. <i>Pol J Microbiol</i> , 61(4): 319-22.
121459	Jaruvongvanich V, Sanguankeo A, Upala S (2016). Significant association between gallstone disease and nonalcoholic fatty liver disease: a systematic review and meta-analysis. <i>Dig Dis Sci</i> , 61(8): 2389-96.

75679	Jayakrishnan TT, Groeschl RT, George B, et al (2014). Review of the impact of antineoplastic therapies on the risk for cholelithiasis and acute cholecystitis. <i>Ann Surg Oncol</i> , 21(1): 240-7.
43380	Jayanthi V, Anand L, Ashok L, et al (2005). Dietary factors in pathogenesis of allstone disease in southern India -- a hospital-based case-control study. <i>Indian J Gastroenterol</i> , 24(3): 97-9.
77586	Jessri M, Rashidkhani B (2015). Dietary patterns and risk of gallbladder disease: a hospital-based case-control study in adult women. <i>J Health Popul Nutr</i> , 33(1): 39-49.
122226	Jin T, Chen ZH, Liang PP, et al (2023). A gastrectomy for early-stage gastric cancer patients with or without preserving celiac branches of vagus nerves: A meta-analysis. <i>Surgery</i> , 173(2): 375-82.
75680	Johansson K, Sundstrom J, Marcus C, et al (2014). Risk of symptomatic gallstones and cholecystectomy after a very-low-calorie diet or low-calorie diet in a commercial weight loss program: 1-year matched cohort study. <i>Int J Obes</i> , 38: 279-84.
41897	Johnson CD (2001). ABC of the upper gastrointestinal tract. Upper abdominal pain: gall bladder. <i>BMJ</i> , 323(7322): 1170-3.
75681	Jonas E, Marsk R, Rasmussen F, et al (2010). Incidence of postoperative gallstone disease after antiobesity surgery: population-based study from Sweden. <i>Surg Obes Relat Dis</i> , 6: 54-8.
44128	Jonkers IJ, Smelt AH, Ledeboer M, et al (2003). Gall bladder dysmotility: a risk factor for gall stone formation in hypertriglyceridaemia and reversal on triglyceride lowering therapy by bezafibrate and fish oil. <i>Gut</i> , 52(1): 109-15.
47130	Jorgensen T (1989). Gall stones in a Danish population. Relation to weight, physical activity, smoking, coffee consumption, and diabetes mellitus. <i>Gut</i> , 30(4): 528-34.
122370	Juo YY, Khrucharoen U, Chen Y, et al (2018). Cost analysis and risk factors for interval cholecystectomy after bariatric surgery: a national study. <i>Surg Obes Relat Dis</i> , 14(3): 368-74.
44215	Juran BD, Lazaridis KN (2006). Genetics of hepatobiliary diseases. <i>Clin Gastroenterol Hepatol</i> , 4(5): 548-57.
47131	Kaaja R, Greer IA (2005). Manifestations of chronic disease during pregnancy. <i>JAMA</i> , 294(21): 2751-9.
44137	Kaechele V, Wabitsch M, Thiere D, et al (2006). Prevalence of gallbladder stone disease in obese children and adolescents: influence of the degree of obesity, sex and pubertal development. <i>J Pediatr Gastroenterol Nutr</i> , 42(1): 66-70.
44144	Kaji H, Asano N, Tamura H, et al (2004). Common bile duct stone caused by a fish bone: report of a case. <i>Surg Today</i> , 34(3): 268-71.
44105	Kalloo AN, Kantsevov SV (2001). Gallstones and biliary diseases. <i>Prim Care</i> , 28(3): 591-606.
44899	Kamrath RO, Plummer LJ, Sadur CN, et al (1992). Cholelithiasis in patients treated with a very-low-calorie diet. <i>Am J Clin Nutr</i> , 56(Supp 1): 255-7S.
44141	Kaneko K, Ando H, Seo T, et al (2005). Bile infection contributes to intrahepatic calculi formation after excision of choledochal cysts. <i>Pediatr Surg Int</i> , 21(1): 8-11.
47242	Kang JY, Ellis C, Majeed A, et al (2003). Gallstones - an increasing problem: a study of hospital admissions in England between 1989/1990 and 1999/2000. <i>Aliment Pharmacol Ther</i> , 17(4): 561-9.
44098	Katsika D, Grijbovski A, Einarsson C, et al (2005). Genetic and environmental influences on symptomatic gallstone disease: a Swedish study of 43,141 twin pairs. <i>Hepatology</i> , 41(5): 1138-43.

76596	Kazama JJ, Kazama S, Koda R, et al (2009). The risk of gallbladder stone formation is increased in patients with predialysis chronic kidney disease but not those undergoing chronic hemodialysis therapy. <i>Nephron Clin Pract</i> , 111(3): c167-72.
43377	Kejariwal D (2006). Cholelithiasis associated with haemolytic-uraemic syndrome. <i>World J Gastroenterol</i> , 12(14): 2291-2.
124363	Kelly TR (1983). Pancreatic somatostatinoma. <i>Am J Surg</i> , 146(5): 671-3.
125075	Ketover SR, Ansel HJ, Goldish G, et al (1996). Gallstones in chronic spinal cord injury: is impaired gallbladder emptying a risk factor? <i>Arch Phys Med Rehabil</i> , 77(11): 1136-8.
94040	Khalid M, Andreoli S (2019). Extrarenal manifestations of the hemolytic uremic syndrome associated with Shiga toxin-producing <i>Escherichia coli</i> (STEC HUS). <i>Pediatr Nephrol</i> , 34(12): 2495-507.
44108	Khanna S, Vij JC (2005). Endoclips as nidus for choledocholithiasis presenting 5 years after laproscopic cholecystectomy. <i>Endoscopy</i> , 37(2): 188.
76547	Khoo AK, Cartwright R, Berry S, et al (2014). Cholecystectomy in English children: evidence of an epidemic (1997-2012). <i>J Pediatr Surg</i> , 49(2): 284-8.
44206	Kiewiet RM, Durian MF, van Leersum M, et al (2006). Gallstone formation after weight loss following gastric banding in morbidly obese Dutch patients. <i>Obes Surg</i> , 16(5): 592-6.
43376	Kim IS, Myung SJ, Lee SS, et al (2003). Classification and nomenclature of gallstones revisited. <i>Yonsei Med J</i> , 44(4): 561-70.
125076	Kim SB, Kim KH, Kim TN, et al (2017). Sex differences in prevalence and risk factors of asymptomatic cholelithiasis in Korean health screening examinee: A retrospective analysis of a multicenter study. <i>Medicine (Baltimore)</i> , 96(13): e6477.
125077	Kim SY, Bang WJ, Lim H, et al (2019). Increased risk of gallstones after gastrectomy: A longitudinal follow-up study using a national sample cohort in Korea. <i>Medicine (Baltimore)</i> , 98(22): e15932.
125078	Kim SY, Lim H, Park B, et al (2020). Increased risk of gallstones after appendectomy: A longitudinal follow-up study using a national sample cohort. <i>Medicine (Baltimore)</i> , 99(20): e20269.
44170	Kim TO, Lee SH, Kim GH, et al (2006). Common bile duct stone caused by a phytobezoar. <i>Gastrointest Endosc</i> , 63(2): 324.
44214	Kim YH, Kim YJ, Park WK, et al (2004). Fish bone as a nidus for stone formation in the common bile duct: report of two cases. <i>Korean J Radiol</i> , 5(3): 210-3.
121801	Kitagawa S, Hirayama A (2017). Bile duct stricture after blunt abdominal trauma. <i>Am J Gastroenterol</i> , 112(2): 209.
75682	Kitamura E, Ogino M (2011). Occurrence of cholelithiasis and cholecystitis in amyotrophic lateral sclerosis patients with long-term tracheostomy invasive ventilation. <i>Intern Med</i> , 50(20): 2291-5.
43375	Kitsiou-Tzeli S, Kanavakis E, Tzetzis M, et al (2003). Gilbert's syndrome as a predisposing factor for idiopathic cholelithiasis in children. <i>Haematologica</i> , 88(10): 1193-4.
76548	Klahan S, Kuo CN, Chien SC, et al (2014). Osteoporosis increases subsequent risk of gallstone: a nationwide population-based cohort study in Taiwan. <i>BMC Gastroenterol</i> , 14: 192.
44217	Klar A, Branski D, Akerman Y, et al (2005). Sludge ball, pseudolithiasis, cholelithiasis and choledocholithiasis from intrauterine life to 2 years: a 13-year follow-up. <i>J Pediatr Gastroenterol Nutr</i> , 40(4): 477-80.
43351	Kleiner O, Ramesh J, Huleihel M, et al (2002). A comparative study of gallstones from children and adults using FTIR spectroscopy and fluorescence microscopy. <i>BMC Gastroenterol</i> , 2: 3.

44099	Ko CW, Beresford SA, Schulte SJ, et al (2005). Incidence, natural history, and risk factors for biliary sludge and stones during pregnancy. <i>Hepatology</i> , 41(2): 359-65.
44104	Ko CW, Lee SP (2002). Epidemiology and natural history of common bile duct stones and prediction of disease. <i>Gastrointest Endosc</i> , 56(6 Suppl): S165-9.
44107	Kobayashi T, Hisanaga M, Kanehiro H, et al (2005). Analysis of risk factors for the development of gallstones after gastrectomy. <i>Br J Surg</i> , 92(11): 1399-1403.
75683	Kochar R, Banerjee S (2013). Infections of the biliary tract. <i>Gastrointest Endosc Clin N Am</i> , 23: 199-218.
75684	Koebnick C, Smith N, Black MH, et al (2012). Pediatric obesity and gallstone disease: results from a cross-sectional study of over 510,000 youth. <i>J Pediatr Gastroenterol Nutr</i> , 55(3): 328-33.
76549	Koller T, Kollerova J, Hlavaty T, et al (2012). Cholelithiasis and markers of nonalcoholic fatty liver disease in patients with metabolic risk factors. <i>Scand J Gastroenterol</i> , 47: 197-203.
44135	Kono S, Eguchi H, Honjo S, et al (2002). Cigarette smoking, alcohol use, and gallstone risk in Japanese men. <i>Digestion</i> , 65(3): 177-83.
44138	Kosters A, Jirsa M, Groen AK (2003). Genetic background of cholesterol gallstone disease. <i>Biochim Biophys Acta</i> , 1637(1): 1-19.
43374	Kratzer W, Haenle MM, Mason RA, et al (2005). Prevalence of cholelithiasis in patients with chronic inflammatory bowel disease. <i>World J Gastroenterol</i> , 11(39): 6170-5.
76646	Kriska AM, Brach JS, Jarvis BJ, et al (2007). Physical activity and gallbladder disease determined by ultrasonography. <i>Med Sci Sports Exerc</i> , 39(11): 1927-32.
44892	Kumar D, Garg PK, Tandon RK (2001). Clinical and biochemical comparative study of different types of common bile duct stones. <i>Indian J Gastroenterol</i> , 20: 187-90.
125079	Kwan KE, Shelat VG, Tan CH (2017). Recurrent pyogenic cholangitis: a review of imaging findings and clinical management. <i>Abdom Radiol (NY)</i> , 42(1): 46-56.
44109	Lai KH, Wu CM, Lo CC, et al (2004). Clonorchiasis and biliary stones. <i>Gastrointest Endosc</i> , 59(1): 78-9.
76799	Lai SW, Liao KF, Lai HC, et al (2009). The prevalence of gallbladder stones is higher among patients with chronic kidney disease in Taiwan. <i>Medicine (Baltimore)</i> , 88(1): 46-51.
44095	Lai SW, Ng KC (2002). Risk factors for gallstone disease in a hospital-based study. <i>South Med J</i> , 95(12): 1419-23.
82988	Lammert F, Gurusamy K, Ko CW, et al (2016). Gallstones. <i>Nat Rev Dis Primers</i> , 2: 16024.
44210	Lammert F, Sauerbruch T (2005). Mechanisms of disease: the genetic epidemiology of gallbladder stones. <i>Nat Clin Pract Gastroenterol Hepatol</i> , 2(9): 423-33.
43373	Lapidus A, Akerlund JE, Einarsson C (2006). Gallbladder bile composition in patients with Crohn's disease. <i>World J Gastroenterol</i> , 12(1): 70-4.
44325	Laukkanen J, Sand J, Saaristo R, et al (2003). Is bile flow reduced in patients with hypothyroidism? <i>Surgery</i> , 133: 288-93.
125080	Lee CF, Lee WC, Wu RC, et al (2016). Intrahepatic duct stones harboring ascariasis ova: A case report. <i>Medicine (Baltimore)</i> , 95(12): e3139.
125081	Lee H, Kowdley KV (2023). Recurrent pyogenic cholangitis. Retrieved 7 February 2025, from https://www.uptodate.com/contents/recurrent-pyogenic-cholangitis

76550	Lee JY, Keane MG, Pereira S (2015). Diagnosis and treatment of gallstone disease. <i>Practitioner</i> , 259(1783): 15-9.
75685	Lee YC, Wu JS, Yang YC, et al (2014). Hepatitis B and hepatitis C associated with risk of gallstone disease in elderly adults. <i>J Am Geriatr Soc</i> , 62(8): 1600-2.
75686	Lee YC, Wu JS, Yang YC, et al (2014). Moderate to severe, but not mild, nonalcoholic fatty liver disease associated with increased risk of gallstone disease. <i>Scand J Gastroenterol</i> , 49(8): 1001-6.
44114	Leitzmann MF, Stampfer MJ, Willett WC, et al (2002). Coffee intake is associated with lower risk of symptomatic gallstone disease in women. <i>Gastroenterology</i> , 123: 1823-30.
43372	Li Vecchi M, Soresi M, Cusimano R, et al (2003). Prevalence of biliary lithiasis in a Sicilian population of chronic renal failure patients. <i>Nephrol Dial Transplant</i> , 18(11): 2321-4.
75687	Li VK, Pulido N, Fajnwaks P, et al (2009). Predictors of gallstone formation after bariatric surgery: a multivariate analysis of risk factors comparing gastric bypass, gastric banding, and sleeve gastrectomy. <i>Surg Endosc</i> , 23: 1640-4.
125083	Li X, Gao P (2018). Hepatitis C virus infection increases risk of gallstone disease in elderly Chinese patients with chronic liver disease. <i>Sci Rep</i> , 8(1): 4636.
125082	Li X, Wang Z, Wang L, et al (2017). Liver cirrhosis: a risk factor for gallstone disease in chronic hepatitis C patients in China. <i>Medicine (Baltimore)</i> , 96(26): e7427.
125084	Liang TJ, Liu SI, Chen YC, et al (2017). Analysis of gallstone disease after gastric cancer surgery. <i>Gastric Cancer</i> , 20(5): 895-903.
76597	Lichtenstein DR (2011). Hepatobiliary complications of inflammatory bowel disease. <i>Curr Gastroenterol Rep</i> , 13: 495-505.
125085	Lim JH, Ko YT, Lee DH, et al (1990). Oriental cholangiohepatitis: sonographic findings in 48 cases. <i>AJR Am J Roentgenol</i> , 155(3): 511-4.
75688	Lin IC, Yang YW, Wu MF, et al (2014). The association of metabolic syndrome and its factors with gallstone disease. <i>BMC Fam Pract</i> , 15: 138.
44208	Lin JN, Yen CM, Liu CS, et al (2001). Hepatic schistosomiasis japonica in a patient with gallstones and bile duct stones--a case report. <i>Kaohsiung J Med Sci</i> , 17(8): 437-40.
44203	Lindseth G, Bird-Baker MY (2004). Risk factors for cholelithiasis in pregnancy. <i>Res Nurs Health</i> , 27(6): 382-91.
75657	Liu CM, Hsu CT, Li CY, et al (2012). A population-based cohort study of symptomatic gallstone disease in diabetic patients. <i>World J Gastroenterol</i> , 18(14): 1652-9.
45452	Liu CM, Tung TH, Tsai ST, et al (2005). Serum insulin, insulin resistance, B-cell dysfunction, and gallstone disease among type 2 diabetics in Chinese population: A community-based study in Kinmen, Taiwan. <i>World J Gastroenterol</i> , 11(45): 7159-64.
76551	Liu J, Lin H, Zhang C, et al (2014). Non-alcoholic fatty liver disease associated with gallstones in females rather than males: a longitudinal cohort study in Chinese urban population. <i>BMC Gastroenterol</i> , 14: 213.
43588	Liu XT, Hu J (2002). Relationship between bilirubin free radical and formation of pigment gallstone. <i>World J Gastroenterol</i> , 8(3): 413-7.
125086	Loosen SH, Killer A, Luedde T, et al (2024). Helicobacter pylori infection associated with an increased incidence of cholelithiasis: A retrospective real-world cohort study of 50 832 patients. <i>J Gastroenterol Hepatol</i> , 39(9): 1809-15.
44164	Loria P, Lonardo A, Lombardini S, et al (2005). Gallstone disease in non-alcoholic fatty liver: prevalence and associated factors. <i>J Gastroenterol Hepatol</i> , 20(8): 1176-84.

123632	Lucius R (2022). <i>Dicrocoelium dendriticum</i> . Trends Parasitol, 38(12): 1089-90.
75689	Luu MB, Deziel DJ (2014). Unusual complications of gallstones. Surg Clin North Am, 94(2): 377-94.
125087	Lyu J, Lin Q, Fang Z, et al (2022). Complex impacts of gallstone disease on metabolic syndrome and nonalcoholic fatty liver disease. Front Endocrinol (Lausanne), 13: 1032557.
75690	Maeda C, Yokoyama N, Otani T, et al (2013). Bile duct stone formation around a nylon suture after gastrectomy: A case report. BMC Res Notes, 6: 108.
125088	Mallick B, Anand AC (2022). Gallstone disease in cirrhosis-pathogenesis and management. J Clin Exp Hepatol, 12(2): 551-9.
125089	Manatsathit W, Leelasinjaroen P, Al-Hamid H, et al (2016). The incidence of cholelithiasis after sleeve gastrectomy and its association with weight loss: A two-centre retrospective cohort study. Int J Surg, 30: 13-8.
124502	Maringhini A, Ciambra M, Baccelliere P, et al (1993). Biliary sludge and gallstones in pregnancy: incidence, risk factors, and natural history. Ann Intern Med, 119(2): 116-20.
76598	Martin D (2011). Physical activity benefits and risks on the gastrointestinal system. South Med J, 104(12): 831-7.
76552	Mathew LK, Ko C (2014). Dietary fat and protein intake are not associated with incident biliary sludge and stones during pregnancy. JPEN J Parenter Enteral Nutr, 39(1): 124-8.
43370	Mendez-Sanchez N, Bermejo-Martinez LB, Vinals Y, et al (2005). Serum leptin levels and insulin resistance are associated with gallstone disease in overweight subjects. World J Gastroenterol, 11(39): 6182-7.
43371	Mendez-Sanchez N, Chavez-Tapia NC, Motola-Kuba D, et al (2005). Metabolic syndrome as a risk factor for gallstone disease. World J Gastroenterol, 11(11): 1653-7.
44199	Mendez-Sanchez N, Chavez-Tapia NC, Uribe M (2003). The role of dietary fats in the pathogenesis of gallstones. Frontiers Biosci, 8: e420-7.
44305	Mendez-Sanchez N, King-Martinez AC, Ramos MH, et al (2004). The Amerindian's genes in the Mexican population are associated with development of gallstone disease. Am J Gastroenterol, 99(11): 2166-70.
387	Messing B, Bories C, Kunstlinger F, et al (1983). Does total parenteral nutrition induce gallbladder sludge formation and lithiasis? Gastroenterology, 84(5 Pt 1): 1012- 9.
44161	Michielsen PP, Fierens H, Van Maercke YM (1992). Drug-induced gallbladder disease. Incidence, aetiology and management. Drug Saf, 7(1): 32-45.
125129	Micromedex (2025). Atazanavir. Retrieved 12 February 2025, from https://www.micromedexsolutions.com/
125130	Micromedex (2025). Ceftriaxone. Retrieved 12 February 2025, from https://www.micromedexsolutions.com/
125132	Micromedex (2025). Cyclosporine. Retrieved 12 February 2025, from https://www.micromedexsolutions.com/
125131	Micromedex (2025). Fenofibrate. Retrieved 12 February 2025, from https://www.micromedexsolutions.com/
125133	Micromedex (2025). Somatostatin. Retrieved 12 February 2025, from https://www.micromedexsolutions.com/
125134	Micromedex (2025). Tacrolimus. Retrieved 12 February 2025, from https://www.micromedexsolutions.com/
125135	Micromedex (2025). Tamoxifen. Retrieved 12 February 2025, from https://www.micromedexsolutions.com/
43369	Miller K, Hell E, Lang B, et al (2003). Gallstone formation prophylaxis after gastric restrictive procedures for weight loss. A randomized double-blind placebo-controlled trial. Ann Surg, 238(5): 697-702.

44205	Miquel JF, Zanlungo S, Nervi F (2005). The old enigma of diets, oils, and stones. <i>Nutrition</i> , 118(12): 419-21.
125137	Mir Y, McLaughlin E, Campbell F, et al (2008). Actinomycosis of the gallbladder: a case report. <i>Open Mycol J</i> , 2: 105-7.
43350	Mittal B, Mittal R (2002). Genetics of gallstone disease. <i>J Postgrad Med</i> , 48(2): 149-52.
75691	Mohamed A, Kadambari D, Bhuvaneswari V (2009). Tamoxifen use and gallstone formation in postmenopausal breast cancer patients in south Indian population. <i>Indian J Cancer</i> , 46(2): 151-4.
121574	Moonka R, Stiens SA, Resnick WJ, et al (1999). The prevalence and natural history of gallstones in spinal cord injured patients. <i>J Am Coll Surg</i> , 189(3): 274-81.
125136	Motta RV, Saffioti F, Mavroeidis VK (2024). Hepatolithiasis: Epidemiology, presentation, classification and management of a complex disease. <i>World J Gastroenterol</i> , 30(13): 1836-50.
44123	Mouzas IA, Petrakis I, Vardas E, et al (2005). Bile leakage presenting as acute abdomen due to a stone created around a migrated surgical clip. <i>Med Sci Monit</i> , 11(3): CS16-8.
124081	Naamansen AB, Hansen DL, Petersen J, et al (2024). 10-year risk of gallstones in congenital red blood cell disorder patients: A nationwide cohort study. <i>Am J Hematol</i> , 100(2): 229-35.
44116	Nakai K, Tazuma S, Ochi H, et al (2001). Does bilirubin play a role in the pathogenesis of both cholesterol and pigment gallstone formation? Direct and indirect influences of bilirubin on bile lithogenicity. <i>Biochim Biophys Acta</i> , 1534(2-3): 78-84.
43368	Nakeeb A, Comuzzie AG, Martin L, et al (2002). Gallstones: genetics versus environment. <i>Ann Surg</i> , 235(6): 842-9.
75692	Nervi F, Arrese M (2013). Cholecystectomy and NAFLD: does gallbladder removal have metabolic consequences? <i>Am J Gastroenterol</i> , 108(6): 959-61.
125138	Ng DY, Petrushenko W, Kelly MD (2020). Clip as nidus for choledocholithiasis after cholecystectomy-literature review. <i>JSLS</i> , 24(1): e2019.00053.
76553	Nishijima T, Shimbo T, Komatsu H, et al (2014). Cumulative exposure to ritonavir-boosted atazanavir is associated with cholelithiasis in patients with HIV-1 infection. <i>J Antimicro Chemother</i> , 69(5): 1385-9.
43378	Nitin Rao AR, Chui AK (2004). Intrahepatic stones - an etiological quagmire. <i>Indian J Gastroenterol</i> , 23(6): 201-2.
44299	Novacek G (2006). Gender and gallstone disease. <i>Wien Med Wochenschr</i> , 156(19-20): 527-33.
75693	O'Connell K, Brasel K (2014). Bile metabolism and lithogenesis. <i>Surg Clin North Am</i> , 94(2): 361-75.
76643	Oida T, Mimatsu K, Kano H, et al (2012). Cholecystitis, cholelithiasis and hyperbilirubinemia after esophagectomy. <i>Hepatogastroenterology</i> , 59(115): 742-4.
125139	Paganelli M, Taglietti L, Di Flumeri G, et al (2008). Rare cause of biliary obstruction by ascariasis associated with choledocholithiasis. <i>Chir Ital</i> , 60(5): 733-8.
44202	Pagliarulo M, Fornari F, Fraquelli M, et al (2004). Gallstone disease and related risk factors in a large cohort of diabetic patients. <i>Dig Liver Dis</i> , 36(2): 130-4.
125140	Paik KH, Lee JC, Kim HW, et al (2016). Risk factors for gallstone formation in resected gastric cancer patients. <i>Medicine (Baltimore)</i> , 95(15): e3157.
125141	Pak M, Lindseth G (2016). Risk factors for cholelithiasis. <i>Gastroenterol Nurs</i> , 39(4): 297-309.

47240	Palazzo L, O'Toole D (2005). Biliary stones: including acute biliary pancreatitis. <i>Gastrointest Endosc Clin N Am</i> , 15(1): 63-82.
44306	Pamuk ON, Umit H, Unlu E, et al (2006). An increased frequency of gallbladder stones in rheumatoid arthritis patients. Factors related to gallbladder stone formation. <i>Clin Exp Rheumatol</i> , 24(3): 317-20.
44296	Pandey M, Shukla VK (2002). Diet and gallbladder cancer: a case-control study. <i>Eur J Cancer Prev</i> , 11(4): 365-8.
125143	Papadopoulos V, Filippou D, Mimidis K (2020). Smoking habits and gallbladder disease: a systematic review and meta-analysis study. <i>Hippokratia</i> , 24(4): 147-56.
44245	Parente F, Pastore L, Bargiggia S, et al (2007). Incidence and risk factors for gallstones in patients with inflammatory bowel disease: a large case-control study. <i>Hepatology</i> , 45(5): 1267-74.
125142	Park DJ, Kim KH, Park YS, et al (2016). Risk factors for gallstone formation after surgery for gastric cancer. <i>J Gastric Cancer</i> , 16(2): 98-104.
76554	Pasternak A, Szura M, Gil K, et al (2014). Metabolism of bile with respect to etiology of gallstone disease - systematic review. <i>Folia Med Cracov</i> , 54(2): 5-16.
75694	Pellino G, Candilio G, De Fatico G, et al (2015). Gallstone ileus without bilioenteric fistula years after bypass surgery for Crohn's disease. Case report and clues to etiology of a neglected cause of obstruction. <i>Int J Surg Case Rep</i> , 9: 134-8.
75695	Plecka Ostlund M, Wenger U, Mattsson F, et al (2012). Population-based study of the need for cholecystectomy after obesity surgery. <i>Br J Surg</i> , 99(6): 864-9.
44204	Portincasa P, Moschcetta A, Calmita G, et al (2003). Pathobiology of cholesterol gallstone disease: from equilibrium ternary phase diagram to agents preventing cholesterol crystallization and stone formation. <i>Curr Drug Targets Immune Endocr Metabol Discord</i> , 3(1): 67-81.
43367	Portincasa P, Moschetta A, Berardino M, et al (2004). Impaired gallbladder motility and delayed orocecal transit contribute to pigment gallstone and biliary sludge formation in B-thalassemia major adults. <i>World J Gastroenterol</i> , 10(16): 2383-90.
44120	Portincasa P, Moschetta A, Palasciano G (2006). Cholesterol gallstone disease. <i>Lancet</i> , 368: 230-9.
47127	Prakash K, Ramesh H, Jacob G, et al (2004). Multidisciplinary approach in the long-term management of intrahepatic stones: Indian experience. <i>Indian J Gastroenterol</i> , 23(6): 209-13.
75696	Premkumar M, Sable T (2012). Obesity, dyslipidemia and cholesterol gallstone disease during one year of Antarctic residence. <i>Rural Remote Health</i> , 12: 2186.
43366	Prouty AM, Gunn JS (2003). Comparative analysis of salmonella enterica serovar typhimurium biofilm formation on gallstones and on glass. <i>Infect Immun</i> , 71(12): 7154-8.
75697	Pulkkinen J, Eskelinen M, Kiviniemi V, et al (2014). Effect of statin use on outcome of symptomatic cholelithiasis: a case-control study. <i>BMC Gastroenterology</i> , 14(119): .
75698	Qiao T, Ma RH, Luo XB, et al (2012). Cholecystolithiasis is associated with clonorchis sinensis infection. <i>PLoS One</i> , 7(8): e42471.
75699	Qiao T, Ma RH, Luo ZL, et al (2014). Clonorcis sinensis eggs are associated with calcium carbonate gallbladder stones. <i>Acta Trop</i> , 138: 28-37.
75700	Rakotondravelo S, Poinsignon Y, Borsa-Lebas F, et al (2012). Complicated atazanavir-associated cholelithiasis: a report of 14 cases. <i>Clin Infect Dis</i> , 55(9): 1270-2.

75701	Ramzan Z, Anzengruber F (2014). A case of biliary ascariasis. <i>Isr Med Assoc J</i> , 16(5): 324-5.
75702	Reddy SK, Zhan M, Alexander H (2013). Nonalcoholic fatty liver disease is associated with benign gastrointestinal disorders. <i>World J Gastroenterol</i> , 19(45): 8301-1.
44101	Redfern JS, Fortuner WJ II (1995). Octreotide-associated biliary tract dysfunction and gallstone formation: pathophysiology and management. <i>Am J Gastroenterol</i> , 90(7): 1042-52.
44167	Rege RV (2002). The role of biliary calcium in gallstone pathogenesis. <i>Front Biosci</i> , 7: e315-25.
75703	Rhodes MM, Bates DB, Andrews T, et al (2014). Abdominal pain in children with sickle cell disease. <i>J Clin Gastroenterol</i> , 48(2): 99-105.
44125	Richardson WS, Surowiec WJ, Carter KM, et al (2003). Gallstone disease in heart transplant recipients. <i>Ann Surg</i> , 237(2): 273-6.
9101	Robertson FM, Crombleholme TM, Barlow SE, et al (1996). Ceftriaxone choledocholithiasis. <i>Pediatrics</i> , 98(1): 133-5.
44131	Roberts-Thomson IC, Butler WJ (2005). Polymorphism and gallstones. <i>J Gastroenterol Hepatol</i> , 20(2): 319-20.
75704	Rojas-Feria M, Castro M, Suarez E, et al (2013). Hepatobiliary manifestations in inflammatory bowel disease: The gut, the drugs and the liver. <i>World J Gastroenterol</i> , 19(42): 7327-40.
47243	Rosenbaum H, Sidransky E (2002). Cholelithiasis in patients with Gaucher disease. <i>Blood Cells Mol Dis</i> , 28(1): 21-7.
44097	Rotter KP, Larrain CG (2003). Gallstones in spinal cord injury (SCI): a late medical complication? <i>Spinal Cord</i> , 41(2): 105-8.
75705	Ruhl CE, Everhart JE (2013). Relationship of non-alcoholic fatty liver disease with cholecystectomy in the US population. <i>Am J Gastroenterol</i> , 108(6): 952-8.
389	Ruppin DC, Dowling RH (1982). Is recurrence inevitable after gallstone dissolution by bile-acid treatment? <i>Lancet</i> , 1(8265): 181-5.
125144	Saeed A, Assiri A (2018). Choledochal cyst and biliary stone. <i>J Ayub Med Coll Abbottabad</i> , 30(1): 127-9.
125145	Saha B, Reinhardt A, Steinauer N, et al (2024). Hepatolithiasis and choledocholithiasis secondary to warm autoimmune hemolytic anemia in the setting of COVID-19 and lupus. <i>ACG Case Rep J</i> , 11(7): e01434.
124153	Sakazaki S, Umeyama K, Nakagawa H, et al (1983). Pancreatic somatostatinoma. <i>Am J Surg</i> , 146(5): 674-9.
47244	Sakuta H, Suzuki T (2005). [Comment] Homocysteine and gallstone diseases: is hyperhomocysteinemia a prerequisite for or secondary to gallstone formation? <i>J Gastroenterol</i> , 40(11): 1085-7.
44247	Sakuta H, Suzuki T (2005). Plasma total homocysteine and gallstone in middle-aged Japanese men. <i>J Gastroenterol</i> , 40(11): 1061-4.
125146	Salari N, Hasheminezhad R, Heidarisharaf P, et al (2023). The global prevalence of gallstones in pregnancy: A systematic review and meta-analysis. <i>Eur J Obstet Gynecol Reprod Biol X</i> , 19: 100237.
44132	Salinas G, Velasquez C, Saavedra L, et al (2004). Prevalence and risk factors for gallstone disease. <i>Surg Laparosc Endosc Percutan Tech</i> , 14(5): 250-3.
44209	Sandhya B, Kate V, Ananthakrishnan N, et al (2005). Effect on gallbladder function subsequent to truncal vagotomy and gastrojejunostomy for chronic duodenal ulcer. <i>Trop Gastroenterol</i> , 26(1): 43-7.
44303	Sandoval C, Katz B, Stringel G, et al (2003). Cholelithiasis and choledocholithiasis after sequential cytarabine and asparaginase. <i>J Pediatr Hematol Oncol</i> , 25(8): 637-9.

44246	Sarin SK, Guptan RC, Malhotra S (2002). Increased frequency of gallstones in cirrhotic and non-cirrhotic portal hypertension. <i>J Assoc Physicians India</i> , 50: 518-22.
125147	Sartori A, Staley B, Skipper A (2014). Drug-induced autoimmune hemolytic anemia in a 78-year-old African-American man with chronic lymphocytic leukemia. <i>Lab Med</i> , 45(3): e105-8.
43365	Schafmayer C, Hartleb J, Tepel J, et al (2006). Predictors of gallstone composition in 1025 symptomatic gallstones from Northern Germany. <i>BMC Gastroenterol</i> , 6: 36.
44169	Schirmer BD, Winters KL, Edlich RF (2005). Cholelithiasis and cholecystitis. <i>J Long Term Eff Med Implants</i> , 15(3): 329-38.
75706	Schmidt M, Dumot JA, Soreide O, et al (2012). Diagnosis and management of gallbladder calculus disease. <i>Scand J Gastroenterol</i> , 47: 1257-65.
388	Scragg RK, McMichael AJ, Baghurst PA (1984). Diet, alcohol and relative weight in gall stone disease: A case-control study. <i>Br Med J</i> , 288: 1113-8.
124612	Sellers ZM, Thorson C, Co S, et al (2017). Feeling the impact of long-term total parenteral nutrition. <i>Dig Dis Sci</i> , 62(12): 3317-20.
125148	Seo GH, Lim CS, Chai YJ (2018). Incidence of gallstones after gastric resection for gastric cancer: a nationwide claims-based study. <i>Ann Surg Treat Res</i> , 95(2): 87-93.
44112	Serra I, Yamamoto M, Calvo A, et al (2002). Association of chili pepper consumption, low socioeconomic status and longstanding gallstones with gallbladder cancer in a Chilean population. <i>Int J Cancer</i> , 102: 407-11.
121635	Shabanzadeh DM, Sorensen LT, Jorgensen T (2016). Determinants for gallstone formation - a new data cohort study and a systematic review with meta-analysis. <i>Scand J Gastroenterol</i> , 51(10): 1239-48.
44076	Shaffer EA (2005). Epidemiology and risk factors for gallstone disease: has the paradigm changed in the 21st century? <i>Curr Gastroenterol Rep</i> , 7(2): 132-40.
44124	Shaffer EA (2006). Gallstone disease: Epidemiology of gallbladder stone disease. <i>Best Pract Res Clin Gastroenterol</i> , 20(6): 981-96.
75707	Shah SI, Shah S, Hannan A (2014). Hepatitis C - a risk factor for gallstone disease. <i>J Ayub Med Coll Abbottabad</i> , 26(1): 84-7.
125149	Shen SS, Gong JJ, Wang XW, et al (2017). Promotional effect of nonalcoholic fatty liver disease on gallstone disease: a systematic review and meta-analysis. <i>Turk J Gastroenterol</i> , 28(1): 31-9.
382	Sherlock S, Dooley J (1989). Gall stones and inflammatory gallbladder diseases. <i>Diseases of the Liver and Biliary System</i> , 9th Edition, Chapter 31: 562-91. Blackwell Scientific Publications, Oxford.
124708	Shi T, Li D, Li D, et al (2024). Individual and joint associations of per- and polyfluoroalkyl substances (PFAS) with gallstone disease in adults: A cross-sectional study. <i>Chemosphere</i> , 358: 142168.
44297	Shigeta A, Ratanamaneechat S, Srisukho S, et al (2002). Epidemiological correlation between chromium content in gallstones and cholesterol in blood. <i>J Med Assoc Thai</i> , 85(2): 183-94.
125150	Shrestha B, Regmi M, Adhikari P (2021). Actinomycosis of gallbladder in cholecystectomy specimen: a case report. <i>JNMA J Nepal Med Assoc</i> , 59(243): 1177-9.
44198	Shrivasta UK, Jain N (2002). [Comment] Biliary stones and ascariasis - our experience. <i>Indian J Physiol Pharmacol</i> , 46(2): 252-4.
43363	Silva CP, Pereira-Lima JC, Oliveira AG, et al (2003). Association of the presence of helicobacter in gallbladder tissue with cholelithiasis and cholecystitis. <i>J Clin Microbiol</i> , 41(12): 5615-8.
44200	Silva MA, Wong T (2005). Gallstones in chronic liver disease. <i>J Gastrointest Surg</i> , 9(5): 739-46.

44746	Simon JA, Hunninghake DB, Agarwal SK, et al (2001). Effect of estrogen plus progestin on risk for biliary tract surgery in postmenopausal women with coronary artery disease. The heart and estrogen/progestin replacement study. <i>Ann Intern Med</i> , 135: 493-501.
75708	Simonsen MH, Erichsen R, Froslev T, et al (2013). Postmenopausal estrogen therapy and risk of gallstone disease: a population-based case-control study. <i>Drug Saf</i> , 36(12): 1189-97.
44146	Simren M (2002). Physical activity and the gastrointestinal tract. <i>Eur J Gastroenterol Hepatol</i> , 14(10): 1053-6.
75709	Smelt AH (2010). Triglycerides and gallstone formation. <i>Clin Chim Acta</i> , 411(21-22): 1625-31.
121461	Sneineh MA, Harel L, Elnasasra A, et al (2020). Increased incidence of symptomatic cholelithiasis after bariatric Roux-En-Y gastric bypass and previous bariatric surgery: a single center experience. <i>Obes Surg</i> , 30(3): 846-50.
75710	Sodhi JS, Zargar SA, Khateeb S, et al (2014). Prevalence of gallstone disease in patients with type 2 diabetes and the risk factors in North Indian population: A case control study. <i>Indian J Gastroenterol</i> , 33(6): 507-11.
123633	Soyer T, Turkmen F, Tatar N, et al (2008). Rare gallbladder parasitosis mimicking cholelithiasis: <i>Dicrocoelium dendriticum</i> . <i>Eur J Pediatr Surg</i> , 18(4): 280-1.
43364	Sripa B, Kanla P, Sinawat P, et al (2004). Opisthorchiasis-associated biliary stones: light and scanning electron microscopic study. <i>World J Gastroenterol</i> , 10(22): 3318-21.
44891	Stampfer MJ, Maclure KM, Colditz GA, et al (1992). Risk of symptomatic gallstones in women with severe obesity. <i>Am J Clin Nutr</i> , 55: 652-8.
75711	Stender S, Frikke-Schmidt R, Benn M, et al (2013). Low-density lipoprotein cholesterol and risk of gallstone disease: a Mendelian randomization study and meta-analyses. <i>J Hepatol</i> , 58(1): 126-33.
75712	Stender S, Nordestgaard BG, Tybjaerg-Hansen A (2013). Elevated body mass index as a causal risk factor for symptomatic gallstone disease: a Mendelian randomization study. <i>Hepatology</i> , 58(6): 2133-41.
44211	Stewart L, Griffiss JM, Way LW (2005). Spectrum of gallstone disease in the veterans population. <i>Am J Surg</i> , 190(5): 746-51.
44216	Stewart L, Oesterle AL, Erdan I, et al (2002). Pathogenesis of pigment gallstones in Western societies: the central role of bacteria. <i>J Gastrointest Surg</i> , 6(6): 891-904.
75713	Stief J, Stempfle HU, Gotzberger M, et al (2009). Biliary diseases in heart transplanted patients: a comparison between cyclosporine A versus tacrolimus-based immunosuppression. <i>Eur J Med Res</i> , 14: 206-9.
75714	Stinton LM, Myers RP, Shaffer EA (2010). Epidemiology of gallstones. <i>Gastroenterol Clin North Am</i> , 39: 157-69.
44134	Storti KL, Brach JS, FitzGerald SJ, et al (2005). Physical activity and decreased risk of clinical gallstone disease among post-menopausal women. <i>Prev Med</i> , 41(3-4): 772-7.
75715	Su Y, Dai Y, Lin Y, et al (2012). Serum organochlorine pesticide residues and risk of gallstone disease: A case-control study in Xiamen. <i>Ann Epidemiol</i> , 22: 592-7.
75716	Supe A (2011). Asymptomatic gall stones - revisited. <i>Trop Gastroenterol</i> , 32(3): 196-203.
75717	Svensson J, Makin E (2012). Gallstone disease in children. <i>Semin Pediatr Surg</i> , 21: 255-65.
123963	Tabibian JH, Hilscher MB, Martin JA (2017). Cholangiohepatitis with extensive intrahepatic choledocholithiasis. <i>Clin Gastroenterol Hepatol</i> , 15(12): A31-2.

75718	Takahashi Y, Yamamichi N, Shimamoto T, et al (2014). Helicobacter pylori infection is positively associated with gallstones: a large-scale cross-sectional study in Japan. J Gastroenterol, 49: 882-9.
44304	Tamary H, Aviner S, Freud E, et al (2003). High incidence of early cholelithiasis detected by ultrasonography in children and young adults with hereditary spherocytosis. J Pediatr Hematol Oncol, : 952-4.
125152	Tan TH (1995). A case of biliary ascariasis associated with calculi in the gall bladder and the common bile duct. Singapore Med J, 36(4): 442-3.
124144	Tanaka S, Yamasaki S, Matsushita H, et al (2000). Duodenal somatostatinoma: a case report and review of 31 cases with special reference to the relationship between tumor size and metastasis. Pathol Int, 50(2): 146-52.
125153	Tao E, Zhou H, Zheng M, et al (2024). Ceftriaxone-induced severe hemolytic anemia, renal calculi, and cholecystolithiasis in a 3-year-old child: a case report and literature review. Front Pharmacol, 15: 1362668.
44249	Taylor B, Rehm J, Gmel G (2005). Moderate alcohol consumption and the gastrointestinal tract. Dig Dis, 23(3-4): 170-6.
76800	Taylor EN, Chan AT, Giovannucci EL, et al (2011). Cholelithiasis and risk of nephrolithiasis. J Urol, 186(5): 1882-7.
44122	Tazuma S (2005). Homocysteine and gallstone diseases: is hyperhomocysteinemia a prerequisite for or secondary to gallstone formation? J Gastroenterol, 40: 1085-7.
44087	Tazuma S (2006). Epidemiology, pathogenesis, and classification of biliary stones (common bile duct and intrahepatic). Best Pract Res Clin Gastroenterol, 20(6): 1075-83.
75719	Tazuma S, Kanno K, Sugiyama A, et al (2013). Nutritional factors (nutritional aspects) in biliary disorders: bile acid and lipid metabolism in gallstone diseases and pancreaticobiliary maljunction. J Gastroenterol Hepatol, 28(Suppl 4): 103-7.
76599	Thandassery RB, Jha AK, Goenka MK (2014). Biliary ascariasis: an uncommon cause for recurrent biliary colic after biliary sphincterotomy and common bile duct stone removal. Trop Doct, 44(2): 108-9.
124118	Theodoraki A, Khoo B, Hamda A, et al (2010). Malignant somatostatinoma presenting with diabetic ketoacidosis and inhibitory syndrome: pathophysiologic considerations. Endocr Pract, 16(5): 835-7.
121634	Tokhi AM, George SV, Cabalag CS, et al (2024). Vagal sparing gastrectomy: a systematic review and meta-analysis. Dig Surg, 41(3): 147-60.
44201	Tola VB, Chamberlain S, Kotyk SK, et al (2000). Symptomatic gallstones in patients with spinal cord injury. J Gastrointest Surg, 4(6): 642-47.
44307	Torgerson JS, Lindroos AK, Naslund I, et al (2003). Gallstones, gallbladder disease, and pancreatitis: cross-sectional and 2-year data from the Swedish Obese Subjects (SOS) and SOS reference studies. Am J Gastroenterol, 98(5): 1032-41.
75720	Tsai CH, Wu JS, Chang YF, et al (2014). The number of metabolic abnormalities associated with the risk of gallstones in a non-diabetic population. PLoS One, 9(3): e90310.
43360	Tsai CJ, Leitzmann MF, Hu FB, et al (2004). A prospective cohort study of nut consumption and the risk of gallstone disease in men. Am J Epidemiol, 160(10): 961-8.
45453	Tsai CJ, Leitzmann MF, Hu FB, et al (2004). Frequent nut consumption and decreased risk of cholecystectomy in women. Am J Clin Nutr, 80(1): 76-81.
43361	Tsai CJ, Leitzmann MF, Willett WC, et al (2004). Dietary protein and the risk of cholecystectomy in a cohort of US women: the Nurses' Health Study. Am J Epidemiol, 160(1): 11-8.

43362	Tsai CJ, Leitzmann MF, Willett WC, et al (2004). Prospective study of abdominal adiposity and gallstone disease in US men. <i>Am J Clin Nutr</i> , 80(1): 38-44.
44091	Tsai CJ, Leitzmann MF, Willett WC, et al (2005). Long-term intake of trans-fatty acids and risk of gallstone disease in men. <i>Arch Intern Med</i> , 165(9): 1011-5.
75721	Tsai CJ, Leitzmann MF, Willett WC, et al (2006). Central adiposity, regional fat distribution, and the risk of cholecystectomy in women. <i>Gut</i> , 55: 708-14.
47245	Tsai CJ, Leitzmann MF, Willett WC, et al (2006). Weight cycling and risk of gallstone disease in men. <i>Arch Intern Med</i> , 166(21): 2369-71. [Abstract]
44113	Tsai CJ, Leitzmann MF, Willett WC, et al (2007). Heme and non-heme iron consumption and risk of gallstone disease in men. <i>Am J Clin Nutr</i> , 85(2): 518-22.
75722	Tsirlane VB, Keilani ZM, Djouzi SE, et al (2014). How frequently and when do patients undergo cholecystectomy after bariatric surgery? <i>Surg Obes Relat Dis</i> , 10: 313-21.
44166	Tsunoda K, Shirai Y, Hatakeyama K (2004). Prevalence of cholesterol gallstones positively correlates with per capita daily calorie intake. <i>Hepatogastroenterology</i> , 51(59): 1271-4.
44136	Tsunoda K, Shirai Y, Wakai T, et al (2004). Increased risk of cholelithiasis after esophagectomy. <i>J Hepatobiliary Pancreat Surg</i> , 11(5): 319-23.
45454	Tung TH, Ho HM, Shih HC, et al (2006). A population-based follow-up study on gallstone disease among type 2 diabetics in Kinmen, Taiwan. <i>World J Gastroenterol</i> , 12(28): 4536-40.
44102	Tyler CV Jr, Zyzanski SJ, Runser L (2004). Increased risk of symptomatic gallbladder disease in adults with Down Syndrome. <i>Am J Med Genet</i> , 130A(4): 351-3.
44163	Tzanakis I, Papadaki A, Kagia S, et al (2003). Prevalence of cholelithiasis in hemodialysis patients. <i>Clin Nephrol</i> , 59(6): 483-4.
125154	Ubetagoyena Arrieta M, Montes Medina L, Perez Sukia L (2023). Bilateral hip osteonecrosis and cholelithiasis after eculizumab discontinuation in atypical haemolytic uraemic syndrome. <i>Nefrologia (Engl Ed)</i> , 43(2): 257-9.
47132	Uhler ML, Marks JW, Voigt BJ, et al (1998). Comparison of the impact of transdermal versus oral estrogens on biliary markers of gallstone formation in postmenopausal women. <i>J Clin Endocrinol Metab</i> , 83(2): 410-4.
44143	van Erpecum K (2004). Cholesterol-gallstone formation: more than a biliary lipid defect? <i>J Lab Clin Med</i> , 144(3): 121-3.
75723	Venneman NG, van Erpecum KJ (2010). Pathogenesis of gallstones. <i>Gastroenterol Clin North Am</i> , 39: 171-83.
75724	Verma SK, Mishra AK, Jaiswal AK (2013). Tuberculosis of gallbladder neck: a cause of cholecystitis with cholelithiasis. <i>BMJ Case Rep</i> , 2013: bcr2012008007.
125155	Verweij KE, van Buuren H (2016). Oriental cholangiohepatitis (recurrent pyogenic cholangitis): a case series from the Netherlands and brief review of the literature. <i>Neth J Med</i> , 74(9): 401-5.
125156	Viana FB, Viana JB, Seabra Beraldo PS (2023). Prophylactic cholecystectomy in individuals with spinal cord injury: A systematic review. <i>J Spinal Cord Med</i> , 46(4): 649-57.
44142	Volzke H, Baumeister SE, Alte D, et al (2005). Independent risk factors for gallstone formation in a region with high cholelithiasis prevalence. <i>Digestion</i> , 71(2): 97-105.

43359	Walcher T, Haenle MM, Kron M, et al (2005). Pregnancy is not a risk factor for gallstone disease: results of randomly selected population sample. <i>World J Gastroenterol</i> , 11(43): 6800-6.
75725	Walker SK, Maki AC, Cannon RM, et al (2013). Etiology and incidence of pediatric gallbladder disease. <i>Surgery</i> , 154: 927-33.
121518	Wan Q, Zhao R, Chen Y, et al (2021). Comparison of the incidence of cholelithiasis after sleeve gastrectomy and Roux-en-Y gastric bypass: a meta-analysis. <i>Surg Obes Relat Dis</i> , 17(6): 1198-205.
123635	Wang D, Ye A, Jiang N (2024). The role of bacteria in gallstone formation. <i>Folia Microbiol (Praha)</i> , 69(1): 33-40.
44086	Wang DQ, Afdhal NH (2004). Genetic analysis of cholesterol gallstone formation: searching for Lith (gallstone) genes. <i>Curr Gastroenterol Reports</i> , 6(2): 140-50.
121515	Wang J, Duan X, Li B, et al (2017). Alcohol consumption and risk of gallstone disease: a meta-analysis. <i>Eur J Gastroenterol Hepatol</i> , 29(4): e19-28.
75726	Wang J, Pan YL, Xie Y, et al (2013). Biliary ascariasis in a bile duct stones-removed female patient. <i>World J Gastroenterol</i> , 19(36): 6122-4.
125158	Wang L, Chen J, Jiang W, et al (2021). The relationship between <i>Helicobacter pylori</i> infection of the gallbladder and chronic cholecystitis and cholelithiasis: a systematic review and meta-analysis. <i>Can J Gastroenterol Hepatol</i> , 2021: 8886085.
125157	Wang S, Wang Y, Xu J, et al (2017). Is the oral contraceptive or hormone replacement therapy a risk factor for cholelithiasis: A systematic review and meta-analysis. <i>Medicine (Baltimore)</i> , 96(14): e6556.
125159	Wang SY, Yeh CN, Jan YY, et al (2021). Management of gallstones and acute cholecystitis in patients with liver cirrhosis: what should we consider when performing surgery? <i>Gut Liver</i> , 15(4): 517-27.
125160	Watson C, Hassan M, Breeland G (2021). Multifactorial jaundice and pigmented choledocholithiasis secondary to warm autoimmune hemolytic anemia and alcoholic cirrhosis. <i>Proc (Bayl Univ Med Cent)</i> , 35(2): 229-31.
44896	Weinsier RL, Wilson LJ, Lee J (1995). Medically safe rate of weight loss for the treatment of obesity: a guideline based on risk of gallstone formation. <i>Am J Med</i> , 98: 115-7.
125161	Wen SH, Tang X, Tang T, et al (2024). Association between weight-adjusted-waist index and gallstones: an analysis of the National Health and Nutrition Examination Survey. <i>BMC Gastroenterol</i> , 24(1): 40.
43355	Wen Y, Li YG, Yang ZL, et al (2005). Detection of nanobacteria in serum, bile and gallbladder mucosa of patients with cholecystolithiasis. <i>Chin Med J (Engl)</i> , 118(5): 421-4.
121463	Wijarnpreecha K, Thongprayoon C, Panjawatanan P, et al (2016). Hepatitis B virus infection and risk of gallstones: a systematic review and meta-analysis. <i>Eur J Gastroenterol Hepatol</i> , 28(12): 1437-42.
121464	Wijarnpreecha K, Thongprayoon C, Panjawatanan P, et al (2017). Hepatitis C virus infection and risk of gallstones: A meta-analysis. <i>J Evid Based Med</i> , 10(4): 263-70.
47924	Wittenburg, H, Lammert F (2007). Genetic predisposition to gallbladder stones. <i>Semin Liver Dis</i> , 109, 27(1): 21.
44324	Worthington HV, Hunt LP, McCloy RF, et al (2004). Dietary antioxidant lack, impaired hepatic glutathione reserve, and cholesterol gallstones. <i>Clin Chim Acta</i> , 349(1-2): 157-65.
43357	Wu SD, Yu H, Sun JM (2006). Bacteriological and electron microscopic examination of primary intrahepatic stones. <i>Hepatobiliary Pancreat Dis Int</i> , 5(2): 228-31.

44115	Wudel LJ Jr, Wright JK, Debelak JP, et al (2002). Prevention of gallstone formation in morbidly obese patients undergoing rapid weight loss: results of a randomized controlled pilot study. <i>J Surg Res</i> , 102(1): 50-6.
43356	Xia CS, Han YQ, Yang XY, et al (2004). Spinal cord injury and cholelithiasis. <i>Hepatobiliary Pancreat Dis Int</i> , 3(4): 595-8.
76851	Xia J, Jiang SC, Peng HJ (2015). Association between liver fluke infection and hepatobiliary pathological changes: a systematic review and meta-analysis. <i>PLoS One</i> , 10(7): e0132673.
47247	Yamada M, Wong FL, Fujiwara S, et al (2005). Smoking and alcohol habits as risk factors for benign digestive diseases in a Japanese population: the radiation effects research foundation adult health study. <i>Digestion</i> , 71(4): 231-7.
125162	Yan P, Zhang L, Yang C, et al (2024). Observational and genetic analyses clarify the relationship between type 2 diabetes mellitus and gallstone disease. <i>Front Endocrinol (Lausanne)</i> , 14: 1337071.
44897	Yang H, Petersen GM, Roth MP, et al (1992). Risk factors for gallstone formation during rapid loss of weight. <i>Dig Dis Sci</i> , 37(6): 912-8.
121465	Yang W, Wu H, Cai X, et al (2024). Weight reduction and the risk of gallbladder and biliary disease: A systematic review and meta-analysis of randomized clinical trials. <i>Obes Rev</i> , 25(6): e13725.
125163	Yu M, Huang B, Lin Y, et al (2019). Acute obstructive cholangitis due to fishbone in the common bile duct: a case report and review of the literature. <i>BMC Gastroenterol</i> , 19(1): 177.
125164	Yuk JS, Park JY (2023). Menopausal hormone therapy increases the risk of gallstones: Health Insurance Database in South Korea (HISK)-based cohort study. <i>PLoS One</i> , 18(12): e0294356.
125169	Zakko SF (2024). Overview of gallstone disease in adults. Retrieved 13 February 2025, from https://www.uptodate.com/contents/overview-of-gallstone-disease-in-adults
125234	Zakko SF (2025). Overview of nonsurgical management of gallbladder stones. Retrieved 19 February 2025, from https://www.uptodate.com/contents/overview-of-nonsurgical-management-of-gallbladder-stones
125168	Zakko SF, Afdhal NH (2024). Approach to the management of gallstones. Retrieved 13 February 2025, from https://www.uptodate.com/contents/approach-to-the-management-of-gallstones
44898	Zapata R, Severin C, Manriquez M, et al (2000). Gallbladder motility and lithogenesis in obese patients during diet-induced weight loss. <i>Dig Dis Sci</i> , 45(2): 421-8.
125166	Zhang B, Nie P, Lin Y, et al (2024). High incidence of gallstones after Roux-en-Y reconstruction gastrectomy in gastric cancer: a multicenter, long-term cohort study. <i>Int J Surg</i> , 110(4): 2253-62.
121517	Zhang FM, Xu CF, Shan GD, et al (2015). Is gallstone disease associated with inflammatory bowel diseases? A meta-analysis. <i>J Dig Dis</i> , 16(11): 634-41.
123600	Zhang J, Ling X (2021). Risk factors and management of primary choledocholithiasis: a systematic review. <i>ANZ J Surg</i> , 91(4): 530-6.
125165	Zhang M, Bai Y, Wang Y, et al (2024). Independent association of general and central adiposity with risk of gallstone disease: observational and genetic analyses. <i>Front Endocrinol (Lausanne)</i> , 15: 1367229.
44106	Zhang XH, Andreotti G, Gao YT, et al (2006). Tea drinking and the risk of biliary tract cancers and biliary stones: a population-based case-control study in Shanghai, China. <i>Int J Cancer</i> , 118(12): 3089-94.
125167	Zhang YP, Li WQ, Sun YL, et al (2015). Systematic review with meta-analysis: coffee consumption and the risk of gallstone disease. <i>Aliment Pharmacol Ther</i> , 42(6): 637-48.

121514	Zhang YP, Zhao YL, Sun YL, et al (2017). Physical activity and the risk of gallstone disease: a systematic review and meta-analysis. <i>J Clin Gastroenterol</i> , 51(9): 857-68.
75727	Zhou D, Zhang Y, Gong W, et al (2011). Are <i>Helicobacter pylori</i> and other <i>Helicobacter</i> species infection associated with human biliary lithiasis? A meta-analysis. <i>PLoS One</i> , 6(11): e27390.
124614	Zuo S, Sawai T, Kanehiro H, et al (2022). Gallstones in patients with severe motor and intellectual disability. <i>Pediatr Int</i> , 64(1): e15220.