



MESOTHELIOMA

RMA ID Number	Reference List for RMA035-4 as at June 2024
---------------	---

117974	Abbas H, Rodriguez JC, Tariq H, et al (2019). Malignant peritoneal mesothelioma without asbestos exposure. <i>Gastroenterology Res</i> , 12(1): 48-51.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
35227	Agency for Toxic Substances and Disease Registry (ATSDR) (2001). Toxicological Profile for Asbestos. Department of Human Services, Public Health Service.
43075	Agudo A, Gonzalez CA, Bleda MJ, et al (2000). Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. <i>Am J Ind Med</i> , 37(2): 159-68.
75365	Alexander HR (2013). Malignant peritoneal mesothelioma: epidemiology, risk factors, clinical presentation, diagnosis, and staging. Retrieved 20 July 2015, from http://www.uptodate.com/contents/malignant-peritoneal-mesothelioma-epidemiology-risk-factors-clinical-presentation-diagnosis-and-staging
117975	Alexander HR (2024). Malignant peritoneal mesothelioma: Epidemiology, risk factors, clinical presentation, diagnosis, and staging. Retrieved 23 April 2024, from https://www.uptodate.com/contents/malignant-peritoneal-mesothelioma-epidemiology-risk-factors-clinical-presentation-diagnosis-and-staging
43156	Andersson M, Wallin H, Jonsson M, et al (1995). Lung carcinoma and malignant mesothelioma in patients exposed to Thorotrast: incidence, histology and p53 status. <i>Int J Cancer</i> , 63(3): 330-6.
44809	Anon (????). Malignant Neoplasms. Retrieved 19 June 2007, from http://www.who.int/classifications/apps/icd/icd10online/
42835	Anon (????). Polycyclic aromatic hydrocarbons. NPI Substance fact sheet. Retrieved 20 March 2007, from http://www.npi.gov.au/database/substance-info/profiles/74.html
117977	Asciak R, George V, Rahman NM (2021). Update on biology and management of mesothelioma. <i>Eur Respir Rev</i> , 30(159): 200226.
28012	ATSDR (2001). Toxicological profile for asbestos. Retrieved 1 July 2003, from www.atsdr.cdc.gov
42899	ATSDR (2007). Toxicological profile for thorium. Retrieved 22 March 2007, from http://www.atsdr.cdc.gov/toxprofiles/tp147-c2.pdf
117978	Attanoos RL, Churg A, Galateau-Salle F, et al (2018). Malignant mesothelioma and its non-asbestos causes. <i>Arch Pathol Lab Med</i> , 142(6): 753-60.

115242	Aurell J, Gullett BK, Yamamoto D (2012). Emissions from open burning of simulated military waste from forward operating bases. <i>Environ Sci Technol</i> , 46(20): 11004-12. [Abstract]
118049	Australian Institute of Health and Welfare (2021). <i>Cancer in Australia 2021, 80-3</i> . Canberra: Australian Institute of Health and Welfare.
118057	Australian Institute of Health and Welfare (2023). Mesothelioma in Australia 2021. Retrieved 30 April 2024, from https://apo.org.au/sites/default/files/resource-files/2023-04/apo-nid322190.pdf
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Fact sheet: Ionising radiation and health. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Radiation basics - ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80745	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of Atomic Radiation Exposure in Australian Service Personnel in South West Japan 1946-52, Commonwealth Department of Veterans' Affairs.
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
117979	Ballan G, Del Brocco A, Loizzo S, et al (2014). Mode of action of fibrous amphiboles: the case of Biancavilla (Sicily, Italy). <i>Ann Ist Super Sanita</i> , 50(2): 133-8.
117980	Baris I, Simonato L, Artvinli M, et al (1987). Epidemiological and environmental evidence of the health effects of exposure to erionite fibres: a four-year study in the Cappadocian region of Turkey. <i>Int J Cancer</i> , 39(1): 10-7. [Abstract]
42900	Baris YI, Grandjean P (2006). Prospective study of mesothelioma mortality in Turkish villages with exposure to fibrous zeolite. <i>J Natl Cancer Inst</i> , 98(6): 414-7.
117981	Beaucham C, King B, Feldmann K, et al (2018). Assessing occupational erionite and respirable crystalline silica exposure among outdoor workers in Wyoming, South Dakota, and Montana. <i>J Occup Environ Hyg</i> , 15(6): 455-65.
73365	Below JE, Cox NJ, Fukagawa NK, et al (2011). Factors that impact susceptibility to fiber-induced health effects. <i>J Toxicol Environ Health B Crit Rev</i> , 14(1-4): 246-66.
69995	Berman DW, Crump KS (2008). A meta-analysis of asbestos-related cancer risk that addresses fiber size and mineral type. <i>Crit Rev Toxicol</i> , 38(Suppl 1): 49-73.

43017	Bernstein DM, Hoskins JA (2006). The health effects of chrysotile: current perspective based upon recent data. <i>Regul Toxicol Pharmacol</i> , 45(3): 252-64.
43002	Berry G (1999). Models for mesothelioma incidence following exposure to fibers in terms of timing and duration of exposure and the biopersistence of the fibers. <i>Inhal Toxicol</i> , 11(2): 111-30.
42847	Berwick M, Armstrong BK, Ben-Porat L, et al (2005). Sun exposure and mortality from melanoma. <i>J Natl Cancer Inst</i> , 97(3): 195-9.
42850	Bianchi C, Brollo A, Ramani L, et al (2001). Asbestos exposure in malignant mesothelioma of the pleura: a survey of 557 cases. <i>Ind Health</i> , 39(2): 161-7.
42901	Bilbey JH, Muller NL, Miller RR, et al (1988). Localized fibrous mesothelioma of pleura following external ionizing radiation therapy. <i>Chest</i> , 94(6): 1291-2.
99736	Bledsoe JR, Christiani DC, Kradin RL (2014). Smoking-associated fibrosis and pulmonary asbestosis. <i>Int J Chron Obstruct Pulmon Dis</i> , 10: 31-7.
43204	Boffetta P (1998). Health effects of asbestos exposure in humans: a quantitative assessment. <i>Med Lav</i> , 89(6): 471-80.
43510	Boffetta P (2007). Epidemiology of peritoneal mesothelioma: a review. <i>Ann Oncol</i> , 18(6): 985-90.
74738	Boffetta P, Donaldson K, Moolgavkar S, et al (2014). A systematic review of occupational exposure to synthetic vitreous fibers and mesothelioma. <i>Crit Rev Toxicol</i> , 44(5): 436-49.
32874	Boffetta P, Donato F, Pira E, et al (2019). Risk of mesothelioma after cessation of asbestos exposure: a systematic review and meta-regression. <i>Int Arch Occup Environ Health</i> , 92(7): 949-57.
98721	Boice JD, Cohen SS, Mumma MT, et al (2020). Mortality among U.S. military participants at eight aboveground nuclear weapons test series. <i>Int J Radiat Biol</i> , 98(4): 679-700.
43159	Bolognesi C, Martini F, Tognon M, et al (2005). A molecular epidemiology case control study on pleural malignant mesothelioma. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(7): 1741-6.
117982	Bossard E, Stolk I, Spycher MA, et al (1980). Quantification and particle size distribution of inhaled fibres in the lung. <i>IARC Sci Publ</i> , (30): 35-41. [Abstract]
117983	Bruni BM, Soggiu ME, Marsili G, et al (2014). Environmental concentrations of fibers with fluoro-edenitic composition and population exposure in Biancavilla (Sicily, Italy). <i>Ann Ist Super Sanita</i> , 50(2): 119-26.
117984	Bruno C, Di Stefano R, Ricceri V, et al (2023). Fluoro-edenite non-neoplastic diseases in Biancavilla (Sicily, Italy): pleural plaques and/or pneumoconiosis? <i>Ann Ist Super Sanita</i> , 59(3): 187-93.
117985	Bruno C, Tumino R, Fazzo L, et al (2014). Incidence of pleural mesothelioma in a community exposed to fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy). <i>Ann Ist Super Sanita</i> , 50(2): 111-8.
73473	Busto Martin L, Portela Pereira P, Sacristan Lista F, et al (2013). Mesothelioma of the tunica vaginalis. Case report. <i>Arch Esp Urol</i> , 66(4): 384-8.
117987	Butnor KJ, Rueckert J, Pavlisko EN, et al (2018). Malignant peritoneal mesothelioma in patients with endometriosis. <i>J Clin Pathol</i> , 71(11): 971-4.
43149	Carbone M, Bedrossian CW (2006). The pathogenesis of mesothelioma. <i>Semin Diagn Pathol</i> , 23(1): 56-60.
42852	Carbone M, Emri S, Dogan AU, et al (2007). A mesothelioma epidemic in Cappadocia: scientific developments and unexpected social outcomes. <i>Nat Rev Cancer</i> , 7(2): 147-54.
43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-Country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiat Res</i> , 167(4): 396-416.

35572	Cardis E, Vrijheid M, Blettner M, et al (2005). Risk of cancer after low doses of ionising radiation: retrospective cohort study in 15 countries. <i>BMJ</i> , 331(7508): 77.
42846	Carlsten C, Hunt SC, Kaufman JD (2005). Squamous cell carcinoma of the skin and coal tar exposure in a railroad worker. <i>Environ Health Perspect</i> , 113(1): 96-7.
8096	Carp NZ, Petersen RO, Kusiak JF, et al (1990). Malignant mesothelioma of the tunica vaginalis testis. <i>J Urol</i> , 144(6): 1475-8.
80746	Carter M, Robotham F, Wise K, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 1: Dosimetry. Commonwealth of Australia.
98724	Casjens S, Bruning T, Taeger D (2020). Cancer risks of firefighters: a systematic review and meta-analysis of secular trends and region-specific differences. <i>Int Arch Occup Environ Health</i> , 93(7): 839-52.
80747	Centers for Disease Control and Prevention (CDC) (2015). Radioisotope brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
78061	Chang ET, Adami HO, Boffetta P, et al (2014). A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and cancer risk in humans. <i>Crit Rev Toxicol</i> , 44(Suppl 1): 1-81.
42844	Chen C, Cook LS, Li XY, et al (1999). GYP2D6 genotype and the incidence of anal and vulvar cancer. <i>Cancer Epidemiol Biomarkers Prev</i> , 8(4 Pt 1): 317-21.
117988	Chen M, Wang H, Zhang J, et al (2020). Distribution of asbestos enterprises and asbestosis cases - China, 1997-2019. <i>China CDC Wkly</i> , 2(18): 305-9.
117989	Chirieac LR, Barletta JA, Yeap BY, et al (2013). Clinicopathologic characteristics of malignant mesotheliomas arising in patients with a history of radiation for Hodgkin and non-Hodgkin lymphoma. <i>J Clin Oncol</i> , 31(36): 4544-9.
117990	Chu Q, Perrone F, Greillier L, et al (2023). Pembrolizumab plus chemotherapy versus chemotherapy in untreated advanced pleural mesothelioma in Canada, Italy, and France: a phase 3, open-label, randomised controlled trial. <i>Lancet</i> , 402(10419): 2295-306.
118051	Churg A, Wright JL (1989). Fibre content of lung in amphibole- and chrysotile-induced mesothelioma: implications for environmental exposure. <i>IARC Sci Publ</i> , (90): 314-8.
118054	Comba P, Gianfagna A, Paoletti L (2003). Pleural mesothelioma cases in Biancavilla are related to a new fluoro-edenite fibrous amphibole. <i>Arch Environ Health</i> , 58(4): 229-32. [Abstract]
416	Committee on Nonoccupational Health Risks of Asbestiform Fibres (1984). Asbestiform Fibres. Nonoccupational Health Risks, 36-7, 133. National Academy Press, Washington, D.C.
118055	Conti S, Minelli G, Manno V, et al (2014). Health impact of the exposure to fibres with fluoro-edenitic composition on the residents in Biancavilla (Sicily, Italy): mortality and hospitalization from current data. <i>Ann Ist Super Sanita</i> , 50(2): 127-32.
71063	Daniels RD, Kubale TL, Yiin JH, et al (2013). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). <i>Occup Environ Med</i> , 71(6): 388-97.
117991	Darnton L (2023). Quantitative assessment of mesothelioma and lung cancer risk based on Phase Contrast Microscopy (PCM) estimates of fibre exposure: an update of 2000 asbestos cohort data. <i>Environ Res</i> , 230: 114753.
117992	De Bruin ML, Burgers JA, Baas P, et al (2009). Malignant mesothelioma after radiation treatment for Hodgkin lymphoma. <i>Blood</i> , 113(16): 3679-81.
425	De Vos Irvine H (1995). [Comment] Mesothelioma. <i>Lancet</i> , 13(8959): 1233.

80739	Decision Support Unit (DSU) (2010). Atomic radiation - update. SOP Bulletin 145.
80738	Decision Support Unit (DSU) (2006). Atomic radiation. SOP Bulletin 106.
80743	Defence Threat Reduction Agency (2010). Standard Method: ID01 - Doses to Organs From Intake of Radioactive Materials. DTRA/NTPR - Standard Operating Procedures Manual, Revision 1.3a.
107434	Demirer E, Ghattas CF, Radwan MO, et al (2015). Clinical and prognostic features of erionite-induced malignant mesothelioma. <i>Yonsei Med J</i> , 56(2): 311-23.
43498	Dogan AU, Baris YI, Dogan M, et al (2006). Genetic predisposition to fiber carcinogenesis causes a mesothelioma epidemic in Turkey. <i>Cancer Res</i> , 66(10): 5063-8.
42857	Drain AJ, Saeb-Parsy K, Shah AK, et al (2006). Mesothelioma with non-pleural malignancy: a red herring or just an uncommon pairing? <i>J Cardiothorac Surg</i> , 1: 39.
409	Driscoll TR, Baker GJ, Daniels S, et al (1993). Clinical aspects of malignant mesothelioma in Australia. <i>Aust N Z J Med</i> , 23(1): 19-25.
43511	Elmishad AG, Bocchetta M, Pass HI, et al (2006). Polio vaccines, SV40 and human tumours, an update on false positive and false negative results. <i>Dev Biol (Basel)</i> , 123: 109-17; discussion 119-32.
118000	Emory TS, Maddox JC, Kradin RL (2020). Malignant mesothelioma following repeated exposures to cosmetic talc: A case series of 75 patients. <i>Am J Ind Med</i> , 63(6): 484-9.
43407	Emri S, Demir AU (2004). Malignant pleural mesothelioma in Turkey, 2000-2002. <i>Lung Cancer</i> , 45(Suppl 1): S17-20.
44808	Encyclopaedia Britannica (2007). Erionite. Retrieved 19 June 2007, from http://www.britannica.com/eb/article-9032914
413	Enfield JE (1991). Asbestos related illness (ARI). Background paper. Report of the Independent Review of Asbestos in Defence, F17-F25. Directorate of Departmental Publications, Administrative Services Branch, Human Resources and Management Division.
415	Enfield JE (1991). Mesothelioma. Report of the Independent Review of Asbestos in Defence, 2-3. Directorate of Departmental Publications, Administrative Services Branch, Human Resources and Management Division, Canberra.
410	Enfield JE (1991). The Medical aspects of the effects of the inhalation of asbestos. Report of the Independent Review of Asbestos in Defence, F2-F8. Directorate of Departmental Publications, Administrative Services Branch, Human Resources and Management Division.
88963	Expert Review Panel for Per- and Poly-Fluoroalkyl Substances (PFAS) (2018). PFAS Expert Health Panel - Report to the Minister. Department of Health, Australian Government.
74736	Farioli A, Violante FS, Mattioli S, et al (2013). Risk of mesothelioma following external beam radiotherapy for prostate cancer: a cohort analysis of SEER database. <i>Cancer Causes Control</i> , 24(8): 1535-45.
73534	Fazzo L, Minelli G, De Santis M, et al (2012). Mesothelioma mortality surveillance and asbestos exposure tracking in Italy. <i>Ann 1st Super Sanita</i> , 48(3): 300-10.
117999	Fels Elliott DR, Travieso JL, As-Sanie S, et al (2022). Progression of peritoneal mesothelioma in situ to invasive mesothelioma arising in the setting of endometriosis with germline BAP1 mutation: A case report. <i>Int J Gynecol Pathol</i> , 41(5): 535-40.
117998	Filetti V, Vitale E, Broggi G, et al (2020). Update of in vitro, in vivo and ex vivo fluoro-edenite effects on malignant mesothelioma: A systematic review (Review). <i>Biomed Rep</i> , 13(6): 60.

118056	Food and Drug Administration (2022). Testing of talc-containing cosmetic products for asbestos. Retrieved 12 February 2024, from https://www.fda.gov/food/cfsan-constituent-updates/fda-releases-data-agencies-2022-testing-talc-containing-cosmetic-products-asbestos
42843	Frisch M, Glimelius B, Wohlfahrt J, et al (1999). Tobacco smoking as a risk factor in anal carcinoma: an antiestrogenic mechanism? <i>J Natl Cancer Inst</i> , 91(8): 708-15.
73446	Fritschi L, Glass DC (2014). Firefighters and cancer: where are we and where to now? <i>Occup Environ Med</i> , 71(8): 525-6.
74678	Gaasch WH, Vander Salm TJ (2014). Cardiac tumours. Retrieved 13 April 2015, from http://www.uptodate.com/contents/cardiac-tumors
117997	Garabrant DH, Alexander DD, Miller PE, et al (2016). Mesothelioma among motor vehicle mechanics: An updated review and meta-analysis. <i>Ann Occup Hyg</i> , 60(1): 8-26.
117994	Garcia Martinez A Sr, Pavon Guerrero I, Campos Gonzaga L (2021). "Omental cake" in a patient with asbestosis leading to the diagnosis of malignant peritoneal mesothelioma. <i>Cureus</i> , 13(5): e15116.
117995	Gariazzo C, Gasparini A, Marinaccio A (2023). Asbestos consumption and malignant mesothelioma mortality trends in the major user countries. <i>Ann Glob Health</i> , 89(1): 11.
117996	Giacobbe C, Moliterni A, Di Giuseppe D, et al (2023). The crystal structure of the killer fibre erionite from Tuzkoy (Cappadocia, Turkey). <i>IUCrJ</i> , 10(Pt 4): 397-410.
118001	Gianfagna A, Andreozzi G, Ballirano P, et al (2007). Structural and chemical contrasts between prismatic and fibrous fluoro-edenite from Biancavilla, Sicily, Italy. <i>Can Mineral</i> , 45: 249-62.
118002	Gibb H, Fulcher K, Nagarajan S, et al (2013). Analyses of radiation and mesothelioma in the US Transuranium and Uranium Registries. <i>Am J Public Health</i> , 103(4): 710-6.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
118003	Gilks B, Hegedus C, Freeman H, et al (1988). Malignant peritoneal mesothelioma after remote abdominal radiation. <i>Cancer</i> , 61(10): 2019-21. [Abstract]
101236	Girardi P, Merler E (2019). A mortality study on male subjects exposed to polyfluoroalkyl acids with high internal dose of perfluorooctanoic acid. <i>Environ Res</i> , 179(Pt A): 108743.
73367	Goodman JE, Nasarella MA, Valberg PA (2009). Ionizing radiation: a risk factor for mesothelioma. <i>Cancer Causes Control</i> , 20(8): 1237-54.
28001	Goodman M, Morgan RW, Ray R, et al (1999). Cancer in asbestos-exposed occupational cohorts: a meta-analysis. <i>Cancer Causes Control</i> , 10(5): 453-65.
118004	Gordon RE, Fitzgerald S, Millette J (2014). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. <i>Int J Occup Environ Health</i> , 20(4): 318-22.
73364	Goswami E, Craven V, Dahlstrom DL, et al (2013). Domestic asbestos exposure: a review of epidemiologic and exposure data. <i>Int J Environ Res Public Health</i> , 10(11): 5629-70.
72440	Guidotti TL (2014). Health Risks and Occupation as a Firefighter. Medical Advisory Services, Department of Veterans' Affairs, Commonwealth of Australia.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 2: Mortality and Cancer Incidence. Department of Veterans' Affairs, Canberra.

75377	Habib RR, Abdallah SM, Law M, et al (2005). Mortality rates among nuclear industry workers at Lucas Heights Science and Technology Centre. Aust N Z J Public Health, 29(3): 229-37.
43319	Hansen J, de Klerk NH, Musk AW, et al (1998). Environmental exposure to crocidolite and mesothelioma: exposure-response relationships. Am J Respir Crit Care Med, 157(1): 69-75.
43155	Hansen J, de Klerk NH, Eccles JL, et al (1993). Malignant mesothelioma after environmental exposure to blue asbestos. Int J Cancer, 54(4): 578-81.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. Int J Radiat Biol, 79(1): 1-13.
43203	Hill JK, Heitmiller RF 2nd, Askin FB, et al (1997). Localized benign pleural mesothelioma arising in a radiation field. Clin Imaging, 21(3): 189-94.
42839	Hillerdal G (1999). Mesothelioma: cases associated with non-occupational and low dose exposures. Occup Environ Med, 56(8): 505-13.
42858	Hodgson JT, Darnton A (2000). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure. Ann Occup Hyg, 44(8): 565-601.
42841	Holly EA, Palefsky JM (1993). [Comment] Factors related to risk of penile cancer: new evidence from a study in the Pacific Northwest. J Natl Cancer Inst, 85(1): 2-4.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. Radiat Res, 179(3): 361-82.
8098	Huncharek M, Klassen M, Christiani D (1995). Mesothelioma of the tunica vaginalis testis with possible occupational asbestos exposure. Br J Urol, 75(5): 679-80.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. Br J Cancer, 109(7): 1989-96.
67127	IARC (2012). Arsenic, metals, fibres, and dusts. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100C. World Health Organization, International Agency for Research on Cancer. Lyon France.
77040	IARC (2010). Carbon Black, Titanium Dioxide, and Talc. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 93. World Health Organization. Lyon: France.
21776	IARC Working Group (2000). Ionizing radiation, Part 1: X- and gamma(y)-radiation, and neutrons. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 75. World Health Organization, International Agency for Research on Cancer, Lyon France.
20348	IARC Working Group (1997). Silica, some silicates, coal dust and paraaramid fibrils. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 68: 204-11. WHO, Lyon France.
10887	IARC Working Group (1997). Silica and some silicates. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 42. IARC Press, Lyon.
110519	IARC Working Group (2017). Some nanomaterials and some fibres. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Vol 111. World Health Organization, International Agency for Research on cancer, Lyon France.
92195	IARC Working Group (2017). Some chemicals used as solvents and in polymer manufacture. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 110. WHO Press, Geneva.
69586	IARC Working Group (2012). Personal habits and indoor combustions. Tobacco smoking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100E: 91, 167. WHO Press, Lyon.

73837	IARC Working Group (2012). Erionite. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100C: 311-6. IARC Press, Lyon.
73749	IARC Working Group (2012). Metals, arsenic, dusts and fibres. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100C: 219-309. IARC Press, Lyon.
73748	IARC Working Group (2002). Man-made vitreous fibres. Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 81: 338-9. IARC Press, Lyon.
75320	IARC Working Group (1987). Overall evaluations of carcinogenicity. An Updating of IARC Monographs, Vol 1-42: 349-50. IARC Press, Lyon.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. WHO Press, Lyon.
118047	IARC Working Group (1998). Man-Made Mineral Fibres and Radon. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 43. WHO, Lyon France.
80754	International Atomic Energy Agency (IAEA) (2016). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80753	International Commission on Radiological Protection (ICRP) (2012). ICRP Statement on Tissue Reactions and Early and Late Effects of Radiation in Normal Tissues and Organs - Threshold Doses for Tissue Reactions in a Radiation Protection Context. Annals of the ICRP, ICRP Publication 118, Elsevier.
80752	International Commission on Radiological Protection (ICRP) (2007). Extract from The 2007 recommendations of the International Commission on Radiological Protection. Annals of the ICRP, ICRP Publication 103, Elsevier.
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. J ICRU, 11(2 Report 86): 33-8.
43154	Ishikawa Y, Mori T, Machinami R (1995). Lack of apparent excess of malignant mesothelioma but increased overall malignancies of peritoneal cavity in Japanese autopsies with Thorotrast injection into blood vessels. J Cancer Res Clin Oncol, 121(9-10): 567-70.
42849	Iwatsubo Y, Pairon JC, Boutin C, et al (1998). Pleural mesothelioma: dose-response relation at low levels of asbestos exposure in a French population-based case-control study. Am J Epidemiol, 148(2): 133-42.
91442	Jalilian H, Ziae M, Weiderpass E, et al (2019). Cancer incidence and mortality among firefighters. Int J Cancer, 145(10): 2639-46.
118005	Janosikova M, Nakladalova M, Stepanek L (2023). Current causes of mesothelioma: how has the asbestos ban changed the perspective? Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub, 167(2): 99-108.
73368	Jasani B, Gibbs A (2012). Mesothelioma not associated with asbestos exposure. Arch Pathol Lab Med, 136(3): 262-7.
8097	Jones MA, Young RH, Scully RE (1995). Malignant mesothelioma of the tunica vaginalis. A clinicopathologic analysis of 11 cases with review of the literature. Am J Surg Pathol, 19(7): 815-25.
118008	Kanai G, Kakuta T, Hirukawa T, et al (2016). A case of encapsulating peritoneal sclerosis complicated by malignant peritoneal mesothelioma. Tokai J Exp Clin Med, 41(3): 135-8.
43205	Kane AB (2006). Animal models of malignant mesothelioma. Inhal Toxicol, 18(12): 1001-4.
118009	Karpes JB, Shamavonian R, Dewhurst S, et al (2023). Malignant peritoneal mesothelioma: an in-depth and up-to-date review of pathogenesis, diagnosis, management and future directions. Cancers (Basel), 15(19): 4704.

43408	Kawashima A, Libshitz HI, Lukeman JM (1990). Radiation-induced malignant pleural mesothelioma. <i>Can Assoc Radiol J</i> , 41(6): 384-6.
118010	Kearns LE, Kite LE, Leavens PB, et al (1980). Fluorine distribution in the hydrous silicate minerals of the Franklin Marble, Orange County, New York. <i>Am Mineral</i> , 65: 557-62.
117188	Kelly-Reif K, Bertke SJ, Daniels RD, et al (2023). Ionizing radiation and solid cancer mortality among US nuclear facility workers. <i>Int J Epidemiol</i> , 52(4): 1015-24.
107830	Kim YH, Warren SH, Kooter I, et al (2021). Chemistry, lung toxicity and mutagenicity of burn pit smoke-related particulate matter. Part Fibre Toxicol, 18(1): 45.
14562	Kiyosawa K, Imai H, Sodeyama T, et al (1989). Comparison of anamnestic history, alcohol intake and smoking, nutritional status, and liver dysfunction between thorotrast patients who developed primary liver cancer and those who did not. <i>Environ Res</i> , 49(2): 166-72.
110106	Klebe S, Leigh J, Henderson DW, et al (2019). Asbestos, smoking and lung cancer: an update. <i>Int J Environ Res Public Health</i> , 17(1): 258.
108551	Kliment CR, Clemens K, Oury TD (2008). North american erionite-associated mesothelioma with pleural plaques and pulmonary fibrosis: a case report. <i>Int J Clin Exp Pathol</i> , 2(4): 407-10.
43158	Kroczyńska B, Cutrone R, Bocchetta M, et al (2006). Crocidolite asbestos and SV40 are cocarcinogens in human mesothelial cells and in causing mesothelioma in hamsters. <i>Proc Natl Acad Sci U S A</i> , 103(38): 14128-33.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasms in organs of main deposition for plutonium in the cohort of Mayak workers with regard to histological types. <i>Health Phys</i> , 105(2): 165-76.
118011	Landigan PJ, Raps H, Cropper M, et al (2023). The Minderoo-Monaco Commission on plastics and human health. <i>Ann Glob Health</i> , 89(1): 23.
101537	Laroche E, L'Esperance S (2021). Cancer incidence and mortality among firefighters: An overview of epidemiologic systematic reviews. <i>Int J Environ Res Public Health</i> , 18(5): 2519.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35(4): 891-909.
78060	Lei M, Zhang L, Lei J, et al (2015). Overview of emerging contaminants and associated human health effects. <i>Biomed Res Int</i> , 2015: 404796.
427	Leigh J (1995). Mesothelioma: Is asbestos exposure the only cause? <i>Med J Aust</i> , 163(2): 105-6.
42855	Leithner K, Leithner A, Clar H, et al (2006). Mesothelioma mortality in Europe: impact of asbestos consumption and simian virus 40. Retrieved 20 March 2007, from http://www.ojrd.com/content/1/1/44
118012	Lerman Y, Learman Y, Schachter P, et al (1991). Radiation associated malignant pleural mesothelioma. <i>Thorax</i> , 46(6): 463-4.
118013	Lettieri S, Bortolotto C, Agustoni F, et al (2021). The evolving landscape of the molecular epidemiology of malignant pleural mesothelioma. <i>J Clin Med</i> , 10(5): 1034.
42845	Levi F, Randimbison L, La Vecchia C, et al (1997). Incidence of invasive cancers following squamous cell skin cancer. <i>Am J Epidemiol</i> , 146(9): 734-9.
16775	Levin JL, McLarty JW, Hurst GA, et al (1998). Tyler asbestos workers; mortality experience in a cohort exposed to amosite. <i>Occup Environ Med</i> , 55(3): 155-60.

43201	Li L, Sun TD, Zhang X, et al (2004). Cohort studies on cancer mortality among workers exposed only to chrysotile asbestos: a meta-analysis. <i>Biomed Environ Sci</i> , 17(4): 459-68.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2(4): 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46(4): 299-310.
42853	Lopez-Rios F, Illei PB, Rusch V, et al (2004). Evidence against a role for SV40 infection in human mesotheliomas and high risk of false-positive PCR results owing to presence of SV40 sequences in common laboratory plasmids. <i>Lancet</i> , 364(9440): 1157-66.
118014	Loreto C, Caltabiano R, Graziano AC, et al (2020). Defense and protection mechanisms in lung exposed to asbestos fiber: the role of macrophage migration inhibitory factor and heme oxygenase-1. <i>Eur J Histochem</i> , 64(2): 3073.
110116	Lynch HN, Lauer DJ, Thompson WJ, et al (2022). Systematic review of the scientific evidence of the pulmonary carcinogenicity of talc. <i>Front Public Health</i> , 10: 989111.
43148	Magnani C, Agudo A, Gonzalez CA, et al (2000). Multicentric study on malignant pleural mesothelioma and non-occupational exposure to asbestos. <i>Br J Cancer</i> , 83(1): 104-11.
73458	Magnani C, Fubini B, Mirabelli D, et al (2013). Pleural mesothelioma: epidemiological and public health issues. Report from the Second Italian Consensus Conference on Pleural Mesothelioma. <i>Med Lav</i> , 104(3): 191-202.
118015	Magnavita N, Congedo MT, Di Prinzio RR, et al (2021). War journalism: an occupational exposure. <i>BMJ Case Rep</i> , 14(10): e245165.
118016	Malpica A, Euscher ED, Marques-Piubelli ML, et al (2022). Malignant peritoneal mesothelioma associated with endometriosis: A clinicopathologic study of 15 cases. <i>Int J Gynecol Pathol</i> , 41(1): 59-67.
73363	Marinaccio A, Binazzi A, Di Marzio D, et al (2010). Incidence of extrapleural malignant mesothelioma and asbestos exposure, from the Italian national register. <i>Occup Environ Med</i> , 67(11): 760-5.
22253	Marjerrison N, Jakobsen J, Grimsrud TK, et al (2022). Cancer incidence in sites potentially related to occupational exposures: 58 years of follow-up of firefighters in the Norwegian Fire Departments Cohort. <i>Scand J Work Environ Health</i> , 148(3): 210-9.
118017	Marsh GM, Riordan AS, Keeton KA, et al (2017). Non-occupational exposure to asbestos and risk of pleural mesothelioma: Review and meta-analysis. <i>Occup Environ Med</i> , 74(11): 838-46.
118018	Matsuki R, Ishii S, Suzuki T, et al (2022). A case of simultaneous diagnosis of tunica vaginalis testis and pleural mesothelioma. <i>Respirol Case Rep</i> , 10(4): e0937.
73362	Mensi C, Pellegatta M, Sieno C, et al (2012). Mesothelioma of tunica vaginalis testis and asbestos exposure. <i>BJU Int</i> , 110(4): 533-7.
43147	Mesurolle B, Qanadli SD, Merad M, et al (2000). Unusual radiologic findings in the thorax after radiation therapy. <i>Radiographics</i> , 20(1): 67-81.
73369	Metintas M, Hillerdal G, Metintas S, et al (2010). Endemic malignant mesothelioma: exposure to erionite is more important than genetic factors. <i>Arch Environ Occup Health</i> , 65(2): 86-93.
73366	Metz-Flamant C, Guseva Canu I, Laurier D (2011). Malignant pleural mesothelioma risk among nuclear workers: a review. <i>J Radiol Prot</i> , 31(1): 9-23.
118045	MinDat Online (2024). Fluoro-edenite. Retrieved 24 February 2024, from https://www.mindat.org/min-6950.html

118046	MinDat Online (2024). Erionite. Retrieved 24 February 2024, from https://www.mindat.org/min-1399.html
118019	Miozzi E, Rapisarda V, Marconi A, et al (2016). Fluoro-edenite and carbon nanotubes: The health impact of 'asbestos-like' fibres. <i>Exp Ther Med</i> , 11(1): 21-7.
73838	Mizuki M, Yukishige K, Abe Y, et al (1997). A case of malignant pleural mesothelioma following exposure to atomic radiation in Nagasaki. <i>Respirology</i> , 2(3): 201-5.
118020	Moline J, Patel K, Frank AL (2023). Exposure to cosmetic talc and mesothelioma. <i>J Occup Med Toxicol</i> , 18(1): 1.
74063	Monash Centre for Occupational and Environmental Health (2014). Australian Firefighters' Health Study. Retrieved 18 February 2015, from http://www.coeh.monash.org/downloads/finalreport2014.pdf
118021	Moro J, Sobrero S, Cartia CF, et al (2022). Diagnostic and therapeutic challenges of malignant pleural mesothelioma. <i>Diagnostics (Basel)</i> , 12(12): 3009.
52526	Muirhead CR, Hagan JA, Haylock RG, et al (2009). Mortality and cancer incidence following occupational radiation exposure: third analysis of the National Registry for Radiation Workers. <i>Br J Cancer</i> , 100(1): 206-12.
118022	Mujahed T, Tazelaar HD, Sukov WR, et al (2021). Malignant peritoneal mesothelioma arising in young adults with long-standing indwelling intra-abdominal shunt catheters. <i>Am J Surg Pathol</i> , 45(2): 255-62.
118023	Mumma MT, Sirko JL, Boice JD Jr, et al (2022). Mesothelioma mortality within two radiation monitored occupational cohorts. <i>Int J Radiat Biol</i> , 98(4): 786-94.
118024	Naeini YB, Arcega R, Hirschowitz S, et al (2018). Post-irradiation pericardial malignant mesothelioma with deletion of p16: a case report. <i>Cancer Biol Med</i> , 15(1): 97-102.
118025	Nakashima K, Demura Y, Oi M, et al (2021). The association between malignant pleural mesothelioma and thoracic radiation therapy for Hodgkin's lymphoma: The first case report in Japan. <i>Intern Med</i> , 60(5): 771-5.
118026	Narasimhan S, Brian D, Khwaja H (2008). Acute abdomen in an asbestos factory worker. <i>Can J Surg</i> , 51(4): E75-6.
80742	National Council on Radiation Protection & Measurements (NCRP) (2009). Radiation Dose Reconstruction: Principles and Practices, NCRP Report No. 163. NCRP Publications.
37751	National Toxicology Program (NTP) (2002). Carcinogen Profiles. Report on Carcinogens, Eleventh Edition, US Department of Health and Human Services.
43153	Neugut AI, Ahsan H, Antman KH (1997). Incidence of malignant pleural mesothelioma after thoracic radiotherapy. <i>Cancer</i> , 80(5): 948-50.
26517	No authors listed (1997). Asbestos, asbestosis, and cancer: the Helsinki criteria for diagnosis and attribution. <i>Scand J Work Environ Health</i> , 23(4): 311-6.
118027	Oczypok EA, Sanchez MS, Van Orden DR, et al (2016). Erionite-associated malignant pleural mesothelioma in Mexico. <i>Int J Clin Exp Pathol</i> , 9(5): 5722-32.
33212	Offermans NS, Vermeulen R, Burdorf A, et al (2014). Occupational asbestos exposure and risk of pleural mesothelioma, lung cancer, and laryngeal cancer in the prospective Netherlands cohort study. <i>J Occup Environ Med</i> , 56(1): 6-19.
118028	Ohya M, Kobayashi M, Sozuki T, et al (2019). Malignant peritoneal mesothelioma diagnosed 50 years post-radiotherapy for ovarian cancer in a patient with a history of multiple malignancies: An autopsy case. <i>Mol Clin Oncol</i> , 11(4): 397-400.

43291	Orenstein MR, Schenker MB (2000). Environmental asbestos exposure and mesothelioma. <i>Curr Opin Pulm Med</i> , 6(4): 371-7.
118029	Ortega-Guerrero MA, Carrasco-Nunez G (2014). Environmental occurrence, origin, physical and geochemical properties, and carcinogenic potential of erionite near San Miguel de Allende, Mexico. <i>Environ Geochem Health</i> , 36(3): 517-29.
118030	Ortega-Guerrero MA, Carrasco-Nunez G, Barragan-Campos H, et al (2015). High incidence of lung cancer and malignant mesothelioma linked to erionite fibre exposure in a rural community in Central Mexico. <i>Occup Environ Med</i> , 72(3): 216-8.
42854	Osinubi OY, Gochfeld M, Kipen HM (2000). Health effects of asbestos and nonasbestos fibers. <i>Environ Health Perspect</i> , 108(Suppl 4): 665-74.
70194	Ozasa K, Shimizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: an overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43; Erratum: 179(4): e40-1.
42837	Pantanowitz L, Otis CN (2006). Malignant mesothelioma. <i>N Engl J Med</i> , 354(3): 305-7; author reply 305-7.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Occupational Intakes of Radionuclides: Part 1. Annals of the ICRP, ICRP Publication 130, Sage Publications Inc.
43275	Pass HI, Bocchetta M, Carbone M (2004). Evidence of an important role for SV40 in mesothelioma. <i>Thorac Surg Clin</i> , 14(4): 489-95.
118031	Patel JP, Brook MS, Kah M, et al (2022). Global geological occurrence and character of the carcinogenic zeolite mineral, erionite. <i>Front Chem</i> , 10: 1066565.
43206	Pershoush MA, Heivly S, Girtsman T (2006). The role of SV40 in malignant mesothelioma and other human malignancies. <i>Inhal Toxicol</i> , 18(12): 995-1000.
118032	Petersen E, Essene EJ, Peacock DR, et al (1982). Fluorine end-member micas and amphiboles. <i>Am Mineral</i> , 67(5-6): 538-44.
118033	Pierce JS, Riordan AS, Miller EW, et al (2017). Evaluation of the presence of asbestos in cosmetic talcum products. <i>Inhal Toxicol</i> , 29(10): 443-56.
73747	Pira E, Pelucchi C, Piolatto PG, et al (2007). First and subsequent asbestos exposures in relation to mesothelioma and lung cancer mortality. <i>Br J Cancer</i> , 97(9): 1300-4.
43157	Pistolesi M, Rusthoven J (2004). Malignant pleural mesothelioma: update, current management, and newer therapeutic strategies. <i>Chest</i> , 126(4): 1318-29.
43302	Powers A, Carbone M (2002). The role of environmental carcinogens, viruses and genetic predisposition in the pathogenesis of mesothelioma. <i>Cancer Biol Ther</i> , 1(4): 348-53.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiat Res</i> , 168(1): 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: Solid cancer and noncancer disease mortality: 1950-1997. <i>Radiat Res</i> , 160(4): 381-407.
75319	Price B (2010). Industrial-grade talc exposure and the risk of mesothelioma. <i>Crit Rev Toxicol</i> , 40(6): 513-30.
118048	PubChem (2024). Thorium dioxide (Compound). Retrieved 19 March 2024, from https://pubchem.ncbi.nlm.nih.gov/compound/14808#section=Associated-Disorders-and-Diseases
71064	Pukkala E, Martinsen JI, Weiderpass E, et al (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. <i>Occup Environ Med</i> , 71(6): 398-404.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.

80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
118034	Rapisarda V, Amati M, Coloccini S, et al (2003). [The in vitro release of hydroxyl radicals from dust containing fluoro-edenite fibers identified in the volcanic rocks of Biancavilla (eastern Sicily)]. <i>Med Lav</i> , 94(2): 200-6 [Article in Italian]. [Abstract]
43318	Reid A, Berry G, de Klerk N, et al (2007). Age and sex differences in malignant mesothelioma after residential exposure to blue asbestos (crocidolite). <i>Chest</i> , 131(2): 376-82.
74737	Ringen K, Dement J, Welch L, et al (2015). Mortality of older construction and craft workers employed at department of energy (DOE) nuclear sites: follow-up through 2011. <i>Am J Ind Med</i> , 58(2): 152-67.
42840	Rizzo P, Carbone M, Fisher SG, et al (1999). Simian virus 40 is present in most United States human mesotheliomas, but it is rarely present in non-Hodgkin's lymphoma. <i>Chest</i> , 116(Suppl 6): S470-3.
42838	Robinson BW, Lake RA (2005). Advances in malignant mesothelioma. <i>N Engl J Med</i> , 353(15): 1591-603.
42848	Robinson BW, Musk AW, Lake RA (2005). Malignant mesothelioma. <i>Lancet</i> , 366(9483): 397-408.
34906	Rodelsperger K, Woitowitz HJ, Bruckel B, et al (1999). Dose-response relationship between amphibole fiber lung burden and mesothelioma. <i>Cancer Detect Prev</i> , 23(3): 183-93.
42833	Saracci R, Simonato L (2001). [Comment] Familial malignant mesothelioma. <i>Lancet</i> , 358(9295): 1813-4.
118035	Sasaki M, Araki I, Yasui T, et al (2009). Primary localized malignant biphasic mesothelioma of the liver in a patient with asbestosis. <i>World J Gastroenterol</i> , 15(5): 615-21.
97589	Schnatter AR, Chen M, DeVilbiss EA, et al (2018). Systematic review and meta-analysis of selected cancers in petroleum refinery workers. <i>J Occup Environ Med</i> , 60(7): e329-42.
86852	Schubauer-Berigan MK, Daniels RD, Bertke SJ, et al (2015). Cancer mortality through 2005 among a pooled cohort of U.S. nuclear workers exposed to external ionizing radiation. <i>Radiat Res</i> , 183(6): 620-31.
43274	Shah KV (2004). Causality of mesothelioma: SV40 question. <i>Thorac Surg Clin</i> , 14(4): 497-504.
43152	Shah KV (2006). SV40 and human cancer: a review of recent data. <i>Int J Cancer</i> , 120(2): 215-23.
43151	Shannon VR, Nesbitt JC, Libshitz HI (1995). Malignant pleural mesothelioma after radiation therapy for breast cancer. A report of two additional patients. <i>Cancer</i> , 76(3): 437-41.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
42834	Smith DD (2002). Women and mesothelioma. Retrieved 20 March 2007, from http://www.findarticles.com/p/articles/mi_m0984/is_6_122/ai_96305976/print
80735	Sokolnikov M, Preston D, Stram DO (2017). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , 56(1): 121-5.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123(4): 905-11.

414	Speizer FE (1994). Environmental lung diseases. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 219: 1178.
101374	Steenland K, Winquist A (2021). PFAS and cancer, a scoping review of the epidemiologic evidence. Environ Res, 194: 110690.
79869	Steenland K, Woskie S (2012). Cohort mortality study of workers exposed to perfluorooctanoic acid. Am J Epidemiol, 176(10): 909-17.
73370	Sterman DH, Litzky LA, Kaiser LR, et al (2013). Epidemiology of malignant pleural mesothelioma. Retrieved 26 November 2014, from http://www.uptodate.com/contents/epidemiology-of-malignant-pleural-mesothelioma
118036	Sterman DH, Litzky LA, Kaiser LR (2023). Epidemiology of malignant pleural mesothelioma. Retrieved 30 April 2024, from https://www.uptodate.com/contents/epidemiology-of-malignant-pleural-mesothelioma
42856	Strickler HD, Goedert JJ, Devesa SS, et al (2003). Trends in U.S. pleural mesothelioma incidence rates following simian virus 40 contamination of early poliovirus vaccines. J Natl Cancer Inst, 95(1): 38-45.
28160	Szeszenia-Dabrowska N, Urszula W, Szymczak W, et al (2002). Mortality study of workers compensated for asbestosis in Poland, 1970-1997. Int J Occup Med Environ Health, 15(3): 267-78.
118037	Takekawa S, Ueda Y, Hiramatsu Y, et al (2015). History note: tragedy of thorotrust. Jpn J Radiol, 33(11): 718-22.
75378	Tan WW (2014). Mesothelioma. Retrieved 22 July 2015, from http://emedicine.medscape.com/article/280367-overview
118038	Tassile D, Roth AD, Kurt AM, et al (1998). Colon cancers and peritoneal mesothelioma occurring 29 years after abdominal radiation for testicular seminoma. A case report and review of the literature. Oncology, 55(4): 289-92.
43202	Teta MJ, Lau E, Sceurman BK, et al (2007). Therapeutic radiation for lymphoma: risk of malignant mesothelioma. Cancer, 109(7): 1432-8.
42836	Tynes T, Klaeboe L, Haldorsen T (2003). Residential and occupational exposure to 50Hz magnetic fields and malignant melanoma: a population based study. Occup Environ Med, 60(5): 343-7.
28041	Ulvestad B, Kjaerheim K, Martinsen JI, et al (2002). Cancer incidence among workers in the asbestos-cement producing industry in Norway. Scand J Work Environ Health, 28(6): 411-7.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1: 1-11. United Nations Publication.
60297	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A and B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
63163	United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, Report Vol 1: 325-83. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
24771	van Kaick G, Dalheimer A, Hornik S, et al (1999). The German thorotrust study: recent results and assessment of risks. Radiat Res, 152(6 Suppl): S64-71.
118039	Vander Salm T (2023). Cardiac tumors. Retrieved 30 April 2024, from https://www.uptodate.com/contents/cardiac-tumors
42842	Vatanasapt V, Martin N, Sriplung H, et al (1995). Cancer incidence in Thailand, 1988-1991. Cancer Epidemiol Biomarkers Prev, 4(5): 475-83.

118040	Vimercati L, Cavone D, Delfino MC, et al (2021). Primary ovarian mesothelioma: A case series with electron microscopy examination and review of the literature. <i>Cancers (Basel)</i> , 13(9): 2278.
118041	Visci G, Rizzello E, Zunarelli C, et al (2022). Relationship between exposure to ionizing radiation and mesothelioma risk: A systematic review of the scientific literature and meta-analysis. <i>Cancer Med</i> , 11(3): 778-89.
80740	Wadas TJ, Pandya DN, Solingapuram Sai KK, et al (2014). Molecular targeted alpha-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
118042	Wang J, Huang X, Ma R, et al (2023). The incidence of malignancies in asbestosis with chrysotile exposure: a large Chinese prospective cohort study. <i>Front Oncol</i> , 13: 1172496.
42851	Weill H, Hughes JM, Churg AM (2004). Changing trends in US mesothelioma incidence. <i>Occup Environ Med</i> , 61(5): 438-41.
426	Weill H, Hughes JM, Jones RN (1995). [Comment] Asbestos: A risk too far? <i>Lancet</i> , 346(8970): 304; author reply 306.
52399	World Health Organisation (2001). Ionizing Radiation, Part 2: Some Internally Deposited Radionuclides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 78: 465-81. IARC Press, Lyon.
118058	World Health Organization (2020). Female Genital Tumours. WHO Classification of Tumours Series, 5th Edition, Vol 4. WHO, Lyon France.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28(2): 161-8.
118043	Xu R, Barg FK, Emmett EA, et al (2018). Association between mesothelioma and non-occupational asbestos exposure: systematic review and meta-analysis. <i>Environ Health</i> , 17(1): 90.
73371	Yang LH, Yu JH, Xu HT, et al (2014). Mesothelioma of the tunica vaginalis testis with prominent adenomatoid features: a case report. <i>Int J Clin Exp Pathol</i> , 7(10): 7082-7.
118044	Yano M, Ikeda Y, Kato T, et al (2018). A case of peritoneal malignant mesothelioma following radiation therapy for cervical cancer. <i>Mol Clin Oncol</i> , 8(2): 302-5.