



CHRONIC LYMPHOCYTIC LEUKAEMIA/SMALL LYMPHOCYTIC LYMPHOMA

RMA ID Number	Reference List for RMA099-12 as at August 2022
---------------	--

100207	Abar L, Sobiecki JG, Cariolou M, et al (2019). Body size and obesity during adulthood, and risk of lympho-haematopoietic cancers: an update of the WCRF-AICR systematic review of published prospective studies. Ann Oncol, 30(4): 528-41.
105512	Abramenko IV , Bilous NI, Chumak AA, et al (2020). Analysis of immunoglobulin heavy variable chain rearrangement in chronic lymphocytic leukemia patients among Chernobyl clean-up workers. Exp Oncol, 42(3): 172-7.
30280	Abu-Shakra M, Gladman DD, Urowitz MB (1996). Malignancy in systemic lupus erythematosus. Arthritis Rheum, 39(6): 1050-4.
28192	Acquavella J, Doe J, Tomenson J, et al (2003). Epidemiologic studies of occupational pesticide exposure and cancer: regulatory risk assessments and biologic plausibility. Ann Epidemiol, 13(1): 1-7.
16744	Acquavella J, Olsen G, Cole P, et al (1998). Cancer among farmers: a meta-analysis. Ann Epidemiol, 8(1): 64-74.
28415	Acquavella JF, Leonard RC (2001). A review of the epidemiology of 1,3-butadiene and chloroprene. Chem Biol Interact, 135-136: 43-52.
30409	Adami J, Gabel H, Lindelof B, et al (2003). Cancer risk following organ transplantation: a nationwide cohort study in Sweden. Br J Cancer, 89(7): 1221-7.
26125	Adami J, Gridley G, Nyren O, et al (1999). Sunlight and non-Hodgkin's lymphoma: a population-based cohort study in Sweden. Int J Cancer, 80(5): 641-5.
15364	Adami J, Nyren O, Bergstrom R, et al (1998). Smoking and the risk of leukemia, lymphoma, and the multiple myeloma (Sweden). Cancer Causes Control, 9(1): 49-56.
38782	Adegoke OJ, Blair A, Shu XO, et al (2004). Agreement of job-exposure matrix (JEM) assessed exposure and self-reported exposure among adult leukemia patients and controls in Shanghai. Am J Ind Med, 45(3): 281-8.
56678	Agency for Toxic Substances and Disease Registry (1992). Toxicological Profile for Nitrophenols: 2-Nitrophenol, 4-Nitrophenol. U.S Department of Health and Human Services.
76868	Agency for Toxic Substances and Disease Registry (ATSDR) (2000). Benzene Toxicity. Case Studies in Environmental Medicine, U.S. Department of Health and Human Services.

102442	Agency for Toxic Substances and Disease Registry (ATSDR) (2019). Toxicological profile for tetrachloroethylene, U.S Department of Health and Human Services.
102869	Agency for Toxic Substances and Disease Registry (ATSDR) (2021). Toxicological Profile for Perfluoroalkyls. US Department of Health and Human Services.
76914	Agency for Toxic Substances and Disease Registry (ATSDR) (2010). Appendix D: Kerosene-based jet fuel: jet propulsion fuel-8 (JP-8) and commercial jet fuel (Jet A). Retrieved 11 January 2016, from http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=949&pg=5
24075	Ahlbom A, Cardis E, Green A, et al (2001). Review of the epidemiologic literature on EMF and health. <i>Environ Health Perspect</i> , 109(Suppl 6): 911-33.
25835	Ahlbom A, Feychtung M (1999). A Bayesian approach to hazard identification. The case of electromagnetic fields and cancer. <i>Ann N Y Acad Sci</i> , 895: 27-33.
4774	Ahlborg UG, Lipworth L, Titus-Ernstoff L, et al (1995). Organochlorine compounds in relation to breast cancer, endometrial cancer, and endometriosis: an assessment of the biological and epidemiological evidence. <i>Crit Rev Toxicol</i> , 25(6): 463-531.
38775	Akhtar FZ, Garabrant DH, Ketchum NS, et al (2004). Cancer in US Air Force Veterans of the Vietnam War. <i>J Occup Environ Med</i> , 46(2): 123-36.
4596	Aksoy M (1989). Hematotoxicity and carcinogenicity of benzene. <i>Environ Health Perspect</i> , 82: 193-7.
4323	Alavanja MC, Blair A, Masters MN (1990). Cancer mortality in the U.S. flour industry. <i>J Natl Cancer Inst</i> , 82(10): 840-8.
14300	Alavanja MC, Blair A, Merkle S, et al (1988). Mortality among agricultural extension agents. <i>Am J Ind Med</i> , 14(2): 167-76.
29614	Alavanja MC, Blair A, Merkle S, et al (1989). Mortality among forest and soil conservationists. <i>Arch Environ Health</i> , 44(2): 94-101.
45751	Alavanja MC, Bonner MR (2005). Pesticides and human cancers. <i>Cancer Invest</i> , 23(8): 700-11.
75728	Alavanja MC, Hofmann JN, Lynch CF, et al (2014). Non-Hodgkin lymphoma risk and insecticide, fungicide and fumigant use in the Agricultural Health Study. <i>PLoS One</i> , 9(10): e109332.
70256	Alavanja MC, Ross MK, Bonner MR (2013). Increased cancer burden among pesticide applicators and others due to pesticide exposure. <i>CA Cancer J Clin</i> , 63(2): 120-42.
45744	Alavanja MC, Sandler DP, Lynch CF, et al (2005). Cancer incidence in the Agricultural Health Study. <i>Scand J Work Environ Health</i> , 31(Suppl 1): 39-45.
17038	Alavanja MC, Rush GA, Stewart P, et al (1987). Proportionate mortality study of workers in the grain industry. <i>J Natl Cancer Inst</i> , 78(2): 247-52.
45743	Alexander BH, Bloeman L, Allen RH (2005). Sessions on the epidemiology of agricultural exposure and cancer. <i>Scand J Work Environ Health</i> , 31(Supp 1): 5-7.
60963	Alexander DD, Mink PJ, Mandel JH, et al (2006). A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. <i>Occup Med (Lond)</i> , 56(7): 485-93.
14069	Alfredsson L, Hammar N, Karlebagen S (1996). Cancer incidence among male railway engine-drivers and conductors in Sweden, 1976-90. <i>Cancer Causes Control</i> , 7(3): 377-81.
83349	Alicandro G, Rota M, Boffetta P, et al (2016). Occupational exposure to polycyclic aromatic hydrocarbons and lymphatic and hematopoietic neoplasms: a systematic review and meta-analysis of cohort studies. <i>Arch Toxicol</i> , 90(11): 2643-56.

106562	Alkrekshi A, Kassem A, Park C, et al (2021). Risk of non-Hodgkin's lymphoma in HCV patients in the United States between 2013 and 2020: a population-based study. <i>Clin Lymphoma Myeloma Leuk</i> , 21(11): e832-8.
26298	Altekruze SF, Henley SJ, Thun MJ (1999). Deaths from hematopoietic and other cancers in relation to permanent hair dye use in a large prospective study (United States). <i>Cancer Causes Control</i> , 10(6): 617-25.
20971	Amadori D, Nanni O, Falcini F, et al (1995). Chronic Lymphocytic leukemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on job titles. <i>Occup Environ Med</i> , 52(6): 374-9.
25400	Andersen A, Barlow L, Engeland A, et al (1999). Work-related cancer in the Nordic countries. <i>Scand J Work Environ Health</i> , 25(Suppl 2): 1-116.
26300	Anderson JR, Armitage JO, Weisenburger DD (1998). Epidemiology of the non-Hodgkin's lymphomas: distributions of the major subtypes differ by geographic locations. <i>Non-Hodgkin's Lymphoma Classification Project</i> . <i>Ann Oncol</i> , 9(7): 717-20.
51909	Anderson LA, Engels EA (2008). [Comment] Hepatitis C virus infection and non-Hodgkin lymphoma: interesting association or causal relationship? <i>Int J Cancer</i> , 122(8): x-xii.
29432	Anderson LE, Morris JE, Miller DL, et al (2001). Large granular lymphocytic (LGL) leukemia in rats exposed to intermittent 60 Hz magnetic fields. <i>Bioelectromagnetics</i> , 22(3): 185-93.
30038	Andreoli C, Leopardi P, Crebelli R (1997). Detection of DNA damage in human lymphocytes by alkaline single cell gel electrophoresis after exposure to benzene or benzene metabolites. <i>Mutat Res</i> , 377(1): 95-104.
25805	Andrews KW, Savitz DA (1999). Accuracy of industry and occupation on death certificates of electric utility workers: implications for epidemiologic studies of magnetic fields and cancer. <i>Bioelectromagnetics</i> , 20(8): 512-8.
28363	Anon (2002). Panel discussion. <i>Pediatr Radiol</i> , 32: 242-4.
15741	Anttila A, Pukkala E, Riala R, et al (1998). Cancer incidence among Finnish workers exposed to aromatic hydrocarbons. <i>Int Arch Occup Environ Health</i> , 71(3): 187-93.
10362	Anttila A, Pukkala E, Sallmen M, et al (1995). Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. <i>J Occup Environ Med</i> , 37(7): 797-806.
45950	Aoki J, Sato N, Oya N, et al (2001). Adult T-cell leukemia. <i>Semin Musculoskelet Radiol</i> , 5(2): 95-8. [Abstract]
83138	Apor E, O'Brien J, Stephen M, et al (2014). Systemic lupus erythematosus is associated with increased incidence of hematologic malignancies: A meta-analysis of prospective cohort studies. <i>Leuk Res</i> , 38(9): 1067-71.
29804	Arbuckle TE, Burnett R, Cole D, et al (2002). Predictors of herbicide exposure in farm applicators. <i>Int Arch Occup Environ Health</i> , 75(6): 406-14.
106563	Arcaini L, Besson C, Frigeni M, et al (2016). Interferon-free antiviral treatment in B-cell lymphoproliferative disorders associated with hepatitis C virus infection. <i>Blood</i> , 128(21): 2527-32.
28355	Arisawa K, Katamine S, Kamiyama S, et al (2002). A nested case-control study of risk factors for adult T-cell leukemia/lymphoma among human T-cell lymphotropic virus type-I carriers in Japan. <i>Cancer Causes Control</i> , 13(7): 657-63.
31024	Armitage J, D Longo (2004). Malignancies of lymphoid cells. Chapter 112: 3-5, 26-27. Retrieved 6 February 2004, from http://harrisons.accessmedicine.com/server-java/Arknoid/amed/harrisons/co_chapters/ch112/ch112_p04.html

25402	Armstrong B, Theriault G, Guenel P, et al (1994). Association between exposure to pulsed electromagnetic fields and cancer in electric utility workers in Quebec, Canada, and France. <i>Am J Epidemiol</i> , 140(9): 805-20.
52271	Armstrong BK, Kricker A (2007). Sun exposure and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 396-400.
10287	Aronson KJ, Tomlinson GA, Smith L (1994). Mortality among fire fighters in metropolitan Toronto. <i>Am J Ind Med</i> , 26(1): 89-101.
28435	Aschengrau A, Ozonoff D, Paulu C, et al (1993). Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. <i>Arch Environ Health</i> , 48(5): 284-92.
15319	Ashmore JP, Krewski D, Zielinski JM, et al (1998). First analysis of mortality and occupational radiation exposure based on the National Dose Registry of Canada. <i>Am J Epidemiol</i> , 148(6): 564-74.
3082	Asp S, Riihimaki V, Hernberg S, et al (1994). Mortality and cancer morbidity of Finnish Chlorophenoxy herbicide applicators: An 18-year prospective follow-up. <i>Am J Ind Med</i> , 26(2): 243-53.
106981	Atzmony L, Mimouni I, Reiter O, et al (2017). Association of bullous pemphigoid with malignancy: A systematic review and meta-analysis. <i>J Am Acad Dermatol</i> , 77(4): 691-9.
31026	Australian Government (2004). National Occupational health and safety information. Retrieved 6 February 2004, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Benzene
30607	Australian Government, National Occupational Health and Safety Commission (2004). Exposure standards: carbon tetrachloride. Retrieved 6 February 2004, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Carbon_tetrachloride
30609	Australian Government, National Occupational Health and Safety Commission (2004). Exposure standards: Xylene (o-, m-, p-isomers). Retrieved 6 February 2004, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Xylene
30610	Australian Government, National Occupational Health and Safety Commission (2004). Exposure standards: Benzene. Retrieved 6 February 2004, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Benzene
30611	Australian Government, National Occupational Health and Safety Commission (2004). Exposure standards: trichloroethylene. Retrieved 6 February 2004, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Trichloroethylene
30612	Australian Government, National Occupational Health and Safety Commission (2004). Exposure standards: Acetone. Retrieved 6 February 2004, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Acetone
30605	Australian Institute of Health and Welfare (1999). A study of the health of Australia's Vietnam Veteran community: validation study. Morbidity of Vietnam Veterans, Vol 3. Canberra: AIHW.
36720	Australian Institute of Health and Welfare (AIHW) (2001). Adrenal gland cancer, leukaemia and non-Hodgkin's lymphoma. Morbidity of Vietnam Veterans, Supplementary Report No. 2, Revised edition. AIWH (Canberra).

60233	Australian Institute of Health and Welfare (2009). Third study of mortality and cancer incidence in aircraft maintenance personnel: A continuing study of F-111 deseal/reseal personnel. Australian Institute of Health and Welfare, Canberra, Cancer Series No 45.
76830	Australian Institute of Petroleum (2013). 2013 Health Watch. The Australian Institute of Petroleum Health Surveillance Program, 14th report. Monash University.
28266	Australian Institute of Petroleum (AIP) (2001). Lympho-haematopoietic cancer and exposure to benzene in the Australian petroleum industry. Technical Report and Appendices, Monash University and Deakin University.
26103	Australian Institute of Health and Welfare (2000). Adrenal gland cancer, leukaemia and non-Hodgkin's lymphoma. Morbidity of Vietnam Veterans, Supplementary Report No 2. Australian Institute of Health and Welfare, Canberra.
41161	Axelson O (2004). [Comment] Is the evidence for its carcinogenicity conclusive? <i>Occup Environ Med</i> , 61(1): 1.
17039	Axelson O, Sundell L, Andersson K, et al (1980). Herbicide exposure and tumor mortality. <i>Scand J Work Environ Health</i> , 6(1): 73-9.
66365	Baan R, Grosse Y, Lauby-Secretan B, et al (2011). Carcinogenicity of radiofrequency electromagnetic fields. <i>Lancet Oncol</i> , 12(7): 624-6.
58010	Baan R, Grosse Y, Straif K, et al (2009). A review of human carcinogens-Part F: Chemical agents and related occupations. <i>Lancet Oncol</i> , 10(12): 1143-4.
45753	Baccarelli A, Pesatori AC, Consonni D, et al (2005). Health status and plasma dioxin levels in chloracne cases 20 years after the Seveso, Italy accident. <i>Br J Dermatol</i> , 152(3): 459-65.
105637	Baecklund E, Backlin C, Ronnelid J, et al (2018). Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. <i>Scand J Rheumatol</i> , 47(4): 270-5.
29612	Band PR, Le ND, Fang R, et al (1996). Cohort study of Air Canada pilots: mortality, cancer incidence, and leukemia risk. <i>Am J Epidemiol</i> , 143(2): 137-43.
28502	Bannerji R, Byrd JC (2000). Update on the biology of chronic lymphocytic leukemia. <i>Curr Opin Oncol</i> , 12(1): 22-9.
15430	Baris D, Armstrong BG, Deadman J, et al (1996). A mortality study of electrical utility workers in Quebec. <i>Occup Environ Med</i> , 53(1): 25-31.
14762	Baris D, Zahm SH, Cantor KP, et al (1998). Agricultural use of DDT and risk of non-Hodgkin's lymphoma: pooled analysis of three case-control studies in the United States. <i>Occup Environ Med</i> , 55(8): 522-7.
25480	Barron CI, Baraff AA (1958). Medical considerations of exposure to microwaves (radar). <i>J Am Med Assoc</i> , 168(9): 1194-9.
88800	Barry V, Winquist A, Steenland K (2013). Perfluorooctanoic acid (PFOA) exposures and incident cancers among adults living near a chemical plant. <i>Environ Health Perspect</i> , 121(11-12): 1313-8.
76781	Bassig BA, Friesen MC, Vermeulen R, et al (2015). Occupational exposure to benzene and non-Hodgkin lymphoma in a population-based cohort: the Shanghai women's health study. <i>Environ Health Perspect</i> , 123(10): 971-7.
52471	Bassil KL, Vakil C, Sanborn M, et al (2007). Cancer health effects of pesticides: systematic review. <i>Can Fam Physician</i> , 53(10): 1704-11.
50293	Bates MN (2007). Registry-based case-control study of cancer in California firefighters. <i>Am J Ind Med</i> , 50(5): 339-44.
27243	Battista G, Belli S, Comba P, et al (1999). Mortality due to asbestos-related causes among railway carriage construction and repair workers. <i>Occup Med (Lond)</i> , 49(8): 536-9.

74416	Baumann Kreuziger LM, Tarchand G, Morrison VA (2014). The impact of Agent Orange exposure on presentation and prognosis of patients with chronic lymphocytic leukemia. <i>Leuk Lymphoma</i> , 55(1): 63-6.
28373	Baverstock K (2003). [Comment] The 2003 NRPB report on UK nuclear-test veterans. <i>Lancet</i> , 361(9371): 1759-60.
28469	Bayliss D, Sonawane B (2000). Issues for discussion: benzene-induced leukemia--human studies. <i>J Toxicol Environ Health Part A</i> , 61(5-6): 467-70.
23763	Bazyka D, Gudzenko N, Dyagil I, et al (2016). Chronic lymphocytic leukemia in Chornobyl cleanup workers. <i>Health Phys</i> , 111(2): 186-91.
24949	Beall C, Delzell E, Rodu B, et al (2001). Cancer and benign tumor incidence among employees in a polymers research complex. <i>J Occup Environ Med</i> , 43(10): 914-24.
29721	Beard J, Sladden T, Morgan G, et al (2003). Health impacts of pesticide exposure in a cohort of outdoor workers. <i>Environ Health Perspect</i> , 111(5): 724-30.
10268	Becher H, Flesch-Janys D, Kauppinen T, et al (1996). Cancer mortality in German male workers exposed to phenoxy herbicides and dioxins. <i>Cancer Causes Control</i> , 7(3): 312-21.
26350	Becker N, Berger J, Bolm-Audorff U (2001). Asbestos exposure and malignant lymphomas--a review of the epidemiological literature. <i>Int Arch Occup Environ Health</i> , 74(7): 459-69.
78294	Beelte S, Haas R, Germing U, et al (2009). Paradigm change in the assessment of myeloid and lymphoid neoplasms associated with occupational benzene exposure (OD number 1303). <i>Med Klin (Munich)</i> , 104(3): 197-203.
105510	Benavente Y, Casabonne D, Costas L, et al (2018). Established and suggested exposures on CLL/SLL etiology: Results from the CLL-MCC-Spain study. <i>Cancer Epidemiol</i> , 52: 106-11.
106561	Benavente Y, Costas L, Rodriguez-Suarez MM, et al (2020). Occupational exposure to pesticides and chronic lymphocytic leukaemia in the MCC-Spain study. <i>Int J Environ Res Public Health</i> , 17(14): 5174.
28362	Berdon WE (2002). Opening comments. <i>Pediatr Radiol</i> , 32: 223-4.
26825	Bergsagel DE, Wong O, Bergsagel PL, et al (1999). Benzene and multiple myeloma: appraisal of the scientific evidence. <i>Blood</i> , 94(4): 1174-82.
28000	Berry G, Newhouse ML, Wagner JC (2000). Mortality from all cancers of asbestos factory workers in east London 1933-80. <i>Occup Environ Med</i> , 57(11): 782-5.
14329	Bertazzi PA, Bernucci I, Brambilla G, et al (1998). The Seveso studies on early and long-term effects of dioxin exposure: a review. <i>Environ Health Perspect</i> , 106(Suppl 2): 625-33.
25816	Bertazzi PA, Consonni D, Bachetti S, et al (2001). Bertazzi et al. Respond to Smith and Lopipero. <i>Am J Epidemiol</i> , 153(11): 1048-9.
25817	Bertazzi PA, Consonni D, Bachetti S, et al (2001). Health effects of dioxin exposure: a 20-year mortality study. <i>Am J Epidemiol</i> , 153(11): 1031-44.
25803	Bertazzi PA, Pesatori AC, Bernucci I, et al (1999). Dioxin exposure and human leukemias and lymphomas. Lessons from the Seveso accident and studies on industrial workers. <i>Leukemia</i> , 13(Suppl 1): S72-4.
68348	Bertrand KA, Chang ET, Abel GA, et al (2011). Sunlight exposure, vitamin D, and risk of non-Hodgkin lymphoma in the Nurses' Health Study. <i>Cancer Causes Control</i> , 22(12): 1731-41.
83408	Bertrand KA, Giovannucci E, Rosner BA, et al (2017). Dietary fat intake and risk of non-Hodgkin lymphoma in 2 large prospective cohorts. <i>Am J Clin Nutr</i> , 106(2): 650-6.

106564	Besson C, Moore A, Wu W, et al (2021). Common genetic polymorphisms contribute to the association between chronic lymphocytic leukaemia and non-melanoma skin cancer. <i>Int J Epidemiol</i> , 50(4): 1325-34.
2744	Bethwaite PB, Pearce N, Fraser J (1990). Cancer risk in painters: study based on the New Zealand Cancer Registry. <i>Br J Ind Med</i> , 47(11): 742-6.
70257	Bianchi C, Bianchi T, Ramani L (2007). Malignant mesothelioma of the pleura and other malignancies in the same patient. <i>Tumori</i> , 93(1): 19-22.
30804	Bianco E, Marcucci F, Mele A, et al (2004). Prevalence of hepatitis C virus infection in lymphoproliferative diseases other than B-cell non-Hodgkin's lymphoma, and in myeloproliferative diseases: an Italian Multi-Center case-control study. <i>Haematologica</i> , 89(1): 70-6.
100316	Bigert C, Martinsen JI, Gustavsson P, et al (2020). Cancer incidence among Swedish firefighters: an extended follow-up of the NOCCA study. <i>Int Arch Occup Environ Health</i> , 93(2): 197-204.
52266	Biggar RJ, Chaturvedi AK, Goedert JJ, et al (2007). AIDS-related cancer and severity of immunosuppression in persons with AIDS. <i>J Natl Cancer Inst</i> , 99(12): 962-72.
105513	Bilous NI, Abramenko IV, Chumak AA, et al (2020). Expression of lipoprotein lipase and c-MYC oncogene in patients with chronic lymphocytic leukemia affected by the Chernobyl accident. <i>Probl Radiac Med Radiobiol</i> , 25: 421-9.
30408	Birkeland SA, Storm HH, Lamm LU, et al (1995). Cancer risk after renal transplantation in the Nordic countries, 1964-1986. <i>Int J Cancer</i> , 60(2): 183-9.
26136	Bjornadal L, Lofstrom B, Yin L, et al (2002). Increased cancer incidence in a Swedish cohort of patients with systemic lupus erythematosus. <i>Scand J Rheumatol</i> , 31(2): 66-71.
47607	Blair A (2006). [Comment] Occupational exposures and non-Hodgkin lymphoma: where do we stand? <i>Occup Environ Med</i> , 63(1): 1-3.
3081	Blair A, Dosemeci M, Heineman EF (1993). Cancer and other causes of death among male and female farmers from twenty-three states. <i>Am J Ind Med</i> , 23(5): 729-42.
5050	Blair A, Grauman DJ, Lubin JH, et al (1983). Lung cancer and other causes of death among licensed pesticide applicators. <i>J Natl Cancer Inst</i> , 71(1): 31-7.
14763	Blair A, Hartge P, Stewart PA, et al (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: extended follow up. <i>Occup Environ Med</i> , 55(3): 161-71.
28793	Blair A, Petralia SA, Stewart PA (2003). Extended mortality follow-up of a cohort of dry cleaners. <i>Am J Epidemiol</i> , 15(1): 50-6.
68349	Blair A, Purdue MP, Weisenburger DD, et al (2007). Chemical exposures and risk of chronic lymphocytic leukaemia. <i>Br J Haematol</i> , 139(5): 753-61.
47608	Blair A, Sandler D, Thomas K, et al (2005). Disease and injury among participants in the agricultural health study. <i>J Agric Saf Health</i> , 11(2): 141-50.
47007	Blair A, Sandler DP, Tarone R, et al (2004). Mortality among participants in the Agricultural Health Study. <i>Ann Epidemiol</i> , 15(4): 279-85.
29620	Blair A, White DW (1985). Leukemia cell types and agricultural practices in Nebraska. <i>Arch Environ Health</i> , 40(4): 211-4.
959	Blair A, Zahm SH, Pearce NE, et al (1992). Clues to cancer etiology from studies of farmers. <i>Scand J Work Environ Health</i> , 18(4): 209-15.
63996	Blair A, Zheng T, Linos A, et al (2000). Occupation and Leukemia: A population-based case-control study in Iowa and Minnesota. <i>Am J Ind Med</i> , 40(1): 3-14.

30478	Blair E, Tarone R, Sandler D, et al (2000). Reliability of reporting on lifestyle and agricultural factors by a sample of participants in the agricultural health study from Iowa. <i>Ann Epidemiol</i> , 10(7): 478.
70284	Blakely T, Barendregt JJ, Foster RH, et al (2013). The association of active smoking with multiple cancers: national census-cancer registry cohorts with quantitative bias analysis. <i>Cancer Causes Control</i> , 24(6): 1243-55.
21060	Blattner WA (1999). Human retroviruses: the role in cancer. <i>Proc Assoc Am Physicians</i> , 111(6): 563-72.
41159	Blettner M, Schlehofer B (1999). [Is there an increased risk of leukemia, brain tumors or breast cancer after exposure to high-frequency radiation? Review of methods and results of epidemiologic studies]. <i>Med Klin (Munich)</i> , 94(3): 150-8 [Article in German]. [Abstract]
29436	Blettner M, Zeeb H, Auvinen A, et al (2003). Mortality from cancer and other causes among male airline cockpit crew in Europe. <i>Int J Cancer</i> , 106(6): 946-52.
52265	Bloemen LJ, Youk A, Bradley TD, et al (2004). Lymphohaematopoietic cancer risk among chemical workers exposed to benzene. <i>Occup Environ Med</i> , 61(3): 270-4.
105724	Bloom R, Amber KT, Nouri K (2016). An increased risk of non-Hodgkin lymphoma and chronic lymphocytic leukemia in US patients with Merkel cell carcinoma versus Australian patients: A clinical clue to a different mechanism of pathogenesis? <i>Australas J Dermatol</i> , 57(3): e114-6.
68350	Boelens J, Lust S, Vanhoecke B, et al (2009). Chronic lymphocytic leukaemia. <i>Anticancer Res</i> , 29(2): 605-16.
70416	Boers D, Portengen L, Turner WE, et al (2012). Plasma dioxin levels and cause-specific mortality in an occupational cohort of workers exposed to chlorophenoxy herbicides, chlorophenols and contaminants. <i>Occup Environ Med</i> , 69(2): 113-8.
56052	Boers D, Portengen L, Bueno-de-Mesquita H, et al (2010). Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. <i>Occup Environ Med</i> , 67(1): 24-31.
45910	Boffetta P (2006). Human cancer from environmental pollutants: The epidemiological evidence. <i>Mutat Res</i> , 608(2): 157-62.
106566	Boffetta P, Ciocan C, Zunarelli C, et al (2021). Exposure to glyphosate and risk of non-Hodgkin lymphoma: an updated meta-analysis. <i>Med Lav</i> , 112(3): 194-9.
26736	Boffetta P, Dosemeci M, Gridley G, et al (2001). Occupational exposure to diesel engine emissions and risk of cancer in Swedish men and women. <i>Cancer Causes Control</i> , 12(4): 365-74.
26737	Boffetta P, Kaldor JM (1994). Secondary malignancies following cancer chemotherapy. <i>Acta Oncol</i> , 33(6): 591-8.
28158	Boffetta P, Matisane L, Mundt KA, et al (2003). Meta-analysis of studies of occupational exposure to vinyl chloride in relation to cancer mortality. <i>Scand J Work Environ Health</i> , 29(3): 220-9.
50297	Boffetta P, McLaughlin JK, La Vecchia C, et al (2008). [Comment] False-positive results in cancer epidemiology: a plea for epistemological modesty. <i>J Natl Cancer Inst</i> , 100(14): 988-95.
51906	Boffetta P, van der Hel O, Kricker A, et al (2008). Exposure to ultraviolet radiation and risk of malignant lymphoma and multiple myeloma - a multicentre European case-control study. <i>Int J Epidemiol</i> , 37(5): 1080-94.
29439	Boice JD Jr, Blettner M, Auvinen A (2000). Epidemiologic studies of pilots and aircrew. <i>Health Phys</i> , 79(5): 576-84.
64422	Boice JD Jr, Marano DE, Cohen SS, et al (2006). Mortality among Rocketdyne workers who tested rocket engines, 1948-1999. <i>J Occup Environ Med</i> , 48(10): 1070-92.

98721	Boice JD, Cohen SS, Mumma MT, et al (2020). Mortality among U.S. military participants at eight aboveground nuclear weapons test series. <i>Int J Radiat Biol</i> , 98(4): 679-700.
20637	Boice JD, Marano DE, Fryzek JP, et al (1999). Mortality among aircraft manufacturing workers. <i>Occup Environ Med</i> , 56(9): 581-97.
21006	Boice JD Jr, Morin MM, Glass AG, et al (1991). Diagnostic x-ray procedures and risk of leukemia, lymphoma, and multiple myeloma. <i>JAMA</i> , 265(10): 1290-4.
45662	Bonner MR, Coble J, Blair A, et al (2007). Malathion exposure and the incidence of cancer in the agricultural health study. <i>Am J Epidemiol</i> , 166(9): 1023-34.
28397	Boorman GA, Rafferty CN, Ward JM, et al (2000). Leukemia and lymphoma incidence in rodents exposed to low-frequency magnetic fields. <i>Radiat Res</i> , 153(5 Pt 2): 627-36.
29719	Borak J, Russi M, Puglisi JP (2000). Meta-analyses of TCE carcinogenicity. <i>Environ Health Perspect</i> , 108(12): A542-4.
55666	Bouvard V, Baan R, Straif K, et al (2009). A review of human carcinogens - part B: biological agents. <i>Lancet Oncol</i> , 10(4): 321-2.
75554	Bowling FG (2014). Background and overview of research plan. Report on the Molecular Investigations into the Jet Fuel and Solvent Exposure in the DeSeal/ReSeal Programme Conducted at the Mater Research Institute (UQ), Brisbane, Chapter 1: 19-29. Department of Defence.
29754	Boyle CA, Brann EA (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. <i>Am J Epidemiol</i> , 136(6): 712-21.
7173	Brandt L (1992). Exposure to organic solvents and risk of haematological malignancies. <i>Leuk Res</i> , 16(1): 67-70.
30499	Breckenkamp J, Berg G, Blettner M (2003). Biological effects on human health due to radiofrequency/microwave exposure: a synopsis of cohort studies. <i>Radiat Environ Biophys</i> , 42(3): 141-54.
4662	Brett SM, Rodricks JV, Chinchilli VM (1989). Review and update of leukemia risk potentially associated with occupational exposure to benzene. <i>Environ Health Perspect</i> , 82: 267-81.
39393	Brewer JD, Shanafelt TD, Call TG, et al (2015). Increased incidence of malignant melanoma and other rare cutaneous cancers in the setting of chronic lymphocytic leukemia. <i>Int J Dermatol</i> , 54(8): e287-93.
26072	Briggs NC, Levine RS, Bobo LD, et al (2002). Wine drinking and risk of non-Hodgkin's lymphoma among men in the United States: a population-based case-control study. <i>Am J Epidemiol</i> , 156(5): 454-62.
24910	Brinton LA, Lubin JH, Burich MC, et al (2001). Cancer risk at sites other than the breast following augmentation mammoplasty. <i>Ann Epidemiol</i> , 11(4): 248-56.
52260	Britton JA, Khan AE, Rohrmann S, et al (2008). Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 93(11): 1666-77.
68351	Brown JR (2008). Inherited predisposition to chronic lymphocytic leukemia. <i>Expert Rev Hematol</i> , 1(1): 51-61.
29618	Brown LM, Blair A, Gibson R, et al (1990). Pesticide exposures and other agricultural risk factors for leukemia among men in Iowa and Minnesota. <i>Cancer Res</i> , 50(20): 6585-91.
21505	Brown LM, Gibson R, Blair A, et al (1992). Smoking and risk of leukemia. <i>Am J Epidemiol</i> , 135(7): 763-8.
28383	Brown LM, Moradi T, Gridley G, et al (2002). Exposures in the painting trades and paint manufacturing industry and risk of cancer among men and women in Sweden. <i>J Occup Environ Med</i> , 44(3): 258-64.

74417	Brown T, Rushton L (2012). Occupational cancer in Britain. Haematopoietic malignancies: leukaemia, multiple myeloma, non-Hodgkins lymphoma. <i>Br J Cancer</i> , 107(Suppl 1): S41-8.
15942	Brownson RC, Reif JS (1988). A cancer registry-based study of occupational risk for lymphoma, multiple myeloma and leukaemia. <i>Int J Epidemiol</i> , 17(1): 27-32.
43215	Buja A, Lange JH, Perissinotto E, et al (2005). Cancer incidence among male military and civil pilots and flight attendants: an analysis on published data. <i>Toxicol Ind Health</i> , 21(10): 273-82.
28507	Bukowski JA, Huebner WW, Schnatter AR, et al (2003). An analysis of the risk of B-lymphocyte malignancies in industrial cohorts. <i>J Toxicol Environ Health A</i> , 66(7): 581-97.
52204	Bullrich F, Fujii H, Calin G, et al (2001). Characterization of the 13q14 tumor suppressor locus in CLL: identification of ALT1, an alternative splice variant of the LEU2 gene. <i>Cancer Res</i> , 61(18): 6640-8. [Abstract]
29619	Burmeister LF, Van Lier SF, Isacson P (1982). Leukemia and farm practices in Iowa. <i>Am J Epidemiol</i> , 115(5): 720-8.
26079	Burnett C, Robinson C, Walker J (1999). Cancer mortality in health and science technicians. <i>Am J Ind Med</i> , 36(1): 155-8.
70417	Burns C, Bodner K, Swaen G, et al (2011). Cancer incidence of 2,4-D production workers. <i>Int J Environ Res Public Health</i> , 8(9): 3579-90.
26080	Burns CJ, Beard KK, Cartmill JB (2001). Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: an update. <i>Occup Environ Med</i> , 58(1): 24-30.
56502	Burns CJ, Collins JJ, Humphry N, et al (2010). Correlates of serum dioxin to self-reported exposure factors. <i>Environ Res</i> , 110(2): 131-6.
83108	Caini S, Masala G, Gnagnarella P, et al (2016). Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: a review of the literature and meta-analysis. <i>Crit Rev Oncol Hematol</i> , 100: 16-24.
22112	California Public Utilities Commission (2001). An evaluation of the possible risks from electric and magnetic fields (EMFs) from power line, internal wiring, electrical occupations and appliances: executive summary. Evaluation Based on the California Risk Evaluation Guidelines, Draft 3: 1-19, 72-109.
30282	Caligaris-Cappio F (2000). Biology of chronic lymphocytic leukemia. <i>Rev Clin Exp Hematol</i> , 4(1): 5-21.
3051	Cantor KP, Blair A, Everett G, et al (1992). Pesticides and other agricultural risk factors for Non-Hodgkin's lymphoma among men in Iowa and Minnesota. <i>Cancer Res</i> , 52(9): 2447-55.
28078	Cantor KP, Silberman W (1999). Mortality among aerial pesticide applicators and flight instructors: follow-up from 1965-1988. <i>Am J Ind Med</i> , 36(2): 239-47.
52739	Carbone A, Cesarman E, Spina M, et al (2009). HIV-associated lymphomas and gamma-herpesviruses. <i>Blood</i> , 113(6): 1213-24.
5770	Cardis E, Gilbert ES, Carpenter L, et al (1995). Effects of low doses and low dose rates of external ionizing radiation: Cancer mortality among nuclear industry workers in three countries. <i>Radiat Res</i> , 142(2): 117-32.
28622	Carlo GL, Jenrow RS (2000). Scientific progress - wireless phones and brain cancer: current state of the science. 2 (2): E40. Retrieved 26 August 2003, from http://www.medscape.com/viewarticle/408066_print
45909	Carpenter DO (2006). Polychlorinated biphenyls (PCBs): routes of exposure and effects on human health. <i>Rev Environ Health</i> , 21(1): 1-23.
16570	Carpenter L, Higgins C, Douglas A, et al (1994). Combined analysis of mortality in three United Kingdom nuclear industry workforces, 1946-1988. <i>Radiat Res</i> , 138(2): 224-38.

16797	Carpenter LM, Higgins CD, Douglas AJ, et al (1998). Cancer mortality in relation to monitoring for radionuclide exposure in three UK nuclear industry workforces. <i>Br J Cancer</i> , 78(9): 1224-32.
28420	Cartwright RA, Gurney KA, Moorman AV (2000). Sex ratios and the risks of haematological malignancies. <i>Br J Haematol</i> , 118(4): 1071-7.
98724	Casjens S, Bruning T, Taeger D (2020). Cancer risks of firefighters: a systematic review and meta-analysis of secular trends and region-specific differences. <i>Int Arch Occup Environ Health</i> , 93(7): 839-52.
83155	Castillo JJ, Dalia S (2012). Cigarette smoking is associated with a small increase in the incidence of non-Hodgkin lymphoma: a meta-analysis of 24 observational studies. <i>Leuk Lymphoma</i> , 53(10): 1911-9.
83154	Castillo JJ, Mull N, Reagan JL, et al (2012). Increased incidence of non-Hodgkin lymphoma, leukemia, and myeloma in patients with diabetes mellitus type 2: a meta-analysis of observational studies. <i>Blood</i> , 119(21): 4845-50.
72599	Castillo JJ, Reagan JL, Ingham RR, et al (2012). Obesity but not overweight increases the incidence and mortality of leukemia in adults: a meta-analysis of prospective cohort studies. <i>Leuk Res</i> , 36(7): 868-75.
106320	Catalani S, Donato F, Tomasi C, et al (2019). Occupational and environmental exposure to polychlorinated biphenyls and risk of non-Hodgkin lymphoma: a systematic review and meta-analysis of epidemiology studies. <i>Eur J Cancer Prev</i> , 28(5): 441-50.
1597	Catania JA, Coates TJ, Kegeles S, et al (1992). [Erratum] Condom use in multi-ethnic neighborhoods of San Francisco: the population-based AMEN (AIDS in Multi-Ethnic Neighborhoods) Study. <i>Am J Public Health</i> , 82(6): 998. ID: 0.
21281	Catovsky D (1997). The search for genetic clues in chronic lymphocytic leukemia. <i>Hematol Cell Ther</i> , 39(Suppl 1): S5-11.
108070	Centers for Disease Control and Prevention (2017). Polycyclic Aromatic Hydrocarbons (PAHs). Retrieved 2 August 2022, from https://www.cdc.gov/biomonitoring/PAHs_FactSheet.html#:~:text=Polycyclic%20aromatic%20hydrocarbons%20%28PAHs%29%20are%20a%20class%20of,to%20or%20form%20small%20particles%20in%20the%20air
26333	Cerhan JR, Cantor KP, Williamson K, et al (1998). Cancer mortality among Iowa farmers: recent results, time trends, and lifestyle factors (United States). <i>Cancer Causes Control</i> , 9(3): 311-9.
26067	Cerhan JR, Janney CA, Vachon CM, et al (2002). Anthropometric characteristics, physical activity, and risk of non-Hodgkin's lymphoma subtypes and B-Cell chronic lymphocytic leukemia: a prospective study. <i>Am J Epidemiol</i> , 156(6): 527-35.
28503	Cerhan JR, Vachon CM, Habermann TM, et al (2002). Hormone replacement therapy and risk of non-hodgkin lymphoma and chronic lymphocytic leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> , 11(11): 466-71.
26250	Cerhan JR, Wallace RB, Dick F, et al (2001). Blood transfusions and risk of non-Hodgkin's lymphoma subtypes and chronic lymphocytic leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(4): 361-8.
45951	Cerny J, Slavickova A, Krepeleva A, et al (2003). [Comment] Familial chronic lymphocytic leukemia. <i>Haematologica</i> , 88(10): 1190-1.
63210	Chang ET, Canchola AJ, Cockburn M, et al (2011). Adulthood residential ultraviolet radiation, sun sensitivity, dietary vitamin D, and risk of lymphoid malignancies in the California Teachers Study. <i>Blood</i> , 118(6): 1591-9.
30641	Chang YM, Tai CF, Yang SC, et al (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. <i>Ann Epidemiol</i> , 13(9): 652-60.

29479	Charpentier P, Ostfeld AM, Hadjimichael OC, et al (1993). The mortality of US nuclear submariners, 1969-1982. <i>J Occup Med</i> , 35(5): 501-9.
68352	Chen J, McMillan NA (2008). Molecular basis of pathogenesis, prognosis and therapy in chronic lymphocytic leukaemia. <i>Cancer Biol Ther</i> , 7(2): 174-9.
21290	Chen R, Iscovich J, Goldbourt U (1997). Clustering of leukaemia cases in a city in Israel. <i>Stat Med</i> , 16(16): 1873-87.
10317	Chen R, Seaton A (1996). A meta-analysis of mortality among workers exposed to organic solvents. <i>Occup Med</i> , 46(5): 337-44.
26901	Chen R, Seaton A (1998). A meta-analysis of painting exposure and cancer mortality. <i>Cancer Detect Prev</i> , 22(6): 533-9.
30574	Cherry N (2000). Health effects of electromagnetic radiation. Evidence of the Australian Senate Committee.
20982	Cheson BD, Bennett JM, Grever M, et al (1996). National Cancer Institute-sponsored Working Group guidelines for chronic lymphocytic leukemia: revised guidelines for diagnosis and treatment. <i>Blood</i> , 87(12): 4990-7.
20963	Cheson BD, Bennett JM, Rai KR, et al (1988). Guidelines for clinical protocols for chronic lymphocytic leukemia: recommendations of the National Cancer Institute-sponsored working group. <i>Am J Hematol</i> , 29(3): 152-63.
105639	Chihara D, Larson MC, Robinson DP, et al (2021). Body mass index and survival of patients with lymphoma. <i>Leuk Lymphoma</i> , 62(11): 2671-8.
28482	Chindamo MC, Spector N, Segadas JA, et al (2002). Prevalence of hepatitis C infection in patients with non-Hodgkin's lymphomas. <i>Oncol Rep</i> , 9(3): 657-9.
70258	Chintapatla R, Battini R, Wiernik PH (2012). Chronic lymphocytic leukemia with essential thrombocythemia: asbestos exposure association? <i>Clin Adv Hematol Oncol</i> , 10(11): 752-7.
30479	Chiorazzi N, Ferrarini M (2003). B cell chronic lymphocytic leukemia: lessons learned from studies of the B cell antigen receptor. <i>Annu Rev Immunol</i> , 21: 841-94.
45663	Chiu BC, Dave BJ, Blair A, et al (2006). Agricultural pesticide use and risk of t(14;18)-defined subtypes of non-Hodgkin lymphoma. <i>Blood</i> , 108(4): 1363-9.
52532	Chiu WA, Caldwell JC, Keshava N, et al (2006). Key scientific issues in the health risk assessment of trichloroethylene. <i>Environ Health Perspect</i> , 114(9): 1445-9.
107616	Chiu YH, Bertrand KA, Zhang S, et al (2018). A prospective analysis of circulating saturated and monounsaturated fatty acids and risk of non-Hodgkin lymphoma. <i>Int J Cancer</i> , 143(8): 1914-22.
26073	Chow EJ, Holly EA (2002). Blood transfusions as a risk factor for non-Hodgkin's lymphoma in the San Francisco Bay Area: a population-based study. <i>Am J Epidemiol</i> , 155(8): 725-31.
105636	Chow S, Buckstein R, Spaner DE (2016). A link between hypercholesterolemia and chronic lymphocytic leukemia. <i>Leuk Lymphoma</i> , 57(4): 797-802.
8696	Christie D, Robinson K, Gordon I, et al (1991). A prospective study in the Australian petroleum industry. I. Mortality. <i>Br J Ind Med</i> , 48(8): 507-10.
3241	Christie D, Robinson K, Gordon I, et al (1991). A prospective study in the Australian petroleum industry. II. Incidence of cancer. <i>Br J Ind Med</i> , 48(8): 511-4.
26274	Cibere J, Sibley J, Haga M (2001). Systemic lupus erythematosus and the risk of malignancy. <i>Lupus</i> , 10(6): 394-400.

30172	Clark CR, Roth RN (1991). [Comments] Responses to Mehlman MA: Dangerous properties of petroleum refining products: carcinogenicity of motor fuels (gasoline). <i>Teratogenesis Carcinog. Mutagen.</i> 10:399-408, 1990. <i>Teratog Carcinog Mutagen,</i> 11(4): 213-26. Comments on ID: 30171.
88803	Clarke C, Morton L, Lynch C, et al (2013). Risk of lymphoma subtypes after solid organ transplantation in the United States. <i>Br J Cancer,</i> 109(1): 280-8.
68353	Clarke CA, Glaser SL, Gomez SL, et al (2011). Lymphoid malignancies in U.S. Asians: incidence rate differences by birthplace and acculturation. <i>Cancer Epidemiol Biomarkers Prev,</i> 20(6): 1064-77.
28485	Clavel J, Conso F, Limasset JC, et al (1996). Hairy cell leukaemia and occupational exposure to benzene. <i>Occup Environ Med,</i> 53(8): 533-9.
28607	Clavel J, Hemon D, Mandereau L, et al (1996). Farming, pesticide use and hairy-cell leukemia. <i>Scand J Work Environ Health,</i> 22(4): 285-93.
28436	Clavel J, Mandereau L, Conso F, et al (1998). Occupational exposure to solvents and hairy cell leukaemia. <i>Occup Environ Med,</i> 55(1): 59-64.
41160	Coble J, Hoppin JA, Engel L, et al (2002). Prevalence of exposure to solvents, metals, grain dust, and other hazards among farmers in the Agricultural Health Study. <i>J Expo Anal Environ Epidemiol,</i> 12(6): 418-26. [Abstract]
15939	Cocco P, Blair A, Congia P, et al (1997). Proportional mortality of dichloro-diphenyl-trichloroethane (DDT) workers: a preliminary report. <i>Arch Environ Health,</i> 52(4): 299-303.
50755	Cocco P, Brennan P, Ibbia A, et al (2008). Plasma polychlorobiphenyl and organochlorine pesticide level and risk of major lymphoma subtypes. <i>Occup Environ Med,</i> 65(2): 132-40.
26882	Cocco P, Kazerouni N, Zahm SH (2000). Cancer mortality and environmental exposure to DDE in the United States. <i>Environ Health Perspect,</i> 108(1): 1-4.
51925	Cocco P, Piras G, Monne M, et al (2008). Risk of malignant lymphoma following viral hepatitis infection. <i>Int J Hematol,</i> 87(5): 474-83.
70259	Cocco P, Satta G, Dubois S, et al (2013). Lymphoma risk and occupational exposure to pesticides: results of the Epilymph study. <i>Occup Environ Med,</i> 70(2): 91-8.
62555	Cocco P, t'Mannetje A, Fadda D, et al (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. <i>Occup Environ Med,</i> 67(5): 341-7.
85853	Cocco P, Vermeulen R, Flore V, et al (2013). Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled InterLymph analysis. <i>Occup Environ Med,</i> 70(11): 795-802.
38773	Coggon D, Harris EC, Poole J, et al (2004). Mortality of workers exposed to ethylene oxide: extended follow up of a British cohort. <i>Occup Environ Med,</i> 61(4): 358-62.
89536	Coggon D, Ntani G, Harris EC, et al (2015). Soft tissue sarcoma, non-Hodgkin's lymphoma and chronic lymphocytic leukaemia in workers exposed to phenoxy herbicides: extended follow-up of a UK cohort. <i>Occup Environ Med,</i> 72(6): 435-41.
62169	Cogliano VJ, Baan R, Straif K (2011). Updating IARC's carcinogenicity assessment of benzene. <i>Am J Ind Med,</i> 54(2): 165-7.
68354	Cole J, Pantanowitz L, Aboulafia D (2009). Human immunodeficiency virus and chronic lymphocytic leukemia. <i>Leuk Lymphoma,</i> 50(11): 1885-8.
29796	Cole P, Trichopoulos D, Pastides H, et al (2003). Dioxin and cancer: a critical review. <i>Regul Toxicol Pharmacol,</i> 38(3): 378-88.

21149	Coleman M, Beral V (1988). A review of epidemiological studies of the health effects of living near or working with electricity generation and transmission equipment. <i>Int J Epidemiol</i> , 17(1): 1-13.
21129	Coleman MP, Bell CM, Taylor HL, et al (1989). Leukaemia and residence near electricity transmission equipment: a case-control study. <i>Br J Cancer</i> , 60(5): 793-8.
24994	Collins JJ, Acquavella JF (1998). Review and meta-analysis of studies of acrylonitrile workers. <i>Scand J Work Environ Health</i> , 24(Suppl 2): 71-80.
76869	Collins JJ, Anteau SE, Swaen GM, et al (2015). Lymphatic and hematopoietic cancers among benzene-exposed workers. <i>J Occup Environ Med</i> , 57(2): 159-63.
57309	Collins JJ, Bodner K, Aylward LL, et al (2009). Mortality rates among trichlorophenol workers with exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Am J Epidemiol</i> , 170(4): 501-6.
56053	Collins JJ, Bodner KM, Wilken M, et al (2007). Serum concentrations of chlorinated dibenzo-p-dioxins and dibenzofurans among former Michigan trichlorophenol and pentachlorophenol workers. <i>J Expo Sci Environ Epidemiol</i> , 17(6): 541-8.
56057	Collins JJ, Bodner K, Aylward LL, et al (2009). Mortality rates among workers exposed to dioxins in the manufacture of pentachlorophenol. <i>J Occup Environ Med</i> , 51(10): 1212-9.
100238	Collins JJ, Delzell E (2018). A systematic review of epidemiologic studies of styrene and cancer. <i>Crit Rev Toxicol</i> , 48(6): 443-70.
50746	Colt JS, Hartge P, Davis S, et al (2007). Hobbies with solvent exposure and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18(4): 385-90.
53318	Committee on Contaminated Drinking Water at Camp Lejeune; National Research Council (2009). Contaminated water supplies at Camp Lejeune: assessing potential health effects. National Academy of Sciences. National Academy Press, Washington, D.C.
58017	Committee to Review EPA's Toxicological Assessment of Tetrachloroethylene; National Research Council (2010). Review of the Environmental Protection Agency's draft IRIS assessment of tetrachloroethylene, 3-11, 45-9, 105-23. The National Academic Press, Washington DC.
47578	Committee to review the health effects in Vietnam veterans of exposure to herbicides (sixth biennial update) (2007). <i>Veterans and Agent Orange: update 2006</i> , Chapter 9: 645-6. The National Academies Press, Washington DC.
65048	Committee to review the health effects in Vietnam veterans of exposure to herbicides (eighth biennial update) (2011). <i>Veterans and Agent Orange Update 2010</i> , The National Academic Press, Washington DC.
76765	Commonwealth of Australia (2015). Petrol fuel quality standard. Retrieved 17 November 2015, from https://www.environment.gov.au/topics/environment-protection/fuel-quality/standards/petrol
55675	Consonni D, Pesatori AC, Zocchetti C, et al (2008). Mortality in a population exposed to dioxin after the Seveso, Italy accident in 1976: 25 years of follow-up. <i>Am J Epidemiol</i> , 167(7): 847-58.
30034	Consonni D, Pesatori AC, Tironi A, et al (1999). Mortality study in an Italian oil refinery: extension of the follow-up. <i>Am J Ind Med</i> , 35(3): 287-94.
91824	Consonni D, Straif K, Symons J, et al (2013). Cancer risk among tetrafluoroethylene synthesis and polymerization workers. <i>Am J Epidemiol</i> , 178(3): 350-8.

70418	Cooke R, Laing S, Swerdlow AJ (2010). A case-control study of risk of leukaemia in relation to mobile phone use. <i>Br J Cancer</i> , 103(11): 1729-35.
24998	Cooksley CD, Hwang LY, Waller DK, et al (1999). HIV-related malignancies: community-based study using linkage of cancer registry and HIV registry data. <i>Int J STD AIDS</i> , 10(12): 795-802.
21127	Cooper D, Hemmings K, Saunders P (2001). [Comment] Re "Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter; II. All high power transmitters". <i>Am J Epidemiol</i> , 153(2): 202-4.
52243	Cooper GS, Jones S (2008). Pentachlorophenol and cancer risk: focusing the lens on specific chlorophenols and contaminants. <i>Environ Health Perspect</i> , 116(8): 1001-8.
14286	Corrao G, Calleri M, Carle F, et al (1989). Cancer risk in cohort of licensed pesticide users. <i>Scand J Work Environ Health</i> , 15(3): 203-9.
26276	Correa A, Mohan A, Jackson L, et al (2000). [Comment] Use of hair dyes, hematopoietic neoplasms, and lymphomas: a literature review. I. Leukemias and myelodysplastic syndromes. <i>Cancer Invest</i> , 18(4): 366-80. Comment on ID: 26139.
54760	Costantini AS, Benvenuti A, Vineis P, et al (2008). Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: evidence from the Italian multicenter case-control study. <i>Am J Ind Med</i> , 51(11): 803-11.
26167	Costantini AS, Miligi L, Kriebel D, et al (2001). A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. <i>Epidemiology</i> , 12(1): 78-87.
20972	Cote TR, Dosemeci M, Rothman N, et al (1993). [Comment] Non-Hodgkin's lymphoma and occupational exposure to hair dyes among people with AIDS. <i>American J Public Health</i> , 83(4): 598-9.
47662	Cotter FE, Auer RL (2007). Genetic alteration associated with chronic lymphocytic leukemia. <i>Cytogenet Genome Res</i> , 118(2-4): 310-9. [Abstract]
6813	Cragle DL, McLain RW, Qualters J, et al (1988). Mortality among workers at a nuclear fuels production facility. <i>Am J Ind Med</i> , 14(4): 379-401.
12255	Crane PJ, Barnard DI, Horsley KD, et al (1997). Mortality of national service Vietnam veterans. A report of the 1996 retrospective cohort study of Australian Vietnam veterans, Commonwealth Department of Veterans' Affairs.
12256	Crane PJ, Barnard DI, Horsley KD, et al (1997). Mortality of Vietnam Veterans: The Veteran Cohort Study. A Report of the 1996 Retrospective Cohort Study of Australian Vietnam Veterans, Department of Veterans' Affairs, Canberra.
7380	Crump KS (1993). Risk of benzene- induced leukemia: A sensitivity analysis of the pliofilm cohort with additional follow- up and new exposure estimates. <i>J Toxicol Environ Health</i> , 42(2): 219-42.
29091	Curtis RE, Boice JD Jr, Stovall M, et al (1994). Relationship of leukemia risk to radiation dose following cancer of the uterine corpus. <i>J Natl Cancer Inst</i> , 86(17): 1315-24.
29206	Curtis RE, Boice JD Jr, Stovall M, et al (1992). Risk of leukemia after chemotherapy and radiation treatment for breast cancer. <i>N Engl J Med</i> , 326(26): 1745-51.
63757	Cypel Y, Kang AH (2010). Mortality patterns of army chemical corps veterans who were occupationally exposed to herbicides in Vietnam. <i>Ann Epidemiol</i> , 20(5): 339-46.
14295	Dahar WS, Bond GG, McLaren EA, et al (1988). Update to vinyl chloride mortality study. <i>J Occup Med</i> , 30(8): 648-9.

26855	Dainiak N (2002). Hematologic consequences of exposure to ionizing radiation. <i>Exp Hematol</i> , 30(6): 513-28.
52240	Dal Maso L, Franceschi S (2006). Hepatitis C virus and risk of lymphoma and other lymphoid neoplasms: a meta-analysis of epidemiologic studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(11): 2078-85.
15214	Dalager NA, Kang HK (1997). Mortality among army chemical corps Vietnam Veterans. <i>Am J Ind Med</i> , 31(6): 719-26.
7436	Damber L, Larsson LG, Johansson L, et al (1995). A cohort study with regard to the risk of haematological malignancies in patients treated with x-rays for benign lesions in the locomotor system. I. Epidemiological analyses. <i>Acta Oncol</i> , 34(6): 713-9.
68355	Damle RN, Calissano C, Chiorazzi N (2010). Chronic lymphocytic leukaemia: a disease of activated monoclonal B cells. <i>Best Pract Res Clin Haematol</i> , 23(1): 33-45.
29496	d'Amore G, Anglesio L, Tasso M, et al (2001). Outdoor background ELF magnetic fields in an urban environment. <i>Radiat Prot Dosimetry</i> , 94(4): 375-80.
68356	Daniel CR, Sinha R, Park Y, et al (2012). Meat intake is not associated with risk of non-Hodgkin lymphoma in a large prospective cohort of U.S. men and women. <i>J Nutr</i> , 142(6): 1074-80.
106805	Daniels RD, Bertke S, Waters KM, et al (2013). Risk of leukaemia mortality from exposure to ionising radiation in US nuclear workers: a pooled case-control study. <i>Occup Environ Med</i> , 70(1): 41-8.
69048	Daniels RD, Schubauer-Berigan MK (2011). A meta-analysis of leukaemia risk from protracted exposure to low-dose gamma radiation. <i>Occup Environ Med</i> , 68(6): 457-64.
28037	Danielsen TE, Langard S, Andersen A (2000). Incidence of cancer among welders and other shipyard workers with information on previous work history. <i>J Occup Environ Med</i> , 42(1): 101-9.
29621	Darby SC, Muirhead CR, Doll R, et al (1990). Mortality among United Kingdom servicemen who served abroad in the 1950s and 1960s. <i>Br J Ind Med</i> , 47(12): 793-804.
30565	D'Arena G, Di Renzo N, Brugiatelli M, et al (2003). Biological and clinical heterogeneity of B-cell chronic lymphocytic leukemia. <i>Leuk Lymphoma</i> , 44(2): 223-8.
29443	Dasdag S, Sert C, Akdag Z, et al (2002). Effects of extremely low frequency electromagnetic fields on hematologic and immunologic parameters in welders. <i>Arch Med Res</i> , 33(1): 29-32.
106567	Davies GA, Strader C, Chibbar R, et al (2020). The relationship between physical activity and lymphoma: a systematic review and meta analysis. <i>BMC Cancer</i> , 20(1): 962.
30180	Davis JM (1999). Inhalation health risks of manganese: an EPA perspective. <i>Neurotoxicology</i> , 20(2-3): 511-8.
28369	de Faria JR, de Oliveira JS, Delbone de Faria RM, et al (2000). Prognosis related to staging systems for chronic lymphocytic leukemia. <i>Sao Paulo Med J</i> , 118(4): 83-8.
23289	de Jong G, Swaen GM, Slanger JJ (1997). Mortality of workers exposed to dieldrin and aldrin: a retrospective cohort study. <i>Occup Environ Med</i> , 54(10): 702-7.
29097	De Renzo A, Persico E, de Marino F, et al (2002). High prevalence of hepatitis G virus infection in Hodgkin's disease and B-cell lymphoproliferative disorders: absence of correlation with hepatitis C virus infection. <i>Haematologica</i> , 87(7): 714-8; discussion 718.
47609	De Roos AJ, Hartge P, Lubin JH, et al (2005). Persistent organochlorine chemicals in plasma and risk of non-Hodgkin's lymphoma. <i>Cancer Res</i> , 65(23): 11214-26.

50727	de Sanjose S, Benavente Y, Vajdic CM, et al (2008). Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. <i>Clin Gastroenterol Hepatol</i> , 6(4): 451-8.
68357	Deaglio S, Malavasi F (2009). Chronic lymphocytic leukemia microenvironment: shifting the balance from apoptosis to proliferation. <i>Haematologica</i> , 94(6): 752-6.
76917	Defence Work Health and Safety (2014). Exposure to military aviation turbine fuels in Defence. Defence WHS Technical Fact Sheet, No 28.
70419	Degrave E, Meeusen B, Grivegnée AR, et al (2009). Causes of death among Belgian professional military radar operators: a 37-year retrospective cohort study. <i>Int J Cancer</i> , 124(4): 945-51.
28414	Delzell E, Macaluso M, Sathiakumar N, et al (2001). Leukemia and exposure to 1,3-butadiene, styrene and dimethyldithiocarbamate among workers in the synthetic rubber industry. <i>Chem Biol Interact</i> , 1(135-136): 515-34.
20980	Demeter J, Paloczi K, Varga P, et al (1990). Development of chronic lymphocytic leukaemia after posttraumatic splenectomy. <i>Blut</i> , 60(6): 331-3.
74420	Department of Veterans Affairs (2010). Diseases associated with exposure to certain herbicide agents (hairy cell leukemia and other chronic B-cell leukemias, Parkinson's disease and ischemic heart disease). <i>Federal Register</i> , 75(168): 53202-16.
74422	Department of Veterans Affairs (2003). Disease associated with exposure to certain herbicide agents: chronic lymphocytic leukemia. <i>Federal Register</i> , 68(200): 59540-2.
106568	Desai P, Wallace R, Anderson ML, et al (2018). An analysis of the effect of statins on the risk of non-Hodgkin's lymphoma in the Women's Health Initiative cohort. <i>Cancer Med</i> , 7(5): 2121-30.
70420	D'Este C, Attia JR, Brown AM, et al (2008). Cancer incidence and mortality in aircraft maintenance workers. <i>Am J Ind Med</i> , 51(1): 16-23.
35414	Di Virgilio F, Wiley JS (2002). [Comment] The P2X7 receptor of CLL lymphocytes-a molecule with a split personality. <i>Lancet</i> , 360(9349): 1898-9.
13223	Dich J, Zahm SH, Hanberg A, et al (1997). Pesticides and cancer. <i>Cancer Causes Control</i> , 8(3): 420-43.
21178	Dighiero G, Binet JL (1996). Chronic lymphocytic leukemia. <i>Hematol Cell Ther</i> , 38(Suppl 2): S41-61.
68358	Dighiero G, Hamblin TJ (2008). Chronic lymphocytic leukemia. <i>Lancet</i> , 371(9617): 1017-29.
1594	Dighiero G, Travade P, Chevret S, et al (1991). B-cell chronic lymphocytic leukemia: present status and future directions. French Cooperative Group on CLL. <i>Blood</i> , 78(8): 1901-14.
68359	Diver WR, Patel AV, Thun MJ, et al (2012). The association between cigarette smoking and non-Hodgkin lymphoid neoplasms in a large US cohort study. <i>Cancer Causes Control</i> , 23(8): 1231-40.
26176	Divine BJ, Hartman CM (2001). A cohort mortality study among workers at a 1,3 butadiene facility. <i>Chem Biol Interact</i> , 1(135-6): 535-53.
24897	Divine BJ, Hartman CM, Wendt JK (1999). Update of the Texaco mortality study 1947-93: Part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals. <i>Occup Environ Med</i> , 56(3): 174-80.
24932	Divine BJ, Hartman CM, Wendt JK (1999). Update of the Texaco mortality study 1947-93: Part I. Analysis of overall patterns of mortality among refining, research, and petrochemical workers. <i>Occup Environ Med</i> , 56(3): 167-73.

29752	Djordjevic Z, Kolak A, Stojkovic M, et al (1979). A study of the health status of radar workers. <i>Aviat Space Environ Med</i> , 50(4): 396-8.
28372	Dohner H, Stilgenbauer S, Benner A, et al (2000). Genomic aberrations and survival in chronic lymphocytic leukemia. <i>N Engl J Med</i> , 343(26): 1910-6.
9621	Dolk H, Elliot P, Shaddick G, et al (1997). Cancer incidence near radio and television transmitters in Great Britain. II. All high power transmitters. <i>Am J Epidemiol</i> , 145(1): 10-7.
9620	Dolk H, Shaddick G, Walls P, et al (1997). Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield Transmitter. <i>Am J Epidemiol</i> , 145(1): 1-9.
22494	Domingo JM, Romero S, Moreno JA, et al (1999). [Comment] Hepatitis C virus infection and mixed cryoglobulinemia in patients with lymphoproliferative diseases. <i>Haematologica</i> , 84(1): 94-6.
91035	Douglas D (2018). Firefighter chemical review - ARP 1701 - A report prepared for the Commonwealth of Australia, Douglas Consulting Australia.
92842	Douglas D, Douglas K (2019). Firefighter chemical review - extension to review additional chemical substances - ARP1701. A report prepared for the Commonwealth of Australia.
25386	Dreyer NA, Loughlin JE, Rothman KJ (1999). [Comment] Cause-specific mortality in cellular telephone users. <i>JAMA</i> , 282(19): 1814-6.
28357	Duarte-Davidson R, Courage C, Rushton L, et al (2001). Benzene in the environment: an assessment of the potential risks to the health of the population. <i>Occup Environ Med</i> , 58(1): 2-13.
52945	Duberg AS, Nordstrom M, Torner A, et al (2005). Non-Hodgkin's lymphoma and other nonhepatic malignancies in Swedish patients with hepatitis C virus infection. <i>Hepatology</i> , 41(3): 652-9.
106569	Durani U, Go RS, Kay NE (2018). Immune-mediated hemolytic anemia and thrombocytopenia in clonal B-cell disorders: a review. <i>Clin Adv Hematol Oncol</i> , 16(10): 670-6.
76779	Edokpolo B, Yu QJ, Connell D (2015). Health risk assessment for exposure to benzene in petroleum refinery environments. <i>Int J Environ Res Public Health</i> , 12(1): 595-610.
50719	Egan KM, Sosman JA, Blot WJ (2005). [Comment] Sunlight and reduced risk of cancer: is the real story vitamin D? <i>J Natl Cancer Inst</i> , 97(3): 161-3.
25028	Eheman CR, Tolbert PE, Coates RJ, et al (2000). Case-control assessment of the association between non-Hodgkin's lymphoma and occupational radiation with doses assessed using a job exposure matrix. <i>Am J Ind Med</i> , 38(1): 19-27.
106570	Eichhorst B, Robak T, Montserrat E, et al (2021). Chronic lymphocytic leukaemia: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Ann Oncol</i> , 32(1): 23-33.
50751	Ekstrom-Smedby KE (2006). Epidemiology and etiology of non-Hodgkin lymphoma - a review. <i>Acta Oncol</i> , 45(3): 258-71.
53872	El Ghissassi F, Baan R, Straif K, et al (2009). A review of human carcinogens - Part D: radiation. <i>Lancet Oncol</i> , 10(8): 751-2.
105722	Elbaek MV, Sorensen AL, Hasselbalch HC (2016). Chronic inflammation and autoimmunity as risk factors for the development of chronic myelomonocytic leukemia? <i>Leuk Lymphoma</i> , 57(8): 1793-9.
21282	el-Sadek WY, Hassan MH (1999). Chronic lymphocytic leukaemia in Egyptian farm workers exposed to pesticides. <i>East Mediterr Health J</i> , 5(5): 960-6.
26367	Elwood JM (1999). [Comment] Radiofrequency exposure and human cancers: Elwood's response. <i>Environ Health Perspect</i> , 107(12): A597.

26009	Elwood JM (1999). A critical review of epidemiologic studies of radiofrequency exposure and human cancers. <i>Environ Health Perspect</i> , 107(Suppl 1): 155-68.
30503	Elwood JM (2003). Epidemiological studies of radio frequency exposures and human cancer. <i>Bioelectromagnetics</i> , (Suppl 6): S63-73.
34564	El-Zaemey S, Schinasi LH, Ferro G, et al (2019). Animal farming and the risk of lymphohaematopoietic cancers: a meta-analysis of three cohort studies within the AGRICOH consortium. <i>Occup Environ Health</i> , 76(11): 827-37.
52230	Engels EA (2007). Infectious agents as causes of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 401-4.
50739	Engels EA, Biggar RJ, Hall HI, et al (2008). Cancer risk in people infected with human immunodeficiency virus in the United States. <i>Int J Cancer</i> , 123(1): 187-94.
106571	Engels EA, Cho ER, Jee SH (2010). Hepatitis B virus infection and risk of non-Hodgkin lymphoma in South Korea: a cohort study. <i>Lancet Oncol</i> , 11(9): 827-34.
28421	Engels EA, Katki HA, Nielsen NM, et al (2003). Cancer incidence in Denmark following exposure to poliovirus vaccine contaminated with simian virus 40. <i>J Natl Cancer Inst</i> , 95(7): 532-9.
70421	Erdem O, Sayal A, Eken A, et al (2012). Evaluation of genotoxic and oxidative effects in workers exposed to jet propulsion fuel. <i>Int Arch Occup Environ Health</i> , 85(4): 353-61.
51901	Eriksson M, Hardell L, Carlberg M, et al (2008). Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroup analysis. <i>Int J Cancer</i> , 123(7): 1657-63.
42811	Erren TC (1996). [Comment] Re: "Association between exposure to pulsed electromagnetic fields and cancer in electric utility workers in Quebec, Canada, and France". <i>Am J Epidemiol</i> , 143(8): 841.
30623	Expert Committee to Review SAS Veterans' Health Concerns (2003). Final Report of the Expert Panel to Review SAS Veterans' Health Concerns. A report prepared for the Minister for Veterans' Affairs, Commonwealth of Australia.
88963	Expert Review Panel for Per- and Poly-Fluoroalkyl Substances (PFAS) (2018). PFAS Expert Health Panel - Report to the Minister. Department of Health, Australian Government.
85918	Fallah M, Liu X, Ji J, et al (2014). Autoimmune diseases associated with non-Hodgkin lymphoma: a nationwide cohort study. <i>Ann Oncol</i> , 25(10): 2025-30.
83122	Fallahzadeh H, Cheraghi M, Amoori N, et al (2014). Red meat intake and risk of non-Hodgkin lymphoma: a meta-analysis. <i>Asian Pac J of Cancer Prev</i> , 15(23): 10421-5.
91827	Fear N, Stevelink S, Dyball D (2016). Occupational health research studies review examining the occupational health of firefighters, Phase 1 - Completed for DVA (Australia). King's Centre for Military Research, King's College London.
106153	Fear N, Stevelink S, Dyball D (2017). Occupational health research studies review. Examining the occupational health of fire fighters, Phase 2. Completed for DVA (Australia). King's Centre for Military Research, King's College London, United Kingdom.
25401	Fear NT, Roman E, Carpenter LM, et al (1996). Cancer in electrical workers: an analysis of cancer registrations in England, 1981-87. <i>Br J Cancer</i> , 73(7): 935-9.
28370	Fegan C (2001). Molecular abnormalities in B-cell chronic lymphocytic leukaemia. <i>Clin Lab Haematol</i> , 23(3): 139-48.
28356	Fegan C (2002). [Comment] Chronic lymphocytic leukaemia: one cell, two diseases? <i>Lancet</i> , 360(9328): 184-6.

30421	Feltelius N, Ekbom A, Blomqvist P (2003). Cancer incidence among patients with ankylosing spondylitis in Sweden 1965-95: a population based cohort study. <i>Ann Rheum Dis</i> , 62(12): 1185-8.
50738	Fernberg P, Odenbro A, Bellocchio R, et al (2006). Tobacco use, body mass index and the risk of malignant lymphomas - a nationwide cohort study in Sweden. <i>Int J Cancer</i> , 118(9): 2298-302.
52749	Ferreri AJ, Ernberg I, Copie-Bergman C (2009). Infectious agents and lymphoma development: molecular and clinical aspects. <i>J Int Med</i> , 265(4): 421-38.
106572	Ferri GM, Specchia G, Mazza P, et al (2017). Risk of lymphoma subtypes by occupational exposure in Southern Italy. <i>J Occup Med Toxicol</i> , 12: 31.
21573	Feychting M (1996). Occupational exposure to electromagnetic fields and adult leukaemia: a review of the epidemiological evidence. <i>Radiat Environ Biophys</i> , 35(4): 237-42.
5192	Feychting M, Ahlbom A (1994). Magnetic fields, leukemia, and central nervous system tumors in Swedish adults residing near high-voltage power lines. <i>Epidemiology</i> , 5(5): 501-9.
20987	Feychting M, Forssen U, Floderus B (1997). Occupational and residential magnetic field exposure and leukemia and central nervous system tumors. <i>Epidemiology</i> , 8(4): 384-9.
106573	Finch SC, Dyagil I, Reiss RF, et al (2017). Clinical characteristics of chronic lymphocytic leukemia occurring in Chernobyl cleanup workers. <i>Hematol Oncol</i> , 35(2): 215-24.
3572	Fingerhut MA, Halperin WE, Marlow DA, et al (1991). Cancer mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>N Engl J Med</i> , 324(4): 212-8.
29437	Fink JM, Wagner JP, Congleton JJ, et al (1999). Microwave emissions from police radar. <i>Am Ind Hyg Assoc J</i> , 60(6): 770-6.
29431	Finkelstein MM (1998). Cancer incidence among Ontario police officers. <i>Am J Ind Med</i> , 34(2): 157-62.
22473	Finkelstein MM (2000). Leukemia after exposure to benzene: temporal trends and implications for standards. <i>Am J Ind Med</i> , 38(1): 1-7.
106803	Fisher JA, Freeman LE, Hofmann JN, et al (2020). Residential proximity to intensive animal agriculture and risk of lymphohematopoietic cancers in the Agricultural Health Study. <i>Epidemiology</i> , 31(4): 478-89.
26115	Fleming LE, Bean JA, Rudolph M, et al (1999). Mortality in a cohort of licensed pesticide applicators in Florida. <i>Occup Environ Med</i> , 56(1): 14-21.
26182	Fleming LE, Bean JA, Rudolph M, et al (1999). Cancer incidence in a cohort of licensed pesticide applicators in Florida. <i>J Occup Environ Med</i> , 41(4): 279-88.
1669	Floderus B, Persson T, Stenlund C, et al (1993). Occupational exposure to electromagnetic fields in relation to leukemia and brain tumours: a case-control study in Sweden. <i>Cancer Causes Control</i> , 4(5): 465-76.
22475	Floderus B, Stenlund C, Persson T (1999). Occupational magnetic field exposure and site-specific cancer incidence: a Swedish cohort study. <i>Cancer Causes Control</i> , 10(5): 323-32.
29433	Floderus B, Stenlund C, Carlgren F (2002). Occupational exposures to high frequency electromagnetic fields in the intermediate range (>300 Hz-10 MHz). <i>Bioelectromagnetics</i> , 23(8): 568-77.
5133	Floderus B, Tornqvist S, Stenlund C (1994). Incidence of selected cancers in Swedish railway workers, 1961-79. <i>Cancer Causes Control</i> , 5(2): 189-94.
29617	Flodin U, Fredriksson M, Persson B, et al (1988). Chronic lymphatic leukaemia and engine exhausts, fresh wood, and DDT: a case-referent study. <i>Br J Ind Med</i> , 45(1): 33-8.

30126	Forni A (1996). Benzene-induced chromosome aberrations: a follow-up study. <i>Environ Health Perspect</i> , 104(Suppl 6): 1309-12.
28375	Foss Abrahamsen A, Andersen A, Nome O, et al (2002). Long-term risk of second malignancy after treatment of Hodgkin's disease: the influence of treatment, age and follow-up time. <i>Ann Oncol</i> , 13(11): 1786-91.
15929	Franceschi S, Barbone F, Bidoli E, et al (1993). Cancer risk in farmers: results from a multi-site case-control study in north-eastern Italy. <i>Int J Cancer</i> , 53(5): 740-5.
26027	Franceschi S, La Vecchia C, Dal Maso L, et al (1998). [Comment] Spectrum of AIDS- associated malignant disorders. <i>Lancet</i> , 352(9131): 906-7.
100278	Franceschi S, Lise M, Trepo C, et al (2011). Infection with hepatitis B and C viruses and risk of lymphoid malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiol Biomarkers Prev</i> , 20(1): 208-14.
24993	Francsechi S, Maso LD, Crosignani P, et al (1998). Risk of cancer other than Kaposi's sarcoma and non-Hodgkin's lymphoma in persons with AIDS in Italy. <i>Br J Cancer</i> , 78(7): 966-70.
64674	Freedman A, Friedberg JW, Aster JC (2012). Classification of the hematopoietic neoplasms. Retrieved 1 August 2012, from http://www.uptodate.com/contents/classification-of-the-hematopoietic-neoplasms
26070	Freedman DS, Tolbert PE, Coates R, et al (1998). Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men. <i>Am J Epidemiol</i> , 148(9): 833-41.
29512	Friedberg W, Copeland K, Duke FE, et al (2002). Radiation exposure of aircrews. <i>Occup Med</i> , 17(2): 293-309.
20968	Friedman GD (1993). Cigarette smoking, leukemia, and multiple myeloma. <i>Ann Epidemiol</i> , 3(4): 425-8.
26849	Fritschi L, Johnson KC, Kliwer EV, et al (2002). Animal-related occupations and the risk of leukemia, myeloma, and non-Hodgkin's lymphoma in Canada. <i>Cancer Causes Control</i> , 13(6): 563-71.
30480	Fritschi L, Nadon L, Benke G, et al (2003). Validation of expert assessment of occupational exposures. <i>Am J Ind Med</i> , 43(5): 519-22.
62244	Frost G, Brown T, Harding AH (2011). Mortality and cancer incidence among British agricultural pesticide users. <i>Occup Med (Lond)</i> , 61(5): 303-10.
26124	Fryzek JP, Mellemkjaer L, McLaughlin JK, et al (1999). Cancer risk among patients with finger and hand joint and temporo-mandibular joint prostheses in Denmark. <i>Int J Cancer</i> , 81(5): 723-5.
28387	Fryzek JP, Ye W, Signorello LB, et al (2002). Incidence of cancer among patients with knee implants in Sweden, 1980-1994. <i>Cancer</i> , 94(11): 3057-62.
106565	Fwu CW, Chien YC, You SL, et al (2011). Hepatitis B virus infection and risk of intrahepatic cholangiocarcinoma and non-Hodgkin lymphoma: a cohort study of parous women in Taiwan. <i>Hepatology</i> , 53(4): 1217-25.
68360	Gaidano G, Foa R, Dalla-Favera R (2012). Molecular pathogenesis of chronic lymphocytic leukemia. <i>J Clin Invest</i> , 122(10): 3432-8.
21059	Gajewski AK, Rozycki Z, Slowikowska MG, et al (1988). Medical diagnostic X-Ray irradiation and risk of leukemia in urban adult population of Poland. 11 Bone marrow dose distributions. <i>Roczniki Panstwowego Zakladu Higieny</i> , 39(5): 337-43.
60693	Galbraith D, Gross SA, Paustenbach D (2010). Benzene and human health: a historical review and appraisal of associations with various diseases. <i>Crit Rev Toxicol</i> , 40(Suppl 2): 1-46.
21058	Gale RP (1988). Current issues in chronic lymphocytic leukemia. <i>Nouv Rev Fr Hematol</i> (1978), 30(5-6): 263-5.

28814	Gallagher B, Wang Z, Schymura MJ, et al (2001). Cancer incidence in New York State acquired immunodeficiency syndrome patients. <i>Am J Epidemiol</i> , 154(6): 544-6.
29435	Galloni P, Marino C (2000). Effects of 50 Hz magnetic field exposure on tumor experimental models. <i>Bioelectromagnetics</i> , 21(8): 608-14.
15211	Gambini GF, Mantovani C, Pira E, et al (1997). Cancer mortality among rice growers in Novara Province, Northern Italy. <i>Am J Ind Med</i> , 31(4): 435-41.
68361	Gao Y, Kristinsson SY, Goldin LR, et al (2009). Increased risk for non-Hodgkin lymphoma in individuals with celiac disease and a potential familial association. <i>Gastroenterology</i> , 136(1): 91-8.
28847	Garabrant DH, Philbert MA (2002). Review of 2,4-dichlorophenoxyacetic acid (2,4-D) epidemiology and toxicology. <i>Crit Rev Toxicol</i> , 32(4): 233-57.
30040	Garaj-Vrhovac V (1999). Micronucleus assay and lymphocyte mitotic activity in risk assessment of occupational exposure to microwave radiation. <i>Chemosphere</i> , 39(13): 2301-12.
29717	Garcia AM, Orts E, Esteban V, et al (2000). Experts' assessment of probability and level of pesticide exposure in agricultural workers. <i>J Occup Environ Med</i> , 42(9): 911-6.
28371	Garcia-Manero G (2001). [Comment] Chromosomal abnormalities in chronic lymphocytic leukemia. <i>N Engl J Med</i> , 344(16): 1254. Comment on ID: 28372.
68362	Garcia-Munoz R, Roldan Galiacho V, Llorente L (2012). Immunological aspects in chronic lymphocytic leukemia (CLL) development. <i>Ann Hematol</i> , 91(7): 981-96.
106575	Garcin LM, Gelot A, Gomez RR, et al (2021). Pigmentary traits, sun exposure, and risk of non-Hodgkin's lymphoma/chronic lymphocytic leukemia: A study within the French E3N prospective cohort. <i>Cancer Med</i> , 10(1): 297-304.
21504	Garfinkel L, Boffetta P (1990). Association between smoking and leukemia in two American Cancer Society prospective studies. <i>Cancer</i> , 65(10): 2356-60.
21150	Garland FC, Shaw E, Gorham ED, et al (1990). Incidence of leukemia in occupations with potential electromagnetic field exposure in United States Navy personnel. <i>Am J Epidemiol</i> , 132(2): 293-303.
43487	Garson OM, McRobert TL, Campbell LJ, et al (1991). A chromosomal study of workers with long-term exposure to radio-frequency radiation. <i>Med J Aust</i> , 155(5): 289-92.
30169	Gerber GB, Leonard A, Hantson P (2002). Carcinogenicity, mutagenicity and teratogenicity of manganese compounds. <i>Crit Rev Oncol Hematol</i> , 42(1): 25-34.
27276	Gharagozloo S, Khoshnoodi J, Shokri F (2001). Hepatitis C virus infection in patients with essential mixed cryoglobulinemia, multiple myeloma and chronic lymphocytic leukemia. <i>Pathol Oncol Res</i> , 7(2): 135-9.
45952	Ghiotto F, Fais F, Valetto A, et al (2004). Remarkably similar antigen receptors among a subset of patients with chronic lymphocytic leukemia. <i>J Clin Invest</i> , 113(7): 1008-16.
108045	Gibson TM, Morton LM, Shiels MS, et al (2014). Risk of non-Hodgkin lymphoma subtypes in HIV-infected people during the HAART era: a population-based study. <i>AIDS</i> , 28(15): 2313-8.
7183	Gilbert ES, Cragle DL, Wiggs LD (1993). Updated analyses of combined mortality data for workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Weapons Plant. <i>Radiat Res</i> , 136(3): 408-21.
52359	Giordano TP, Henderson L, Landgren O, et al (2007). Risk of non-Hodgkin lymphoma and lymphoproliferative precursor diseases in US veterans with hepatitis C virus. <i>JAMA</i> , 297(18): 2010-7.

101236	Girardi P, Merler E (2019). A mortality study on male subjects exposed to polyfluoroalkyl acids with high internal dose of perfluorooctanoic acid. <i>Environ Res</i> , 179(Pt A): 108743.
64982	Glass D, Sim M, Del Monaco A, et al (2009). Final report on Queensland fire fighters' cancer incidence study. Monash University, 1-24.
88805	Glass D, Sim M, Pircher S, et al (2015). Defence firefighters' health study. Monash Centre for Occupational and Environmental Health, Monash University.
26864	Glass DC, Adams GG, Manuell RW, et al (2000). Retrospective exposure assessment for benzene in the Australian petroleum industry. <i>Ann Occup Hyg</i> , 44(4): 301-20.
95436	Glass DC, Del Monaco A, Pircher S, et al (2019). Mortality and cancer incidence among female Australian firefighters. <i>Occup Environ Med</i> , 76(4): 215-21.
83363	Glass DC, Del Monaco A, Pircher S, et al (2017). Mortality and cancer incidence among male volunteer Australian firefighters. <i>Occup Environ Med</i> , 74(9): 628-38.
83366	Glass DC, Del Monaco A, Pircher S, et al (2016). Mortality and cancer incidence at a fire training college. <i>Occup Med (Lond)</i> , 66(7): 536-42.
27532	Glass DC, Gray CN, Adams GG, et al (2001). Validation of exposure estimation for benzene in the Australian petroleum industry. <i>Toxicol Ind Health</i> , 17(4): 113-27.
30508	Glass DC, Gray CN, Jolley DJ, et al (2003). Leukemia risk associated with low-level benzene exposure. <i>Epidemiology</i> , 14(5): 569-77.
89357	Glass DC, Pircher S, Del Monaco A, et al (2016). Mortality and cancer incidence in a cohort of male paid Australian firefighters. <i>Occup Environ Med</i> , 73(11): 761-71.
25879	Godward S, Sandhu M, Skinner J, et al (2001). [Comment] Cellular telephones and cancer --a nationwide cohort study in Denmark. <i>J Natl Cancer Inst</i> , 93(11): 878; author reply 878-9.
26030	Goedert JJ (2000). The epidemiology of acquired immunodeficiency syndrome malignancies. <i>Semin Oncol</i> , 27(4): 390-401.
26026	Goedert JJ, Cote TR, Virgo P, et al (1998). Spectrum of AIDS-associated malignant disorders. <i>Lancet</i> , 351(9119): 1833-9.
13083	Golden AL, Markowitz SB, Landigan PJ (1995). The risk of cancer in firefighters. <i>Occup Med</i> , 10(4): 803-20.
29438	Goldhagen P (2000). Overview of aircraft radiation exposure and recent ER-2 measurements. <i>Health Phys</i> , 79(5): 526-44.
68363	Goldin LR, Slager SL (2007). Familial CLL: genes and environment. <i>Hematology Am Soc Hematol Educ Program</i> , 2007: 339-45.
30173	Golding BT, Watson WP (1999). Possible mechanisms of carcinogenesis after exposure to benzene. <i>IARC Sci Publ</i> , 150: 75-88.
26401	Goldsmith JR (1995). Epidemiologic evidence of radiofrequency radiation (microwave) effects on health in military, broadcasting, and occupational studies. <i>Int J Occup Environ Health</i> , 1(1): 47-57.
14259	Goldsmith JR (1997). Epidemiologic evidence relevant to radar (microwave) effects. <i>Environ Health Perspect</i> , 105(Suppl 6): 1579-87.
60464	Goldstein BD (2010). Benzene as a cause of lymphoproliferative disorders. <i>Chem Biol Interact</i> , 184(1-2): 147-50.
26558	Goldstein LS, Kheifets L, van Deventer E, et al (2002). [Comments] Long-term exposure of Emicro-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. <i>Radiat Res</i> , 159(2): 275-8.
28001	Goodman M, Morgan RW, Ray R, et al (1999). Cancer in asbestos-exposed occupational cohorts: a meta-analysis. <i>Cancer Causes Control</i> , 10(5): 453-65.

45953	Gorgels WJ, van Poppel G, Jarvis MJ, et al (1992). Passive smoking and sister-chromatid exchanges in lymphocytes. <i>Mutat Res</i> , 279(4): 233-8. [Abstract]
30177	Grant GM, Shaffer KM, Kao WY, et al (2000). Investigation of in vitro toxicity of jet fuels JP-8 and Jet A. <i>Drug Chem Toxicol</i> , 23(1): 279-91.
64818	Graveling RA, Crawford JO (2010). Occupational health risks in firefighters: Strategic consulting report: P530. Institute of Occupation Medicine (IOM), The Industrial Injuries Advisory Council.
70260	Gray JW, Burns CJ, Mahlburg WM (2013). [Comment] Increased cancer burden among pesticide applicators and others due to pesticide exposure. <i>CA Cancer J Clin</i> , 63(5): 364-6. Comment on ID: 70256.
29472	Grayson JK, Lyons TJ (1996). Cancer incidence in United States Air Force aircrew, 1975-89. <i>Aviat Space Environ Med</i> , 67(2): 101-4.
16747	Green LM (1991). A cohort mortality study of forestry workers exposed to phenoxy acid herbicides. <i>Br J Ind Med</i> , 48(4): 234-8.
29478	Gribbin MA, Weeks JL, Howe GR (1993). Cancer mortality (1956-1985) among male employees of atomic energy of Canada limited with respect to occupational exposure to external low-linear-energy-transfer ionizing radiation. <i>Radiat Res</i> , 133(3): 375-80.
3250	Gridley G, McLaughlin JK, Ekbom A, et al (1993). Incidence of cancer among patients with rheumatoid arthritis. <i>J Natl Cancer Inst</i> , 85(4): 307-11.
8931	Grodstein F, Hennekens CH, Colditz GA, et al (1994). A prospective study of permanent hair dye use and hematopoietic cancer. <i>J Natl Cancer Inst</i> , 86(19): 1466-70.
28509	Grossblatt N, Kelly K (2003). Insecticides and Solvents. Gulf War and Health, Vol 2 Chapter 5: 147-152, 338-364. National Academy Press, Washington, D.C.
52517	Grosse Y, Baan R, Straif K, et al (2007). Carcinogenicity of 1,3-butadiene, ethylene oxide, vinyl chloride, vinyl fluoride, and vinyl bromide. <i>Lancet Oncol</i> , 8(8): 679-80.
30509	Groves FD, Lazarchick JS (2003). [Comment] Re: "anthropometric characteristics, physical activity, and risk of non-Hodgkin's lymphoma subtypes and B-cell chronic lymphocytic leukemia: a prospective study". <i>Am J Epidemiol</i> , 258(2): 190.
18977	Groves FD, Linet MS, Travis LB, et al (2000). Cancer surveillance series: non-Hodgkin's Lymphoma incidence by histologic subtype in the United States from 1978 through 1995. <i>J Natl Cancer Inst</i> , 92(15): 1240-51.
25344	Groves FD, Page WF, Gridley G, et al (2002). Cancer in Korean war navy technicians: mortality survey after 40 years. <i>Am J Epidemiol</i> , 155(9): 810-8.
27874	Grulich AE, Li Y, McDonald A, et al (2002). Rates of non-AIDS-defining cancers in people with HIV infection before and after AIDS diagnosis. <i>AIDS</i> , 16(8): 1155-61.
50698	Grulich AE, Vajdic CM (2005). The epidemiology of non-Hodgkin lymphoma. <i>Pathology</i> , 37(6): 409-19.
25531	Grulich AE, Wan X, Law MG, et al (1999). Risk of cancer in people with AIDS. <i>AIDS</i> , 13(7): 839-43.
75974	Gudzenko N, Hatch M, Bazyka D, et al (2015). Non-radiation risk factors for leukemia: A case-control study among Chernobyl cleanup workers in Ukraine. <i>Environ Res</i> , 142: 72-6.
25804	Guenel P, Imbernon E, Chevalier A, et al (2002). Leukemia in relation to occupational exposures to benzene and other agents: a case-control study nested in a cohort of gas and electric utility workers. <i>Am J Ind Med</i> , 42(2): 87-97.

9687	Guenel P, Nicolau J, Imbernon E, et al (1996). Exposure to 50-Hz electric field and incidence of leukemia, brain tumors, and other cancers among French electric utility workers. <i>Am J Epidemiol</i> , 144(12): 1107-21.
10429	Guenel P, Raskmark P, Andersen JB, et al (1993). Incidence of cancer in persons with occupational exposure to electromagnetic fields in Denmark. <i>Br J Ind Med</i> , 50(8): 758-63.
50710	Guidotti TL (2007). Evaluating causality for occupational cancers: the example of firefighters. <i>Occup Med</i> , 57(7): 466-71.
72440	Guidotti TL (2014). Health Risks and Occupation as a Firefighter. Medical Advisory Services, Department of Veterans' Affairs, Commonwealth of Australia.
55014	Gun RT, Parsons J, Crouch P, et al (2008). Mortality and cancer incidence of Australian participants in the British nuclear tests in Australia. <i>Occup Environ Med</i> , 65(12): 843-8.
69391	Gun RT, Pratt N, Ryan P, et al (2006). Update of mortality and cancer incidence in the Australian petroleum industry cohort. <i>Occup Environ Health</i> , 63(7): 476-81.
40671	Gun RT, Pratt NL, Griffith EC, et al (2004). Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. <i>Occup Environ Med</i> , 61(2): 150-6.
24917	Gundestrup M, Storm HH (1999). Radiation-induced acute myeloid leukaemia and other cancers in commercial jet cockpit crew: a population-based cohort study. <i>Lancet</i> , 354(9195): 2029-31.
45754	Guzelian P, Quattrochi L, Karch N, et al (2006). Does dioxin exert toxic effects in humans at or near current background body levels? An evidence-based conclusion. <i>Hum Exp Toxicol</i> , 25(2): 99-105.
46931	Guzelian P, Victoroff MS, Halmes NC, et al (2005). Evidence-based toxicology: a comprehensive framework for causation. <i>Hum Exp Toxicol</i> , 24(4): 161-201.
30575	Habash RW, Brodsky LM, Leiss W, et al (2003). Health risks of electromagnetic fields. Part I: Evaluation and assessment of electric and magnetic fields. <i>Crit Rev Biomed Eng</i> , 31(3): 141-95.
26035	Hakansson N, Floderus B, Gustavsson P, et al (2001). Occupational sunlight exposure and cancer incidence among Swedish construction workers. <i>Epidemiology</i> , 12(5): 552-7.
26856	Hakansson N, Floderus B, Gustavsson P, et al (2002). Cancer incidence and magnetic field exposure in industries using resistance welding in Sweden. <i>Occup Environ Med</i> , 59(7): 481-6.
30563	Hallek M, Bergmann M, Emmerich B (2004). Chronic lymphocytic leukaemia: up-dated recommendations on diagnosis and treatment. <i>Onkologie</i> , 27(1): 97-104.
28480	Hamblin T (2002). [Comment] Is chronic lymphocytic leukemia one disease? <i>Haematologica</i> , 87(12): 1235-8.
68364	Hamblin TJ (2008). [Comment] Have we been wrong about ionizing radiation and chronic lymphocytic leukemia? <i>Leuk Res</i> , 32(4): 523-5.
29475	Hammar N, Linnersjo A, Alfredsson L, et al (2002). Cancer incidence in airline and military pilots in Sweden 1961-1996. <i>Aviat Space Environ Med</i> , 73(1): 2-7.
85800	Han TJ, Li JS, Luan XT, et al (2017). Dietary fat consumption and non-Hodgkin's lymphoma risk: a meta-analysis. <i>Nutr Cancer</i> , 69(2): 221-8.
4549	Hansen ES (1993). A follow-up study on the mortality of truck drivers. <i>Am J Ind Med</i> , 23(5): 811-21.
29603	Hansen ES, Hasle H, Lander F (1992). A cohort study on cancer incidence among Danish gardeners. <i>Am J Ind Med</i> , 21(5): 651-60.
53807	Hansen ES, Lander F, Lauritsen JM (2007). Time trends in cancer risk and pesticide exposure, a long-term follow-up of Danish gardeners. <i>Scand J Work Environ Health</i> , 33(6): 465-9.

26184	Hansen J, Raaschou-Nielsen O, Christensen JM, et al (2001). Cancer incidence among Danish workers exposed to trichloroethylene. <i>J Occup Environ Med</i> , 43(2): 133-9.
28540	Hansson Mild K, Hardell L, Kundi M, et al (2003). Mobile telephones and cancer: is there really no evidence of an association? <i>Int J Mol Med</i> , 12(1): 67-72.
28609	Hardell L, Eriksson M, Nordstrom M (2002). Exposure to pesticides as risk factor for non-Hodgkin's lymphoma and hairy cell leukemia: pooled analysis of two Swedish case-control studies. <i>Leuk Lymphoma</i> , 43(5): 1043-9.
50697	Hardell L, Eriksson M, Carlberg M, et al (2005). Use of cellular or cordless telephones and the risk for non-Hodgkin's lymphoma. <i>Int Arch Occup Environ Health</i> , 78(8): 625-32.
25880	Hardell L, Mild KH (2001). [Comment] Re: cellular telephones and cancer--a nationwide cohort study in Denmark. <i>J Natl Cancer Inst</i> , 93(12): 952-3.
25808	Harrington JM, Nichols L, Sorahan T, et al (2001). Leukaemia mortality in relation to magnetic field exposure: findings from a study of United Kingdom electricity generation and transmission workers, 1973-97. <i>Occup Environ Med</i> , 58(2): 307-14.
7175	Harrington JM, Rose FG, Koh D (1994). Paint - health and environmental risk management. <i>Asia Pac J Public Health</i> , 7(2): 115-8.
20964	Harris NL, Jaffe ES, Stein H, et al (1994). A revised European-American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group. <i>Blood</i> , 84(5): 1361-92.
28508	Harris NL, Jaffe ES, Diebold J, et al (2000). The World Health Organization classification of hematological malignancies report of the Clinical Advisory Committee Meeting, Airlie House, Virginia, November 1997. <i>Mod Pathol</i> , 13(2): 193-207.
28538	Harris NL, Jaffe ES, Diebold J, et al (2000). The World Health Organization classification of neoplasms of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee meeting--Airlie House, Virginia, November, 1997. <i>Hematol J</i> , 1(1): 53-66.
26139	Hartge P (2000). Hair dyes, cancer, and epidemiology. <i>Cancer Invest</i> , 18(4): 408.
53714	Hatcher JM, Pennell KD, Miller GW (2008). Parkinson's disease and pesticides: a toxicological perspective. <i>Trends Pharmacol Sci</i> , 29(6): 322-9.
26837	Hausfater P, Cacoub P, Sterkers Y, et al (2001). Hepatitis C virus infection and lymphoproliferative diseases: prospective study on 1,576 patients in France. <i>Am J Hematol</i> , 67(3): 168-71.
25131	Havas M (2000). Biological effects of non-ionizing electromagnetic energy: A critical review of the reports by the US National Research Council and the US National Institute of Environmental Health Sciences as they relate to the broad realm of EMF bioeffects. <i>Environ Res</i> , 8(3): 173-253.
26594	Hayes RB, Songnian Y, Dosemeci M, et al (2001). Benzene and lymphohematopoietic malignancies in humans. <i>Am J Ind Med</i> , 40(2): 117-26.
26177	Hayes RB, Yin S, Rothman N, et al (2000). Benzene and lymphohematopoietic malignancies in China. <i>J Toxicol Environ Health A</i> , 61(5-6): 419-32.
14485	Hayes RB, Yin SN, Dosemeci M, et al (1997). Benzene and the dose-related incidence of hematologic neoplasms in China. Chinese Academy of Preventive Medicine--National Cancer Institute Benzene Study Group. <i>J Natl Cancer Inst</i> , 89(14): 1065-71.

28091	Hearne FT, Pifer JW (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. <i>J Occup Environ Med</i> , 41(12): 1154-69.
29408	Heath CW (1996). Electromagnetic field exposure and cancer: a review of epidemiologic evidence. <i>CA Cancer J Clin</i> , 46(1): 29-44.
106576	Helby J, Bojesen SE, Nielsen SF, et al (2015). IgE and risk of cancer in 37 747 individuals from the general population. <i>Ann Oncol</i> , 26(8): 1784-90.
78295	Henry J, Bruning T (2009). Diseases of the blood, hematopoietic and lymphatic system caused by benzene. <i>Occupational Medicine News, BGFA-Info</i> 01/09: 6-10.
28422	Hermouet S, Sutton CA, Rose TM, et al (2003). Qualitative and quantitative analysis of human herpesviruses in chronic and acute B cell lymphocytic leukemia and in multiple myeloma. <i>Leukemia</i> , 17(1): 185-95.
106804	Herr MM, Schonfeld SJ, Dores GM, et al (2018). Mutual risks of cutaneous melanoma and specific lymphoid neoplasms: second cancer occurrence and survival. <i>J Natl Cancer Inst</i> , 110(11): 1248-58.
13003	Herrinton LJ, Friedman GD (1998). Cigarette smoking and risk of non-Hodgkin's lymphoma subtypes. <i>Cancer Epidemiol Biomarkers Prev</i> , 7(1): 25-8.
20065	Hertzman C, Teschke K, Ostry A, et al (1997). Mortality and cancer incidence among sawmill workers exposed to chlorophenate wood preservatives. <i>Am J Public Health</i> , 87(1): 71-9.
38753	Heynick LN, Johnston SA, Mason PA (2003). Radio frequency electromagnetic fields: cancer, mutagenesis, and genotoxicity. <i>Bioelectromagnetics, Suppl 6</i> : S74-100.
78297	Hicks P (2015). Managing fuel vapour exposure: why 10 ppm and 300 ppm are the magic numbers. <i>J Nav Engr Maint Bull</i> , 1: 59-62.
106979	Hidayat K, Li HJ, Shi BM (2018). Anthropometric factors and non-Hodgkin's lymphoma risk: systematic review and meta-analysis of prospective studies. <i>Crit Rev Oncol Hematol</i> , 129: 113-23.
47610	Hillmen P (2005). [Comment] Chronic lymphocytic leukemia--aiming at a moving target! <i>Haematologica</i> , 90(11): 1451-2.
28418	Hjalgrim H, Askling J, Sorensen P, et al (2000). Risk of Hodgkin's disease and other cancers after infectious mononucleosis. <i>J Natl Can Inst</i> , 92(18): 1522-8.
51893	Hjalgrim H, Engels EA (2008). Infectious aetiology of Hodgkin and non-Hodgkin lymphomas: a review of the epidemiological evidence. <i>J Intern Med</i> , 264(6): 537-48.
20962	Hjelle B (1991). Human T-cell leukemia/lymphoma viruses. Life cycle, pathogenicity, epidemiology, and diagnosis. <i>Arch Pathol Lab Med</i> , 115(5): 440-50.
1599	Hjelle B, Mills R, Swenson S, et al (1991). Incidence of hairy cell leukemia, mycosis fungoides, and chronic lymphocytic leukemia in first known HTLV-II-endemic population. <i>J Infect Dis</i> , 163(3): 435-40.
16768	Hoar SK, Blair A, Holmes FF, et al (1986). Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. <i>JAMA</i> , 256(9): 1141-7; Erratum: 256(24): 3351.
26366	Hocking B (1999). [Comment] A critical review of epidemiologic studies of radiofrequency exposure and human cancers. <i>Environ Health Perspect</i> , 107(12): A596-7.
14035	Hocking B, Gordon IR, Grain HL, et al (1996). Cancer incidence and mortality and proximity to TV towers. <i>Med J Aust</i> , 165(2): 601-5.
68365	Hodgson K, Ferrer G, Montserrat E, et al (2011). Chronic lymphocytic leukemia and autoimmunity: a systematic review. <i>Haematologica</i> , 96(5): 752-61.

68366	Hoffbrand AV, Hamblin TJ (2007). Is "leukemia" an appropriate label for all patients who meet the diagnostic criteria of chronic lymphocytic leukemia? <i>Leuk Res</i> , 31(3): 273-5.
29686	Hoiberg A, Blood C (1983). Age-specific morbidity among Navy pilots. <i>Aviat Space Environ Med</i> , 54(10): 912-8.
26147	Holly EA, Lele C, Bracci PM (1998). Hair-color products and risk for non-Hodgkin's lymphoma: a population-based study in the San Francisco bay area. <i>Am J Public Health</i> , 88(12): 1767-73.
21476	Holohan T (1999). [Comment] Non-Ionizing electromagnetic radiation and public health. <i>Ir Med J</i> , 92(7): 421-2.
30039	Holyoake TL, Freshney MG, Samuel K, et al (2001). In vivo expansion of the endogenous B-cell compartment stimulated by radiation and serial bone marrow transplantation induces B-cell leukaemia in mice. <i>Br J Haematol</i> , 114(1): 49-56.
28434	Hone P, Edwards A, Halls J, et al (2003). Possible associations between ELF electromagnetic fields, DNA damage response processes and childhood leukaemia. <i>Br J Cancer</i> , 88(12): 1939-41.
29440	Hood W, Nicholas J, Butler G, et al (2000). Magnetic field exposure of commercial airline pilots. <i>Ann Epidemiol</i> , 10(7): 479.
26075	Hooiveld M, Heederik DJ, Kogevinas M, et al (1998). Second follow-up of a Dutch cohort occupationally exposed to phenoxy herbicides, chlorophenols, and contaminants. <i>Am J Epidemiol</i> , 147(9): 891-901.
25813	Hoover RN (1999). [Comment] Dioxin dilemmas. <i>J Natl Cancer Inst</i> , 91(9): 745-6. Comment on ID: 25814.
13341	Hotz P, Lauwers RR (1997). Hematopoietic and lymphatic malignancies in vehicle mechanics. <i>Crit Rev Toxicol</i> , 27(5): 443-94.
28425	Houlston RS, Catovsky D, Yuille MR (2002). Genetic susceptibility to chronic lymphocytic leukemia. <i>Leukemia</i> , 16(6): 1008-14.
30507	Houlston RS, Sellick G, Yuille M, et al (2003). Causation of chronic lymphocytic leukemia--insights from familial disease. <i>Leuk Res</i> , 27(10): 871-6.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
106485	Huang CF, Lai HC, Chen CY, et al (2020). Extrahepatic malignancy among patients with chronic hepatitis C after antiviral therapy: a real-world nationwide study on Taiwanese Chronic Hepatitis C Cohort (T-COACH). <i>Am J Gastroenterol</i> , 115(8): 1226-35.
20977	Huebner WW, Chen VW, Friedlander BR, et al (2000). Incidence of lymphohaematopoietic malignancies in a petrochemical industry cohort: 1983-94 follow up. <i>Occup Environ Med</i> , 57(9): 605-14.
20988	Huebner WW, Schnatter AR, Nicolich MJ, et al (1997). Mortality experience of a young petrochemical industry cohort. 1979-1992 follow-up study of US-based employees. <i>J Occup Environ Med</i> , 39(10): 970-82.
29476	Hug DH, Hunter JK, Dunkerson DD (2003). [Comment] Pilots & melanoma. <i>Aviat Space Environ Med</i> , 74(2): 187; author reply 188.
29790	IARC (1987). An updating of IARC monographs. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volumes 1-42 Supplement No. 7. IARC, Lyon, France.
32739	IARC (1989). International Agency for Research on Cancer Overall Evaluations of Carcinogenicity Risks to Humans. Occupational Exposures in Petroleum Refining; Crude Oil and Major Petroleum Fuels, Vol 45: IARC, Lyon, France.
30601	IARC (1990). Chromium, nickel and welding. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 49. IARC Press, Lyon.

46189	IARC (1999). Surgical implants and other foreign bodies. Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 74. World Health Organization.
74421	IARC (2009). Special report: policy. A review of human carcinogens - Part F: Chemical agents and related occupations. 10 (9): 1143-4. Retrieved 12 March 2015, from www.thelancet.com/oncology
30602	IARC (International Agency for Research on Cancer) (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide (Part Two). Overall Evaluations of Carcinogenicity Risks to Humans, Vol 71: Part 2. IARC, Lyon, France.
30598	IARC Working Group (1997). Polychlorinated dibenzo-para-dioxins and polychlorinated dibenzofurans. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 69. World Health Organization, International Agency for Research on Cancer, Lyon France.
32051	IARC Working Group (2004). Tobacco smoke and involuntary smoking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 83. IARC Press, Lyon.
29791	IARC Working Group (1989). Diesel and gasoline engine exhausts and some nitroarenes. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 46. IARC, Lyon, France.
29792	IARC Working Group (1989). Some organic solvents, resin monomers and related compounds, pigments and occupational exposures in paint manufacture and painting. IARC Monographs on the Evaluation of Carcinogenicity Risks to Humans, Vol 47. IARC Press, Lyon.
29793	IARC Working Group (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 63. IARC Press, Lyon.
29794	IARC Working Group (2002). IARC Monographs on the evaluation of carcinogenic risks to humans - non-ionizing radiation, part 1: static and extremely low-frequency (ELF) electric and magnetic fields. IARC Monographs, Vol 80. IARC Press, Lyon.
76150	IARC Working Group (1989). Occupational exposures in petroleum refining; crude oil and major petroleum fuels. Summary of data reported and evaluation. IARC Monographs on the Evaluation of Carcinogenic Risk to Humans, Vol 45. IARC Press, Lyon.
70587	IARC Working Group (2013). Non-ionizing radiation, Radiofrequency electromagnetic fields. IARC Monographs on the evaluation of carcinogenic risks to humans, Vol 102 Part 2. IARC Press, Lyon.
70863	IARC Working Group (2012). Arsenic, metals, fibres, and dusts, beryllium and beryllium compounds, cadmium and cadmium compounds. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100C: 241-2. IARC Press, Lyon.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. IARC Press, Lyon.
69416	IARC Working Group (2012). Biological agents. Hepatitis B virus. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100 Part B: 93-133. World Health Organization, International Agency for Research on Cancer, Lyon France.
69629	IARC Working Group (2012). Radiation. X- and y radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol. 100D: 131-5, 210. World Health Organization.
64766	IARC Working Group (2012). Benzene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Vol 100F: 249-94. World Health Organization International Agency for Research on Cancer. Lyon France.

67141	IARC Working Group (2008). 1,3-butadiene, ethylene oxide and vinyl halides (vinyl fluoride, vinyl chloride and vinyl bromide). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 97. World Health Organization International Agency for Research on Cancer. Lyon France.
68409	IARC Working group (2012). Chemical agents and related occupations. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F. World Health Organization, international Agency for Research on Cancer, Lyon France.
68411	IARC Working Group (2009). Biological agents. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B. World Health Organization, International Agency for Research on Cancer, Lyon France.
46188	IARC Working Group (2006). Inorganic and organic lead compounds. Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 87. World Health Organization.
60284	IARC Working Group (2010). Alcohol consumption and ethyl carbamate. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 96. World Health Organization, International Agency for Research on Cancer, Lyon France.
60195	IARC Working Group (2010). Painting, firefighting, and shiftwork. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 98. World Health Organization, International Agency for Research on Cancer, Lyon France.
28312	IARC Working Group (1991). Occupational exposures in insecticide application, and some pesticides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 53. IARC Press, Lyon.
99703	IARC Working Group (2019). Styrene, styrene-7,8-oxide, and quinoline. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 121: 261, 265. World Health Organization.
99710	IARC Working Group (2014). Trichloroethylene, tetrachloroethylene, and some other chlorinated agents. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 106: 189, 329. World Health Organization.
81591	IARC Working Group (2012). X and Y-Radiation. Vol 100D: Radiation. Monographs on the evaluation of carcinogenic risks to humans, 163-4, 210. World Health Organization.
91622	IARC Working Group (2018). DDT, Lindane, and 2,4-D. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 113. International Agency for Research on Cancer.
91051	IARC Working Group (2018). Benzene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 120. International Agency for Research on Cancer World Health Organization.
89042	IARC Working Group (2012). Personal habits and indoor combustions. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100E: 377-503. International Agency for Research on Cancer, Lyon.
89043	IARC Working Group (2014). Some organophosphate insecticides and herbicides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 112. International Agency for Research on Cancer, Lyon.
92194	IARC Working Group (2019). Pentachlorophenol and Some Related Compounds. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 17. World Health Organization, International Agency on Research on Cancer, Lyon France.
93112	IARC Working Group (2016). Some chemicals used as solvents and in polymer manufacture. Perfluorooctanoic acid. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 110: 37-110. World Health Organization.

91908	IARC Working Group (2012). A review of human carcinogens. Part E. Personal habits and indoor combustions. Tobacco smoking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100 E: 43-214. World Health Organization.
91920	IARC Working Group (2013). Bitumens and bitumen emissions, and some N- and S-heterocyclic polycyclic aromatic hydrocarbons. Bitumens and emissions. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 103: 39-219. World Health Organization.
91923	IARC Working Group (2015). Outdoor air pollution. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 109. World Health Organization.
91931	IARC Working Group (2013). Malaria and some polyomaviruses (SV40, BK, JC, and Merkel cell viruses). Introduction to polyomaviruses. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 104: 121-350. World Health Organization.
91933	IARC Working Group (2015). Polychlorinated and polybrominated biphenyls. Polychlorinated biphenyls. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 107: 33-422. World Health Organization.
91935	IARC Working Group (2016). Some chemicals used as solvents and in polymer manufacture. Dichloromethane. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 110: 177-256. World Health Organization.
108147	IARC Working Group (2013). Diesel and gasoline engine exhausts and some nitroarenes. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 105: 147-267, 451-67. World Health Organization. Lyon, France.
108149	IARC Working Group (2018). Red meat and processed meat. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 114: 353-84. World Health Organization. Lyon, France.
108150	IARC Working Group (2012). Chemical agents and related occupations. 1,3-Butadiene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F: 309-38. World Health Organization. Lyon, France.
68367	Imajoh M, Hashida Y, Taniguchi A, et al (2012). Novel human polyomaviruses, Merkel cell polyomavirus and human polyomavirus 9, in Japanese chronic lymphocytic leukemia cases. <i>J Hematol Oncol</i> , 5: 25.
45931	Inamdar KV, Bueso-Ramos CE (2007). Pathology of chronic lymphocytic leukemia: an update. <i>Ann Diagn Pathol</i> , 11(5): 363-89.
24807	Independent Expert Group on Mobile Phones [IEGMP] (2000). Mobile Phones & Health. National Radiological Protection Board, Chilton, Didcot, Oxon.
78296	Infante PF (1992). Benzene and leukemia: the 0.1 ppm ACGIH proposed threshold limit value for benzene. <i>Appl Occup Environ Hyg</i> , 7(4): 253-62.
7405	Infante PF (1993). State of the science on the carcinogenicity of gasoline with particular reference to cohort mortality study results. <i>Environ Health Perspect</i> , 101(S6): 105-9.
63209	Infante PF (2011). The IARC October 2009 evaluation of benzene carcinogenicity was incomplete and needs to be reconsidered. <i>Am J Ind Med</i> , 54(2): 157-64.
29762	Inskip PD, Kleinerman RA, Stovall M, et al (1993). Leukemia, lymphoma, and multiple myeloma after pelvic radiotherapy for benign disease. <i>Radiat Res</i> , 135(1): 108-24.
1593	Inskip PD, Monson RR, Wagoner JK, et al (1990). Leukemia following radiotherapy for uterine bleeding. <i>Radiat Res</i> , 122(2): 107-19.
1926	Institute of Medicine (1996). Veterans and Agent Orange: 1996 Update, The National Academic Press, Washington DC.

14862	Institute of Medicine (1998). Review of the health effects in Vietnam veterans of exposure to herbicides. Veterans and Agent Orange, The National Academic Press, Washington DC.
28337	Institute of Medicine (2002). Veterans and Agent Orange: Update 2002, Chapter 6: 175-299. National Academies Press, Washington, DC.
29491	Institute of Medicine (2001). Committee to review the health effects in Vietnam of exposure to herbicides. Veterans and Agent Orange: Update 2000, 3rd Biennial Update. The National Academic Press, Washington DC.
29493	Institute of Medicine (2003). Veterans and Agent Orange Update 2002, National Academy Press, Washington, D.C.
36029	Institute of Medicine (IOM) (2005). Update 2004. Veterans and Agent Orange, 5th Edition. The National Academic Press, Washington DC.
31027	Institute of Medicine (2003). Insecticides and solvents. Gulf War and Health, Vol 2. National Academies Press, Washington, DC.
70865	Institute of Medicine (2014). Veterans and Agent Orange (prepublication). Update 2012. National Academies Press - Washington, DC.
52205	Integrated Risk Information System (2004). A-Z list of substances. Retrieved 20 December 2004, from http://cfpub.epa.gov/ncea/iris/index.cfm?fuseaction=iris.showSubstanceList
30055	Integrated Risk Information System (EPA) (IRIS) (2004). Methylethyl ketone. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~Z8uGTI:3
30056	Integrated Risk Information System (EPA) (IRIS) (2004). Kerosene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~LUGix0:3
30057	Integrated Risk Information System (EPA) (IRIS) (2004). Acetone. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30058	Integrated Risk Information System (IRIS) (2004). Trichloroethylene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30059	Integrated Risk Information System (EPA) (IRIS) (2004). Trichloroethane. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~b1RqYj:1
30060	Integrated Risk Information System (EPA) (IRIS) (2004). Methylchloride. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~Mbmsrt:1
30061	Integrated Risk Information System (EPA) (IRIS) (2004). Sodium hydroxide. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30062	Integrated Risk Information System (EPA) (IRIS) (2004). Carbon tetrachloride. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~KA5mtz:1
30063	Integrated Risk Information System (EPA) (IRIS) (2004). Gasoline. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~kkn99D:1
30064	Integrated Risk Information System (EPA) (IRIS), (2004). Fuel oil no. 2. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~XOSIXD:1
30065	Integrated Risk Information System (EPA) (IRIS) (2004). Toluene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~0P9Cl5:1
30066	Integrated Risk Information System (EPA) (IRIS) (2004). Naphthalene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30067	Integrated Risk Information System (EPA) (IRIS) (2004). Benzene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~vT4Am7:1

30068	Integrated Risk Information System (EPA) (IRIS) (2004). Hydrazine. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30069	Integrated Risk Information System (EPA) (IRIS) (2004). Ethylad. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30603	International Agency for Research on Cancer (IARC) (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 71: Part 1. IARC, Lyon, France.
30599	International Agency for Research on Cancer (IARC) (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 71 Part 3. IARC Press, Lyon.
30600	International Agency for Research on Cancer (IARC) (1994). Some Industrial Chemicals. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 60.
108137	International Agency for Research on Cancer (2021). Some aromatic amines and some related compounds. IARC monographs on the evaluation of carcinogenic risks to humans, Vol 127. World Health Organization. Lyon, France.
108148	International Agency for Research on Cancer (2012). Chemical agents and related occupations. Ethylene oxide. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F: 379-400. World Health Organization. Lyon, France.
14607	Ireland B, Collins JJ, Buckley CF, et al (1997). Cancer mortality among workers with benzene exposure. <i>Epidemiology</i> , 8(3): 318-20.
26424	Irvine D, Davies DM (1999). British airways flightdeck mortality study, 1950-1992. <i>Aviat Space Environ Med</i> , 70(6): 548-55.
28512	Ishibe N, Sgambati MT, Fontaine L, et al (2001). Clinical characteristics of familial B-CLL in the National Cancer Institute Familial Registry. <i>Leuk Lymphoma</i> , 42(1-2): 99-108.
28610	Ivancsits S, Diem E, Jahn O, et al (2003). Intermittent extremely low frequency electromagnetic fields cause DNA damage in a dose-dependent way. <i>Int Arch Occup Environ Health</i> , 76(6): 431-6.
26830	Iwasaki T, Murata M, Ohshima S, et al (2003). Second analysis of mortality of nuclear industry workers in Japan, 1986-1997. <i>Radiat Res</i> , 159(2): 228-38.
27802	Jackman SM, Grant GM, Kolanko CJ, et al (2002). DNA damage assessment by comet assay of human lymphocytes exposed to jet propulsion fuels. <i>Environ Mol Mutagen</i> , 40(1): 18-23.
28648	Jacobs P, Wood L (2002). Chronic lymphocytic leukaemia--the haematologic basis for diagnosis and treatment. <i>Hematology</i> , 7(1): 33-42.
30809	Jaffe ES, Harris NL, Stein H, et al (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. World Health Organization Classification of Tumours, IARC Press: Lyon.
28606	Jahn O (2000). Electromagnetic fields: low dose exposure, current update. <i>Int Arch Occup Environ Health</i> , 73 Suppl: S1-3.
23692	Jain RB (2020). Associations between observed concentrations of ethylene oxide in whole blood and smoking, exposure to environmental tobacco smoke, and cancers including breast cancer: data for US children, adolescents, and adults. <i>Environ Sci Pollut Res Int</i> , 27(17): 20912-9.
91442	Jalilian H, Ziae M, Weiderpass E, et al (2019). Cancer incidence and mortality among firefighters. <i>Int J Cancer</i> , 145(10): 2639-46.
28419	Jarup L, Briggs D, de Hoogh C, et al (2002). Cancer risks in populations living near landfill sites in Great Britain. <i>Br J Cancer</i> , 86(11): 1732-6.

15696	Jarvholm B, Mellblom B, Norrman R, et al (1997). Cancer incidence of workers in the Swedish petroleum industry. <i>Occup Environ Med</i> , 54(9): 686-91.
15634	Jauchem JR (1998). Health effects of microwave exposures: a review of the recent (1995-1998) literature. <i>J Microw Power Electromagn Energy</i> , 33(4): 263-74.
30576	Jauchem JR (2003). A literature review of medical side effects from radio-frequency energy in the human environment: involving cancer, tumors, and problems of the central nervous system. <i>J Microw Power Electromagn Energy</i> , 38(2): 103-23.
20696	Jayasekara H, Juneja S, Hodge AM, et al (2018). Lifetime alcohol intake and risk of non-Hodgkin lymphoma: Findings from the Melbourne Collaborative Cohort Study. <i>Int J Cancer</i> , 142(5): 919-26.
100714	Jinot J, Fritz JM, Vulimiri SV, et al (2018). Carcinogenicity of ethylene oxide: key findings and scientific issues. <i>Toxicol Mech Methods</i> , 28(5): 386-96.
88968	Jochem C, Leitzmann M, Keimling M, et al (2014). Physical activity in relation to hematologic cancers: a systematic review and meta-analysis. <i>Cancer Epidemiol Biomarkers Prev</i> , 23(5): 833-46.
25881	Johansen C, Boice J, McLaughlin J, et al (2001). Cellular telephones and cancer--a nationwide cohort study in Denmark. <i>J Natl Cancer Inst</i> , 93(3): 203-7.
15425	Johansen C, Olsen JH (1998). Risk of cancer among Danish utility workers-a nationwide cohort study. <i>Am J Epidemiol</i> , 147(6): 548-55.
29497	Johansen C, Raaschou-Nielsen O, Skotte J, et al (2002). Validation of a job-exposure matrix for assessment of utility worker exposure to magnetic fields. <i>Appl Occup Environ Hyg</i> , 17(4): 304-10.
11770	Johnson JC, Thaul S, Page WF, et al (1997). Mortality of veteran participants in the crossroads nuclear test. <i>Health Phys</i> , 73(1): 187-9.
29760	Johnson RA, Mandel JS, Gibson RW, et al (1993). Data on prior pesticide use collected from self- and proxy respondents. <i>Epidemiology</i> , 4(2): 157-64.
57306	Jones DR, Sutton AJ, Abrams KR, et al (2009). Systemic review and meta-analysis of mortality in crop protection product manufacturing workers. <i>Occup Environ Med</i> , 66(1): 7-15.
75729	Jones RR, Yu CL, Nuckols JR, et al (2014). Farm residence and lymphohematopoietic cancers in the Iowa Women's Health Study. <i>Environ Res</i> , 133: 353-61.
27793	Kabbur MB, Rogers JV, Gunasekar PP, et al (2001). Effect of JP-8 jet fuel on molecular and histological parameters related to acute skin irritation. <i>Toxicol Appl Pharmacol</i> , 175(1): 83-8.
106577	Kachuri L, Beane Freeman LE, Spinelli JJ, et al (2020). Insecticide use and risk of non-Hodgkin lymphoma subtypes: A subset meta-analysis of the North American Pooled Project. <i>Int J Cancer</i> , 147(12): 3370-83.
14495	Kagan E, Jacobson RJ (1983). Lymphoid and plasma cell malignancies: asbestos-related disorders of long latency. <i>Am J Clin Pathol</i> , 80(1): 14-20.
30167	Kaiser J (2003). Manganese: a high-octane dispute. <i>Science</i> , 300(5621): 926-928.
45954	Kampalath B, Barcos MP, Stewart C (2003). Phenotypic heterogeneity of B cells in patients with chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Am J Clin Pathol</i> , 119(6): 824-32. [Abstract]
50306	Kang D, Davis LK, Hunt P, et al (2008). Cancer incidence among male Massachusetts firefighters, 1987-2003. <i>Am J Ind Med</i> , 51(5): 329-35.
45172	Kang HK, Dalager NA, Needham LL, et al (2006). Health status of Army Chemical Corps Vietnam veterans who sprayed defoliant in Vietnam. <i>Am J Ind Med</i> , 49(11): 875-84.

20668	Kang J, Jin SM, Kim SJ, et al (2021). Obesity-independent association between glycemic status and the risk of hematologic malignancy: a nationwide population-based longitudinal cohort study. <i>Cancers (Basel)</i> , 13(19): 4760.
27800	Kanikkannan N, Patel R, Jackson T, et al (2001). Percutaneous absorption and skin irritation of JP-8 (jet fuel). <i>Toxicology</i> , 161(1-2): 1-11.
106578	Karakosta M, Delicha EM, Kouraklis G, et al (2016). Association of various risk factors with chronic lymphocytic leukemia and its cytogenetic characteristics. <i>Arch Environ Occup Health</i> , 71(6): 317-29.
69720	Karami S, Bassig B, Stewart PA, et al (2013). Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. <i>Occup Environ Med</i> , 70(8): 591-9.
50761	Karipidis K, Benke G, Sim M, et al (2007). Occupational exposure to power frequency magnetic fields and risk of non-Hodgkin lymphoma. <i>Occup Environ Med</i> , 64(1): 25-9.
52954	Karipidis KK, Benke G, Sim MR, et al (2007). Occupational exposure to ionizing and non-ionizing radiation and risk of non-Hodgkin lymphoma. <i>Int Arch Occup Environ Health</i> , 80(6): 663-70.
30597	Kasum CM, Blair CK, Folsom AR, et al (2003). Non-steroidal anti-inflammatory drug use and risk of adult leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> , 12(6): 534-7.
70422	Kaufman DW, Anderson TE, Issaragrisil S (2009). Risk factors for leukemia in Thailand. <i>Ann Hematol</i> , 88(11): 1079-88.
68368	Kaufman M, Rubin J, Rai K (2009). Diagnosing and treating chronic lymphocytic leukemia in 2009. <i>Oncology (Williston Park)</i> , 23(12): 1030-7.
26841	Kaufmann H, Ackermann J, Nosslinger T, et al (2001). Absence of clonal chromosomal relationship between concomitant B-CLL and multiple myeloma--a report on two cases. <i>Ann Hematol</i> , 80(8): 474-8.
30263	Kauppi M, Pukkala E, Isomaki H (1997). Elevated incidence of hematologic malignancies in patients with Sjogren's syndrome compared with patients with rheumatoid arthritis (Finland). <i>Cancer Causes Control</i> , 8(2): 201-4.
28381	Kay NE, Jelinek DF (2002). B-CLL: is the enigma of disease heterogeneity about to be revealed? <i>Blood</i> , 100(4): 1110-1.
18928	Kearsley J, Kaldor J, Smart R, et al (2000). The Report of the RMA Subcommittee on Ionising Radiation Dose. Department of Veterans Affairs, Canberra.
45955	Keating MJ, Chiorazzi N, Messmer B, et al (2003). Biology and treatment of chronic lymphocytic leukemia. <i>Hematology Am Soc Hematol Educ Program</i> , 2003: 153-75.
29729	Keller-Byrne JE, Khuder SA, Schaub EA (1995). Meta-analysis of leukemia and farming. <i>Environ Res</i> , 71(1): 1-10.
88807	Kelly R, Kiviranta Hm, Bergdahl I, et al (2017). Prediagnostic plasma concentrations of organochlorines and risk of B-cell non Hodgkin lymphoma in envirogenomarkers: a nested case-control study. <i>Environ Health</i> , 16(1): 9.
106579	Kelly-Reif K, Sandler DP, Shore D, et al (2020). Radon and cancer mortality among underground uranium miners in the Príbram region of the Czech Republic. <i>Am J Ind Med</i> , 63(10): 859-67.
28376	Hardell L, Mild KH, Hallquist A (2001). [Comment] Radiofrequency exposure and the risk for brain tumors. <i>Epidemiology</i> , 12(1): 135-6.
29013	Kelsh MA, Kheifets L, Smith R (2000). The impact of work environment, utility, and sampling design on occupational magnetic field exposure summaries. <i>AIHAJ</i> , 61(2): 174-82.
15719	Kelsh MA, Sahl JD (1997). Mortality among a cohort of electric utility workers, 1960-1991. <i>Am J Ind Med</i> , 13(5): 534-44.

16739	Ketchum NS, Michalek JE, Burton JE (1999). Serum dioxin and cancer in veterans of Operation Ranch Hand. <i>Am J Epidemiol</i> , 149(7): 630-9.
40676	Ketchum NS, Michalek JE (2005). Postservice mortality of Air Force veterans occupationally exposed to herbicides during the Vietnam war: 20-year follow-up results. <i>Mil Med</i> , 170(5): 406-13.
64679	Khalade A, Jaakkola M, Pukkala E, et al (2010). Exposure to benzene at work and the risk of leukemia: a systematic review and meta-analysis. <i>Environ Health</i> , 9: 31.
52276	Khan AE, Gallo V, Linsiesen J, et al (2008). Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European prospective investigation into cancer and nutrition. <i>Haematologica</i> , 93(6): 842-50.
25834	Kheifets LI, Afifi AA, Buffler PA, et al (1997). Occupational electric and magnetic field exposure and leukemia: A meta-analysis. <i>J Occup Environ Med</i> , 39(11): 1074-91.
23819	Kheifets LI, Gilbert ES, Sussman SS, et al (1999). Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: studies from France, Canada, and the United States. <i>Occup Environ Med</i> , 56(8): 567-74.
23783	Kheifets LI, Greenberg RS, Neutra RR, et al (2001). Electric and magnetic fields and cancer: case study. <i>Am J Epidemiol</i> , 154(12 Suppl): S50-9.
21004	Kheifets LI, London SJ, Peters JM (1997). Leukemia risk and occupational electric field exposure in Los Angeles County, California. <i>Am J Epidemiol</i> , 146(1): 87-90.
64860	Kim HA, Kim EM, Park YC, et al (2003). Immunotoxicological effects of Agent Orange exposure to the Vietnam War Korean veterans. <i>Ind Health</i> , 41(3): 158-66.
106319	Kim HB, Kim JH (2021). Sunlight exposure in association with risk of lymphoid malignancy: a meta-analysis of observational studies. <i>Cancer Causes Control</i> , 32(5): 441-57.
45746	Kimbrough RD (2007). [Comment] To the Editor. Re: Dioxins: an overview. <i>Environ Res</i> , 103(1): 145-6. Comment on ID: 45705.
28504	Kipps TJ (2000). Chronic lymphocytic leukemia. <i>Curr Opin Hematol</i> , 7(4): 223-34.
28501	Kipps TJ (2000). Genetics of chronic lymphocytic leukaemia. <i>Hematol Cell Ther</i> , 42(1): 5-14.
88809	Kiran S, Cocco P, Mannetje A, et al (2010). Occupational exposure to ethylene oxide and risk of lymphoma. <i>Epidemiology</i> , 21(6): 905-10.
54759	Kirkeleit J, Riise T, Bratveit M, et al (2008). Increased risk of acute myelogenous leukemia and multiple myeloma in a historical cohort of upstream petroleum workers exposed to crude oil. <i>Cancer Causes Control</i> , 19(1): 13-23.
106581	Kleinster G, Camp NJ, Berndt SI, et al (2020). Lipid trait variants and the risk of non-Hodgkin lymphoma subtypes: a mendelian randomization study. <i>Cancer Epidemiol Biomarkers Prev</i> , 29(5): 1074-8.
106580	Kleinster G, Rishi A, Achenbach SJ, et al (2020). Delineation of clinical and biological factors associated with cutaneous squamous cell carcinoma among patients with chronic lymphocytic leukemia. <i>J Am Acad Dermatol</i> , 83(6): 1581-9.
5131	Knave B (1994). Electric and magnetic fields and health outcomes--an overview. <i>Scand J Work Environ Health</i> , 20(Spec No): 78-89.
24669	Knutsson A, Damberg L, Jarvholm B (2000). Cancers in concrete workers: results of a cohort study of 33,668 workers. <i>Occup Environ Med</i> , 57(4): 264-7.

11474	Kogevinas M, Becher H, Benn T, et al (1997). Cancer mortality in workers exposed to phenoxy herbicides, chlorophenols, and dioxins. An expanded and updated international cohort study. <i>Am J Epidemiol</i> , 145(12): 1061-75.
45956	Kolar GR, Capra JD (2004). [Comment] Ig V region restrictions in human chronic lymphocytic leukemia suggest some cases have a common origin. <i>J Clin Invest</i> , 113(7): 952-4.
28040	Koskinen K, Pukkala E, Reijula K, et al (2003). Incidence of cancer among the participants of the Finnish Asbestos Screening Campaign. <i>Scand J Work Environ Health</i> , 29(1): 64-70.
91994	Koutros S, Harris SA, Spinelli JJ, et al (2019). Non-Hodgkin lymphoma risk and organophosphate and carbamate insecticide use in the north American pooled project. <i>Environ Int</i> , 127: 199-205.
23906	Krewski D, Byus CV, Glickman BW, et al (2001). Potential health risks of radiofrequency fields from wireless telecommunication devices. <i>J Toxicol Environ Health, Part B</i> , 4(1): 1-143.
25130	Krewski D, Byus CV, Glickman BW, et al (2001). Recent advances in research on radiofrequency fields and health. <i>J Toxicol Environ Health Part B</i> , 4(1): 145-59.
50313	Kricker A, Armstrong BK, Hughes AM, et al (2008). Personal sun exposure and risk of non Hodgkin lymphoma: a pooled analysis from the Interlymph Consortium. <i>Int J Cancer</i> , 122(1): 144-54.
28505	Kristinsson SY, Vidarsson B, Agnarsson BA, et al (2002). Epidemiology of hairy cell leukemia in Iceland. <i>Hematol J</i> , 3(3): 145-7.
28380	Krober A, Seiler T, Benner A, et al (2002). V(H) mutation status, CD38 expression level, genomic aberrations, and survival in chronic lymphocytic leukemia. <i>Blood</i> , 100(4): 1410-6.
69746	Kroll ME, Murphy F, Pirie K, et al (2012). Alcohol drinking, tobacco smoking and subtypes of haematological malignancy in the UK Million Women Study. <i>Br J Cancer</i> , 107(5): 879-87.
26557	Kundi M (2003). [Comment] Long term of e-mu-Pim1 transgenic mice to 898.4 MHz does not increase lymphoma incidence. <i>Radiat Res</i> , 159(2): 274. Comment on ID: 26556.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
20969	Kwong YL, Wong KF, Chan LC, et al (1994). The spectrum of chronic lymphoproliferative disorders in Chinese people. An analysis of 64 cases. <i>Cancer</i> , 74(1): 174-81.
29092	La Vecchia C, Tavani A (2002). [Comment] Hair dyes and lymphoid neoplasms: an update. <i>Eur J Cancer Prev</i> , 11(5): 409-12.
46426	Lafiura KM, Bielawski DM, Posecion NC Jr, et al (2007). Association between prenatal pesticide exposures and the generation of leukemia-associated T(8;21). <i>Pediatr Blood Cancer</i> , 49(5): 624-8.
25387	Lagorio S, Rossi S, Vecchia P, et al (1997). Mortality of plastic-ware workers exposed to radiofrequencies. <i>Bioelectromagnetics</i> , 18(6): 418-21.
5220	Lai H, Singh NP (1995). Acute low-intensity microwave exposure increases DNA single-strand breaks in rat brain cells. <i>Bioelectromagnetics</i> , 16(3): 207-10.
26180	Lamba AB, Ward MH, Weeks JL, et al (2001). Cancer mortality patterns among hairdressers and barbers in 24 US states, 1984 to 1995. <i>J Occup Environ Med</i> , 43(3): 250-8.
68369	Lanasa MC (2010). Novel insights into the biology of CLL. <i>Hematology Am Soc Hematol Educ Program</i> , 2010: 70-6.

19202	Landgren O, Engels EA, Caporaso NE, et al (2006). Patterns of autoimmunity and subsequent chronic lymphocytic leukemia in Nordic countries. <i>Blood</i> , 108(1): 292-6.
68370	Landgren O, Gridley G, Check D, et al (2007). Acquired immune-related and inflammatory conditions and subsequent chronic lymphocytic leukaemia. <i>Br J Haematol</i> , 139(5): 791-8.
30042	Landrigan PJ (2001). MMT, <i>deja vu</i> and national security. <i>Am J Ind Med</i> , 39(4): 434-5.
7440	Landrigan PJ, Nicholson WJ (1992). Benzene. <i>Environmental and Occupational Medicine</i> , 861-5. Little Brown & Co, Boston.
28608	Langseth H, Andersen A (2000). Cancer incidence among male pulp and paper workers in Norway. <i>Scand J Work Environ Health</i> , 26(2): 99-105.
101537	Laroche E, L'Esperance S (2021). Cancer incidence and mortality among firefighters: An overview of epidemiologic systematic reviews. <i>Int J Environ Res Public Health</i> , 18(5): 2519.
50304	Larsson SC, Wolk A (2007). Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. <i>Int J Cancer</i> , 121(7): 1564-70.
29511	Laughrey MS, Grayson JK, Jauchem JR, et al (2003). Radio frequency radiation exposure of the F-15 crewmember. <i>Aviat Space Environ Med</i> , 74(8): 851-7.
103548	Law HD, Armstrong B, D'Este C, et al (2021). PFAS Health Study Component four: Data linkage study of health outcomes associated with living in PFAS exposure areas. Canberra (AU): Australian National University.
28401	Lawrence DW, Hocking B, Gordon I, et al (1997). [Comments] Re: "cancer incidence near radio and television transmitters in Great Britain". <i>Am J Epidemiol</i> , 146(8): 682-83.
103040	Lazarevic N, Smurthwaite K, Trevenar S, et al (2021). PFAS Health Study Component Three: Cross-Sectional Survey of Self-Reported Physical and Mental Health Outcomes and Associations with Blood Serum PFAS. Canberra (AU): The Australian National University.
30481	Lazaridou A, Miraxtsi C, Tokmaktsis A, et al (2000). [Comment] Detection of genetic markers on different populations of hematopoietic progenitor cells in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 95(11): 3634-5.
101279	Lee DJ, Koru-Sengul T, Hernandez MN, et al (2020). Cancer risk among career male and female Florida firefighters: Evidence from the Florida Firefighter Cancer Registry (1981-2014). <i>Am J Ind Med</i> , 63(4): 285-99.
27604	Lee E, Burnett CA, Lalich N, et al (2002). Proportionate mortality of crop and livestock farmers in the United States, 1984-1993. <i>Am J Ind Med</i> , 42(5): 410-20.
41116	Lee JH, Lee HC, Kim HD, et al (2003). How much are anesthesiologists exposed to electromagnetic fields in operating rooms? <i>Yonsei Med J</i> , 44(1): 133-7. [Abstract]
29607	Lee PN (2002). Environmental tobacco smoke and cancer of sites other than the lung in adult non-smokers. <i>Food Chem Toxicol</i> , 40(6): 747-66.
53998	Lee WJ, Alavanja MC, Hoppin JA, et al (2007). Mortality among pesticide applicators exposed to Chlorpyrifos in the Agricultural Health Study. <i>Environ Health Perspect</i> , 115(4): 528-34.
30264	Lee WJ, Hoppin JA, Blair A, et al (2004). Cancer incidence among pesticide applicators exposed to alachlor in the Agricultural Health Study. <i>Am J Epidemiol</i> , 159(4): 373-80.
50628	LeMasters GK, Genaidy AM, Succop P, et al (2006). Cancer risk among firefighters: a review and meta-analysis of 32 studies. <i>J Occup Environ Med</i> , 48(11): 1189-202.

30178	Lemasters GK, Lockey JE, Olsen DM, et al (1999). Comparison of internal dose measures of solvents in breath, blood and urine and genotoxic changes in aircraft maintenance personnel. <i>Drug Chem Toxicol</i> , 22(1): 181-200.
91995	Leon ME, Schinasi LH, Lebailly P, et al (2019). Pesticide use and risk of non-Hodgkin lymphoid malignancies in agricultural cohorts from France, Norway and the USA: a pooled analysis from the AGRICOH consortium. <i>Int J Epidemiol</i> , 48(5): 1519-35.
101534	Lerro CC, Hofmann JN, Andreotti G, et al (2020). Dicamba use and cancer incidence in the agricultural health study: an updated analysis. <i>Int J Epidemiol</i> , 49(4): 1326-37.
91991	Lerro CC, Koutros S, Andreotti G, et al (2019). Cancer incidence in the Agricultural Health Study after 20 years of follow-up. <i>Cancer Causes Control</i> , 30(4): 311-22.
100824	Leuraud K, Richardson DB, Cardis E, et al (2015). Ionising radiation and risk of death from leukaemia and lymphoma in radiation-monitored workers (INWORKS): an international cohort study. <i>Lancet Haematol</i> , 2(7): e276-81.
21152	Levallois P, Miller AB, Theriault G, et al (1997). [Comments] Re: "Leukemia following occupational exposure to 60-Hz electric and magnetic fields among Ontario electric utility workers" and "Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada and France: 1970-1989.". <i>Am J Epidemiol</i> , 145(6): 567-8. Comments on ID: 21153.
21005	Levi F, Randimbison L, Te VC, et al (1996). Non-Hodgkin's lymphomas, chronic lymphocytic leukaemias and skin cancers. <i>Br J Cancer</i> , 74(11): 1847-50.
13892	Levi F, Randimbison L, La Vecchia C, et al (1997). Incidence of invasive cancers following squamous cell skin cancer. <i>Am J Epidemiol</i> , 146(9): 734-9.
28614	Lewis RJ, Gamble JF, Jorgensen G (2000). Mortality among three refinery/petrochemical plant cohorts. I. 1970 to 1982 active/terminated workers. <i>J Occup Environ Med</i> , 42(7): 721-9.
26863	Lewis RJ, Schnatter AR, Katz AM, et al (2000). Updated mortality among diverse operating segments of a petroleum company. <i>Occup Environ Med</i> , 57(9): 595-604.
9927	Lewis SJ, Bell GM, Cordingley N, et al (1997). Retrospective estimation of exposure to benzene in a leukaemia case-control study of petroleum marketing and distribution workers in the United Kingdom. <i>Occup Environ Med</i> , 54(3): 167-75.
26036	Li CY, Theriault G, Lin RS (1997). Residential exposure to 60-Hertz magnetic fields and adult cancers in Taiwan. <i>Epidemiology</i> , 8(1): 25-30.
21131	Li CY, Theriault G, Lin RS (1996). Epidemiological appraisal of studies of residential exposure to power frequency magnetic fields and adult cancers. <i>Occup Environ Med</i> , 53(8): 505-10.
103587	Li H, Hammarstrand S, Midberg B, et al (2021). Cancer incidence in a Swedish cohort with high exposure to perfluoroalkyl substances in drinking water. <i>Environ Res</i> , 204(Pt C): 112217.
106318	Li M, Gan Y, Fan C, et al (2018). Hepatitis B virus and risk of non-Hodgkin lymphoma: An updated meta-analysis of 58 studies. <i>J Viral Hepat</i> , 25(8): 894-903.
106582	Li X, Brownlee NA, Sporn TA, et al (2015). Malignant (diffuse) mesothelioma in patients with hematologic malignancies: a clinicopathologic study of 45 cases. <i>Arch Pathol Lab Med</i> , 139(9): 1129-36.
52287	Lim U, Morton LM, Subar AF, et al (2007). Alcohol, smoking, and body size in relation to incident Hodgkin's and non-Hodgkin's lymphoma risk. <i>Am J Epidemiol</i> , 166(6): 697-708.

28379	Lin K, Sherrington PD, Dennis M, et al (2002). Relationship between p53 dysfunction, CD38 expression, and IgV(H) mutation in chronic lymphocytic leukemia. <i>Blood</i> , 100(4): 1404-9.
21559	Linet MS, Cartwright RA (1996). The Leukemias. <i>Cancer Epidemiology and Prevention</i> , Second Edition, Chapter 40: 841-92. Oxford University Press.
100842	Linet MS, Gilbert ES, Vermeulen R, et al (2020). Benzene exposure-response and risk of lymphoid neoplasms in Chinese workers: a multicenter case-cohort study. <i>Am J Ind Med</i> , 63(9): 741-54.
106583	Linet MS, Little MP, Kitahara CM, et al (2020). Occupational radiation and haematopoietic malignancy mortality in the retrospective cohort study of US radiologic technologists, 1983-2012. <i>Occup Environ Med</i> , 77(12): 822-31.
21053	Linet MS, Malker HS, McLaughlin JK, et al (1988). Leukemias and occupation in Sweden: a registry-based analysis. <i>Am J Ind Med</i> , 14(3): 319-30.
1592	Linet MS, McLaughlin JK, Malker HS, et al (1994). Occupation and hematopoietic and lymphoproliferative malignancies among women: a linked registry study. <i>J Occup Med</i> , 36(11): 1187-98.
68371	Linet MS, Schubauer-Berigan MK, Weisenburger DD et al (2007). Chronic lymphocytic leukaemia: an overview of aetiology in light of recent developments in classification and pathogenesis. <i>Br J Haematol</i> , 139(5): 672-86.
8694	Linet MS, Stewart WF, Van Natta ML, et al (1987). Comparison of methods for determining occupational exposure in a case-control interview study of chronic lymphocytic leukemia. <i>J Occup Med</i> , 29(2): 136-41.
50630	Linet MS, Taggart T, Severson RK, et al (2006). Cellular telephones and non-Hodgkin lymphoma. <i>Int J Cancer</i> , 119(10): 2382-8.
76762	Linet MS, Yin SN, Gilbert ES (2015). A retrospective cohort study of cause-specific mortality and incidence of hematopoietic malignancies in Chinese benzene-exposed workers. <i>Int J Cancer</i> , 137(9): 2184-97.
64376	Lipworth L, Sonderman JS, Mumma MT, et al (2011). Cancer mortality among aircraft manufacturing workers: an extended follow-up. <i>J Occup Environ Med</i> , 53(9): 992-1007.
21061	Lishner M, Hawker G, Amato D (1990). Chronic lymphocytic leukemia in a patient with systemic lupus erythematosus. <i>Acta Hematol</i> , 84(1): 38-9.
25828	Little MP, Weiss HA, Boice JD Jr, et al (1999). Risks of leukemia in Japanese atomic bomb survivors, in women treated for cervical cancer, and in patients treated for ankylosing spondylitis. <i>Radiat Res</i> , 152(3): 280-92.
26559	Litvak E, Foster KR, Repacholi MH (2002). Health and safety implications of exposure to electromagnetic fields in the frequency range 300 Hz to 10 MHz. <i>Bioelectromagnetics</i> , 23(1): 68-82.
106574	Liu B, Zhang Y, Li J, et al (2019). Hepatitis C virus and risk of extrahepatic malignancies: a case-control study. <i>Sci Rep</i> , 9(1): 19444.
20989	London SJ, Bowman JD, Sobel E, et al (1994). Exposure to magnetic fields among electrical workers in relation to leukemia risk in Los Angeles County. <i>Am J Ind Med</i> , 26(1): 47-60.
68372	Longo DL (2012). Malignancies of lymphoid cells. <i>Harrison's Principles of Internal Medicine</i> , 18th Edition, Chapter 110: 919-35.
21133	Loomis DP, Savitz DA (1990). Mortality from brain cancer and leukaemia among electrical workers. <i>Br J Ind Med</i> , 47(9): 633-8.
11771	Loomis DP, Wolf SH (1996). Mortality of workers at a nuclear materials production plant at Oak Ridge, Tennessee, 1947-1990. <i>Am J Ind Med</i> , 29(2): 131-41.

63857	Lorenzon D, Perin T, Bulian P, et al (2009). Human immunodeficiency virus-associated precursor T-lymphoblastic leukemia/lymphoblastic lymphoma: report of a case and review of the literature. <i>Hum Pathol</i> , 40(7): 1045-9.
68373	Lu Y, Prescott J, Sullivan-Halley J, et al (2009). Body size, recreational physical activity, and B-cell non-Hodgkin lymphoma risk among women in the California teachers study. <i>Am J Epidemiol</i> , 170(10): 1231-40.
26083	Lundberg I, Milatou-Smith R (1998). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. <i>Scand J Work Environ Health</i> , 24(4): 270-5.
74414	Lurker PA, Berman F, Clapp RW, et al (2014). Response to commentary: Post-Vietnam military herbicide exposures in UC-123 Agent Orange spray aircraft. <i>Environ Res</i> , 131: 215-6.
74415	Lurker PA, Berman F, Clapp RW, et al (2014). Post-Vietnam military herbicide exposures in UC-123 Agent Orange spray aircraft. <i>Environ Res</i> , 130: 34-42.
30511	Lynch HT, Weisenburger DD, Quinn-Laquer B, et al (2002). Hereditary chronic lymphocytic leukemia: an extended family study and literature review. <i>Am J Med Genet</i> , 115(3): 113-7.
17285	Lynge E (1998). Cancer incidence in Danish phenoxy herbicide workers, 1947-1993. <i>Environ Health Perspect</i> , 106(Suppl 2): 683-8.
24938	Lynge E (1999). [Comment] Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. <i>Occup Environ Med</i> , 56(3): 215.
13222	Lynge E, Anttila A, Hemminki K (1997). Organic solvents and cancer. <i>Cancer Causes Control</i> , 8(3): 406-19.
29473	Lyons TJ, Grayson K, Lisanti C (1996). [Comment] Is statistical significance required for public health intervention? <i>Aviat Space Environ Med</i> , 67(4): 389. Comment on ID: 29472.
56151	MacFarlane E, Benke G, Del Monaco A, et al (2010). Causes of death and incidence of cancer in a cohort of Australian pesticide-exposed workers. <i>Ann Epidemiol</i> , 20(4): 273-80.
45752	Mahajan R, Blair A, Coble J, et al (2007). Carbaryl exposure and incident cancer in the Agricultural Health Study. <i>Int J Cancer</i> , 121(8): 1799-805.
100844	Mahale P, Torres HA, Kramer JR, et al (2017). Hepatitis C virus infection and the risk of cancer among elderly US adults: A registry-based case-control study. <i>Cancer</i> , 123(7): 1202-11.
8695	Malone KE, Koepsell TD, Daling JR, et al (1989). Chronic lymphocytic leukemia in relation to chemical exposures. <i>Am J Epidemiol</i> , 130(6): 1152-8.
21057	Mann DL, LeSane F, Boumpas D, et al (1988). HTLV-I infection and chronic lymphocytic leukemia. <i>Nouv Rev Fr Hematol</i> (1978), 30(5-6): 267-73.
70423	Manuwald U, Velasco Garrido M, Berger J, et al (2012). Mortality study of chemical workers exposed to dioxins: follow-up 23 years after chemical plant closure. <i>Occup Environ Med</i> , 69(9): 636-42.
21173	Marinella MA, Moseley RH (1996). Chronic lymphocytic leukemia complicating chronic hepatitis C infection. <i>J Clin Gastroenterol</i> , 23(4): 302.
52207	Marinelli F, La Sala D, Cicciotti G, et al (2004). Exposure to 900 MHz electromagnetic field induces an unbalance between pro-apoptotic and pro-survival signals in T-lymphoblastoid leukemia CCRF-CEM cells. <i>J Cell Physiol</i> , 198(2): 324-32.
29451	Marino AA (1995). Time-dependent hematological changes in workers exposed to electromagnetic fields. <i>Am Ind Hyg Assoc J</i> , 56(2): 189-92.

22253	Marjerrison N, Jakobsen J, Grimsrud TK, et al (2022). Cancer incidence in sites potentially related to occupational exposures: 58 years of follow-up of firefighters in the Norwegian Fire Departments Cohort. <i>Scand J Work Environ Health</i> , 148(3): 210-9.
21352	Markovic-Denic L, Jankovic S, Marinkovic J, et al (1995). Brick mortar exposure and chronic lymphocytic leukemia. <i>Neoplasma</i> , 42(2): 79-81.
20967	Marsh BJ (1996). Infectious complications of human T cell leukemia/lymphoma virus type I infection. <i>Clin Infect Dis</i> , 23(1): 138-45.
24597	Marsh GM, Gula MJ, Youk AO, et al (1999). Mortality among chemical plant workers exposed to acrylonitrile and other substances. <i>Am J Ind Med</i> , 36(4): 423-36.
100846	Marsh GM, Keeton KA, Riordan AS, et al (2019). Ethylene oxide and risk of lympho-hematopoietic cancer and breast cancer: a systematic literature review and meta-analysis. <i>Int Arch Occup Environ Health</i> , 92(7): 919-39.
74412	Marwick C (2003). Link found between Agent Orange and chronic lymphocytic leukaemia. <i>BMJ</i> , 326(7383): 242.
13143	Massoudi BL, Talbott EO, Day RD, et al (1997). A case-control study of hematopoietic and lymphoid neoplasms: The role of work in the chemical industry. <i>Am J Ind Med</i> , 31(1): 21-7.
106613	Mazzaro C, Dal Maso L, Visentini M, et al (2021). Hepatitis C virus-associated indolent B-cell lymphomas: A review on the role of the new direct antiviral agents therapy. <i>Hematol Oncol</i> , 39(4): 439-47.
69389	McBride D, Cox B, Broughton J, et al (2013). The mortality and cancer experience of New Zealand Vietnam war veterans: a cohort study. <i>BMJ Open</i> , 3(9): e003379.
56055	McBride DI, Collins JJ, Humphry NF, et al (2009). Mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin at a trichlorophenol plant in New Zealand. <i>J Occup Environ Med</i> , 51(9): 1049-56.
23960	McCann J, Kavet R, Rafferty CN (2000). Assessing the potential carcinogenic activity of magnetic fields using animal models. <i>Environ Health Perspect</i> , 108(Suppl 1): 79-100.
21419	McClure D (1997). Electromagnetic fields and leukaemia risk. <i>Paediatr Nurs</i> , 9(5): 25-7.
108046	McClure LA, Koru-Sengul T, Hernandez MN, et al (2020). Comparing cancer risk estimates using occupational record linkage approaches in male Florida firefighters. <i>Am J Ind Med</i> , 64(2): 78-83.
29498	McDevitt JJ, Breysse PN, Bowman JD, et al (2002). Comparison of extremely low frequency (ELF) magnetic field personal exposure monitors. <i>J Expo Anal Environ Epidemiol</i> , 12(1): 1-8.
26275	McDonald TA, Holland NT, Skibola C, et al (2001). Hypothesis: phenol and hydroquinone derived mainly from diet and gastrointestinal flora activity are causal factors in leukemia. <i>Leukemia</i> , 15(1): 10-20.
26596	McGeoghegan D, Binks K (2000). The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> , 20(2): 111-37.
12630	McGrath MS, Ng VL (1992). Human retroviruses and cancer (P Calabresi & PS Schein - Eds). <i>Medical Oncology</i> , 2nd Edition, 79-82. McGraw Hill, New York.
7174	McGregor DB, Heseltine E, Moller H (1995). Dry cleaning, some solvents used in dry cleaning and other industrial chemicals. IARC meeting, Lyon, 7-14 February, 1996. <i>Scand J Environ Health</i> , 21(4): 310-2.
45749	McHale CM, Zhang L, Hubbard AE, et al (2007). Microarray analysis of gene expression in peripheral blood mononuclear cells from dioxin-exposed human subjects. <i>Toxicology</i> , 229(1-2): 101-13.

76834	McHale CM, Zhang L, Smith MT (2012). Current understanding of the mechanism of benzene-induced leukemia in humans: implications for risk assessment. <i>Carcinogenesis</i> , 33(2): 240-52.
28368	McKenna DB, Doherty VR, McLaren KM, et al (2000). Malignant melanoma and lymphoproliferative malignancy: is there a shared aetiology? <i>Br J Dermatol</i> , 143(1): 171-3.
28417	McKenna DB, Stockton D, Brewster DH, et al (2003). Evidence for an association between cutaneous malignant melanoma and lymphoid malignancy: a population-based retrospective cohort study in Scotland. <i>Br J Cancer</i> , 88(1): 74-8.
47611	McLean D, Pearce N, Langseth H, et al (2006). Cancer mortality in workers exposed to organochlorine compounds in the pulp and paper industry: an international collaborative study. <i>Environ Health Perspect</i> , 114(7): 1007-12.
30036	Mehlman M (2001). Methyl-tertiary-butyl-ether (MTBE) misclassified. <i>Am J Ind Med</i> , 39(5): 505-8.
30171	Mehlman MA (1990). Dangerous properties of petroleum-refining products: carcinogenicity of motor fuels (gasoline). <i>Teratog Carcinog Mutagen</i> , 10(5): 399-408.
28398	Mellemkjaer L, Kjoller K, Friis S, et al (2000). Cancer occurrence after cosmetic breast implantation in Denmark. <i>Int J Cancer</i> , 88(2): 301-6.
30198	Mellemkjaer L, Linet MS, Gridley G, et al (1996). Rheumatoid arthritis and cancer risk. <i>Eur J Cancer</i> , 32A(10): 1753-7.
50636	Merhi M, Raynal H, Cahuzac E, et al (2007). Occupational exposure to pesticides and risk of hematopoietic cancers: meta-analysis of case-control studies. <i>Cancer Causes Control</i> , 18(10): 1209-26.
52202	Merler E, Silvestri S, Mauro L, et al (2001). [Comment] Re: mortality among workers in the geothermal power plants at Larderello, Italy. <i>Am. J. Ind. Med.</i> 35:536-539, 2000. <i>Am J Ind Med</i> , 39(4): 436-7; author reply 438.
105719	Mescher C, Gilbertson D, Randall NM, et al (2018). The impact of Agent Orange exposure on prognosis and management in patients with chronic lymphocytic leukemia: a National Veteran Affairs Tumor Registry Study. <i>Leuk Lymphoma</i> , 59(6): 1348-55.
47612	Mester B, Nieters A, Deeg E, et al (2006). Occupational and malignant lymphoma: a population based case control study in Germany. <i>Occup Environ Med</i> , 63(1): 17-26.
30113	Michaelson SM (1991). Biological effects of radiofrequency radiation: concepts and criteria. <i>Health Phys</i> , 61(1): 3-14.
3040	Michalek JE, Wolfe WH, Miner JC (1990). Health status of air force veterans occupationally exposed to herbicides in Vietnam. II. Mortality. <i>JAMA</i> , 264(14): 1832-6.
30562	Michelozzi P, Capon A, Kirchmayer U, et al (2002). Adult and childhood leukemia near a high-power station in Rome, Italy. <i>Am J Epidemiol</i> , 155(12): 1096-103.
29753	Milham S (1988). Increased mortality in amateur radio operators due to lymphatic and hematopoietic malignancies. <i>Am J Epidemiol</i> , 127(1): 50-4.
25806	Milham S (2000). Comment: "Accuracy of industry and occupation on death certificates of electric utility workers: implications for epidemiologic studies of magnetic fields and cancer" by Kurtis W. Andrews and David Savitz, <i>Bioelectromagnetics</i> 20:512-518 (1999). <i>Bioelectromagnetics</i> , 21(5): 411.
14619	Milham S Jr (1988). [Comment] Mortality by license class in amateur radio operators. <i>Am J Epidemiol</i> , 128(5): 1175-6.

50637	Miligi L, Costantini AS, Veraldi A, et al (2006). Cancer and pesticides. An overview and some results of the Italian multicenter case-control study on hematolymphopoietic malignancies. <i>Ann N Y Acad Sci</i> , 1076: 366-77.
52293	Miligi L, Costantini AS, Benvenuti A, et al (2006). Occupational exposure to solvents and the risk of lymphomas. <i>Epidemiology</i> , 17(5): 552-61.
26156	Miligi L, Seniori Costantini A, Crosignani P, et al (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. <i>Am J Ind Med</i> , 36(1): 60-9.
21153	Miller AB, To T, Agnew DA, et al (1996). Leukemia following occupational exposure to 60-Hz electric and magnetic fields among Ontario electric utility workers. <i>Am J Epidemiol</i> , 144(2): 150-60.
21151	Miller RD, Neuberger JS, Gerald KB (1997). Brain cancer and leukemia and exposure to power-frequency (50- to 60-Hz) electric and magnetic fields. <i>Epidemiol Rev</i> , 19(2): 273-93.
29551	Mills PK, Kwong S (2001). Cancer incidence in the United Farmworkers of America (UFW), 1987-1997. <i>Am J Ind Med</i> , 40(5): 596-603.
38743	Mills PK, Yang R, Riordan D (2005). Lymphohematopoietic cancers in the United Farm Workers of America (UFW), 1988-2001. <i>Cancer Causes Control</i> , 16(7): 823-30.
21068	Minder CE, Pfluger DH (2001). Leukemia, brain tumors, and exposure to extremely low frequency electromagnetic fields in Swiss railway employees. <i>Am J Epidemiol</i> , 153(9): 825-35.
25812	Minder CE, Pfluger DH (2001). Minder and Pfluger respond to "electromagnetic fields and cancer in railway workers' by Savitz. <i>Am J Epidemiol</i> , 153(9): 839-40.
28367	Mitsiades CS, Mitsiades N (2003). [Comment] P2X7 polymorphism and chronic lymphocytic leukaemia. <i>Lancet</i> , 361(9367): 1478; author reply 1478-9. Comment on ID: 28366.
28423	Miyagi J, Masuda M, Uezato H, et al (2002). [Comment] Increased risk of human herpesvirus-8 infection in patients with adult T cell leukemia/lymphoma in Okinawa. <i>Leukemia</i> , 16(9): 1881-2.
106585	Mo X, Zhou M, Yan H, et al (2021). Estimating the risk of developing secondary hematologic malignancies in patients with T1/T2 prostate cancer undergoing diverse treatment modalities: A large population-based study. <i>Cancer Med</i> , 10(15): 5338-46.
3072	Moder KG, Tefferi A, Cohen MD, et al (1995). Hematologic malignancies and the use of Methotrexate in rheumatoid arthritis: A retrospective study. <i>Am J Med</i> , 99(3): 276-81.
28498	Molica S, Levato D (2001). What is changing in the natural history of chronic lymphocytic leukemia? <i>Haematologica</i> , 86(1): 8-12.
763	Moller H, Anders M, Lindvig K, et al (1994). Obesity and cancer risk: a Danish record-linkage study. <i>Eur J Cancer</i> , 30A(3): 344-50.
16319	Moller H, Mellegaard A, Lindvig K, et al (1994). Obesity and cancer risk: a Danish record-linkage study. <i>Eur J Cancer</i> , 30A(3): 344-50.
8768	Moloney WC (1987). Radiogenic leukemia revisited. <i>Blood</i> , 70(4): 905-8.
20981	Momose H, Jaffe ES, Shin SS, et al (1992). Chronic lymphocytic leukemia/small lymphocytic lymphoma with Reed-Sternberg-like cells and possible transformation to Hodgkin's disease. Mediation by Epstein-Barr virus. <i>Am J Surg Pathol</i> , 16(9): 859-67.
64421	Monnereau A, Orsi L, Troussard X, et al (2008). Cigarette smoking, alcohol drinking, and risk of lymphoid neoplasms: results of a French case-control study. <i>Cancer Causes Control</i> , 19(10): 1147-60.
106586	Monnereau A, Slager SL, Hughes AM, et al (2014). Medical history, lifestyle, and occupational risk factors for hairy cell leukemia: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 2014(48): 115-24.

27796	Monteiro-Riviere N, Inman A, Riviere J (2001). Effects of short-term high-dose and low-dose dermal exposure to Jet A, JP-8 and JP-8+100 jet fuels. <i>J Appl Toxicol</i> , 21(6): 485-94.
28537	Montserrat E (1997). Chronic lymphoproliferative disorders. <i>Curr Opin Oncol</i> , 9(1): 34-41.
68374	Montserrat E, Moreno C (2008). Chronic lymphocytic leukaemia: a short overview. <i>Ann Oncol</i> , 19(Suppl 7): vii320-5.
21052	Montserrat E, Rozman C (1995). Chronic lymphocytic leukemia: present status. <i>Ann Oncol</i> , 6(3): 219-35.
107226	Moon J, Yoo H (2021). Residential radon exposure and leukemia: A meta-analysis and dose-response meta-analyses for ecological, case-control, and cohort studies. <i>Environ Res</i> , 202: 111714.
91861	Moore SC, Lee IM, Weiderpass E, et al (2016). Association of leisure-time physical activity with risk of 26 types of cancer in 1.44 million adults. <i>JAMA Intern Med</i> , 176(6): 816-25.
14768	Morgan RW, Kelsh MA, Zhao K, et al (1998). Mortality of aerospace workers exposed to trichloroethylene. <i>Epidemiology</i> , 9(4): 424-31 Erratum: (2000); 11(3): 360.
24970	Morgan RW, Kelsh MA, Zhao K, et al (2000). Radiofrequency exposure and mortality from cancer of the brain and lymphatic/hematopoietic systems. <i>Epidemiology</i> , 11(2): 118-27.
45958	Morra E, Montillo M (2004). [Comment] Chronic lymphocytic leukemia in 2003. <i>Haematologica</i> , 89(1): 9-10.
55863	Morton LM, Engels EA, Holford TR, et al (2004). Hepatitis C virus and risk of non-Hodgkin lymphoma: a population-based case-control study among Connecticut women. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(3): 425-30.
106587	Morton LM, Gibson TM, Clarke CA, et al (2014). Hepatitis B or C virus infection and risk of non-Hodgkin lymphoma among solid organ transplant recipients. <i>Haematologica</i> , 99(5): 70-3.
41046	Morton LM, Hartge P, Holford TR, et al (2005). Cigarette smoking and risk of Non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Cancer Epidemiol Biomarkers Prev</i> , 14(4): 925-33.
83133	Morton LM, Sampson JN, Cerhan JR, et al (2014). Rationale and design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , (48): 1-14.
83125	Morton LM, Slager SL, Cerhan JR, et al (2014). Etiologic heterogeneity among non-Hodgkin lymphoma subtypes: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , (48): 130-44.
47661	Morton LM, Wang SS, Devesa SS, et al (2006). Lymphoma incidence patterns by WHO subtype in the United States, 1992-2001. <i>Blood</i> , 107(1): 265-76.
23853	Moulder JE, Erdreich LS, Malyapa RS, et al (1999). Cell phones and cancer: what is the evidence for a connection? <i>Radiat Res</i> , 151(5): 513-31.
106588	Mozessohn L, Earle C, Spaner D, et al (2016). The association of dyslipidemia with chronic lymphocytic leukemia: a population-based study. <i>J Natl Cancer Inst</i> , 109(3): 10.1093/jnci/djw226.
108047	Muegge CM, Zollinger TW, Song Y, et al (2018). Excess mortality among Indiana firefighters, 1985-2013. <i>Am J Ind Med</i> , 61(12): 961-7.
27791	Mueller J, Gaus C, Alberts V, et al (2002). Examination of the Potential Exposure of Royal Australian Navy (RAN) Personnel to Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans Via Drinking Water. The National Research Centre for Environmental Toxicology (NRCE).

21177	Mueller N (1991). The epidemiology of HTLV-I infection. <i>Cancer Causes Control</i> , 2(1): 37-52.
10431	Muhm JM (1992). Mortality investigation of workers in an electromagnetic pulse test program. <i>J Occup Med</i> , 34(3): 287-92.
27624	Muirhead CR, Bingham D, Haylock RG, et al (2003). Follow up of mortality and incidence of cancer 1952-98 in men from the UK who participated in the UK's atmospheric nuclear weapons tests and experimental programmes. <i>Occup Environ Med</i> , 60(3): 165-72.
17201	Muirhead CR, Goodill AA, Haylock RG, et al (1999). Occupational radiation exposure and mortality: second analysis of the National Registry for radiation workers. <i>J Radiol Prot</i> , 19(1): 3-26.
52526	Muirhead CR, Hagan JA, Haylock RG, et al (2009). Mortality and cancer incidence following occupational radiation exposure: third analysis of the National Registry for Radiation Workers. <i>Br J Cancer</i> , 100(1): 206-12.
74408	Muller JF, Gaus C, Bundred K, et al (2001). Co-distillation of agent orange and other persistent organic pollutants in evaporative water distillation. <i>Organohalogen Compounds</i> , 52: 243-6.
1595	Mulligan SP, Catovsky D (1993). The chronic B-cell leukaemias. <i>Aust N Z J Med</i> , 23(1): 42-50.
26579	Munker R, Grutzner S, Hiller E, et al (1999). Second malignancies after Hodgkin's disease: the Munich experience. <i>Ann Hematol</i> , 78(12): 544-54.
78298	Muzyka V, Velmer S, Shmidt N (1998). Particle-bound benzene from diesel engine exhaust. <i>Scand J Work Environ Health</i> , 24(6): 481-5.
20970	Nanni O, Amadori D, Lugaresi C, et al (1996). Chronic lymphocytic leukaemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on a priori exposure matrices. <i>Occup Environ Med</i> , 53(10): 652-7.
30505	Nardini E, Neri F, Vicenzi E, et al (2003). Thymic function and immunoglobulin mutation genotype in B-cell chronic lymphocytic leukemia patients. <i>Int J Cancer</i> , 107(6): 958-61.
90277	National Academies of Sciences, Engineering, and Medicine (2018). <i>Veterans and Agent Orange: Update 11</i> , Washington, D.C: National Academy Press.
25532	National Health and Medical Research Council [NHMRC] (1997). <i>The Health effects of passive smoking: a scientific information paper</i> . Report of the NHMRC Working Party, Department of Health & Family Services.
71803	National Industrial Chemicals Notification and Assessment Scheme (NICNAS) (2001). Benzene: Priority Existing Chemical Assessment Report No. 21, Commonwealth of Australia.
26703	National Radiological Protection Board (NRPB) (2001). ELF electromagnetic fields and the risk of cancer: Report of the Advisory Group on Non-ionising Radiation, 12. National Radiological Protection Board, Chilton, Didcot, Oxon OX11 ORQ.
28736	National Research Centre for Environmental Toxicology (ENTOX) (2002). Examination of the Potential Exposure of Royal Australian Navy (RAN) Personnel to Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans via Drinking Water, Executive Summary. Queensland Health Scientific Services (QHSS).
45881	National Toxicology Program (2002). 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD); "dioxin". <i>Rep Carcinog</i> , 10: 224-6.
20965	Neely SM (1989). Adult T-cell leukemia-lymphoma. <i>West J Med</i> , 150(5): 557-61.
30512	Nelson BP, Variakojis D, Peterson LC (2002). Leukemic phase of B-cell lymphomas mimicking chronic lymphocytic leukemia and variants at presentation. <i>Mod Pathol</i> , 15(11): 1111-20.

45908	Newton M, Young AL (2004). [Comment] The story of 2,4,5-T: a case study of science and societal concerns. <i>Environ Sci Pollut Res Int</i> , 11(4): 207-8.
28427	Ng AK, Bernardo MV, Weller E, et al (2002). Second malignancy after Hodgkin disease treated with radiation therapy with or without chemotherapy: long-term risks and risk factors. <i>Blood</i> , 100(6): 1989-96.
74413	Nguyen NV (2009). Occurrence of persistent toxic substances in soils, sediments, fishes and human breast milk in southern Vietnam. <i>Ecole Polytechnique Federale de Lausanne</i> . [Abstract]
29510	Nicholas JS, Butler GC, Davis S, et al (2003). Stable chromosome aberrations and ionizing radiation in airline pilots. <i>Aviat Space Environ Med</i> , 74(9): 953-6.
29442	Nicholas JS, Butler GC, Lackland DT, et al (2000). Flight deck magnetic fields in commercial aircraft. <i>Am J Ind Med</i> , 38(5): 548-54.
29441	Nicholas JS, Lackland DT, Butler GC, et al (1998). Cosmic radiation and magnetic field exposure to airline flight crews. <i>Am J Ind Med</i> , 34(6): 574-80.
50648	Nieters A, Deeg E, Becker N (2006). Tobacco and alcohol consumption and risk of lymphoma: results of a population-based case-control study in Germany. <i>Int J Cancer</i> , 118(2): 422-30.
50650	Nieters A, Kallinowski B, Brennan P, et al (2006). Hepatitis C and risk of lymphoma: results of the European multicenter case-control study EPILYMPH. <i>Gastroenterology</i> , 131(6): 1879-86.
106589	Nieters A, Luczynska A, Becker S, et al (2014). Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , 35(12): 2716-22.
52297	Nieters A, Rohrmann S, Becker N, et al (2008). Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>Am J Epidemiol</i> , 167(9): 1081-9.
29608	Nishino Y, Tsubono Y, Tsuji I, et al (2001). Passive smoking at home and cancer risk: a population-based prospective study in Japanese nonsmoking women. <i>Cancer Causes Control</i> , 12(9): 797-802.
24206	No authors listed (1998). Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz). International Commission on Non-Ionizing Radiation Protection. <i>Health Phys</i> , 74(4): 494-522.
105508	Nocturne G, Virone A, Ng WF, et al (2016). Rheumatoid factor and disease activity are independent predictors of lymphoma in primary Sjogren's syndrome. <i>Arthritis Rheumatol</i> , 68(4): 977-85.
28439	Nordstrom M, Hardell L, Lindstrom G, et al (2000). Concentrations of organochlorines related to titers to Epstein-Barr virus early antigen IgG as risk factors for hairy cell leukemia. <i>Environ Health Perspect</i> , 108(5): 441-5.
28484	Nordstrom M, Hardell L, Magnusson A, et al (1998). Occupational exposures, animal exposure and smoking as risk factors for hairy cell leukaemia evaluated in a case-control study. <i>Br J Cancer</i> , 77(11): 2048-52.
28605	Nordstrom M, Hardell L, Linde A, et al (1999). Elevated antibody levels to Epstein-Barr virus antigens in patients with hairy cell leukemia compared to controls in relation to exposure to pesticides, organic solvents, animals, and exhausts. <i>Oncol Res</i> , 11(11-12): 539-44.
28539	Nordstrom M, Hardell L, Magnusson A, et al (1997). Occupation and occupational exposure to UV light as risk factors for hairy cell leukaemia evaluated in a case-control study. <i>Eur J Cancer Prev</i> , 6(5): 467-72.

46691	NTP (2006). Technical Report on the Toxicology and Carcinogenesis. Studies of 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD). National Institutes of Health, Public Health Service, U.S. Department of Health and Human Services.
106591	Oancea SC, Rundquist BC, Simon I, et al (2017). County level incidence rates of chronic lymphocytic leukemia are associated with residential radon levels. <i>Future Oncol</i> , 13(21): 1873-81.
14680	O'Brien TR, Decoufle P, Boyle CA (1991). Non-Hodgkin's lymphoma in a cohort of Vietnam veterans. <i>Am J Public Health</i> , 81(6): 758-60.
28426	O'Connor SJ, Su'ut L, Morgan GJ, et al (2000). The relationship between typical and atypical B-cell chronic lymphocytic leukemia. A comparative genomic hybridization-based study. <i>Am J Clin Pathol</i> , 114(3): 448-58.
73188	Office of the Surgeon General (2014). The health consequences of smoking - 50 years of progress. A report of the surgeon general. U.S. Dept. of Health and Human Services Pub, U.S. Department of Health and Human Services.
91962	Ohkuma T, Peters SA, Woodward M (2018). Sex differences in the association between diabetes and cancer: a systematic review and meta-analysis of 121 cohorts including 20 million individuals and one million events. <i>Diabetologia</i> , 61(10): 2140-54.
106592	Ojha J, Dyagil I, Finch SC, et al (2018). Genomic characterization of chronic lymphocytic leukemia (CLL) in radiation-exposed Chernobyl cleanup workers. <i>Environ Health</i> , 17(1): 43.
21179	Oliveira MD, Hammerschlak N, Chlattone C, et al (1998). HTLV-1 infection and adult T-cell leukemia in Brazil: an overview. <i>Revista Paulista de Medicina</i> , 114: 1177-85.
105723	Olsen CM, Lane SW, Green AC (2016). Increased risk of melanoma in patients with chronic lymphocytic leukaemia: systematic review and meta-analysis of cohort studies. <i>Melanoma Res</i> , 26(2): 188-94.
15938	Omar RZ, Barber JA, Smith PP (1999). Cancer mortality and morbidity among plutonium workers at the Sellafield plant of British nuclear fuels. <i>Br J Cancer</i> , 79(7-8): 1288-301.
62271	Orsi L, Delabre L, Monnereau A, et al (2009). Occupational exposure to pesticides and lymphoid neoplasms among men: results of a French case-control study. <i>Occup Environ Med</i> , 66(5): 291-8.
60468	Orsi L, Monnereau A, Dananche B, et al (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: results of a French case-control study. <i>Occup Environ Med</i> , 67(10): 664-72.
30510	Oscier D, Fegan C, Hillmen P, et al (2004). Guidelines on the diagnosis and management of chronic lymphocytic leukaemia. <i>Br J Haematol</i> , 125(3): 294-317.
28378	Oscier DG, Gardiner AC, Mould SJ, et al (2002). Multivariate analysis of prognostic factors in CLL: clinical stage, IGVH gene mutational status, and loss or mutation of the p53 gene are independent prognostic factors. <i>Blood</i> , 100(4): 1177-84.
106290	O'Sullivan DE, Hillier TW, Brenner DR, et al (2018). Indoor tanning and the risk of developing non-cutaneous cancers: a systematic review and meta-analysis. <i>Cancer Causes Control</i> , 29(10): 937-50.
9920	Ott MG, Zober A (1996). Cause specific mortality and cancer incidence among employees exposed to 2,3,7,8-TCDD after a 1953 reactor accident. <i>Occup Environ Med</i> , 53(9): 606-12.
24971	Owen RD (2000). Possible health risks of radiofrequency exposure from mobile telephones. <i>Epidemiology</i> , 11(2): 99-100.
29808	Oxman AD, Sackett DL, Guyatt GH (1993). Users' guides to the medical literature. I. How to get started. The Evidence-Based Medicine Working Group. <i>JAMA</i> , 270(17): 2093-5.

26929	Paavolainen P, Pukkala E, Pulkkinen P, et al (1999). Cancer incidence after total knee arthroplasty. A nationwide Finnish cohort from 1980 to 1996 involving 9,444 patients. <i>Acta Orthop Scand</i> , 70(6): 609-17.
21417	Pachocki KA, Gajewski AK (1991). Exposure to electromagnetic fields and risk of leukemia. <i>Roczniki Panstwowego Zakladu Higieny</i> , 42(3): 217-21.
52201	Paffenbarger RS Jr, Lee IM, Wing AL (1992). The influence of physical activity on the incidence of site-specific cancers in college alumni. <i>Adv Exp Med Biol</i> , 322: 7-15.
23765	Pahwa M, Beane Freeman LE, Spinelli JJ, et al (2019). Glyphosate use and associations with non-Hodgkin lymphoma major histological subtypes: findings from the North American Pooled Project. <i>Scand J Work Environ Health</i> , 45(6): 600-9.
30125	Pan SY, Johnson KC, Ugnat AM, et al (2004). Association of obesity and cancer risk in Canada. <i>Am J Epidemiol</i> , 159(3): 259-68.
28361	Pangalis GA, Vassilakopoulos TP, Dimopoulou MN, et al (2002). B-chronic lymphocytic leukemia: practical aspects. <i>Hematol Oncol</i> , 20(3): 103-46.
28400	Parascandola M (2002). Scientific evidence. Judge rejects cancer data in Maryland cell phone suit. <i>Science</i> , 298(5592): 338.
106584	Park HY, Hong YC, Lee K, et al (2019). Vitamin D status and risk of non-Hodgkin lymphoma: An updated meta-analysis. <i>PLoS One</i> , 14(4): e0216284.
106801	Park RM (2020). Associations between exposure to ethylene oxide, job termination, and cause-specific mortality risk. <i>Am J Ind Med</i> , 63(7): 577-88.
26299	Parker AS, Cerhan JR, Dick F, et al (2000). Smoking and risk of non-Hodgkin lymphoma subtypes in a cohort of older women. <i>Leuk Lymphoma</i> , 37(3-4): 341-9.
28429	Parodi S, Vercelli M, Stella A, et al (2003). Lymphohaematopoietic system cancer incidence in an urban area near a coke oven plant: an ecological investigation. <i>Occup Environ Med</i> , 60(3): 187-93.
55876	Parsonnet J, Isaacson PG (2004). Bacterial infection and MALT lymphoma. <i>N Engl J Med</i> , 350(3): 213-5.
30500	Pasquini R, Villarini M, Scassellati S, et al (2003). Micronucleus induction in cells co-exposed in vitro to 50 Hz magnetic field and benzene, 1,4-benzenediol (hydroquinone) or 1,2,4-benzenetriol. <i>Toxicology In Vitro</i> , 17(5-6): 581-6.
22338	Paulu C, Aschengrau A, Ozonoff D (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. <i>Environ Health Perspect</i> , 107(4): 265-71.
36030	Pavuk M, Michalek JE, Schecter A, et al (2005). Did TCDD exposure or service in Southeast Asia increase the risk of cancer in air force Vietnam veterans who did not spray agent orange? <i>J Occup Environ Med</i> , 47(4): 335-42.
54754	Pavuk M, Patterson DG Jr, Turner WE, et al (2007). Polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs), and dioxin-like polychlorinated biphenyls (PCBs) in the serum of US Air Force veterans in 2002. <i>Chemosphere</i> , 68(1): 62-8.
13084	Paxton MB (1996). Leukemia risk associated with benzene exposure in the Pliofilm cohort. <i>Environ Health Perspect</i> , 104(Suppl 6): 1431-6.
4608	Paxton MB, Chinchilli VM, Brett SM, et al (1994). Leukemia risk associated with benzene exposure in the pliofilm cohort: 1. Mortality update and exposure distribution. <i>Risk Anal</i> , 14(2): 147-54.

28542	Paydas S, Sahin B, Hazar B, et al (2000). The association of thyrotoxicosis and chronic lymphoproliferative disorders. <i>Leuk Lymphoma</i> , 38(1-2): 131-5.
26195	Peach HG, Barnett NE (2001). Critical review of epidemiological studies of the association between smoking and non-Hodgkin's lymphoma. <i>Hematol Oncol</i> , 19(2): 67-80.
45882	Pearce MS, Hammal DM, Dorak MT, et al (2006). Paternal occupational exposure to pesticides or herbicides as risk factors for cancer in children and young adults: a case-control study from the North of England. <i>Arch Environ Occup Health</i> , 61(3): 138-44.
17372	Pearce N, Winkelmann R, Kennedy J, et al (1997). Further follow-up of New Zealand participants in United Kingdom atmospheric nuclear weapons tests in the Pacific. <i>Cancer Causes Control</i> , 8(2): 139-45.
1575	Peasatori AC, Consonni D, Tironi A, et al (1993). Cancer in a young population in a dioxin-contaminated area. <i>Int J Epidemiology</i> , 22(6): 1010-3.
45747	Perry C, Soreq H (2004). [Comment] Organophosphate risk of leukemogenesis. <i>Leuk Res</i> , 28(9): 905-6.
8039	Pershagen G (1983). The epidemiology of human arsenic exposure. B Fowler (Ed). <i>Biological and Environmental Effects of Arsenic</i> , Chapter 6: 199-232. Elsevier Science Publishers, Amsterdam.
63465	Pesatori AC, Consonni D, Rubagotti M, et al (2009). Cancer incidence in the population exposed to dioxin after the "Seveso accident": twenty years of follow-up. <i>Environ Health</i> , 8: 39.
89349	Petersen K, Pedersen JE, Bonde JP, et al (2018). Long-term follow-up for cancer incidence in a cohort of Danish firefighters. <i>Occup Environ Med</i> , 75(4): 263-9.
33802	Petrovitch H, Ross GW, Abbott RD, et al (2002). Plantation work and risk of Parkinson disease in a population-based longitudinal study. <i>Arch Neurol</i> , 59(11): 1787-92.
26859	Pickard AL, Gridley G, Mellemkjae L, et al (2002). Hyperparathyroidism and subsequent cancer risk in Denmark. <i>Cancer</i> , 95(8): 1611-7.
52206	Pira E, La Vecchia C, Maroni M (2001). [Comment] Re: mortality among workers in the geothermal power plants at Larderello, Italy. <i>Am. J. Ind. Med.</i> 35:536-539, 2000. <i>Am J Ind Med</i> , 39(4): 438.
15762	Pira E, Turbiglio M, Maroni M, et al (1999). Mortality among workers in the geothermal power plants at Larderello, Italy. <i>Am J Ind Med</i> , 35(5): 536-9.
27803	Pleil JD, Smith LB, Zelnick SD (2000). Personal exposure to JP-8 jet fuel vapors and exhaust at air force bases. <i>Environ Health Perspect</i> , 108(3): 183-92.
32944	Polednak AP (1976). College athletics, body size, and cancer mortality. <i>Cancer</i> , 38(1): 382-7.
66632	Polychronakis I, Dounias G, Makropoulos V, et al (2013). Work-related leukemia: a systematic review. <i>J Occup Med Toxicol</i> , 8(1): 14.
47613	Popp JA, Crouch E, McConnell EE (2006). A weight-of-evidence analysis of the cancer dose-response characteristics of 2,3,7,8-Tetrachlorodibenzodioxin (TCDD). <i>Toxicol Sci</i> , 89(2): 361-9.
106614	Pozzato G, Mazzaro C, Gattei V (2021). Hepatitis C virus-associated non-Hodgkin lymphomas: the endless history. <i>Minerva Med</i> , 112(2): 215-27.
28541	Preece AW, Hand JW, Clarke RN, et al (2000). Power frequency electromagnetic fields and health. Where's the evidence? <i>Phys Med Biol</i> , 45(9): R139-54.
8818	Preston DL, Kusumi S, Tomonaga M, et al (1994). Cancer incidence in atomic bomb survivors. Part III: Leukemia, lymphoma and multiple myeloma, 1950-1987. <i>Radiat Res</i> , 137(2 Suppl): S68-S97.

30229	Prior P, Symmons DP, Hawkins CF, et al (1984). Cancer morbidity in rheumatoid arthritis. <i>Ann Rheum Dis</i> , 43(2): 128-31.
19246	Psaltopoulou T, Sergentanis TN, Ntanasis-Stathopoulos I, et al (2018). Alcohol consumption and risk of hematological malignancies: A meta-analysis of prospective studies. <i>Int J Cancer</i> , 143(3): 486-95.
100857	Psaltopoulou T, Sergentanis TN, Ntanassis-Stathopoulos I, et al (2019). Anthropometric characteristics, physical activity and risk of hematological malignancies: A systematic review and meta-analysis of cohort studies. <i>Int J Cancer</i> , 145(2): 347-59.
26183	Pukkala E (1998). Cancer incidence among Finnish oil refinery workers 1971-1994. <i>J Occup Environ Med</i> , 40(8): 675-9.
29797	Pukkala E, Aspholm R, Auvinen A, et al (2002). Incidence of cancer among Nordic airline pilots over five decades: occupational cohort study. <i>BMJ</i> , 325: 567.
57614	Pukkala E, Martinsen JI, Lynge E, et al (2009). Occupation and cancer - follow-up of 15 million people in five Nordic countries. <i>Acta Oncol</i> , 48(5): 646-790.
12999	Pukkala E, Notkola V (1997). Cancer incidence among Finnish farmers, 1979-93. <i>Cancer Causes Control</i> , 8(1): 25-33.
68375	Purdue MP, Freedman DM, Gapstur SM, et al (2010). Circulating 25-hydroxyvitamin D and risk of non-hodgkin lymphoma: Cohort consortium vitamin D pooling project of rarer cancers. <i>Am J Epidemiol</i> , 172(1): 58-69.
50661	Purdue MP, Hartge P, Davis S, et al (2007). Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18(9): 989-99.
65064	Pylypchuk RD, Schouten LJ, Goldbohm A, et al (2009). Body mass index, height, and risk of lymphatic malignancies: a prospective cohort study. <i>Am J Epidemiol</i> , 170(3): 297-307.
68376	Queensland Health (2007). Investigation of chronic lymphoid leukemia Gladstone - Calliope, 1996-2004: Full technical report, August 2007. Retrieved 24 June 2013, from http://www.health.qld.gov.au/ph/documents/caphs/finalgladstone.pdf
28516	Quiros-Roldan E, Moretti F, Torti C, et al (2003). HIV/HTLV co-infection: frequency and epidemiological characteristics among patients admitted to an Italian hospital. <i>Infection</i> , 31(3): 172-3.
26158	Raabe GK, Collingwood KW, Wong O (1998). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas. <i>Am J Ind Med</i> , 33(1): 61-81.
21180	Raabe GK, Wong O (1996). Leukemia mortality by cell type in petroleum workers with potential exposure to benzene. <i>Environ Health Perspect</i> , 104(Suppl 6): 1381-92.
41493	Raaschou-Nielsen O, Hansen J, McLaughlin JK, et al (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. <i>Am J Epidemiol</i> , 158(12): 1182-92.
108048	Raaschou-Nielsen O, Ketzel M, Harbo Poulsen A, et al (2016). Traffic-related air pollution and risk for leukaemia of an adult population. <i>Int J Cancer</i> , 138(5): 1111-7.
26889	Rabkin CS, Tess BH, Christianson RE, et al (2002). Prospective study of hepatitis C viral infection as a risk factor for subsequent B-cell neoplasia. <i>Blood</i> , 99(11): 4240-2.
26157	Rachet B, Partanen T, Kauppinen T, et al (2000). Cancer risk in laboratory workers: an emphasis on biological research. <i>Am J Ind Med</i> , 38(6): 651-65.

105721	Radivoyevitch T, Sachs RK, Gale RP, et al (2016). Ionizing radiation exposures in treatments of solid neoplasms are not associated with subsequent increased risks of chronic lymphocytic leukemia. <i>Leuk Res</i> , 43: 9-12.
21054	Radovanovic Z, Markovic-Denic L, Jankovic S (1994). Cancer mortality of family members of patients with chronic lymphocytic leukemia. <i>Eur J Epidemiol</i> , 10(2): 211-3.
11024	Rahu M, Tekkel M, Veidebaum T, et al (1997). The Estonian study of Chernobyl cleanup workers: II. Incidence of cancer and mortality. <i>Radiation Res</i> , 147(5): 653-7.
85897	Raleigh KK, Alexander BH, Olsen GW, et al (2014). Mortality and cancer incidence in ammonium perfluorooctanoate production workers. <i>Occup Environ Med</i> , 71(7): 500-6.
28488	Ramlow JM (1995). [Comment] Apparent increased risk of leukemia in their highest category of exposure to tetrachloroethylene (PCE) in drinking water. <i>Arch Environ Health</i> , 50(2): 170-3.
15213	Ramlow JM, Spadacene NW, Hoag SR, et al (1996). Mortality in a cohort of pentachlorophenol manufacturing workers, 1940-1989. <i>Am J Ind Med</i> , 30(2): 180-94.
106597	Rana I, Dahlberg S, Steinmaus C, et al (2021). Benzene exposure and non-Hodgkin lymphoma: a systematic review and meta-analysis of human studies. <i>Lancet Planet Health</i> , 5(9): e633-43.
30497	Ravandi F, Verma A, Ridgeway J, et al (2003). Chronic lymphocytic leukemia (B-CLL) occurring with human immunodeficiency virus (HIV) infection: implications. <i>Leuk Res</i> , 27(9): 853-7.
28428	Rawstron AC, Yuille MR, Fuller J, et al (2002). Inherited predisposition to CLL is detectable as subclinical monoclonal B-lymphocyte expansion. <i>Blood</i> , 100(7): 2289-90.
108136	Re A, Cattaneo C, Rossi G (2019). HIV and lymphoma: from epidemiology to clinical management. <i>Mediterr J Hematol Infect Dis</i> , 11(1): e2019004.
45664	Read D, Wright C, Weinstein P, et al (2007). Cancer incidence and mortality in a New Zealand community potentially exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin from 2,4,5-trichlorophenoxyacetic acid manufacture. <i>Aust N Z J Public Health</i> , 31(1): 13-8.
30564	Redaelli A, Stephens JM, Laskin BL, et al (2003). The burden and outcomes associated with four leukemias: AML, ALL, CLL and CML. <i>Expert Rev Anticancer Ther</i> , 3(3): 311-29.
68377	Rego N, Bianchi S, Moreno P, et al (2012). Search for an aetiological virus candidate in chronic lymphocytic leukaemia by extensive transcriptome analysis. <i>Br J Haematol</i> , 157(6): 709-17.
30502	Repacholi MH (2001). Health risks from the use of mobile phones. <i>Toxicol Lett</i> , 120(1-3): 323-31.
30556	Repacholi MH (2003). WHO's health risk assessment of ELF fields. <i>Radiat Prot Dosimetry</i> , 106(4): 297-9.
24530	Repacholi MH, Greenebaum B (1999). Interaction of static and extremely low frequency electric and magnetic fields with living systems: health effects and research needs. <i>Bioelectromagnetics</i> , 20(3): 133-60.
28035	Revich B, Aksel E, Ushakova T, et al (2001). Dioxin exposure and public health in Chapaevsk, Russia. <i>Chemosphere</i> , 43(4-7): 951-66.
27797	Rhodes AG, LeMasters GK, Lockey JE, et al (2003). The effects of jet fuel on immune cells of fuel system maintenance workers. <i>J Occup Environ Med</i> , 45(1): 79-86.
28513	Rice JM, Boffetta P (2001). 1,3-Butadiene, isoprene and chloroprene: reviews by the IARC monographs programme, outstanding issues, and research priorities in epidemiology. <i>Chem Biol Interact</i> , 135-6: 11-26.

50656	Richardson DB, Terschuren C, Hoffmann W (2008). Occupational risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Northern Germany. <i>Am J Ind Med</i> , 51(4): 258-68.
68378	Richardson DB, Wing S, Schroeder J, et al (2005). Ionizing radiation and chronic lymphocytic leukemia. <i>Environ Health Perspect</i> , 113(1): 1-5.
23973	Richter E, Berman T, Ben-Michael E, et al (2000). Cancer in radar technicians exposed to radiofrequency/microwave radiation: sentinel episodes. <i>Int J Occup Environ Health</i> , 6(3): 187-93.
106595	Righolt CH, Zhang G, Ye X, et al (2019). Statin use and chronic lymphocytic leukemia incidence: a nested case-control study in Manitoba, Canada. <i>Cancer Epidemiol Biomarkers Prev</i> , 28(9): 1495-501.
4655	Rinsky RA (1989). Benzene and leukemia: An epidemiologic risk assessment. <i>Environ Health Perspect</i> , 82: 189-91.
27605	Rinsky RA, Hornung RW, Silver SR, et al (2002). Benzene exposure and hematopoietic mortality: a long-term epidemiological risk assessment. <i>Am J Ind Med</i> , 42(6): 474-80.
4602	Rinsky RA, Smith AB, Hornung R, et al (1987). Benzene and leukemia. An epidemiologic risk assessment. <i>N Engl J Med</i> , 316(17): 1044-50.
29480	Rinsky RA, Zumwalde RD, Waxweiler RJ, et al (1981). Cancer mortality at a Naval Nuclear Shipyard. <i>Lancet</i> , 1(8214): 231-5.
22083	Ritz B (1999). Cancer mortality among workers exposed to chemicals during uranium processing. <i>Occup Environ Med</i> , 41(7): 556-66.
15538	Ritz B, Morgenstern H, Froines J, et al (1999). Effects of exposure to external ionizing radiation of cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. <i>Am J Ind Med</i> , 35(1): 21-31.
26271	Rix BA, Villadsen E, Engholm G, et al (1998). Hodgkin's disease, pharyngeal cancer, and soft tissue sarcomas in Danish paper mill workers. <i>J Occup Environ Med</i> , 40(1): 55-62.
5200	Robinette CD, Silverman C, Jablon S (1980). Effects upon health of occupational exposure to microwave radiation (radar). <i>Am J Epidemiol</i> , 112(1): 39-53.
26575	Robinson BA, Colls BM, Fitzharris BM, et al (1994). Second malignant neoplasms in patients with Hodgkin's disease. <i>Aust N Z J Med</i> , 24(4): 368-73.
26029	Robinson CF, Petersen M, Palu S (1999). Mortality patterns among electrical workers employed in the U.S. construction industry, 1982-1987. <i>Am J Ind Med</i> , 36(6): 630-7.
106594	Robles C, Casabonne D, Benavente Y, et al (2015). Seroreactivity against Merkel cell polyomavirus and other polyomaviruses in chronic lymphocytic leukaemia, the MCC-Spain study. <i>J Gen Virol</i> , 96(8): 2286-92.
52308	Rodriguez-Abreu D, Bordoni A, Zucca E (2007). Epidemiology of hematological malignancies. <i>Ann Oncol</i> , 18(Suppl 1): i3-8.
30399	Rodvall Y, Dich J, Wiklund K (2003). Cancer risk in offspring of male pesticide applicators in agriculture in Sweden. <i>Occup Environ Med</i> , 60(10): 798-801.
105720	Rogers KA, Woyach JA (2016). Secondary autoimmune cytopenias in chronic lymphocytic leukemia. <i>Semin Oncol</i> , 43(2): 300-10.
28500	Rommens C, Laurier D, Sugier A (2000). Methodology and results of the Nord-Cotentin radioecological study. <i>J Radiol Prot</i> , 20(4): 361-80.
16743	Ronco G, Costa G, Lynge E (1992). Cancer risk among Danish and Italian farmers. <i>Br J Ind Med</i> , 49: 220-5.
25873	Ronneberg A, Haldorsen T, Romundstad P, et al (1999). Occupational exposure and cancer incidence among workers from an aluminium smelter in western Norway. <i>Scand J Work Environ Health</i> , 25(3): 207-14.

45755	Ross JA (2007). Looking for leukemia clues in all places....meconium! <i>Pediatr Blood Cancer</i> , 49(5): 607-8.
26336	Ross JA, Kasum CM, Davies SM, et al (2002). Diet and risk of leukemia in the Iowa women's health study. <i>Cancer Epidemiol Biomarkers Prev</i> , 11: 777-81.
73388	Rota M, Porta L, Pelucchi C, et al (2014). Alcohol drinking and risk of leukemia-a systematic review and meta-analysis of the dose-risk relation. <i>Cancer Epidemiol</i> , 38(4): 339-45.
24913	Rothman KJ (2000). Epidemiological evidence on health risks of cellular telephones. <i>Lancet</i> , 356(9244): 1837-40.
30128	Rothman N, Smith MT, Hayes RB, et al (1996). An epidemiologic study of early biologic effects of benzene in Chinese workers. <i>Environ Health Perspect</i> , 104(Suppl 6): 1365-70.
45702	Rowland RE, Edwards LA, Podd JV (2007). Elevated sister chromatid exchange frequencies in New Zealand Vietnam War veterans. <i>Cytogenet Genome Res</i> , 116(4): 248-51.
26580	Ruder AM, Ward EM, Brown DP (2001). Mortality in dry-cleaning workers: an update. <i>Am J Ind Med</i> , 39(2): 121-32.
62855	Ruder AM, Yiin JH (2011). Mortality of US pentachlorophenol production workers through 2005. <i>Chemosphere</i> , 83(6): 851-61.
29622	Ruiz-Arguelles GJ, Cantu-Rodriquez OG, Gomez-Almaguer D, et al (1996). Hairy cell leukemia is infrequent in Mexico and has a geographic distribution. <i>Am J Hematol</i> , 52(4): 316-8.
9928	Rushton L, Romaniuk H (1997). A case-control study to investigate the risk of leukaemia associated with exposure to benzene in petroleum marketing and distribution workers in the United Kingdom. <i>Occup Environ Med</i> , 54(3): 152-66.
72822	Rushton L, Schnatter AR, Tang G, et al (2014). Acute myeloid and chronic lymphoid leukaemias and exposure to low-level benzene among petroleum workers. <i>Br J Cancer</i> , 110(3): 783-7.
30196	Ryan KL, D'Andrea JA, Jauchem JR, et al (2000). Radio frequency radiation of millimeter wave length: potential occupational safety issues relating to surface heating. <i>Health Phys</i> , 78(2): 170-81.
26028	Saarni H, Pentti J, Pukkala E (2002). Cancer at sea: a case-control study among male Finnish seafarers. <i>Occup Environ Med</i> , 59(9): 613-9.
22818	Saberi Hosnijeh F, Casabonne D, Nieters A, et al (2021). Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>Int J Cancer</i> , 148(9): 2115-28.
69989	Saberi Hosnijeh F, Christopher Y, Peeters P, et al (2013). Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Occup Environ Med</i> , 70(7): 464-70.
76836	Safe Work Australia (2011). Workplace Exposure Standards for Airborne Contaminants, Safe Work Australia.
5181	Sahl JD, Kelsh MA, Greenland S (1993). Cohort and nested case-control studies of hematopoietic cancers and brain cancer among electric utility workers. <i>Epidemiology</i> , 4(2): 104-14.
88995	Said J, Ceserman E, Rosenwald A, et al (2017). Lymphomas associated with HIV infection. WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, 4th Edition, Chapter 13: 449-52. International Agency for Research on Cancer, Lyon.
75730	Salem EA, Hegazy MM, El Khouley EA (2014). Pesticide exposure as a risk factor for lymphoproliferative disorders in adults. <i>East Mediterr Health J</i> , 20(6): 363-71.
8778	Sali D, Cardis E, Sztanyik L, et al (1996). Cancer consequences of the Chernobyl accident in Europe outside the former USSR: a review. <i>Int J Cancer</i> , 67(3): 343-52.

28543	Salim R, Wang L, Lin K, et al (2002). Chronic lymphocytic leukaemia developing in the course of chronic myeloid leukaemia. <i>Leuk Lymphoma</i> , 43(11): 2225-7.
5135	Salvatore JR (1993). [Comment] Radar guns. <i>J Natl Cancer Inst</i> , 85(1): 67-8.
30506	Samanic C, Gridley G, Chow WH, et al (2004). Obesity and cancer risk among white and black United States veterans. <i>Cancer Causes Control</i> , 15(1): 35-43.
27608	Santos J, Palacios R, Ruiz J, et al (2002). Unusual malignant tumours in patients with HIV infection. <i>Int J STD AIDS</i> , 13(10): 674-6.
5219	Sarkar S, Ali S, Behari J (1994). Effect of low power microwave on the mouse genome: a direct DNA analysis. <i>Mutat Res</i> , 320(1-2): 141-7.
50856	Sathiakumar N, Bolaji BE, Brill I, et al (2021). 1,3-Butadiene, styrene and lymphohaematopoietic cancers among North American synthetic rubber polymer workers: exposure-response analyses. <i>Occup Environ Med</i> , 78(12): 859-68.
24729	Sathiakumar N, Delzell E (2000). An updated mortality study of workers at a dye and resin manufacturing plant. <i>J Occup Environ Med</i> , 42(7): 762-71.
26168	Satin KP, Bailey WJ, Newton KL, et al (2002). Updated epidemiological study of workers at two California petroleum refineries 1950-95. <i>Occup Environ Med</i> , 59(4): 248-56.
21174	Savitz DA (1995). Overview of occupational exposure to electric and magnetic fields and cancer: advancements in exposure assessment. <i>Environ Health Perspect</i> , 103(Suppl 2): 69-74.
25811	Savitz DA (2001). Invited commentary: electromagnetic fields and cancer in railway workers. <i>Am J Epidemiol</i> , 153(9): 836-8.
13051	Savitz DA, Andrews KW (1997). Review of epidemiologic evidence on benzene and lymphatic and hematopoietic cancers. <i>Am J Ind Med</i> , 31(3): 287-95.
24943	Savitz DA, Cai J, van Wijngaarden E, et al (2000). Case-cohort analysis of brain cancer and leukemia in electric utility workers using a refined magnetic field job-exposure matrix. <i>Am J Ind Med</i> , 38(4): 417-25.
21132	Savitz DA, Calle EE (1987). Leukemia and occupational exposure to electromagnetic fields: review of epidemiologic surveys. <i>J Occup Med</i> , 29(1): 47-51.
1706	Savitz DA, Loomis DP (1995). Magnetic field exposure in relation to leukemia and brain cancer mortality among electric utility workers. <i>Am J Epidemiol</i> , 141(2): 123-34.
45705	Schechter A, Birnbaum L, Ryan JJ, et al (2006). Dioxins: an overview. <i>Environ Res</i> , 101(3): 419-28.
45745	Schechter A, Birnbaum L, Ryan JJ, et al (2007). [Comment] To the editor. Re: comment on "Dioxins: An Overview" (Schechter et al, 2006). <i>Environ Res</i> , 103(1): 147-8. Comment on ID: 45746.
45911	Schechter A, Quynh HT, Papke O, et al (2006). Agent orange, dioxins, and other chemical of concern in Vietnam: Update 2006. <i>J Occup Environ Med</i> , 48(4): 408-13.
933	Scheinberg DA, Golde DW (1994). The leukemias. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 310: 1764-74. McGraw Hill.
83140	Schinasi L, Leon ME (2014). Non-Hodgkin lymphoma and occupational exposure to agricultural pesticide chemical groups and active ingredients: a systematic review and meta-analysis. <i>Int J Environ Res Public Health</i> , 11(4): 4449-527.
106596	Schinasi LH, De Roos AJ, Ray RM, et al (2015). Insecticide exposure and farm history in relation to risk of lymphomas and leukemias in the Women's Health Initiative observational study cohort. <i>Ann Epidemiol</i> , 25(11): 803-10.

100862	Schlosser PM, Bale AS, Gibbons CF, et al (2015). Human health effects of dichloromethane: key findings and scientific issues. <i>Environ Health Perspect</i> , 123(2): 114-9.
106598	Schmitz-Feuerhake I, Frentzel-Beyme R, Wolff R (2022). Non-Hodgkin lymphomas and ionizing radiation: case report and review of the literature. <i>Ann Hematol</i> , 101(2): 243-50.
10343	Schnatter AR, Armstrong TW, Nicolich MJ, et al (1996). Lymphohaematopoietic malignancies and quantitative estimates of exposure to benzene in Canadian petroleum distribution workers. <i>Occup Environ Med</i> , 53(11): 773-81.
30129	Schnatter AR, Armstrong TW, Thompson LS, et al (1996). The relationship between low-level benzene exposure and leukemia in Canadian petroleum distribution workers. <i>Environ Health Perspect</i> , 104(Suppl 6): 1375-9.
68379	Schnatter AR, Glass DC, Tang G, et al (2012). Myelodysplastic syndrome and benzene exposure among petroleum workers: an international pooled analysis. <i>J Natl Cancer Inst</i> , 104(22): 1724-37.
3733	Schnatter AR, Katz AM, Nicolich MJ, et al (1993). A retrospective mortality study among Canadian petroleum marketing and distribution workers. <i>Environ Health Perspect</i> , 101(Suppl 6): 85-99.
38739	Schnatter AR, Rosamilia K, Wojcik NC (2005). Review of the literature on benzene exposure and leukemia subtypes. <i>Chem Biol Interact</i> , 153-154: 9-21.
26297	Schnatter R (2000). Petroleum worker studies and benzene risk assessment. <i>J Toxicol Environ Health A</i> , 61(5-6): 433-7.
50647	Schollkopf C, Smedby KE, Hjalgrim H, et al (2008). Hepatitis C infection and risk of malignant lymphoma. <i>Int J Cancer</i> , 122(8): 1885-90.
5222	Schreiber GH, Swaen GM, Meijers JM, et al (1993). Cancer mortality and residence near electricity transmission equipment: A retrospective cohort study. <i>Int J Epidemiol</i> , 22(1): 9-15.
25984	Schreinemachers DM (2000). Cancer mortality in four northern wheat-producing states. <i>Environ Health Perspect</i> , 108(9): 873-81.
30482	Schriever F, Huhn D (2003). New directions in the diagnosis and treatment of chronic lymphocytic leukaemia. <i>Drugs</i> , 63(10): 953-69.
30035	Schroeder JC, Savitz DA (1997). Lymphoma and multiple myeloma mortality in relation to magnetic field exposure among electric utility workers. <i>Am J Ind Med</i> , 32(4): 392-402.
68388	Schubauer-Berigan MK, Daniels RD, Fleming DA, et al (2007). Chronic lymphocytic leukaemia and radiation: findings among workers at five US nuclear facilities and a review of the recent literature. <i>Br J Haematol</i> , 139(5): 799-808.
86852	Schubauer-Berigan MK, Daniels RD, Bertke SJ, et al (2015). Cancer mortality through 2005 among a pooled cohort of U.S. nuclear workers exposed to external ionizing radiation. <i>Radiat Res</i> , 183(6): 620-31.
16958	Schwartz DA, Vaughan TL, Heyer NJ, et al (1988). B cell neoplasms and occupational asbestos exposure. <i>Am J Ind Med</i> , 14(6): 661-71.
106599	Schwartz GG, Klug MG (2016). Incidence rates of chronic lymphocytic leukemia in US states are associated with residential radon levels. <i>Future Oncol</i> , 12(2): 165-74.
45748	Schwarz M, Appel KE (2005). Carcinogenic risks of dioxin: mechanistic considerations. <i>Regul Toxicol Pharmacol</i> , 43(1): 19-34.
41492	Scott CS, Chiu WA (2006). Trichloroethylene cancer epidemiology: a consideration of select issues. <i>Environ Health Perspect</i> , 114(9): 1471-8.
20966	Seaton RA (1997). [Comment] Tuberculosis and human T-cell lymphotropic virus type 1 infection. <i>Clin Infect Dis</i> , 24(5): 1026.

63142	Seidler A, Becker N, Nieters A, et al (2010). Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. <i>Int Arch Occup Environ Health</i> , 83(5): 563-70.
55859	Seidler A, Mohner M, Berger J, et al (2007). Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. <i>J Occup Med Toxicol</i> , 2: 2.
68392	Seifert M, Sellmann L, Bloehdorn J, et al (2012). Cellular origin and pathophysiology of chronic lymphocytic leukemia. <i>J Exp Med</i> , 209(12): 2183-98.
14820	Selden A, Ahlborg G (1991). Mortality and cancer morbidity after exposure to military aircraft fuel. <i>Aviat Space Environ Med</i> , 62(8): 789-94.
63571	Selden AI, Ahlborg G Jr (2011). Cancer morbidity in Swedish dry-cleaners and laundry workers: historically prospective cohort study. <i>Int Arch Occup Environ Health</i> , 84(4): 435-43.
29866	Semenciw RM, Morrison HI, Morison D, et al (1994). Leukemia mortality and farming in the prairie provinces of Canada. <i>Can J Public Health</i> , 85(3): 208-11.
28364	Sen F, Lai R, Albitar M (2002). Chronic lymphocytic leukemia with t(14;18) and trisomy 12. <i>Arch Pathol Lab Med</i> , 126(12): 1543-6.
28430	Seniori Costantini A, Quinn M, Consonni D, et al (2003). Exposure to benzene and risk of leukemia among shoe factory workers. <i>Scand J Work Environ Health</i> , 29(1): 51-9.
70204	Sergentanis TN, Kanavidis P, Michelakos T, et al (2013). Cigarette smoking and risk of lymphoma in adults: a comprehensive meta-analysis on Hodgkin and non-Hodgkin disease. <i>Eur J Cancer Prev</i> , 22(2): 131-50.
100864	Sergentanis TN, Ntanasis-Stathopoulos I, Tzanninis IG, et al (2019). Meat, fish, dairy products and risk of hematological malignancies in adults - a systematic review and meta-analysis of prospective studies. <i>Leuk Lymphoma</i> , 60(8): 1978-90.
100865	Sergentanis TN, Psaltopoulou T, Ntanasis-Stathopoulos I, et al (2018). Consumption of fruits, vegetables, and risk of hematological malignancies: a systematic review and meta-analysis of prospective studies. <i>Leuk Lymphoma</i> , 59(2): 434-47.
50728	Serraino D, Piselli P, Angeletti CI, et al (2005). Infection with Epstein-Barr virus and cancer: an epidemiological review. <i>J Biol Regul Homeost Agents</i> , 19(1-2): 63-70.
26296	Settimi L, Costellati L, Naldi M, et al (1999). Mortality among workers in an Italian cigarette factory. <i>Occup Med (Lond)</i> , 49(6): 361-4.
52203	Shanafelt TD, Call TG (2004). Current approach to diagnosis and management of chronic lymphocytic leukemia. <i>Mayo Clin Proc</i> , 79(3): 388-98.
30552	Shanafelt TD, Geyer SM, Kay NE (2004). Prognosis at diagnosis: integrating molecular biologic insights into clinical practice for patients with CLL. <i>Blood</i> , 103(4): 1202-10.
68393	Shanshal M, Haddad RY (2012). Chronic lymphocytic leukemia. <i>Dis Mon</i> , 58(4): 153-67.
21128	Sheikh K, Arbor A (1986). Exposure to electromagnetic fields and the risk of leukemia. <i>Arch Environ Health</i> , 41(1): 56-63.
76838	Shell (2015). Aviation Fuels: 2.1-20. Retrieved 17 November 2015, from https://www.shell.com/business-customers/aviation/aeroshell/knowledge-centre/the-aeroshell-book/_jcr_content/par/textimage_1433441235.stream/1519764591485/db5ca8bd6ce67c180a6b3889f6801003f2b43897/aeroshell-book-2fuels.pdf
76832	Shell Global (2010). Material Safety Data Sheet. Retrieved 21 December 2015, from http://s01.static-shell.com/content/dam/shell-new/local/country/aus/downloads/fuels/msds/msds-avgas100ll.pdf

30501	Sheppard AR, Kavet R, Renew DC (2002). Exposure guidelines for low-frequency electric and magnetic fields: report from the Brussels workshop. <i>Health Phys</i> , 83(3): 324-32.
29434	Shi B, Isseroff RR, Nuccitelli R (2003). Power line frequency electromagnetic fields do not increase the rate of protein synthesis in human skin fibroblasts as previously reported. <i>Bioelectromagnetics</i> , 24(7): 465-72.
36108	Shore RE, Moseson M, Harley N, et al (2003). Tumors and other diseases following childhood X-ray treatment for ringworm of the scald (<i>Tinea Capitis</i>). <i>Health Phys</i> , 85(4): 404-8.
28511	Siegel R, Gartenhaus R, Kuzel (2001). HTLV-I associated leukemia/lymphoma: epidemiology, biology, and treatment. <i>HIV & HTLV-1 associated malignancies</i> . JA Sparano (Ed). <i>HIV & HTLV-1 Associated Malignancies</i> , Chapter 3: 75-88. Kluwer Academic Publishers Boston/Dordrecht/London.
30483	Sielken RL Jr, Valdez-Flores C (2001). Dose-response implications of the University of Alabama study of lymphohematopoietic cancer among workers exposed to 1,3-butadiene and styrene in the synthetic rubber industry. <i>Chem Biol Interact</i> , 135-136: 637-51.
85900	Sielken RL Jr, Valdez-Flores C (2015). A comprehensive review of occupational and general population cancer risk: 1,3-Butadiene exposure-response modeling for all leukemia, acute myelogenous leukemia, chronic lymphocytic leukemia, chronic myelogenous leukemia, myeloid neoplasm and lymphoid neoplasm. <i>Chem Biol Interact</i> , 241: 50-8.
26886	Signorello LB, Ye W, Fryzek JP, et al (2001). Nationwide study of cancer risk among hip replacement patients in Sweden. <i>J Natl Cancer Inst</i> , 93(18): 1405-10.
68394	Silver SR, Hiratzka SL, Schubauer-Berigan MK, et al (2007). Chronic lymphocytic leukemia radiogenicity: a systematic review. <i>Cancer Causes Control</i> , 18(10): 1077-93.
27606	Silver SR, Rinsky RA, Cooper SP, et al (2002). Effect of follow-up time on risk estimates: a longitudinal examination of the relative risks of leukemia and multiple myeloma in a rubber hydrochloride cohort. <i>Am J Ind Med</i> , 42(6): 481-9.
76831	Sim M, Clarke D, Forbes A, et al (2015). Australian Gulf War Veterans' Follow Up Health Study: Summary Report 2015. Monash University.
79868	Sim M, Clarke D, Forbes A, et al (2015). Australian Gulf War Veterans' Follow Up Health Study. Technical Report. Monash University.
28499	Simmonds J (2000). [Comment] Invited editorial: assessing the risks of leukaemia from ionising radiation exposure. <i>J Radiol Prot</i> , 20(4): 349-51.
28433	Singer C, Goldstone T (2001). Chronic lymphocytic leukaemia. <i>Clin Med (Lond)</i> , 1(5): 350-3.
28432	Skinner J, Mee TJ, Blackwell RP, et al (2002). United Kingdom Childhood Cancer Study Investigators. Exposure to power frequency electric fields and the risk of childhood cancer in the UK. <i>Br J Cancer</i> , 87(11): 1257-66.
106593	Slager SL, Benavente Y, Blair A, et al (2014). Medical history, lifestyle, family history, and occupational risk factors for chronic lymphocytic leukemia/small lymphocytic lymphoma: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>J Natl Cancer Inst Monogr</i> , 2014(48): 41-51.
25815	Smith AH, Lopipero P (2001). Invited commentary: How do the Seveso findings affect conclusions concerning TCDD as a human carcinogen? <i>Am J Epidemiol</i> , 153(11): 1045-7.
76773	Smith MT (2010). Advances in understanding benzene health effects and susceptibility. <i>Annu Rev Public Health</i> , 31: 133-48.

52318	Smith MT, Jones RM, Smith AH (2007). Benzene exposure and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 385-91.
30127	Smith MT, Zhang L (1998). Biomarkers of leukemia risk: benzene as a model. <i>Environ Health Perspect</i> , 106(Suppl 4): 937-46.
25882	Snyder R (2002). Benzene and leukemia. <i>Crit Rev Toxicol</i> , 32(3): 155-210.
76840	Snyder R (2012). Leukemia and benzene. <i>Int J Environ Res Public Health</i> , 9(8): 2875-93.
4652	Snyder R, Kalf GF (1994). A perspective on benzene leukemogenesis. <i>Crit Rev Toxicol</i> , 24(3): 177-209.
105511	Solans M, Romaguera D, Gracia-Lavedan E, et al (2020). Adherence to the 2018 WCRF/AICR cancer prevention guidelines and chronic lymphocytic leukemia in the MCC-Spain study. <i>Cancer Epidemiol</i> , 64: 101629.
83107	Solimini AG, Lombardi AM, Palazzo C, et al (2016). Meat intake and non-Hodgkin lymphoma: a meta-analysis of observational studies. <i>Cancer Causes Control</i> , 27(5): 595-606.
26169	Sont WN, Zielinski JM, Ashmore JP, et al (2001). First analysis of cancer incidence and occupational radiation exposure based on the National Dose Registry of Canada. <i>Am J Epidemiol</i> , 153(4): 309-18.
70261	Sorahan T (2012). Cancer incidence in UK electricity generation and transmission workers, 1973-2008. <i>Occup Med (Lond)</i> , 62(7): 496-505.
38735	Sorahan T, Kinlen LJ, Doll R (2005). Cancer risks in a historical UK cohort of benzene exposed workers. <i>Occup Environ Med</i> , 62(4): 231-6.
26193	Sorahan T, Nichols L, Harrington JM (2002). Mortality of United Kingdom oil refinery and petroleum distribution workers, 1951-1998. <i>Occup Med (Lond)</i> , 52(6): 333-9.
98787	Soteriades ES, Kim J, Christophi CA, et al (2019). Cancer incidence and mortality in firefighters: A state-of-the-art review and meta-analysis. <i>Asian Pac J Cancer Prev</i> , 20(11): 3221-31.
26160	Sperati A, Rapiti E, Settimi L, et al (1999). Mortality among male licensed pesticide users and their wives. <i>Am J Ind Med</i> , 36(1): 142-6.
43014	Spinelli J, Band PR, Svirchev LM, et al (1991). Mortality and cancer incidence in aluminium reduction plant workers. <i>J Occup Med</i> , 33(11): 1150-5.
45750	Spinelli JJ, Ng CH, Weber JP, et al (2007). Organochlorines and risk of non-Hodgkin lymphoma. <i>Int J Cancer</i> , 121(12): 2767-75.
7450	Spirtas R, Stewart PA, Lee JS, et al (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility. I. Epidemiological results. <i>Br J Ind Med</i> , 48(8): 515-30.
26238	Stagnaro E, Ramazzotti V, Crosignani P, et al (2001). Smoking and hematolymphopoietic malignancies. <i>Cancer Causes Control</i> , 12(4): 325-34.
45959	Staines A, Cartwright RA (1993). Hairy cell leukaemia: descriptive epidemiology and a case-control study. <i>Br J Haematol</i> , 85(4): 714-7. [Abstract]
15930	Stark AD, Chang HW, Fitzgerald EF, et al (1990). A retrospective cohort study of cancer incidence among New York State farm bureau members. <i>Arch Environ Health</i> , 45(3): 155-62.
16976	Stebbing JH, Lucas HF, Stehney AF (1984). Mortality from cancers of major sites in female radium dial workers. <i>Am J Ind Med</i> , 5(6): 435-59.
37715	Steenland K, Bertazzi P, Baccarelli A, et al (2004). Dioxin revisited: developments since the 1997 IARC classification of dioxin as a human carcinogen. <i>Environ Health Perspect</i> , 112(13): 1265-8.
24609	Steenland K, Boffetta P (2000). Lead and cancer in humans: where are we now? <i>Am J Ind Med</i> , 38(3): 295-9.

23674	Steenland K, Palu S (1999). Cohort mortality study of 57,000 painters and other union members: a 15 year update. <i>Occup Environ Med</i> , 56(5): 315-21.
25814	Steenland K, Piacitelli L, Deddens J, et al (1999). Cancer, heart disease, and diabetes in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>J Natl Cancer Inst</i> , 91(9): 779-86.
38736	Steenland K, Stayner L, Deddens J (2004). Mortality analyses in a cohort of 18 235 ethylene oxide exposed workers: follow up extended from 1987 to 1998. <i>Occup Environ Med</i> , 61(1): 2-7.
101374	Steenland K, Winquist A (2021). PFAS and cancer, a scoping review of the epidemiologic evidence. <i>Environ Res</i> , 194: 110690.
79869	Steenland K, Woskie S (2012). Cohort mortality study of workers exposed to perfluorooctanoic acid. <i>Am J Epidemiol</i> , 176(10): 909-17.
85895	Steenland K, Zhao L, Winquist A (2015). A cohort incidence study of workers exposed to perfluorooctanoic acid (PFOA). <i>Occup Environ Med</i> , 72(5): 373-80.
74959	Stenehjem JS, Kjaerheim K, Bratveit M, et al (2015). Benzene exposure and risk of lymphohaematopoietic cancers in 25 000 offshore oil industry workers. <i>Br J Cancer</i> , 112(9): 1603-12.
45960	Stevenson FK, Caligaris-Cappio F (2004). Chronic lymphocytic leukemia: revelations from the B-cell receptor. <i>Blood</i> , 103(12): 4389-95.
28424	Stilgenbauer S, Bullinger L, Lichter P, et al (2002). Genetics of chronic lymphocytic leukemia: genomic aberrations and V(H) gene mutation status in pathogenesis and clinical course. <i>Leukemia</i> , 16(6): 993-1007.
1596	Stone R (1992). [Comment] Polarized debate: EMFs and cancer. <i>Science</i> , 258(5089): 1724-5.
1703	Storm FK (1995). [Comment] Re: "Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada, and France: 1970-1989". <i>Am J Epidemiol</i> , 142(9): 1007.
43011	Storm HH (1996). [Comment] Cancer registries in epidemiologic research. <i>Cancer Causes Control</i> , 7(3): 299-301.
52324	Straif K, Baan R, Grosse Y, et al (2007). Carcinogenicity of shift-work, painting, and fire-fighting. <i>Lancet Oncol</i> , 8(12): 1065-6.
76764	Straube S, Westphal GA, Hallier E (2010). [Comment] Comment on: implications of latency period between benzene exposure and development of leukemia- a synopsis of literature. <i>Chem Biol Interact</i> , 186(2): 248-9.
43012	Svensson B, Nise G, Englander V, et al (1990). Deaths and tumours among rotogravure printers exposed to toluene. <i>Br J Ind Med</i> , 47(6): 372-9.
15118	Svensson BG, Mikoczy Z, Stromberg U, et al (1995). Mortality and cancer incidence among Swedish fishermen with a high dietary intake of persistent organochlorine compounds. <i>Scand J Work Environ Health</i> , 21(2): 106-15.
14285	Swaen GH, van Vliet C, Slanger JJ, et al (1992). Cancer mortality among licensed herbicide applicators. <i>Scand J Work Environ Health</i> , 18(3): 201-4.
64418	Swaen GM, Burns C, Teta JM, et al (2009). Mortality study update of ethylene oxide workers in chemical manufacturing: a 15 year update. <i>J Occup Environ Med</i> , 51(6): 714-23.
29783	Swaen GM, de Jong G, Slanger JJ, et al (2002). Cancer mortality in workers exposed to dieldrin and aldrin: an update. <i>Toxicol Ind Health</i> , 18(2): 63-70.
29867	Swaen GM, Slanger JJ (1995). Gasoline consumption and leukemia mortality and morbidity in 19 European countries: an ecological study. <i>Int Arch Occup Environ Health</i> , 67(2): 85-93.

29784	Swaen GM, Slanger JM, Ott MG, et al (1996). Investigation of a cluster of ten cases of Hodgkin's disease in an occupational setting. <i>Int Arch Occup Environ Health</i> , 68(4): 224-8.
40700	Swaen GM, van Amelsvoort LG, Slanger JJ, et al (2004). Cancer mortality in a cohort of licensed herbicide applicators. <i>Int Arch Occup Environ Health</i> , 77(4): 293-5.
45961	Swansbury J (2003). Lymphoid disorders other than common acute lymphoblastic leukemia: background. <i>Methods Mol Biol</i> , 220: 93-110. [Abstract]
28160	Szeszenia-Dabrowska N, Urszula W, Szymczak W, et al (2002). Mortality study of workers compensated for asbestosis in Poland, 1970-1997. <i>Int J Occup Med Environ Health</i> , 15(3): 267-78.
10413	Szmigelski S (1996). Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation. <i>Sci Total Environ</i> , 180(1): 9-17.
83105	't Mannetje A, De Roos AJ, Boffetta P, et al (2016). Occupation and risk of non-Hodgkin lymphoma and its subtypes: A pooled analysis from the InterLymph Consortium. <i>Environ Health Perspect</i> , 124(4): 396-405.
34856	't Mannetje A, McLean D, Cheng S, et al (2005). Mortality in New Zealand workers exposed to phenoxy herbicides and dioxins. <i>Occup Environ Med</i> , 63(1): 34-40.
68395	Tadmor T, Aviv A, Poliack A (2011). Merkel cell carcinoma, chronic lymphocytic leukemia and other lymphoproliferative disorders: an old bond with possible new viral ties. <i>Ann Oncol</i> , 22(2): 250-6.
21106	Tajima K, Cartier L (1995). Epidemiological features of HTLV-I and adult T cell leukemia. <i>Intervirology</i> , 38(3-4): 238-46.
30569	Taken from SMRC (2002). Sodium hydroxide. CASRN: 1310-73-2.
30570	Taken from SMRC (2004). Carbon tetrachlorine. CASRN: 56-23-5.
30571	Taken from SMRC (2004). Chromic acid. CASRN: 7738-94-5.
30572	Taken from SMRC (2004). Zinc chromate. CASRN: 13530-65-9.
30573	Taken from SMRC (2004). Fuel oil No 2. CASRN: 68476-30-2.
28374	Talbot-Smith A, Fritschi L, Divitini ML, et al (2003). Allergy, atopy, and cancer: a prospective study of the 1981 Busselton cohort. <i>Am J Epidemiol</i> , 157(7): 606-12.
106601	Talibov M, Auvinen A, Weiderpass E, et al (2017). Occupational solvent exposure and adult chronic lymphocytic leukemia: No risk in a population-based case-control study in four Nordic countries. <i>Int J Cancer</i> , 141(6): 1140-7.
28360	Tamura K, Sawada H, Izumi Y, et al (2001). Chronic lymphocytic leukemia (CLL) is rare, but the proportion of T-CLL is high in Japan. <i>Eur J Haematol</i> , 67(3): 152-7.
13002	Tatham L, Tolbert P, Kjeldsberg C (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(5): 551-8.
21176	Taylor HG, Nixon N, Sheeran TP, et al (1989). Rheumatoid arthritis and chronic lymphatic leukaemia. <i>Clin Exp Rheumatol</i> , 7(5): 529-32.
31304	Teitelbaum SL (2002). Questionnaire assessment of nonoccupational pesticide exposure in epidemiologic studies of cancer. <i>J Expo Anal Environ Epidemiol</i> , 12(5): 373-80.
28413	Teramoto N, Gogolak P, Nagy N, et al (2000). Epstein-Barr virus-infected B-chronic lymphocyte leukemia cells express the virally encoded nuclear proteins but they do not enter the cell cycle. <i>J Hum Virol</i> , 3(3): 125-36.
65032	Teras LR, Rollison DE, Pawlita M, et al (2015). Prediagnostic circulating polyomavirus antibody levels and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 24(2): 477-80.
29868	Terstegege CW, Swaen GM, Slanger JJ, et al (1995). Mortality patterns among commercial painters in the Netherlands. <i>Int J Occup Environ Health</i> , 1(4): 303-10.

26165	Teta MJ, Sielken RL Jr, Valdez-Flores C (1999). Ethylene oxide cancer risk assessment based on epidemiological data: application of revised regulatory guidelines. <i>Risk Anal</i> , 19(6): 1135-55.
30608	The Non-Hodgkin's Lymphoma Classification Project (1997). A clinical evaluation of the International Lymphoma Study Group classification of non-Hodgkin's lymphoma. <i>Blood</i> , 89(11): 3909-18.
76021	The University of Newcastle Research Associates (TUNRA) Ltd and Hunter Medical Research Institute (2004). Table 2: Summary of chemicals used with F-111 DSRS programs and their associated cancer classifications. <i>Study of Health Outcomes in Aircraft Maintenance Personnel (SHOAMP). Mortality and Cancer Incidence Study, Phase II: 20-1. Commonwealth of Australia</i> .
10435	Theriault G, Goldberg M, Miller AB, et al (1994). Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada, and France: 1970-1989. <i>Am J Epidemiol</i> , 139(6): 550-72.
21130	Theriault G, Li CY (1997). Risks of leukaemia among residents close to high voltage transmission electric lines. <i>Occup Environ Med</i> , 54(9): 625-8.
24615	Thomas E, Brewster DH, Black RJ, et al (2000). Risk of malignancy among patients with rheumatic conditions. <i>Int J Cancer</i> , 88(3): 497-502.
14146	Thomas TL, Kang HK (1990). Mortality and morbidity among army chemical corps Vietnam Veterans: a preliminary report. <i>Am J Ind Med</i> , 18(6): 665-73.
26118	Thorn A, Gustavsson P, Sadigh J, et al (2000). Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides. <i>Occup Environ Med</i> , 57(10): 718-20.
28358	Thorn J, Kerekes E (2001). Health effects among employees in sewage treatment plants: A literature survey. <i>Am J Ind Med</i> , 40(2): 170-9.
28366	Thunberg U, Tobin G, Johnson A, et al (2002). Polymorphism in the P2X7 receptor gene and survival in chronic lymphocytic leukaemia. <i>Lancet</i> , 360(9349): 1935-9.
63817	Thygesen LC, Nielsen OJ, Johansen C (2009). Trends in adult leukemia incidence and survival in Denmark, 1943-2003. <i>Cancer Causes Control</i> , 20(9): 1671-80.
41158	Tickner JA (2002). Developing scientific and policy methods that support precautionary action in the face of uncertainty--the Institute of Medicine Committee on Agent Orange. <i>Public Health Rep</i> , 117(6): 534-45. [Abstract]
83157	Tio M, Cox MR, Eslick GD (2012). Meta-analysis: coeliac disease and the risk of all-cause mortality, any malignancy and lymphoid malignancy. <i>Aliment Pharmacol Ther</i> , 35(5): 540-51.
68407	Tolstov YL, Arora R, Scudiere SC, et al (2010). [Comment] Lack of evidence for direct involvement of Merkel cell polyomavirus (MCV) in chronic lymphocytic leukemia (CLL). <i>Blood</i> , 115(23): 4973-4.
24937	Tomenson JA, Bonner SM, Heijne CG, et al (1997). Mortality of workers exposed to methylene chloride employed at a plant producing cellulose triacetate film base. <i>Occup Environ Med</i> , 54(7): 470-6.
45703	Torchio P, Lepore AR, Corrao G, et al (1994). Mortality study on a cohort of Italian licensed pesticide users. <i>Sci Total Environ</i> , 149(3): 183-91.
1693	Tornqvist S, Knave B, Ahlbom A, et al (1991). Incidence of leukaemia and brain tumours in some electrical occupations. <i>Br J Ind Med</i> , 48(9): 597-603.
106802	Towle KM, Grespin ME, Monnot AD (2017). Personal use of hair dyes and risk of leukemia: a systematic literature review and meta-analysis. <i>Cancer Med</i> , 6(10): 2471-86.

83156	Tramacere I, Pelucchi C, Bonifazi M, et al (2012). Alcohol drinking and non-Hodgkin lymphoma risk: a systematic review and a meta-analysis. <i>Ann Oncol</i> , 23(11): 2791-8.
28431	Travier N, Gridley G, De Roos AJ, et al (2002). Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. <i>Scand J Work Environ Health</i> , 28(5): 341-8.
76763	Triebig G (2010). Implications of latency period between benzene exposure and development of leukemia - a synopsis of literature. <i>Chem Biol Interact</i> , 184(1-2): 26-9.
68396	Tsai HT, Cross AJ, Graubard BI, et al (2010). Dietary factors and risk of chronic lymphocytic leukemia and small lymphocytic lymphoma: a pooled analysis of two prospective studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 19(10): 2680-4.
76824	Tsai RJ, Luckhaupt SE, Schumacher P, et al (2015). Risk of cancer among firefighters in California, 1988-2007. <i>Am J Ind Med</i> , 58(7): 715-29.
29606	Tsai SP, Wendt JK (2001). Health findings from a mortality and morbidity surveillance of refinery employees. <i>Ann Epidemiol</i> , 11(7): 466-76.
28514	Tsai SP, Wendt JK, Ransdell JD (2001). A mortality, morbidity, and hematology study of petrochemical employees potentially exposed to 1,3-butadiene monomer. <i>Chem Biol Interact</i> , 135-136: 555-67.
20978	Tsang WY, Chan JK, Ng CS (1993). [Comment] Epstein-Barr virus and Reed-Sternberg-like cells in chronic lymphocytic leukemia. <i>Am J Surg Pathol</i> , 17(8): 853-4.
74419	Tuyet-Hanh TT, Vu-Anh L, Ngoc-Bich N, et al (2010). Environmental health risk assessment of dioxin exposure through foods in a dioxin hot spot-Bien Hoa City, Vietnam. <i>Int J Environ Res Public Health</i> , 7(5): 2395-406.
30513	Tynes T, Haldorsen T (2003). Residential and occupational exposure to 50 Hz magnetic fields and hematological cancers in Norway. <i>Cancer Causes Control</i> , 14(8): 715-20.
41117	Tynes T, Hannevik M, Andersen A, et al (1996). Incidence of breast cancer in Norwegian female radio and telegraph operators. <i>Cancer Causes Control</i> , 7(2): 197-204. [Abstract]
1707	Tynes T, Jynge H, Vistnes AI (1994). Leukemia and brain tumors in Norwegian railway workers, a nested case-control study. <i>Am J Epidemiol</i> , 139(7): 645-53.
14624	Tynes T, Reitan JB, Andersen A (1994). Incidence of cancer among workers in Norwegian hydroelectric power companies. <i>Scand J Work Environ Health</i> , 20(5): 339-44.
28392	Uehara M, Takahashi K, Hoshuyama T, et al (2003). Geographical correlation between ambient UVB level and mortality risk of leukemia in Japan. <i>Environ Res</i> , 92(2): 78-84.
27801	Ullrich SE (1999). Dermal application of JP-8 jet fuel induces immune suppression. <i>Toxicol Sci</i> , 52(1): 61-7.
28041	Ulvestad B, Kjaerheim K, Martinsen JI, et al (2002). Cancer incidence among workers in the asbestos-cement producing industry in Norway. <i>Scand J Work Environ Health</i> , 28(6): 411-7.
29507	Ungs TJ (1996). [Comments] Cancer incidence in USAF aircrew. <i>Aviat Space Environ Med</i> , 67(8): 794. Comments on ID: 294720.
18947	United Nations Scientific Committee on the Effects of Atomic Radiation [UNSCEAR] (2000). Epidemiological Evaluation of Radiation-Induced Cancer: Annex F. United Nations General Assembly, Forty-ninth session of UNSCEAR Vienna R.607: 1-188.
22254	United States Environmental Protection Agency (EPA) (2022). Ethylene oxide: CASRN 75-21-8. Retrieved 23 June 2022, from https://www.epa.gov/sites/default/files/2016-09/documents/ethylene-oxide.pdf

26556	Utteridge TD, Gebski V, Finnie JW, et al (2002). Long-term exposure of E-mu-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. <i>Radiat Res</i> , 158(3): 357-64.
14268	Valberg PA (1997). Radio frequency radiation (RFR): the nature of exposure and carcinogenic potential. <i>Cancer Causes Control</i> , 8(3): 323-32.
64419	Valdez-Flores C, Sielken RL Jr, Teta MJ (2010). Quantitative cancer risk assessment based on NIOSH and UCC epidemiological data for workers exposed to ethylene oxide. <i>Regul Toxicol Pharmacol</i> , 56(3): 313-20.
70262	van Balen E, Font R, Cavalle N, et al (2006). Exposure to non-arsenic pesticides is associated with lymphoma among farmers in Spain. <i>Occup Environ Med</i> , 63(10): 663-8.
47614	Van den Berg M, Birnbaum LS, Denison M, et al (2006). The 2005 World Health Organization reevaluation of human and mammalian toxic equivalency factors for dioxins and dioxin-like compounds. <i>Toxicol Sci</i> , 93(2): 223-41.
105509	van den Brand M, Scheijen B, Hess CJ, et al (2017). Pathways towards indolent B-cell lymphoma - etiology and therapeutic strategies. <i>Blood Rev</i> , 31(6): 426-35.
105638	van den Broek EC, Liu L, Posthuma EF, et al (2014). Increased risk of chronic lymphocytic leukaemia among cancer survivors in the Netherlands: increased detection, causal factors or both? <i>Ann Hematol</i> , 93(1): 157-62.
28399	Van Den Heuvel R, Leppens H, Nemethova G, et al (2001). Haemopoietic cell proliferation in murine bone marrow cells exposed to extreme low frequency (ELF) electromagnetic fields. <i>Toxicology in Vitro</i> , 15(4-5): 351-5.
24771	van Kaick G, Dalheimer A, Hornik S, et al (1999). The German thorotrust study: recent results and assessment of risks. <i>Radiat Res</i> , 152(6 Suppl): S64-71.
26576	van Leeuwen FE, Klokman WJ, Veer MB, et al (2000). Long-term risk of second malignancy in survivors of Hodgkin's disease treated during adolescence or young adulthood. <i>J Clin Oncol</i> , 18(3): 487-97.
46311	Van Maele-Fabry G, Duhayon S, Lison D (2007). A systematic review of myeloid leukemias and occupational pesticide exposure. <i>Cancer Causes Control</i> , 18(5): 457-78.
69135	Van Maele-Fabry G, Duhayon S, Mertens C, et al (2008). Risk of leukaemia among pesticide manufacturing workers: a review and meta-analysis of cohort studies. <i>Environ Res</i> , 106(1): 121-37.
30504	van Netten C, Brands RH, Hoption Cann SA, et al (2003). Cancer cluster among policy detachment personnel. <i>Environ Int</i> , 28(7): 567-72.
29015	van Wijngaarden E, Savitz DA, Kleckner RC, et al (2001). Mortality patterns by occupation in a cohort of electric utility workers. <i>Am J Ind Med</i> , 40(6): 667-73.
26419	Varady E, Deak B, Molnar ZS, et al (2001). Second malignancies after treatment for Hodgkin's disease. <i>Leuk Lymphoma</i> , 42(6): 1275-81.
30112	Velizarov S, Raskmark P, Kwee S (1999). The effects of radiofrequency fields on cell proliferation are non-thermal. <i>Bioelectrochem Bioenerg</i> , 48(1): 177-80.
25807	Verkasalo PK (1996). Magnetic fields and leukemia--risk for adults living close to power lines. <i>Scand J Work Environ Health</i> , 22(Suppl 2): 1-56.
14620	Verkasalo PK, Pukkala E, Kaprio J, et al (1996). Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: nationwide cohort study. <i>BMJ</i> , 313(7064): 1047-51.
14305	Verschaeve L, Maes A (1998). Genetic, carcinogenic and teratogenic effects of radiofrequency fields. <i>Mutat Res</i> , 410(2): 141-65.

88836	Vieira VM, Hoffman K, Shin HM, et al (2013). Perfluoroctanoic acid exposure and cancer outcomes in a contaminated community: a geographic analysis. <i>Environ Health Perspect</i> , 121(3): 318-23.
74418	Viel JF, Floret N, Deconinck E, et al (2011). Increased risk of non-Hodgkin lymphoma and serum organochlorine concentrations among neighbors of a municipal solid waste incinerator. <i>Environ Int</i> , 37(2): 449-53.
961	Viel JF, Richardson ST (1993). Lymphoma, multiple myeloma and leukaemia among French farmers in relation to pesticide exposure. <i>Soc Sci Med</i> , 37(6): 771-7.
21447	Villeneuve PJ, Agnew DA, Miller AB, et al (2000). Leukemia in electric utility workers: the evaluation of alternative indices of exposure to 60Hz electric and magnetic fields. <i>Am J Ind Med</i> , 37(6): 607-17.
57307	Villeneuve PJ, Steenland K (2010). [Comment] Re: "Mortality rates among trichlorophenol workers with exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin". <i>Am J Epidemiol</i> , 171(1): 129-30. Comment on ID: 57309.
100875	Vincent MJ, Kozal JS, Thompson WJ, et al (2019). Ethylene oxide: cancer evidence integration and dose-response implications. <i>Dose Response</i> , 17(4): 1559325819888317.
26084	Vineis P, Crosignani P, Sacerdote C, et al (2000). Haematopoietic cancer and medical history: a multicentre case control study. <i>J Epidemiol CommHealth</i> , 54(6): 431-6.
1567	Visintainer PF, Barone M, McGee H, et al (1995). Proportionate mortality study of Vietnam-era Veterans of Michigan. <i>J Occup Environ Med</i> , 37(4): 423-8.
47576	Viswanatha DS, Dogan A (2007). Hepatitis C virus and lymphoma. <i>J Clin Pathol</i> , 60(12): 1378-83.
60463	Vlaanderen J, Lan Q, Kromhout H, et al (2011). Occupational benzene exposure and the risk of lymphoma subtypes: a meta-analysis of cohort studies incorporating three study quality dimensions. <i>Environ Health Perspect</i> , 119(2): 159-67.
29474	Vlassov VV (1999). [Comment] Cancer incidence in USAF aircrew. <i>Aviat Space Environ Med</i> , 70(1): 89-90. Comment on ID: 29472.
28515	Voulgari PV, Vartholomatos G, Kaiafas P, Bourantas KL, Drosos AA (2002). Rheumatoid arthritis and B-cell chronic lymphocytic leukemia. <i>Clin Exp Rheumatol</i> , 20(1): 63-5.
21420	Voutsadakis IA (2000). Apoptosis and the pathogenesis of lymphoma. <i>Acta Oncol</i> , 39(2): 151-6.
68399	Vyas N, Hassan A (2012). Recent advances in chronic lymphocytic leukemia. <i>Indian J Cancer</i> , 49(1): 137-43.
26375	Waddell BL, Zahm SH, Baris D, et al (2001). Agricultural use of organophosphate pesticides and the risk of non-Hodgkin's lymphoma among male farmers (United States). <i>Cancer Causes Control</i> , 12(6): 509-17.
83106	Wang J, Li X, Zhang D (2016). Dairy product consumption and risk of non-Hodgkin lymphoma: a meta-analysis. <i>Nutrients</i> , 8(3): 120.
76893	Wang L, He X, Bi Y, et al (2012). Stem cell and benzene-induced malignancy and hematotoxicity. <i>Chem Res Toxicol</i> , 25(7): 1303-15.
106602	Wang SS, Luo J, Cozen W, et al (2017). Sun sensitivity, indoor tanning and B-cell non-Hodgkin lymphoma risk among Caucasian women in Los Angeles County. <i>Br J Haematol</i> , 177(1): 153-6.
29718	Wang Y, Lewis-Michl EL, Hwang SA, et al (2002). Cancer incidence among a cohort of female farm residents in New York State. <i>Arch Environ Health</i> , 57(6): 561-7.
24707	Wannamethee SG, Shaper AG, Walker M (2001). Physical activity and risk of cancer in middle-aged men. <i>Br J Cancer</i> , 85(9): 1311-6.

7451	Ward JH (1992). Hematologic effects of occupational hazards. Environmental and Occupational Medicine, 2nd Edition, 619-31. Little, Brown & Co, Boston.
20703	Wartenberg D, Reyner D, Scott CS (2000). Trichloroethylene and cancer: epidemiologic evidence. <i>Environ Health Perspect</i> , 108(Suppl 2): 161-76.
29720	Wartenberg D, Scott CS (2002). Carcinogenicity of trichloroethylene. <i>Environ Health Perspect</i> , 110(1): A13-4.
26828	Wassberg C, Thorn M, Yuen J, et al (1999). Cancer risk in patients with earlier diagnosis of cutaneous melanoma in situ. <i>Int J Cancer</i> , 83(3): 314-7.
7499	Watanabe KK, Kang HK, Dalager NA (1995). Cancer mortality risk among military participants of a 1958 atmospheric nuclear weapons test. <i>Am J Public Health</i> , 85(4): 523-7.
12938	Waterhouse D, Carman WJ, Schottenfeld D, et al (1996). Cancer incidence in the rural community of Tecumseh, Michigan: a pattern of increased lymphopoietic neoplasms. <i>Cancer</i> , 77(4): 763-70.
103591	Webber MP, Singh A, Zeig-Owens R, et al (2021). Cancer incidence in World Trade Center-exposed and non-exposed male firefighters, as compared with the US adult male population: 2001-2016. <i>Occup Environ Med</i> , 78(10): 707-14.
70263	Weisenburger DD, Chiu BC (2002). Does asbestos exposure cause non-Hodgkin's lymphoma or related hematolymphoid cancers? A review of the epidemiologic literature. <i>Clin Lymphoma</i> , 3(1): 36-40.
13870	Weiss HA, Darby SC, Fearn T, et al (1995). Leukemia mortality after X-Ray treatment for ankylosing spondylitis. <i>Radiat Res</i> , 142(1): 1-11.
45912	Wernke MJ, Schell JD (2004). Solvents and malignancy. <i>Clin Occup Environ Med</i> , 4(3): 513-27, vii.
23598	Weyer PJ, Cerhan JR, Kross BC, et al (2001). Municipal drinking water nitrate level and cancer risk in older women: the Iowa Women's Health Study. <i>Epidemiology</i> , 12(3): 327-38.
29368	Whalen MM, Loganathan BG, Yamashita N, et al (2003). Immunomodulation of human natural killer cell cytotoxic function by triazine & carbamate pesticides. <i>Chem Biol Interact</i> , 145(3): 311-9.
30179	White RD (1999). Refining and blending of aviation turbine fuels. <i>Drug Chem Toxicol</i> , 22(1): 143-53.
108068	WHO Classification of Tumours Online (2017). Tumours of haematopoietic and lymphoid tissues. Mature B-cell neoplasms. Chronic lymphocytic leukaemia/small lymphocytic lymphoma. Retrieved 2 August 2022, from https://tumourclassification.iarc.who.int/chaptercontent/39/108
108069	WHO Classification of Tumours Online (2017). Tumours of haematopoietic and lymphoid tissues. Mature B-cell neoplasms. B-cell prolymphocytic leukaemia. Retrieved 2 August 2022, from https://tumourclassification.iarc.who.int/chaptercontent/39/110
108071	WHO Classification of Tumours Online (2017). Tumours of haematopoietic and lymphoid tumours. Mature B cell neoplasms. Hairy cell leukaemia. Retrieved 2 August 2022, from https://tumourclassification.iarc.who.int/chaptercontent/39/112
19170	Wiebelt H, Becker N (1999). Mortality in a cohort of toluene exposed employees (Rotogravure printing plant workers). <i>J Occup Environ Med</i> , 41(12): 1134-9.
23575	Wiggs LD, Cox-deVore CA, Wilkinson GS, et al (1991). Mortality among workers exposed to external ionizing radiation at a nuclear facility in Ohio. <i>J Occup Med</i> , 33(5): 632-7.
960	Wigle DT, Semenciw RM, Wilkins K, et al (1990). Mortality study of Canadian male farm operators: non-Hodgkin's lymphoma and agricultural practices in Saskatchewan. <i>J Natl Cancer Inst</i> , 82(7): 575-82.

3611	Wiklund K, Dich J (1994). Cancer risks among female farmers in Sweden. <i>Cancer Causes Control</i> , 5(5): 449-57.
16955	Wiklund K, Dich J (1995). Cancer risks among male farmers in Sweden. <i>Eur J Cancer Prev</i> , 4(1): 81-90.
3849	Wiklund K, Dich J, Holm LE, et al (1989). Risk of cancer in pesticide applicators in Swedish agriculture. <i>Br J Ind Med</i> , 46(11): 809-14.
8934	Wilcosky TC, Checkoway H, Marshall EG, et al (1984). Cancer mortality and solvent exposures in the rubber industry. <i>Am Ind Hyg Assoc J</i> , 45(12): 809-11.
7381	Wilkinson GS, Dreyer NA (1991). Leukemia among nuclear workers with protracted exposure to low-dose ionizing radiation. <i>Epidemiology</i> , 2(4): 305-9.
26116	Wilkinson P, Thakrar B, Walls P, et al (1999). Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain. <i>Occup Environ Med</i> , 56(9): 577-80.
50930	Willett EV, Morton LM, Hartge P, et al (2008). Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph Consortium. <i>Int J Cancer</i> , 122(9): 2062-70.
30604	Williams PR, Cushing CA, Sheehan PJ (2003). Data available for evaluating the risks and benefits of MTBE and ethanol as alternative fuel oxygenates. <i>Risk Anal</i> , 23(5): 1085-115.
74423	Wilson E, Horsley K, van der Hoek R (2004). Dioxin in Vietnam: Characterisation, monitoring, remediation and effects. <i>Cancer incidence in Australian Vietnam Veterans</i> . <i>Organohalogen Compounds</i> , 66: 3628-33.
35366	Wilson EJ, Horsley KW (2003). Health effects of Vietnam service. <i>ADF Health</i> , 4(2): 59-65.
41295	Wilson EJ, Horsley KW, van der Hoek R (2005). Australian National Service Vietnam Veterans: Mortality and Cancer Incidence Study 2005, Department of Veterans Affairs, Canberra.
41296	Wilson EJ, Horsley KW, van der Hoek R (2005). The Third Australian Vietnam Veterans Mortality Study. Department of Veterans Affairs, Canberra.
43077	Wilson EJ, Horsley KW, van der Hoek R (2005). Cancer incidence in Australian Vietnam Veterans Study, Department of Veterans Affairs and Australian Institute of Health and Welfare, Canberra.
108135	Winters N, Goldberg MS, Hystad P, et al (2015). Exposure to ambient air pollution in Canada and the risk of adult leukemia. <i>Sci Total Environ</i> , 526: 153-76.
28810	Wolk A, Gridley G, Svensson M, et al (2001). A prospective study of obesity and cancer risk (Sweden). <i>Cancer Causes Control</i> , 12(1): 13-21.
4594	Wong O (1995). Risk of acute myeloid leukaemia and multiple myeloma in workers exposed to benzene. <i>Occup Environ Med</i> , 52(6): 380-4.
29971	Wong O (1999). A critique of the exposure assessment in the epidemiologic study of benzene-exposed workers in China conducted by the Chinese Academy of Preventive Medicine and the US National Cancer Institute. <i>Regulatory Toxicology and Pharmacology</i> , 30: 259-67.
28506	Wong O (2000). Recent findings and new initiatives for epidemiologic research on benzene. <i>J Toxicol Environ Health A</i> , 61(5-6): 457-66.
24625	Wong O, Harris F (2000). Cancer mortality study of employees at lead battery plants and lead smelters, 1947-1995. <i>Am J Ind Med</i> , 38(3): 255-70.
26186	Wong O, Harris F, Rosamilia K, et al (2001). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas, 1945 to 1996. <i>J Occup Environ Med</i> , 43(4): 384-401.

4601	Wong O, Harris F, Smith TJ (1993). Health effects of gasoline exposure. II. Mortality patterns of distribution workers in the United States. <i>Environ Health Perspect</i> , 101(Suppl 6): 63-76.
26197	Wong O, Hayes RB, Linet M, et al (1998). [Comment] Re: Benzene and the dose-related incidence of hematologic neoplasms in China. <i>J Natl Cancer Inst</i> , 90(6): 469-71.
7345	Wong O, Raabe GK (1995). Cell-type-specific leukemia analyses in a combined cohort of more than 208,000 petroleum workers in the United States and the United Kingdom, 1937-1989. <i>Regul Toxicol Pharmacol</i> , 21(2): 307-21.
3260	Wong O, Raabe GK (1989). Critical review of cancer epidemiology in petroleum industry employees, with a quantitative meta-analysis by cancer site. <i>Am J Ind Med</i> , 15(3): 283-310.
12903	Wong O, Raabe GK (1997). Multiple myeloma and benzene exposure in a multinational cohort of more than 250,000 petroleum workers. <i>Regul Toxicol Pharmacol</i> , 26(2): 188-99.
28437	Wong O, Raabe GK, Rushton L, et al (1998). [Comment] Acute myeloid and monocytic leukaemia and benzene exposure in petroleum distribution workers in the United Kingdom. <i>Occup Environ Med</i> , 55(5): 360-1.
22497	Wong O, Trent L, Harris F (1999). Nested case-control study of leukaemia, multiple myeloma, and kidney cancer in a cohort of petroleum workers exposed to gasoline. <i>Occup Environ Med</i> , 56(4): 217-21.
10427	World Health Organization (WHO) (1993). Electromagnetic Fields (300Hz to 300 GHz). Environmental Health Criteria, Vol 137: 15-51, 112-5, 146-74. WHO, Geneva.
28382	World Health Organization (2000). Death rates of "atomic vets". <i>Public Health Rep</i> , 115(1): 8.
28596	World Health Organization (WHO) (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. WHO Classification of Tumours, 3rd Edition; 12-13, 109-203. IARC Press: Lyon.
76870	World Trade Center Health Program (2014). Minimum Latency & Types or Categories of Cancer, 9.11.
107617	Wu CJ (2014). Shifting ecologies of malignant and nonmalignant cells following BRAF inhibition. <i>J Clin Invest</i> , 124(11): 4681-3.
106800	Wurtz ET, Hansen J, Roe OD, et al (2020). Asbestos exposure and haematological malignancies: a Danish cohort study. <i>Eur J Epidemiol</i> , 35(10): 949-60.
28393	Xie Y, Davies SM, Xiang Y, et al (2003). Trends in leukemia incidence and survival in the United States (1973-1998). <i>Cancer</i> , 97(9): 2229-35.
91840	Xu J, Ye Y, Huang F, et al (2016). Association between dioxin and cancer incidence and mortality: a meta-analysis. <i>Sci Rep</i> , 6: 38012.
106603	Yakrapour N, Meiss F, Mastroianni J, et al (2014). BRAF inhibitor-associated ERK activation drives development of chronic lymphocytic leukemia. <i>J Clin Invest</i> , 124(11): 5074-84.
21062	Yamaguchi K, Takatsuki K (1993). Adult T cell leukemia-lymphoma. <i>Baillieres Clin Haematol</i> , 6(4): 899-915.
28722	Yamaguchi K, Watanabe T (2002). Human T lymphotropic virus type-I and adult T-cell leukemia in Japan. <i>Int J Hematol</i> , 76(Suppl 2): 240-5.
28623	Yamamoto S (2002). Leukemia incidence in the world. <i>Jpn J Clin Oncol</i> , 32(8): 323.
83110	Yang L, Dong J, Jiang S, et al (2015). Red and processed meat consumption increases risk for non-Hodgkin lymphoma: A PRISMA-compliant meta-analysis of observational studies. <i>Medicine (Baltimore)</i> , 94(45): e1729.

106604	Yao Y, Lin X, Li F, et al (2019). The global burden and attributable risk factors of chronic lymphocytic leukemia in 204 countries and territories from 1990 to 2019: analysis based on the global burden of disease study 2019. <i>Biomed Eng Online</i> , 21(1): 4.
79981	Ye X, Mneina A, Johnston JB, et al (2017). Associations between statin use and non-Hodgkin lymphoma (NHL) risk and survival: a meta-analysis. <i>Hematol Oncol</i> , 35(2): 206-14.
77892	Yi SW, Ohrr H (2014). Agent Orange exposure and cancer incidence in Korean Vietnam veterans: a prospective cohort study. <i>Cancer</i> , 120(23): 3699-706.
12516	Yost MG (1992). Occupational health effects of nonionizing radiation. <i>Occup Med</i> , 7(3): 543-66.
45879	Young AL, Giesy JP, Jones PD, et al (2004). Environmental fate and bioavailability of Agent Orange and its associated dioxin during the Vietnam War. <i>Environ Sci Pollut Res Int</i> , 11(6): 359-70.
45880	Young AL, Newton M (2004). Long overlooked historical information on Agent Orange and TCDD following massive applications of 2,4,5-T-containing herbicides, Eglin Air Force Base, Florida. <i>Environ Sci Pollut Res Int</i> , 11(6): 209-21.
45701	Young AL, Regens JL (2005). Serum TCDD levels and health effects from elevated exposure: medical and scientific evidence. <i>Environ Sci Pollut Res Int</i> , 12(1): 1-4.
28359	Yuille MR, Matutes E, Marossy A, et al (2000). Familial chronic lymphocytic leukaemia: a survey and review of published studies. <i>Br J Haematol</i> , 109(4): 794-9.
69050	Zablotska LB, Bazyka D, Lubin JH, et al (2013). Radiation and the risk of chronic lymphocytic and other leukemias among chornobyl cleanup workers. <i>Environ Health Perspect</i> , 121(1): 59-65.
83272	Zablotska LB, Lane RS, Frost SE, et al (2014). Leukemia, lymphoma and multiple myeloma mortality (1950-1999) and incidence (1969-1999) in the Eldorado uranium workers cohort. <i>Environ Res</i> , 130: 43-50.
14601	Zahm SH (1997). Mortality study of pesticide applicators and other employees of a lawn care service company. <i>J Occup Environ Med</i> , 39(11): 1055-67.
14649	Zahm SH, Weisenburger DD, Babbitt PA, et al (1990). A case-control study of non-Hodgkin's lymphoma and the herbicide 2,4-dichlorophenoxyacetic acid (2,4-D) in eastern Nebraska. <i>Epidemiology</i> , 1(5): 349-56.
13045	Zahm SH, Weisenburger DD, Holmes FF, et al (1997). Tobacco and non-Hodgkin's lymphoma: combined analysis of three case-control studies (United States). <i>Cancer Causes Control</i> , 8(2): 159-66.
1598	Zahm SH, Weisenburger DD, Babbitt PA, et al (1992). Use of hair coloring products and the risk of lymphoma, multiple myeloma, and chronic lymphocytic leukemia. <i>Am J Public Health</i> , 82(7): 990-7.
30041	Zayed J (2001). Use of MMT in Canadian gasoline: health and environment issues. <i>Am J Ind Med</i> , 39(4): 426-33.
30484	Zeеб H, Bleettner M, Langner I, et al (2003). Mortality from cancer and other causes among airline cabin attendants in Europe: a collaborative cohort study in eight countries. <i>Am J Epidemiol</i> , 158(1): 35-46.
27804	Zeiger E, Smith L (1998). The first international conference on the environmental health and safety of jet fuel. <i>Environ Health Perspect</i> , 106(11): 763-4.
28365	Zent CS, Kyasa MJ, Evans R, et al (2001). Chronic lymphocytic leukemia incidence is substantially higher than estimated from tumor registry data. <i>Cancer</i> , 92(5): 1325-30.

30037	Zhang L, Eastmond DA, Smith MT (2002). The nature of chromosomal aberrations detected in humans exposed to benzene. <i>Crit Rev Toxicol</i> , 32(1): 1-42.
106605	Zhang L, Rana I, Shaffer RM, et al (2019). Exposure to glyphosate-based herbicides and risk for non-Hodgkin lymphoma: A meta-analysis and supporting evidence. <i>Mutat Res Rev Mutat Res</i> , 781: 186-206.
106606	Zheng G, Chattopadhyay S, Sud A, et al (2019). Second primary cancers in patients with acute lymphoblastic, chronic lymphocytic and hairy cell leukaemia. <i>Br J Haematol</i> , 185(2): 232-9.
26187	Zheng T, Blair A, Zhang Y, et al (2002). Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. <i>J Occup Environ Med</i> , 44(5): 469-74.
20976	Zheng T, Owens PH (2000). [Comments] Sunlight and non-Hodgkin's lymphoma. <i>Int J Cancer</i> , 87(6): 884-6.
26188	Zheng T, Zahm SH, Cantor KP, et al (2001). Agricultural exposure to carbamate pesticides and risk of non-Hodgkin lymphoma. <i>J Occup Environ Med</i> , 43(7): 641-9.
950	Zheng W, Linet MS, Shu X, et al (1993). Prior medical conditions and the risk of adult leukemia in Shanghai, People's Republic of China. <i>Cancer Causes Control</i> , 4(4): 361-8.
106600	Zhou X, Pan H, Yang P, et al (2019). Both chronic HBV infection and naturally acquired HBV immunity confer increased risks of B-cell non-Hodgkin lymphoma. <i>BMC Cancer</i> , 19(1): 477.
26578	Zhu D, Thompsett AR, Bedu-Addo G, et al (1999). VH gene sequences from a novel tropical splenic lymphoma reveal a naive B cell as the cell of origin. <i>Br J Haematol</i> , 107(1): 114-20.