



MALIGNANT NEOPLASM OF THE THYROID GLAND

RMA ID Number	Reference List for RMA100-5 as at April 2022
---------------	--

98064	Abd El Aziz M, Cahyadi O, Meier JJ, et al (2020). Incretin-based glucose-lowering medications and the risk of acute pancreatitis and malignancies: a meta-analysis based on cardiovascular outcomes trials. <i>Diabetes Obes Metab</i> , 22(4): 699-704.
36194	Abdulmughni YA, Al-Hureibi MA, Al-Hureibi KA, et al (2004). Thyroid cancer in Yemen. <i>Saudi Med J</i> , 25(1): 55-9.
10746	Abrams HL (1996). Medical effects of ionising radiation. <i>Lancet</i> , 347(9000): 525-6.
36119	Acharya S, Sarafoglou K, LaQuaglia M, et al (2003). Thyroid neoplasms after therapeutic radiation for malignancies during childhood or adolescence. <i>Cancer</i> , 97(10): 2397-403.
30409	Adami J, Gabel H, Lindelof B, et al (2003). Cancer risk following organ transplantation: a nationwide cohort study in Sweden. <i>Br J Cancer</i> , 89(7): 1221-7.
17713	Adams WH (1992). Late medical consequences of exposure to radioactive fallout; Rongelap and Utirik 35 years after 'BRAVO'. <i>J Radioanal Nucl Chem</i> , 156(2): 269-90.
36109	Adjadj E, Rubino C, Shamsaldim A, et al (2003). The risk of multiple primary breast and thyroid carcinomas. <i>Cancer</i> , 98(6): 1309-17.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
102865	Agency for Toxic Substances and Disease Registry (ATSDR) (2017). Toxicological Profile for Polybrominated Diphenyl Ethers. U.S Department of Health & Human Services.
102869	Agency for Toxic Substances and Disease Registry (ATSDR) (2021). Toxicological Profile for Perfluoroalkyls. US Department of Health and Human Services.
37571	Agency for Toxic Substances & Disease Registry (2005). Draft for public comment. Toxicological Profile for Benzene.
37572	Agency for Toxic Substances & Disease Registry (1999). Toxicological Profile for Total Petroleum Hydrocarbons (TPH), U.S Department of Health and Human Services.
37573	Agency for Toxic Substances and Disease Registry (ATSDR) (1995). Toxicological Profile for Jet Fuels JP-4 and JP-7, U.S Department of Health and Human Services.
37574	Agency for Toxic Substances & Disease Registry (1998). Toxicological Profile JP-5 and JP-8, U.S Department of Health and Human Services.

37748	Agency for Toxic Substances and Disease Registry (2002). Toxicological Profile for DDT, DDE and DDD.
37754	Agency for Toxic Substances and Disease Registry (ATSDR) (1998). Toxicological Profile for Chlorophenols, US Department of Health & Human Services.
37755	Agency for Toxic Substances and Disease Registry (2001). Toxicological profile for pentachlorophenol, U.S Department of Health and Human Services.
38360	Agency for Toxic Substances and Disease Registry (1998). Toxicological Profile For Chlorinated Dibenzo-p-Dioxins. US Department of Health and Human Services.
21785	Agency for Toxic Substances and Disease Registry (ATSDR) (1999). Toxicological Profile for Uranium. US Department of Health and Human Services, Public Health Service.
35465	Agency for Toxic Substances & Disease Registry (2002). Toxicological Profile for Hexachlorobenzene, U.S Department of Health and Human Services.
105731	Ahn JK, Hwang J, Seo GH (2020). Risk of non-Hodgkin's lymphoma and thyroid cancer in primary Sjogren's syndrome measured using the Korean Health Insurance Claims Database. <i>Clin Exp Rheumatol</i> , 38 Suppl 126(4): 40-6.
71143	Ahn YS, Jeong KS, Kim KS (2012). Cancer morbidity of professional emergency responders in Korea. <i>Am J Ind Med</i> , 55(9): 768-78.
32524	Akhtar FZ, Garabrant DH, Ketchum NS, et al (2004). Cancer in US Air Force veterans of the Vietnam War. <i>J Occup Environ Med</i> , 46(2): 123-36.
8344	Akslen LA, Nilssen S, Kvale G (1992). Reproductive factors and risk of thyroid cancer. A prospective study of 63,090 women from Norway. <i>Br J Cancer</i> , 65(5): 772-4.
106137	Al Eyadeh AA, Al-Sarihin K, Etewi S, et al (2017). Thyroid cancer post radioactive iodine treatment for hyperthyroidism - case series and review of the literature. <i>Endokrynol Pol</i> , 68(5): 561-6.
35164	Alavanja MC, Hoppin JA, Kamel F (2004). Health effects of chronic pesticide exposure: cancer and neurotoxicity. <i>Annu Rev Public Health</i> , 25: 155-97.
14116	Alberghini V, Luberto F, Gobba F, et al (1991). Mortality among male farmers licensed to use pesticides. <i>Med Lav</i> , 82(1): 18-24.
36243	Alexopoulou O, Beguin C, Buysschaert M, et al (2004). Predictive factors of thyroid carcinoma in non-toxic multinodular goitre. <i>Acta Clin Belg</i> , 59(2): 84-9.
11887	Almeida JF, Peres KC, Teixeira ES, et al (2019). Epstein-Barr virus and thyroid cancer. <i>Crit Rev Oncog</i> , 24(4): 369-77.
77550	Amadeo B, Marchand JL, Moisan F, et al (2015). French firefighter mortality: analysis over a 30-year period. <i>Am J Ind Med</i> , 58(4): 437-43.
7432	Amoateng-Adjepong Y, Sathiakumar, N, Delzell E, et al (1995). Mortality among workers at a pesticide manufacturing plant. <i>J Occup Environ Med</i> , 37(4): 471-8.
105732	An SY, Kim SY, Oh DJ, et al (2020). Obesity is positively related and tobacco smoking and alcohol consumption are negatively related to an increased risk of thyroid cancer. <i>Sci Rep</i> , 10(1): 19279.
25400	Andersen A, Barlow L, Engeland A, et al (1999). Work-related cancer in the Nordic countries. <i>Scand J Work Environ Health</i> , 25(Suppl 2): 1-116.
37413	Anon (????). Formaldehyde. Retrieved 5 January 2006, from http://www-cie.iarc.fr/htdocs/monographs/vol88/formal.html
35854	Anon (2002). Panel discussion - Session 1: Helical CT & cancer risk. <i>Pediatr Radiol</i> , 32: 242-4.
36057	Antonelli A, Ferri C, Fallahi P, et al (2002). Thyroid cancer in HCV-related mixed cryoglobulinemia patients. <i>Clin Exp Rheumatol</i> , 20(5): 693-6.

37822	Antonelli A, Ferri C, Fallahi P (1999). Thyroid cancer in patients with hepatitis C infection. <i>JAMA</i> , 281(17): 1588.
35995	Archer VE (1999). [Comment] Re: Thyroid cancer rates and (131)I doses from Nevada atmospheric nuclear bomb tests. <i>J Natl Cancer Inst</i> , 91(16): 1423-5.
105729	Aschebrook-Kilfoy B, DellaValle CT, Purdue M, et al (2015). Polybrominated diphenyl ethers and thyroid cancer risk in the Prostate, Colorectal, Lung, and Ovarian Cancer Screening Trial cohort. <i>Am J Epidemiol</i> , 181(11): 883-8.
105730	Aschebrook-Kilfoy B, Ward MH, Della Valle CT, et al (2014). Occupational and thyroid cancer. <i>Occup Environ Med</i> , 71(5): 366-80.
14031	Aschengrau A, Ozonoff D, Coogan P, et al (1996). Cancer risk and residential proximity to cranberry cultivation in Massachusetts. <i>Am J Public Health</i> , 86(9): 1289-96.
15319	Ashmore JP, Krewski D, Zielinski JM, et al (1998). First analysis of mortality and occupational radiation exposure based on the National Dose Registry of Canada. <i>Am J Epidemiol</i> , 148(6): 564-74.
36293	Astakhova LN, Anspaugh LR, Beebe GW, et al (1998). Chernobyl-related thyroid cancer in children of Belarus: a case-control study. <i>Radiat Res</i> , 150(3): 349-56.
37409	ATSDR (1999). Toxicological profile for total petroleum hydrocarbons (TPH). Retrieved 5 January 2006, from www.atsdr.cdc.gov/toxprofiles/tp123.html
37410	ATSDR (1999). Toxicological profile for Jet Fuels JP-4 and JP-7. Retrieved 5 January 2006, from www.atsdr.cdc.gov/toxprofiles/tp76.html
37411	ATSDR (Agency for Toxic Substances and Disease Registry) (1999). Toxicological profile for Jet Fuels JP-5 and JP-8. Retrieved 5 January 2006, from www.atsdr.cdc.gov/toxprofiles/tp121.html
37412	ATSDR (Agency for Toxic Substances and Disease Registry) (1999). Toxicological profile for Benzene. Retrieved 5 January 2006, from www.atsdr.cdc.gov/toxprofiles/tp3.html
7411	Austin H, Keil JE, Cole P (1989). A prospective follow-up study of cancer mortality in relation to serum DDT. <i>Am J Public Health</i> , 79(1): 43-6.
30605	Australian Institute of Health and Welfare (1999). A study of the health of Australia's Vietnam Veteran community: validation study. <i>Morbidity of Vietnam Veterans</i> , Vol 3. Canberra: AIHW.
36638	Australian Institute of Health and Welfare (AIHW) (2003). <i>Cancer Incidence Study 2003: Australian Veterans of the Korean War</i> . AIHW (Canberra).
37804	Australian Institute of Health and Welfare (1998). <i>Morbidity of Vietnam veterans: A study of the health of Australia's Vietnam Veteran community: Volume 2 Female Vietnam Veterans. Survey and Community Comparison Outcomes</i> . Canberra: AIHW.
37805	Australian Institute of Health and Welfare (1998). <i>Morbidity of Vietnam veterans: A study of the health of Australia's Vietnam veteran community: Male Vietnam Veterans. Survey and Community Comparison Outcomes</i> , Vol 1. Canberra: AIHW.
37756	Australian Institute of Health and Welfare (1992). <i>Dapsone exposure, Vietnam service and cancer incidence. Report to the Scientific Advisory Committee to the Minister for Veterans' Affairs</i> .
59654	Australian Radiation Protection and Nuclear Safety Agency (ARPANSA) (2002). Recommendations for limiting exposure to ionizing radiation (1995) (Guidance note [NOHSC:3022(1995)]) and National standard for limiting occupational exposure to ionizing radiation [NOHSC:1013(1995)]. Retrieved 7 February 2011, from http://www.arpansa.gov.au/pubs/rps/rpsl.pdf

80745	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of Atomic Radiation Exposure in Australian Service Personnel in South West Japan 1946-52, Commonwealth Department of Veterans' Affairs.
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Fact sheet: Ionising radiation and health. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Radiation basics - ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
36149	Auvinen A, Pukkala E, Hyvonen H, et al (2002). Cancer incidence among Finnish nuclear reactor workers. <i>J Occup Environ Med</i> , 44(7): 634-8.
36085	Avetisian IL, Gulchiy NV, Demidiuk AP, et al (1996). Thyroid pathology in residents of the Kiev region, Ukraine, during pre- and post-Chernobyl periods. <i>J Environ Pathol Toxicol Oncol</i> , 15(2-4): 233-7.
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
36128	Bacher-Stier C, Riccabona G, Totsch M, et al (1997). Incidence and clinical characteristics of thyroid carcinoma after iodine prophylaxis in an endemic goiter country. <i>Thyroid</i> , 7(5): 733-41.
103499	Bahadoran Z, Mirmiran P, Ghasemi A, et al (2015). Is dietary nitrate/nitrite exposure a risk factor for development of thyroid abnormality? A systematic review and meta-analysis. <i>Nitric Oxide</i> , 47: 65-76.
105728	Bai Y, Kakudo K, Jung CK (2020). Updates in the pathologic classification of thyroid neoplasms: A review of the World Health Organization classification. <i>Endocrinol Metab (Seoul)</i> , 35(4): 696-715.
30404	Baker KS, DeFor TE, Burns LJ, et al (2003). New malignancies after blood or marrow stem-cell transplantation in children and adults: incidence and risk factors. <i>J Clin Oncol</i> , 21(7): 1352-8.
69678	Baker SR, Bhatti WA (2006). The thyroid cancer epidemic: is it the dark side of the CT revolution? <i>Eur J Radiol</i> , 60(1): 67-9.
35999	Bakiri F, Djemli FK, Mokrane LA, et al (1998). The relative roles of endemic goiter and socioeconomic development status in the prognosis of thyroid carcinoma. <i>Cancer</i> , 82(6): 1146-53.
103619	Balakrishnan M, Glover MT, Kanwal F (2017). Hepatitis C and risk of nonhepatic malignancies. <i>Clin Liver Dis</i> , 21(3): 543-54.
8773	Ballivet S, Salmi LR, Dubourdieu D, et al (1995). Incidence of thyroid cancer in New Caledonia, South Pacific, during 1985-1992. <i>Am J Epidemiol</i> , 141(8): 741-6.

35708	Baris D, Gridley G, Ron E, et al (2002). Acromegaly and cancer risk: a cohort study in Sweden and Denmark. <i>Cancer Causes Control</i> , 13(5): 395-400.
88800	Barry V, Winquist A, Steenland K (2013). Perfluorooctanoic acid (PFOA) exposures and incident cancers among adults living near a chemical plant. <i>Environ Health Perspect</i> , 121(11-12): 1313-8.
29499	Batiuk TD, Barry JM, Bennett WM, et al (1993). Incidence and type of cancer following the use of OKT3: a single center experience with 557 organ transplants. <i>Transplant Proc</i> , 25(1 Pt 2): 1391.
35467	Beard J (2001). The Health Impact of Pesticide Exposure in a Cohort of Outdoor Workers.
29721	Beard J, Sladden T, Morgan G, et al (2003). Health impacts of pesticide exposure in a cohort of outdoor workers. <i>Environ Health Perspect</i> , 111(5): 724-30.
10268	Becher H, Flesch-Janys D, Kauppinen T, et al (1996). Cancer mortality in German male workers exposed to phenoxy herbicides and dioxins. <i>Cancer Causes Control</i> , 7(3): 312-21.
8345	Belfiore A, La Rosa GL, Padova G, et al (1987). The frequency of cold thyroid nodules and thyroid malignancies in patients from an iodine-deficient area. <i>Cancer</i> , 60(12): 3096-102.
8346	Bell B, Mazzaferri EL (1993). Familial adenomatous polyposis (Gardner's syndrome) and thyroid carcinoma. A case report and review of the literature. <i>Dig Dis Sci</i> , 38(1): 185-90.
35702	Bentrem DJ, Angelos P, Talamonti MS, et al (2002). Is preoperative investigation of the thyroid justified in patients undergoing parathyroidectomy for hyperparathyroidism? <i>Thyroid</i> , 12(12): 1109-12.
103630	Benvenega S, Antonelli A, Vita R (2015). Thyroid nodules and thyroid autoimmunity in the context of environmental pollution. <i>Rev Endocr Metab Disord</i> , 16(4): 319-40.
32801	Berrington A, Darby SC, Weiss HA, et al (2001). 100 years of observation on British radiologists: mortality from cancer and other causes 1897-1997. <i>Br J Radiol</i> , 74(882): 507-19.
36147	Berrington de Gonzalez A, Darby S (2004). Risk of cancer from diagnostic X-rays: estimates for the UK and 14 other countries. <i>Lancet</i> , 363(9406): 345-51.
36123	Berrington de Gonzalez A, Ekbom A, Glass AG, et al (2003). Comparison of documented and recalled histories of exposure to diagnostic x-rays in case-control studies of thyroid cancer. <i>Am J Epidemiol</i> , 157(7): 652-63.
69675	Berrington de Gonzalez A, Gilbert E, Curtis R, et al (2013). Second solid cancers after radiation therapy: a systematic review of the epidemiologic studies of the radiation dose-response relationship. <i>Int J Radiat Oncol Biol Phys</i> , 86(2): 224-33.
14329	Bertazzi PA, Bernucci I, Brambilla G, et al (1998). The Seveso studies on early and long-term effects of dioxin exposure: a review. <i>Environ Health Perspect</i> , 106(Suppl 2): 625-33.
25817	Bertazzi PA, Consonni D, Bachetti S, et al (2001). Health effects of dioxin exposure: a 20-year mortality study. <i>Am J Epidemiol</i> , 153(11): 1031-44.
35881	Bhatia S, Louie AD, Bhatia R, et al (2001). Solid cancers after bone marrow transplantation. <i>J Clin Oncol</i> , 19(2): 464-71.
69663	Bhattacharyya N, Chien W (2006). Risk of secondary primary malignancy after radioactive iodine treatment for differentiated thyroid carcinoma. <i>Ann Otol Rhinol Laryngol</i> , 115(8): 607-10.
100316	Bigert C, Martinsen JI, Gustavsson P, et al (2020). Cancer incidence among Swedish firefighters: an extended follow-up of the NOCCA study. <i>Int Arch Occup Environ Health</i> , 93(2): 197-204.
32046	Birkeland SA, Lokkegaard H, Storm HH (2000). Cancer risk in patients on dialysis and after renal transplantation. <i>Lancet</i> , 355(9218): 1886-7.

30408	Birkeland SA, Storm HH, Lamm LU, et al (1995). Cancer risk after renal transplantation in the Nordic countries, 1964-1986. <i>Int J Cancer</i> , 60(2): 183-9.
3081	Blair A, Dosemeci M, Heineman EF (1993). Cancer and other causes of death among male and female farmers from twenty-three states. <i>Am J Ind Med</i> , 23(5): 729-42.
57389	Blecher CM (2010). [Comment] Alarm about computed tomography scans is unjustified. <i>Med J Aust</i> , 192(12): 723-4.
34854	Bodner KM, Collins JJ, Bloemen LJ, et al (2003). Cancer risk for chemical workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Occup Environ Med</i> , 60(9): 672-5.
32996	Boffetta P, Dosemeci M, Gridley G, et al (2001). Occupational exposure to diesel engine emissions and risk of cancer in Swedish men and women. <i>Cancer Causes Control</i> , 12(4): 365-74.
32994	Boffetta P, Jourenkova N, Gustavsson P (1997). Cancer risk from occupational and environmental exposure to polycyclic aromatic hydrocarbons. <i>Cancer Causes Control</i> , 8(3): 444-72.
103641	Boffetta P, Zeig-Owens R, Wallenstein S, et al (2016). Cancer in World Trade Center responders: Findings from multiple cohorts and options for future study. <i>Am J Ind Med</i> , 59(2): 96-105.
18044	Boice JD Jr (1998). Radiation and thyroid cancer: what more can be learned? <i>Acta Oncol</i> , 37(4): 321-4.
8347	Boice JD, Engholm G, Kleinerman RA, et al (1988). Radiation dose and second cancer risk in patients treated for cancer of the cervix. <i>Radiat Res</i> , 116(1): 3-55.
35867	Bosetti C, Kolonel L, Negri E, et al (2001). A pooled analysis of case-control studies of thyroid cancer. VI. Fish and shellfish consumption. <i>Cancer Causes Control</i> , 12(4): 375-82.
35704	Bosetti C, Negri E, Kolonel L, et al (2002). A pooled analysis of case-control studies of thyroid cancer. VII. Cruciferous and other vegetables (International). <i>Cancer Causes Control</i> , 13(8): 765-75.
8348	Boyd AE, Gagel RF (1994). Disorders affecting multiple endocrine systems. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 343: 2052-8.
103612	Brasil VL, Ramos Pinto MB, Bonan RF, et al (2018). Pesticides as risk factors for head and neck cancer: A review. <i>J Oral Pathol Med</i> , 47(7): 641-51.
59653	Brenner DJ, Hall EJ (2007). Computed tomography--an increasing source of radiation exposure. <i>N Engl J Med</i> , 357(22): 2277-84.
69672	Brito JP, Yarur AJ, Prokop LJ, et al (2013). Prevalence of thyroid cancer in multinodular goiter versus single nodule: a systematic review and meta-analysis. <i>Thyroid</i> , 23(4): 449-55.
105727	Brito-Zeron P, Kostov B, Fraile G, et al (2017). Characterization and risk estimate of cancer in patients with primary Sjogren syndrome. <i>J Hematol Oncol</i> , 10(1): 90.
7407	Brown DP (1992). Mortality of workers employed at organochlorine pesticide manufacturing plants - an update. <i>Scand J Work Environ Health</i> , 18(3): 155-61.
31614	Brownson RC, Reif JS, Chang JC, et al (1989). Cancer risks among Missouri farmers. <i>Cancer</i> , 64(11): 2381-6.
35166	Bucchi L, Nanni O, Ravaioli A, et al (2004). Cancer mortality in a cohort of male agricultural workers from northern Italy. <i>J Occup Environ Med</i> , 46(3): 249-56.
88963	Buckley N, Sim M, Douglas K, et al (2018). Expert Health Panel for Per- and Poly-Fluoroalkyl Substances (PFAS), Department of Health, Australian Government.

36290	Buglova EE, Kenigsberg JE, Sergeeva NV (1996). Cancer risk estimation in Belarussian children due to thyroid irradiation as a consequence of the Chernobyl nuclear accident. <i>Health Phys</i> , 71(1): 45-9.
105726	Buha A, Matovic V, Antonijevic B, (2018). Overview of cadmium thyroid disrupting effects and mechanisms. <i>Int J Mol Sci</i> , 19(5): 1501.
8349	Bulow S, Holm NV, Mellemaaard (1988). Papillary thyroid carcinoma in Danish patients with familial adenomatous polyposis. <i>Int J Colorectal Dis</i> , 3(1): 29-31.
35856	Burgess JR (2002). Temporal trends for thyroid carcinoma in Australia: an increasing incidence of papillary thyroid carcinoma (1982-1997). <i>Thyroid</i> , 12(2): 141-9.
35977	Burgess JR, Dwyer T, McArdle K, et al (2000). The changing incidence and spectrum of thyroid carcinoma in Tasmania (1978-1998) during a transition from iodine sufficiency to iodine deficiency. <i>J Clin Endocrinol Metab</i> , 85(4): 1513-7.
36060	Burmeister LA, Sandberg M, Carty SE, et al (1997). Thyroid carcinoma found at parathyroidectomy: association with primary, secondary, and tertiary hyperparathyroidism. <i>Cancer</i> , 79(8): 1611-6.
26080	Burns CJ, Beard KK, Cartmill JB (2001). Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: an update. <i>Occup Environ Med</i> , 58(1): 24-30.
36190	Burzykowski T, Chmielarczyk W (2004). Predicted and observed thyroid cancer incidence in Poland after year 1986. <i>Wiad Lek</i> , 57(7-8): 306-10.
35847	Busnardo B, De Vido D (2000). The epidemiology and etiology of differentiated thyroid carcinoma. <i>Biomed Pharmacother</i> , 54(6): 322-6.
98306	Byun JM, Baek SK, Yoon HJ, et al (2015). Thyroid cancer and T lymphoblastic leukemia in Crohn disease: a case report and literature review. <i>Lab Med</i> , 46(2): 140-5.
37823	Cacoub P, Renou C, Rosenthal E, et al (2000). Extrahepatic manifestations associated with hepatitis C virus infection. A prospective multicenter study of 321 patients. The GERMIVIC. <i>Groupe d'Etude et de Recherche en Medecine Interne et Maladies Infectieuses sur le Virus de l'Hepatite C</i> . <i>Medicine (Baltimore)</i> , 79(1): 47-56. [Abstract]
103498	Caini S, Gibelli B, Palli D, et al (2015). Menstrual and reproductive history and use of exogenous sex hormones and risk of thyroid cancer among women: a meta-analysis of prospective studies. <i>Cancer Causes Control</i> , 26(4): 511-8.
105733	Cameselle-Teijeiro JM, Sobrinho-Simoes M (2018). New WHO classification of thyroid tumors: a pragmatic categorization of thyroid gland neoplasms. <i>Endocrinol Diabetes Nutr (Engl Ed)</i> , 65(3): 133-5.
8350	Camiel MR, Mule JE, Alexander LL, et al (1968). Association of thyroid carcinoma with Gardner's syndrome in siblings. <i>New Engl J Med</i> , 278(19): 1056-8.
105734	Campanella P, Ianni F, Rota CA, et al (2014). Quantification of cancer risk of each clinical and ultrasonographic suspicious feature of thyroid nodules: a systematic review and meta-analysis. <i>Eur J Endocrinol</i> , 170(5): R203-11.
105738	Cao L (2018). Assessment of thyroid cancer risk in more than 334,000 patients with inflammatory bowel disease: a case-control study and a meta-analysis. <i>World J Surg Oncol</i> , 16(1): 182.
105736	Cao LZ, Peng XD, Xie JP, et al (2017). The relationship between iodine intake and the risk of thyroid cancer: A meta-analysis. <i>Medicine (Baltimore)</i> , 96(20): e6734.
105735	Cao Y, Wang Z, Gu J, et al (2015). Reproductive factors but not hormonal factors associated with thyroid cancer risk: a systematic review and meta-analysis. <i>Biomed Res Int</i> , 2015: 103515.

17966	Cardis E, Amoros E, Kesminiene A, et al (1999). Observed and predicted thyroid cancer incidence following the Chernobyl accident. Evidence for factors influencing susceptibility to radiation induced thyroid cancer. <i>Radiation and Thyroid Cancer</i> , 395-405. World Scientific Publishing.
5770	Cardis E, Gilbert ES, Carpenter L, et al (1995). Effects of low doses and low dose rates of external ionizing radiation: Cancer mortality among nuclear industry workers in three countries. <i>Radiat Res</i> , 142(2): 117-32.
56044	Cardis E, Howe G, Ron E, et al (2006). Cancer consequences of the Chernobyl accident: 20 years on. <i>J Radiol Prot</i> , 26(2): 127-40.
43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-Country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiat Res</i> , 167(4): 396-416.
35952	Carr ZA, Kleinerman RA, Stovall M, et al (2002). Malignant neoplasms after radiation therapy for peptic ulcer. <i>Radiat Res</i> , 157(6): 668-77.
36163	Carroll RJ, Schafer DW, Lubin JH, et al (2000). Thyroid cancer after scalp irradiation: a reanalysis accounting for uncertainty in dosimetry. <i>Radiat Res</i> , 154(6): 721-2; discussion 723-4. [Abstract]
8351	Carstensen JM, Wingren G, Hatschek T, et al (1990). Occupational risks of thyroid cancer: data from the Swedish Cancer-Environment Register, 1961-1979. <i>Am J Ind Med</i> , 18(5): 535-40.
80746	Carter M, Robotham F, Wise K, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 1: Dosimetry. Commonwealth of Australia.
98724	Casjens S, Bruning T, Taeger D (2020). Cancer risks of firefighters: a systematic review and meta-analysis of secular trends and region-specific differences. <i>Int Arch Occup Environ Health</i> , 93(7): 839-52.
8938	Castronovo FP Jr (1994). 125I-fibrinogen: thyroid blocking with 2.5 mg potassium iodide twice daily in patients after hip surgery. <i>J Nucl Biol Med</i> , 38(1): 55-60.
80747	Centers for Disease Control and Prevention (CDC) (2015). Radioisotope brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
105737	Chang TH, Ho HJ, Chang YT, et al (2020). Is rosacea a risk factor for cancer: A population-based cohort study in Taiwan. <i>Dermatol Sin</i> , 38: 15-21.
36152	Chatenoud L, La Vecchia C, Franceschi S, et al (1999). Refined-cereal intake and risk of selected cancers in Italy. <i>Am J Clin Nutr</i> , 70: 1107-10.
70225	Chen YK, Lin CL, Chang YJ, et al (2013). Cancer risk in patients with Graves' disease: a nationwide cohort study. <i>Thyroid</i> , 23(7): 879-84.
70224	Chen YK, Lin CL, Cheng FT, et al (2013). Cancer risk in patients with Hashimoto's thyroiditis: a nationwide cohort study. <i>Br J Cancer</i> , 109(9): 2496-501.
36066	Cherenko SM, Larin OS, Gorobeyko MB, et al (2004). Clinical analysis of thyroid cancer in adult patients exposed to ionizing radiation due to the Chernobyl nuclear accident: 5-year comparative investigations based on the results of surgical treatment. <i>World J Surg</i> , 28(11): 1071-4.
105739	Cho A, Chang Y, Ahn J, et al (2018). Cigarette smoking and thyroid cancer risk: a cohort study. <i>Br J Cancer</i> , 119(5): 638-45.
103494	Cho YA, Kim J (2014). Thyroid cancer risk and smoking status: a meta-analysis. <i>Cancer Causes Control</i> , 25(9): 1187-95.
103500	Cho YA, Kim J (2015). Dietary factors affecting thyroid cancer risk: a meta-analysis. <i>Nutr Cancer</i> , 67(5): 811-7.
103519	Cipriani NA, White MG, Angelos P, et al (2018). Large cytologically benign thyroid nodules do not have high rates of malignancy or false-negative rates and clinical observation should be considered: a meta-analysis. <i>Thyroid</i> , 28(12): 1595-608.

105740	Cirocchi R, Trastulli S, Randolph J, et al (2015). Total or near-total thyroidectomy versus subtotal thyroidectomy for multinodular non-toxic goitre in adults. <i>Cochrane Database Syst Rev</i> , (8): CD010370.
29574	Cocco P, Benichou J (1998). Mortality from cancer of the male reproductive tract and environmental exposure to the anti-androgen p,p'-dichlorodiphenylchloroethylene in the United States. <i>Oncology</i> , 55(4): 334-9.
17205	Cocco P, Blair A, Congia P, et al (1997). Long-term health effects of the occupational exposure to DDT. A preliminary report. <i>Ann N Y Acad Sci</i> , 837: 246-56.
15939	Cocco P, Blair A, Congia P, et al (1997). Proportional mortality of dichloro-diphenyl-trichloroethane (DDT) workers: a preliminary report. <i>Arch Environ Health</i> , 52(4): 299-303.
26882	Cocco P, Kazerouni N, Zahm SH (2000). Cancer mortality and environmental exposure to DDE in the United States. <i>Environ Health Perspect</i> , 108(1): 1-4.
89536	Coggon D, Ntani G, Harris EC, et al (2015). Soft tissue sarcoma, non-Hodgkin's lymphoma and chronic lymphocytic leukaemia in workers exposed to phenoxy herbicides: extended follow-up of a UK cohort. <i>Occup Environ Med</i> , 72(6): 435-41.
105741	Coghill AE, Han X, Suneja G, et al (2019). Advanced stage at diagnosis and elevated mortality among US patients with cancer infected with HIV in the National Cancer Data Base. <i>Cancer</i> , 125(16): 2868-76.
69853	Cohen A, Rovelli A, Merlo DF, et al (2007). Risk for secondary thyroid carcinoma after hematopoietic stem-cell transplantation: an EBMT Late Effects Working Party Study. <i>J Clin Oncol</i> , 25(17): 2449-54.
35862	Cohen A, Rovelli A, van Lint MT, et al (2001). Secondary thyroid carcinoma after allogeneic bone marrow transplantation during childhood. <i>Bone Marrow Transplant</i> , 28(12): 1125-8.
35717	Cohen A, van der Schaaf A (2002). Scatter irradiation in childhood causes thyroid cancer. <i>Med J Aust</i> , 176(12): 570-1.
103636	Colbeth HL, Genere N, Hall CB, et al (2020). Evaluation of Medical Surveillance and Incidence of post-September 11, 2001, thyroid cancer in World Trade Center-exposed firefighters and emergency medical service workers. <i>JAMA Intern Med</i> , 180(6): 888-95.
91824	Consonni D, Straif K, Symons J, et al (2013). Cancer risk among tetrafluoroethylene synthesis and polymerization workers. <i>Am J Epidemiol</i> , 178(3): 350-8.
8352	Correa P, Chen VW (1995). Endocrine gland cancer. <i>Cancer</i> , 75(Suppl 1): 338-52.
35874	Cotterill SJ, Pearce MS, Parker L (2001). Thyroid cancer in children and young adults in the North of England. Is increasing incidence related to the Chernobyl accident? <i>Eur J Cancer</i> , 37(8): 1020-6.
12255	Crane PJ, Barnard DI, Horsley KD, et al (1997). Mortality of national service Vietnam veterans. A report of the 1996 retrospective cohort study of Australian Vietnam veterans, Commonwealth Department of Veterans' Affairs.
8353	Cronkite EP, Bond VP, Conard RA (1995). Medical effects of exposure of human beings to fallout radiation from a thermonuclear explosion. <i>Stem Cells</i> , 13(Suppl 1): 49-57.
103618	Cui N, Sun Q, Chen L (2021). A meta-analysis of the influence of body mass index on the clinicopathologic progression of papillary thyroid carcinoma. <i>Medicine (Baltimore)</i> , 100(32): e26882.
100362	Dal J, Leisner MZ, Hermansen K, et al (2018). Cancer incidence in patients with acromegaly: A cohort study and meta-analysis of the literature. <i>J Clin Endocrinol Metab</i> , 103(6): 2182-8.

71390	Dal Maso L, Bosetti C, La Vecchia C, et al (2009). Risk factors for thyroid cancer: an epidemiological review focused on nutritional factors. <i>Cancer Causes Control</i> , 20(1): 75-86.
35979	Dal Maso L, La Vecchia C, Franceschi S, et al (2000). A pooled analysis of thyroid cancer studies. V. Anthropometric factors. <i>Cancer Causes Control</i> , 11(2): 137-44.
35852	Damber L, Johansson L, Johansson R, et al (2002). Thyroid cancer after X-ray treatment of benign disorders of the cervical spine in adults. <i>Acta Oncol</i> , 41(1): 25-8.
37749	Damstra T, Barlow S, Bergman A, et al (2002). World Health Organisation. International Programme on Chemical Safety. Global Assessment of the State-of-the-Science of Endocrine Disruptors.
71063	Daniels RD, Kubale TL, Yiin JH, et al (2013). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). <i>Occup Environ Med</i> , 71(6): 388-97.
11769	Darby SC, Kendall GM, Fell TP, et al (1993). Further follow up of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapon tests and experimental programs. <i>BMJ</i> , 307(6918): 1530-5.
6753	Darby SC, Kendall GM, Fell TP, et al (1988). A summary of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapon tests and experimental programmes. <i>Br Med J (Clin Res Ed)</i> , 296(6618): 332-8.
8354	D'Avanzo B, La Vecchia C, Franceschi S, et al (1995). History of thyroid diseases and subsequent thyroid cancer risk. <i>Cancer Epidemiol Biomarkers Prev</i> , 4(3): 193-9.
36071	Davis S, Kopecky KJ, Hamilton TE, et al (2004). Thyroid neoplasia, autoimmune thyroiditis, and hypothyroidism in persons exposed to iodine 131 from the Hanford Nuclear Site. <i>JAMA</i> , 292(21): 2600-13.
105743	Davies L, Morris LG, Haymart M, et al (2015). American Association of Clinical Endocrinologists and American College of Endocrinology Disease State Clinical Review: the increasing incidence of thyroid cancer. <i>Endocr Pract</i> , 21(6): 686-96.
36076	Davis S, Stepanenko V, Rivkind N, et al (2004). Risk of thyroid cancer in the Bryansk Oblast of the Russian Federation after the Chernobyl Power Station accident. <i>Radiat Res</i> , 162(3): 241-8.
11518	Dayan CM, Daniels GH (1996). Chronic autoimmune thyroiditis. <i>N Engl J Med</i> , 335(2): 99-107.
23289	de Jong G, Swaen GM, Slanger JJ (1997). Mortality of workers exposed to dieldrin and aldrin: a retrospective cohort study. <i>Occup Environ Med</i> , 54(10): 702-7.
35993	de Vathaire F, Hardiman C, Shamsaldin A, et al (1999). Thyroid carcinomas after irradiation for a first cancer during childhood. <i>Arch Intern Med</i> , 159(22): 2713-9.
35980	de Vathaire F, Le Vu B, Vathaire CC (2000). Thyroid cancer in French Polynesia between 1985 and 1995: influence of atmospheric nuclear bomb tests performed at Mururoa and Fangataufa between 1966 and 1974. <i>Cancer Causes Control</i> , 11(1): 59-63.
80739	Decision Support Unit (DSU) (2010). Atomic radiation - update. SOP Bulletin 145.
80738	Decision Support Unit (DSU) (2006). Atomic radiation. SOP Bulletin 106.
80743	Defence Threat Reduction Agency (2010). Standard Method: ID01 - Doses to Organs From Intake of Radioactive Materials. DTRA/NTPR - Standard Operating Procedures Manual, Revision 1.3a.

100368	Demers PA, Checkoway H, Vaughan TL, et al (1994). Cancer incidence among firefighters in Seattle and Tacoma, Washington (United States). <i>Cancer Causes Control</i> , 5(2): 129-35.
106149	Department of Defence (2007). List of contaminants which were detected in media analysed at RAAF Base, Williams, Point Cook, Victoria - 14 September.
37769	Department of Defence (2004). Study of health outcomes in aircraft maintenance personnel. Mortality and Cancer Incidence Study, 2nd Report, Vol 4. Commonwealth of Australia.
37770	Department of Defence (2003). Mortality and Cancer Incidence Study. Study of Health Outcomes in Aircraft Maintenance Personnel - Interim Report, Vol 2. Commonwealth of Australia.
32791	Department of Defence (2004). Report on the General Health and Medical Study. Study of Health Outcomes in Aircraft Maintenance Personnel, Vol 5. Commonwealth of Australia.
35415	Department of Defence (2003). Literature Review: Final Report July 2003. Study of Health Outcomes in Aircraft Maintenance Personnel, Vol 1. Commonwealth of Australia.
105744	Deziel NC, Alfonso-Garrido J, Warren JL, et al (2019). Exposure to polybrominated diphenyl ethers and a polybrominated biphenyl and risk of thyroid cancer in women: single and multi-pollutant approaches. <i>Cancer Epidemiol Biomarkers Prev</i> , 28(10): 1755-64.
103635	Deziel NC, Warren JL, Huang H, et al (2021). Exposure to polychlorinated biphenyls and organochlorine pesticides and thyroid cancer in connecticut women. <i>Environ Res</i> , 192: 110333.
105746	Deziel NC, Yi H, Stapleton HM, et al (2018). A case-control study of exposure to organophosphate flame retardants and risk of thyroid cancer in women. <i>BMC Cancer</i> , 18(1): 637.
16586	Dich J, Zahm SH, Hanberg A, et al (1997). Pesticides and cancer. <i>Cancer Causes Control</i> , 8(3): 420-43.
36114	Dickman PW, Holm LE, Lundell G, et al (2003). Thyroid cancer risk after thyroid examination with 131I: a population-based cohort study in Sweden. <i>Int J Cancer</i> , 106(4): 580-7.
8875	Ditraglia D, Brown DP, Namekata T, et al (1981). Mortality study of workers employed at organochlorine pesticide manufacturing plants. <i>Scand J Work Environ Health</i> , 7(Suppl 4): 140-6.
32997	Divine BJ, Hartman CM (2000). Update of a study of crude oil production workers 1946-94. <i>Occup Environ Med</i> , 57(6): 411-7.
8355	Dobyns BM, Sheline GE, Workman JB, et al (1974). Malignant and benign neoplasms of the thyroid in patients treated for hyperthyroidism: a report of the cooperative thyrotoxicosis therapy follow-up study. <i>J Clin Endocrinol Metab</i> , 38(6): 976-98.
36065	Dogru O, Dogru M, Aygen E, et al (2005). The possible contribution of 129I in the drinking water and food supply to the nodular formation of thyroid tissue. <i>Health Phys</i> , 88(3): 243-7.
35718	Doody MM, Mandel JS, Lubin JH, et al (1998). Mortality among United States radiologic technologists, 1926-90. <i>Cancer Causes Control</i> , 9(1): 67-75.
36091	Dorairajan N, Pandiarajan R, Yuvaraja S (2002). A descriptive study of papillary thyroid carcinoma in a teaching hospital in Chennai, India. <i>Asian J Surg</i> , 25(4): 300-3.
9123	dos Santos Silva I, Swerdlow AJ (1993). Thyroid cancer epidemiology in England and Wales: time trends and geographical distribution. <i>Br J Cancer</i> , 67(2): 330-40.
91035	Douglas D (2018). Firefighter chemical review - ARP 1701 - A report prepared for the Commonwealth of Australia, Douglas Consulting Australia.

105745	Drozd V, Saenko V, Branovan DI, et al (2021). A search for causes of rising incidence of differentiated thyroid cancer in children and adolescents after Chernobyl and Fukushima: comparison of the clinical features and their relevance for treatment and prognosis. <i>Int J Environ Res Public Health</i> , 18(7): 3444.
105742	Drozdovitch V (2021). Radiation exposure to the thyroid after the Chernobyl accident. <i>Front Endocrinol (Lausanne)</i> , 11: 569041.
10747	Dworkin HJ (1994). [Comment] Nuclear weapons testing fallout and thyroid disease. <i>JAMA</i> , 271(11): 825-6.
36131	Dybing E, Sanner T (1999). Species differences in chemical carcinogenesis of the thyroid gland, kidney and urinary bladder. <i>IARC Sci Publ</i> , (147): 15-32.
104361	Egeberg A, Fowler JF Jr, Gislason GH, et al (2017). Rosacea and risk of cancer in Denmark. <i>Cancer Epidemiol</i> , 47: 76-80.
105748	Enewold LR, Zhou J, Devesa SS, et al (2011). Thyroid cancer incidence among active duty U.S. military personnel, 1990-2004. <i>Cancer Epidemiol Biomarkers Prev</i> , 20(11): 2369-76.
10749	Epstein PR, Clapp RW (1993). Soviet nuclear mishaps pre-Chernobyl. <i>Lancet</i> , 341(8841): 346.
22604	Expert Committee to Examine Balkan Veteran Exposure to Depleted Uranium (2001). Review of Scientific Literature on the Health Effects of Exposure to Depleted Uranium. A report prepared for the Minister for Veterans' Affairs, Commonwealth of Australia.
8356	Ezaki H, Takeichi N, Yoshimoto Y (1991). Thyroid cancer: epidemiological study of thyroid cancer in A-bomb survivors from extended life span study cohort in Hiroshima. <i>J Radiat Res</i> , 32 Suppl: 193-200.
36096	Farahati J, Geling M, Mader U, et al (2004). Changing trends of incidence and prognosis of thyroid carcinoma in lower Franconia, Germany, from 1981-1995. <i>Thyroid</i> , 14(2): 141-7.
20060	Favre-Schmuiziger G, Hofer S, Passweg J, et al (2000). Treatment of solid tumors following allogeneic bone marrow transplantation. <i>Bone Marrow Transplant</i> , 25(8): 895-8.
58626	Fazel R, Krumholz HM, Wang Y, et al (2009). Exposure to low-dose ionizing radiation from medical imaging procedures. <i>N Engl J Med</i> , 361(9): 849-57.
91827	Fear N, Stevelink S, Dyball D (2016). Occupational health research studies review examining the occupational health of firefighters, Phase 1 - Completed for DVA (Australia). King's Centre for Military Research, King's College London.
106153	Fear N, Stevelink S, Dyball D (2017). Occupational health research studies review. Examining the occupational health of fire fighters, Phase 2. Completed for DVA (Australia). King's Centre for Military Research, King's College London, United Kingdom.
8357	Federman DD (1996). Thyroid. <i>Science</i> (New York, N.Y.), 3: 21-7.
8358	Fedorak IJ, Salti G, Fulton N, et al (1994). Increased incidence of thyroid cancer in patients with primary hyperparathyroidism: a continuing dilemma. <i>Am Surg</i> , 60(6): 427-31.
103625	Feldt-Rasmussen U (2020). Hashimoto's thyroiditis as a risk factor for thyroid cancer. <i>Curr Opin Endocrinol Diabetes Obes</i> , 27(5): 364-71.
35872	Feldt-Rasmussen U (2001). Iodine and cancer. <i>Thyroid</i> , 11(5): 483-6.
5026	Figa-Talamanca I, Mearelli I, Valente P, et al (1993). Cancer mortality in a cohort of rural licensed pesticide users in the province of Rome. <i>Int J Epidemiol</i> , 22(4): 579-83.
3848	Figa-Talamanca I, Mearelli I, Valente P (1993). Mortality in a cohort of pesticide applicators in an urban setting. <i>Int J Epidemiol</i> , 22(4): 674-6.

36153	Fillmore CM, Petralia SA, Dosemeci M (1999). Cancer mortality in women with probable exposure to silica: a death certificate study in 24 states of the U.S. <i>Am J Ind Med</i> , 36(1): 122-8.
35978	Fincham SM, Ugnat AM, Hill GB, et al (2000). Is occupation a risk factor for thyroid cancer? Canadian Cancer Registries Epidemiology Research Group. <i>J Occup Environ Med</i> , 42(3): 318-22.
69662	Fiore E, Vitti P (2012). Serum TSH and risk of papillary thyroid cancer in nodular thyroid disease. <i>J Clin Endocrinol Metab</i> , 97(4): 1134-45.
35982	Fioretti F, Tavani A, Gallus S, et al (1999). Case-control study of thyroid cancer in Northern Italy: attributable risk. <i>Int J Epidemiol</i> , 28(4): 626-30.
20099	First MR, Peddi VR (1998). Malignancies complicating organ transplantation. <i>Transplant Proc</i> , 30(6): 2768-70.
29125	Fleming LE, Bean JA, Rudolph M, et al (1999). Cancer incidence in a cohort of licensed pesticide applicators in Florida. <i>J Occup Environ Med</i> , 41(4): 279-88.
105749	Fleury I, Chevret S, Pfreundschuh M, et al (2016). Rituximab and risk of second primary malignancies in patients with non-Hodgkin lymphoma: a systematic review and meta-analysis. <i>Ann Oncol</i> , 27(3): 390-7.
36196	Foppiani L, Tancredi M, Ansaldi GL, et al (2003). Absence of histological malignancy in a patient cohort with follicular lesions on fine-needle aspiration. <i>J Endocrinal Invest</i> , 26(1): 29-34.
8359	Fragu P, Lemarchand-Venencie F, Benhamou S, et al (1991). Long-term effects in skin and thyroid after radiotherapy for skin angiomas: a French retrospective cohort study. <i>Eur J Cancer</i> , 27(10): 1215-22.
9124	Fraker DL (1995). Radiation exposure and other factors that predispose to human thyroid neoplasia. <i>Surg Clin North Am</i> , 75(3): 365-75.
36130	Franceschi S (1998). Iodine intake and thyroid carcinoma--a potential risk factor. <i>Exp Clin Endocrinol Diabetes</i> , 106(Suppl 3): S38-44.
8774	Franceschi S, La Vecchia C (1994). Thyroid cancer. <i>Cancer Surv</i> , 19-20: 393-422.
8361	Franceschi S, Fassina A, Talamini R, et al (1989). Risk factors for thyroid cancer in northern Italy. <i>Int J Epidemiol</i> , 18(3): 578-84.
8362	Franceschi S, Levi F, Negri E, et al (1991). Diet and thyroid cancer: a pooled analysis of four European case-control studies. <i>Int J Cancer</i> , 48(3): 395-8.
35990	Franceschi S, Preston-Martin S, Dal Maso L, et al (1999). A pooled analysis of case-control studies of thyroid cancer. IV. Benign thyroid diseases. <i>Cancer Causes Control</i> , 10(6): 583-95.
35694	Franklyn JA, Maisonneuve P, Sheppard M, et al (1999). Cancer incidence and mortality after radioiodine treatment for hyperthyroidism: a population-based cohort study. <i>Lancet</i> , 353(9170): 2111-5.
36135	Frentzel-Beyme R, Helmert U (2002). Biocide residues in healthy food as risk factors. <i>IARC Sci Publ</i> , 156: 365-7.
36177	Frentzel-Beyme R, Helmert U (2000). Association between malignant tumors of the thyroid gland and exposure to environmental protective and risk factor. <i>Rev Environ Health</i> , 15(3): 337-58.
35842	From G, Mellemaaard A, Knudsen N, et al (2000). Review of thyroid cancer cases among patients with previous benign thyroid disorders. <i>Thyroid</i> , 10(8): 697- 700.
36075	Fujino Y, Tamakoshi A, Hoshiyama Y, et al (2004). Prospective study of transfusion history and thyroid cancer incidence among females in Japan. <i>Int J Cancer</i> , 112(4): 722-5.
19491	Fulco CE, Liverman CT, Sox HC [Editors] (2000). Depleted Uranium, Sarin, Pyridostigmine Bromide, Vaccines. <i>Gulf War and Health</i> , Vol 1. National Academies Press - Washington, DC.

36078	Furlan JC, Rosen IB (2004). Prognostic relevance of previous exposure to ionizing radiation in well-differentiated thyroid cancer. <i>Langenbecks Arch Surg</i> , 389(3): 198-203.
105750	Furukawa K, Preston D, Funamoto S, et al (2013). Long-term trend of thyroid cancer risk among Japanese atomic-bomb survivors: 60 years after exposure. <i>Int J Cancer</i> , 132(5): 1222-6.
69674	Fushiki S (2013). Radiation hazards in children - lessons from Chernobyl, Three Mile Island and Fukushima. <i>Brain Dev</i> , 35(3): 220-7.
36221	Gabriele R, Letizia C, Borghese M, et al (2003). Thyroid cancer in patients with hyperthyroidism. <i>Horm Res</i> , 60(2): 79-83.
36004	Galanti MR, Hansson L, Bergstrom R, et al (1997). Diet and the risk of papillary and follicular thyroid carcinoma: a population-based case-control study in Sweden and Norway. <i>Cancer Causes Control</i> , 8(2): 205-14.
36089	Galanti MR, Hansson L, Lund E, et al (1996). Reproductive history and cigarette smoking as risk factors for thyroid cancer in women: a population-based case-control study. <i>Cancer Epidemiol Biomarkers Prev</i> , 5(6): 425-31.
20160	Gambini GF, Mantovani C, Pira E, et al (1997). Cancer mortality among rice growers in Novara Province, northern Italy. <i>Am J Ind Med</i> , 31(4): 435-41.
36179	Gandolfi PP, Frisina A, Raffa M, et al (2004). The incidence of thyroid carcinoma in multinodular goiter: retrospective analysis. <i>Acta Biomed</i> , 75(2): 114-7.
28847	Garabrant DH, Philbert MA (2002). Review of 2,4-dichlorophenoxyacetic acid (2,4-D) epidemiology and toxicology. <i>Crit Rev Toxicol</i> , 32(4): 233-57.
106165	Garcia-Perez J, Fernandez-Navarro P, Castello A, et al (2013). Cancer mortality in towns in the vicinity of incinerators and installations for the recovery or disposal of hazardous waste. <i>Environ Int</i> , 51: 31-44.
36092	Gasperi M, Martino E, Manetti L, et al (2002). Prevalence of thyroid diseases in patients with acromegaly: results of an Italian multi-center study. <i>J Endocrinol Invest</i> , 25(3): 240-5.
36079	Gavrilin Y, Khrouch V, Shinkarev S, et al (2004). Individual thyroid dose estimation for a case-control study of Chernobyl-related thyroid cancer among children of Belarus-part I: 131I, short-lived radioiodines (132I, 133I, 135I), and short-lived radiotelluriums (131MTe and 132Te). <i>Health Phys</i> , 86(6): 565-85.
105751	Giannoula E, Melidis C, Frangos S, et al (2020). Ecological study on thyroid cancer incidence and mortality in association with European Union member states' air pollution. <i>Int J Environ Res Public Health</i> , 18(1): 153.
8940	Gibbs SJ, Pujol A Jr, Chen TS, et al (1984). Patient risk from interproximal radiography. <i>Oral Surg Oral Med Oral Pathol</i> , 58(3): 347-54.
36160	Gilbert E (2000). Discussion: Temporal effects in radiation epidemiology - II. <i>Radiat Res</i> , 154(6): 734-5. [Abstract]
35877	Gilbert ES (2001). Invited commentary: studies of workers exposed to low doses of radiation. <i>Am J Epidemiol</i> , 153(4): 319-22; discussion 323-4.
35851	Gilbert ES, Land CE, Simon SL (2002). Health effects from fallout. <i>Health Phys</i> , 82(5): 726-35.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
35996	Gilbert ES, Tarone R, Bouville A, et al (1998). Thyroid cancer rates and 131I doses from Nevada atmospheric nuclear bomb tests. <i>J Natl Cancer Inst</i> , 90(21): 1654-60.

35850	Gimm O (2001). Thyroid cancer. <i>Cancer Lett</i> , 163(2): 143-56.
101236	Girardi P, Merler E (2019). A mortality study on male subjects exposed to polyfluoroalkyl acids with high internal dose of perfluorooctanoic acid. <i>Environ Res</i> , 179(Pt A): 108743.
88805	Glass D, Sim M, Pircher S, et al (2015). Defence firefighters' health study. Monash Centre for Occupational and Environmental Health, Monash University.
95436	Glass DC, Del Monaco A, Pircher S, et al (2019). Mortality and cancer incidence among female Australian firefighters. <i>Occup Environ Med</i> , 76(4): 215-21.
83363	Glass DC, Del Monaco A, Pircher S, et al (2017). Mortality and cancer incidence among male volunteer Australian firefighters. <i>Occup Environ Med</i> , 74(9): 628-38.
83366	Glass DC, Del Monaco A, Pircher S, et al (2016). Mortality and cancer incidence at a fire training college. <i>Occup Med (Lond)</i> , 66(7): 536-42.
89357	Glass DC, Pircher S, Del Monaco A, et al (2016). Mortality and cancer incidence in a cohort of male paid Australian firefighters. <i>Occup Environ Med</i> , 73(11): 761-71.
68201	Gnagnarella P, Gandini S, La Vecchia C, et al (2008). Glycemic index, glycemic load, and cancer risk: a meta-analysis. <i>Am J Clin Nutr</i> , 87(6): 1793-801.
8363	Goldman MB, Monson RR, Maloof F (1990). Cancer mortality in women with thyroid disease. <i>Cancer Res</i> , 50(8): 2283-9.
8364	Goodman MT, Kolonel LN, Wilkens LR (1992). The association of body size, reproductive factors and thyroid cancer. <i>Br J Cancer</i> , 66(6): 1180-4.
8365	Goodman MT, Yoshizawa CN, Kolonel LN (1988). Descriptive epidemiology of thyroid cancer in Hawaii. <i>Cancer</i> , 61(6): 1272-81.
105747	Gorini F, Iervasi G, Coi A, et al (2018). The role of polybrominated diphenyl ethers in thyroid carcinogenesis: Is it a weak hypothesis or a hidden reality? From facts to new perspectives. <i>Int J Environ Res Public Health</i> , 15(9): 1834.
103647	Gorospe L, Garcia-Gomez-Muriel I, Pian-Arias HG, et al (2020). Development of thyroid carcinoma during treatment with pembrolizumab in a lung cancer patient. <i>Ann Thorac Surg</i> , 109(6): e397-9.
8777	Grebe SK, Hay ID (1995). Follicular thyroid cancer. <i>Endocrinol Metab Clin North Am</i> , 24(4): 761-801.
36118	Green DM (2003). Late effects of treatment for cancer during childhood and adolescence. <i>Curr Probl Cancer</i> , 27(3): 127-42.
8366	Greene MH, Wilson J (1985). Second cancer following lymphatic and hematopoietic cancers in Connecticut, 1935-82. <i>Natl Cancer Inst Monogr</i> , 68: 191-217.
8367	Grimalt JO, Sunyer J, Moreno V, et al (1994). Risk excess of soft-tissue sarcoma and thyroid cancer in a community exposed to airborne organochlorinated compound mixtures with a high hexachlorobenzene content. <i>Int J Cancer</i> , 56(2): 200-3.
69844	Grodszki S, Delbridge L (2009). An update on papillary microcarcinoma. <i>Curr Opin Oncol</i> , 21(1): 1-4.
104068	Gronich N, Lavi I, Rennert G, et al (2020). Cancer risk after radioactive iodine treatment for hyperthyroidism: A cohort study. <i>Thyroid</i> , 30(2): 243-50.
44963	Grulich AE, van Leeuwen MT, Falster MO, et al (2007). Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. <i>Lancet</i> , 370(9581): 59-67.
72440	Guidotti TL (2014). Health Risks and Occupation as a Firefighter. Medical Advisory Services, Department of Veterans' Affairs, Commonwealth of Australia.

80729	Gun R, Parsons J, Ryan P, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 2: Mortality and Cancer Incidence. Department of Veterans' Affairs, Canberra.
35870	Hahn K, Schnell-Inderst P, Grosche B, et al (2001). Thyroid cancer after diagnostic administration of iodine-131 in childhood. <i>Radiat Res</i> , 156(1): 61-70.
10750	Hakewill P, Dallemande G (1995). Health consequences of nuclear tests in French Polynesia. <i>Lancet</i> , 346(8974): 576.
36295	Hall P, Furst CJ, Mattsson A, et al (1996). Thyroid nodularity after diagnostic administration of iodine-131. <i>Radiat Res</i> , 146(6): 673-82.
36127	Hall P, Holm LE (1997). Late consequences of radioiodine for diagnosis and therapy in Sweden. <i>Thyroid</i> , 7(2): 205-8.
36292	Hall P, Mattsson A, Boice JD Jr (1996). Thyroid cancer after diagnostic administration of iodine-131. <i>Radiat Res</i> , 145(1): 86-92.
8369	Hallquist A, Hardell L, Lofroth PO (1993). External radiotherapy prior to thyroid cancer: a case-control study. <i>J Radiation Oncology Biol Phys</i> , 27(5): 1085-9.
8370	Hallquist A, Hardell L, Degerman A, et al (1993). Occupational exposures and thyroid cancers: results of a case-control study. <i>Eur J Cancer Prev</i> , 2(4): 345-9.
8371	Hallquist A, Hardell L, Degerman A, et al (1994). Thyroid cancer: reproductive factors, previous diseases, drug intake, family history and diet. A case-control study. <i>Eur J Cancer Prev</i> , 3(6): 481-8.
8372	Hallquist A, Hardell L, Degerman A, et al (1994). Medical diagnostic and therapeutic ionizing radiation and the risk for thyroid cancer: a case-control study. <i>Eur J Cancer Prev</i> , 3(3): 259-67.
58631	Hallquist A, Jansson P (2005). Self-reported diagnostic X-ray investigation and data from medical records in case-control studies on thyroid cancer: evidence of recall bias? <i>Eur J Cancer Prev</i> , 14(3): 271-6.
36124	Hallquist A, Nasman A (2001). Medical diagnostic X-ray radiation--an evaluation from medical records and dentist cards in a case-control study of thyroid cancer in the northern medical region of Sweden. <i>Eur J Cancer Prev</i> , 10(2): 147-52.
103639	Han MA, Kim JH (2018). Diagnostic x-ray exposure and thyroid cancer risk: systematic review and meta-analysis. <i>Thyroid</i> , 28(2): 220-8.
103518	Han MA, Kim JH, Song HS (2019). Persistent organic pollutants, pesticides, and the risk of thyroid cancer: systematic review and meta-analysis. <i>Eur J Cancer Prev</i> , 28(4): 344-9.
33384	Han X, Meng L, Li Y, et al (2019). Associations between exposure to persistent organic pollutants and thyroid function in a case-control study of East China. <i>Environ Sci Technol</i> , 53(16): 9866-75.
8373	Hancock SL, Cox RS, McDougall IR (1991). Thyroid diseases after treatment of Hodgkin's disease. <i>N Engl J Med</i> , 325(9): 599-605.
36134	Harach HR, Escalante DA, Day ES (2002). Thyroid cancer and thyroiditis in Salta, Argentina: a 40-yr study in relation to iodine prophylaxis. <i>Endocr Pathol</i> , 13(3): 175-81.
8784	Harach HR, Williams ED (1995). Thyroid cancer and thyroiditis in the goitrous region of Salta, Argentina, before and after iodine prophylaxis. <i>Clin Endocrinol (Oxf)</i> , 43(6): 701-6.
8374	Harach HR, Escalante DA, Onativia A, et al (1985). Thyroid carcinoma and thyroiditis in an endemic goitre region before and after iodine prophylaxis. <i>Acta Endocrinol (Copenh)</i> , 108(1): 55-60.
37771	Harrex WK, Horsley KW, Jelfs P, et al (2003). A report of the 2002 retrospective cohort study of Australian veterans of the Korean War. Mortality of Korean War Veterans: the Veteran Cohort Study. Department of Veterans Affairs, Canberra.

89350	Harris MA, Kirkham TL, MacLeod JS, et al (2018). Surveillance of cancer risks for firefighters, police, and armed forces among men in a Canadian census cohort. <i>Am J Ind Med</i> , 61(10): 815-23.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
36121	Hedayati N, McHenry CR (2003). The clinical significance of an isofunctioning thyroid nodule. <i>Am Surg</i> , 69(4): 311-5; discussion 315-6.
36161	Heidenreich WF (2000). Age and time patterns in thyroid cancer after the Chernobyl accident in the Ukraine. <i>Radiat Res</i> , 154(6): 731-2. [Abstract]
36067	Heidenreich WF, Bogdanova TI, Biryukov AG, et al (2004). Time trends of thyroid cancer incidence in Ukraine after the Chernobyl accident. <i>J Radiol Prot</i> , 24(3): 283-93.
36064	Helbling B, Wharton K, McLeod MK (2004). Medullary thyroid cancer: the controversy continues. <i>Curr Surg</i> , 61(6): 537-45.
20065	Hertzman C, Teschke K, Ostry A, et al (1997). Mortality and cancer incidence among sawmill workers exposed to chlorophenol wood preservatives. <i>Am J Public Health</i> , 87(1): 71-9.
20111	Hiesse C, Kriaa F, Rieu P, et al (1995). Incidence and type of malignancies occurring after renal transplantation in conventionally and cyclosporine-treated recipients: analysis of a 20-year period in 1600 patients. <i>Transplant Proc</i> , 27(1): 972-4.
70220	Hieu TT, Russell AW, Cuneo R, et al (2012). Cancer risk after medical exposure to radioactive iodine in benign thyroid diseases: a meta-analysis. <i>Endocr Relat Cancer</i> , 19(5): 645-55.
35998	Hill RN, Crisp TM, Hurley PM, et al (1998). Risk assessment of thyroid follicular cell tumors. <i>Environ Health Perspect</i> , 106(8): 447-57.
36140	Hindie E, Leenhardt L, Vitaux F, et al (2002). Non-medical exposure to radioiodines and thyroid cancer. <i>Eur J Nucl Med Mol Imaging</i> , 29(Suppl 2): S497-512.
69845	Hoang JK, Choudhury KR, Eastwood JD, et al (2014). An exponential growth in incidence of thyroid cancer: trends and impact of CT imaging. <i>AJNR Am J Neuroradiol</i> , 35(4): 778-83.
8858	Hodgin JD, Webster PD (1976). Malignancies in blood-forming organs following diagnostic and therapeutic procedures: a review. <i>South Med J</i> , 69(10): 1363.
103637	Hoffman K, Lorenzo A, Butt CM, et al (2017). Exposure to flame retardant chemicals and occurrence and severity of papillary thyroid cancer: A case-control study. <i>Environ Int</i> , 107: 235-42.
103629	Hoffman K, Sosa JA, Stapleton HM (2017). Do flame retardant chemicals increase the risk for thyroid dysregulation and cancer? <i>Curr Opin Oncol</i> , 29(1): 7-13.
8375	Holm LE (1991). Radiation-induced thyroid neoplasia. <i>Soz Praventivmed</i> , 36(4-5): 266-75.
8376	Holm LE, Dahlqvist I, Israelsson A, et al (1980). Malignant thyroid tumors after iodine-131 therapy: a retrospective cohort study. <i>N Engl J Med</i> , 303(4): 188-91.
8377	Holm LE, Hall P, Wiklund K, et al (1991). Cancer risk after iodine-131 therapy for hyperthyroidism. <i>J Natl Cancer Inst</i> , 83(15): 1072-7.
58622	Holmes EB, White GL, Gaffney DK (2010). Ionizing radiation exposure, medical imaging. Retrieved 27 September 2010, from http://emedicine.medscape.com/article/1464228-print
105752	Hong SH, Myung SK, Kim HS, et al (2017). Alcohol intake and risk of thyroid cancer: a meta-analysis of observational studies. <i>Cancer Res Treat</i> , 49(2): 534-47.

14595	Hooiveld M, Heederik DJ, Kogevinas M, et al (1998). Second follow-up of a Dutch cohort occupationally exposed to phenoxy herbicides, chlorophenols, and contaminants. <i>Am J Epidemiol</i> , 147(9): 891-901.
35858	Horn-Ross PL, Hoggatt KJ, Lee MM (2002). Phytoestrogens and thyroid cancer risk: the San Francisco Bay Area thyroid cancer study. <i>Cancer Epidemiol Biomarkers Prev</i> , 11(1): 43-9.
35865	Horn-Ross PL, Morris JS, Lee M, et al (2001). Iodine and thyroid cancer risk among women in a multiethnic population: the Bay Area Thyroid Cancer Study. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(9): 979-85.
32047	Hoshida Y, Tsukuma H, Yasunaga Y, et al (1997). Cancer risk after renal transplantation in Japan. <i>Int J Cancer</i> , 71(4): 517-20.
103650	Hou D, Xu H, Li P, et al (2020). Potential role of iodine excess in papillary thyroid cancer and benign thyroid tumor: A case-control study. <i>Asia Pac J Clin Nutr</i> , 29(3): 603-8.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
103507	Hu MJ, Zhang Q, Liang L, et al (2018). Association between vitamin D deficiency and risk of thyroid cancer: a case-control study and a meta-analysis. <i>J Endocrinol Invest</i> , 41(10): 1199-210.
105753	Hu N, Li ZM, Liu JF, et al (2016). An overall and dose-response meta-analysis for thyrotropin and thyroid cancer risk by histological type. <i>Oncotarget</i> , 7(30): 47750-9.
105755	Huang H, Rusiecki J, Zhao N, et al (2017). Thyroid-stimulating hormone, thyroid hormones, and risk of papillary thyroid cancer: a nested case-control study. <i>Cancer Epidemiol Biomarkers Prev</i> , 26(8): 1209-18.
105754	Huang H, Sjodin A, Chen Y, et al (2020). Polybrominated diphenyl ethers, polybrominated biphenyls, and risk of papillary thyroid cancer: a nested case-control study. <i>Am J Epidemiol</i> , 189(2): 120-32.
37414	Huang J, Walker R, Groome PG, et al (2001). Risk of thyroid carcinoma in a female population after radiotherapy for breast carcinoma. <i>Cancer</i> , 92(6): 1411-8.
103642	Hung SH, Chung SD, Lin HC (2018). Thyroxin use is associated with increased risk of thyroid cancer in patients with hypothyroidism. <i>J Clin Pharmacol</i> , 58(1): 29-33.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>Br J Cancer</i> , 109(7): 1989-96.
29790	IARC (1987). An updating of IARC monographs. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volumes 1-42 Supplement No. 7. IARC, Lyon, France.
2753	IARC (1988). Alcohol Drinking. IARC monographs on the evaluation of carcinogenic risks to humans, Vol 44: 255. International Agency for Research on Cancer, Lyon France.
32739	IARC (1989). International Agency for Research on Cancer Overall Evaluations of Carcinogenicity Risks to Humans. Occupational Exposures in Petroleum Refining; Crude Oil and Major Petroleum Fuels, Vol 45: IARC, Lyon, France.
37820	IARC (1994). Hepatitis C Virus. IARC Monographs on the evaluation of carcinogenic risks to humans, 59: 165.
37808	IARC (2001). Some internally deposited radionuclides. IARC Monographs on the evaluation of carcinogenic risk to humans. 78: 1-16. Retrieved 30 August 2005, from www.cie.iarc.fr/htdocs/monographs/

37567	IARC (2001). Summary - IARC Monographs on the Evaluation of Carcinogenic Risk to Humans. Vol 78. Some internally deposited radionuclides. Retrieved 19 January 2006, from http://monographs.iarc.fr/htdocs/monographs/vol78/vol78-radionuclides.html
37809	IARC (2005). Combined estrogen-progestogen contraceptives (Group 1). IARC monographs on the evaluation of carcinogenic risks to humans. 3rd draft, rev. 3 section 5, 91.
37817	IARC (2005). Formaldehyde, 2-Butoxyethanol and 1-tert-Butoxy-2-propanol (IN PREPARATION). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 88. IARC Press, Lyon.
67127	IARC (2012). Arsenic, metals, fibres, and dusts. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100C. World Health Organization, International Agency for Research on Cancer. Lyon France.
30602	IARC (International Agency for Research on Cancer) (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide (Part Two). Overall Evaluations of Carcinogenicity Risks to Humans, Vol 71: Part 2. IARC, Lyon, France.
35322	IARC (International Agency for Research on Cancer) (1988). Alcohol Drinking. Monographs on the Evaluation of Carcinogenic Risks to Humans, 44. IARC, Lyon, France.
29794	IARC Working Group (2002). IARC Monographs on the evaluation of carcinogenic risks to humans - non-ionizing radiation, part 1: static and extremely low-frequency (ELF) electric and magnetic fields. IARC Monographs, Vol 80. IARC Press, Lyon.
29793	IARC Working Group (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 63. IARC Press, Lyon.
29792	IARC Working Group (1989). Some organic solvents, resin monomers and related compounds, pigments and occupational exposures in paint manufacture and painting. IARC Monographs on the Evaluation of Carcinogenicity Risks to Humans, Vol 47. IARC Press, Lyon.
29791	IARC Working Group (1989). Diesel and gasoline engine exhausts and some nitroarenes. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 46. IARC, Lyon, France.
21776	IARC Working Group (2000). Ionizing radiation, Part 1: X- and gamma(y)-radiation, and neutrons. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 75. World Health Organization, International Agency for Research on Cancer, Lyon France.
30598	IARC Working Group (1997). Polychlorinated dibenzo-para-dioxins and polychlorinated dibenzofurans. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 69. World Health Organization, International Agency for Research on Cancer, Lyon France.
28312	IARC Working Group (1991). Occupational exposures in insecticide application, and some pesticides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 53. IARC Press, Lyon.
32051	IARC Working Group (2004). Tobacco smoke and involuntary smoking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Vol 83. IARC Press, Lyon.
33056	IARC Working Group (2002). Weight control and physical activity. IARC Handbooks of Cancer Prevention, Vol 6. IARC Press, Lyon.
91953	IARC Working Group (2019). Pentachlorophenol and some related compounds. Aldrin and dieldrin. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 117: 193-322. World Health Organization.

70163	IARC Working Group (2013). Bitumens and bitumen emissions, and some N- and S-heterocyclic aromatic hydrocarbons. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 103. World Health Organization, International Agency for Research on Cancer. Lyon France.
71527	IARC Working Group (2013). Diesel and gasoline engine exhausts and some nitroarenes. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 105. World Health Organization, International Agency for Research on Cancer, Lyon France.
91923	IARC Working Group (2015). Outdoor air pollution. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 109. World Health Organization.
91934	IARC Working Group (2015). Polychlorinated and polybrominated biphenyls. Polybrominated biphenyls. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 107: 423-500. World Health Organization.
76680	IARC Working Group (2015). Polychlorinated and polybrominated biphenyls. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 107. World Health Organization, International Agency for Research on Cancer. Lyon France.
91937	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Malathion. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 112: 36-159. World Health Organization.
91938	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Parathion. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 112: 160-222. World Health Organization.
91941	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Tetrachlorvinphos. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 112: 413-49. World Health Organization.
91939	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Diazinon. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 112: 223-319. IARC Press, Lyon.
91940	IARC Working Group (2017). Some organophosphate insecticides and herbicides. Glyphosate. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 112: 321-412. World Health Organization.
91944	IARC Working Group (2018). DDT, lindane and 2,4-D. 2,4-dichlorophenoxyacetic acid. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 113: 373-498. World Health Organization.
84858	IARC Working Group (2018). DDT, lindane, and 2,4-D. Evaluation of Carcinogenic Risks to Humans, 113: 37-266. World Health Organization, International Agency for Research on Cancer, Lyon France.
91945	IARC Working Group (2018). DDT, lindane and 2,4-D. Lindane. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 113: 267-372. World Health Organization.
91946	IARC Working Group (2018). Drinking Coffee. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Drinking Coffee, Mate, and Very Hot Beverages, Vol 116: 36-425. World Health Organization.
91947	IARC Working Group (2018). Red meat and processed meat. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 114. World Health Organization.
92200	IARC Working Group (2018). Some industrial chemicals. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 115. World Health Organization, International Agency on Research on Cancer, Lyon France.

69404	IARC Working Group (2012). Some chemicals present in industrial and consumer products, food and drinking water. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 101. World Health Organization, International Agency for Research on Cancer, Lyon France.
92195	IARC Working Group (2017). Some chemicals used as solvents and in polymer manufacture. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 110. World Health Organization International Agency for Research on Cancer. Lyon France.
91942	IARC Working Group (2018). Absence of Excess Body Fatness. IARC Handbooks of Cancer Prevention, Vol 16. World Health Organization.
91951	IARC Working Group (2019). Pentachlorophenol and some related compounds. Pentachlorophenol. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 117: 33-140. World Health Organization.
91952	IARC Working Group (2019). Pentachlorophenol and some related compounds. 2,4,6-Trichlorophenol. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 117: 141-68. World Health Organization.
37816	IARC Working Group (1997). Silica, some silicates, coal dust and para-aramid fibrils. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 68. World Health Organization, International Agency for Research on Cancer, Lyon France.
37569	IARC Working Group (1999). Some chemicals that cause tumours of the kidney or urinary bladder in rodents and some other substances. IARC Monographs on the Evaluation of Carcinogenicity Risks to Humans, Vol 73. IARC Press, Lyon.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. International Agency for Research on Cancer, Lyon France.
68411	IARC Working Group (2009). Biological agents. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B. World Health Organization, International Agency for Research on Cancer, Lyon France.
103640	Ibitoye R, Wilkins A (2014). Thyroid papillary carcinoma after alemtuzumab therapy for MS. <i>J Neurol</i> , 261(9): 1828-9.
85893	Ide CW (2014). Cancer incidence and mortality in serving whole-time Scottish firefighters 1984-2005. <i>Occup Med</i> , 64(6): 421-7.
99244	Imaiizumi M, Ohishi W, Nakashima E, et al (2015). Association of radiation dose with prevalence of thyroid nodules among atomic bomb survivors exposed in childhood (2007-2011). <i>JAMA Intern Med</i> , 175(2): 228-36; Erratum: (2020); 180(1): 167.
35873	Inskip PD (2001). Thyroid cancer after radiotherapy for childhood cancer. <i>Med Pediatr Oncol</i> , 36(5): 568-73.
8378	Inskip PD, Ekbom A, Galanti MR, et al (1995). Medical diagnostic x rays and thyroid cancer. <i>J Natl Cancer Inst</i> , 87(21): 1613-21.
17196	Inskip PD, Hartshorne MF, Tekkel M, et al (1997). Thyroid nodularity and cancer among Chernobyl cleanup workers from Estonia. <i>Radiat Res</i> , 147(2): 225-35.
37570	Institute of Medicine (US) (2005). Fuels, combustion products, and propellants. <i>Gulf War and Health</i> , Vol 3. National Academies Press (Washington, DC).
71391	Institute of Medicine (2012). Veterans and Agent Orange. Update 2010, 447-53. The National Academic Press, Washington DC.
36029	Institute of Medicine (IOM) (2005). Update 2004. <i>Veterans and Agent Orange</i> , 5th Edition. The National Academic Press, Washington DC.
31027	Institute of Medicine (2003). Insecticides and solvents. <i>Gulf War and Health</i> , Vol 2. National Academies Press, Washington, DC.

30603	International Agency for Research on Cancer (IARC) (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 71: Part 1. IARC, Lyon, France.
30599	International Agency for Research on Cancer (IARC) (1999). Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Overall Evaluations of Carcinogenicity Risks to Humans, Vol 71 Part 3. IARC Press, Lyon.
37568	International Agency for Research on Cancer (2002). Some traditional herbal medicines, some mycotoxins, naphthalene and styrene. IARC Monographs, Vol 82. IARC Press, Lyon, France.
80754	International Atomic Energy Agency (IAEA) (Undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80753	International Commission on Radiological Protection (ICRP) (2012). ICRP Statement on Tissue Reactions and Early and Late Effects of Radiation in Normal Tissues and Organs - Threshold Doses for Tissue Reactions in a Radiation Protection Context. Annals of the ICRP, ICRP Publication 118, Elsevier.
80752	International Commission on Radiological Protection (ICRP) (2007). Extract from The 2007 recommendations of the International Commission on Radiological Protection. Annals of the ICRP, ICRP Publication 103, Elsevier.
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. J ICRU, 11(2 Report 86): 33-8.
35866	Iribarren C, Haselkorn T, Tekawa IS, et al (2001). Cohort study of thyroid cancer in a San Francisco Bay area population. Int J Cancer, 93(5): 745-50.
36069	Ishiguro H, Yasuda Y, Tomita Y, et al (2004). Long-term follow-up of thyroid function in patients who received bone marrow transplantation during childhood and adolescence. J Clin Endocrinol Metab, 89(12): 5981-6.
35700	Ivanov VK, Gorski AI, Maksioutov MA, et al (2003). Thyroid cancer incidence among adolescents and adults in the Bryansk region of Russia following the Chernobyl accident. Health Phys, 84(1): 46-60.
35991	Ivanov VK, Gorsky AI, Tsyb AF, et al (1999). Dynamics of thyroid cancer incidence in Russia following the Chernobyl accident. J. Radiol Prot, 19(4): 305-18.
35706	Ivanov VK, Tsyb AF, Petrov AV, et al (2002). Thyroid cancer incidence among liquidators of the Chernobyl accident. Absence of dependence of radiation risks on external radiation dose. Radiat Environ Biophys, 41(3): 195-8.
36005	Ivanov VK, Tsyb AF, Gorsky AI, et al (1997). Leukaemia and thyroid cancer in emergency workers of the Chernobyl accident: estimation of radiation risks (1986-1995). Radiat Environ Biophys, 36(1): 9-16.
36002	Ivanov VK, Tsyb AF, Nilova EV, et al (1997). Cancer risks in the Kaluga oblast of the Russian Federation 10 years after the Chernobyl accident. Radiat Environ Biophys, 36(3): 161-7.
36001	Ivanov VK, Tsyb AF, Gorsky AI, et al (1997). Thyroid cancer among "liquidators" of the Chernobyl accident. Br J Radiol, 70(837): 937-41.
8379	Iwama T, Mishima Y, Utsunomiya J (1993). The impact of familial adenomatous polyposis on the tumorigenesis and mortality at the several organs. Its rational treatment. Ann Surg, 217(2): 101-8.
35695	Jacob P, Goulko G, Heidenreich WF, et al (1998). Thyroid cancer risk to children calculated. Nature, 392(6671): 31-2.

35984	Jacob P, Kenigsberg Y, Zvonova I, et al (1999). Childhood exposure due to the Chernobyl accident and thyroid cancer risk in contaminated areas of Belarus and Russia. <i>Br J Cancer</i> , 80(9): 1461-9.
35167	Jaga K, Brosius D (1999). Pesticide exposure: human cancers on the horizon. <i>Rev Environ Health</i> , 14(1): 39-50.
91442	Jalilian H, Ziae M, Weiderpass E, et al (2019). Cancer incidence and mortality among firefighters. <i>Int J Cancer</i> , 145(10): 2639-46.
99141	Jameson JL, Mande SJ, Weetman AP (2018). Chapter 378: Thyroid nodular disease and thyroid cancer. Retrieved 8 February 2021, from https://accessmedicine.mhmedical.com/content.aspx?bookid=2129&sectionid=188731530
69748	Jankovic B, Le KT, Hershman JM (2013). Hashimoto's thyroiditis and papillary thyroid carcinoma: is there a correlation? <i>J Clin Endocrinol Metab</i> , 98(2): 474-82.
19713	Jelfs P, Magnus P, McPherson M, et al (2000). The validated prevalence of selected cancers in Australian Vietnam Veterans. <i>Organohalogen Compd</i> , 48: 91-4.
101558	Jeong S, Lee HS, Kong SG, et al (2020). Incidence of malignancy and related mortality after kidney transplantation: a nationwide, population-based cohort study in Korea. <i>Sci Rep</i> , 10(1): 21398.
36094	Jereczek-Fossa BA, Alterio D, Jassem J, et al (2004). Radiotherapy-induced thyroid disorders. <i>Cancer Treat Rev</i> , 30(4): 369-84.
36095	Jezbec J, Ecimovic P, Jereb B (2004). Second neoplasms after treatment of childhood cancer in Slovenia. <i>Pediatr Blood Cancer</i> , 42(7): 574-81.
103781	Jia G, Sowers JR (2021). Hypertension in diabetes: an update of basic mechanisms and clinical disease. <i>Hypertension</i> , 78(5): 1197-205.
103501	Joseph KR, Edirimanne S, Eslick GD (2015). The association between breast cancer and thyroid cancer: a meta-analysis. <i>Breast Cancer Res Treat</i> , 152(1): 173-81.
69969	Kabat GC, Kim MY, Wactawski-Wende J, et al (2012). Smoking and alcohol consumption in relation to risk of thyroid cancer in postmenopausal women. <i>Cancer Epidemiol</i> , 36(4): 335-40.
103633	Kaiser JC, Misumi M, Furukawa K (2021). Biologically-based modeling of radiation risk and biomarker prevalence for papillary thyroid cancer in Japanese a-bomb survivors 1958-2005. <i>Int J Radiat Biol</i> , 97(1): 19-30.
105757	Kakudo K (2018). How to handle borderline/precursor thyroid tumors in management of patients with thyroid nodules. <i>Gland Surg</i> , 7(Suppl 1): S8-18.
36214	Kalaghchi B, Brietzke SA, Drake AJ 3rd, et al (2003). Effects of prior neck radiation therapy on clinical features of primary hyperparathyroidism and associated thyroid tumors. <i>Endocr Pract</i> , 9(5): 353-62.
70392	Kalezic NK, Zivaljevic VR, Slijepcevic NA, et al (2013). Risk factors for sporadic medullary thyroid carcinoma. <i>Eur J Cancer Prev</i> , 22(3): 262-7.
50306	Kang D, Davis LK, Hunt P, et al (2008). Cancer incidence among male Massachusetts firefighters, 1987-2003. <i>Am J Ind Med</i> , 51(5): 329-35.
29956	Kang HK, Bullman TA (2001). Mortality among US veterans of the Persian Gulf War: 7-year follow-up. <i>Am J Epidemiol</i> , 154(5): 399-405.
36815	Kang HK, Bullman TA, Mahan CM (2000). A mortality follow-up study of WW II submariners who received nasopharyngeal radium irradiation treatment. <i>Am J Ind Med</i> , 38(4): 441-6.
8883	Kanno J, Ward JM, Maronpot RR (1996). Mechanisms of chemically induced thyroid follicular carcinogenesis. <i>Prog Clin Biol Res</i> , 394: 353-98.
8380	Kaplan L, Katz AD, Ben-Isaac C, et al (1971). Malignant neoplasms and parathyroid adenoma. <i>Cancer</i> , 28(2): 401-7.
69661	Karamchandani D, Arias-Amaya R, Donaldson N, et al (2010). Thyroid cancer and renal transplantation: a meta-analysis. <i>Endocr Relat Cancer</i> , 17(1): 159-67.

105758	Kassotis CD, Herkert NJ, Hammel SC, et al (2020). Thyroid receptor antagonism of chemicals extracted from personal silicone wristbands within a papillary thyroid cancer pilot study. <i>Environ Sci Technol</i> , 54(23): 15296-312.
29032	Kayajanian GM (2001). Dioxin body burdens in operation ranch hand veterans: promotion blocking and cancer causation. <i>Ecotoxicol Environ Saf</i> , 50(3): 167-73.
8381	Kazakov VS, Demidchik EP, Astakhova LN (1992). Thyroid cancer after Chernobyl. <i>Nature</i> , 359(6390): 21.
18928	Kearsley J, Kaldor J, Smart R, et al (2000). The Report of the RMA Subcommittee on Ionising Radiation Dose. Department of Veterans Affairs, Canberra.
16000	Kerber RA, Till JE, Simon SL, et al (1993). A cohort study of thyroid disease in relation to fallout from nuclear weapons testing. <i>JAMA</i> , 270(17): 2076-82.
35705	Kesminiene A, Cardis E, Tenet V, et al (2002). Studies of cancer risk among Chernobyl liquidators: materials and methods. <i>J Radiol Prot</i> , 22(3A): A137-41.
16739	Ketchum NS, Michalek JE, Burton JE (1999). Serum dioxin and cancer in veterans of Operation Ranch Hand. <i>Am J Epidemiol</i> , 149(7): 630-9.
36098	Kikuchi S, Perrier ND, Ituarte P, et al (2004). Latency period of thyroid neoplasia after radiation exposure. <i>Ann Surg</i> , 239(4): 536-43.
103503	Kim J, Bang Y, Lee WJ (2016). Living near nuclear power plants and thyroid cancer risk: A systematic review and meta-analysis. <i>Environ Int</i> , 87: 42-8.
103628	Kim J, Gosnell JE, Roman SA (2020). Geographic influences in the global rise of thyroid cancer. <i>Nat Rev Endocrinol</i> , 16(1): 17-29.
105756	Kim JM, Kim MH, Ju YS, et al (2018). Reanalysis of epidemiological investigation of cancer risk among people residing near nuclear power plants in South Korea. <i>Int J Environ Res Public Health</i> , 15(3): 481.
105759	Kim KN, Hwang Y, Kim K, et al (2019). Active and passive smoking, BRAFV600E mutation status, and the risk of papillary thyroid cancer: a large-scale case-control and case-only study. <i>Cancer Res Treat</i> , 51(4): 1392-9.
105760	Kim S, Park E, Song SH, et al (2021). Toluene concentrations in the blood and risk of thyroid cancer among residents living near national industrial complexes in South Korea: A population-based cohort study. <i>Environ Int</i> , 146: 106304.
20317	Kinlen LJ, Sheil AG, Peto J, et al (1979). Collaborative United Kingdom-Australasian study of cancer in patients treated with immunosuppressive drugs. <i>Br Med J</i> , 2(6203): 1461-6.
100740	Kirk M, Smurthwaite K, Braunig J, et al (2018). The PFAS health study. Systematic literature review. Canberra: The Australian National University.
105763	Kitahara CM, Berrington de Gonzalez A, Bouville A, et al (2019). Association of radioactive iodine treatment with cancer mortality in patients with hyperthyroidism. <i>JAMA Intern Med</i> , 179(8): 1034-42.
105764	Kitahara CM, K Rmendine Farkas D, Jorgensen JO, et al (2018). Benign thyroid diseases and risk of thyroid cancer: a nationwide cohort study. <i>J Clin Endocrinol Metab</i> , 103(6): 2216-24.
69673	Kitahara CM, Linet MS, Beane Freeman LE, et al (2012). Cigarette smoking, alcohol intake, and thyroid cancer risk: a pooled analysis of five prospective studies in the United States. <i>Cancer Causes Control</i> , 23(10): 1615-24.
105761	Kitahara CM, McCullough ML, Franceschi S, et al (2016). Anthropometric factors and thyroid cancer risk by histological subtype: pooled analysis of 22 prospective studies. <i>Thyroid</i> , 26(2): 306-18.

105804	Kitahara CM, Pfeiffer RM, Sosa JA, et al (2020). Impact of overweight and obesity on US papillary Thyroid cancer incidence trends (1995-2015). <i>J Natl Cancer Inst</i> , 112(8): 810-7.
70394	Kitahara CM, Platz EA, Beane Freeman LE, et al (2012). Physical activity, diabetes, and thyroid cancer risk: a pooled analysis of five prospective studies. <i>Cancer Causes Control</i> , 23(3): 463-71.
70393	Kitahara CM, Platz EA, Freeman LE, et al (2011). Obesity and thyroid cancer risk among U.S. men and women: a pooled analysis of five prospective studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 20(3): 464-72.
105762	Kitahara CM, Yanik EL, Ladenson PW, et al (2017). Risk of thyroid cancer among solid organ transplant recipients. <i>Am J Transplant</i> , 17(11): 2911-21.
35849	Klip H, Burger CW, Kenemans P, et al (2000). Cancer risk associated with subfertility and ovulation induction: a review. <i>Cancer Causes Control</i> , 11(4): 319-44.
103611	Kluijfhout WP, Drake FT, Pasternak JD, et al (2017). De novo thyroid cancer following solid organ transplantation-A 25-year experience at a high-volume institution with a review of the literature. <i>J Surg Oncol</i> , 115(2): 105-8.
70395	Knobel M, Medeiros-Neto G (2007). Relevance of iodine intake as a reputed predisposing factor for thyroid cancer. <i>Arq Bras Endocrinol Metab</i> , 51(5): 701-12.
11115	Kogevinas M, Becher H, Benn T, et al (1997). Cancer mortality in workers exposed to phenoxy herbicides, chlorophenols, and dioxins. An expanded and updated international cohort study. <i>Am J Epidemiol</i> , 145(12): 1061-75.
8382	Kolonel LN, Hankin JH, Wilkens LR, et al (1990). An epidemiologic study of thyroid cancer in Hawaii. <i>Cancer Causes Control</i> , 1(3): 223-34.
36202	Kosem M, Algun E, Kotan C, et al (2004). Coexistent thyroid pathologies and high rate of papillary cancer in patients with primary hyperparathyroidism: controversies about minimal invasive parathyroid surgery. <i>Acta Chir Belg</i> , 104(5): 568-71.
8383	Krain LS (1991). Aviation, high altitude, cumulative radiation exposure and their associations with cancer. <i>Med Hypotheses</i> , 34(1): 33-40.
36080	Krause UC, Friedrich JH, Olbricht T, et al (1996). Association of primary hyperparathyroidism and non-medullary thyroid cancer. <i>Eur J Surg</i> , 162(9): 685-9.
8384	Kravdal O (1995). Is the relationship between childbearing and cancer incidence due to biology or lifestyle? Examples of the importance of using data on men. <i>Int J Epidemiol</i> , 24(3): 477-84.
8385	Kravdal O, Glattre E, Haldorsen T (1991). Positive correlation between parity and incidence of thyroid cancer: new evidence based on complete Norwegian birth cohorts. <i>Int J Cancer</i> , 49(6): 831-6.
35845	Kreiger N, Parkes R (2000). Cigarette smoking and the risk of thyroid cancer. <i>Eur J Cancer</i> , 36(15): 1969-73.
17359	Krissenko N (1997). Overview of 1993 research activities in Belarus related to the Chernobyl accident. <i>Stem Cells</i> , 15(Suppl 2): 207-10.
15301	Kristensen P, Andersen A, Irgens LM, et al (1996). Incidence and risk factors of cancer among men and women in Norwegian agriculture. <i>Scand J Work Environ Health</i> , 22(1): 14-26.
89715	Kullberg C, Andersson T, Gustavsson P, et al (2018). Cancer incidence in Stockholm firefighters 1958-2012: an updated cohort study. <i>Int Arch Occup Environ Health</i> , 91(3): 285-91.
18495	Kumpusalo L, Kumpusalo E, Soimakallio S, et al (1996). Thyroid ultrasound findings 7 years after the Chernobyl accident. A comparative epidemiological study in the Bryansk region of Russia. <i>Acta Radiol</i> , 37(6): 904-9.

80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
30425	Kyllonen L, Pukkala E, Eklund B (1994). Cancer incidence in a kidney-transplanted population. <i>Transpl Int</i> , 7(Suppl 1): S350-2.
35986	La Vecchia C, Ron E, Franceschi S, et al (1999). A pooled analysis of case-control studies of thyroid cancer. III. Oral contraceptives, menopausal replacement therapy and other female hormones. <i>Cancer Causes Control</i> , 10(2): 157-66.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasms in organs of main deposition for plutonium in the cohort of Mayak workers with regard to histological types. <i>Health Phys</i> , 105(2): 165-76.
105810	Lai X, Xia Y, Zhang B, et al (2017). A meta-analysis of Hashimoto's thyroiditis and papillary thyroid carcinoma risk. <i>Oncotarget</i> , 8(37): 62414-24.
36112	Larijani B, Aghakhani S, Khajeh-Dini H, et al (2003). Clinico-pathological features of thyroid cancer as observed in five referral hospitals in Iran--a review of 1177 cases. <i>Acta Oncol</i> , 42(4): 334-7.
103548	Law HD, Armstrong B, D'Este C, et al (2021). PFAS Health Study Component four: Data linkage study of health outcomes associated with living in PFAS exposure areas. Canberra (AU): Australian National University.
103040	Lazarevic N, Smurthwaite K, Trevenar S, et al (2021). PFAS Health Study Component Three: Cross-Sectional Survey of Self-Reported Physical and Mental Health Outcomes and Associations with Blood Serum PFAS. Canberra (AU): The Australian National University.
105813	Le KT, Sawicki MP, Wang MB, et al (2016). High prevalence of Agent Orange exposure among thyroid cancer patients in the national VA healthcare system. <i>Endocr Pract</i> , 22(6): 699-702.
36197	Lebkowska U, Malyszko JS, Malyszko J, et al (2003). Thyroid function and incidentalomas in kidney transplant recipients. <i>Med Sci Monit</i> , 9(2): 8-11.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35(4): 891-909.
105814	Lee JH, Chai YJ, Yi KH (2021). Effect of cigarette smoking on thyroid cancer: meta-analysis. <i>Endocrinol Metab (Seoul)</i> , 36(3): 590-8.
103506	Lee JH, Hwang Y, Song RY, et al (2017). Relationship between iodine levels and papillary thyroid carcinoma: A systematic review and meta-analysis. <i>Head Neck</i> , 39(8): 1711-8.
105811	Lee JH, Youn S, Jung S, et al (2020). A national database analysis for factors associated with thyroid cancer occurrence. <i>Sci Rep</i> , 10(1): 17791.
103632	Lee TY, Lee S, Bae JS, et al (2019). Distinct clinical manifestations of thyroid cancer after hematopoietic stem cell transplantation. <i>Ann Surg Oncol</i> , 26(11): 3586-92.
36063	Leenhardt L, Grosclaude P, Cherie-Challine L, et al (2004). Increased incidence of thyroid carcinoma in france: a true epidemic or thyroid nodule management effects? Report from the French Thyroid Cancer Committee. <i>Thyroid</i> , 14(12): 1056-60.
91893	Lerro C, Koutros S, Andreotti G, et al (2015). Organophosphate insecticide use and cancer incidence among spouses of pesticide applicators in the Agricultural Health Study. <i>Occup Environ Med</i> , 72(10): 736-44.
105820	Lerro CC, Beane Freeman LE, DellaValle CT, et al (2021). Pesticide exposure and incident thyroid cancer among male pesticide applicators in agricultural health study. <i>Environ Int</i> , 146: 106187.

105821	Lerro CC, Jones RR, Langseth H, et al (2018). A nested case-control study of polychlorinated biphenyls, organochlorine pesticides, and thyroid cancer in the Janus Serum Bank cohort. <i>Environ Res</i> , 165: 125-32.
8386	Lever EG, Refetoff S, Straus FH 2nd, et al (1983). Coexisting thyroid and parathyroid disease--are they related? <i>Surgery</i> , 94(6): 893-900.
8387	Levi F, Franceschi S, Gulie C, et al (1993). Female thyroid cancer: the role of reproductive and hormonal factors in Switzerland. <i>Oncology</i> , 50(4): 309-15.
36082	Levy AR, Goldberg MS, Mayo NE, et al (1996). Reducing the lifetime risk of cancer from spinal radiographs among people with adolescent idiopathic scoliosis. <i>Spine (Phila Pa 1976)</i> , 21(13): 1540-7; discussion 1548.
33029	Lewis RJ, Schnatter AR, Katz AM, et al (2000). Updated mortality among diverse operating segments of a petroleum company. <i>Occup Environ Med</i> , 57(9): 595-604.
37508	Li CI, Rossing MA, Voigt LF, et al (2000). Multiple primary breast and thyroid cancers: role of age at diagnosis and cancer treatments (United States). <i>Cancer Causes Control</i> , 11(9): 805-11.
105824	Li H, Qian J (2017). Association of diabetes mellitus with thyroid cancer risk: A meta-analysis of cohort studies. <i>Medicine (Baltimore)</i> , 96(47): e8230.
105822	Li WQ, Zhang M, Danby FW, et al (2015). Personal history of rosacea and risk of incident cancer among women in the US. <i>Br J Cancer</i> , 113(3): 520-3.
103705	Liang L, Zheng XC, Hu MJ, et al (2019). Association of benign thyroid diseases with thyroid cancer risk: a meta-analysis of prospective observational studies. <i>J Endocrinol Invest</i> , 42(6): 673-85.
83143	Liang Y, Yang Z, Qin B, et al (2014). Primary Sjogren's syndrome and malignancy risk: a systematic review and meta-analysis. <i>Ann Rheum Dis</i> , 73(6): 1151-6.
36061	Likhtarev IA, Kayro IA, Shpak VM, et al (1999). Radiation-induced and background thyroid cancer of Ukrainian children (Dosimetric Approach). <i>Int J Radiat Med</i> , 3-4: 51-66.
36219	Lin CH, Chiang FY, Wang LF (2003). Prevalence of thyroid cancer in hyperthyroidism treated by surgery. <i>Kaohsiung J Med Sci</i> , 19(8): 379-84.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2(4): 212-20.
36251	Little MP, de Vathaire F, Charles MW, et al (1997). Variations with time and age in the relative risks of solid cancer incidence after radiation exposure. <i>J Radiol Prot</i> , 17(3): 159-77.
36150	Little MP, De Vathaire F, Charles MW, et al (1998). Variations with time and age in the risks of solid cancer incidence after radiation exposure in childhood. <i>Stat Med</i> , 17(12): 1341-55.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46(4): 299-310.
16854	Littlefield LG, McFee AF, Salomaa SI, et al (1998). Do recorded doses overestimate true doses received by Chernobyl cleanup workers? Results of cytogenetic analyses of Estonian workers by fluorescence in situ hybridization. <i>Radiat Res</i> , 150(2): 237-49.
103651	Liu C, Deng YL, Zheng TZ, et al (2020). Urinary biomarkers of phthalates exposure and risks of thyroid cancer and benign nodule. <i>J Hazard Mater</i> , 383: 121189.
70223	Liu CL, Cheng SP, Lin HW, et al (2014). Risk of thyroid cancer in patients with thyroiditis: a population-based cohort study. <i>Ann Surg Oncol</i> , 21(3): 843-9.

35864	Liu S, Semenciw R, Ugnat AM, et al (2001). Increasing thyroid cancer incidence in Canada, 1970-1996: time trends and age-period-cohort effects. <i>Br J Cancer</i> , 85(9): 1335-9.
103652	Liu S, Zhao G, Li J, et al (2017). Association of polybrominated diphenylethers (PBDEs) and hydroxylated metabolites (OH-PBDEs) serum levels with thyroid function in thyroid cancer patients. <i>Environ Res</i> , 159: 1-8.
105825	Liu Y, Su L, Xiao H (2017). Review of factors related to the thyroid cancer epidemic. <i>Int J Endocrinol</i> , 2017: 5308635.
103495	Liu ZT, Lin AH (2014). Dietary factors and thyroid cancer risk: a meta-analysis of observational studies. <i>Nutr Cancer</i> , 66(7): 1165-78.
17110	Longnecker MP, Rogan WJ, Lucier G (1997). The human health effects of DDT (dichlorodiphenyltrichloroethane) and PCBS (polychlorinated biphenyls) and an overview of organochlorines in public health. <i>Annu Rev Public Health</i> , 18: 211-44.
103613	Lorenz E, Scholz-Kreisel P, Baaken D, et al (2018). Radiotherapy for childhood cancer and subsequent thyroid cancer risk: a systematic review. <i>Eur J Epidemiol</i> , 33(12): 1139-62.
105809	Lubin JH, Adams MJ, Shore R, et al (2017). Thyroid cancer following childhood low-dose radiation exposure: a pooled analysis of nine cohorts. <i>J Clin Endocrinol Metab</i> , 102(7): 2575-83.
36100	Lubin JH, Schafer DW, Ron E, et al (2004). A reanalysis of thyroid neoplasms in the Israeli tinea capitis study accounting for dose uncertainties. <i>Radiat Res</i> , 161(3): 359-68.
35983	Lund E, Galanti MR (1999). Incidence of thyroid cancer in Scandinavia following fallout from atomic bomb testing: an analysis of birth cohorts. <i>Cancer Causes Control</i> , 10(3): 181-7.
36003	Luoto R, Auvinen A, Pukkala E, et al (1997). Hysterectomy and subsequent risk of cancer. <i>Int J Epidemiol</i> , 26(3): 476-83.
35699	Luoto R, Grenman S, Salonen S, et al (2003). Increased risk of thyroid cancer among women with hysterectomies. <i>Am J Obstet Gynecol</i> , 188(1): 45-8.
17285	Lynge E (1998). Cancer incidence in Danish phenoxy herbicide workers, 1947-1993. <i>Environ Health Perspect</i> , 106(Suppl 2): 683-8.
38173	Ma F, Fleming LE, Lee DJ, et al (2005). Mortality in Florida professional firefighters, 1972 to 1999. <i>Am J Ind Med</i> , 47(6): 509-17.
50631	Ma F, Fleming LE, Lee DJ, et al (2006). Cancer incidence in Florida professional firefighters, 1981 to 1999. <i>J Occup Environ Med</i> , 48(9): 883-8.
27012	Macfarlane GJ, Thomas E, Cherry N (2000). Mortality among UK Gulf War veterans. <i>Lancet</i> , 356(9223): 17-21.
36143	Mack WJ, Preston-Martin S, Bernstein L, et al (2002). Lifestyle and other risk factors for thyroid cancer in Los Angeles County females. <i>Ann Epidemiol</i> , 12(6): 395-401.
36104	Mack WJ, Preston-Martin S, Dal Maso L, et al (2003). A pooled analysis of case-control studies of thyroid cancer: cigarette smoking and consumption of alcohol, coffee, and tea. <i>Cancer Causes Control</i> , 14(8): 773-85.
35994	Mack WJ, Preston-Martin S, Bernstein L, et al (1999). Reproductive and hormonal risk factors for thyroid cancer in Los Angeles County females. <i>Cancer Epidemiol Biomarkers Prev</i> , 8(11): 991-7.
103638	Maddela NR, Venkateswarlu K, Kakarla D, et al (2020). Inevitable human exposure to emissions of polybrominated diphenyl ethers: A perspective on potential health risks. <i>Environ Pollut</i> , 266(Pt 1): 115240.
36070	Mahoney MC, Lawvere S, Falkner KL, et al (2004). Thyroid cancer incidence trends in Belarus: examining the impact of Chernobyl. <i>Int J Epidemiol</i> , 33(5): 1025-33.

8837	Maillie HD, Gilda JE (1993). Radiation-induced cancer risk in radiographic cephalometry. <i>Oral Surg Oral Med Oral Pathol</i> , 75(5): 631-7.
8901	Mangano JJ (1996). A post-Chernobyl rise in thyroid cancer in Connecticut, USA. <i>Eur J Cancer Prev</i> , 5(1): 75-81.
103517	Mannathazhathu AS, George PS, Sudhakaran S, et al (2019). Reproductive factors and thyroid cancer risk: Meta-analysis. <i>Head Neck</i> , 41(12): 4199-208.
36110	Markaki I, Linos D, Linos A (2003). The influence of dietary patterns on the development of thyroid cancer. <i>Eur J Cancer</i> , 39(13): 1912-9.
35715	Marks S, Grgis R, Couch R (2002). Thyroid cancer in a child born after the Chernobyl disaster. <i>Lancet Oncol</i> , 3(9): 527-8.
103626	Marotta V, Malandrino P, Russo M, et al (2020). Fathoming the link between anthropogenic chemical contamination and thyroid cancer. <i>Crit Rev Oncol Hematol</i> , 150: 102950.
103643	Marotta V, Russo G, Gambardella C, et al (2019). Human exposure to bisphenol AF and diethylhexylphthalate increases susceptibility to develop differentiated thyroid cancer in patients with thyroid nodules. <i>Chemosphere</i> , 218: 885-94.
8388	Matanoski GM, Seltser R, Sartwell PE, et al (1975). The current mortality rates of radiologists and other physician specialists: specific causes of death. <i>Am J Epidemiol</i> , 101(3): 199-210.
8389	Mathai V, Idikula J, Fenn AS, et al (1994). Do long-standing nodular goitres result in malignancies? <i>Aust N Z J Surg</i> , 64(3): 180-2.
69752	Mathews JD, Forsythe AV, Brady Z, et al (2013). Cancer risk in 680 000 people exposed to computed tomography scans in childhood or adolescence: data linkage study of 11 million Australians. <i>BMJ</i> , 346: f2360.
16857	Mattsson A, Hall P, Ruden BL, et al (1997). Incidence of primary malignancies other than breast cancer among women treated with radiation therapy for benign breast disease. <i>Radiat Res</i> , 148(2): 152-60.
36145	McClellan DR, Francis GL (1996). Thyroid cancer in children, pregnant women, and patients with Graves' disease. <i>Endocrinol Metab Clin North Am</i> , 25(1): 27-48.
8390	McTiernan AM, Weiss NS, Daling JR (1984). Incidence of thyroid cancer in women in relation to previous exposure to radiation therapy and history of thyroid disease. <i>J Natl Cancer Inst</i> , 73(3): 575-81.
8391	McTiernan AM, Weiss NS, Daling JR (1984). Incidence of thyroid cancer in women in relation to reproductive and hormonal factors. <i>Am J Epidemiol</i> , 120(3): 423-35.
36129	Mellemaaard A, From G, Jorgensen T, et al (1998). Cancer risk in individuals with benign thyroid disorders. <i>Thyroid</i> , 8(9): 751-4.
35859	Memon A, Darif M, Al-Saleh K, et al (2002). Epidemiology of reproductive and hormonal factors in thyroid cancer: evidence from a case-control study in the Middle East. <i>Int J Cancer</i> , 97(1): 82-9.
36099	Memon A, Berrington De Gonzalez A, Luqmani Y, et al (2004). Family history of benign thyroid disease and cancer and risk of thyroid cancer. <i>Eur J Cancer</i> , 40(5): 754-60.
58828	Memon A, Godward S, Williams D, et al (2010). Dental x-rays and the risk of thyroid cancer: a case-control study. <i>Acta Oncol</i> , 49(4): 447-53.
36077	Memon A, Radovanovic Z, Suresh A (2004). Epidemiological evidence for a link between postpartum thyroiditis and thyroid cancer. <i>Eur J Epidemiol</i> , 19(6): 607-9.
103516	Memon A, Rogers I, Paudyal P, et al (2019). Dental x-rays and the risk of thyroid cancer and meningioma: a systematic review and meta-analysis of current epidemiological evidence. <i>Thyroid</i> , 29(11): 1572-93.

35712	Memon A, Varghese A, Suresh A (2002). Benign thyroid disease and dietary factors in thyroid cancer: a case-control study in Kuwait. <i>Br J Cancer</i> , 86(11): 1745-50.
10753	Mettler FA, Upton AC (1995). Neural and soft tissues. Medical effects of ionizing radiation, 3rd Edition, 130-9. WB Saunders Philadelphia.
103646	Miao H, Liu X, Li J, et al (2020). Associations of urinary phthalate metabolites with risk of papillary thyroid cancer. <i>Chemosphere</i> , 241: 125093.
16760	Michalek JE, Ketchum NS, Akhtar FZ (1998). Postservice mortality of US Air Force Veterans occupationally exposed to herbicides in Vietnam: a 15- year follow-up. <i>Am J Epidemiol</i> , 148(8): 786-92.
35710	Mihailescu D, Shore-Freedman E, Mukani S, et al (2002). Multiple neoplasms in an irradiated cohort: pattern of occurrence and relationship to thyroid cancer outcome. <i>J Clin Endocrinol Metab</i> , 87(7): 3236-41.
28833	Mills PK (1998). Correlation analysis of pesticide use data and cancer incidence rates in California counties. <i>Arch Environ Health</i> , 53(6): 410-3.
29551	Mills PK, Kwong S (2001). Cancer incidence in the United Farmworkers of America (UFW), 1987-1997. <i>Am J Ind Med</i> , 40(5): 596-603.
35848	Montella M, Crispo A, Pezzullo L, et al (2000). [Comment] Is hepatitis C virus infection associated with thyroid cancer? A case-control study. <i>Int J Cancer</i> , 87(4): 611-2.
35701	Montella M, Pezzullo L, Crispo A, et al (2003). Risk of thyroid cancer and high prevalence of hepatitis C virus. <i>Oncol Rep</i> , 10(1): 133-6.
91861	Moore SC, Lee IM, Weiderpass E, et al (2016). Association of leisure-time physical activity with risk of 26 types of cancer in 1.44 million adults. <i>JAMA Intern Med</i> , 176(6): 816-25.
35871	Moppett J, Oakhill A, Duncan AW (2001). Second malignancies in children: the usual suspects? <i>Eur J Radiol</i> , 38(3): 235-48.
29594	Morgan DP, Lin LI, Saikaly HH (1980). Morbidity and mortality in workers occupationally exposed to pesticides. <i>Arch Environ Contam Toxicol</i> , 9(3): 349-82.
36107	Mori I, Miyauchi A, Kuma S, et al (2003). Thyroid nodular lesion: analysis of cancer risk based on Kuma Hospital experience. <i>Pathol Int</i> , 53(9): 579-83.
8392	Moroff SV, Fuks JZ (1986). Thyroid cancer following radiotherapy for Hodgkin's disease: a case report and review of the literature. <i>Med Pediatr Oncol</i> , 14(4): 216-20.
35714	Moysich KB, Menezes RJ, Michalek AM (2002). Chernobyl-related ionising radiation exposure and cancer risk: an epidemiological review. <i>Lancet Oncol</i> , 3(5): 269-79.
103627	Mughal BB, Demeneix BA (2017). Endocrine disruptors: Flame retardants and increased risk of thyroid cancer. <i>Nat Rev Endocrinol</i> , 13(11): 627-8.
29126	Muirhead CR, Bingham D, Haylock RG, et al (2003). Follow up of mortality and incidence of cancer 1952-98 in men from the UK who participated in the UK's atmospheric nuclear weapon tests and experimental programmes. <i>Occup Environ Med</i> , 60(3): 165-72.
35696	Muirhead CR, Goodill AA, Haylock RG, et al (1999). Occupational radiation exposure and mortality: second analysis of the National Registry for Radiation Workers. <i>J Radiol Prot</i> , 19(1): 3-26.
36191	Murbeth S, Rousarova M, Scherb H, et al (2004). Thyroid cancer has increased in the adult populations of countries moderately affected by Chernobyl fallout. <i>Med Sci Monit</i> , 10(7): CR300-6.
35703	Nagataki S, Nystrom E (2002). Epidemiology and primary prevention of thyroid cancer. <i>Thyroid</i> , 12(10): 889-96.
8393	Nagataki S, Shibata Y, Inoue S, et al (1994). Thyroid diseases among atomic bomb survivors in Nagasaki. <i>JAMA</i> , 272(5): 364-70.

90277	National Academies of Sciences, Engineering, and Medicine (2018). Veterans and Agent Orange: Update 11, Washington, D.C: National Academy Press.
80742	National Council on Radiation Protection & Measurements (NCRP) (2009). Radiation Dose Reconstruction: Principles and Practices, NCRP Report No. 163. NCRP Publications.
26703	National Radiological Protection Board (NRPB) (2001). ELF electromagnetic fields and the risk of cancer: Report of the Advisory Group on Non-ionising Radiation, 12. National Radiological Protection Board, Chilton, Didcot, Oxon OX11 ORQ.
46871	National Research Council (2006). Health Risks from Exposure to Low Levels of Ionizing Radiation, Beir VII Phase 2. The National Academies Press, Washington D.C.
105869	Neeman Y, Perry C, Silverman B, et al (2020). Rituximab is not associated with increased risk of second primary malignancies in Israeli patients with diffuse large B cell lymphoma treated with RCHOP regimen. <i>Leuk Lymphoma</i> , 61(11): 2638-44.
35987	Negri E, Dal Maso L, Ron E, et al (1999). A pooled analysis of case-control studies of thyroid cancer. II. Menstrual and reproductive factors. <i>Cancer Causes Control</i> , 10(2): 143-55.
35988	Negri E, Ron E, Franceschi S, et al (1999). A pooled analysis of case-control studies of thyroid cancer. I. Methods. <i>Cancer Causes Control</i> , 10(2): 131-42.
35713	Negri E, Ron E, Franceschi S, et al (2002). Risk factors for medullary thyroid carcinoma: a pooled analysis. <i>Cancer Causes Control</i> , 13(4): 365-72.
36294	Nekolla EA, Kellerer AM, Kuse-Isingschulte M, et al (1999). Malignancies in patients treated with high doses of radium-224. <i>Radiat Res</i> , 152(Suppl 6): S3-7.
2`23456\yt	
105829	Nettore IC, Colao A, Macchia PE (2018). Nutritional and environmental factors in thyroid carcinogenesis. <i>Int J Environ Res Public Health</i> , 15(8): 1735.
36178	Niedziela M, Breborowicz D, Trejster E, et al (2002). Hot nodules in children and adolescents in western Poland from 1996 to 2000: clinical analysis of 31 patients. <i>J Pediatr Endocrinol Metab</i> , 15(6): 823-30.
36101	Niedziela M, Korman E, Breborowicz D, et al (2004). A prospective study of thyroid nodular disease in children and adolescents in western Poland from 1996 to 2000 and the incidence of thyroid carcinoma relative to iodine deficiency and the Chernobyl disaster. <i>Pediatr Blood Cancer</i> , 42(1): 84-92.
105830	Nielsen SM, White MG, Hong S, et al (2016). The breast-thyroid cancer link: a systematic review and meta-analysis. <i>Cancer Epidemiol Biomarkers Prev</i> , 25(2): 231-8.
17706	Nikiforov YE, Gnepp DR (1999). Pathomorphology of thyroid gland lesions associated with radiation exposure: the Chernobyl experience and review of the literature. <i>Adv Anat Pathol</i> , 6(2): 78-91.
8394	Nishiyama RH, Farhi D, Thompson NW (1979). Radiation exposure and the simultaneous occurrence of primary hyperparathyroidism and thyroid nodules. <i>Surg Clin North Am</i> , 59(1): 65-75.
31355	Nyberg U, Nilsson B, Travis LB, et al (2002). Cancer incidence among Swedish patients exposed to radioactive thorotrast: a forty-year follow-up survey. <i>Radiat Res</i> , 157(4): 419-25.

105832	Ohira T, Takahashi H, Yasumura S, et al (2018). [Comment] Associations between childhood thyroid cancer and external radiation dose after the Fukushima Daiichi Nuclear Power Plant accident. <i>Epidemiology</i> , 29(4): e32-4.
15938	Omar RZ, Barber JA, Smith PP (1999). Cancer mortality and morbidity among plutonium workers at the Sellafield plant of British nuclear fuels. <i>Br J Cancer</i> , 79(7-8): 1288-301.
103515	O'Neill RJ, Abd Elwahab S, Kerin MJ, et al (2021). Association of BMI with clinicopathological features of papillary thyroid cancer: a systematic review and meta-analysis. <i>World J Surg</i> , 45(9): 2805-15.
36146	Onyia JN, Forrest LA, Forsthoefel K (1996). Papillary carcinoma associated with black thyroid gland. <i>Am J Otolaryngol</i> , 17(5): 299-302.
103621	Ory C, Leboulleux S, Salvatore D, et al (2021). Consequences of atmospheric contamination by radioiodine: the Chernobyl and Fukushima accidents. <i>Endocrine</i> , 71(2): 298-309.
9920	Ott MG, Zober A (1996). Cause specific mortality and cancer incidence among employees exposed to 2,3,7,8-TCDD after a 1953 reactor accident. <i>Occup Environ Med</i> , 53(9): 606-12.
55704	Overbeek JA, Bakker M, van der Heijden AA, et al (2018). Risk of dipeptidyl peptidase-4 (DPP-4) inhibitors on site-specific cancer: A systematic review and meta-analysis. <i>Diabetes Metab Res Rev</i> , 34(5): e3004.
70194	Ozasa K, Shimizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: an overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43; Erratum: 179(4): e40-1.
103514	Papanastasiou A, Sapalidis K, Goulis DG, et al (2019). Thyroid nodules as a risk factor for thyroid cancer in patients with Graves' disease: A systematic review and meta-analysis of observational studies in surgically treated patients. <i>Clin Endocrinol (Oxf)</i> , 91(4): 571-7.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Occupational Intakes of Radionuclides: Part 1. Annals of the ICRP, ICRP Publication 130, Sage Publications Inc.
103649	Park E, Kim S, Song SH, et al (2021). Environmental exposure to cadmium and risk of thyroid cancer from national industrial complex areas: A population-based cohort study. <i>Chemosphere</i> , 268: 128819.
69851	Park HW, Hwang S, Ahn CS, et al (2012). De novo malignancies after liver transplantation: incidence comparison with the Korean cancer registry. <i>Transplant Proc</i> , 44(3): 802-5.
105834	Park S, Seo S, Lee D, et al (2020). A cohort study of Korean radiation workers: baseline characteristics of participants. <i>Int J Environ Res Public Health</i> , 17(7): 2328.
105835	Patel D, Kitahara CM, Park Y, et al (2015). Thyroid cancer and nonsteroidal anti-inflammatory drug use: a pooled analysis of patients older than 40 years of age. <i>Thyroid</i> , 25(12): 1355-62.
70222	Pazaitou-Panayiotou K, Michalakis K, Paschke R (2012). Thyroid cancer in patients with hyperthyroidism. <i>Horm Metab Res</i> , 44(4): 255-62.
17372	Pearce N, Winkelmann R, Kennedy J, et al (1997). Further follow-up of New Zealand participants in United Kingdom atmospheric nuclear weapons tests in the Pacific. <i>Cancer Causes Control</i> , 8(2): 139-45.
71392	Pellegriti G, Frasca F, Regalbuto C, et al (2013). Worldwide increasing incidence of thyroid cancer: update on epidemiology and risk factors. <i>J Cancer Epidemiol</i> , 2013: 965212.
32116	Penn I (2000). Cancers in renal transplantation recipients. <i>Adv Ren Replace Ther</i> , 7(2): 147-56.
34939	Pesatori AC, Consonni D, Bachetti S, et al (2003). Short- and long-term morbidity and mortality in the population exposed to dioxin after the "Seveso accident". <i>Ind Health</i> , 41(3): 127-38.

8395	Pesatori AC, Consonni D, Tironi A, et al (1993). Cancer in a young population in a dioxin-contaminated area. <i>Int J Epidemiol</i> , 22(6): 1010-3.
14077	Pesatori AC, Sontag JM, Lubin JH, et al (1994). Cohort mortality and nested case-control study of lung cancer among structural pest control workers in Florida (United States). <i>Cancer Causes Control</i> , 5(4): 310-8.
9122	Peters J, O'Reilly S, Barragry JM (1993). Anaplastic carcinoma of the thyroid following radio-iodine therapy. <i>Ir J Med Sci</i> , 162(1): 3-4.
89349	Petersen K, Pedersen JE, Bonde JP, et al (2018). Long-term follow-up for cancer incidence in a cohort of Danish firefighters. <i>Occup Environ Med</i> , 75(4): 263-9.
69660	Peterson E, De P, Nuttall R (2012). BMI, diet and female reproductive factors as risks for thyroid cancer: a systematic review. <i>PLoS One</i> , 7(1): e29177.
18639	Peterson LE, Abrahamson S (1998). Effects of Ionizing Radiation. Atomic Bomb survivors and their children (1945-1995). Joseph Henry Press, Washington DC, Joseph Henry Press, Washington DC.
8396	Pettersson B, Coleman MP, Ron E, et al (1996). Iodine supplementation in Sweden and regional trends in thyroid cancer incidence by histopathologic type. <i>Int J Cancer</i> , 65(1): 13-9.
37369	Picchi P, Faloci C, Salabe GB (2001). [Reproductive history, contraceptives and cigarette smoke as risk factors for cancer of the thyroid in women. Case-control study]. <i>Minerva Endocrinol</i> , 26(2): 53-7 [Article in Italian]. [Abstract]
35707	Pickard AL, Gridley G, Mellemkjae L, et al (2002). Hyperparathyroidism and subsequent cancer risk in Denmark. <i>Cancer</i> , 95(8): 1611-7.
35444	Pierce DA, Preston DL (2000). Radiation-related cancer risks at low doses among atomic bomb survivors. <i>Radiat Res</i> , 154(2): 178-86.
16850	Pierce DA, Shimizu Y, Preston DL, et al (1996). Studies of the mortality of atomic bomb survivors. Report 12. Part 1. Cancer: 1950-1990. <i>Radiat Res</i> , 146(1): 1-27.
36246	Piersanti M, Ezzat S, Asa SL (2003). Controversies in papillary microcarcinoma of the thyroid. <i>Endocr Pathol</i> , 14(3): 183-91.
106204	Pinkerton L, Bertke SJ, Yiin J, et al (2020). Mortality in a cohort of US firefighters from San Francisco, Chicago and Philadelphia: an update. <i>Occup Environ Med</i> , 77(2): 84-93.
8397	Plail RO, Bussey HJ, Glazer G, et al (1987). Adenomatous polyposis: an association with carcinoma of the thyroid. <i>Br J Surg</i> , 74(5): 377-80.
35989	Poirier LA, Doerge DR, Gaylor DW, et al (1999). An FDA review of sulfamethazine toxicity. <i>Regul Toxicol Pharmacol</i> , 30(3): 217-22.
36875	Polednak AP (1986). Thyroid tumors and thyroid function in women exposed to internal and external radiation. <i>J Environ Pathol Toxicol Oncol</i> , 7(1-2): 53-64.
36125	Pomorski L, Cywinski J, Rybinski K (1996). Cancer in hyperthyroidism. <i>Neoplasma</i> , 43(4): 217-9.
37695	Pond F, Serpell JW, Webster A (2005). Thyroid cancer in the renal transplant population: epidemiological study. <i>ANZ J Surg</i> , 75(3): 106-9.
35445	Preston DL, Pierce DA, Shimizu Y, et al (2003). Dose response and temporal patterns of radiation-associated solid cancer risks. <i>Health Phys</i> , 85(1): 43-6.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiat Res</i> , 168(1): 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: Solid cancer and noncancer disease mortality: 1950-1997. <i>Radiat Res</i> , 160(4): 381-407.
36162	Preston-Martin S (2000). Discussion: Uncertainties in exposure and response. <i>Radiat Res</i> , 154(6): 723-4. [Abstract]

8398	Preston-Martin S, Bernstein L, Pike MC, et al (1987). Thyroid cancer among young women related to prior thyroid disease and pregnancy history. <i>Br J Cancer</i> , 55(2): 191-5.
36103	Preston-Martin S, Franceschi S, Ron E, et al (2003). Thyroid cancer pooled analysis from 14 case-control studies: what have we learned? <i>Cancer Causes Control</i> , 14(8): 787-9.
8399	Preston-Martin S, Jin F, Duda MJ, et al (1993). A case-control study of thyroid cancer in women under age 55 in Shanghai (People's Republic of China). <i>Cancer Causes Control</i> , 4(5): 431-40.
101712	Properzi M, Della Giustina T, Mentasti S, et al (2019). Low prevalence of symptomatic thyroid diseases and thyroid cancers in HIV-infected patients. <i>Sci Rep Res</i> , 9(1): 19459.
103620	Prysyazhnyuk AY, Trotsuk NK, Gudzenko NA, et al (2018). Radiation risks of thyroid cancer in Chornobyl clean-up workers using the alternative estimates of doses of external exposure. <i>Probl Radiac Med Radiobiol</i> , 23: 200-15.
71064	Pukkala E, Martinsen JI, Weiderpass E, et al (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. <i>Occup Environ Med</i> , 71(6): 398-404.
12999	Pukkala E, Notkola V (1997). Cancer incidence among Finnish farmers, 1979-93. <i>Cancer Causes Control</i> , 8(1): 25-33.
36192	Qari FA (2004). Pattern of thyroid malignancy at a University Hospital in Western Saudi Arabia. <i>Saudi Med J</i> , 25(7): 866-70.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
11024	Rahu M, Tekkel M, Veidebaum T, et al (1997). The Estonian study of Chernobyl cleanup workers: II. Incidence of cancer and mortality. <i>Radiation Res</i> , 147(5): 653-7.
85897	Raleigh KK, Alexander BH, Olsen GW, et al (2014). Mortality and cancer incidence in ammonium perfluorooctanoate production workers. <i>Occup Environ Med</i> , 71(7): 500-6.
15213	Ramlow JM, Spadacene NW, Hoag SR, et al (1996). Mortality in a cohort of pentachlorophenol manufacturing workers, 1940-1989. <i>Am J Ind Med</i> , 30(2): 180-94.
28838	Rapiti E, Fantini F, Dell'Orco V, et al (1997). Cancer mortality among chemical workers in an Italian plant. <i>Eur J Epidemiol</i> , 13(3): 281-5.
36245	Ratnatunga PC, Amarasinghe SC, Ratnatunga NV (2003). Changing patterns of thyroid cancer in Sri Lanka. Has the iodination programme helped? <i>Ceylon Med J</i> , 48(4): 125-8.
10748	Reid W, Mangano J (1995). Thyroid cancer in the United States since accident at Chernobyl. <i>BMJ</i> , 311(7003): 511.
69679	Reiners C, Demidchik YE, Drozd VM, et al (2008). Thyroid cancer in infants and adolescents after Chernobyl. <i>Minerva Endocrinol</i> , 33(4): 381-95.
37757	Report to the Scientific Advisory Committee to the Minister for Veterans' Affairs (1992). Dapsone Exposure, Vietnam Service and Cancer Incidence, Australian Institute of Health & Welfare.
105836	Resende de Paiva C, Gronhoj C, Feldt-Rasmussen U, et al (2017). Association between Hashimoto's thyroiditis and thyroid cancer in 64,628 patients. <i>Front Oncol</i> , 7: 53.
28035	Revich B, Aksel E, Ushakova T, et al (2001). Dioxin exposure and public health in Chapaevsk, Russia. <i>Chemosphere</i> , 43(4-7): 951-66.
35709	Reynolds T (2002). Final report of Hanford Thyroid Disease Study released. <i>J Natl Cancer Inst</i> , 94(14): 1046-8.

71393	Rinaldi S, Lise M, Clavel-Chapelon F, et al (2012). Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>Int J Cancer</i> , 131(6): E1004-14.
105837	Rinaldi S, Plummer M, Biessy C, et al (2014). Thyroid-stimulating hormone, thyroglobulin, and thyroid hormones and risk of differentiated thyroid carcinoma: the EPIC study. <i>J Natl Cancer Inst</i> , 106(6): dju097.
36102	Rios A, Rodriguez JM, Canteras M, et al (2004). Risk factors for malignancy in multinodular goitres. <i>Eur J Surg Oncol</i> , 30(1): 58-62.
35860	Rivkees SA (2001). The use of radioactive iodine in the management of hyperthyroidism in children. <i>Curr Drug Targets Immune Endocr Metabol Disord</i> , 1(3): 255-64.
26271	Rix BA, Villadsen E, Engholm G, et al (1998). Hodgkin's disease, pharyngeal cancer, and soft tissue sarcomas in Danish paper mill workers. <i>J Occup Environ Med</i> , 40(1): 55-62.
35853	Ron E (2002). Ionizing radiation and cancer risk: evidence from epidemiology. <i>Pediatr Radiol</i> , 32(4): 232-7; discussion 242-4.
69750	Ron E (2007). Thyroid cancer incidence among people living in areas contaminated by radiation from the Chernobyl accident. <i>Health Phys</i> , 93(5): 502-11.
22357	Ron E, Auvinen A, Alfantary E, et al (1999). Cancer risk following radiotherapy for infertility or menstrual disorders. <i>Int J Cancer</i> , 82(6): 795-8.
37690	Ron E, Curtis R, Hoffman DA, et al (1984). Multiple primary breast and thyroid cancer. <i>Br J Cancer</i> , 49(1): 87-92.
36090	Ron E, Doody MM, Becker DV, et al (1998). Cancer mortality following treatment for adult hyperthyroidism. Cooperative Thyrotoxicosis Therapy Follow-up Study Group. <i>JAMA</i> , 280(4): 347-55.
8400	Ron E, Kleinerman RA, Boice JD Jr, et al (1987). A population-based case-control study of thyroid cancer. <i>J Natl Cancer Inst</i> , 79(1): 1-12.
8401	Ron E, Lubin J, Schneider AB (1992). Thyroid cancer incidence. <i>Nature</i> , 360(6400): 113.
8402	Ron E, Lubin JH, Shore RE, et al (1995). Thyroid cancer after exposure to external radiation: a pooled analysis of seven studies. <i>Radiat Res</i> , 141(3): 259-77.
8403	Ron E, Modan B, Preston D, et al (1989). Thyroid neoplasia following low-dose radiation in childhood. <i>Radiat Res</i> , 120(3): 516-31.
37566	Ron E, Preston DL, Mabuchi K (1998). Solid cancer incidence and mortality in the life span study of atomic bomb survivors. Effects of Ionizing Radiation: Atomic Bomb Survivors and Their Children (1945-1995), Chapter 8: 131-42.
36175	Ronckers CM, Van Leeuwen FE, Hayes RB, et al (2002). Cancer incidence after nasopharyngeal radium irradiation. <i>Epidemiology</i> , 13(5): 552-60.
8786	Rosenberg L, Palmer JR, Zauber AG, et al (1995). Relation of benzodiazepine use to the risk of selected cancers: breast, large bowel, malignant melanoma, lung, endometrium, ovary, non-Hodgkin's lymphoma, testis, Hodgkin's disease, thyroid, and liver. <i>Am J Epidemiol</i> , 141(12): 1153-60.
106211	Ross DS (2020). Radioiodine in the treatment of hyperthyroidism. Retrieved 31 March 2022, from https://www.uptodate.com/contents/radioiodine-in-the-treatment-of-hyperthyroidism
35981	Rossing MA, Cushing KL, Voigt LF, et al (2000). Risk of papillary thyroid cancer in women in relation to smoking and alcohol consumption. <i>Epidemiology</i> , 11(1): 49-54.

35861	Rossing MA, Remler R, Voigt LF, et al (2001). Recreational physical activity and risk of papillary thyroid cancer (United States). <i>Cancer Causes Control</i> , 12(10): 881-5.
36081	Rossing MA, Voigt LF, Wicklund KG, et al (2000). Reproductive factors and risk of papillary thyroid cancer in women. <i>Am J Epidemiol</i> , 151(8): 765-72.
35997	Rossing MA, Voigt LF, Wicklund KG, et al (1998). Use of exogenous hormones and risk of papillary thyroid cancer (Washington, United States). <i>Cancer Causes Control</i> , 9(3): 341-9.
36106	Rubino C, Adadj E, Guerin S, et al (2003). Long-term risk of second malignant neoplasms after neuroblastoma in childhood: role of treatment. <i>Int J Cancer</i> , 107(5): 791-6.
35855	Rubino C, Cailleux AF, De Vathaire F, et al (2002). Thyroid cancer after radiation exposure. <i>Eur J Cancer</i> , 38(5): 645-7.
75937	Ruder AM, Hein MJ, Hopf NB, et al (2014). Mortality among 24,865 workers exposed to polychlorinated biphenyls (PCBs) in three electrical capacitor manufacturing plants: A ten-year update. <i>Int J Hyg Environ Health</i> , 217(2-3): 176-87.
106210	Ryödi E, Metso S, Jaatinen P, et al (2015). Cancer incidence and mortality in patients treated either with RAI or thyroidectomy for hyperthyroidism. <i>J Clin Endocrinol Metab</i> , 100(10): 3710-7.
35697	Saad A, Falciglia M, Steward DL, et al (2004). Amiodarone-induced thyrotoxicosis and thyroid cancer: clinical, immunohistochemical, and molecular genetic studies of a case and review of the literature. <i>Arch Pathol Lab Med</i> , 128(7): 807-10.
105838	Sadeghi H, Rafei M, Bahrami M, et al (2018). Attributable risk fraction of four lifestyle risk factors of thyroid cancer: a meta-analysis. <i>J Public Health (Oxf)</i> , 40(2): e91-8.
36113	Sadetzki S, Calderon-Margalit R, Peretz C, et al (2003). Second primary breast and thyroid cancers (Israel). <i>Cancer Causes and Control</i> , 14(4): 367-75.
35165	Safi JM (2002). Association between chronic exposure to pesticides and recorded cases of human malignancy in Gaza Governorates (1990-1999). <i>Sci Total Environ</i> , 284(1-3): 75-84.
29100	Saftlas AF, Blair A, Cantor KP, et al (1987). Cancer and other causes of death among Wisconsin farmers. <i>Am J Ind Med</i> , 11(2): 119-29.
35857	Sakoda LC, Horn-Ross PL (2002). Reproductive and menstrual history and papillary thyroid cancer risk: the San Francisco Bay Area thyroid cancer study. <i>Cancer Epidemiol Biomarkers Prev</i> , 11(1): 51-7.
19298	Sala M, Sunyer J, Otero R, et al (1999). Health effects of chronic high exposure to hexachlorobenzene in a general population sample. <i>Arch Environ Health</i> , 54(2): 102-9.
8778	Sali D, Cardis E, Sztanyik L, et al (1996). Cancer consequences of the Chernobyl accident in Europe outside the former USSR: a review. <i>Int J Cancer</i> , 67(3): 343-52.
8404	Saracci R, Kogevinas M, Bertazzi PA, et al (1991). Cancer mortality in workers exposed to chlorophenoxy herbicides and chlorophenols. <i>Lancet</i> , 338(8774): 1027-32.
35882	Sathiakumar N, Delzell E, Rodu B, et al (2001). Cancer incidence among employees at a petrochemical research facility. <i>J Occup Environ Med</i> , 43(2): 166-74.
36000	Schlumberger MJ (1998). Papillary and follicular thyroid carcinoma. <i>N Engl J Med</i> , 338(5): 297-306.
70255	Schmid D, Behrens G, Jochem C, et al (2013). Physical activity, diabetes, and risk of thyroid cancer: a systematic review and meta-analysis. <i>Eur J Epidemiol</i> , 28(12): 945-58.

103502	Schmid D, Ricci C, Behrens G, et al (2015). Adiposity and risk of thyroid cancer: a systematic review and meta-analysis. <i>Obes Rev</i> , 16(12): 1042-54.
8405	Schneider AB, Ron E, Lubin J, et al (1993). Dose-response relationships for radiation-induced thyroid cancer and thyroid nodules: evidence for the prolonged effects of radiation on the thyroid. <i>J Clin Endocrinol Metab</i> , 77(2): 362-9.
71394	Schonfeld SJ, Lee C, Berrington de Gonzalez A (2011). Medical exposure to radiation and thyroid cancer. <i>Clin Oncol (R Coll Radiol)</i> , 23(4): 244-50.
25984	Schreinemachers DM (2000). Cancer mortality in four northern wheat-producing states. <i>Environ Health Perspect</i> , 108(9): 873-81.
26196	Schreinemachers DM, Creason JP, Garry VF (1999). Cancer mortality in agricultural regions of Minnesota. <i>Environ Health Perspect</i> , 107(3): 205-11.
69850	Schrem H, Kurok M, Kaltenborn A, et al (2013). Incidence and long-term risk of de novo malignancies after liver transplantation with implications for prevention and detection. <i>Liver Transpl</i> , 19(11): 1252-61.
36074	Gomez Segovia I, Gallowitsch HJ, Kresnik E, et al (2004). Descriptive epidemiology of thyroid carcinoma in Carinthia, Austria: 1984-2001. Histopathologic features and tumor classification of 734 cases under elevated general iodination of table salt since 1990: population-based age-stratified analysis on thyroid carcinoma incidence. <i>Thyroid</i> , 14(4): 277-86.
103648	Semenya AM, Wilson SA (2020). Oral semaglutide (Rybelsus) for the treatment of type 2 diabetes mellitus. <i>Am Fam Physician</i> , 102(10): 627-8.
26296	Settimi L, Costellati L, Naldi M, et al (1999). Mortality among workers in an Italian cigarette factory. <i>Occup Med (Lond)</i> , 49(6): 361-4.
36111	Shakhtar VV, Tsyb AF, Stepanenko VF, et al (2003). Iodine deficiency, radiation dose, and the risk of thyroid cancer among children and adolescents in the Bryansk region of Russia following the Chernobyl power station accident. <i>Int J Epidemiol</i> , 32(4): 584-91.
103513	Shao CC, Luo D, Pang GD, et al (2020). A dose-response meta-analysis of coffee consumption and thyroid cancer occurrence. <i>Int J Food Sci Nutr</i> , 71(2): 176-85.
20112	Sheil AG (1995). Malignancy following liver transplantation: a report from the Australian Combined Liver Transplant Registry. <i>Transplant Proc</i> , 27(1): 1247.
20098	Sheil AG (1999). Patterns of malignancies following renal transplantation. <i>Transplant Proc</i> , 31(1-2): 1263-5.
105839	Shen F, Cai WS, Li JL, et al (2015). The association between serum levels of selenium, copper, and magnesium with thyroid cancer: a meta-analysis. <i>Biol Trace Elem Res</i> , 167(2): 225-35.
35863	Shibata Y, Yamashita S, Masyakin VB, et al (2001). 15 years after Chernobyl: new evidence of thyroid cancer. <i>Lancet</i> , 358(9297): 1965-6.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
105833	Shim SR, Kitahara CM, Cha ES, et al (2021). Cancer risk after radioactive iodine treatment for hyperthyroidism: a systematic review and meta-analysis. <i>JAMA Netw Open</i> , 4(9): e2125072.
8406	Shimaoka K, Shibata Y, Akiba S (1994). Thyroid diseases in cohort studies of A-bomb survivors. <i>Thyroidology</i> , 6(2): 37-41.
103610	Shin JJ, Caragacianu D, Randolph GW (2015). Impact of thyroid nodule size on prevalence and post-test probability of malignancy: a systematic review. <i>Laryngoscope</i> , 125(1): 263-72.

36108	Shore RE, Moseson M, Harley N, et al (2003). Tumors and other diseases following childhood X-ray treatment for ringworm of the scalp (<i>Tinea Capitis</i>). <i>Health Phys</i> , 85(4): 404-8.
8407	Shore RE, Woodard E, Hildreth N, et al (1985). Thyroid tumors following thymus irradiation. <i>J Natl Cancer Inst</i> , 74(6): 1177-84.
38292	Sienkiewicz ZJ, Kowalcuk CI (2004). A Summary of Recent Reports on Mobile Phones & Health (2000-2004). National Radiological Protection Board, Chilton, Didcot, Oxon.
35940	Sigurdson AJ, Doody MM, Rao RS, et al (2003). Cancer incidence in the US radiologic technologists health study, 1983-1998. <i>Cancer</i> , 97(12): 3080-9.
28339	Sim M, Abramson M, Forbes A, et al (2003). Australian Gulf War Veterans' Health Study, Vol 2. Commonwealth of Australia.
79868	Sim M, Clarke D, Forbes A, et al (2015). Australian Gulf War Veterans' Follow Up Health Study. Technical Report. Monash University.
37802	Sim M, Ikin J, McKenzie D (2005). Health Study 2005: Australian Veterans of the Korean War. Department of Veterans' Affairs - Monash University.
69677	Sippel RS, Caron NR, Clark OH (2007). An evidence-based approach to familial nonmedullary thyroid cancer: screening, clinical management, and follow-up. <i>World J Surg</i> , 31(5): 924-33.
35846	Sklar C, Whitton J, Mertens A, et al (2000). Abnormalities of the thyroid in survivors of Hodgkin's disease: data from the Childhood Cancer Survivor Study. <i>J Clin Endocrinol Metab</i> , 85(9): 3227-32.
10751	Skolnick AA (1995). Government is in no rush to study thousands of veterans who received nasal radiation therapy. <i>JAMA</i> , 274(11): 858-9.
29276	Smith AG (2000). How toxic is DDT? <i>Lancet</i> , 356(9226): 267-8.
36105	Smith LH, Danielsen B, Allen ME, et al (2003). Cancer associated with obstetric delivery: results of linkage with the California cancer registry. <i>Am J Obstet Gynecol</i> , 189(4): 1128-35.
8408	Smith PP, Doll R (1981). Mortality from cancer and all causes among British radiologists. <i>Br J Radiol</i> , 54(369): 187-94.
69676	Soelberg KK, Bonnema SJ, Brix TH, et al (2012). Risk of malignancy in thyroid incidentalomas detected by 18F-fluorodeoxyglucose positron emission tomography: a systematic review. <i>Thyroid</i> , 22(9): 918-25.
8409	Sokic SI, Adanja BJ, Vlajinac HD, et al (1994). Risk factors for thyroid cancer. <i>Neoplasma</i> , 41(6): 371-4.
80735	Sokolnikov M, Preston D, Stram DO (2017). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> , 56(1): 121-5.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123(4): 905-11.
35716	Somerville HM, Steinbeck KS, Stevens G, et al (2002). Thyroid neoplasia following irradiation in adolescent and young adult survivors of childhood cancer. <i>Med J Aust</i> , 176(12): 584-7.
35879	Sont WN, Zielinski JM, Ashmore JP, et al (2001). First analysis of cancer incidence and occupational radiation exposure based on the National Dose Registry of Canada. <i>Am J Epidemiol</i> , 153(4): 309-18.
35878	Sont WN, Zielinski JM, Ashmore JP, et al (2001). Sont, et al Respond to "Studies of workers exposed to low doses of radiation". <i>Am J Epidemiol</i> , 153(4): 323-4.

10752	Sorahan T, Lancashire RJ, Hulten MA, et al (1997). Childhood cancer and parental use of tobacco: deaths from 1953 to 1955. <i>Br J Cancer</i> , 75(1): 134-8.
33028	Sorahan T, Nichols L, Harrington JM (2002). Mortality of United Kingdom oil refinery and petroleum distribution workers, 1951-1998. <i>Occup Med (Lond)</i> , 52(6): 333-9.
98787	Soteriades ES, Kim J, Christophi CA, et al (2019). Cancer incidence and mortality in firefighters: A state-of-the-art review and meta-analysis. <i>Asian Pac J Cancer Prev</i> , 20(11): 3221-31.
8775	Steele GD Jr, Jessup LM, Winchester DP, et al (1995). Clinical highlights from the National Cancer Data Base: 1995. <i>CA Cancer J Clin</i> , 45(2): 102-11.
36120	Steenland K (2003). [Comment] Carcinogenicity of EBDCs. <i>Environ Health Perspect</i> , 111(5): A266; author reply A266-7.
19352	Steenland K, Piacitelli L, Deddens J, et al (1999). Cancer, heart disease, and diabetes in workers exposed to 2,3,7,8-Tetrachlorodibenz-p-dioxin. <i>J Natl Cancer Inst</i> , 91(9): 779-86.
79869	Steenland K, Woskie S (2012). Cohort mortality study of workers exposed to perfluoroctanoic acid. <i>Am J Epidemiol</i> , 176(10): 909-17.
85895	Steenland K, Zhao L, Winquist A (2015). A cohort incidence study of workers exposed to perfluoroctanoic acid (PFOA). <i>Occup Environ Med</i> , 72(5): 373-80.
18949	Stenstrom B, Holm LE (1995). Re: "Determinants of papillary cancer of the thyroid". <i>Am J Epidemiol</i> , 141(9): 883-5.
36084	Stern RS, Vakeva LH (1997). Noncutaneous malignant tumors in the PUVA follow-up study: 1975-1996. <i>J Invest Dermatol</i> , 108(6): 897-900.
36097	Stezhko VA, Buglova EE, Danilova LI, et al (2004). A cohort study of thyroid cancer and other thyroid diseases after the Chernobyl accident: objectives, design and methods. <i>Radiat Res</i> , 161(4): 481-92.
35875	Stiller CA (2001). Thyroid cancer following Chernobyl. <i>Eur J Cancer</i> , 37(8): 945-7.
103645	Stojasavljevic A, Rovcanin B, Krstic D, et al (2019). Cadmium as main endocrine disruptor in papillary thyroid carcinoma and the significance of Cd/Se ratio for thyroid tissue pathophysiology. <i>J Trace Elem Med Biol</i> , 55: 190-5.
103512	Su A, Zhao W, Wu W, et al (2020). The association of preoperative thyroid-stimulating hormone level and the risk of differentiated thyroid cancer in patients with thyroid nodules: A systematic review and meta-analysis. <i>Am J Surg</i> , 220(3): 634-41.
15118	Svensson BG, Mikoczy Z, Stromberg U, et al (1995). Mortality and cancer incidence among Swedish fishermen with a high dietary intake of persistent organochlorine compounds. <i>Scand J Work Environ Health</i> , 21(2): 106-15.
29783	Swaen GM, de Jong G, Slanger JJ, et al (2002). Cancer mortality in workers exposed to dieldrin and aldrin: an update. <i>Toxicol Ind Health</i> , 18(2): 63-70.
35264	Swaen GM, van Amelsvoort LG, Slanger JJ, et al (2004). Cancer mortality in a cohort of licensed herbicide applicators. <i>Int Arch Occup Environ Health</i> , 77(4): 293-5.
36151	Swerdlow AJ, Barber JA, Hudson GV, et al (2000). Risk of second malignancy after Hodgkin's disease in a collaborative British cohort: the relation to age at treatment. <i>J Clin Oncol</i> , 18(3): 498-509.
90733	Swerdlow AJ, Cooke R, Beckers D, et al (2017). Cancer risks in patients treated with growth hormone in childhood: The SAGhE European Cohort Study. <i>J Clin Endocrinol Metab</i> , 102(5): 1661-72.
36171	Sztajnkrycer MD, Otten EJ (2004). Chemical and radiological toxicity of depleted uranium. <i>Mil Med</i> , 169(3): 212-6.

36195	Szybinski Z, Huszno B, Zemla B, et al (2003). Incidence of thyroid cancer in the selected areas of iodine deficiency in Poland. <i>J Endocrinol Invest</i> , 26(Suppl 2): 63-70.
36291	Takahashi T, KR Trott, Fujimori K, et al (1997). An investigation into the prevalence of thyroid disease on Kwajalein Atoll, Marshall Islands. <i>Health Phys</i> , 73(1): 199-213.
36224	Takahashi T, Schoemaker MJ, Trott KR, et al (2003). The relationship of thyroid cancer with radiation exposure from nuclear weapon testing in the Marshall Islands. <i>J Epidemiol</i> , 13(2): 99-107.
36176	Takahashi T, Simon SL, Trott KR, et al (1999). A progress report of the Marshall Islands nationwide thyroid study: an international cooperative scientific study. <i>Tohoku J Exp Med</i> , 187(4): 363-75.
8410	Takeichi N, Ezaki H, Dohi K (1991). A review of forty-five years study of Hiroshima and Nagasaki atomic bomb survivors. Thyroid cancer: reports up to date and a review. <i>J Radiat Res</i> , 32 Suppl: 180-8.
36126	Takezaki T, Hirose K, Inoue M, et al (1996). Risk factors of thyroid cancer among women in Tokai, Japan. <i>J Epidemiol</i> , 6(3): 140-7.
18607	Talbott EO, Youk AO, McHugh KP, et al (2000). Mortality among the residents of the Three Mile Island accident area: 1979-1992. <i>Environ Health Perspect</i> , 108(6): 545-52.
36056	Tanaka H, Tsukuma H, Koyama H, et al (2001). Second primary cancers following breast cancer in the Japanese female population. <i>Jpn J Cancer Res</i> , 92(1): 1-8.
105841	Tao L, Clarke CA, Rosenberg AS, et al (2017). Subsequent primary malignancies after diffuse large B-cell lymphoma in the modern treatment era. <i>Br J Haematol</i> , 178(1): 72-80.
104381	Terlemez R, Akgun K, Palamar D, et al (2017). The clinical importance of the thyroid nodules during anti-tumor necrosis factor therapy in patients with axial spondyloarthritis. <i>Clin Rheumatol</i> , 36(5): 1071-6.
99843	Terzolo M, Puglisi S, Reimondo G, et al (2020). Thyroid and colorectal cancer screening in acromegaly patients: should it be different from that in the general population? <i>Eur J Endocrinol</i> , 183(4): D1-13.
8411	Tezelman S, Grossman RF, Siperstein AE, et al (1994). Radioiodine-associated thyroid cancers. <i>World J Surg</i> , 18(4): 522-8.
26702	Thaul S, Page W, Crawford H, et al (2000). The Five Series Study: Mortality of Military Participants in US Nuclear Weapons Tests. National Academies Press - Washington, DC.
23652	The Royal Society (2002). The Health Hazards of Depleted Uranium Munitions, Part 2.
21183	The Royal Society (2001). The Health Hazards of Depleted Uranium Munitions, Part 1.
36117	Theisen C (2003). Research council reviews draft fallout report. <i>J Natl Cancer Inst</i> , 95(10): 702-3.
105842	Thomas G (2018). Radiation and thyroid cancer-an overview. <i>Radiat Prot Dosimetry</i> , 182(1): 53-7.
31020	Thomas HF, Winter PD, Donaldson LJ (1996). Cancer mortality among local authority pest control officers in England and Wales. <i>Occup Environ Med</i> , 53(11): 787-90.
8817	Thompson DE, Mabuchi K, Ron E, et al (1994). Cancer incidence in atomic bomb survivors. Part II: Solid tumors, 1958-1987. <i>Radiat Res</i> , 137(Suppl 2): S17-67.
26118	Thorn A, Gustavsson P, Sadigh J, et al (2000). Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides. <i>Occup Environ Med</i> , 57(10): 718-20.
70095	Tisset H, Kamar N, Faugeron I, et al (2013). Is thyroid cancer recurrence risk increased after transplantation? <i>J Clin Endocrinol Metab</i> , 98(10): 3981-8.

103511	Tjahjono LA, Cline A, Huang WW, et al (2019). [Comment] Relative risk versus absolute risk of malignant comorbidities. <i>J Am Acad Dermatol</i> , 81(2): 623-4.
32995	Tolbert PE (1997). Oils and cancer. <i>Cancer Causes Control</i> , 8(3): 386-405.
105843	Tran TV, Kitahara CM, de Vathaire F, et al (2020). Thyroid dysfunction and cancer incidence: a systematic review and meta-analysis. <i>Endocr Relat Cancer</i> , 27(4): 245-59.
35941	Travis LB, Hauptmann M, Gaul LK, et al (2003). Site-specific cancer incidence and mortality after cerebral angiography with radioactive thorotrust. <i>Radiat Res</i> , 160(6): 691-706.
105844	Tronko M, Brenner AV, Bogdanova T, et al (2017). Thyroid neoplasia risk is increased nearly 30 years after the Chernobyl accident. <i>Int J Cancer</i> , 141(8): 1585-8.
35985	Tronko MD, Bogdanova TI, Komissarenko IV, et al (1999). Thyroid carcinoma in children and adolescents in Ukraine after the Chernobyl nuclear accident: statistical data and clinicomorphologic characteristics. <i>Cancer</i> , 86(1): 149-56.
69749	Tronko MD, Howe GR, Bogdanova TI, et al (2006). A cohort study of thyroid cancer and other thyroid diseases after the Chernobyl accident: thyroid cancer in Ukraine detected during first screening. <i>J Natl Can Inst</i> , 98(13): 897-903.
76824	Tsai RJ, Luckhaupt SE, Schumacher P, et al (2015). Risk of cancer among firefighters in California, 1988-2007. <i>Am J Ind Med</i> , 58(7): 715-29.
105845	Tseng CH (2016). Sitagliptin use and thyroid cancer risk in patients with type 2 diabetes. <i>Oncotarget</i> , 7(17): 24871-9.
103631	Tseng CH, Lee KY, Tseng FH (2015). An updated review on cancer risk associated with incretin mimetics and enhancers. <i>J Environ Sci Health C Environ Carcinog Ecotoxicol Rev</i> , 33(1): 67-124.
8412	Tubiana B, Schlumberger M (1995). Carcinoma of the thyroid. <i>Oxford Textbook of Oncology</i> , Chapter 12, Section 16.1: 2097-2108. Oxford University Press Inc. New York.
8413	Tucker MA, Coleman CN, Cox RS, et al (1988). Risk of second cancers after treatment for Hodgkin's disease. <i>N Engl J Med</i> , 318(2): 76-81.
8414	Tucker MA, Jones PH, Boice JD Jr, et al (1991). Therapeutic radiation at a young age is linked to secondary thyroid cancer. The Late Effects Study Group. <i>Cancer Res</i> , 51(11): 2885-8.
91850	Turner M, Krewski D, Diver W, et al (2017). Ambient air pollution and cancer mortality in the Cancer Prevention Study II. <i>Environ Health Perspect</i> , 125(8): 087013.
29785	Turusov V, Rakitsky V, Tomatis L (2002). Dichlorodiphenyltrichloroethane (DDT): ubiquity, persistence, and risks. <i>Environ Health Perspect</i> , 110(2): 125-8.
106207	Tuttle RM (2020). Medullary thyroid cancer: Clinical manifestations, diagnosis, and staging. Retrieved 29 November 2021, from https://www.uptodate.com/contents/medullary-thyroid-cancer-clinical-manifestations-diagnosis-and-staging
106206	Tuttle RM (2020). Papillary thyroid cancer: clinical features and prognosis. Retrieved 26 November 2021, from https://www.uptodate.com/contents/papillary-thyroid-cancer-clinical-features-and-prognosis
106209	Tuttle RM (2021). Differentiated thyroid cancer: overview of management. Retrieved 29 November 2021, from https://www.uptodate.com/contents/differentiated-thyroid-cancer-overview-of-management

106208	Tuttle RM (2021). Follicular thyroid cancer (including Hurthle cell cancer). Retrieved 29 November 2021, from https://www.uptodate.com/contents/follicular-thyroid-cancer-including-hurthle-cell-cancer
106205	Tuttle RM, Sherman EJ (2021). Anaplastic thyroid cancer. Retrieved 29 November 2021, from https://www.uptodate.com/contents/anaplastic-thyroid-cancer
29728	U.S. Environmental Protection Agency (1997). Special Report on Environmental Endocrine Disruption. An Effects Assessment and Analysis, U.S. Environmental Protection Agency, Washington, D.C.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1: 1-11. United Nations Publication.
60297	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A and B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
63163	United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B, Report Vol 1: 325-83. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
21788	United Nations Scientific Committee on the Effects of Atomic Radiation (2000). Sources and effects of ionizing radiation. UNSCEAR 2000 Report to the General Assembly, with Scientific Annexes, Vol 2 - Effects. United Nations. New York.
60283	UNSCEAR (2008). Effects of Ionizing Radiation. UNSCEAR 2006 Report. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1: 101-8. United Nations Publication.
60204	UNSCEAR (2008). Effects of Ionizing Radiation. UNSCEAR 2006 Report. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1: 96-7. United Nations Publication.
36068	Vaish M, Mishra A, Kaushal M, et al (2004). Microsatellite instability and its correlation with clinicopathological features in a series of thyroid tumors prevalent in iodine deficient areas. <i>Exp Mol Med</i> , 36(2): 122-9.
105846	van Gerwen M, Alerte E, Alsen M, et al (2022). The role of heavy metals in thyroid cancer: A meta-analysis. <i>J Trace Elem Med Biol</i> , 69: 126900.
105847	van Ingen G, le Clercq CM, Touw CE, et al (2020). Environmental determinants associated with acute otitis media in children: a longitudinal study. <i>Pediatr Res</i> , 87(1): 163-8.
103614	Varadharajan K, Choudhury N (2020). A systematic review of the incidence of thyroid carcinoma in patients undergoing thyroidectomy for thyrotoxicosis. <i>Clin Otolaryngol</i> , 45(4): 538-44.
105848	Veiga LH, Holmberg E, Anderson H, et al (2016). Thyroid cancer after childhood exposure to external radiation: an updated pooled analysis of 12 studies. <i>Radiat Res</i> , 185(5): 473-84.
36086	Venturi S, Donati FM, Venturi A, et al (2000). Role of iodine in evolution and carcinogenesis of thyroid, breast and stomach. <i>Adv Clin Path</i> , 4(1): 11-7.
36122	Verkooijen HM, Fioretta G, Pache JC, et al (2003). Diagnostic changes as a reason for the increase in papillary thyroid cancer incidence in Geneva, Switzerland. <i>Cancer Causes Control</i> , 14(1): 13-7.
88836	Vieira VM, Hoffman K, Shin HM, et al (2013). Perfluorooctanoic acid exposure and cancer outcomes in a contaminated community: a geographic analysis. <i>Environ Health Perspect</i> , 121(3): 318-23.

69852	Vivanco M, Dalle JH, Alberti C, et al (2012). Malignant and benign thyroid nodules after total body irradiation preceding hematopoietic cell transplantation during childhood. <i>Eur J Endocrinol</i> , 167(2): 225-33.
80740	Wadas TJ, Pandya DN, Solingapuram Sai KK, et al (2014). Molecular targeted alpha-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
35992	Wakeford R (1999). Accidents and their consequences. <i>J Radiol Prot</i> , 19(4): 291-2.
103510	Wan D, Yang X, Li G, et al (2021). A set of markers related to viral infection has a sex-sensitive prognostic value in papillary thyroid carcinoma. <i>J Clin Endocrinol Metab</i> , 106(5): e2334-46.
104360	Wang C, Yatsuya H, Li Y, et al (2016). Prospective study of seaweed consumption and thyroid cancer incidence in women: the Japan collaborative cohort study. <i>Eur J Cancer Prev</i> , 25(3): 239-45.
29121	Wang HH, MacMahon B (1979). Mortality of pesticide applicators. <i>J Occup Med</i> , 21(11): 741-4.
8415	Wang JX, Inskip PD, Boice JD Jr, et al (1990). Cancer incidence among medical diagnostic X-ray workers in China, 1950 to 1985. <i>Int J Cancer</i> , 45(5): 889-95.
37238	Wang JX, Zhang LA, Li BX, et al (2002). Cancer incidence and risk estimation among medical x-ray workers in China, 1950-1995. <i>Health Phys</i> , 82(4): 455-66.
103505	Wang P, Jing Z, Liu C, et al (2017). Hepatitis C virus infection and risk of thyroid cancer: A systematic review and meta-analysis. <i>Arab J Gastroenterol</i> , 18(1): 1-5.
103497	Wang P, Lv L, Qi F, et al (2015). Increased risk of papillary thyroid cancer related to hormonal factors in women. <i>Tumour Biol</i> , 36(7): 5127-32.
105849	Wang X, Peng Y, Gao J, et al (2019). Risk of malignancy in Behcet disease: A meta-analysis with systematic review. <i>Medicine (Baltimore)</i> , 98(44): e17735.
104215	Wang X, Wang J, Yang X, et al (2020). Pembrolizumab exacerbates thyroid diseases shown on FDG PET/CT. <i>Clin Nucl Med</i> , 45(12): 1010-2.
105850	Wang Y, Wang J, Chen Z, et al (2021). Analysis of the correlation between high iodized salt intake and the risk of thyroid nodules: a large retrospective study. <i>BMC Cancer</i> , 21(1): 1000.
101339	Wang Y, Yan P, Fu T, et al (2020). The association between gestational diabetes mellitus and cancer in women: A systematic review and meta-analysis of observational studies. <i>Diabetes Metab</i> , 46(6): 461-71.
11630	Wang ZY, Boice JD Jr, Wei LX, et al (1990). Thyroid nodularity and chromosome aberrations among women in areas of high background radiation in China. <i>J Natl Cancer Inst</i> , 82(6): 478-85.
8417	Wartofsky L (1994). Diseases of the thyroid. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 334: 1948-53.
69843	Weetman AP, Jameson JL (2012). Disorders of the thyroid cancer. Chapter 341, Retrieved 18 October 2013, from http://accessmedicine.com/content.aspx?aid=9140510
36223	Weissel M (2003). Legal augmentation of iodine content in table salt from 10 to 20 mg KI/kg: documented effects a decade later. <i>Exp Clin Endocrinol Diabetes</i> , 111(4): 187-90.
28861	Wesseling C, Antich D, Hogstedt C, et al (1999). Geographical differences of cancer incidence in Costa Rica in relation to environmental and occupational pesticide exposure. <i>Int J Epidemiol</i> , 28(3): 365-74.
105851	Wijnen M, van den Heuvel-Eibrink MM, Medici M, et al (2016). Risk factors for subsequent endocrine-related cancer in childhood cancer survivors. <i>Endocr Relat Cancer</i> , 23(6): R299-321.
16955	Wiklund K, Dich J (1995). Cancer risks among male farmers in Sweden. <i>Eur J Cancer Prev</i> , 4(1): 81-90.

3849	Wiklund K, Dich J, Holm LE, et al (1989). Risk of cancer in pesticide applicators in Swedish agriculture. <i>Br J Ind Med</i> , 46(11): 809-14.
36132	Wilbourn JD, Partensky C, Rice JM (1999). Agents that induce epithelial neoplasms of the urinary bladder, renal cortex and thyroid follicular lining in experimental animals and humans: summary of data from IARC monographs volumes 1-69. <i>IARC Sci Publ</i> , (147): 191-209.
35711	Williams D (2002). Cancer after nuclear fallout: lessons from the Chernobyl accident. <i>Nat Rev Cancer</i> , 2(7): 543-9.
8776	Williams ED (1994). Thyroid tumorigenesis. <i>Horm Res</i> , 42(1-2): 31-4.
36093	Williams ED, Abrosimov A, Bogdanova T, et al (2004). Thyroid carcinoma after Chernobyl latent period, morphology and aggressiveness. <i>Br J Cancer</i> , 90(11): 2219-24.
103914	Wiltshire JJ, Drake TM, Uttley L, et al (2016). Systematic review of trends in the incidence rates of thyroid cancer. <i>Thyroid</i> , 26(11): 1541-52.
8418	Wingren G, Hallquist A, Degerman A, et al (1995). Occupation and female papillary cancer of the thyroid. <i>J Occup Environ Med</i> , 37(3): 294-7.
36133	Wingren G, Hallquist A, Hardell L (1997). Diagnostic X-ray exposure and female papillary thyroid cancer: a pooled analysis of two Swedish studies. <i>Eur J Cancer Prev</i> , 6(6): 550-6.
8419	Wingren G, Hatschek T, Axelson O (1993). Determinants of papillary cancer of the thyroid. <i>Am J Epidemiol</i> , 138(7): 482-91.
99964	Winquist A, Steenland K (2014). Perfluorooctanoic acid exposure and thyroid disease in community and worker cohorts. <i>Epidemiology</i> , 25(2): 255-64.
5088	Wong O, Brocker W, Davis HV, et al (1984). Mortality of workers potentially exposed to organic and inorganic brominated chemicals, DBCP, TRIS, PBB, and DDT. <i>Br J Ind Med</i> , 41(1): 15-24.
33032	Wong O, Harris F, Rosamilia K, et al (2001). Updated mortality study of workers at a petroleum refinery in Torrance, California, 1959 to 1997. <i>J Occup Environ Med</i> , 43(12): 1089-102.
33031	Wong O, Harris F, Rosamilia K, et al (2001). An updated mortality study of workers at a petroleum refinery in Beaumont, Texas, 1945 to 1996. <i>J Occup Environ Med</i> , 43(4): 384-401.
92112	World Cancer Research Fund International (2018). Diet, Nutrition, Physical Activity and Cancer: A Global Perspective. A Summary of the Third Expert Report, American Institute for Cancer.
37750	World Health Organisation (2001). Some Thyrotropic Agents. IARC Monographs, Vol 79. IARC Press, Lyon.
37751	World Health Organisation (WHO) (2002). US Department of Health and Human Services Public Health Service National Toxicology Program. 11th Report on Carcinogens.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28(2): 161-8.
105852	Wu L, Zhu J (2015). Linear reduction in thyroid cancer risk by oral contraceptive use: a dose-response meta-analysis of prospective cohort studies. <i>Hum Reprod</i> , 30(9): 2234-40.
91840	Xu J, Ye Y, Huang F, et al (2016). Association between dioxin and cancer incidence and mortality: a meta-analysis. <i>Sci Rep</i> , 6: 38012.
35876	Xue X, Shore RE (2001). Assessing excess lifetime risk for disease after radiation exposure. <i>Health Phys</i> , 80(5): 462-9.

105853	Yamamoto H, Hayashi K, Scherb H (2019). Association between the detection rate of thyroid cancer and the external radiation dose-rate after the nuclear power plant accidents in Fukushima, Japan. <i>Medicine (Baltimore)</i> , 98(37): e17165.
105854	Yan AR, Zhang X, Shen H, et al (2019). Urinary iodine is increased in papillary thyroid carcinoma but is not altered by regional population iodine intake status: a meta-analysis and implications. <i>Endocr J</i> , 66(6): 497-514.
103634	Yang WJ, Wu HB, Zhang C, et al (2021). Exposure to 2,4-dichlorophenol, 2,4,6-trichlorophenol, pentachlorophenol and risk of thyroid cancer: a case-control study in China. <i>Environ Sci Pollut Res Int</i> , 28(43): 61329-43.
105855	Yang Z, Lin F, Qin B, et al (2015). Polymyositis/dermatomyositis and malignancy risk: a metaanalysis study. <i>J Rheumatol</i> , 42(2): 282-91.
35880	Yeh H, Matanoski GM, Wang N, et al (2001). Cancer incidence after childhood nasopharyngeal radium irradiation: a follow-up study in Washington County, Maryland. <i>Am J Epidemiol</i> , 153(8): 749-56.
8782	Yen BC, Kahn H, Schiller AL, et al (1993). Multiple hamartoma syndrome with osteosarcoma. <i>Arch Pathol Lab Med</i> , 117(12): 1252-4.
77892	Yi SW, Ohrr H (2014). Agent Orange exposure and cancer incidence in Korean Vietnam veterans: a prospective cohort study. <i>Cancer</i> , 120(23): 3699-706.
77893	Yi SW, Ryu SY, Ohrr H, et al (2014). Agent Orange exposure and risk of death in Korean Vietnam veterans: Korean Veterans Health Study. <i>Int J Epidemiol</i> , 43(6): 1825-34.
105856	Yi X, Zhu J, Zhu X, et al (2016). Breastfeeding and thyroid cancer risk in women: A dose-response meta-analysis of epidemiological studies. <i>Clin Nutr</i> , 35(5): 1039-46.
99186	Yildirim Simsir I, Cetinkalp S, Kabalak T (2020). Review of factors contributing to nodular goiter and thyroid carcinoma. <i>Med Princ Pract</i> , 29(1): 1-5.
105857	Yin DT, He H, Yu K, et al (2018). The association between thyroid cancer and insulin resistance, metabolic syndrome and its components: A systematic review and meta-analysis. <i>Int J Surg</i> , 57: 66-75.
103508	Youssef MR, Reisner ASC, Attia AS, et al (2021). Obesity and the prevention of thyroid cancer: Impact of body mass index and weight change on developing thyroid cancer - Pooled results of 24 million cohorts. <i>Oral Oncol</i> , 112: 105085.
105858	Yu Q, Lv X, Liu K, et al (2018). Fertility drugs associated with thyroid cancer risk: a systematic review and meta-analysis. <i>Biomed Res Int</i> , 2018: 7191704.
105859	Yuan S, Kar S, Vithayathil M, et al (2020). Causal associations of thyroid function and dysfunction with overall, breast and thyroid cancer: A two-sample Mendelian randomization study. <i>Int J Cancer</i> , 147(7): 1895-903.
14601	Zahm SH (1997). Mortality study of pesticide applicators and other employees of a lawn care service company. <i>J Occup Environ Med</i> , 39(11): 1055-67.
14600	Zahm SH, Ward MH, Blair A (1997). Pesticides and cancer. <i>Occup Med</i> , 12(2): 269-89.
105862	Zamora-Ros R, Beraud V, Franceschi S, et al (2018). Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Int J Cancer</i> , 142(3): 449-59.
105860	Zamora-Ros R, Castaneda J, Rinaldi S, et al (2017). Consumption of fish Is Not associated with risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>J Nutr</i> , 147(7): 1366-73.

91852	Zeig-Owens R, Webber M, Hall C, et al (2011). Early assessment of cancer outcomes in New York City firefighters after the 9/11 attacks: an observational cohort study. <i>Lancet</i> , 378(9794): 898-905.
105861	Zeng F, Lerro C, Lavoue J, et al (2017). Occupational exposure to pesticides and other biocides and risk of thyroid cancer. <i>Occup Environ Med</i> , 74(7): 502-10.
103644	Zhang C, Wu HB, Cheng MX, et al (2019). Association of exposure to multiple metals with papillary thyroid cancer risk in China. <i>Environ Sci Pollut Res Int</i> , 26(20): 20560-72.
70396	Zhang LR, Sawka AM, Adams L, et al (2013). Vitamin and mineral supplements and thyroid cancer: a systematic review. <i>Eur J Cancer Prev</i> , 22(2): 158-68.
105863	Zhang M, Li XM, Wang GS, et al (2014). Thyroid cancer in systemic lupus erythematosus: a meta analysis. <i>Int J Clin Exp Pathol</i> , 7(9): 6270-3.
103653	Zhang Q, Hu M, Wu H, et al (2021). Plasma polybrominated diphenyl ethers, urinary heavy metals and the risk of thyroid cancer: A case-control study in China. <i>Environ Pollut</i> , 269: 116162.
98823	Zhao G, Erazo B, Ronda E, et al (2020). Mortality among firefighters in Spain: 10 years of follow-up. <i>Ann Work Expo Health</i> , 64(6): 614-21.
103706	Zhao J, Wang H, Zhang Z, et al (2019). Vitamin D deficiency as a risk factor for thyroid cancer: A meta-analysis of case-control studies. <i>Nutrition</i> , 57: 5-11.
70221	Zhao ZG, Guo XG, Ba CX, et al (2012). Overweight, obesity and thyroid cancer risk: a meta-analysis of cohort studies. <i>J Int Med Res</i> , 40(6): 2041-50.
8780	Zheng T, Holford TR, Chen Y, et al (1996). Time trend and age-period-cohort effect on incidence of thyroid cancer in Connecticut, 1935-1992. <i>Int J Cancer</i> , 67(4): 504-9.
9918	Zhong Y, Rafnsson V (1996). Cancer incidence among Icelandic pesticide users. <i>Int J Epidemiol</i> , 25(6): 1117-24.
105864	Zhu J, Zhu X, Tu C, et al (2016). Parity and thyroid cancer risk: a meta-analysis of epidemiological studies. <i>Cancer Med</i> , 5(4): 739-52.
35976	Zhumadilov Z, Gusev BI, Takada J, et al (2000). Thyroid abnormality trend over time in northeastern regions of Kazakhstan, adjacent to the Semipalatinsk nuclear test site: a case review of pathological findings for 7271 patients. <i>J Radiat Res</i> , 41(1): 35-44.
35698	Zivaljevic V, Vlajinac H, Jankovic R, et al (2003). Case-control study of female thyroid cancer--menstrual, reproductive and hormonal factors. <i>Eur J Cancer Prev</i> , 12(1): 63-6.
36242	Zivaljevic V, Vlajinac H, Marinkovic J, et al (2004). Cigarette smoking as a risk factor for cancer of the thyroid in women. <i>Tumori</i> , 90(3): 273-5.
36244	Zivaljevic V, Vlajinac H, Jankovic R, et al (2004). Case-control study of anaplastic thyroid cancer. <i>Tumori</i> , 90(1): 9-12.
36180	Zuberi LM, Yawar A, Islam N, et al (2004). Clinical presentation of thyroid cancer patients in Pakistan--AKUH experience. <i>J Pak Med Assoc</i> , 54(10): 526-8.