



SUICIDE AND ATTEMPTED SUICIDE

RMA ID Number	Reference List for RMA250-7 as at February 2022
---------------	---

54207	Aardema H, Meertens JH, Ligtenberg JJ, et al (2008). Organophosphorus pesticide poisoning: cases and developments. <i>Neth J Med</i> , 66(4): 149-53.
77828	Adam I, Elbashir MI (2004). Suicide after treatment of chloroquine-resistant falciparum malaria with quinine. <i>Saudi Med J</i> , 25(2): 248-9.
52666	Adam KS (1985). Attempted suicide. <i>Psychiatr Clin North Am</i> , 8(2): 183-201.
54676	Adams J, Adams M (1996). The association among negative life events, perceived problem solving alternatives, depression, and suicidal ideation in adolescent psychiatric patients. <i>J Child Psychol Psychiatry</i> , 37(6): 715-20.
11031	Adapted from Sadock (1980). From the legal definition of rape in the United States (Brownmiller 1975). <i>Kaplans Comprehensive Textbook of Psychiatry</i> , Third Edition, 1803.
77128	Adshead Surg Lt S (2014). Clinical research. The adverse effects of mefloquine in deployed military personnel. <i>J R Nav Med Serv</i> , 100(3): 232-7.
54457	Agerbo E (2005). Midlife suicide risk, partner's psychiatric illness, spouse and child bereavement by suicide or other modes of death: a gender specific study. <i>J Epidemiol Community Health</i> , 59(5): 407-12.
52460	Agoub M, Moussaoui D, Kadri N (2006). Assessment of suicide in a Moroccan metropolitan area. <i>J Affect Disord</i> , 90(2-3): 223-6.
52676	Ahmed K, Mohan RA, Bhugra D (2007). Self-harm in South Asian women: A literature review informed approach to assessment and formulation. <i>Am J Psychother</i> , 61(1): 71-81.
77606	Ahn E, Shin DW, Cho S-I, et al (2010). Suicide rates and risk factors among Korean cancer patients, 1993-2005. <i>Cancer Epidemiol Biomarkers Prev</i> , 19(8): 2097-105.
52463	Akyuz G, Sar V, Kugu N, et al (2005). Reported childhood trauma, attempted suicide and self-mutilative behavior among women in the general population. <i>Eur Psychiatry</i> , 20(3): 268-73.
77480	Ali AK, Heran BS, Etminan M (2015). Persistent sexual dysfunction and suicidal ideation in young men treated with low-dose finasteride: a pharmacovigilance study. <i>Pharmacotherapy</i> , 35(7): 687-95.
1739	Allebeck P, Bolund C (1991). Suicides and suicide attempts in cancer patients. <i>Psychol Med</i> , 21(4): 979-84.
52157	Allen JP, Cross G, Swanner J (2005). Suicide in the army: a review of current information. <i>Mil Med</i> , 170(7): 580-4.
4184	Allgulander C (1994). Suicide and mortality patterns in anxiety neurosis and depressive neurosis. <i>Arch Gen Psychiatry</i> , 51(9): 708-12.
4212	Allgulander C, Lavori PW (1991). Excess mortality among 3302 patients with 'pure' anxiety neurosis. <i>Arch Gen Psychiatry</i> , 48(7): 599-602.
4181	Allgulander C, Lavori PW (1993). Causes of death among 936 elderly patients with 'pure' anxiety neurosis in Stockholm County, Sweden, and in

	patients with depressive neurosis or both diagnoses. <i>Compr Psychiatry</i> , 34(5): 299-302.
1746	American Psychiatric Association (1994). <i>Personality Disorders. Diagnostic and Statistical Manual of Mental Disorders</i> , 4th Edition: 654. American Psychiatric Association, Washington DC.
70783	American Psychiatric Association (2013). <i>Diagnostic and statistical manual of mental disorders. DSM-5</i> , 5th Edition, American Psychiatric Publishing, Inc.
77691	Amitai M, Apter A (2012). Social aspects of suicidal behavior and prevention in early life: a review. <i>Int J Environ Res Public Health</i> , 9(3): 985-94.
1749	Anderson, DM, Keith J, Novak PD (Lexicographers) (1994). Suicide. Dorland's Illustrated Medical Dictionary, 28th Edition: 1601. W B Saunders Philadelphia.
1750	Anderson, DM, Keith J, Novak PD (Lexicographers) (1994). Parasuicide. Dorland's Illustrated Medical Dictionary, 28th Edition: 1232. W B Saunders Philadelphia.
4206	Andrews JA, Lewinsohn PM (1992). Suicidal attempts among older adolescents: Prevalence and co-occurrence with psychiatric disorders. <i>J Am Acad Child Adolesc Psychiatry</i> , 31(4): 655-62.
52467	Ang RP, Ooi YP (2004). Impact of gender and parents' marital status on adolescents' suicidal ideation. <i>Int J Soc Psychiatry</i> , 50(4): 351-60.
4211	Angst J, Degonda M, Ernst C (1992). The Zurich Study: XV. Suicide attempts in a cohort from age 20 to 30. <i>Eur Arch Psychiatry Clin Neurosci</i> , 242(2-3): 135-41.
54266	Anon (2009). Rimonabant: depression and suicide. <i>Prescrire Int</i> , 18(99): 24.
53889	Anonymous (2008). Suicidal behaviour and self harm. The facts. Retrieved 28 August 2009, from http://www.sane.org
55083	Antretter E, Dunkel D, Haring C, et al (2008). The factorial structure of the Suicide Intent Scale: a comparative study in clinical samples from 11 European regions. <i>Int J Methods Psychiatr Res</i> , 17(2): 63-79.
1740	Appleby L (1994). Panic and suicidal behaviour: Risk of self-harm in patients who complain of panic. <i>Br J Psychiatry</i> , 164(6): 719-21.
54725	Arie M, Haruvi-Catalan L, Apter A (2005). Personality and suicidal behavior in adolescence. <i>Clinical Neuropsychiatry</i> , 2(1): 37-47.
86458	Ariga M, Uehara T, Takeuchi K, et al (2008). Trauma exposure and posttraumatic stress disorder in delinquent female adolescents. <i>J Child Psychol Psychiatry</i> , 49(1): 79-87.
77551	Atigari OV, Hogan C, Healy D (2013). Doxycycline and suicidality. <i>BMJ Case Rep</i> , 2013:bcr2013200723.
52106	Australian Bureau of Statistics (2007). National survey of mental health and wellbeing: summary of results. 4326.0: 1-98.
19155	Australian Institute of Health and Welfare [AIHW] (2000). Suicide in Vietnam Veterans' children. Morbidity of Vietnam Veterans, Supplementary Report No. 1, No. PHE 25. AIHW, Canberra.
81438	Australian Institute of Health and Welfare (2016). Incidence of Suicide Among Serving and Ex-serving Australian Defence Force Personnel 2001-2014. Australian institute of Health & Welfare, Canberra.
85057	Australian Institute of Health and Welfare (2017). Incidence of Suicide Among Service and Ex-serving Australian Defence Force Personnel 2001-2015. In Brief Summary Report. Australian Institute of Health and Welfare, Canberra.
85058	Australian Institute of Health and Welfare (2017). Incidence of Suicide in Serving and Ex-serving Australia Defence Force Personnel: Detailed Analysis 2001-2015. Australian Institute of Health & Welfare, Canberra.
54763	Averbach IJ (1973). History of psychiatric disorder and risk of academic failure in freshmen. <i>J Am Coll Health Assoc</i> , 21(3): 252-6.

54501	Ayalon L, Mackin S, Arean PA, et al (2007). The role of cognitive functioning and distress in suicidal ideation in older adults. <i>J Am Geriatr Soc</i> , 55(7): 1090-4.
51968	Azorin JM, Kaladjian A, Adida M, et al (2009). Risk factors associated with lifetime suicide attempts in bipolar I patients: findings from a French national cohort. <i>Compr Psychiatry</i> , 50(2): 115-20.
77829	Baghaei P, Tabarsi P, Dorriz D, et al (2011). Adverse effects of multidrug-resistant tuberculosis treatment with a standardized regimen: a report from Iran. <i>Am J Ther</i> , 18(2): e29-34.
77930	Bahmanyar S, Sparen P, Mittendorfer Rutz E, et al (2009). Risk of suicide among operated and non-operated patients hospitalised for peptic ulcers. <i>J Epidemiol Comm Health</i> , 63(12): 1016-21.
53683	Bailey JM (1999). [Comment] Homosexuality and mental illness. <i>Arch Gen Psychiatry</i> , 56(10): 883-4. Comment on ID: 53682.
54044	Bang SM, Lee JH, Yoon SS, et al (2006). A multicenter retrospective analysis of adverse events in Korean patients using bortezomib for multiple myeloma. <i>Int J Hematol</i> , 83(4): 309-13.
54292	Bangs ME, Tauscher-Wisniewski S, Polzer J, et al (2008). Meta-analysis of suicide-related behavior events in patients treated with atomoxetine. <i>J Am Acad Child Adolesc Psychiatry</i> , 47(2): 209-18.
77794	Bangs ME, Wietecha LA, Wang S, et al (2014). Meta-analysis of suicide-related behavior of ideation in child, adolescent, and adult patients treated with atomoxetine. <i>J Child Adolesc Psychopharmacol</i> , 24(8): 426-34.
53501	Barbour V, Clark J, Peiperl L, et al (2009). [Comment] Media portrayals of suicide. <i>PLoS Med</i> , 6(3): e1000051. Comment on ID: 53445.
54323	Barbui C, Esposito E, Cipriani A (2009). Selective serotonin reuptake inhibitors and risk of suicide: a systematic review of observational studies. <i>CMAJ</i> , 180(3): 291-7.
86455	Bardon C, Mishara BL (2015). Systematic review of the impact of suicides and other critical incidents on railway personnel. <i>Suicide Life Threat Behav</i> , 45(6): 720-31.
78097	Barnhorst A (2015). Amphetamine-related psychiatric disorders. Retrieved 29 April 2016, from http://emedicine.medscape.com/article/289973-overview
79641	Basham C, Dennison LM, Millet L, et al (2011). Characteristics and VA health care utilization of U.S. veterans who completed suicide in Oregon between 2000 and 2005. <i>Suicide Life Threat Behav</i> , 41(3): 287-96.
87732	Basoglu M, Salcioglu E, Livanou M (2002). Traumatic stress responses in earthquake survivors in Turkey. <i>J Trauma Stress</i> , 15(4): 269-76.
54721	Bastia BK, Kar N (2009). A psychological autopsy study of suicidal hanging from Cuttack, India: focus on stressful life situations. <i>Arch Suicide Res</i> , 13(1): 100-4.
79839	Batterham PJ, Fairweather-Schmidt AK, Butterworth P, et al (2014). Temporal effects of separation on suicidal thoughts and behaviours. <i>Soc Sci Med</i> , 111: 58-63.
77552	Batty GD, Whitley E, Kivimaki M, et al (2010). Body mass index and attempted suicide: cohort study of 1,133,019 Swedish men. <i>Am J Epidemiol</i> , 172(8): 890-9.
86478	Baum N (2014). Professionals' double exposure in the shared traumatic reality of wartime: contributions to professional growth and stress. <i>Br J Soc Work</i> , 44(8): 2113-34.
52683	Baume P (1988). Perspectives on youth suicide. <i>Aust J Adv Nurs</i> , 5(3): 40-8.
52465	Bearman PS, Moody J (2004). Suicide and friendships among American adolescents. <i>Am J Public Health</i> , 94(1): 89-95.
55082	Bebbington PE, Cooper C, Minot S, et al (2009). Suicide attempts, gender, and sexual abuse: data from the 2000 British Psychiatric Morbidity Survey. <i>Am J Psychiatry</i> , 166(10): 1135-40.

79639	Becerra MB, Becerra BJ, Hassija CM, et al (2016). Unmet mental healthcare need and suicidal ideation among U.S. veterans. <i>Am J Prev Med</i> , 51(1): 90-4.
52998	Beck, AT, Steer RA, Kovacs M, et al (1985). Hopelessness and eventual suicide: a 10-year prospective study of patients hospitalized with suicidal ideation. <i>Am J Psychiatry</i> , 142(5): 559-63.
77553	Behera C, Krishna K, Singh HR (2013). Antitubercular drug-induced violent suicide of a hospitalised patient. <i>BMJ</i> , 2014:bcr2013201469.
79940	Belik SL, Stein MB, Asmundson GJ, et al (2009). Relation between traumatic events and suicide attempts in Canadian military personnel. <i>Can J Psychiatry</i> , 54(2): 93-104.
54291	Bell GS, Gaitatzis A, Bell CL, et al (2009). Suicide in people with epilepsy: how great is the risk? <i>Epilepsia</i> , 50(8): 1933-42.
53455	Bell JB, Nye EC (2007). Specific symptoms predict suicidal ideation in Vietnam combat veterans with chronic post-traumatic stress disorder. <i>Mil Med</i> , 172(11): 1144-7.
53451	Benda BB (2005). Gender differences in predictors of suicidal thoughts and attempts among homeless veterans that abuse substances. <i>Suicide Life Threat Behav</i> , 35(1): 106-16.
86475	Ben-Ezra M, Palgi Y, Essar N, et al (2008). Acute stress symptoms, dissociation, and depression among rescue personnel 24 hours after the Bet-Yehoshua train crash: The effects of exposure to dead bodies. <i>Prehosp Disast Med</i> , 23(5): 461-5; discussion 466.
54733	Bennett KJ, Brown KS, Boyle M, et al (2003). Does low reading achievement at school entry cause conduct problems? <i>Soc Sci Med</i> , 56(12): 2443-8.
79943	Beristianos MH, Maguen S, Neylan TC, et al (2016). Trauma exposure and risk of suicidal ideation among older adults. <i>Am J Geriatr Psychiatry</i> , 24(8): 639-43.
79746	Beristianos MH, Maguen S, Neylan TC, et al (2016). Trauma exposure and risk of suicidal ideation among ethnically diverse adults. <i>Depress Anxiety</i> , 33(6): 495-501.
77598	Bernert RA, Kim JS, Iwata NG, et al (2015). Sleep disturbances as an evidence-based suicide risk factor. <i>Curr Psychiatr Rep</i> , 17(3): 554.
83739	Berninger A, Webber MP, Cohen HW, et al (2010). Trends of elevated PTSD risk in firefighters exposed to the World Trade Center disaster: 2001-2005. <i>Public Health Rep</i> , 125(4): 556-66.
52461	Bertolote JM, Fleischmann A, De Leo D, et al (2005). Suicide attempts, plans, and ideation in culturally diverse sites: the WHO SUPRE-MISS community survey. <i>Psychol Med</i> , 35(10): 1457-65.
77841	Betz ME, Valley MA, Lowen-Stein SR, et al (2011). Elevated suicide rates at high altitude: sociodemographic and health issues may be to blame. <i>Suicide Life Threat Behav</i> , 41(5): 563-73.
77800	Beyer JL, Weisler RH (2016). Suicide behaviours in bipolar disorder: a review and update for the children. <i>Psychiatr Clin North Am</i> , 39(1): 111-23.
77943	Bhatti JA, Nathens AB, Thiruchelvam D, et al (2016). Self-harm emergencies after bariatric surgery: a population-based cohort study. <i>JAMA Surg</i> , 151(3): 226-32.
52154	Bhui K, McKenzie K, Rasul F (2007). Rates, risk factors & methods of self harm among minority ethnic groups in the UK: a systematic review. <i>BMC Public Health</i> , 7: 336.
54762	Biglan K, Shoulson I (2007). [Comment] Juvenile-onset Huntington disease. A matter of perspective. <i>Arch Neurol</i> , 64(6): 783-4. Comment on ID: 54761.
55081	Bille-Brahe U, Schmidtke A, Kerkhof AJ, et al (1995). Background and introduction to the WHO/EURO Multicentre Study on parasuicide. <i>Crisis</i> , 16(2): 72-84.

77370	Bjorkenstam C, Moller J, Ringback G, et al (2013). An association between initiation of selective serotonin reuptake inhibitors and suicide- A nationwide register-based case-crossover study. <i>PLoS One</i> , 8(9): e73973.
102456	Blosnich JR, Brown GR, Shipherd Phd JC, et al (2013). Prevalence of gender identity disorder and suicide risk among transgender veterans utilizing veterans health administration care. <i>Am J Public Health</i> , 103(10): e27-32.
78099	Blum K, Olive MF, Wang KK, et al (2013). Hypothesizing that designer drugs containing cathinones ("bath salts") have profound neuro-inflammatory effects and dangerous neurotoxic response following human consumption. <i>Med Hypotheses</i> , 81(3): 450-5.
54041	Bockholdt B, Klug E, Schneider V (2001). Suicide through doxylamine poisoning. <i>Forensic Sci Int</i> , 119(1): 138-40.
49495	Boehmer TK, Flanders WD, McGeehin MA, et al (2004). Postservice mortality in Vietnam veterans: 30-year follow-up. <i>Arch Intern Med</i> , 164(17): 1908-16.
77846	Bolton JM, Gunnell D, Turecki G (2015). Suicide risk assessment and intervention in people with mental illness. <i>BMJ</i> , 351: h4978.
77765	Bolton JM, Pagura J, Enns MW, et al (2010). A population-based longitudinal study of risk factors for suicide attempts in major depressive disorder. <i>J Psychiatr Res</i> , 44(13): 817-26.
77722	Bolton JM, Walld R, Chateau D, et al (2015). Risk of suicide and suicide attempts associated with physical disorders: a population-based, balancing score-matched analysis. <i>Psychol Med</i> , 45(3): 495-504.
49906	Borges G, Angst J, Nock MK, et al (2006). Risk factors for twelve-month suicide attempts in the National Comorbidity Survey Replication (NCS-R). <i>Psychol Med</i> , 36(12): 1747-57.
12291	Borges G, Anthony JC, Garrison CZ (1995). Methodological issues relevant to epidemiologic investigations of suicidal behaviors of adolescents. <i>Epidemiol Rev</i> , 17(1): 228-39.
4192	Boston PF, Dursun SM, Reveley MA (1994). Other studies exist. <i>BMJ</i> , 309(6963): 1228.
54022	Bovard RS (2008). Risk behaviors in high school and college sport. <i>Curr Sports Med Rep</i> , 7(6): 359-66.
63980	Brackbill RM, Hadler JL, DiGrande L, et al (2009). Asthma and posttraumatic stress symptoms 5 to 6 years following exposure to the World Trade Center terrorist attack. <i>JAMA</i> , 302(5): 502-16.
54011	Braden JB, Sullivan MD (2008). Suicidal thoughts and behavior among adults with self-reported pain conditions in the national comorbidity survey replication. <i>J Pain</i> , 9(12): 1106-15.
79747	Brancu M, Mann-Wrobel M, Beckham JC, et al (2016). Subthreshold posttraumatic stress disorder: a meta-analytic review of DSM-5 approach to measurement. <i>Psychol Trauma</i> , 8(2): 222-32.
102459	Branstrom R, Pachankis JE (2020). Reduction in mental health treatment utilization among transgender individuals after gender-affirming surgeries: A total population study. <i>Am J Psychiatry</i> , 177(8): 727-34.
54826	Breed W (1972). Five components of a basic suicide syndrome. <i>Life-Threatening Behavior</i> , 2(1): 3-18.
78064	Bremner JD, Shearer K, McCaffery, et al (2012). Retinoic Acid and affective disorders: the evidence for an association. <i>J Clin Psychiatry</i> , 73(1): 37-50.
1741	Breslau N (1992). Migraine, suicidal ideation, and suicide attempts. <i>Neurology</i> , 42(2): 392-5.
1742	Breslau N, Davis GC, Andreski P (1991). Migraine, psychiatric disorders, and suicide attempts: an epidemiological study of young adults. <i>Psychiatry Res</i> , 37(1): 11-23.

45565	Brezo J, Paris J, Turecki G (2006). Personality traits as correlates of suicidal ideation, suicide attempts, and suicide completions: a systematic review. <i>Acta Psychiatr Scand</i> , 113(3): 180-206.
52680	Bronisch T, Brunner J, Bondy B, et al (2005). A multicenter study about neurobiology of suicidal behavior: design, development, and preliminary results. <i>Arch Suicide Res</i> , 9(1): 19-26.
4210	Bronisch T, Wittchen HU (1994). Suicidal ideation and suicide attempts: Comorbidity with depression, anxiety disorders, and substance abuse disorder. <i>Eur Arch Psychiatry Clin Neurosci</i> , 244(2): 93-8..
84406	Brooks SK, Dunn R, Amlot R, et al (2016). Social and occupational factors associated with psychological distress and disorder among disaster responders: a systematic review. <i>BMC Psychol</i> , 4: 18.
77576	Brown ES (2012). [Comment] An epidemiological approach to "steroid psychosis". <i>Am J Psychiatry</i> , 169(5): 447-9.
79753	Brown GK, Beck AT, Steer RA, et al (2000). Risk factors for suicide in psychiatric outpatients 1 20-year prospective study. <i>J Consult Clin Psychol</i> , 68(3): 371-7.
53994	Browning SR, Westneat SC, McKnight RH (2008). Suicides among farmers in three southeaster states, 1990-1998. <i>J Agric Saf Health</i> , 14(4): 461-72.
16206	Brueckner RP, Lasseter KC, Lin ET, et al (1998). First-time-in humans safety and pharmacokinetics of WR238605, a new antimalarial. <i>Am J Trop Med Hyg</i> , 58(5): 645-49.
54455	Brunner J, Parhofer KG, Schwandt P, et al (2002). Cholesterol, essential fatty acids, and suicide. <i>Pharmacopsychiatry</i> , 35(1): 1-5.
77931	Bruschi Kelles SM, Diniz MF, Machado CJ, et al (2014). Mortality rate after open roux-in-Y gastric bypass: a 10-year follow-up. <i>Braz J Med Biol Res</i> , 47(7): 617-25.
79952	Bryan CJ, Cukrowicz KC (2011). Associations between types of combat violence and the acquired capability for suicide. <i>Suicide Life Threat Behav</i> , 42(2): 126-36.
80090	Bryan CJ, Griffith JE, Pace BT, et al (2015). Combat exposure and risk for suicidal thoughts and behaviors among military personnel and veterans: a systematic review and meta-analysis. <i>Suicide Life Threat Behav</i> , 45(5): 633-49.
87733	Bryant RA, Waters E, Gibbs L, et al (2014). Psychological outcomes following Victorian Black Saturday bushfires. <i>Aust N Z J Psychiatry</i> , 48(7): 634-43.
81278	Bullman T, Schneiderman A, Bossarte R (2017). Suicide risk by unit component among veterans who served in Iraq or Afghanistan. <i>Arch Suicide Res</i> , 22(1): 1-10.
4172	Bullman TA, Kang HE (1994). Posttraumatic stress disorder and the risk of traumatic deaths among Vietnam veterans. <i>J Nerv Ment Dis</i> , 182(11): 604-10.
9341	Bullman TA, Kang HK (1996). The risk of suicide among wounded Vietnam veterans. <i>Am J Public Health</i> , 86(5): 662-7.
55080	Burless C, De Leo D (2001). Methodological issues in community surveys of suicide ideators and attempters. <i>Crisis</i> , 22(3): 108-24.
53678	Bursztein C, Apter A (2008). Adolescent suicide. <i>Curr Opin Psychiatry</i> , 22(1): 1-6.
52454	Butler T, Allnutt S, Kariminia A, (2007). Mental health status of Aboriginal and non-Aboriginal Australian prisoners. <i>Aust N Z J Psychiatry</i> , 41(5): 429-35.
1743	Caldwell CB, Gottesman II (1990). Schizophrenics kill themselves too: a review of risk factors for suicide. <i>Schizophr Bull</i> , 16(4): 571-89.
54034	Callreus T, Andersen UA, Hallas J, et al (2007). Cardiovascular drugs and the risk of suicide: a nested case-control study. <i>Eur J Clin Pharmacol</i> , 63(6): 591-6.

52675	Canetto SS (2008). Women and suicide behavior: A cultural analysis. <i>Am J Orthopsychiatry</i> , 78(2): 259-66.
78012	Cannon J, Fitzgerald B, Seed M, et al (2015). Occupational asthma from tafenoquine in the pharmaceutical industry: implications for QSAR. <i>Occup Med (Lond)</i> , 65(3): 256-8.
52999	Carballo JJ, Akamnonu CP, Oquendo MA (2008). Neurobiology of suicidal behavior. An integration of biological and clinical findings. <i>Arch Suicide Res</i> , 12(2): 93-110.
77795	Carlsten A, Waern M (2009). Are sedatives and hypnotics associated with increased suicide risk of suicide in the elderly? <i>BMC Geriatr</i> , 9: 20.
77569	Carpenter DJ, Fong R, Kraus JE, et al (2011). Meta-analysis of efficacy and treatment-emergent suicidality in adults by psychiatric indication and age subgroup following initiation of paroxetine therapy: a complete set of randomized placebo-controlled trials. <i>J Clin Psychiatry</i> , 72(11): 1503-14.
1758	Carpenter WT, Buchanan RW (1995). Schizophrenia: clinical features. In Kaplan and BJ Sadoch (Eds). <i>Comprehensive Textbook of Psychiatry</i> , 6th Edition, 1-14: 889-942. Williams and Wilkins, London.
77847	Carroll R, Metcalfe C, Gunnell D (2014). Hospital presenting self-harm and risk of fatal and non-fatal repetition: systematic review and meta-analysis. <i>PLoS One</i> , 9(2): e89944.
4175	Casey P R (1989). Personality disorder and suicide intent. <i>Acta Psychiatr Scand</i> , 79(3): 290-5.
54677	Cato JE, Canetto SS (2003). Young adults' reactions to gay and lesbian peers who became suicidal following "coming out" to their parents. <i>Suicide Life Threat Behav</i> , 33(2): 201-10.
54678	Cato JE, Canetto SS (2003). Attitudes and beliefs about suicidal behavior when coming out is the precipitant of the suicidal behavior. <i>Sex Roles</i> , 49(9-10): 497-505.
54051	Chan C, Shaw T (2009). Suicidality induced by steroid treatment. <i>Aust N Z J Psychiatry</i> , 43(5): 484-5.
53985	Cheah D, Schmitt G, Pridmore S (2008). Suicide, misappropriation and impulsivity. <i>Aust N Z J Psychiatry</i> , 42(6): 544-6.
87734	Chemtob CM, Nomura Y, Abramovitz RA (2008). Impact of conjoined exposure to the World Trade Center Attacks and to other traumatic events on the behavioral problems of preschool children. <i>Arch Pediatr Adolesc Med</i> , 162(2): 126-33.
104412	Chen D, Abrams M, Clark L, et al (2021). Psychosocial characteristics of transgender youth seeking gender-affirming medical treatment: baseline findings from the trans youth care study. <i>J Adolesc Health</i> , 68(6): 1104-11.
52466	Chen J, Dunne MP, Han P (2006). Child sexual abuse in Henan province, China: associations with sadness, suicidality, and risk behaviors among adolescent girls. <i>J Adolesc Health</i> , 38(5): 544-9.
69521	Chen LP, Murad MH, Paras ML, et al (2010). Sexual abuse and lifetime diagnosis of psychiatric disorders: systematic review and meta-analysis. <i>Mayo Clin Proc</i> , 85(7): 618-29.
1744	Cheng AT (1995). Mental illness and suicide: a case-control study from east Taiwan. <i>Arch Gen Psychiatry</i> , 52(7): 594-603.
54739	Cheng AT, Chen TH, Chen CC, (2000). Psychosocial and psychiatric risk factors for suicide. <i>Br J Psychiatry</i> , 177: 360-5.
54325	Cheung A (2009). [Comment] ACP Journal Club. Review: SSRIs are associated with increased risk for attempted or completed suicide in adolescents but not in adults or the elderly. <i>Ann Intern Med</i> , 150(12): JC6-13. Comment on ID: 54323.
52459	Cheung YB, Law CK, Chan B, et al (2006). Suicidal ideation and suicidal attempts in a population-based study of Chinese people: Risk attributable to hopelessness, depression, and social factors. <i>J Affect Disord</i> , 90(2-3): 193-9.

54730	Chia BH, Chia A, Tai BC (2008). Suicide letters in Singapore. <i>Arch Suicide Res</i> , 12(1): 74-81.
77602	Chou WJ, Liu TL, Hu HF, et al (2016). Suicidality and its relationships with individual, family, peer, and psychopathology factors among adolescents with attention-deficit/hyperactivity disorder. <i>Res Dev Disabil</i> , 53-54: 86-94.
48438	Choudary PV, Knowles JA (2008). Suicide and Impulsive Behaviour. <i>Textbook of Psychiatry</i> , 5th Edition, Part II, Chapter 6. American Psychiatric Publishing, Inc.
54205	Chowdhury AN, Banerjee S, Brahma A, et al (2007). Pesticide practices and suicide among farmers of the Sundarban region in India. <i>Food Nutr Bull</i> , 28(Suppl 2): S381-91.
77801	Christiansen E, Agerbo E, Bilenberg N, et al (2016). SSRIs and risk of suicide attempts in young people- a Danish observational register-based historical cohort study, using propensity score. <i>Nord J Psychiatry</i> , 70(3): 167-75.
52966	Cipriani A, Pretty H, Hawton K, et al (2005). Lithium in the prevention of suicidal behavior and all-cause mortality in patients with mood disorders: a systematic review of randomised trials. <i>Am J Psychiatry</i> , 162(10): 1805-19.
52450	Clarke DE, Colantonio A, Rhodes AE, et al (2008). Pathways to suicidality across ethnic groups in Canadian adults: the possible role of social stress. <i>Psychol Med</i> , 38(3): 419-31.
52160	Clarke VA, Frankish CJ, Green LW (1997). Understanding suicide among indigenous adolescents: a review using the PRECEDE model. <i>Inj Prev</i> , 3(2): 126-34.
52665	Clayton PJ (1985). Suicide. <i>Psychiatr Clin North Am</i> , 8(2): 203-14.
9664	Cohen BM, Cooper MZ (1954). A Follow-up Study of World War II Prisoners Of War, US VA Medical Monograph, US Government Printing Office.
54682	Cole DA, Martin JM, Powers B, et al (1996). Modelling causal relations between academic and social competence and depression: a multitrait-multimethod longitudinal study of children. <i>J Abnorm Psychol</i> , 105(2): 258-70.
52156	Colucci E, Martin G (2007). Ethnocultural aspects of suicide in young people: a systematic literature review part 2: risk factors, precipitating agents, and attitudes toward suicide. <i>Suicide Life Threat Behav</i> , 37(2): 222-37.
85892	Compton S, Levy P, Griffin M, et al (2011). Family-witnessed resuscitation: Bereavement outcomes in an urban environment. <i>J Palliat Med</i> , 14(6): 715-21.
54693	Conaghan S, Davidson KM (2002). Hopelessness and the anticipation of positive and negative future experiences in older parasuicidal adults. <i>Br J Clin Psychol</i> , 41(Pt 3): 233-42.
52464	Consolacion TB, Russell ST, Sue S (2004). Sex, race/ethnicity, and romantic attractions: multiple minority status adolescents and mental health. <i>Cultur Divers Ethnic Minor Psychol</i> , 10(3): 200-14.
79754	Coope C, Donovan J, Wilson C, et al (2015). Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010-2011): a review of coroners' records. <i>J Affect Disord</i> , 183: 98-105.
54741	Cooper J, Kapur N, Webb R, et al (2005). Suicide after deliberate self-harm: a 4-year cohort study. <i>Am J Psychiatry</i> , 162(2): 297-303.
4186	Coryell W, Noyes R, House JD (1986). Mortality among outpatients with anxiety disorders. <i>Am J Psychiatry</i> , 143(4): 508-10.
4188	Coryell W, Noyes R, Clancy J (1982). Excess mortality in panic disorder: A comparison with primary unipolar depression. <i>Arch Gen Psychiatry</i> , 39(6): 701-3.

77613	Coupland C, Hill T, Morriss R, et al (2015). Antidepressant use and risk of suicide and attempted suicide or self harm in people aged 20 to 64: cohort study using a primary care database. <i>BMJ</i> , 350: h517.
77615	Coupland CA, Dhiman P, Barton G, et al (2011). A study of the safety and harms of antidepressant drugs for older people: a cohort study using a large primary care database. <i>Health Technol Assess</i> , 15(28): 1-202.
4187	Cox BJ, Direnfeld DM, Swinson RP, et al (1994). Suicidal ideation and suicide attempts in panic disorder and social phobia. <i>Am J Psychiatry</i> , 151(6): 882-7.
54015	Crombie IK (2001). [Comment] An interesting finding, but what does it mean? <i>BMJ</i> , 323: 5.
55079	Crow SJ, Peterson CB, Swanson SA, et al (2009). Increased mortality in bulimia nervosa and other eating disorders. <i>Am J Psychiatry</i> , 166(12): 1342-6.
4169	Crumley FE (1989). PTSD and suicide attempts by adolescents. <i>Am J Psychiatry</i> , 146(4): 558.
84177	Cukor J, Wyka K, Jayasinghe N, et al (2011). Prevalence and predictors of posttraumatic stress symptoms in utility workers deployed to the World Trade Center following the attacks of September 11, 2001. <i>Depress Anxiety</i> , 28(3): 210-7.
77479	Cunningham FE, Hur K, Dong D, et al (2016). A comparison of neuropsychiatric adverse events during early treatment with varenicline or a nicotine patch. <i>Addiction</i> , 111(7): 1283-92.
77475	Czabanski A, Lester D (2013). Suicide among Polish officers during World War II in Oflag II-C Woldenberg. <i>Psychol Rep</i> , 112(3): 727-31.
54675	Dahlen ER, Canetto SS (2002). The role of gender and suicide precipitant in attitudes toward nonfatal suicidal behavior. <i>Death Stud</i> , 26(2): 99-116.
85911	Dai W, Chen L, Lai Z, et al (2016). The incidence of post-traumatic stress disorder among survivors after earthquakes: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 16: 188.
54681	Daniel AE, Fleming J (2005). Serious suicide attempts in a state correctional system and strategies to prevent suicide. <i>J Psychiatry Law</i> , 33: 227-47.
54267	Darke S, Kaye S, McKetin R, (2008). Major physical and psychological harms of methamphetamine use. <i>Drug Alcohol Rev</i> , 27(3): 253-62.
4171	Davidson JR, Hughes D, Blazer DG, et al (1991). Post-traumatic stress disorder in the community: An epidemiological study. <i>Psychol Med</i> , 21(3): 713-21.
1745	Davis AT, Kosky RJ (1991). Attempted suicide in Adelaide and Perth: changing rates for males and females, 1971-1987. <i>Med J Aust</i> , 154(10): 666-70.
79752	Davison EH, Kaiser AP, Spiro A, et al (2016). From late-onset stress symptomatology to later-adulthood trauma reengagement in aging combat veterans: taking a broader view. <i>Gerontologist</i> , 56(1): 14-21.
102462	de Blok CJ, Wiepjes CM, van Velzen DM, et al (2021). Mortality trends over five decades in adult transgender people receiving hormone treatment: a report from the Amsterdam cohort of gender dysphoria. <i>Lancet Diabetes Endocrinol</i> , 9(10): 663-70.
54010	De Filippis S, Erbuto D, Gentili F, et al (2008). Mental turmoil, suicide risk, illness perception, and temperament, and their impact on quality of life in chronic daily headache. <i>J Headache Pain</i> , 9(6): 349-57.
54684	De Leo D (1996). Dementia, insight, and suicidal behavior. <i>Crisis</i> , 17(4): 147-8.
54687	De Leo D, Hickey PA, Meneghel G, et al (1999). Blindness, fear of sight loss, and suicide. <i>Psychosomatics</i> , 40(4): 339-44.
54831	De Leo D, Pellegrini C, Serraiotto L (1986). Adjustment disorders and suicidality. <i>Psychol Rep</i> , 59(2 Pt 1): 355-8.

52150	De Leo D, Spathonis K (2003). Suicide and euthanasia in late life. <i>Aging Clin Exp Res</i> , 15(2): 99-110.
77472	de Oliveira Ribeiro NP, de Mello Schier AR, Ornelas AC, et al (2013). Anxiety, depression and suicidal ideation in patients with rheumatoid arthritis in use of methotrexate, hydroxychloroquine, leflunomide and biological drugs. <i>Compr Psychiatry</i> , 54(8): 1185-9.
54049	Degenhardt L, Hall W, Warner-Smith M (2006). Using cohort studies to estimate mortality among injecting drug users that is not attributable to AIDS. <i>Sex Transm Infect</i> , 82(Suppl 3): iii56-63.
54742	Department of Health and Ageing (2007). Life. Research and evidence in suicide prevention. Retrieved 12 November 2009, from http://www.livingisforeveryone.com.au
77693	Devries KM, Mak JY, Child JC, et al (2014). Childhood sexual abuse and suicidal behavior a meta-analysis. <i>Pediatrics</i> , 133(5): e1331-44.
54720	Dharmani C, Jaga K (2005). Epidemiology of acute organophosphate poisoning in hospital emergency room patients. <i>Rev Environ Health</i> , 20(3): 215-32.
1747	Diekstra RF, Garnefski N (1995). On the nature, magnitude, and causality of suicidal behaviors: an international perspective. <i>Suicide Life Threat Behav</i> , 25(1): 36-57.
1748	Diekstra RF, Gulbinat W (1993). The epidemiology of suicidal behaviour: a review of three continents. <i>World Health Stat Q</i> , 46(1): 52-68.
53450	Dieperink E, Ho SB, Tetrack L, et al (2004). Suicidal ideation during interferon-a2b and ribavirin treatment of patients with chronic hepatitis C. <i>Gen Hosp Psychiatry</i> , 26(3): 237-40.
54322	Dieperink E, Ho SB, Thuras P, et al (2003). A prospective study of neuropsychiatric symptoms associated with interferon-a-2b and ribavirin therapy for patients with chronic hepatitis C. <i>Psychosomatics</i> , 44(2): 104-12.
53475	Dilsaver SC, Benazzi F, Akiskal KK, et al (2008). Differential patterns of lifetime multiple anxiety disorder comorbidity between Latino adults with bipolar I and major depressive disorders. <i>Bull Menninger Clin</i> , 72(2): 130-48.
4174	Dilsaver SC, Chen YW, Swann AC, et al (1994). Suicidality in patients with pure and depressive mania. <i>Am J Psychiatry</i> , 151(9): 1312-5.
77929	Dixon JB (2016). Self-harm and suicide after bariatric surgery: time for action. <i>Lancet Diabetes Endocrinol</i> , 4(3): 199-200.
85912	Dobashi K, Nagamine M, Shigemura J, et al (2014). Psychological effects of disaster relief activities on Japan ground self-defense force personnel following the 2011 great east Japan earthquake. <i>Psychiatry</i> , 77(2): 190-9.
77367	Dobry Y, Dolores M, Sher B, et al (2013). Bullying, psychiatric pathology and suicidal behavior. <i>Int J Adolesc Med Health</i> , 25(3): 295-9.
54767	Duberstein PR, Conwell Y, Conner KR, et al (2004). Suicide at 50 years of age and older: perceived physical illness, family discord and financial strain. <i>Psychol Med</i> , 34(1): 137-46.
54294	Dunt D (2009). Independent study into suicide in the ex-service community. Retrieved 25 September 2009, from www.dva.gov.au
52152	Eastwood MR, Peacocke JE (1975). Suicide, diagnosis and age. <i>Can Psychiatr Assoc J</i> , 20(6): 447-9.
54208	Eddleston M (2008). [Comment] The pathophysiology of organophosphorus pesticide self-poisoning is not so simple. <i>Neth J Med</i> , 66(4): 146-8. Comment on ID: 54207.
54005	Edwards RR, Smith MT, Kudel I, et al (2006). Pain-related catastrophizing as a risk factor for suicidal ideation in chronic pain. <i>Pain</i> , 126(1-3): 272-9.
53726	Eisenberg ME, Neumark-Sztainer D, Story M (2003). Associations of weight-based teasing and emotional well-being among adolescents. <i>Arch Pediatr Adolesc Med</i> , 157(8): 733-8.

85881	Elkliit A, Kurdahl S (2013). The psychological reactions after witnessing a killing in public in a Danish high school. <i>Eur J Psychotraumatol</i> , 4.
78018	Elmes NJ, Nasveld PE, Kitchener SJ, et al (2008). The efficacy and tolerability of three different regimens of tafenoquine versus primaquine for post-exposure prophylaxis of plasmodium vivax malaria in the southwest pacific. <i>Trans R Soc Trop Med Hyg</i> , 102(11): 1095-101.
79647	Engel CC (2013). Suicide, mental disorders, and the US military: Time to focus on mental health service delivery. <i>JAMA</i> , 310(5): 484-5.
86474	Epstein RS, Fullerton CS, Ursano RJ (1998). Posttraumatic stress disorder following an air disaster: a prospective study. <i>Am J Psychiatry</i> , 155(7): 934-8.
77763	Erlangsen A, Stenager E, Conwell Y (2015). Physical diseases as predictors of suicide in older adults: a nationwide, register-based cohort study. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 50(9): 1427-39.
77372	Espelage DL, Holt MK (2013). Suicidal ideation and school bullying experiences after controlling for depression and delinquency. <i>J Adolesc Health</i> , 53(1 Suppl): S27-31.
85904	Espie E, Gaboulaud V, Baubet V, et al (2009). Trauma-related psychological disorders among Palestinian children and adults in Gaza and West Bank, 2005-2008. <i>Int J Ment Health Syst</i> , 3(1): 21.
52674	Evans DL (1982). Explaining suicide among the young: An analytical review of the literature. <i>J Psychosoc Nurs Ment Health Serv</i> , 20(8): 9-16.
52677	Evans E, Hawton K, Rodham K, et al (2005). The prevalence of suicidal phenomena in adolescents: A systemic review of population-based studies. <i>Suicide Life Threat Behav</i> , 35(3): 239-50.
77609	Fang F, Keating NL, Mucci LA, et al (2010). Immediate risk of suicide and cardiovascular death after a prostate cancer diagnosis: cohort study in the United States. <i>J Natl Can Inst</i> , 102(5): 307-14.
52441	Fanous AH, Prescott CA, Kendler KS (2004). The prediction of thoughts of death or self-harm in a population-based sample of female twins. <i>Psychol Med</i> , 34(2): 301-12.
4168	Farberow NL, Kang HK, Bullman TA (1990). Combat experience and postservice psychosocial status as predictors of suicide in Vietnam veterans. <i>J Nerv Ment Dis</i> , 178(1): 32-7.
76956	Fardet L, Petersen I, Nazareth I (2012). Suicidal behavior and severe neuropsychiatric disorders following glucocorticoid therapy in primary care. <i>Am J Psychiatry</i> , 169(5): 491-7.
52161	Farrer LA (1986). Suicide and attempted suicide in Huntington disease: implications for preclinical testing of persons at risk. <i>Am J Med Genet</i> , 24(2): 305-11.
77373	Fassberg MM, van Orden KA, Duberstein P, et al (2012). A systematic review of social factors and suicidal behavior in older adulthood. <i>Int J Environ Res Public Health</i> , 9(3): 722-45.
52443	Fathelrahman AI, Ab Rahman AF, Mohd Zain Z (2008). Self-poisoning by drugs and chemicals: variations in demographics, associated factors and final outcomes. <i>Gen Hosp Psychiatry</i> , 30(5): 467-70.
52151	Fazel S, Cartwright J, Norman-Nott A, et al (2008). Suicide in prisoners: a systematic review of risk factors. <i>J Clin Psychiatry</i> , 69(11): 1721-31.
77618	Fazel S, Wolf A, Pillas D, et al (2014). Suicide, fatal injuries, and other causes of premature mortality in patients with traumatic brain injury: a 41-year Swedish population study. <i>JAMA Psychiatry</i> , 71(3): 326-33.
54217	FDA (2004). Drugs. Suicidality in children and adolescents being treated with antidepressant medications. Retrieved 15 September 2009, from http://www.fda.gov/Drugs/DrugSafety/PublicHealthAdvisories/ucm161679.htm
54218	FDA (2009). Drugs. Strattera. Public health advisory - suicidal thinking in children and adolescents being treated with Strattera (atomoxetine).

	Retrieved 21 September 2009, from http://www.fda.gov/Drugs/DrugSafety/PublicHealthAdvisories/ucm051733.htm
77979	FDA (2013). FDA Drug Safety Communication: FDA approves label changes for antimalarial drug mefloquine hydrochloride due to risk of serious psychiatric and nerve side effects. Retrieved 15 April 2016, from http://www.fda.gov/drugs/drugsafety/icm362227.htm
77928	FDA (2013). Information for healthcare professionals: atomoxetine (marketed as strattera). Retrieved 6 April 2016, from http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm124391.htm
77631	FDA (2014). Memorandum - overview of the October 16, 2014 joint meeting of the psychopharmacologic drugs advisory committee and drugs safety and risk management advisory committee meeting. FDA Briefing Document, 4-25.
77554	FDA Advisory Committee (2014). Executive Summary Only. Joint meeting of the psychopharmacologic drugs advisory committee and the drug safety and risk management advisory committee: risk of serious neuropsychiatric adverse events with chantix (varenicline tartrate). Pfizer.
54216	FDA U.S. Food and Drug Administration (2007). FDA proposes new warnings about suicidal thinking, behavior in young adults who take antidepressant medication. Retrieved 15 September 2009, from http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/2007/ucm108905.htm
54047	Fergusson DM, Horwood LJ, Beauvais AL (1999). Is sexual orientation related to mental health problems and suicidality in young people? <i>Arch Gen Psychiatry</i> , 56(10): 876-80.
87735	Fergusson DM, Horwood LJ, Boden JM, et al (2014). Impact of a major disaster on the mental health of a well-studied cohort. <i>JAMA Psychiatry</i> , 71(9): 1025-31.
85913	Ferry F, Bunting B, Murphy S, et al (2014). Traumatic events and their relative PTSD burden in Northern Ireland: a consideration of the impact of the 'Troubles'. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 49(3): 435-46.
77843	Finley EP, Bollinger M, Noel PH, et al (2015). A national cohort study of the association between the polytrauma clinical triad and suicide-related behavior among US veterans who served in Iraq and Afghanistan. <i>Am J Public Health</i> , 105(2): 380-7.
54203	Fishbain DA (1999). The association of chronic pain and suicide. <i>Semin Clin Neuropsychiatry</i> , 4(3): 221-7.
77555	Fishbain DA, Bruns D, Meyer LJ, et al (2012). Exploration of the relationship between disability perception, preference for death over disability, and suicidality in patients with acute and chronic pain. <i>Pain Med</i> , 13(4): 552-61.
54014	Fishbain DA, Bruns D, Disorbio JM, et al (2009). Risk for five forms of suicidality in acute pain patients and chronic pain patients vs pain-free community controls. <i>Pain Med</i> , 10(6): 1095-105.
54013	Fishbain DA, Lewis JE, Gao J, et al (2009). Are chronic low back pain patients who smoke at greater risk for suicide ideation? <i>Pain Med</i> , 10(2): 340-6.
77556	Fishbain DA, Lewis JE, Gao J (2014). The pain suicidality association: a narrative review. <i>Pain Med</i> , 15(11): 1835-49.
11032	Fitzgerald LF (1993). Sexual harassment. Violence against women in the workplace. <i>Am Psychol</i> , 48(10): 1070-6.
54285	Fleischmann A, Bertolote JM, Belfer M, et al (2005). Completed suicide and psychiatric diagnoses in young people: a critical examination of the evidence. <i>Am J Orthopsychiatry</i> , 75(4): 676-83.
77610	Flensburg-Madsen T, Knop J, Mortensen EL, et al (2009). Alcohol use disorders increase the risk of completed suicide- irrespective of other

	psychiatric disorders. A longitudinal cohort study. <i>Psychiatry Res</i> , 167(1-2): 123-30.
1751	Fontana A, Rosenheck R (1995). Attempted suicide among Vietnam veterans: a model of etiology in a community sample. <i>Am J Psychiatry</i> , 152(1): 102-9.
4173	Fontana A, Rosenheck R (1995). An etiological model of attempted suicide among Vietnam theater veterans: Prospective generalization to a treatment-seeking sample. <i>J Nerv Ment Dis</i> , 183(6): 377-83.
83048	Foreign Affairs, Defence and Trade References Committee (2017). <i>The Constant Battle: Suicide by Veterans</i> . Commonwealth of Australia.
52670	Fortuna LR, Perez DJ, Canino G, et al (2007). Prevalence and correlates of lifetime suicidal ideation and suicide attempts among Latino subgroups in the United States. <i>J Clin Psychiatry</i> , 68(4): 572-81.
72582	Fragoso YD, Frota ER, Lopes JS et al (2010). Severe depression, suicide attempts and ideation during the use of interferon beta by patients with multiple sclerosis. <i>Clin Neuropharmacol</i> , 33(6): 312-6.
77842	Fralick M, Thiruchelvam D, Tien HC, et al (2016). Risk of suicide after a concussion. <i>CMAJ</i> , 188(7): 497-504.
34537	Frans O, Rimmo PA, Aberg L, et al (2005). Trauma exposure and post-traumatic stress disorder in the general population. <i>Acta Psychiatr Scand</i> , 111(4): 291-9.
53997	Fraser CE, Smith KB, Judd F, et al (2005). Farming and mental health problems and mental illness. <i>Int J Soc Psychiatry</i> , 51(4): 340-9.
13054	Freed G, Stringer PB (1968). Comparative mortality experience 1946-1963 among former Australian prisoners of war of the Japanese. <i>Medical Research Bulletin</i> , No 2. Central Medical Research Advisory Committee.
87736	Fremont WP (2004). Childhood reactions to terrorism-induced trauma: A review of the past 10 years. <i>J Am Acad Child Adolesc Psychiatry</i> , 43(4): 381-92.
49920	Friedman H (1997). [Comment] Spinal cord injury questions. <i>Mil Med</i> , 162(5): iii-iv.
54830	Friedman M, Glasser M, Laufer E, et al (1972). Attempted suicide and self-mutilation in adolescence: some observations from a psychoanalytic research project. <i>Int J Psychoanal</i> , 53(2): 179-83.
83834	Friedman MJ (2015). Risk factors for suicide among army personnel. <i>JAMA</i> , 313(11): 1154-5.
53685	Friedman RC (1999). [Comment] Homosexuality, psychopathology, and suicidality. <i>Arch Gen Psychiatry</i> , 56(10): 887-8. Comment on ID: 53682.
4180	Friedman RC, Aronoff MS, Clarkin JF, et al (1983). History of suicidal behaviour in depressed borderline inpatients. <i>Am J Psychiatry</i> , 140(8): 1023-6.
4200	Friedman S, Jones JC, Cherner L, et al (1992). Suicidal ideation and suicide attempts among patients with panic disorder: A survey of two outpatients clinics. <i>Am J Psychiatry</i> , 149(5): 680-5.
53503	Frisman LK, Griffin-Fennell F (2009). [Comment] Suicide and incarcerated veterans - don't wait for the numbers. <i>J Am Acad Psychiatry Law</i> , 37(1): 92-4. Comment on ID: 53500.
4179	Fryer MR, Frances AJ, Sullivan T, et al (1988). Suicide attempts in patients with borderline personality disorder. <i>Am J Psychiatry</i> , 145(6): 737-9.
53995	Fuller JD, Kelly B, Law S, et al (2009). Service network analysis for agricultural mental health. <i>BMC Health Serv Res</i> , 9: 87.
69181	Fullerton CS, Ursano RJ, Reeves J, et al (2006). Perceived safety in disaster workers following 9/11. <i>J Nerv Ment Dis</i> , 194(1): 61-3.
52664	Galanter M, Castaneda R (1985). Self-destructive behavior in the substance abuser. <i>Psychiatr Clin N Am</i> , 8(2): 251-61.

21879	Gale CR, Braidwood EA, Winter PD, et al (1999). Mortality from Parkinson's disease and other causes in men who were prisoners of war in the Far East. <i>Lancet</i> , 354(9196): 2116-8.
53993	Gallagher LM, Kliem C, Beautrais AL, et al (2008). Suicide and occupation in New Zealand, 2001-2005. <i>Int J Occup Environ Health</i> , 14(1): 45-50.
1752	Gallerani M, Manfredini R, Caracciolo S, et al (1995). Serum cholesterol concentrations in parasuicide. <i>BMJ</i> , 310(6995): 1632-6.
102467	Garcia-Vega E, Camero A, Fernandez M, et al (2018). Suicidal ideation and suicide attempts in persons with gender dysphoria. <i>Psicothema</i> , 30(3): 283-8.
52662	Gardner DL, Cowdry RW (1985). Suicidal and parasuicidal behaviour in borderline personality disorder. <i>Psychiatr Clin North Am</i> , 8(2): 389-403.
48437	Garlow SJ, Purselle D, D'orio B (2008). Nonpharmacological Psychiatric Emergencies. <i>Essentials of Clinical Psychopharmacology</i> , Second Edition, Chapter 41. American Psychiatric Publishing, Inc.
54024	Geddes JR, Barbui C, Cipriani A (2009). Risk of suicidal behaviour in adults taking antidepressants. <i>BMJ</i> , 339: 411-2.
45829	Gerson J, Stanley B (2002). Suicidal and self-injurious behavior in personality disorder: controversies and treatment directions. <i>Curr Psychiatry Rep</i> , 4(1): 30-8.
78035	Geulayov G, Gunnell D, Holmen TL, et al (2012). The association of parental fatal and non-fatal suicidal behaviour with offspring suicidal behaviour and depression: a systematic review and meta-analysis. <i>Psychol Med</i> , 42(8): 1567-80.
77486	Ghaemi SN, Vohringer PA, Whitham EA (2013). Antidepressants from a public health perspective: re-examining effectiveness, suicide, and carcinogenicity. <i>Acta Psychiatr Scan</i> , 127(2): 89-93.
54324	Gibbons R, Mann JJ (2009). [Comment] Proper studies of selective serotonin reuptake inhibitors are needed for youth with depression. <i>CMAJ</i> , 180(3): 270-1. Comment on ID: 54323.
77557	Gibbons RD, Mann JJ (2013). Varenicline, smoking cessation and neuropsychiatric adverse events. <i>Am J Psychiatry</i> , 170(12): 1460-7.
77597	Glasheen C, Pemberton MR, Lipari R, et al (2015). Binge drinking and the risk of suicidal thoughts, plans, and attempts. <i>Addict Behav</i> , 43: 42-9.
78062	Gnanarai P, Karthikevan S, Narasimhan M, et al (2015). Decrease in "Hamilton rating scale for depression" following isotretinoin therapy in acne: an open-label prospective study. <i>Indian J Dermatol</i> , 60(5): 461-4.
54031	Goeb JL, Even C, Nicolas G, et al (2006). Psychiatric side effects of interferon-B in multiple sclerosis. <i>Eur Psychiatry</i> , 21(3): 186-93.
11033	Golding JM (1994). Sexual assault history and physical health in randomly selected Los Angeles women. <i>Health Psychol</i> , 13(4): 130-8.
77766	Goldston DB, Daniel SS, Erkanli A, et al (2009). Psychiatric diagnoses as contemporaneous risk factors for suicide attempts among adolescents and young adults: developmental changes. <i>J Consult Clin Psychol</i> , 77(2): 281-90.
1753	Golier JA, Marzuk PM, Leon AC, et al (1995). Low serum cholesterol level and attempted suicide. <i>Am J Psychiatry</i> , 152(3): 419-23.
77558	Gordon M, Melvin G (2013). Selective serotonin re-uptake inhibitors: a review of the side effects in adolescents. <i>Aust Fam Physician</i> , 42(9): 620-3.
77559	Gorton HC, Webb RT, Kapur N, et al (2016). Non-psychotropic medication and risk of suicide or attempted suicide a systematic review. <i>BMJ Open</i> , 6(1): e009074.
77605	Gradus JL, Antonson S, Svensson E, et al (2015). Trauma, comorbidity, and mortality following diagnoses of severe stress and adjustment disorders: a nationwide cohort study. <i>Am J Epidemiol</i> , 182(5): 451-8.
77619	Gradus JL, Qin P, Lincoln AK, et al (2010). Acute stress reaction and completed suicide. <i>Int J Epidemiol</i> , 39(6): 1478-84.

9565	Green BL (1990). Defining trauma: terminology and generic stressor dimensions. <i>J Appl Soc Psychol</i> , 20(20): 1632-42.
78013	Green JA, Patel AK, Patel BR, et al (2014). Tafenoquine at therapeutic concentrations does not prolong fridericia-corrected QT interval in healthy subjects. <i>J Clin Pharmacol</i> , 54(9): 995-1005.
85636	Gross R, Neria Y, Tao XG, et al (2006). Posttraumatic stress disorder and other psychological sequelae among World Trade Center clean up and recovery workers. <i>Ann N Y Acad Sci</i> , 1071: 495-9.
52159	Grossman D (1997). [Comment] Watching the canary: the prevention of suicide. <i>Inj Prev</i> , 3(2): 74-7.
52149	Groves SA, Stanley BH, Sher L (2007). Ethnicity and the relationship between adolescent alcohol use and suicidal behaviour. <i>Int J Adolesc Med Health</i> , 19(1): 19-25.
77129	Grupp D, Froscher RW (1994). (article in German) Neuropsychiatrische storungen nach malariprophylaxe mit mefloquine. Eng - Neuropsychiatric disturbances after malaria prophylaxis with mefloquine. <i>Akt Neurol</i> , 21: 134-6.
8785	Guest CS, Venn AJ (1992). Mortality of former prisoners of war and other Australian veterans. <i>Med J Aust</i> , 157(2): 132-5.
87737	Guina J, Welton RS, Broderick PJ, et al (2016). DSM-5 criteria and its implications for diagnosing PTSD in military service members and veterans. <i>Curr Psychiatry Rep</i> , 18(43): s11920.
77982	Gulgin M-B, Li J, Pedersen HS, et al (2015). Incidence of suicide among persons who had a parent who died during their childhood: a population-based cohort study. <i>JAMA Psychiatry</i> , 72(12): 1227-34.
53687	Gutierrez PM, Brenner LA, Huggins JA (2008). A preliminary investigation of suicidality in psychiatrically hospitalized veterans with traumatic brain injury. <i>Arch Suicide Res</i> , 12(4): 336-43.
78021	Hale BR, Owusu-Agyei S, Fryauff DJ, et al (2003). A randomized, double-blind, placebo-controlled, dose-ranging trial of tafenoquine for weekly prophylaxis against plasmodium falciparum. <i>Clin Infect Dis</i> , 36(5): 541-9.
9449	Hall RC, Malone PT (1976). Psychiatric effects of prolonged Asian captivity: A two-year follow-up. <i>Am J Psychiatry</i> , 133(7): 786-90.
39810	Hammad TA, Laughren TP, Racoosin JA (2006). Suicide rates in short-term randomized controlled trials of newer antidepressants. <i>J Clin Psychopharmacol</i> , 26(2): 203-7.
11034	Hampton H (1995). Care of the woman who has been raped. <i>N Engl J Med</i> , 332(4): 234-7.
79679	Handley TE, Inder KJ, Key-Lambkin FJ, et al (2012). Contributors to suicidality in rural communities beyond the effects of depression. <i>BMC Psychiatry</i> , 12: 105.
54572	Harrison JE, Pointer S, Elnour AA (2009). A review of suicide statistics in Australia. <i>Injury Research and Statistics Series</i> , Number 49. Australian Institute of Health and Welfare, Canberra.
84414	Hatton AT (2011). The experience of witnessing a stranger's suicide. <i>Dissertation Abstracts International: Section B: The Sciences and Engineering</i> , 74, 1-B {E}: 1-24.
49088	Haukka J, Tiihonen J, Harkanen T, et al (2008). Association between medication and risk of suicide, attempted suicide and death in nationwide cohort of suicidal patients with schizophrenia. <i>Pharmacoepidemiol Drug Saf</i> , 17(7): 686-96.
54500	Hawgood J, De Leo D (2008). Anxiety disorders and suicidal behaviour: an update. <i>Curr Opin Psychiatry</i> , 21(1): 51-64.
73336	Hawthorne G, Korn S, Creamer M (2014). Australian peacekeepers: Long-term mental health status, health service use, and quality of life. Technical Report. Australian Centre for Posttraumatic Mental Health, Department of Psychiatry, The University of Melbourne.

73351	Hawthorne G, Korn S, Creamer M (2014). Australian peacekeepers: Long-term mental health status, health service use, and quality of life. Summary Report. Australian Centre for Posttraumatic Mental Health, Department of Psychiatry, The University of Melbourne.
1754	Hawton K, Fagg J (1988). Suicide, and other causes of death, following attempted suicide. <i>Br J Psychiatry</i> , 152: 359-66.
1755	Hawton K, Fagg J, Platt S, et al (1993). Factors associated with suicide after parasuicide in young people. <i>BMJ</i> , 306(6893): 1641-4.
54738	Hawton K, Harriss L (2006). Deliberate self-harm in people ages 60 years and over: characteristics and outcome of a 20-year cohort. <i>Int J Geriatr Psychiatry</i> , 21(6): 571-81.
54685	Hayes LM (2001). Jail suicide risk despite denial (or: when actions speak louder than words). <i>Crisis</i> , 22(1): 7-9.
54018	Healy D, Whitaker C (2003). Antidepressants and suicide: risk-benefit conundrums. <i>J Psychiatry Neurosci</i> , 28(5): 331-7.
77560	Hejri SM, Faizi M, Babaeian M (2013). Zolpidem-induced suicide attempt: a case report. <i>DARU</i> , 21(1): 77.
54727	Heller TS, Hawgood JL, De Leo D (2007). Correlates of suicide in building industry workers. <i>Arch Suicide Res</i> , 11(1): 105-17.
4170	Hendin H, Haas A P (1991). Suicide and guilt as manifestations of PTSD in Vietnam combat veterans. <i>Am J Psychiatry</i> , 148(5): 586-91.
83743	Hepinstall E, Sethna V, Taylor E (2004). PTSD and depression in refugee children: associations with pre-migration trauma and post-migration stress. <i>Eur Child Adolesc Psychiatry</i> , 13(6): 373-80.
53682	Herrell R, Goldberg J, True WR, et al (1999). Sexual orientation and suicidality. A co-twin control study in adult men. <i>Arch Gen Psychiatry</i> , 56(10): 867-74.
77723	Hesdorffer DC, Ishihara L, Webb DJ (2016). Occurrence and recurrence of attempted suicide among people with epilepsy. <i>JAMA Psychiatry</i> , 73(1): 80-6.
54026	Hesdorffer DC, Kanner AM (2009). The FDA alert of suicidality and antiepileptic drugs: fire or false alarm? <i>Epilepsia</i> , 50(5): 978-86.
77616	Hetrick S (2016). Monitoring of suicide risk throughout the course of treatment with antidepressants for depression is required, but vigilance is required for those on some particular antidepressant agents. <i>Evid Based Ment Health</i> , 18(3): 86.
77815	Hetrick SE, McKenzie JE, Cox GR, et al (2012). Newer generation antidepressants for depressive disorders in children and adolescents (review). <i>Cochrane Database of Systematic Reviews</i> , (11): CD004851.
54809	Hierholzer R (2001). Suicide in dementia: case studies of failure as a risk factor. <i>Clinical Gerontologist</i> , 24(1-2): 159-63.
54692	Hill RD, Gallagher D, Thompson LW, et al (1988). Hopelessness as a measure of suicidal intent in the depressed elderly. <i>Psychol Aging</i> , 3(3): 230-2.
54688	Hine TJ, Pitchford NJ, et al (2000). [Comments] Blindness and high suicide risk? <i>Psychosomatics</i> , 41(4): 370-1. Comments on ID: 54687.
77848	Holla S, Amberkar MB, Bhandarypanambur R, et al (2015). Cycloserine induced late onset psychosis and ethambutol induced peripheral neuropathy associated with MDR-TB treatment in an Indian patient- a rare case report. <i>J Clin Diagn Res</i> , 9(2): FD01-3.
77374	Holt MK, Vivolo-Kantor AM, Polanin JR, et al (2015). Bullying and suicidal ideation and behaviors: a meta-analysis. <i>Pediatrics</i> , 135(2): e496-e509.
77476	Hooley JM, Franklin JC, Nock MK (2014). Chronic pain and suicide: understanding the association. <i>Curr Pain Headache Rep</i> , 18(8): 435.
4182	Hornig CD, McNally RJ (1995). Panic disorder and suicide attempt: A reanalysis of data from the epidemiologic catchment area study. <i>Br J Psychiatry</i> , 167(1): 76-9.

75017	Hoshiai M, Matsumoto Y, Sato T, et al (2010). Psychiatric comorbidity among patients with gender identity disorder. <i>Psychiatry Clin Neurosci</i> , 64(5): 514-9.
85400	Huang J, Liu Q, Li X, et al (2013). Post-traumatic stress disorder status in a rescue group after the Wenchuan earthquake relief. <i>Neural Regen Res</i> , 8(20): 1898-906.
4193	Hughes M (1994). Cholesterol and violent death: Diets, violence and civilisation. <i>BMJ</i> , 309(6963): 1228.
52158	Hunter E, Harvey D (2002). Indigenous suicide in Australia, New Zealand, Canada and the United States. <i>Emerg Med (Fremantle)</i> , 14(1): 14-23.
52162	Huong TT, Szentesi I, Czeizel A (1988). Lower prevalence of chromosome aberrations and SCEs in self-poisoned pregnant women. <i>Mutat Res</i> , 198(1): 255-9.
87738	Ikeda A, Tanigawa T, Charvat H, et al (2017). Longitudinal effects of disaster-related experiences on mental health among Fukushima nuclear plant workers: The Fukushima NEWS project study. <i>Psychol Med</i> , 47(11): 1936-46.
71886	Ikin JF, McKenzie DP, Creamer MC et al (2005). War zone stress without direct combat: the Australian naval experience of the Gulf War. <i>J Trauma Stress</i> , 18(3): 193-204.
32984	Ikin JF, Sim MR, Creamer MC, et al (2004). War-related psychological stressors and risk of psychological disorders in Australian veterans of the 1991 Gulf War. <i>Br J Psychiatry</i> , 185: 116-26.
77826	Ilgen MA, Bohnert AS, Ganoczy D, et al (2016). Opioid dose and risk of suicide. <i>Pain</i> , 157(5): 1079-84.
54012	Ilgen MA, Zivin K, McCammon RJ, et al (2008). Pain and suicidal thoughts, plans and attempts in the United States. <i>Gen Hosp Psychiatry</i> , 30(6): 521-7.
77604	Impey M, Heun R (2012). Completed suicide, ideation and attempt in attention deficit hyperactivity disorder. <i>Acta Psychiatr Scand</i> , 125(2): 93-102.
54683	Ingoldsby EM, Kohl GO, McMahon RJ, et al (2006). Conduct problems, depressive symptomatology and their co-occurring presentation in childhood as predictors of adjustment in early adolescence. <i>J Abnorm Child Psychol</i> , 34(5): 603-21.
54043	Inoue K (2009). [Comment] Significant correlation of the change in the divorce rate with the suicide rate in Japan from 1992 to 2004. <i>Am J Forensic Med Pathol</i> , 30(3): 311-2.
77849	Institute of Medicine (2008). Long-term consequences of traumatic brain injury. <i>Gulf War and Health</i> , Vol 7: 265-300. National Academies Press-Washington DC.
50832	Institute of Medicine of the National Academies (2008). Physiologic, Psychologic, and Psychosocial Effects of Deployment-Related Stress. <i>Gulf War and Health</i> , Volume 6. The National Academies Press, Washington, D.C.
73310	Irwig MS (2012). Depressive symptoms and suicidal thoughts among former users of finasteride with persistent sexual side effects. <i>J Clin Psychiatry</i> , 73(9): 1220-3.
11035	Isac M, Schneider S (1992). Some psychological reactions of rape victims. <i>Med Law</i> , 11(3-4): 303-8.
77375	Isometsa E (2014). Suicidal behaviour in mood disorders - who, when, and why? <i>Can J Psychiatry</i> , 59(3): 120-30.
53673	Ivarsson T, Broberg AG, Arvidsson T, et al (2005). Bullying in adolescence: psychiatric problems in victims and bullies as measured by the Youth Self Report (YSR) and the Depression Self-Rating Scale (DSRS). <i>Nord J Psychiatry</i> , 59(5): 365-73.

54578	Jablonska B, Lindberg L, Lindblad F, et al (2009). School performance and hospital admissions due to self-inflicted injury: a Swedish national cohort study. <i>Int J Epidemiol</i> , 38(5): 1134-41.
45597	Jacobs DG, Deutsch NL, Brewer M (2001). Suicide, depression, and isotretinoin: is there a causal link? <i>J Am Acad Dermatol</i> , 45(5): S168-75.
73105	Jacobson IG, Ryan MA, Hooper TI, et al (2008). Alcohol use and alcohol-related problems before and after military combat deployment. <i>JAMA</i> , 300(6): 663-75.
54206	Jaga K, Dharmani C (2007). The interrelation between organophosphate toxicity and the epidemiology of depression and suicide. <i>Rev Environ Health</i> , 22(1): 57-73.
78395	Jakobsen IS, Christiansen E (2011). Young people's risk of suicide attempts in relation to parental death: a population-based register study. <i>J Child Psychol Psychiatry</i> , 52(2): 176-83.
79751	Jakupcak M, Hoerster KD, Varra A, et al (2011). Hopelessness and suicidal ideation in Iraq and Afghanistan war veterans reporting subthreshold and threshold posttraumatic stress disorder. <i>J Nerv Ment Dis</i> , 199(4): 272-5.
71870	James LM, Van Kampen E, Miller RD et al (2013). Risk and protective factors associated with symptoms of post-traumatic stress, depression and alcohol misuse in OEF/OIF veterans. <i>Mil Med</i> , 178(2): 159-65.
54689	Jensen JG, Jensen BF, Arensman E, et al, (1999). Attempted suicide and major public holidays in Europe: findings from the WHO/EURO multicentre study on parasuicide. <i>Acta Psychiatr Scand</i> , 99(6): 412-8.
54019	Jepsen P, Johnsen SP, Sorensen HT (2003). Risk of suicide in users of cardiovascular drugs. A review of the epidemiological evidence. <i>Am J Cardiovasc Drugs</i> , 3(3): 163-7.
54038	Jick H, Hagberg KW, Egger P (2009). Rate of suicide in patients taking montelukast. <i>Pharmacotherapy</i> , 29(2): 165-6.
39278	Jick SS, Kremers HM, Vasilakis-Scaramozza C (2000). Isotretinoin use and risk of depression, psychotic symptoms, suicide, and attempted suicide. <i>Arch Dermatol</i> , 136(10): 1231-6.
52469	Joe S, Baser RE, Breeden G, et al (2006). Prevalence of and risk factors for lifetime suicide attempts among blacks in the United States. <i>JAMA</i> , 296(17): 2112-23.
52155	Joe S, Niedermeier DM (2008). Social work research on African Americans and suicidal behaviour: a systematic 25-year review. <i>Health Soc Work</i> , 33(4): 249-57.
1756	Johnson J, Weissman MM, Klerman GL (1990). Panic disorder, comorbidity, and suicide attempts. <i>Arch Gen Psychiatry</i> , 47(9): 805-8.
53999	Johnson JG, Cohen P, Kasen S, et al (2002). Eating disorders during adolescence and the risk for physical and mental disorders during early adulthood. <i>Arch Gen Psychiatry</i> , 59(6): 545-52.
15070	Jordan BK, Schlenger WE, Hough R, et al (1991). Lifetime and current prevalence of specific psychiatric disorders among Vietnam Veterans and controls. <i>Arch Gen Psychiatry</i> , 48(3): 207-15.
75197	Jousset N, Rouge-Maillart C, Turcant A, et al (2010). Suicide by skull stab wounds: a case of drug-induced psychosis. <i>Am J Forensic Med Pathol</i> , 31(4): 378-81.
53991	Judd F, Jackson H, Fraser C, et al (2006). Understanding suicide in Australian farmers. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 41(1): 1-10.
77482	Judd LL, Schettler PJ, Brown ES, et al (2014). Adverse consequences of glucocorticoid medication: psychological, cognitive, and behavioral effects. <i>Am J Psychiatry</i> , 171(10): 1045-51.
54271	Juurlink DN, Herrmann N, Szalai JP, et al (2004). Medical illness and the risk of suicide in the elderly. <i>Arch Intern Med</i> , 164(11): 1179-84.

54370	Kaizar EE, Greenhouse JB, Seltman H, et al (2006). Do antidepressants cause suicidality in children? A Bayesian meta-analysis. <i>Clin Trials</i> , 3(2): 73-98.
54027	Kalant H (2001). The pharmacology and toxicology of "ecstasy" (MDMA) and related drugs. <i>CMAJ</i> , 165(7): 917-28.
53444	Kaltiala-Heino R, Rimpela M, Marttunen, et al (1999). Bullying, depression, and suicidal ideation in Finnish adolescents: school survey. <i>BMJ</i> , 319(7206): 348-51.
53504	Kang HK, Bullman TA (2008). [Comment] Risk of suicide among US veterans after returning from the Iraq or Afghanistan war zones. <i>JAMA</i> , 300(6): 652-3.
81435	Kang HK, Bullman TA, Smolenski DJ, et al (2015). Suicide risk among 1,3 million veterans who were on active duty during the Iraq and Afghanistan wars. <i>Ann Epidemiol</i> , 25(2): 96-100.
54268	Kanner AM (2009). Depression and epilepsy: do glucocorticoids and glutamate explain their relationship? <i>Curr Neurol Neurosci Rep</i> , 9(4): 307-12.
53463	Kaplan MS, Huguet N, McFarland BH, et al (2007). Suicide among male veterans: a prospective population-based study. <i>J Epidemiol Community Health</i> , 61(7): 619-24.
77944	Kaplan MS, Huguet N, McFarland BH, et al (2014). Use of alcohol before suicide in the United States. <i>Ann Epidemiol</i> , 24(8): 588-92.
79680	Kaplan MS, McFarland BH, Huguet N, et al (2012). Suicide risk and precipitating circumstances among young, middle-aged, and older male veterans. <i>Am J Public Health</i> , 102(Suppl 1): S131-7.
4205	Kaplan S, Lester D (1994). Depression, mania, and suicidal preoccupation. <i>Psychol Reports</i> , 74(3 Pt 1): 974.
53445	Kapur N, While D, Blatchley N, et al (2009). Suicide after leaving the UK armed forces - a cohort study. <i>PLoS Med</i> , 6(3): e1000026.
77376	Karch DL, Logan J, McDaniel DD, et al (2013). Precipitating circumstances of suicide among youth aged 10-17 years by sex: data from the national violent death reporting system, 16 states, 2005-2008. <i>J Adolesc Health</i> , 53(1 Suppl): S51-3.
78112	Karila L, Megarbane B, Cottencin O, et al (2015). Synthetic cathinones: a new public health problem. <i>Curr Neuropharmacol</i> , 13(1): 12-20.
53449	Kausch O (2003). Suicide attempts among veterans seeking treatment for pathological gambling. <i>J Clin Psychiatry</i> , 64(9): 1031-8.
54679	Kausch O (2004). Irrational fear of AIDS associated with suicidal behavior. <i>J Psychiatr Pract</i> , 10(4): 266-71.
28597	Kausch O, McCormick RA (2002). Suicide prevalence in chemical dependency programs: preliminary data from a national sample, and an examination of risk factors. <i>J Subst Abuse Treat</i> , 22(2): 97-102.
12622	Keane TM, King LA, King DW, et al (1998). Do war zone stressors predict the development of psychiatric disorders? <i>RMA Conference Papers</i> .
69571	Keane TM, Marshall AD, Taft CT (2006). Posttraumatic stress disorder: etiology, epidemiology, and treatment outcome. <i>Annu Rev Clin Psychol</i> , 2: 161-97.
54828	Keck PE Jr, Merikangas KR, McElroy SL, et al (1994). Diagnostic and treatment implications of psychiatric comorbidity with migraine. <i>Ann Clin Psychiatry</i> , 6(3): 165-71.
8923	Keehn RJ (1980). Follow-up studies of World War II and Korean conflict prisoners: III. Mortality to January 1, 1976. <i>Am J Epidemiol</i> , 111(2): 194-211.
52663	Kellner CH, Best CL, Roberts JM, et al (1985). Self-destructive behavior in hospitalized medical and surgical patients. <i>Psychiatr Clin North Am</i> , 8(2): 279-89.

77698	Kennebeck S, Bonin L (2016). Suicidal behavior in children and adolescents: epidemiology and risk factors. Retrieved 14 March 2016, from http://www.uptodate.com/contents/suicidal-behavior-in-children-and-adolescents-epidemiology-and-risk-factors
4213	Kerr TA, Schapira K, Roth M (1969). The relationship between premature death and affective disorders. <i>Br J Psychiatry</i> , 115(528): 1277-82.
54046	Kessler RC, Berglund P, Borges G, et al (2005). Trends in suicide ideation, plans, gestures, and attempts in the United States, 1990-1992 to 2001-2003. <i>JAMA</i> , 293(20): 2487-95.
54042	Kessler RC, Berglund PA, Borges G, et al (2007). Smoking and suicidal behaviors in the National Comorbidity Survey: replication. <i>J Nerv Ment Dis</i> , 195(5): 369-77.
52679	Kessler RC, McRae JA (1983). Trends in the relationship between sex and attempted suicide. <i>J Health Soc Behav</i> , 24(2): 98-110.
6745	Kessler RC, Sonnega A, Bromet E, et al (1995). Posttraumatic stress disorder in the National Comorbidity Survey. <i>Arch Gen Psychiatry</i> , 52(12): 1048-60.
52671	Kevan SM (1980). Perspectives on season of suicide: a review. <i>Soc Sci Med Geogr</i> , 14(4): 369-78.
75015	Khairkar P, Malhotra S, Marwaha R, et al (2010). Growing up with the families of beta-thalassaemia major using an accelerated longitudinal design. <i>Indian J Med Res</i> , 132: 428-37.
47072	Khalsa HM, Salvatore P, Hennen J, et al (2008). Suicidal events and accidents in 216 first-episode bipolar I disorder patients: predictive factors. <i>J Affect Disord</i> , 106(1-2): 179-84.
54009	Kikuchi N, Ohmori-Matsuda K, Shimazu T, et al (2009). Pain and risk of completed suicide in Japanese men: a population-based cohort study in Japan (Ohsaki Cohort Study). <i>J Pain Symptom Manage</i> , 37(3): 316-24.
52451	Kim HS, Kim HS (2008). Risk factors for suicide attempts among Korean adolescents. <i>Child Psychiatry Hum Dev</i> , 39(3): 221-35.
84118	Kim MS, Hong YC, Yook JO, et al (2017). Effects of perceived job insecurity on Effects of perceived job insecurity on depression, suicide ideation, and decline in self-rated health in Korea: a population-based panel study. <i>Int Arch Occup Environ Health</i> , 90(7): 663-71.
49903	Kim YS, Koh YJ, Leventhal B (2005). School bullying and suicidal risk in Korean middle school students. <i>Pediatrics</i> , 115(2): 357-63.
52148	Kim YS, Leventhal B (2008). Bullying and suicide. A review. <i>Int J Adolesc Med Health</i> , 20(2): 133-54.
54280	Kim YS, Leventhal BL, Koh YJ, et al (2009). Bullying increases suicide risk: prospective study of Korean adolescents. <i>Arch Suicide Res</i> , 13(1): 15-30.
11036	Kimerling R, Calhoun KS (1994). Somatic symptoms, social support and treatment seeking among sexual assault victims. <i>J Consult Clin Psychol</i> , 62(2): 333-40.
77478	Kimerling R, Makin-Byrd K, Louzon S, et al (2015). Military sexual trauma and suicide mortality. <i>Am J Prev Med</i> , 50(6): 684-91.
32364	King DW, King LA, Gudanowski DM, et al (1995). Alternative representations of war zone stressors: relationships to posttraumatic stress disorder in male and female Vietnam veterans. <i>J Abnorm Psychology</i> , 104(1): 184-96.
49902	King M, Semlyen J, Tai SS, et al (2008). A systemic review of mental disorder, suicide, and deliberate self-harm in lesbian, gay and bisexual people. <i>BMC Psychiatry</i> , 8: 70.
78019	Kitchener S, Nasveld P, Edstein MD (2007). Short report: tafenoquine for the treatment of recurrent plasmodium vivax malaria. <i>Am J Trop Med Hyg</i> , 76(3): 494-6.
52660	Klerman GL (1987). Clinical epidemiology of suicide. <i>J Clin Psychiatry</i> , 48(12 Suppl): 33-8.

79750	Kline A, Weiner MD, Interian A, et al (2016). Morbid thoughts and suicidal ideation in Iraq war veterans: the role of direct and in direct killing in combat. <i>Depress Anxiety</i> , 33(6): 473-82.
53680	Klomek AB, Marrocco F, Kleinman M, et al (2007). Bullying, depression, and suicidality in adolescents. <i>J Am Acad Child Adolesc Psychiatry</i> , 46(1): 40-9.
53679	Klomek AB, Sourander A, Niemela S, et al (2009). Childhood bullying behaviors as a risk for suicide attempts and completed suicides: a population-based birth cohort study. <i>J Am Acad Child Adolesc Psychiatry</i> , 48(3): 254-61.
53677	Klomek AB, Sourander A, Kumpulainen K, et al (2008). Childhood bullying as a risk for later depression and suicidal ideation among Finnish males. <i>J Affect Disord</i> , 109(1-2): 47-55.
68400	Knapik JJ, Marin RE, Grier TL et al (2009). A systematic review of post-deployment injury-related mortality among military personnel deployed to conflict zones. <i>BMC Public Health</i> , 9: 231.
79694	Knox KL (2008). Epidemiology of the relationship between traumatic experience and suicidal behaviors. <i>PTSD Research Quarterly</i> , 19(4): 1-8.
83480	Kochanski-Ruscio K, Nademin E, Perera K, et al (2016). An examination of United States Air Force suicide decedents based on documented suicide attempt histories. <i>Arch Suicide Res</i> , 21(4): 556-67.
77854	KokoAung E, Aromataris E (2012). The association between suicidality and treatment with selective serotonin reuptake inhibitors in older people with major depression: a systematic review. <i>JBI Libr Syst Rev</i> , 10(56 Suppl): 1-12.
4209	Korn ML, Kotler M, Molcho A, et al (1992). Suicide and violence associated with panic attacks. <i>Biol Psychiatry</i> , 31(6): 607-12.
77764	Kosidou K, Dalman C, Fredlund P, et al (2014). School performance and the risk of suicide attempts in young adults: a longitudinal population-based study. <i>Psychol Med</i> , 44(6): 1235-43.
53988	Koskinen O, Pukkila K, Hakko H, et al (2002). Is occupation relevant in suicide? <i>J Affect Disord</i> , 70(2): 197-203.
53461	Kovacic Z, Henigsberg N, Pivac N, et al (2008). Platelet serotonin concentration and suicidal behaviour in combat related posttraumatic stress disorder. <i>Prog Neuropsychopharmacol Biol Psychiatry</i> , 32(2): 544-51.
1757	Kramer TL, Lindy JD, Green BL, et al (1994). The comorbidity of post-traumatic stress disorder and suicidality in Vietnam veterans. <i>Suicide Life Threat Behav</i> , 24(1): 58-67.
77366	Kraus JE, Horrigan JP, Carpenter DJ, et al (2010). Clinical features of patients with treatment-emergent suicidal behavior following initiation of paroxetine therapy. <i>J Affect Disord</i> , 120(1-3): 40-7.
77830	Krentz AJ, Fujioka K, Hompesch M (2016). Evolution of pharmacological obesity treatments: focus on adverse side-effects profiles. <i>Diabetes Obes Metab</i> , 18(6): 558-70.
45493	Krysinska K, Heller TS, De Leo D (2006). Suicide and deliberate self-harm in personality disorders. <i>Curr Opin in Psychiatry</i> , 19(1): 95-101.
54368	Kuehn BM (2008). FDA warns of adverse events linked to smoking cessation drug and antiepileptics. <i>JAMA</i> , 299(10): 1121-2.
53448	Kuehn BM (2009). Soldier suicide rates continue to rise. Military, scientists work to stem the tide. <i>JAMA</i> , 301(11): 1111, 1113.
54369	Kuehn BM (2009). Studies linking smoking-cessation drug with suicide risk spark concerns. <i>JAMA</i> , 301(10): 1007-8.
54726	Kuehn JK, Kuehn JL (1975). Conspiracy of silence: psychiatric counselling with students at high risk for academic failure. <i>Am J Psychiatry</i> , 132(11): 1207-9.
11037	Kushner MG, Riggs DS, Foa EB, et al (1992). Perceived controllability and the development of posttraumatic stress disorder (PTSD) in crime victims. <i>Behav Res Ther</i> , 31(1): 105-10.

85928	LaFauci Schutt JM, Marotta SA (2011). Personal and environmental predictors of posttraumatic stress in emergency management professionals. <i>Psychol Trauma, 3(1)</i> : 8-15.
28601	Lambert MT, Fowler DR (1997). Suicide risk factors among veterans: risk management in the changing culture of the Department of Veterans Affairs. <i>J Ment Health Adm, 24(3)</i> : 350-8.
54017	Lapierre YD (2003). Suicidality with selective serotonin reuptake inhibitors: valid claim? <i>J Psychiatry Neurosci, 28(5)</i> : 340-7.
4198	LaRosa JC (1995). Cholesterol lowering and morbidity and mortality. <i>Curr Opin Lipidol, 6(1)</i> : 62-5.
52446	Laser J, Luster T, Oshio T (2007). Risk and promotive factors related to depressive symptoms among Japanese youth. <i>Am J Orthopsychiatry, 77(4)</i> : 523-33.
83765	Law YW, Yip PS, Zhang Y, et al (2014). The chronic impact of work on suicides and under-utilization of psychiatric and psychosocial services. <i>J Affect Disord, 168</i> : 254-61.
79644	LeardMann CA, Powell TM, Smith TC, et al (2013). Risk factors associated with suicide in current and former US military personnel. <i>JAMA, 310(5)</i> : 496-506.
79645	LeardMann CA, Powell TM, Smith TC, et al (2013). [Erratum] Risk factors associated with suicide in current and former US military personnel. <i>JAMA, 310(10)</i> : 1076. ID: 79644.
78017	Leary KJ, Riel MA, Roy MJ, et al (2009). A randomized, double-blind, safety and tolerability study to assess the ophthalmic and renal effects of tafenoquine 200 mg weekly versus placebo for 6 months in healthy volunteers. <i>Am J Trop Med Hyg, 81(2)</i> : 356-62.
76984	Lebain P, Juliard C, Davy JP, et al (2000). [Neuropsychiatric symptoms in preventive antimalarial treatment with mefloquine: apropos of 2 cases]. <i>Encephale, 26(4)</i> : 67-70 [Article in French]. [Abstract]
79748	LeBouthillier DM, McMillan KA, Thibodeau MA, et al (2015). Types and number of traumas associated with suicidal ideation and suicide attempts in PTSD: findings from a U.S. nationally representative sample. <i>J Trauma Stress, 28(3)</i> : 183-90.
87739	Lee JY, Kim SW, Bae KY, et al (2017). Factors associated with post-traumatic stress symptoms among adolescents exposed to the Sewol ferry disaster in Korea. <i>Psychiatr Res, 256</i> : 391-5.
53998	Lee WJ, Alavanja MC, Hoppin JA, et al (2007). Mortality among pesticide applicators exposed to Chlorpyrifos in the Agricultural Health Study. <i>Environ Health Perspect, 115(4)</i> : 528-34.
78022	Lell B, Faucher JF, Missinou MA, et al (2000). Malaria chemoprophylaxis with tafenoquine: a randomised study. <i>Lancet, 355(9220)</i> : 2041-5.
54003	Lepine JP, Briley M (2004). The epidemiology of pain in depression. <i>Hum Psychopharmacol, 19(Suppl 1)</i> : S3-7.
4202	Lepine JP, Chignon JM, Teherani M (1993). Suicide attempts in patients with panic disorder. <i>Arch Gen Psychiatry, 50(2)</i> : 144-9.
53675	Lester D (1973). [Comment] Suicide in released prisoners of war. <i>JAMA, 225(7)</i> : 747.
4204	Lester D (1994). Experience of loss and subsequent suicide. <i>Percept Mot Skills, 79(2)</i> : 730.
54764	Lester D (1997). The role of shame in suicide. <i>Suicide Life Threat Behav, 27(4)</i> : 352-61.
54686	Lester D (1998). The association of shame and guilt with suicidality. <i>J Soc Psychol, 138(4)</i> : 535-6.
54282	Lester D (2002). Serum cholesterol levels and suicide: a meta-analysis. <i>Suicide Life Threat Behav, 32(3)</i> : 333-46.
54283	Lester D (2003). [Comment] Serum cholesterol levels and suicide: A further comment. <i>Suicide Life Threat Behav, 33(3)</i> : 338-9. Comment on ID: 54282.

52685	Lester D (2006). Suicide and Islam. <i>Arch Suicide Res</i> , 10(1): 77-97.
4203	Lester D, Moderski T (1995). The imposter phenomenon in adolescents. <i>Psychol Rep</i> , 76(2): 466.
77474	Levi-Belz Y, Zerach G, Solomon Z (2015). Suicide ideation and deliberate self-harm among ex-prisoners of war. <i>Arch Suicide Res</i> , 19(2): 231-48.
39368	Li J, Hansen Precht D, Mortensen PB, et al (2003). Mortality in parents after death of a child in Denmark: a nationwide follow-up study. <i>Lancet</i> , 361(9355): 363-7.
77377	Li J, Vestergaard M, Cnattingius S, et al (2014). Mortality after parental death in childhood: a nationwide cohort study from three Nordic countries. <i>PLoS Med</i> , 11(7): e1001679.
54001	Lima CS, Ribeiro-Carvalho A, Filgueiras CC, et al (2009). Exposure to methamidophos at adulthood elicits depressive-like behavior in mice. <i>Neurotoxicology</i> , 30(3): 471-8.
54035	Limosin F, Loze JY, Philippe A, et al (2007). Ten-year prospective follow-up study of the mortality by suicide in schizophrenic patients. <i>Schizophr Res</i> , 94(1-3): 23-8.
45576	Links PS, Gould B, Ratnayake R (2003). Assessing suicidal youth with antisocial, borderline, or narcissistic personality disorder. <i>Can J Psychiatry</i> , 48(5): 301-10.
85929	Liu B, Tarrigan LH, Bromet EJ, et al (2014). World Trade Centre disaster exposure-related probable posttraumatic stress disorder among responders and civilians: A meta-analysis. <i>PLoS One</i> , 9(7): e101491.
87740	Liu M, Wang L, Shi Z, et al (2011). Mental health problems among children one-year after Sichuan earthquake in China: A follow-up study. <i>PLoS One</i> , 6(2): e14706.
79780	Liu RT, Miller I (2014). Life events and suicidal ideation and behavior: a systematic review. <i>Clin Psychol Rev</i> , 34(3): 181-92.
52440	Liu X, Li H, Qin W, et al (2006). Association of TPH1 with suicidal behaviour and psychiatric disorders in the Chinese population. <i>J Med Genet</i> , 43(2): e4.
78014	Llanos-Cuentas A, Lacerda MV, Rueangweerayut R, et al (2014). Tafenoquine plus chloroquine for the treatment and relapse prevention of plasmodium vivax malaria (DETECTIVE): a multicentre, double-blind, randomised, phase 2b dose-selection study. <i>Lancet</i> , 383(9922): 1049-58.
4190	Lloyd GG (1993). Acute behaviour disturbances. <i>J Neurol Neurosurg Psychiatry</i> , 56(11): 1149-56.
76985	Lobel HO, Coyne PE, Rosenthal PJ (1998). Drug overdoses with antimalarial agents: prescribing and dispensing errors. <i>JAMA</i> , 280(17): 1483.
54724	Loebel JP, Loebel JS, Dager SR, et al (1991). Anticipation of nursing home placement may be a precipitant of suicide among the elderly. <i>J Am Geriatr Soc</i> , 39(4): 407-8.
54032	Loftis JM, Matthews AM, Hauser P (2006). Psychiatric and substance use disorders in individuals with hepatitis C. Epidemiology and management. <i>Drugs</i> , 66(2): 155-74.
77485	Logan BK, Yeakel JK, Goldfogel G, et al (2012). Dextromethorphan abuse leading to assault suicide, or homicide. <i>J Forensic Sci</i> , 57(5): 1388-94.
81216	Logan J, Bohnert A, Spies E, et al (2013). Suicidal ideation among young Afghanistan/Iraq war veterans and civilians: Individual, social, and environmental risk factors and perception of unmet mental healthcare needs, United States, 2013. <i>Psychiatry Res</i> , 245: 398-405.
38554	London L, Flisher AJ, Wessling C, et al (2005). Suicide and exposure to organophosphate insecticide: cause or effect? <i>Am J Ind Med</i> , 47(4): 308-21.
77816	Lucaclu LA, Dumitrascu DL (2015). Depression and suicide ideation in chronic hepatitis C patients untreated and treated with interferon: prevalence, prevention, and treatment. <i>Ann Gastroenterol</i> , 28(4): 440-7.

77945	Ludot M, Mouchabac S, Ferreri F (2015). Inter-relationships between isotretinoin treatment and psychiatric disorders: depression, bipolar disorder, anxiety, psychosis and suicide risks. <i>World J Psychiatry</i> , 5(2): 222-7.
54016	Macfarlane GJ, McBeth J, Silman AJ (2001). Widespread body pain and mortality: prospective population based study. <i>BMJ</i> , 323(7314): 662-5.
77851	Mackelprang JL, Bombardier CH, Fann JR (2014). Rates and predictors of suicidal ideation during the first year after traumatic brain injury. <i>Am J Public Health</i> , 104(7): e100-7.
54694	MacLeod AK, Pankhania B, Lee M, et al (1997). Parasuicide, depression and the anticipation of positive and negative future experiences. <i>Psychol Med</i> , 27(4): 973-7.
38568	Magin P, Pond D, Smith W (2005). Isotretinoin, depression and suicide: a review of the evidence. <i>Br J Gen Pract</i> , 55(511): 134-8.
54740	Mahon MJ, Tobin JP, Cusack DA, et al (2005). Suicide among regular-duty military personnel: a retrospective case-control study of occupation-specific risk factors for workplace suicide. <i>Am J Psychiatry</i> , 162(9): 1688-96.
77622	Mahuen S, Metzler TJ, Bosch J, et al (2012). Killing in combat may be independently associated with suicidal ideation. <i>Depress Anxiety</i> , 29(11): 918-23.
77817	Manchikanti L, Helm S 2nd, Fellows B, et al (2012). Opioid epidemic in the United States. <i>Pain Physician</i> , 15(3 Suppl): ES9-38.
53460	Manguno-Mire G, Sautter F, Lyons J, et al (2007). Psychological distress and burden among female partners of combat veterans with PTSD. <i>J Nerv Ment Dis</i> , 195(2): 144-51.
1759	Mann JJ, McBride PA, Brown RP, et al (1992). Relationship between central and peripheral serotonin indexes in depressed and suicidal psychiatric inpatients. <i>Arch Gen Psychiatry</i> , 49(6): 442-6.
52997	Mann JJ (2003). Neurobiology of suicidal behaviour. <i>Nat Rev Neurosci</i> , 4(10): 819-28.
53000	Mann JJ, Currier D (2007). A review of prospective studies of biologic predictors of suicidal behavior in mood disorders. <i>Arch Suicide Res</i> , 11(1): 3-16.
79861	March J, Sareen J, Gawaziuk JP, et al (2014). Increased suicidal activity following major trauma: a population-based study. <i>J Trauma Acute Care Surg</i> , 76(1): 180-4.
28656	Maris RW (1997). Social and familial risk factors in suicidal behavior. <i>Psychiatr Clin North Am</i> , 20(3): 519-50.
102480	Marshall E, Claes L, Bouman WP, et al (2016). Non-suicidal self-injury and suicidality in trans people: A systematic review of the literature. <i>Int Rev Psychiatry</i> , 28(1): 58-69.
39371	Martikainen P, Valkonen T (1996). Mortality after the death of a spouse: rates and causes of death in a large Finnish cohort. <i>Am J Public Health</i> , 86(8): 1087-93.
4189	Martin RL, Cloninger CR, Guze SB, et al (1985). Mortality in a follow-up of 500 psychiatric outpatients: II. cause specific mortality. <i>Arch Gen Psychiatry</i> , 42(1): 58-66.
54731	Masi G, Tomaiuolo F, Sbrana B, et al (2001). Depressive symptoms and academic self-image in adolescence. <i>Psychopathology</i> , 34(2): 57-61.
4199	Massion AO, Warshaw MG, Keller MB (1993). Quality of life and psychiatric morbidity in panic disorder and generalised anxiety disorder. <i>Am J Psychiatry</i> , 150(4): 600-7.
54039	Mather AA, Cox BJ, Enns MW, et al (2009). Associations of obesity with psychiatric disorders and suicidal behaviors in a nationally representative sample. <i>J Psychosom Res</i> , 66(4): 277-85.

77796	Matsumoto Y, Shimizu K, Kinoshita H, et al (2010). Suicide associated with corticosteroid use during chemotherapy: case report. <i>Jpn J Clin Oncol</i> , 40(2): 174-6.
4178	Mattunen MJ, Aro HM, Henriksson MM, et al (1991). Mental disorders in adolescent suicide: DSM-III-R axes I and II diagnoses in suicides among 13 to 19 year olds in Finland. <i>Arch Gen Psychiatry</i> , 48(9): 834-9.
76940	Maxwell NM, Nevin RL, Stahl S, et al (2015). Prolonged neuropsychiatric effects following management of chloroquine intoxication with psychotropic polypharmacy. <i>Clin Case Rep</i> , 3(6): 379-87.
53458	McCarthy JF, Valenstein M, Kim HM, et al (2009). Suicide mortality among patients receiving care in the veterans health administration health system. <i>Am J Epidemiol</i> , 169(8): 1033-8.
69474	McCarthy S (2015). Malaria prevention, mefloquine neurotoxicity, neuropsychiatric illness, and risk-benefit analysis in the Australian Defence Force. <i>J Parasitol Res</i> , 287651.
85060	McCrea M, Guskiewicz K, Randolph C, et al (2013). Incidence, clinical course, and predictors of prolonged recovery time following sport-related concussion in high school and college athletes. <i>J Int Neuropsychol Soc</i> , 19(1): 22-33.
54728	McDermott E, Roen K, Scourfield J (2008). Avoiding shame: young LGBT people, homophobia and self-destructive behaviours. <i>Cult Health Sex</i> , 10(8): 815-29.
79958	McFarlane AC, Hodson SE, Van Hooff M, et al (2011). Mental health in the Australian Defence Force: full report. 2010 ADF Mental Health and Wellbeing Study. Department of Defence, Canberra.
73106	McKenzie D (2010). An holistic view of post-traumatic stress disorder. <i>J Mil Health</i> , 18: 24-6.
79695	McLaughlin KA, Koenen KC, Friedman MJ, et al (2015). Sub-threshold post traumatic stress disorder in the WHO world mental health surveys. <i>Biol Psychiatry</i> , 77(4): 375-84.
77585	Meduri GU, Shih MC (2012). [Comment] Acute clinical deterioration with increased systemic inflammation as a risk factor for depression: an alternative interpretation of the data. <i>Am J Psychiatry</i> , 169(8): 867.
1760	Mehlum L, Friis S, Karterud S (1994). The longitudinal pattern of suicidal behaviour in borderline personality disorder: a prospective follow-up study. <i>Acta Psychiatr Scand</i> , 90(2): 124-30.
52967	Meltzer HY, Alphs L, Green AI, et al (2003). Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT). <i>Arch Gen Psychiatry</i> , 60(1): 82-91.
77694	Mezuk B, Lohman M, Leslie M, et al (2015). Suicide risk in nursing homes and assisted living facilities: 2003-2011. <i>Am J Public Health</i> , 105(7): 1495-502.
53735	Micciolo R, Williams P, Zimmermann-Tansella CH, et al (1991). Geographical and urban-rural variation in the seasonality of suicide: some further evidence. <i>J Affect Disord</i> , 21(1): 39-43.
11038	Miller BC, Monson BH, Norton MC (1995). The effects of forced sexual intercourse on white female adolescents. <i>Child Abuse Negl</i> , 19(10): 1289-301.
87741	Miller G (2012). Drone wars: Are remotely piloted aircraft changing the nature of war. <i>Science</i> , 336(6083): 842-3.
53835	Miller M, Barber C, Azrael D, et al (2009). Suicide among US veterans: a prospective study of 500,000 middle-aged and elderly men. <i>Am J Epidemiol</i> , 170(4): 494-500.
83210	Milner A, Currier D, LaMontagne AD, et al (2017). Psychosocial job stressors and thoughts about suicide among males: a cross-sectional study from the first wave of the Ten to Men cohort. <i>Public Health</i> , 147: 72-6.

83510	Milner A, Page K, Witt K, et al (2016). Psychosocial working conditions and suicide ideation: Evidence from a cross-sectional survey of working Australians. <i>J Occup Environ Med</i> , 58(6): 584-7.
83509	Milner A, Spittal MJ, Pirkis J, et al (2017). Low control and high demands at work as risk factors for suicide: An Australian national population-level case-control study. <i>Psychosom Med</i> , 79(3): 358-64.
83723	Milner A, Witt K, LaMontagne AD, et al (2017). Psychosocial job stressors and suicidality: a meta-analysis and systematic review. <i>Occup Environ Med</i> , 75(4): 245-53.
52438	Misfeldt J, Senderovitz F (1989). Suicide in Greenland. <i>Arctic Med Res</i> , 48(3): 122-3.
86476	Misra M, Greenberg N, Hutchinson C, et al (2009). Psychological impact upon London ambulance service of the 2005 bombings. <i>Occup Med (Lond)</i> , 59(6): 428-33.
77932	Mitchell JE, Crosby R, de Zwaan M, et al (2013). Possible risk factors for increased suicide following bariatric surgery. <i>Obesity</i> , 21(4): 665-72.
4185	Modestin J, Villiger C (1989). Follow-up study on borderline versus nonborderline personality disorders. <i>Compr Psychiatry</i> , 30(3): 236-44.
77484	Modi D, Bhalavat R, Patterson JC (2013). Suicidal and homicidal behaviors related to dextromethorphan abuse in a middle-aged woman. <i>J Addict Med</i> , 7(2): 143-4.
78066	Mohan D, Mohandas E, Rajat R, et al (1981). Chloroquine psychosis: a chemical psychosis. <i>J Nat Med Assoc</i> , 73(11): 1073-6.
54765	Mokros HB (1995). Suicide and shame. <i>Am Behav Sci</i> , 38(8): 1091-103.
79749	Monteith LL, Bahraini NH, Matarazzo BB, et al (2016). The influence of gender on suicidal ideation following military sexual trauma among Veterans in the Veterans Health Administration. <i>Psychiatry Res</i> , 244: 257-65.
77797	Moore TJ, Furberg CD, Glenmullen J, et al (2011). Suicidal behavior and depression in smoking cessation treatments. <i>PLoS One</i> , 6(11): e27016.
4208	Morano CD, Cisler RA, Lemerond J (1993). Risk factors for adolescent suicidal behaviour: Loss, insufficient familial support, and hopelessness. <i>Adolescence</i> , 28(112): 851-65.
77792	Moreland CS, Bonin L (2015). Effect of antidepressants on suicide risk in children and adolescents. Retrieved 17 March 2016, from www.uptodate.com/contents/ effect-of-antidepressants-on-suicide-risk-in-children-and-adolescents
86129	Morgan PM (2016). The psychological impact of mass casualty incidents on first responders: A systematic review. <i>J Emerg Manag</i> , 14(3): 213-26.
22686	Morris P, Raphael B, Bordujenko A (eds.) (1999). Repatriation Medical Authority Consensus Conference Proceedings: Stress and Challenge - Health and Disease, Brisbane February 9-11, 1998. Repatriation Medical Authority, Brisbane.
54690	Mortensen PB (1999). [Comment] Can suicide research lead to suicide prevention? <i>Acta Psychiatr Scand</i> , 99: 397-8. Comment on ID: 54689.
52669	Moscicki EK (1989). Epidemiologic surveys as tools for studying suicidal behavior: A review. <i>Suicide Life Threat Behav</i> , 19(1): 131-46.
1761	Moscicki EK (1995). Epidemiology of suicidal behaviour. <i>Suicide Life Threat Behav</i> , 25(1): 22-35.
54272	Moscicki EK, Caine ED (2004). [Comment] Opportunities of life. Preventing suicide in elderly patients. <i>Arch Intern Med</i> , 164(11): 1171-2. Comment on ID: 54271.
79696	Mota NP, Tsai J, Sareen J, et al (2016). High burden of subthreshold DSM-5 post-traumatic stress disorder in U.S. military veterans. <i>World Psychiatry</i> , 15(2): 185-6.
72426	Mott JM, Graham DP, Teng EJ (2012). Perceived threat during deployment: risk factors and relation to Axis I disorders. <i>Psychol Trauma: Theory, Res Prac Policy</i> , 4(6): 587-95.

77471	Mukamal KJ, Rimm EB, Kawachi I, et al (2010). Body mass index and risk of suicide among one million US adults. <i>Epidemiology</i> , 21(1): 82-6.
77481	Mula M, Sander JW (2015). Suicide and epilepsy: do antiepileptic drugs increase the risk? <i>Expert Opin Drug Saf</i> , 14(4): 553-8.
4195	Muldoon MF, Rossouw JE, Manuck SB, et al (1993). Low or lowered cholesterol and risk of death from suicide and trauma. <i>Metabolism</i> , 42(9 Suppl 1): 45-56.
11039	Murdoch M, Nichol KL (1995). Women veterans' experiences with domestic violence and with sexual harassment while in the military. <i>Arch Fam Med</i> , 4(5): 411-8.
52672	Murphy GE (1983). Problems in studying suicide. <i>Psychiatr Dev</i> , 1(4): 339-50.
1762	Murphy GE, Wetzel RD (1990). The lifetime risk of suicide in alcoholism. <i>Arch Gen Psychiatry</i> , 47(4): 383-92.
53456	Nad S, Marcinko D, Vuksan-Eusa B, et al (2008). Spiritual well-being, intrinsic religiosity, and suicidal behavior in predominantly Catholic Croatian war veterans with chronic posttraumatic stress disorder. A case control study. <i>J Nerv Ment Dis</i> , 196(1): 79-83.
54290	Naranjo CA, Shear NH, Lanctot KL (1992). Advances in the diagnosis of adverse drug reactions. <i>J Clin Pharmacol</i> , 32(10): 897-904.
78015	Nasveld P, Kitchener S, Edstein M, et al (2002). Comparison of tafenoquine (WR238605) and primaquine in the post-exposure (terminal) prophylaxis of vivax malaria in Australian Defence Force personnel. <i>Trans R Soc Trop Med Hyg</i> , 96(6): 683-4.
77907	Nasveld PE, Edstein MD, Reid M, et al (2010). Randomized, double-blind study of the safety, tolerability, and efficacy of tafenoquine versus mefloquine for malaria prophylaxis in nonimmune subjects. <i>Antimicrob Agents Chemother</i> , 54(2): 792-8.
9596	Nefzger MD (1970). Follow-up studies of world war II and Korean war prisoners. I Study plan and mortality findings. <i>Am J Epidemiol</i> , 91(2): 123-38.
79697	Nelson H, Denneson L, Low A, et al (2015). Systematic Review of Suicide Prevention in Veterans. Department of Veterans' Affairs, Health Services Research & Development Service.
75199	Nevin RL (2012). [Comment] Hallucinations and persecutory delusions in mefloquine-associated suicide. <i>Am J Forensic Med Pathol</i> , 33(2): e8.
75201	Nevin RL (2012). Limbic encephalopathy and central vestibulopathy caused by mefloquine: a case report. <i>Travel Med Infect Dis</i> , 10(3): 144-51.
76942	Nevin RL (2015). Mefloquine and posttraumatic stress disorder. <i>Textbook of military medicine: Forensic and Ethical Issues in Military Behavioural Health</i> , 19: 277-96. Borden Institute, Washington D.C.
60085	Nevin RL (2016). The mefloquine intoxication syndrome: a significant potential confounder in the diagnosis and management of PTSD and other chronic deployment-related neuropsychiatric disorders. <i>Post-Traumatic Stress Disorder and Related Diseases in Combat Veterans</i> , Springer International Switzerland.
79646	Nevin RL, Ritchie EC, Bryan CJ, et al (2013). [Comments] Suicides among military personnel. <i>JAMA</i> , 310(23): 2563-6. Comments on ID: 79644.
73303	Nevoralová Z, Dvoráková D (2013). Mood changes, depression and suicide risk during isotretinoin treatment: a prospective study. <i>Int J Dermatol</i> , 52(2): 163-8.
77477	Newton-John TR (2014). Negotiating the Maze: risk factors for suicidal behavior in chronic pain patients. <i>Curr Pain Headache Rep</i> , 18(9): 447.
77721	Niedzwiedz C, Haw C, Hawton K, et al (2014). The definition and epidemiology of clusters of suicidal behavior: a systematic review. <i>Suicide Life Threat Behav</i> , 44(5): 569-81.

1763	Nielson B, Wang GA, Bille-Brahe U (1990). Attempted suicide in Denmark. Five years follow-up. <i>Acta Psychiatr Scand</i> , 81(3): 250-4.
81521	Nock M, Deming C, Fullerton C, et al (2013). Suicide among soldiers: A review of psychosocial risk and protective factors. <i>Psychiatry</i> , 76(2): 97-125.
52449	Nock MK, Borges G, Bromet EJ, et al (2008). Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>Br J Psychiatry</i> , 192(2): 98-105.
77378	Nock MK, Green JG, Hwang I, et al (2013). Prevalence, correlates and treatment of lifetime suicidal behavior among adolescents: results from the national comorbidity survey replication - adolescent supplement (NCSA). <i>JAMA Psychiatry</i> , 70(3): 300-10.
54454	Nock MK, Hwang I, Sampson N, et al (2009). Cross-national analysis of the associations among mental disorders and suicidal behaviour: findings from the WHO World Mental Health surveys. <i>PLoS Med</i> , 6(8): e1000123.
55084	Nock MK, Kessler RC (2006). Prevalence of and risk factors for suicide attempts versus suicide gestures: analysis of the National Comorbidity Survey. <i>J Abnorm Psychol</i> , 115(3): 616-23.
1764	Nordentoft M, Rubin P (1993). Mental illness and social integration among suicide attempters in Copenhagen: comparison with the normal population and a four-year follow-up study of 100 patients. <i>Acta Psychiatr Scand</i> , 88(4): 278-85.
47151	Norris FH (1990). Screening for traumatic stress: a scale for use in the general population. <i>J Appl Soc Psychol</i> , 20(20): 1704-18.
86477	North CS, Tivis L, McMillen JC, et al (2002). Coping, functioning, and adjustment of rescue workers after the Oklahoma City bombing. <i>J Trauma Stress</i> , 15(3): 171-5.
1765	Noyes R Jr (1991). Suicide and panic disorder: a review. <i>J Affect Disord</i> , 22(1-2): 1-11.
1766	Noyes R, Christiansen J, Clancy J, et al (1991). Predictors of serious suicide attempts among patients with panic disorder. <i>Compr Psychiatry</i> , 32(3): 261-7.
77946	Nugent KL, Pakarian D, Mojtabai R (2011). Non-affective acute psychoses: Uncertainties on the way to DSM-V and ICD-11. <i>Curr Psychiatry Rep</i> , 13(3): 203-10.
75635	O'Brien BS, Sher L (2013). Military sexual trauma as a determinant in the development of mental and physical illness in male and female veterans. <i>Int J Adolesc Med Health</i> , 25(3): 269-74.
45596	O'Connell KA, Wilkin JK, Pitts M (2002). [Comment] Isotretinoin (Accutane) and serious psychiatric adverse events. <i>J Am Acad Dermatol</i> , 48(2): 306-8.
54020	O'Donnell J (2004). Polar hysteria: an expression of hypervitaminosis A. <i>Am J Ther</i> , 11(6): 507-16.
54900	Oedegaard KJ, Angst J, Neckelmann D, et al (2005). Migraine aura without headache compared to migraine with aura in patients with affective disorders. <i>J Headache Pain</i> , 6(5): 378-86.
52969	Ohgami H, Terao T, Shiotsuki I, et al (2009). Lithium levels in drinking water and risk of suicide. <i>Br J Psychiatry</i> , 194(5): 464-5.
81436	Olenick M, Flowers M, Diaz VJ (2015). US veterans and their unique issues: enhancing health care professional awareness. <i>Adv Med Educ Pract</i> , 6: 635-9.
102485	Olson J, Schrager SM, Belzer M, et al (2015). Baseline physiologic and psychosocial characteristics of transgender youth seeking care for gender dysphoria. <i>J Adolesc Health</i> , 57(4): 374-80.
86456	Omerov P, Pettersen R, Titelman D, et al (2016). Encountering the body at the site of the suicide: A population-based survey in Sweden. <i>Suicide Life Threat Behav</i> , 47(1): 38-47.
54827	Orbach I (2008). Mental pain, pain-producing constructs, the suicide body, and suicide. Relating to Self-harm and Suicide: Psychoanalytic Perspectives

	on Practice, Theory and Prevention, Chapter 7: 80-92. Routledge, New York.
52445	O'Reilly D, Rosato M, Connolly S, et al (2008). Area factors and suicide: 5-year follow-up of the Northern Ireland population. <i>Br J Psychiatry</i> , 192(2): 106-11.
52153	O'Shea B (2000). Self-harm and unemployment. <i>Hosp Med</i> , 61(7): 495-8.
52905	Ostry A, Maggi S, Tansey J, et al (2007). The impact of psychosocial work conditions on attempted and completed suicide among western Canadian sawmill workers. <i>Scand J Public Health</i> , 35(3): 265-71.
28653	O'Toole BI, Cantor C (1995). Suicide risk factors among Australian Vietnam era draftees. <i>Suicide Life Threat Behav</i> , 25(4): 475-88.
4191	Owens D (1994). Cholesterol and violent death: Clinical importance is questionable. <i>BMJ</i> , 309(6963): 1228.
54737	Owens D, Horrocks J, House A (2002). Fatal and non-fatal repetition of self-harm. <i>Br J Psychiatry</i> , 181: 193-9.
53987	Page AN, Fragar LJ (2002). Suicide in Australian farming, 1988-1997. <i>Aust N Z J Psychiatry</i> , 36(1): 81-5.
21880	Page WF, Tanner CM (2000). [Comment] Parkinson's disease and motor-neuron disease in former prisoners-of-war. <i>Lancet</i> , 355(9206): 843. Comment on ID: 21879.
1767	Pandey GN, Pandey SC, Dwivedi Y, et al (1995). Platelet serotonin-2A receptors: a potential biological marker for suicidal behaviour. <i>Am J Psychiatry</i> , 152(6): 850-5.
54289	Paolucci EO, Genuis ML, Violato C (2001). A meta-analysis of the published research on the effects of child sexual abuse. <i>J Psychol</i> , 135(1): 17-36.
54040	Pariente A, Daveluy A, Laribiere-Benard A, et al (2009). Effect of date of drug marketing on disproportionality measures in pharmacovigilance: the example of suicide with SSRI's using data from the UK MHRA. <i>Drug Saf</i> , 32(5): 441-7.
4177	Paris J, Nowlis D, Brown R (1989). Predictors of suicide in borderline personality disorder. <i>Can J Psychiatry</i> , 34(1): 8-9.
76941	Park H, Reber BH, Chon MG (2016). Tweeting as health communication: health organizations' use of twitter for health promotion and public engagement. <i>J Health Commun</i> , 21(2): 188-98.
77724	Park SJ, Lee HB, Ahn MH, et al (2015). Identifying clinical correlates for suicide among epilepsy patients in South Korea: a case-control study. <i>Epilepsia</i> , 56(12): 1966-72.
83722	Peltzer K, Yi S, Pengpid S (2017). Suicidal behaviors and associated factors among university students in six countries in the Association of Southeast Asian Nations (ASEAN). <i>Asian J Psychiatr</i> , 26: 32-8.
77561	Pereira A, Gitlin MJ, Gross RA, et al (2013). Suicidality associated with anti-epileptic drugs: implications for the treatment of neuropathic pain and fibromyalgia. <i>Pain</i> , 154(3): 345-9.
77562	Perera S, Eisen R, Bawor M, et al (2015). Association between body mass index and suicidal behaviors: a systematic review protocol. <i>Syst Rev</i> , 4: 52.
54570	Perez-Olmos I, Rodriguez-Sandoval E, Dussan-Buitrago MM, et al (2007). Psychiatric and social characterisation of suicide attempts treated at a children's clinic, 2003-2005. <i>Rev Salud Publica (Bogota)</i> , 9(2): 230-40.
53674	Peter T, Roberts LW, Buzdugan R (2008). Suicidal ideation among Canadian youth: a multivariate analysis. <i>Arch Suicide Res</i> , 12(3): 263-75.
77927	Peterhansel C, Petroff D, Zlinitzke G, et al (2013). Risk of completed suicide after bariatric surgery: a systematic review. <i>Obes Rev</i> , 14(5): 369-82.
102492	Peterson CM, Matthews A, Copps-Smith E, et al (2017). Suicidality, self-harm, and body dissatisfaction in transgender adolescents and emerging adults with gender dysphoria. <i>Suicide Life Threat Behav</i> , 47(4): 475-82.

1768	Petronis KR, Samuels JF, Moscicki EK, et al (1990). An epidemiological investigation of potential risk factors for suicide attempts. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 25(4): 193-9.
52163	Pfeffer CR, Lipkins R, Plutchik R, et al (1988). Normal children at risk for suicidal behaviour: a two-year follow-up study. <i>J Am Acad Child Adolesc Psychiatry</i> , 27(1): 34-41.
53986	Pickett W, King WD, Lees RE, et al (1998). Suicide mortality and pesticide use among Canadian farmers. <i>Am J Ind Med</i> , 34(4): 364-72.
86468	Pietrzak RH, Feder A, Singh R, et al (2014). Trajectories of PTSD risk and resilience in World Trade Center responders: an 8-year prospective cohort study. <i>Psychol Med</i> , 44(1): 205-19.
70933	Pietrzak RH, Schechter CB, Bromet EJ, et al (2012). The burden of full and subsyndromal posttraumatic stress disorder among police involved in the World Trade Center rescue and recovery effort. <i>J Psychiatr Res</i> , 46(7): 835-42.
77809	Pigeon WR, Pinquart M, Connor K (2012). Meta-analysis of sleep disturbance and suicidal thoughts and behaviors. <i>J Clin Psychiatry</i> , 73(9): e1160-7.
43708	Pine DS, Costello J, Masten A (2005). Trauma, proximity, and developmental psychopathology: the effects of war and terrorism on children. <i>Neuropsychopharmacology</i> , 30(10): 1781-92.
77600	Pinna F, Sanna L, Perra V, et al (2014). Long-term outcome of schizoaffective disorder. Are there any differences with respect to schizophrenia. <i>Riv Psichiatr</i> , 49(1): 41-9.
49801	Pirkis J (2004). [Comment] Borderline personality disorder, drug use disorder, and worsening depression or substance abuse are significant predictors of suicide attempts in people with Axis I and II disorders. <i>Evid Based Ment Health</i> , 7(1): 25. Comment on ID: 49800.
52164	Platt S (1987). The aftermath of Angie's overdose: is soap (opera) damaging to your health? <i>Br Med J (Clin Res Ed)</i> , 294(6577): 954-7.
54771	Pompili M, Di Cosimo D, Innamorati M, et al (2009). Psychiatric comorbidity in patients with chronic daily headache and migraine: a selective overview including personality traits and suicide risk. <i>J Headache Pain</i> , 10(4): 283-90.
54287	Pompili M, Girardi P, Tatarelli R (2006). Death from suicide versus mortality from epilepsy in the epilepsies: A meta-analysis. <i>Epilepsy Behav</i> , 9(4): 641-8.
54288	Pompili M, Girardi P, Tatarelli G, et al (2006). Suicide and attempted suicide in eating disorders, obesity and weight-image concern. <i>Eat Behav</i> , 7(4): 384-94.
79782	Pompili M, Innamorati M, Szanto K, et al (2011). Life events as precipitants of suicide attempts among first-time suicide attempters, repeaters, and non-attempters. <i>Psychiatry Res</i> , 186(2-3): 300-5.
54286	Pompili M, Mancinelli I, Girardi P, et al (2004). Suicide in anorexia nervosa: a meta-analysis. <i>Int J Eat Disord</i> , 36(1): 99-103.
48012	Preda A (2008). Suicidality and depression: medicolegal considerations for physicians treating patients with depression in the age of SSRIs. <i>eMedicine Feature Series</i> , Series 2: Issue 12.
77124	Prescrire International (2014). Mefloquine: persistent vestibular disorders. 23(150): 157.
53734	Preti A (2002). Seasonal variation and meteotropism in suicide: clinical relevance of findings and implications for research. <i>Acta Neuropsychiatrica</i> , 14(1): 17-28.
53736	Preti A, Miotti P, De Coppi M (2000). Season and suicide: recent findings from Italy. <i>Crisis</i> , 21(2): 59-70.
54281	Pridmore S, McArthur M (2009). Suicide and Western culture. <i>Australas Psychiatry</i> , 17(1): 42-50.

52681	Prosser JM, Perrone J, Pines JM (2007). The epidemiology of intentional non-fatal self-harm poisoning in the United States: 2001-2004. <i>J Med Toxicol</i> , 3(1): 20-4.
53443	Quine S, Bernard D, Booth M, et al (2003). Health and access issues among Australian adolescents: a rural-urban comparison. Retrieved 24 July 2009, from http://www.rrh.org.au/publishedarticles/article_print_245.pdf
76939	Quinn JC (2015). Complex membrane channel blockade: a unifying hypothesis for the prodromal and acute neuropsychiatric sequelae resulting from exposure to the antimalarial drug mefloquine. <i>J Parasitol Res</i> , 2015: 368064.
77964	Rademaker M (2010). Adverse effects of isotretinoin: a retrospective review of 1743 patients started on isotretinoin. <i>Australas J Dermatol</i> , 51(4): 248-53.
87647	Raguraman J, Vijaysagar KJ, Chandrasekaran R (2004). [Comment] An unusual presentation of PTSD. <i>Aust N Z J Psychiatry</i> , 38(9): 760.
77934	Rajapakse S, Rodrigo C, Fernando SD (2015). Tafenoquine for preventing relapse in people with plasmodium vivax malaria (review). <i>Cochrane Database Syst Rev</i> , (4): CD010458.
77997	Rajkumar RP (2015). Correlates of suicide-related ideations and attempts in patients with acute and transient psychotic disorder. <i>Clin Schizophr Relat Psychoses</i> , 12(1): 42-7. [Abstract]
78063	Ramrakha S, Fergusson DM, Horwood LJ, et al (2015). Cumulative mental health consequences of acne: 23-year follow-up in general population birth cohort study. <i>Br J Dermatol</i> , 175(5): 1079-81.
54008	Ratcliffe GE, Enns MW, Belik SL, (2008). Chronic pain conditions and suicidal ideation and suicide attempts: an epidemiologic perspective. <i>Clin J Pain</i> , 24(3): 204-10.
54023	Reeves RR, Ladner ME (2009). Antidepressant-induced suicidality: implications for clinical practice. <i>South Med J</i> , 102(7): 713-8.
85927	Regambal MJ, Alden LE, Wagner SL, et al (2015). Characteristics of the traumatic stressors experienced by rural first responders. <i>J Anxiety Disord</i> , 34: 86-93.
79841	Reger MA, Smolenski DJ, Skopp NA, et al (2015). Risk of suicide among US military service members following Operation Enduring Freedom or Operation Iraqi Freedom deployment and separation from the US military. <i>JAMA Psychiatry</i> , 72(6): 561-9.
53447	Reich J (1998). The relationship of suicide attempts, borderline personality traits, and major depressive disorder in a veteran outpatient population. <i>J Affect Disord</i> , 49(2): 151-6.
54033	Reith DM, Edmonds L (2007). Assessing the role of drugs in suicidal ideation and suicidality. <i>CNS Drugs</i> , 21(6): 463-72.
53684	Remafedi G (1999). [Comment] Suicide and sexual orientation. Nearing the end of controversy? <i>Arch Gen Psychiatry</i> , 56(10): 885-6. Comment on ID: 53682.
52673	Rezaeian M (2008-2009). Islam and suicide: A short personal communication. <i>OMEGA</i> , 58(1): 77-85.
54761	Ribai P, Nguyen K, Hahn-Barma V, et al (2007). Psychiatric and cognitive difficulties as indicators of juvenile Huntington disease onset in 29 patients. <i>Arch Neurol</i> , 64(6): 813-9.
54695	Richardson AS, Bergen HA, Martin G, et al (1004). Perceived academic performance as an indicator of risk of attempted suicide in young adolescents. <i>Arch Suicide Res</i> , 9(2): 163-76.
75202	Ringqvist A, Bech P, Glenthøj B, et al (2015). Acute and long-term psychiatric side effects of mefloquine: A follow-up on Danish adverse event reports. <i>Travel Med Infect Dis</i> , 13(1): 80-8.
10875	Rish BL, Dilustro JF, Salazar AM, et al (1997). Spinal cord injury: A 25 year morbidity and mortality study. <i>Mil Med</i> , 162(2): 141-8.

75203	Ritchie EC, Block J, Nevin RL (2013). Psychiatric side effects of mefloquine: applications to forensic psychiatry. <i>J Am Acad Psychiatry Law</i> , 41(2): 224-35.
54743	Robertson HT, Allison DB (2009). Drugs associated with more suicidal ideations are also associated with more suicide attempts. <i>PLoS One</i> , 4(10): e7312.
77850	Roche (2014). Larium. Roche Products.
53984	Rock D, Greenberg D, Hallmayer J (2006). Season-of-birth as a risk factor for the seasonality of suicidal behaviour. <i>Eur Arch Psychiatry Clin Neurosci</i> , 256(2): 98-105.
52448	Rock DJ, Hallmayer JF (2008). The seasonal risk for deliberate self-harm. Determined by place of birth, but occurrence determined by place of residence. <i>Crisis</i> , 29(4): 191-201.
52458	Rodriguez-Cano T, Beato-Fernandez L, Llario AB (2006). Body dissatisfaction as a predictor of self-reported suicide attempts in adolescents: A Spanish community prospective study. <i>J Adolesc Health</i> , 38(6): 684-8.
81256	Rogers ML, Kelliher-Rabon J, Hagan CR, et al (2017). Negative emotions in veterans relate to suicide risk through feelings of perceived burdensomeness and thwarted belongingness. <i>J Affect Disord</i> , 38(6): 684-8.
87742	Rosendal S, Salcioglu E, Anderson HS, et al (2011). Exposure characteristics and peri-trauma emotional reactions during the 2004 tsunami in Southeast Asia - what predicts posttraumatic stress and depressive symptoms? <i>Compr Psychiatry</i> , 52(6): 630-7.
78098	Ross EA, Reisfield GM, Watson MC, et al (2012). Psychoactive "bath salts" intoxication with methlenedioxypyrovalerone. <i>Am J Med</i> , 125(9): 854-8.
53681	Rossow I, Lauritzen G (2001). Shattered childhood: a key issue in suicidal behavior among drug addicts? <i>Addiction</i> , 96(2): 227-40.
77969	Rostila M, Saarela J, Kawachi I (2012). Mortality in parents following the death of a child: a nationwide follow-up study from Sweden. <i>J Epidemiol Community Health</i> , 66(10): 927-33.
77947	Rostila M, Saarela J, Kawachi I (2013). Suicide following the death of a sibling: a nationwide follow-up study from Sweden. <i>BMJ Open</i> , 3(4): e002618.
87750	Rousseau C, Measham T (2004). [Comment] Childhood reactions to terrorism. <i>J Am Acad Child Adolesc Psychiatry</i> , 43(11): 1320-7. Comment on ID: 87736.
54006	Rowe JL, Bruce ML, Conwell Y (2006). Correlates of suicide among home health care utilizers who dies by suicide and community controls. <i>Suicide Life Threat Behav</i> , 36(1): 65-75.
4207	Roy A (1993). Anxiety and suicide in depression. <i>Can J Psychiatry</i> , 38(10): 694-5.
1769	Roy A, Karoum F, Pollack S (1992). Marked reduction in indexes of dopamine metabolism among patients with depression who attempt suicide. <i>Arch Gen Psychiatry</i> , 49(6): 447-50.
79681	Rozanov V, Carli V (2012). Suicide among war veterans. <i>Int J Environ Res Public Health</i> , 9(7): 2504-19.
54766	Rubenowitz E, Waern M, Wilhelmsson K, et al (2001). Life events and psychosocial factors in elderly suicides - a case-control study. <i>Psychol Med</i> , 31(7): 1193-202.
52468	Rudatsikira E, Muula AS, Sizya S, et al (2007). Suicidal ideation and associated factors among school-going adolescents in rural Uganda. <i>BMC Psychiatry</i> , 7: 67.
4201	Rudd MD, Dahm PF, Rajab MH (1993). Diagnostic comorbidity in persons with suicidal ideation and behaviour. <i>Am J Psychiatry</i> , 150(6): 928-34.
1770	Runeson BS (1989). Mental disorder in youth suicide: DSM-III-R Axes I and II. <i>Acta Psychiatr Scand</i> , 79(5): 490-7.

49922	Ryb GE, Soderstrom CA, Kufera JA, et al (2006). Longitudinal study of suicide after traumatic injury. <i>J Trauma</i> , 61(4): 799-804.
53215	Ryding E, Ahnlide JA, Lindstrom M, et al (2006). Regional brain serotonin and dopamine transporter binding capacity in suicide attempters relate to impulsiveness and mental energy. <i>Psychiatry Res</i> , 148(2-3): 195-203.
52965	Ryding E, Lindstrom M, Traskman-Bendz L (2008). The role of dopamine and serotonin in suicidal behaviour and aggression. <i>Progress in Brain Research</i> , Chapter 15, 172: 307-15.
53996	Sahin HA, Sahin I, Arabaci F (2003). Sociodemographic factors in organophosphate poisonings: a prospective study. <i>Hum Expl Toxicol</i> , 22(7): 349-53.
45574	Sakinofsky I (2003). Suicide: the persisting challenge. <i>Can J Psychiatry</i> , 48(5): 289-91.
52439	Sakuta T (1995). A study of murder followed by suicide. <i>Med Law</i> , 14(1-2): 141-53.
78683	Sanofi-Aventis Australia (2012). Plaquenil. Product Information.
4194	Santiago JM, Dalen JE (1994). Cholesterol and violent behaviour. <i>Arch Intern Med</i> , 154(12): 1317-21.
53502	Sareen J, Belik SL (2009). [Comment] The need for outreach in preventing suicide among young veterans. <i>PLoS Med</i> , 6(3): e1000035. Comment on ID: 53445.
54734	Sareen J, Cox BJ, Afifi TO, et al (2005). Anxiety disorders and risk for suicidal ideation and suicide attempts. <i>Arch Gen Psychiatry</i> , 62(11): 1249-57.
52094	Sareen J, Cox BJ, Afifi TO, et al (2007). Combat and peacekeeping operations in relation to prevalence of mental disorders and perceived need for mental health care. <i>Arch Gen Psychiatry</i> , 64(7): 843-52.
77961	Schaffer LC, Schaffer CB, Hunter S, et al (2010). Psychiatric reactions to isotretinoin in patients with bipolar disorder. <i>Jf Affect Disord</i> , 122(3): 306-8.
49905	Schneider B, Wetterling T, Sargk D, et al (2006). Axis I disorders and personality disorders as risk factors for suicide. <i>Eur Arch Psychiatry Clin Neurosci</i> , 256(1): 17-27.
83208	Schoenbaum M, Kessler RC, Gilman SE, et al (2014). Predictors of suicide and accident death in the Army Study to Assess Risk and Resilience in Servicemembers (Army STARRS): results from the Army Study to Assess Risk and Resilience in Servicemembers (Army STARRS). <i>JAMA Psychiatry</i> , 71(5): 493-503.
77719	Schreiber J, Culpepper L (2016). Suicidal ideation and behavior in adults. . Retrieved 14 March 2016, from http://www.uptodate.com/contents/suicidal-ideation-and-behavior-in-adults
54037	Scoville SL, Gubata ME, Potter RN, et al (2007). Deaths attributed to suicide among enlisted U.S. armed forces recruits, 1980-2004. <i>Mil Med</i> , 172(10): 1024-31.
77840	Scudder L, Seymour S, Torjusen E, et al (2015). Montelukast's underrecognized adverse drug events. Retrieved 24 March 2016, from http://www.medscape.com/viewarticle/840302#vp_1
11040	Senate Standing Committee on Foreign Affairs, Defence and Trade (1994). Facing the Future Together. Sexual Harassment in the Australian Defence Force, Chapter 1: 1-2, 32. Commonwealth of Australia, Parliament House, Canberra.
87743	Sezgin U, Punamaki RL (2012). Earthquake trauma and causal explanation associating with PTSD and other psychiatric disorders among South East Anatolian women. <i>J Affect Disord</i> , 141(2-3): 432-40.
43604	Shalev AY, Tuval-Mashiach R, Hadar H (2004). Posttraumatic stress disorder as a result of mass trauma. <i>J Clin Psychiatry</i> , 65(Suppl 1): 4-10.

77798	Sharma T, Guski LS, Freund N, et al (2016). Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports. <i>BMJ</i> , 352: i65.
52661	Shaw KR, Sheehan KH, Fernandez RC (1987). Suicide in children and adolescents. <i>Adv Pediatr</i> , 34: 313-34.
52457	Shelton AJ, Atkinson J, Risser JM, et al (2006). The prevalence of suicidal behaviours in a group of HIV-positive men. <i>AIDS Care</i> , 18(6): 574-6.
79959	Shen YC, Cunha JM, Williams TV (2016). Time-varying associations of suicide with deployments, mental health conditions, and stressful life events among current and former US military personnel: a retrospective multivariate analysis. <i>Lancet Psychiatry</i> , 3(11): 1039-48.
52678	Sherer DM, Schenker JG (1989). Accidental injury during pregnancy. <i>Obstet Gynecol Surv</i> , 44(5): 330-8.
52444	Sherr L, Lampe F, Fisher M, et al (2008). Suicidal ideation in UK HIV clinic attenders. <i>AIDS</i> , 22(13): 1651-8.
54680	Shneidman E (2005). Prediction of suicide revisited: a brief methodological note. <i>Suicide Life Threat Behav</i> , 35(1): 1-2.
87744	Shuter J (2002). [Comment] Emotional problems in Palestinian children living in a war zone. <i>Lancet</i> , 360(9339): 1098.
76850	Siamouli M, Samara M, Fountoulakis KN (2014). Is antiepileptic-induced suicidality a data-based class effect or an exaggeration? A comment on the literature. <i>Harv Rev Psychiatry</i> , 22(6): 379-81.
54050	Siegert RJ, Abernethy DA (2005). Depression in multiple sclerosis: a review. <i>J Neurol Neurosurg Psychiatry</i> , 76(4): 469-75.
52453	Silenzio VM, Pena JB, Duberstein PR, et al (2007). Sexual orientation and risk factors for suicidal ideation and suicide attempts among adolescents and young adults. <i>Am J Public Health</i> , 97(11): 2017-9.
54901	Silverman MM, Berman AL, Sanddal ND, et al (2007). Rebuilding the tower of Babel: a revised nomenclature for the study of suicide and suicidal behaviors. Part 1: background, rationale, and methodology. <i>Suicide Life Threat Behav</i> , 37(3): 248-63.
31718	Sim M, Abramson M, Forbes A, et al (2003). Psychological Health. Australian Gulf War Veterans' Health Study, Vol 2 Chapter 11: 268-71. Commonwealth of Australia.
77791	Simon G (2015). Effect of antidepressants on suicide risk in adults. Retrieved 17 March 2016, from www.uptodate.com/contents/effect-of-antidepressants-on-suicide-risk-in-adults
48439	Simon RI (2008). Suicide. <i>Textbook of Psychiatry</i> , 5th Edition, Part VI, Chapter 43. American Psychiatric Publishing, Inc.
77768	Singhal A, Ross J, Seminog O, et al (2014). Risk of self-harm and suicide in people with specific psychiatric and physical disorders: comparisons between disorders using English national record linkage. <i>J R Soc Med</i> , 107(5): 194-204.
77617	Sinyor M, Cheung AH (2015). Antidepressants and risk of suicide. <i>BMJ</i> , 350: h783.
84408	Skogstad L, Fjetland AM, Ekeberg O (2015). Exposure and posttraumatic stress symptoms among first responders working in proximity to the terror sites in Norway on July 22, 2011 - a cross-sectional study. <i>Scand J Trauma Resusc Emerg Med</i> , 23: 23.
83742	Skogstad L, Heir T, Hauff E, et al (2016). Post-traumatic stress among rescue workers after terror attacks in Norway. <i>Occup Med (Lond)</i> , 66(7): 528-35.
79640	Skopp NA, Zhang Y, Smolenski DJ, et al (2016). Risk factors for self-directed violence in US soldiers: a case-control study. <i>Psychiatry Res</i> , 245: 194-9.

54030	Smith JP, Riley TR, Bingaman S, et al (2004). Amantadine therapy for chronic hepatitis C: a dose escalation study. <i>Am J Gastroenterol</i> , 99(6): 1099-104.
54002	Smith MT, Edwards RR, Robinson RC, et al (2004). Suicidal ideation, plans, and attempts in chronic pain patients: factors associated with increased risk. <i>Pain</i> , 111(1-2): 201-8.
77483	Song HR, Woo YS, Wang H-R, et al (2014). How does antiepileptic drug induce suicidality? A case associated with levetiracetam use. <i>Gen Hosp Psychiatry</i> , 36(3): 360e1-2.
77720	Soreff S (2016). Suicide. Retrieved 14 March 2016, from http://emedicine.medscape.com/article/2013085-overview#a3
54295	Sorensen HT, Mellemkjaer L, Olsen JH (2001). Risk of suicide in users of b-adrenoceptor blockers, calcium channel blockers and angiotensin converting enzyme inhibitors. <i>Br J Clin Pharmacol</i> , 52(3): 313-8.
54007	Spiegel B, Schoenfelds P, Naliboff B (2007). Systematic review: the prevalence of suicidal behaviour in patients with chronic abdominal pain and irritable bowel syndrome. <i>Aliment Pharmacol Ther</i> , 26(2): 183-93.
28553	Spooner MH (2002). [Comment] Suicide claiming more British Falkland veterans than fighting did. <i>CMAJ</i> , 166(11): 1453.
77799	Siretnakumar V, Huang E, Muller D (2015). Pharmacogenetics of clozapine treatment response and side-effects in schizophrenia: an update. <i>Expert Opin Drug Metab Toxicol</i> , 11(11): 1709-31.
83209	Stack S, Scourfield J (2015). Recency of divorce, depression, and suicide risk. <i>J Fam Issues</i> , 36(6): 695-715.
54202	Stallones L (2006). Suicide and potential occupational exposure to pesticides, Colorado 1990-1999. <i>J Agromedicine</i> , 11(3-4): 107-12.
54735	Stanley B, Gameroff MJ, Michalsen V, et al (2001). Are suicide attempters who self-mutilate a unique population? <i>Am J Psychiatry</i> , 158(3): 427-32.
53467	Starcevic V, Bogojevic G, Marinkovic J, et al (1999). Axis I and axis II comorbidity in panic / agoraphobic patients with and without suicidal ideation. <i>Psychiatr Res</i> , 88(2): 153-61.
53990	Stark C, Belbin A, Gibbs D, et al (2006). Male suicide and occupation in Scotland. <i>Health Stat Q</i> , 29: 26-9.
53992	Stark C, Gibbs D, Hopkins P, et al (2006). Suicide in farmers in Scotland. <i>Rural Remote Health</i> , 6(1): 509.
79784	Stein DJ, Chiu WT, Hwang I, et al (2010). Cross-national analysis of the association between traumatic events and suicidal behavior: findings from the WHO world mental health surveys. <i>PLoS One</i> , 5(5): e10574.
77844	Stein MB, Kessler RC, Heeringa SG, et al (2015). Prospective longitudinal evaluation of the effect of deployment-acquired traumatic brain injury on posttraumatic stress and related disorders: results from the army study to assess risk and resilience in servicemembers (army STARRS). <i>Am J Psychiatry</i> , 172(11): 1101-11.
1771	Stenager EN, Stenager E, Jensen K (1994). Attempted suicide, depression and physical diseases: a 1-year follow-up study. <i>Psychother Psychosom</i> , 61(1-2): 65-73.
53676	Sterud T, Hem E, Lau B, et al (2008). Suicidal ideation and suicide attempts in a nationwide sample of operational Norwegian ambulance personnel. <i>J Occup Health</i> , 50(5): 406-14.
85930	Stetz MC, Wildzunas RM, Wiederhold BK, et al (2006). The usefulness of virtual reality stress inoculation training for military medical females: A pilot study. <i>Ann Rev CyberTher Telemed</i> , 4: 51-8.
86471	Stewart SH, Mitchell TL, Wright KD, et al (2004). The relations of PTSD symptoms to alcohol use and coping drinking in volunteers who responded to the Swissair Flight 111 airline disaster. <i>J Anxiety Disord</i> , 18(1): 51-68.

54025	Stone M, Laughren T, Jones ML, et al (2009). Risk of suicidality in clinical trials of antidepressants in adults: analysis of proprietary data submitted to US Food & Drug Administration. <i>BMJ</i> , 339: b2280.
53453	Strauss JL, Calhoun PS, Marx CE, et al (2006). Comorbid posttraumatic stress disorder is associated with suicidality in male veterans with schizophrenia or schizoaffective disorder. <i>Schizophr Res</i> , 84(1): 165-9.
79678	Substance Abuse and Mental Health Services Administration (US) (2014). Trauma-informed care in behavioral health services. Treatment improvement protocol (TIP) Series, No. 57. HHS Publication No. (SMA) 13-4801, Chapter 3 - Understanding the impact of trauma. US Department of Health and Human Services. Center for Substance Abuse Treatment (US) Rockville (MD).
77808	Sun Y, Lin CC, Lu CJ, et al (2016). Association between zolpidem and suicide: a nationwide population-based case-control study. <i>Mayo Clin Proc</i> , 91(3): 308-15.
77959	Sundstrom A, Alfredsson L, Siolin-Forsberg G, et al (2010). Association of suicide attempts with acne and treatment with isotretinoin: retrospective Swedish cohort study. <i>BMJ</i> , 341: c5812.
54045	Sunnqvist C, Westrin A, Traskman-Bendz L (2008). Suicide attempters: biological stressmarkers and adverse life events. <i>Eur Arch Psychiatry Clin Neurosci</i> , 258(8): 456-62.
1772	Suokas J, Jonnqvist J (1995). Suicide attempts in which alcohol is involved: a special group in general hospital emergency rooms. <i>Acta Psychiatr Scand</i> , 91(1): 36-40.
83741	Surgenor LJ, Snell DL, Dorahy MJ (2015). Posttraumatic stress symptoms in police staff 12-18 months after the Canterbury earthquakes. <i>J Trauma Stress</i> , 28(2): 162-6.
78114	Suzuki J, Dekker MA, Valenti ES, et al (2015). Toxicities associated with NBOMe ingestion, a novel class of potent hallucinogens: a review of the literature. <i>Psychosomatics</i> , 56(2): 129-39.
78113	Suzuki J, Poklis JL, Poklis A (2014). "My friend said it was good LSD". A suicide attempt following analytically confirmed 251-NBOMe ingestion. <i>J Psychoactive Drugs</i> , 46(5): 379-82.
52447	Swahn MH, Simon TR, Hertz MF, et al (2008). Linking dating violence, peer violence, and suicidal behaviors among high-risk youth. <i>Am J Prev Med</i> , 34(1): 30-8.
77695	Swanson SA, Colman I (2013). Association between exposure to suicide and suicidality outcomes in youth. <i>CMAJ</i> , 185(10): 870-7.
1773	Takei N, Kunugi H, Nanko S, et al (1994). [Comment] Low serum cholesterol and suicide attempts. <i>Br J Psychiatry</i> , 164(5): 702-3.
53890	Tandt H, Audenaert K, van Heeringen C (2009). [SSRIs (selective serotonin reuptake inhibitors) and suicidality in adults, adolescents and children]. <i>Tijdschr Psychiatr</i> , 51(6): 387-93 [Article in Dutch]. [Abstract]
87745	Tang B, Liu Y, Liu Y, et al (2014). A meta-analysis of risk factors for depression in adults and children after natural disasters. <i>BMC Public Health</i> , 14: 623.
54004	Tang NK, Crane C (2006). Suicidality in chronic pain: a review of the prevalence, risk factors and psychological links. <i>Psychol Med</i> , 36(5): 575-86.
54269	Taylor DJ, Lichstein KL, Durrence HH (2003). Insomnia as a health risk factor. <i>Behav Sleep Med</i> , 1(4): 227-47.
1774	Taylor SJ (1994). Debt and deliberate self-poisoning. <i>Br J Psychiatry</i> , 164(1): 111-4.
54456	Terao T, Soya A (2003). [Comments] Cholesterol, essential fatty acids, and suicide. <i>Pharmacopsychiatry</i> , 36(2): 83-5. Comments on ID: 54455.
77623	Termorshuizen F, Palmen SJ, Heerdink ER (2015). Suicide behavior before and after the start with antidepressants: a high persistent risk in the first

	month of treatment among the young. <i>Int J Neuropsychopharmacol</i> , 19(2): pyv081.
87746	Thabet AA, Abed Y, Vostanis P (2002). Emotional problems in Palestinian children living in a war zone: a cross-sectional study. <i>Lancet</i> , 359(9320): 1801-4.
54736	Thacore VR, Varma SL (2000). A study of suicides in Ballarat, Victoria, Australia. <i>Crisis</i> , 21(1): 26-30.
53989	Thomas HV, Lewis G, Thomas DR, et al (2003). Mental health of British farmers. <i>Occup Environ Med</i> , 60(3): 181-6.
77563	Thomas KH, Martin RM, Davies NM, et al (2013). Smoking cessation treatment and risk of depression, suicide, and self harm in the clinical practice research datalink: prospective cohort study. <i>BMJ</i> , 347: f5704.
77564	Thomas KH, Martin RM, Potokar J, et al (2014). Reporting of drug induced depression and fatal and non-fatal suicidal behaviour in the UK from 1998-2011. <i>BMC Pharmacol Toxicol</i> , 15: 54.
77565	Thomas KH, Martin RM, Knipe DW, et al (2015). Risk of neuropsychiatric adverse events associated with varenicline: systematic review and meta-analysis. <i>BMJ</i> , 350: h1109.
53459	Thompson R, Kane V, Cook JM, et al (2006). Suicidal ideation in veterans receiving treatment for opiate dependence. <i>J Psychoactive Drugs</i> , 38(2): 149-56.
53462	Thompson R, Katz IR, Kane VR, et al (2002). Cause of death in veterans receiving general medical and mental health care. <i>J Nerv Ment Dis</i> , 190(11): 789-92.
53457	Thoresen S, Mehlum L (2008). Traumatic stress and suicidal ideation in Norwegian male peacekeepers. <i>J Nerv Ment Dis</i> , 196(11): 814-21.
53686	Thoresen S, Mehlum L, Roysamb E, et al (2006). Risk factors for completed suicide in veterans of peacekeeping: repatriation, negative life events, and marital status. <i>Arch Suicide Res</i> , 10(4): 353-63.
31740	Thoresen S, Mehlum L, Moller B (2003). Suicide in peacekeepers: a cohort study of mortality from suicide in 22,275 Norwegian veterans from international peacekeeping operations. <i>Soc Psychiatry Psychiatr Epidemiol</i> , 38(11): 605-10.
86469	Thormar SB, Gersons BP, Juen B, et al (2013). Organizational factors and mental health in community volunteers. The role of exposure, preparation, training, tasks assigned, and support. <i>Anxiety Stress Coping</i> , 26(6): 624-42.
85883	Tierens M, Bal S, Crombez G, et al (2012). Differences in posttraumatic stress reactions between witnesses and direct victims of motor vehicle accidents. <i>J Trauma Stress</i> , 25(3): 280-7.
53452	Tiet QQ, Finney JW, Moos RH (2006). Recent sexual abuse, physical abuse, and suicide attempts among male veterans seeking psychiatric treatment. <i>Psychiatric Serv</i> , 57(1): 107-13.
77935	Tindle HA, Omalu B, Courcoulas A, et al (2010). Risk of suicide after long term follow-up from bariatric surgery. <i>Am J Med</i> , 123(11): 1036-42.
77793	Toffol E, Hatonen T, Tanskanen A, et al (2015). Lithium is associated with decrease in all-cause and suicide mortality in high-risk bipolar patients: A nationwide registry-based prospective cohort study. <i>J Affect Disord</i> , 183: 159-65.
54829	Torelli P, Manzoni GC (2003). Pain and behaviour in cluster headache. A prospective study and review of the literature. <i>Funct Neurol</i> , 18(4): 205-10.
79755	Tran LD, Grant D, Aydin M, et al (2016). California veterans receive inadequate treatment to address their mental health needs. <i>Am J Med Res</i> , 3(2): 126-40.
52470	Tran Thi Thanh H, Tran NT, Jiang G, et al (2006). Life time suicidal thoughts in an urban community in Hanoi, Vietnam. <i>BMC Public Health</i> , 6: 76.
77845	Truven Health Analytics Inc (2016). Levofloxacin: adverse effects. Retrieved 24 March 2016, from http://www.micromedexsolutions.com

54768	Tsoh J, Chiu HF, Duberstein PR, et al (2005). Attempted suicide in elderly Chinese persons. <i>Am J Geriatr Psychiatry</i> , 13(7): 562-71.
53454	Turner AP, Williams RM, Bowen JD, et al (2006). Suicidal ideation in multiple sclerosis. <i>Arch Phys Med Rehabil</i> , 87(8): 1073-8.
77369	U.S. Department of Health and Human Services (2012). National strategy for suicide prevention: goals and objectives for action. Appendix D: Groups with increased suicide risk. HHS, 101-30. Washington DC US Government Printing Office.
79642	Ursano RJ, Kessler RC, Stein MB, et al (2016). Risk factors, methods, and timing of suicide attempts among US army soldiers. <i>JAMA Psychiatry</i> , 73(7): 741-9.
86460	Ursano RJ, McCarroll JE (1990). The nature of a traumatic stressor: Handling dead bodies. <i>J Nerv Ment Dis</i> , 178(6): 396-8.
87749	Valenzano A, Moscatelli F, Messina A, et al (2018). Stress profile in remotely piloted aircraft crewmembers during 2 h operating mission. <i>Front Physiol</i> , 9: Article 461.
52442	van Bergen DD, Smit JH, van Balkom AJ, et al (2008). Suicidal ideation in ethnic minority and majority adolescents in Utrecht, The Netherlands. <i>Crisis</i> , 29(2): 202-8.
49904	van der Wal MF, de Wit CA, Hirasing RA (2003). Psychosocial health among young victims and offenders of direct and indirect bullying. <i>Pediatrics</i> , 111(6 Pt 1): 1312-7.
77570	van Geel M, Vedder P, Tanilon J (2014). Relationship between peer victimization, cyberbullying, and suicide in children and adolescents: a meta-analysis. <i>JAMA Pediatr</i> , 168(5): 435-42.
54028	van Heeringen K (2003). The neurobiology of suicide and suicidality. <i>Can J Psychiatry</i> , 48(5): 292-300.
54571	Vander Stoep A, Weiss NS, McKnight B, et al (2002). Which measure of adolescent psychiatric disorder - diagnosis, number of symptoms, or adaptive functioning - best predicts adverse young adult outcomes? <i>J Epidemiol Community Health</i> , 56(1): 56-65.
52455	Vanderwerker LC, Chen JH, Charpentier P, et al (2007). Differences in risk factors for suicidality between African American and white patients vulnerable to suicide. <i>Suicide Life Threat Behav</i> , 37(1): 1-9.
4196	Vasan RS (1992). Lowering cholesterol and death due to accidents, suicides: Unresolved issues. <i>Arch Intern Med</i> , 152(2): 414.
54000	Vickers A, Wright M (2002). [Comments] Widespread body pain and mortality. Theories that psychological states cause cancer should be rejected. <i>BMJ</i> , 324(7332): 300.
54048	Voaklander DC, Rowe BH, Dryden DM, et al (2008). Medical illness, medication use and suicide in seniors: a population-based case-control study. <i>J Epidemiol Community Health</i> , 62(2): 138-46.
70941	Vogt D, Vaughn R, Glickman ME, et al (2011). Gender differences in combat-related stressors and their association with postdeployment mental health in a nationally representative sample of U.S. OEF/OIF veterans. <i>J Abnorm Psychol</i> , 120(4): 797-806.
54284	Voracek M, Loibl LM (2007). Genetics of suicide: a systematic review of twin studies. <i>Wien Klin Wochenschr</i> , 119(15-16): 463-75.
54723	Waern M, Rubenowitz E, Runeson B, et al (2002). Burden of illness and suicide in elderly people: case-control study. <i>BMJ</i> , 324(7350): 1355.
54722	Waern M, Rubenowitz E, Williamson K (2003). Predictors of suicide in the old elderly. <i>Gerontology</i> , 49(5): 328-34.
77371	Wagman Borowsky I, Taliaferro LA, McMorris BJ (2013). Suicidal thinking and behavior among youth involved in verbal and social bullying: risk and protective factors. <i>J Adolesc Health</i> , 53(1 Suppl): S4-S12.
52682	Walker RL, Obasi EM, Wingate LR, et al (2008). An empirical investigation of acculturative stress and ethnic identity as moderators for depression and

	suicidal ideation in college students. <i>Cultur Divers Ethnic Minor Psychol</i> , 14(1): 75-82.
78020	Walsh DS, Eamsila C, Sasiprapha T, et al (2004). Efficacy of monthly tafenoquine for prophylaxis of plasmodium vivax and multidrug-resistant p. falciparum malaria. <i>J Infect Dis</i> , 190(8): 1456-63.
78023	Walsh DS, Looareesuwan S, Wilairantana P, et al (1999). Randomized dose-ranging study of the safety and efficacy of WR238605 (tafenoquine) in the prevention of relapse of plasmodium vivax malaria in Thailand. <i>J Infect Dis</i> , 180(4): 1282-7.
54036	Walsh E, Eggert LL (2007). Suicide risk and protective factors among youth experiencing school difficulties. <i>Int J Ment Health Nurs</i> , 16(5): 349-59.
54204	Walsh Sm, Sage RA (2002). Depression and chronic diabetic foot disability. A case report of suicide. <i>Clin Podiatr Med Surg</i> , 19(4): 493-508.
83740	Wang H, Jin H, Nunnink SE, et al (2011). Identification of post traumatic stress disorder and risk factors in military first responders 6 months after Wen Chuan earthquake in China. <i>J Affect Disord</i> , 130(1-2): 213-9.
54769	Wang SJ, Juang KD, Fuh JL, et al (2007). Psychiatric comorbidity and suicide risk in adolescents with chronic daily headache. <i>Neurology</i> , 68(18): 1468-73.
53446	Warner J, McKeown E, Griffin M, et al (2004). Rates and predictors of mental illness in gay men, lesbians and bisexual men and women. <i>Br J Psychiatry</i> , 185: 479-85.
54215	Warrington TP, Bostwick JM (2006). Psychiatric adverse effects of corticosteroids. <i>Mayo Clin Proc</i> , 81(10): 1361-7.
4176	Warshaw MG, Massion AO, Peterson LG, et al (1995). Suicidal behaviour in patients with panic disorder: retrospective and prospective data. <i>J Affect Disord</i> , 34(3): 235-47.
1775	Wasserman D, Spellerberg S (1989). Attempted-suicide trends in Stockholm County, Sweden, 1975-1985. <i>Acta Psychiatr Scand</i> , 81(2): 190-6.
77567	Weiner J, Richmond TS, Coniglario J, et al (2011). Military veteran mortality following a survived suicide attempt. <i>BMC Public Health</i> , 11: 374.
75208	Weinke T, Trautmann M, Held T, et al (1991). Neuropsychiatric side effects after the use of mefloquine. <i>Am J Trop Med Hyg</i> , 45(1): 86-91.
52667	Weissman MM, Klerman GL (1977). Sex differences and the epidemiology of depression. <i>Arch Gen Psychiatry</i> , 34(1): 98-111.
77259	Wells TS, Smith TC, Smith B (2006). Mefloquine use and hospitalizations among US service members, 2002-2004. <i>Am J Trop Med Hyg</i> , 74(5): 744-9.
85890	Werner EE (2012). Children and war: Risk, resilience, and recovery. <i>Dev Psychopathol</i> , 24(2): 553-8.
87748	Werner KB, Sartor CE, McCutcheon, et al (2016). The association of specific traumatic experiences with alcohol initiation and transitions to problem use in European American and African American women. <i>Alcohol Clin Exp Res</i> , 40(11): 2401-8.
86472	West C, Bernard B, Mueller C, et al (2008). Mental health outcomes in police personnel after Hurricane Katrina. <i>J Occup Environ Med</i> , 50(6): 689-95.
77566	WHO (2014). Preventing suicide: a global imperative. World Health Organization.
77626	Wijlaars LP, Nazareth I, Whitaker HJ, et al (2013). Suicide-related events in young people following prescription of SSRIs and other antidepressants: a self-controlled case series analysis. <i>BMJ Open</i> , 3(9): e003247.
54021	Wilcox HC, Conner KR, Caine ED (2004). Association of alcohol and drug use disorders and completed suicide: an empirical review of cohort studies. <i>Drug Alcohol Depend</i> , 76(Suppl): S11-9.
78396	Wilcox HC, Kuramoto SJ, Linchteinstein P, et al (2010). Psychiatric morbidity, violent crime, and suicide among children and adolescents

	exposed to parental death. <i>J Am Acad Child Adolesc Psychiatry</i> , 49(5): 514-23.
53216	Williams JM, Pollock LR (2000). The psychology of suicidal behaviour. <i>The International Handbook of Suicide and Attempted Suicide</i> , Chapter 5: 79-93. John Wiley & Sons, New York, US.
84405	Wilson LC (2015). A systematic review of probable posttraumatic stress disorder in first responders following man-made mass violence. <i>Psychiatry Res</i> , 229(1-2): 21-6.
1776	Windle M (1993). Characteristics of alcoholics who attempted suicide: co-occurring disorders and personality differences with a sample of male Vietnam era veterans. <i>J Stud Alcohol</i> , 55(5): 571-7.
77611	Wise J (2016). Antidepressants may double risk of suicide and aggression in children, study finds. <i>BMJ</i> , 352: i545.
69868	Witteveen AB, Bramsen I, Twisk WR, et al (2007). Psychological distress of rescue workers eight and one-half years after professional involvement in the Amsterdam air disaster. <i>J Nerv Ment Dis</i> , 195(1): 31-40.
52684	Wojnar M, Ilgen MA, Wojnar J, et al (2009). Sleep problems and suicidality in the National Comorbidity Survey Replication. <i>J Psychiatr Res</i> , 43(5): 526-31.
31739	Wong A, Escobar M, Lesate A, et al (2001). Are UN Peacekeepers at risk of suicide? <i>Suicide Life Threat Behav</i> , 31(1): 103-12.
52452	Wong JP, Stewart SM, Claassen C, et al (2008). Repeat suicide attempts in Hong Kong community adolescents. <i>Soc Sci Med</i> , 66(2): 232-41.
87747	Wood J, Chaopelle W, Correll T, et al (2016). Prevalence of posttraumatic stress disorder in remotely piloted aircraft operators in the United States Air Force. Retrieved 11 July 2018, from http://www.dtic.mil/cgi/tr/fulltext/u2/a631953.pdf
54770	Woolley SB, Fredman L, Goethe JW, et al (2008). Headache complaints and the risk of suicidal thoughts or behaviors. <i>J Nerv Ment Dis</i> , 196(11): 822-8.
38500	Wooltorton E (2003). Accutane (isotretinoin) and psychiatric adverse effects. <i>CMAJ</i> , 168(1): 66.
77368	World Health Organization (2014). Preventing suicide: a global imperative. WHO. Geneva, Switzerland.
53500	Wortzel HS, Binswanger IA, Anderson A, et al (2009). Suicide among incarcerated veterans. <i>J Am Acad Psychiatry Law</i> , 37(1): 82-91.
54691	Wyder M, De Leo D (2007). Behind impulsive suicide attempts: indications from a community study. <i>J Affect Disord</i> , 104(1-3): 167-73.
4197	Wysowski DK, Gross TP (1990). Deaths due to accidents and violence in two recent trials of cholesterol-lowering drugs. <i>Arch Intern Med</i> , 150(10): 2169-72.
83211	Xiao J, Guan S, Ge H, et al (2017). The impact of changes in work stressors and coping resources on the risk of new-onset suicide ideation among Chinese petroleum industry workers. <i>J Psychiatry Res</i> , 88: 1-8.
79643	Yacobi A, Fruchter E, Mann JJ, et al (2013). Differentiating army suicide attempters from psychologically treated and untreated soldiers: a demographic, psychological and stress-reaction characterization. <i>J Affect Disord</i> , 150(2): 300-5.
54729	Yamasaki A, Chinami M, Morgenthaler S, et al (2004). Enterprise failures correlate positively with suicide rate for both sexes in Japan. <i>Psychol Rep</i> , 95(3 Pt 1): 914-20.
54293	Yen S, Pagano ME, Shea MT, et al (2005). Recent life events preceding suicide attempts in a personality disorder sample: findings from the Collaborative Longitudinal Personality Disorders Study. <i>J Consult Clin Psychol</i> , 73(1): 99-105.
49800	Yen S, Shea MT, Pagano M, et al (2003). Axis I and axis II disorders as predictors of prospective suicide attempts: findings from the collaborative

	longitudinal personality disorders study. J Abnorm Psychol, 112(3): 375-81. [Erratum attached].
77568	Yi SW, Hong JS (2015). Depressive symptoms and other risk factors predicting suicide in middle-aged men: a prospective cohort study among Korean Vietnam war veterans. PeerJ, 3: e1071.
52968	Young AH (2009). [Comment] Lithium levels in drinking water and risk of suicide. Br J Psychiatry, 194(5): 466.
78115	Zarrabi H, Khalkhali M, Hamidi A, et al (2016). Clinical features, course and treatment of methamphetamine-induced psychosis in psychiatric inpatients. BMC Psychiatry, 16: 44.
77473	Zerach G, Levi-Belz Y, Solomon Z (2014). Trajectories of suicidal ideation and posttraumatic stress symptoms among former prisoners of war: a 17-year longitudinal study. J Psychiatr Res, 49: 83-9.
77599	Zerwas S, Tidsebak Larsen J, Petersen L, et al (2015). The incidence of eating disorders in a Danish register study: associations with suicide risk and mortality. J Psychiatry Res, 65: 16-22.
77759	Zubrick SR, Hafekost J, Johnson SE, et al (2016). Suicidal behaviours: prevalence estimates from the second Australian child and adolescent survey of mental health and wellbeing. Aust N Z J Psychiatry, 50(9): 899-910.