



DEMENTIA PUGILISTICA

RMA ID Number	Reference List for RMA269-3 as at December 2020
---------------	---

7591	Adams CW, Bruton CJ (1989). The cerebral vasculature in dementia pugilistica. <i>J Neurol Neurosurg Psychiatry</i> , 52(5): 600-4.
96649	Agoston D, Arun P, Bellgowan P, et al (2017). Military blast injury and chronic neurodegeneration: Research presentations from the 2015 International State-of-the-Science Meeting. <i>J Neurotrauma</i> , 34(S1): S6-17.
61973	Areza-Fegyveres R, Rosemberg S, Maria R, et al (2007). Dementia pugilistica with clinical features of Alzheimer's disease. <i>Arq Neuropsiquiatr</i> , 65(3B): 830-3.
96646	Asken BM, Bauer RM (2018). Chronic traumatic encephalopathy: The horse is still chasing the cart. <i>J Orthop Sports Phys Ther</i> , 48(9): 672-5.
96175	Asken BM, Sullan MJ, Snyder AR, et al (2016). Factors influencing clinical correlates of chronic traumatic encephalopathy (CTE): A review. <i>Neuropsychol Rev</i> , 26(4): 340-63.
96184	Bang SA, Song YS, Moon BS, et al (2016). Neuropsychological, metabolic, and GABAA receptor studies in subjects with repetitive traumatic brain injury. <i>J Neurotrauma</i> , 33(11): 1005-14.
61081	Bazarian JJ, Cernak I, Noble-Haeusslein L, et al (2009). Long-term neurologic outcomes after traumatic brain injury. <i>J Head Trauma Rehabil</i> , 24(6): 439-51.
61070	Bedlack RS, Genge A, Shiabani A, et al (2011). [Comments] TDP-43 proteinopathy and motor neurone disease in chronic traumatic encephalopathy. <i>J Neuropathol Exp Neurol</i> , 70(1): 96-97; Author's reply: 98-100. Comments on ID: 61071.
96678	Bieniek KF, Blessing MM, Heckman MG, et al (2020). Association between contact sports participation and chronic traumatic encephalopathy: A retrospective cohort study. <i>Brain Pathol</i> , 30(1): 63-74.
96182	Bieniek KF, Ross OA, Cormier KA, et al (2015). Chronic traumatic encephalopathy pathology in a neurodegenerative disorders brain bank. <i>Acta Neuropathol</i> , 130(6): 877-89.
61972	Bird TD, Miller BL (2011). Other causes of dementia. Chapter 365, Retrieved 9 September 2011, from Y:\RMA\Special\Researcher-Andrew\dementia pugilistica\articles\AccessMedicine Other Causes of Dementia.mht
61078	Bleiberg J, Cernich AN, Cameron K, et al (2004). Duration of cognitive impairment afters sports concussion. <i>Neurosurgery</i> , 54(5): 1073-80.
84300	Boyle E, Cancelliere C, Hartvigsen J, et al (2014). Systematic review of prognosis after mild traumatic brain injury in the military: results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. <i>Arch Phys Med Rehabil</i> , 95(3 Suppl): S230-7.
7609	Brooks N, Kupshik G, Wilson L, et al (1987). A neuropsychological study of active amateur boxers. <i>J Neurol Neurosurg Psychiatry</i> , 50(8): 997-1000.

7901	Butler RJ (1994). Neuropsychological investigation of amateur boxers. <i>Br J Sports Med</i> , 28(3): 187-90.
7608	Butler RJ, Forsythe WI, Beverly DW, et al (1993). A prospective controlled investigation of the cognitive effects of amateur boxing. <i>J Neurol Neurosurg Psychiatry</i> , 56(10): 1055-61.
61069	Cantu RC (2007). Chronic traumatic encephalopathy in the national football league. <i>Neurosurg</i> , 61(2): 223-5.
7605	Carlsson GS, Svardsudd K, Welin L (1987). Long-term effects of head injuries sustained during life in three male populations. <i>J Neurosurg</i> , 67(2): 197-205.
96163	Castellani RJ, Perry G (2017). Dementia pugilistica revisited. <i>J Alzheimers Dis</i> , 60(4): 1209-21.
96172	Castellani RJ, Perry G, Iverson GL (2015). Chronic effects of mild neurotrauma: Putting the cart before the horse? <i>J Neuropathol Exp Neurol</i> , 74(6): 493-9.
23508	Chapman JC, Diaz-Arrastia R (2014). Military traumatic brain injury: a review. <i>Alzheimers Dement</i> , 10(3 Suppl): S97-104.
7632	Corseillis JA (1989). Boxing and the brain. <i>BMJ</i> , 298(6666): 105-9.
7602	Critchley M (1957). Medical aspects of boxing, particularly from a neurological standpoint. <i>Br Med J</i> , 1(5015): 357-66.
96179	Cunningham J, Broglio S, Wilson F (2018). Influence of playing rugby on long-term brain health following retirement: a systematic review and narrative synthesis. <i>BMJ Open Sport Exerc Med</i> , 4(1): e000356.
96178	Cunningham J, Broglio SP, O'Grady M, et al (2020). History of sport-related concussion and long-term clinical cognitive health outcomes in retired athletes: A systematic review. <i>J Athl Train</i> , 55(2): 132-58.
7587	Dale GE, Leigh PN, Luthert P, et al (1991). Neurofibrillary tangles in dementia pugilistica are ubiquitinated. <i>J Neurol Neurosurg Psychiatry</i> , 54(2): 116-8.
7611	Drew RH, Templer DI, Schuyler BA, et al (1986). Neuropsychological deficits in active licensed professional boxers. <i>J Clin Psychol</i> , 42(3): 520-5.
96648	Edlow BL, Keene CD, Perl DP, et al (2018). Multimodal characterization of the late effects of traumatic brain injury: A methodological overview of the late effects of traumatic brain injury project. <i>J Neurotrauma</i> , 35(14): 1604-19.
96761	Esopenko C, Chow TW, Tartaglia MC, et al (2017). Cognitive and psychosocial function in retired professional hockey players. <i>J Neurol Neurosurg Psychiatry</i> , 88(6): 512-9.
96164	Evans RW (2017). Sequelae of mild traumatic brain injury. Retrieved 28 May 2020, from https://www.uptodate.com/contents/sequelae-of-mild-traumatic-brain-injury
61065	Forsti H, Haass C, Hemmer B, et al (2010). Boxing - acute complications and late sequelae. <i>Dtsch Arztebl Int</i> , 107(47): 835-9.
96177	Gallo V, Motley K, Kemp SP, et al (2020). Concussion and long-term cognitive impairment among professional or elite sport-persons: a systematic review. <i>J Neurol Neurosurg Psychiatry</i> , 91(5): 455-68.
96592	Gao AF, Ramsay D, Twose R, et al (2017). Chronic traumatic encephalopathy-like neuropathological findings without a history of trauma. <i>Int J Pathol Clin Res</i> , 3(1): 1-4.
61058	Gavett BE, Stern RA, McKee AC (2011). Chronic traumatic encephalopathy: a potential late effect of sport-related concussive and subconcussive head trauma. <i>Clin Sports Med</i> , 30(1): 179-88.
61121	Geddes JF, Vowles GH, Nicoll JA, et al (1999). Neuronal cytoskeletal changes are an early consequence of repetitive head injury. <i>Acta Neuropathol</i> , 98(2): 171-8.
61974	Giza CC, Hovda D (2001). The neurometabolic cascade of concussion. <i>J Athl Train</i> , 36(3): 228-35.

96183	Godbolt AK, Cancelliere C, Hincapie CA, et al (2014). Systematic review of the risk of dementia and chronic cognitive impairment after mild traumatic brain injury: Results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. <i>Arch Phys Med Rehabil</i> , 95(3 Suppl): S245-56.
96166	Goldstein LE, Fisher AM, Tagge CA, et al (2012). Chronic traumatic encephalopathy in blast-exposed military veterans and a blast neurotrauma mouse model. <i>Sci Transl Med</i> , 4(134): 134ra60.
96642	Goldstein LE, McKee AC (2012). [Comment] Response to comment on "chronic traumatic encephalopathy in blast-exposed military veterans and a blast neurotrauma mouse model". <i>Sci Transl Med</i> , 4(157): 157lr5. Comment on ID: 96168.
61064	Goodwin L (2006). Dementia pugilistica. <i>J Insur Med</i> , 38(4): 300-2.
61975	Greenwald RM, Gwin J, Chu JJ, et al (2008). Head impact severity measures for evaluating mild traumatic brain injury risk exposure. <i>Neurosurgery</i> , 62(4): 789-98.
53407	Guskiewicz KM, Marshall SW, Bailes J, et al (2005). Association between recurrent concussion and late-life cognitive impairment in retired professional football players. <i>Neurosurgery</i> , 57(4): 719-26; discussion 719-26.
7903	Guterman A, Smith RW (1987). Neurological sequelae of boxing. <i>Sports Med</i> , 4(3): 194-210.
7900	Haglund Y, Eriksson E (1993). Does amateur boxing lead to chronic brain damage? A review of some recent investigations. <i>Am J Sports Med</i> , 21(1): 97-109.
61077	Hahnel S, Stippich C, Weber I, et al (2008). Prevalence of cerebral microhemorrhages in amateur boxers as detected by 3T MR imaging. <i>AJNR Am J Neuroradiol</i> , 29(2): 388-91.
96594	Hazrati LN, Tartaglia MC, Diamandis P, et al (2013). Absence of chronic traumatic encephalopathy in retired football players with multiple concussions and neurological symptomatology. <i>Front Hum Neurosci</i> , 7: 222.
7585	Hof PR, Bouras C, Buee L, et al (1992). Differential distribution of neurofibrillary tangles in the cerebral cortex of dementia pugilistica and Alzheimer's disease cases. <i>Acta Neuropathol</i> , 85(1): 23-30.
7592	Holzgraefe M, Lemme W, Funke W, et al (1992). The significance of diagnostic imaging in acute and chronic brain damage in boxing, A prospective study in amateur boxing using magnetic resonance imaging (MRI). <i>Int J Sports Med</i> , 13(8): 616-20.
96643	Iacono D, Lee P, Edlow BL, et al (2020). Early-onset dementia in war veterans: Brain polypathology and clinicopathologic complexity. <i>J Neuropathol Exp Neurol</i> , 79(2): 144-62.
62531	Institute of Medicine (2008). Dementia pugilistica. <i>Gulf War and Health: Long-term Consequences of Traumatic Brain Injury</i> , Vol 7: 243. National Academies Press - Washington, DC.
61976	Institute of Medicine (2008). Dementia pugilistica. Long-term consequences of traumatic brain injury. <i>Gulf War and Health</i> , Volume 7: 234-6. National Academies Press, Washington, DC.
96644	Iverson GL, Gardner AJ, Shultz SR, et al (2019). Chronic traumatic encephalopathy neuropathology might not be inexorably progressive or unique to repetitive neurotrauma. <i>Brain</i> , 142(12): 3672-93.
7953	Johnson J (1969). Organic psychosyndromes due to boxing. <i>Br J Psychiatry</i> , 115(518): 45-53.
7610	Jordan BD (1987). Neurologic aspects of boxing. <i>Arch Neurol</i> , 44(4): 453-9.
7634	Jordan BD (1990). Boxer's encephalopathy. <i>Neurology</i> , 40(4): 727.
61066	Jordan BD (2000). Chronic traumatic brain injury associated with boxing. <i>Semin Neurol</i> , 20(2): 179-85.

7584	Jordan BD, Kanik AB, Horwich MS, et al (1995). [Comment] Apolipoprotein E epsilon 4 and fatal cerebral amyloid angiopathy associated with dementia pugilistica. <i>Ann Neurol</i> , 38(4): 698-9.
16539	Jordan SE, Green GA, Galanty HL, et al (1996). Acute and chronic brain injury in United States national team soccer players. <i>Am J Sports Med</i> , 24(2): 205-10.
7635	Kaste M, Kuurne T, Vilkki J, et al (1982). Is chronic brain damage in boxing a hazard of the past? <i>Lancet</i> , 2(8309): 1186-8.
61079	King A, Sweeney F, Bodi I, et al (2010). Abnormal TDP-43 expression is identified in the neocortex in cases of dementia pugilistica, but is mainly confined to the limbic system when identified in high and moderate stages of Alzheimer's disease. <i>Neuropathology</i> , 30(4): 408-19.
96677	Laffey M, Darby AJ, Cline MG, et al (2018). The utility of clinical criteria in patients with chronic traumatic encephalopathy. <i>NeuroRehabilitation</i> , 43(4): 431-41.
7630	Lampert PW, Hardman JM (1984). Morphological changes in brains of boxers. <i>JAMA</i> , 251(20): 2676-9.
96176	Lehman EJ, Hein MJ, Baron SL, et al (2012). Neurodegenerative causes of death among retired National Football League players. <i>Neurology</i> , 79(19): 1970-4.
96690	Lin A, Charney M, Shenton ME, et al (2018). Chronic traumatic encephalopathy: Neuroimaging biomarkers. <i>Handb Clin Neurol</i> , 158: 309-22.
61977	Loane DJ, Pocivavsek A, Moussa CE, et al (2009). Amyloid precursor protein secretases as therapeutic targets for traumatic brain injury. <i>Nat Med</i> , 15(4): 377-9.
61076	Loosemore M, Knowles CH, Whyte GP (2007). Amateur boxing and risk of chronic traumatic brain injury: systematic review of observational studies. <i>BMJ</i> , 335(7624): 809.
61063	Lovell M (2009). The management of sports-related concussion: current status and future trends. <i>Clin Sports Med</i> , 28(1): 95-111.
96181	Manley G, Gardner AJ, Schneider KJ, et al (2017). A systematic review of potential long-term effects of sport-related concussion. <i>Br J Sports Med</i> , 51(12): 969-77.
7955	Martland HS (1928). Punch drunk. <i>JAMA</i> , 9(15): 1103-7.
61979	McCrory P (2002). Boxing and the brain. Revisiting chronic traumatic encephalopathy. <i>Br J Sports Med</i> , 36(1): 2.
61978	McCrory P, Turner M, Murray J (2004). A punch drunk jockey? <i>Br J Sports Med</i> , 38(3): e3.
61068	McCrory P, Zazryn T, Cameron P (2007). The evidence for chronic traumatic encephalopathy in boxing. <i>Sports Med</i> , 37(6): 467-76.
96275	McKee AC, Abdolmohammadi B, Stein TD (2018). The neuropathology of chronic traumatic encephalopathy. <i>Handb Clin Neurol</i> , 158: 297-307.
61980	McKee AC, Cantu R, Nowinski CJ, et al (2009). Chronic traumatic encephalopathy in athletes: progressive tauopathy following repetitive head injury. <i>J Neuropathol Exp Neurol</i> , 68(7): 709-35.
58925	McKee AC, Gavett BE, Stern RA, et al (2010). TDP-43 proteinopathy and motor neuron disease in chronic traumatic encephalopathy. <i>J Neuropathol Exp Neurol</i> , 69(9): 918-29.
7606	McLatchie G, Brooks N, Galbraith S, et al (1987). Clinical neurological examination, neuropsychology, electroencephalography and computed tomographic head scanning in active amateur boxers. <i>J Neurol Neurosurg Psychiatry</i> , 50(1): 96-9.
96760	McMillan TM, McSkimming P, Wainman-Lefley J, et al (2017). Long-term health outcomes after exposure to repeated concussion in elite level: rugby union players. <i>J Neurol Neurosurg Psychiatry</i> , 88(6): 505-11.

7583	Mendez MF (1995). The neuropsychiatric aspects of boxing. <i>Int J Psychiatry Med</i> , 25(3): 249-62.
7631	Merz B (1989). Is boxing a risk factor for Alzheimer's? <i>JAMA</i> , 261(18): 2597-8.
96645	Mez J, Daneshvar DH, Abdolmohammadi B, et al (2020). Duration of American Football play and chronic traumatic encephalopathy. <i>Ann Neurol</i> , 87(1): 116-31.
7590	Mez J, Daneshvar DH, Kiernan PT, et al (2017). Clinicopathological evaluation of chronic traumatic encephalopathy in players of American football. <i>JAMA</i> , 318(4): 360-70.
61059	Miele VJ, Bailes JE, Cantu RC, et al (2006). Subdural hematomas in boxing: the spectrum of consequences. <i>Neurosurg Focus</i> , 21(4): E10.
96173	Montenigro PH, Baugh CM, Daneshvar DH, et al (2014). Clinical subtypes of chronic traumatic encephalopathy: literature review and proposed research diagnostic criteria for traumatic encephalopathy syndrome. <i>Alzheimers Res Ther</i> , 6(5): 68.
61075	Moriarty J, Collie A, Olson D, et al (2004). A prospective controlled study of cognitive function during an amateur boxing tournament. <i>Neurology</i> , 62(9): 1497-502.
61062	Moseley IF (2000). The neuroimaging evidence for chronic brain damage due to boxing. <i>Neuroradiology</i> , 42(1): 1-8.
61970	Moser RS, Inverson GL, Echemendia RJ, et al (2007). Neuropsychological evaluation in the diagnosis and management of sports-related concussion. <i>Arch Clin Neuropsychol</i> , 22(8): 909-16. [Abstract]
7603	Murelius O, Haglund Y (1991). Does Swedish amateur boxing lead to chronic brain damage? 4. A retrospective neuropsychological study. <i>Acta Neurol Scand</i> , 83(1): 9-13.
61312	Nowak LA, Smith GG, Reyes PF (2009). Dementia in a retired world boxing champion: case report and literature review. <i>Clin Neuropathol</i> , 28(4): 275-80.
7589	O'Connor F, Tucker JB (1991). Boxing: the preparticipation evaluation. <i>Mil Med</i> , 156(8): 391-5.
61061	Omalu BI, Fitzsimmons RP, Hammers J, et al (2010). Chronic traumatic encephalopathy in a professional American wrestler. <i>J Forensic Nurs</i> , 6(3): 130-6.
61971	Pilkington E (2011). The brain injuries that destroyed a football superstar. Retrieved 9 September 2011, from https://www.smh.com.au/sport/the-brain-injuries-that-destroyed-a-football-superstar-20110720-1ho7x.html
61968	Porter MD (2003). A 9-year controlled prospective neuropsychologic assessment of amateur boxing. <i>Clin J Sport Med</i> , 13(6): 339-52. [Abstract]
7919	Porter MD, Fricker PA (1996). Controlled prospective neuropsychological assessment of active experienced amateur boxers. <i>Clin J Sport Med</i> , 6(2): 90-6.
61074	Rabadi MH, Jordan BD (2001). The cumulative effect of repetitive concussion in sports. <i>Clin J Sport Med</i> , 11(3): 194-8.
96165	Randolph C (2018). Chronic traumatic encephalopathy is not a real disease. <i>Arch Clin Neuropsychol</i> , 33(5): 644-8.
96566	Reams N, Eckner JT, Almeida AA, et al (2016). A clinical approach to the diagnosis of traumatic encephalopathy syndrome: A review. <i>JAMA Neurol</i> , 73(6): 743-9.
7607	Roberts GW, Allsop D, Bruton C (1990). The occult aftermath of boxing. <i>J Neurol Neurosurg Psychiatry</i> , 53(5): 373-8.
7636	Roberts GW, Whitwell HL, Acland PR, et al (1990). Dementia in a punch-drunk wife. <i>Lancet</i> , 335(8694): 918-9.
7966	Ross RJ, Casson IR, Siegel O, et al (1987). Boxing injuries: Neurologic, radiologic, and neuropsychologic evaluation. <i>Clin Sports Med</i> , 6(1): 41-51.

96174	Ruprecht R, Scheurer E, Lenz C (2019). Systematic review on the characterization of chronic traumatic encephalopathy by MRI and MRS. <i>J Magn Reson Imaging</i> , 49(1): 212-28.
7934	Ryan AJ (1987). Intracranial injuries resulting from boxing: A review (1918-1985). <i>Clin Sports Med</i> , 6(1): 31-40.
62532	Seeley WW, Miller BL (2012). Dementia. Chapter 371. Retrieved 14 November 2011, from http://www.accessmedicine.com/content.aspx?aID=9146233
96567	Solomon GS, Kuhn AW, Zuckerman SL, et al (2016). Participation in pre-high school football and neurological, neuroradiological, and neuropsychological findings in later life: A study of 45 retired National Football League players. <i>Am J Sports Med</i> , 44(5): 1106-15.
96679	Stewart W, Allinson K, Al-Sarraj S, et al (2019). Primum non nocere: a call for balance when reporting on CTE. <i>Lancet Neurol</i> , 18(3): 231-3.
7586	Stewart WF, Gordon B, Selnes O, et al (1994). Prospective study of central nervous system. <i>Am J Epidemiol</i> , 139(6): 573-88.
7633	Stiller JW, Weinberger DR (1985). Boxing and chronic brain damage. <i>Psychiatr Clin North Am</i> , 8(2): 339-56.
61073	Tanriverdi F, Unluhizarci K, Kocyigit I, et al (2008). Brief communication: Pituitary volume and function in competing and retired male boxers. <i>Ann Intern Med</i> , 148(11): 827-31.
7604	Thomassen A, Juul-Jensen P, de F Olivarius B, et al (1979). Neurological, electroencephalographic and neuropsychological examination of 53 former amateur boxers. <i>Acta Neurol Scand</i> , 60(6): 352-62.
96168	Tisdall M Petzold A (2012). [Comment] Comment on "Chronic traumatic encephalopathy in blast-exposed military veterans and a blast neurotrauma mouse model". <i>Sci Transl Med</i> , 4(157): 157le8; author reply 157lr5. Comment on ID: 96166.
7588	Tokuda T, Ikeda S, Yanagisawa N, et al (1991). Re-examination of ex-boxers' brains using immunohistochemistry with antibodies to amyloid beta-protein and tau protein. <i>Acta Neuropathol</i> , 82(4): 280-5.
61080	Toth C, McNeil S, Feasby T (2005). Central nervous system injuries in sport and recreation. A systematic review. <i>Sports Med</i> , 35(8): 685-715.
96689	Tripathy A, Shade A, Erskine B, et al (2019). No evidence of increased chronic traumatic encephalopathy pathology or neurodegenerative proteinopathy in former military service members: A preliminary study. <i>J Alzheimers Dis</i> , 67(4): 1277-89.
96167	Tsao JW (2012). [Comment] Comment on "Chronic traumatic encephalopathy in blast-exposed military veterans and a blast neurotrauma mouse model". <i>Sci Transl Med</i> , 4(157): 157le7; author 157lr5. Comment on ID: 96166.
96171	Van Ommeren R, Hazrati LN (2018). Pathological assessment of chronic traumatic encephalopathy: Review of concepts and methodology. <i>Acad Forensic Pathol</i> , 8(3): 555-64.
61060	Watanabe T, Elovic E, Zafonte R (2010). Chronic traumatic encephalopathy. <i>Phys Med Rehabil</i> , 2(7): 671-5.
61969	Weber JT (2007). Experimental models of repetitive brain injuries. <i>Prog Brain Res</i> , 161: 253-61. [Abstract]
96170	Welberg L (2012). Traumatic brain injury: Brain trauma in military veterans. <i>Nat Rev Neurosci</i> , 13(7): 450.
96650	Wilde EA, Hunter JV, Li X, et al (2016). Chronic effects of boxing: Diffusion tensor imaging and cognitive findings. <i>J Neurotrauma</i> , 33(7): 672-80.
96647	Willer BS, Zivadinov R, Haider MN, et al (2018). A preliminary study of early-onset dementia of former professional football and hockey players. <i>J Head Trauma Rehabil</i> , 33(5): E1-8.
61123	Williams DJ, Tannenbergs AE (1996). Dementia pugilistica in an alcoholic achondroplastic dwarf. <i>Pathology</i> , 289(1): 102-4.

61967	Yoshiyama Y, Uryu K, Higuchi M, et al (2005). Enhance neurofibrillary tangle formation, cerebral atrophy, and cognitive deficits induced by repetitive mild brain injury in a transgenic tauopathy mouse model. <i>J Neurotrauma</i> , 22(10): 1134-41. [Abstract]
96688	Zetterberg H, Blennow K (2018). Chronic traumatic encephalopathy: Fluid biomarkers. <i>Handb Clin Neurol</i> , 158: 323-33.
62550	Zetterberg H, Hietala A, Jonsson M, et al (2006). Neurochemical aftermath of amateur boxing. <i>Arch Neurol</i> , 63(9): 1277-80.
61072	Zetterberg H, Tanriverdi F, Unluhizarci K, et al (2009). Sustained release of neuron-specific enolase to serum in amateur boxers. <i>Brain Inj</i> , 23(9): 723-6.
61067	Zhang L, Heier LA, Zimmerman RD, et al (2006). Diffusion anisotropy changes in the brains of professional boxers. <i>AJNR Am J Neuroradiol</i> , 27(9): 2000-4.
96180	Zhang Y, Ma Y, Chen S, et al (2019). Long-term cognitive performance of retired athletes with sport-related concussion: A systematic review and meta-analysis. <i>Brain Sci</i> , 9(8): 199.