



SEBORRHOEIC KERATOSIS

RMA ID Number	Reference List for RMA336-3 as at February 2024
---------------	---

115783	Abakka S, Elhalouat H, Khoummane N, et al (2013). Uterine leiomyosarcoma and Leser-Trélat sign. <i>Lancet</i> , 381(9860): 88.
115784	Abraham K, Monien BH (2022). Transdermal absorption of 13C4-perfluorooctanoic acid (13C4-PFOA) from a sunscreen in a male volunteer - What could be the contribution of cosmetics to the internal exposure of perfluoroalkyl substances (PFAS)? <i>Environ Int</i> , 169: 107549.
115961	Agustí Martínez J, Bella-Navarro R, García-García AB, et al (2017). Familial seborrheic keratosis associated with multiple 'pure reticulated acanthomas' and infundibulocystic basal cell carcinomas. <i>Br J Dermatol</i> , 177(6): 1654-63. [Abstract]
115785	Al Ghazal P, Körber A, Klode J, et al (2013). Leser-Trelat sign and breast cancer. <i>Lancet</i> , 381(9878): 1653.
115786	Alsaif F, Alkhalayal FA, Aldahash R, et al (2018). Leser-Trelat sign presenting in a patient with relapsing mycosis fungoides. <i>Case Rep Oncol</i> , 11(2): 436-41.
115787	Andre R, Laffitte E, Abosaleh M, et al (2018). Sign of Leser-Trelat and cutaneous T-cell lymphoma: a rare association. <i>Dermatopathology (Basel)</i> , 5(2): 69-73.
115788	Antunes I, Purim KS, Grande LL, et al (2019). Dermatoses in parkinsonism: the importance of multidisciplinary follow-up. <i>Rev Assoc Med Bras (1992)</i> , 65(6): 791-5.
115789	Aouali S, Bensalem S, Saddouk H, et al (2021). Leser-Trelat sign preceding male breast cancer. <i>Ann Med Surg (Lond)</i> , 72: 103065.
115242	Aurell J, Gullett BK, Yamamoto D (2012). Emissions from open burning of simulated military waste from forward operating bases. <i>Environ Sci Technol</i> , 46(20): 11004-12. [Abstract]
115175	Australian Medicines Handbook (AMH) (2023). Antineoplastic antibodies. Retrieved 30 November 2023, from https://amhonline.amh.net.au/chapters/immunomodulators-antineoplastics/non-cytotoxic-antineoplastics/antineoplastic-antibodies?menu=vertical
114719	Australian Medicines Handbook (2023). Imatinib. Retrieved 13 November 2023, from https://amhonline.amh.net.au
114716	Australian Medicines Handbook (2023). Gemcitabine. Retrieved 13 November 2023, from https://amhonline.amh.net.au
115962	Australian Medicines Handbook (2023). Glecaprevir with pibrentasvir. Retrieved 29 September 2023, from https://amhonline.amh.net.au/chapters/anti-infectives/antivirals-hepatitis-c/glecaprevir-pibrentasvir
109685	Australian Medicines Handbook (2022). Cytarabine. Retrieved 11 January 2023, from https://amhonline.amh.net.au
115902	Australian Medicines Handbook (2023). Pemetrexed. Retrieved 26 October 2023, from https://amhonline.amh.net.au/

114740	Australian Medicines Handbook (2023). Sorafenib. Retrieved 13 November 2023, from https://amhonline.amh.net.au/chapters/immunomodulators-antineoplastics/non-cytotoxic-antineoplastics/kinase-inhibitors/sorafenib
114747	Australian Medicines Handbook (2023). Trametinib. Retrieved 13 November 2023, from https://amhonline.amh.net.au
115939	Australian Medicines Handbook (2023). Vemurafenib. Retrieved 26 October 2023, from https://amhonline.amh.net.au/
115813	Australian Medicines Handbook (online) (2023). Dabrafenib. Retrieved 17 January 2024, from https://amhonline.amh.net.au
115790	Bakke JR, McMurray SL, Peck AS, et al (2019). Seborrhic keratosis-like lesions localized to tattoo. <i>JAAD Case Rep</i> , 5(3): 274-6.
115791	Bandyopadhyay D, Saha A, Mishra V (2015). Giant perigenital seborrhic keratosis. <i>Indian Dermatol Online J</i> , 6(1): 39-41.
115792	Barth D, Puhlmann S, Barth J (2015). A case of Leser-Trelat syndrome associated with a renal cell carcinoma. <i>Case Rep Dermatol</i> , 7(3): 245-8.
115793	Barthelmann S, Butsch F, Lang BM, et al (2023). Seborrhic keratosis. <i>J Dtsch Dermatol Ges</i> , 21(3): 265-77.
115794	Beroukhim K, Wang JZ, Schulman JM, et al (2019). Examination of tar-induced verrucous growths reveals absence of human papillomavirus. <i>Am J Dermatopathol</i> , 41(11): 865-7.
115795	Bianchi MG, Santos A, Cordioli E (2020). Benefits of teledermatology for geriatric patients: population-based cross-sectional study. <i>J Med Internet Res</i> , 22(4): e16700.
115796	Bolke E, Gerber PA, Peiper M, et al (2009). Leser-Trelat sign presenting in a patient with ovarian cancer: a case report. <i>J Med Case Rep</i> , 3: 8583.
115797	Bonte F, Girard D, Archambault JC, et al (2019). Skin changes during ageing. <i>Subcell Biochem</i> , 91: 249-80. [Abstract]
37713	Borenstein M, Mirzabeigi M, Vincek V (2005). Pityrosporum and seborrhic keratosis: an association. <i>Dermatol Online J</i> , 11(2): 3.
115798	Bozsanyi S, Farkas K, Banvolgyi A, et al (2021). Quantitative multispectral imaging differentiates melanoma from seborrhic keratosis. <i>Diagnostics (Basel)</i> , 11(8): 1315.
116092	Brenn T, Elgart GW, Howard V, et al (2018). Benign acantomias/keratoses. <i>WHO Classification of Skin Tumours</i> , 4th Edition: 57-9. International Agency for Research on Cancer. Lyon, France.
115799	Bursztejn AC, Doumat-Batch F, Granel-Brocard F, et al (2008). [Sezary syndrome and Leser-Trelat sign: a chance association?]. <i>Ann Dermatol Venereol</i> , 135(4): 287-90. [Abstract]
115800	Chadwick PW, Heymann WR (2016). Eruptive seborrhic keratoses secondary to telaprevir-related dermatitis. <i>Cutis</i> , 98(2): E20-1.
115801	Chagas DF, Diniz LM, Badaro BA, et al (2020). Multiple seborrhic keratoses in a previously irradiated site. <i>An Bras Dermatol</i> , 95(6): 771-3.
115802	Chakradeo K, Narsinghpura K, Ekladios A (2016). Sign of Leser-Trelat. <i>BMJ Case Rep</i> , 2016: bcr2016215316.
115803	Chapman PB, Hauschild A, Robert C, et al (2011). Improved survival with vemurafenib in melanoma with BRAF V600E mutation. <i>N Engl J Med</i> , 364(26): 2507-16.
115804	Chen J, Liu J, Wang Z, et al (2023). High expression level of homocitrulline is correlated with seborrhic keratosis and skin aging. <i>An Bras Dermatol</i> , 98(3): 324-30.
72825	Chen QP, Aw DC (2010). Epidemiology of the skin diseases in renal transplant recipients in a tertiary hospital. <i>Ann Acad Med Singapore</i> , 39(12): 904-5.
115805	Chiba T, Shitomi T, Nakano O, et al (1996). The sign of Leser-Trelat associated with esophageal carcinoma. <i>Am J Gastroenterol</i> , 91(4): 802-4. [Abstract]

115806	Cohen PR, Zito PM (2023). Cutaneous melanoacanthoma. Retrieved 24 October 2023, from https://www.ncbi.nlm.nih.gov/books/NBK559060/
115809	Curry JL, Torres-Cabala CA, Kim KB, et al (2014). Dermatologic toxicities to targeted cancer therapy: shared clinical and histologic adverse skin reactions. <i>Int J Dermatol</i> , 53(3): 376-84.
115814	Dasanu CA, Alexandrescu DT (2009). Bilateral Leser-Trelat sign mirroring lung adenocarcinoma with early metastases to the contralateral lung. <i>South Med J</i> , 102(2): 216-8.
115811	da Rosa AC, Pinto GM, Bortoluzzi JS, et al (2009). [Comment] Three simultaneous paraneoplastic manifestations (ichthyosis acquisita, Bazex syndrome, and Leser-Trélat sign) with prostate adenocarcinoma. <i>J Am Acad Dermatol</i> , 61(3): 538-40.
115815	De Loof M, Van Dorpe J, Van Der Meulen J, et al (2018). Two cases of seborrheic keratosis of the external ear canal: involvement of PIK3CA and FGFR3 genes. <i>Int J Dermatol</i> , 57(6): 703-6. [Abstract]
115816	Dennis M, Bhutani T, Koo J, et al (2013). Goeckerman therapy for the treatment of eczema: a practical guide and review of efficacy. <i>J Dermatolog Treat</i> , 24(1): 2-6.
115817	Di Iorio P, Beggiato S, Ronci M, et al (2021). Unfolding new roles for guanine-based purines and their metabolizing enzymes in cancer and aging disorders. <i>Front Pharmacol</i> , 12: 653549.
109454	Ding L, Mo X, Zhang L, et al (2018). High prevalence and correlates of human herpesvirus-6A in nevocytic nevus and seborrheic diseases: Implication from a pilot study of skin patient tissues in Shanghai. <i>J Med Virol</i> , 90(9): 1532-40.
115810	D'Souza M, Garg BR, Reddy BS, et al (1994). Lepromatous leprosy with extensive truncal seborrheic keratoses and acral verruca vulgaris. <i>Int J Dermatol</i> , 33(7): 498-500.
73285	Eastman KL, Knezevich SR, Raugi GJ (2013). Eruptive seborrheic keratoses associated with adalimumab use. <i>J Dermatol Case Rep</i> , 7(2): 60-3.
103594	EFSA Panel on Contaminants in the Food Chain (EFSA CONTAM Panel) (2020). Risk to human health related to the presence of perfluoroalkyl substances in food. <i>EFSA J</i> , 18(9): e06223.
115818	Ellis DL, Yates RA (1993). Sign of Leser-Trelat. <i>Clin Dermatol</i> , 11(1): 141-8.
115819	Elman-Shina K, Elman M, Efrati S (2021). Inflammatory seborrheic keratosis resolution after hyperbaric oxygen therapy: Case presentation and pathophysiology review. <i>Dermatol Reports</i> , 13(1): 8871.
115820	Erfan G, Puig S, Carrera C, et al (2017). Development of cutaneous toxicities during selective anti-BRAF therapies: preventive role of combination with MEK inhibitors. <i>Acta Derm Venereol</i> , 97(2): 258-60.
115821	Fang F, Larsen D, Wilson B (2017). White papules on the backs of a middle-aged man and his son. <i>Skinmed</i> , 15(1): 77-8.
115822	Fasoldt JJ, Brumwell ER, Lackey JN (2012). Leser-Trelat sign presenting in a patient with recurrent pre-B-cell acute lymphocytic leukemia. <i>Cutis</i> , 89(1): 33-5.
115823	Fernandes E, Dao H (2023). Health insurance coverage for asymptomatic seborrheic keratoses treatment. <i>Cureus</i> , 15(8): e42932.
115824	Fetil E, Ozkan S, Gurler N, et al (2002). Recurrent Leser-trelat sign associated with two malignancies. <i>Dermatology</i> , 204(3): 254-5.
72827	Fink AM, Filz D, Krajnik G, et al (2009). Seborrheic keratoses in patients with internal malignancies: a case-control study with prospective accrual of patients. <i>J Eur Acad Dermatol Venereol</i> , 23(11): 1316-9.
115825	Flugman SL, McClain SA, Clark RA (2001). Transient eruptive seborrheic keratoses associated with erythrodermic psoriasis and erythrodermic drug eruption: report of two cases. <i>J Am Acad Dermatol</i> , 45(6 Suppl): S212-4.

115937	Food and Drug Administration (FDA) (2011). Highlights of prescribing information: Incivek. Retrieved 26 October 2023, from https://www.accessdata.fda.gov/drugsatfda_docs/label/2011/201917lbl.pdf
115826	Foulongne V, Kluger N, Dereure O, et al (2008). [Comment] Merkel cell polyomavirus and Merkel cell carcinoma, France. <i>Emerg Infect Dis</i> , 14(9): 1491-3.
115827	Funkhouser CH, Coerdts KM, Haidari W, et al (2021). Hydrogen peroxide 40% for the treatment of seborrheic keratoses. <i>Ann Pharmacother</i> , 55(2): 216-21.
115828	Gaduputi V, Chandrala C, Tariq H, et al (2014). Sign of Leser-trelat associated with esophageal squamous cell cancer. <i>Case Rep Oncol Med</i> , 2014: 825929.
115829	Garg R, Madan S, Prakash P, et al (2018). Leser-Trelat syndrome in a male with breast carcinoma and eyelid basal cell carcinoma. <i>Ocul Oncol Pathol</i> , 4(3): 161-4.
115955	Giai Via A, Oliva F, Padulo J, et al (2022). Insertional calcific tendinopathy of the Achilles tendon and dysmetabolic diseases: An epidemiological survey. <i>Clin J Sport Med</i> , 32(1): e68-73.
72991	Ginarte M, Garcia-Caballero T, Fernandez-Redondo V, et al (2000). Expression of growth hormone receptor in benign and malignant cutaneous proliferative entities. <i>J Cutan Pathol</i> , 27(6): 276-82.
37880	Ginarte M, Sanchez-Aguilar D, Toribio J (2001). Sign of Leser-Trelat associated with adenocarcinoma of the rectum. <i>Eur J Dermatol</i> , 11(3): 251-53.
115830	Gleeson CM, Chan I, Griffiths WA, et al (2009). Eruptive seborrheic keratoses associated with erythrodermic pityriasis rubra pilaris. <i>J Eur Acad Dermatol Venereol</i> , 23(2): 217-8.
115831	Gorai S, Ahmad S, Raza SS, et al (2022). Update of pathophysiology and treatment options of seborrheic keratosis. <i>Dermatol Ther</i> , 35(12): e15934.
115832	Greer KE, Hawkins H, Hess C (1978). [Comment] Leser-Trelat associated with acute leukemia. <i>Arch Dermatol</i> , 114(10): 1552.
115833	Griffiths CE, Clark CM, Chalmers RJ, et al (2000). A systematic review of treatments for severe psoriasis. <i>Health Technol Assess</i> , 4(40): 1-125.
115834	Grob JJ, Rava MC, Gouvernet J, et al (1991). The relation between seborrheic keratoses and malignant solid tumours. A case-control study. <i>Acta Derm Venereol</i> , 71(2): 166-9.
73109	Groves RW, Allen MH, MacDonald DM (1992). Abnormal expression of epidermal growth factor receptor in cutaneous epithelial tumours. <i>J Cutan Pathol</i> , 19(1): 66-72.
115835	Guan LL, Lim HW, Mohammad TF (2021). Sunscreens and photoaging: a review of current literature. <i>Am J Clin Dermatol</i> , 22(6): 819-28.
73011	Hafner C, Hartmann A, Real FX, et al (2007). Spectrum of FGFR3 mutations in multiple intraindividual seborrheic keratoses. <i>J Invest Dermatol</i> , 127(8): 1883-5.
73004	Hafner C, Hartmann A, Vogt T (2007). FGFR3 mutations in epidermal nevi and seborrheic keratoses: lessons from urothelium and skin. <i>J Invest Dermatol</i> , 2007(7): 1572-3.
73009	Hafner C, van Oers JM, Hartmann A, et al (2006). High frequency of FGFR3 mutations in adenoid seborrheic keratoses. <i>J Invest Dermatol</i> , 126(11): 2404-7.
115836	Hamada Y, Iwaki T, Muratani H, et al (1997). Leser-Trelat sign with anaplastic ependymoma--an autopsy case. <i>Acta Neuropathol</i> , 93(1): 97-100.
115837	Handjani F, Radanfar R, Sepaskhah M, et al (2023). COVID-19 infection and Leser-Trelat sign: Is there an association? <i>Clin Case Rep</i> , 11(7): e7638.

115838	Harrington CI (1976). [Comment] Letter: Leser-Trelat sign with porphyria cutanea tarda and malignant hepatoma. <i>Arch Dermatol</i> , 112(5): 730.
115839	Heaphy MR Jr, Millns JL, Schroeter AL (2000). The sign of Leser-Trelat in a case of adenocarcinoma of the lung. <i>J Am Acad Dermatol</i> , 43(2 Pt 2): 386-90.
115840	Heidenreich B, Denisova E, Rachakonda S, et al (2017). Genetic alterations in seborrheic keratoses. <i>Oncotarget</i> , 8(22): 36639-49.
115841	Hillen LM, Rennspiess D, Speel EJ, et al (2018). Detection of Merkel cell polyomavirus in seborrheic keratosis. <i>Front Microbiol</i> , 8: 2648.
115842	Holdiness MR (1988). On the classification of the sign of Leser-Trelat. <i>J Am Acad Dermatol</i> , 19(4): 754-7.
73341	Horiuchi Y (1989). Multiple seborrheic verrucae following eczema - a case report. <i>J Dermatol</i> , 16(6): 505-7.
115843	Hsu C, Abraham S, Campanelli A, et al (2005). [Comment] Sign of Leser-Trelat in a heart transplant recipient. <i>Br J Dermatol</i> , 153(4): 861-2.
115844	Huang J, Zhang L, Shi L, et al (2023). An epidemiological study on skin tumors of the elderly in a community in Shanghai, China. <i>Sci Rep</i> , 13(1): 4441.
72803	Huang V, Hepper D, Anadkat M, et al (2012). Cutaneous toxic effects associated with vemurafenib and inhibition of the BRAF pathway. <i>Arch Dermatol</i> , 148(5): 628-33.
115845	Huisman S, van der Bent SA, Majjer KI, et al (2020). Cutaneous non-allergic complications in tattoos: An overview of the literature. <i>Presse Med</i> , 49(4): 104049.
73279	Husain Z, Ho JK, Hantash BM (2013). Sign and pseudo-sign of Leser-Trelat: case reports and a review of the literature. <i>J Drugs Dermatol</i> , 12(5): e79-87.
68411	IARC Working Group (2009). Biological agents. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100B. World Health Organization, International Agency for Research on Cancer, Lyon France.
115846	Ikari Y, Ohkura M, Morita M, et al (1995). Leser-Trelat sign associated with Sezary syndrome. <i>J Dermatol</i> , 22(1): 62-7. [Abstract]
73284	Inamadar AC, Palit A (2003). Eruptive seborrheic keratosis in human immunodeficiency virus infection: a coincidence or 'the sign of Leser-Trélat'? <i>Br J Dermatol</i> , 149(2): 435-6.
115847	Jablonska S (1996). Lepromatous leprosy with extensive seborrheic keratoses and proliferative verruca vulgaris. <i>Int J Dermatol</i> , 35(8): 606.
73265	Jepsen RK, Skov AG, Skov BG (2014). Leser-Trélat syndrome in malignant mesothelioma and pulmonary adenocarcinoma: is the EGFR pathway part of the syndrome? <i>Virchows Arch</i> , 464(1): 117-20.
115848	Kambiz KH, Kaveh D, Maede D, et al (2014). Human papillomavirus deoxyribonucleic acid may not be detected in non-genital benign papillomatous skin lesions by polymerase chain reaction. <i>Indian J Dermatol</i> , 59(4): 334-8.
115849	Kaushik A, Kt S, Daroach M, et al (2021). Eruptive seborrheic keratosis: A perilous clue. <i>Cleve Clin J Med</i> , 88(8): 428-30.
72828	Kavak A, Parlak AH, Yesildal N, et al (2008). Preliminary study among truck drivers in Turkey: effects of ultraviolet light on some skin entities. <i>J Dermatol</i> , 35(3): 146-50.
115850	Kechijian P, Sadick NS, Mariglio J, et al (1979). Cytarabine-induced inflammation in the seborrheic keratoses of Leser-Trelat. <i>Ann Intern Med</i> , 91(6): 868-9.
115852	Keir JL, Akhtar US, Matschke DM, et al (2020). Polycyclic aromatic hydrocarbon (PAH) and metal contamination of air and surfaces exposed to combustion emissions during emergency fire suppression: Implications for firefighters' exposures. <i>Sci Total Environ</i> , 698: 134211.

115851	Keir JLA, Kirkham TL, Aranda-Rodriguez R, et al (2023). Effectiveness of dermal cleaning interventions for reducing firefighters' exposures to PAHs and genotoxins. <i>J Occup Environ Hyg</i> , 20(2): 84-94.
30286	Kennedy C, Bajdik CD, Willemze R, et al (2003). The influence of painful sunburns and lifetime sun exposure on the risk of actinic keratoses, seborrheic warts, melanocytic nevi, atypical nevi, and skin cancer. <i>J Invest Dermatol</i> , 120(6): 1087-93.
115853	Khemakhem R, Kallel N, Jarraya R, et al (2022). Leser-Trelat syndrome secondary to non-small-cell lung carcinoma. <i>Clin Case Rep</i> , 10(8): e6069.
115854	Kim JH, Bae HW, Lee KK, et al (2009). Seborrheic keratosis of the conjunctiva: a case report. <i>Korean J Ophthalmol</i> , 23(4): 306-8.
107830	Kim YH, Warren SH, Kooter I, et al (2021). Chemistry, lung toxicity and mutagenicity of burn pit smoke-related particulate matter. <i>Part Fibre Toxicol</i> , 18(1): 45.
115855	Kirchberger MC (2019). Gastrointestinal: Eruptive seborrheic keratoses: sign of Leser-Trelat in gastric adenocarcinoma. <i>J Gastroenterol Hepatol</i> , 34(12): 2058.
37842	Klimopoulos S, Kounoudes C, Pantelidaki C, et al (2001). The Leser-Trelat sign in association with carcinoma of the ampulla of Vater. <i>Am J Gastroenterol</i> , 96(5): 1623-6.
115856	Klingenstein A, Samel C, Hintschich C (2022). Potential delay of diagnosing infraorbital skin tumors due to coverage by face masks during the COVID-19 pandemic: an observational study. <i>Clin Ophthalmol</i> , 16: 3581-7.
115857	Kluger N (2010). Cutaneous complications related to permanent decorative tattooing. <i>Expert Rev Clin Immunol</i> , 6(3): 363-71.
115858	Kluger N (2017). [Comment] Viral warts and seborrheic keratoses on tattoos: a review of nine cases. <i>J Eur Acad Dermatol Venereol</i> , 31(7): e340-2.
115859	Kluger N (2019). An update on cutaneous complications of permanent tattooing. <i>Expert Rev Clin Immunol</i> , 15(11): 1135-43.
115860	Kluger N (2022). Cutaneous complications after tattooing in Finland from 2016 to 2021. <i>J Eur Acad Dermatol Venereol</i> , 36(1): e72-3.
115861	Kocoyigit P, Akay BN, Arica E, et al (2007). Post-renal transplantation Leser-Trelat sign associated with carcinoma of the gallbladder: a rare association. <i>Scand J Gastroenterol</i> , 42(6): 779-81.
115862	Komalasari DN, Djawad K, Nurdin AR, et al (2020). Unusual clinical manifestation of seborrheic keratosis on the scalp successfully treated with topical trichloroacetic acid: an atypical case report. <i>Pan Afr Med J</i> , 37: 98.
115863	Koumaki D, Boumpoucheropoulos S, Koumaki V, et al (2020). Panitumumab-induced eruptive seborrheic keratosis in a patient with metastatic colorectal cancer. <i>Eur J Case Rep Intern Med</i> , 7(2): 001411.
73266	Kumar A, Kashyap M, Pathania V (2012). Serpiginous seborrheic keratosis: An unusual presentation following an eczematous dermatitis (Nov-Dec). <i>Indian J Dermatol Venereol Leprol</i> , 78(6): 775-6.
37443	Kwon OS, Hwang EJ, Bae JH, et al (2003). Seborrheic keratosis in the Korean males: causative role of sunlight. <i>Phodermatol Photoimmunol Photomed</i> , 19(2): 73-80.
72823	Kyriakis K, Alexoudi I, Askoxylaki K, et al (2012). Epidemiologic aspects of seborrheic keratoses. <i>Int J Dermatol</i> , 51(2): 233-4.
115869	Lebas E, Quatresooz P, Arrese JE, et al (2017). Eruptive seborrheic keratoses restricted to plaque/patch-stage mycosis fungoides. <i>Case Rep Dermatol</i> , 9(2): 35-9.
115870	Li JH, Guo H, Li B, et al (2015). Leser-Trelat sign with primary hepatic carcinoma. <i>Indian J Dermatol Venereol Leprol</i> , 81(3): 320-1.

72795	Lilly E, Granter SR, Haynes HA, et al (2012). Chemotherapy-induced inflammatory seborrheic keratoses in a man with acute myeloid leukemia: a variant of Leser-Trelat sign? <i>Cutis</i> , 90(5): 235-6.
115871	Lindelof B, Sigurgeirsson B, Melander S (1992). Seborrheic keratoses and cancer. <i>J Am Acad Dermatol</i> , 26(6): 947-50.
115877	Loh TY, Cohen PR (2017). An unusual presentation of seborrheic keratoses in a man with hereditary hemochromatosis. <i>Dermatol Online J</i> , 23(4): 13030/qt0xn124r8.
115872	Lopes S, Baudrier T, Azevedo F (2018). Flat-topped papules arising in a young woman's tattoo. <i>Int J Dermatol</i> , 57(4): 397-8.
72789	Lu'o'ng KV, Nguyen LT (2013). The roles of vitamin D in seborrheic keratosis: possible genetic and cellular signalling mechanisms. <i>Int J Cosmet Sci</i> , 35(6): 525-31.
115873	Lynam K, Fahs F, Daveluy S (2020). Sudden onset psoriasis causing eruptive seborrheic keratose. <i>Int J Dermatol</i> , 59(7): e257-9.
115874	Lynch HT, Fusaro RM, Pester JA, et al (1982). Leser-Trelat sign in mother and daughter with breast cancer. <i>J Med Genet</i> , 19(3): 218-21.
115875	Macdonald JB, Macdonald B, Golitz LE, et al (2015). Cutaneous adverse effects of targeted therapies: Part II: Inhibitors of intracellular molecular signaling pathways. <i>J Am Acad Dermatol</i> , 72(2): 221-36.
115876	Marquardt-Feszler A, Debska-Slizien MA, Imko-Walczuk B (2022). Demodicosis as a skin complication in organ transplant recipients: a case series. <i>Am J Case Rep</i> , 23: e936467.
115878	Martinez-Moran C, Sanz-Munoz C, Miranda-Romero A (2007). [Comment] Leser-Trelat sign associated with Sézary syndrome and transitional cell carcinoma of the bladder. <i>Actas Dermosifiliogr</i> , 98(3): 214-5.
115879	Matsudate Y, Murao K, Kubo Y (2017). Chemotherapy-induced inflammation of seborrheic keratoses due to pemetrexed treatment. <i>J Dermatol</i> , 44(5): 602-3.
115880	Mehrtens SH, Shall L, Halpern SM (2019). A 14-year review of a UK teledermatology service: experience of over 40 000 teleconsultations. <i>Clin Exp Dermatol</i> , 44(8): 874-81.
72788	Meibodi NT, Nahidi Y, Meshkat Z, et al (2013). No evidence of human papillomaviruses in non-genital seborrheic keratosis. <i>Indian J Dermatol</i> , 58(4): 326.
115881	Mendes GB, Zanetti G, Marchiori E (2018). [Comment] Leser-Trelat sign secondary to thymic carcinoma. <i>Arch Bronconeumol (Engl Ed)</i> , 54(5): 286-7.
72824	Ming M, Shea CR, Feng L, et al (2011). UVA induces lesions resembling seborrheic keratoses in mice with keratinocyte-specific PTEN downregulation. <i>J Invest Dermatol</i> , 131(7): 1583-6.
115882	Mirali S, Mufti A, Lansang RP, et al (2022). Eruptive seborrheic keratoses are associated with a co-occurring malignancy in the majority of reported cases: a systematic review. <i>J Cutan Med Surg</i> , 26(1): 57-62.
115883	Miyako F, Dekio S, Tamura H, et al (1994). Mycosis fungoides with Leser-Trelat sign: the first report of a patient from Japan. <i>J Dermatol</i> , 21(3): 189-93. [Abstract]
115884	Modi K, Chen R, Abubshait L (2023). Leser-Trelat sign as a marker for underlying pancreatic cancer. <i>Clin Pract Cases Emerg Med</i> , 7(3): 202-4.
115885	Monteagudo B, Alvarez-Alvarez C, Lopez-Mourino VM (2005). [Comment] [Eruptive seborrheic keratoses triggered by eczema]. <i>Actas Dermosifiliogr</i> , 96(2): 130 [Article in Spanish].
115886	Morgenthau A, Almudaires A (2019). Klatskin's cholangiocarcinoma presenting with the sign of Leser-Trelat. <i>BMJ Case Rep</i> , 12(10): e232507.
115888	Moscarella E, Brancaccio G, Briatico G, et al (2021). Differential diagnosis and management on seborrheic keratosis in elderly patients. <i>Clin Cosmet Investig Dermatol</i> , 14: 395-406.

115889	Mousavi SE, Delgado-Saborit JM, Godderis L (2021). Exposure to per- and polyfluoroalkyl substances and premature skin aging. <i>J Hazard Mater</i> , 405: 124256.
115890	Nagata M, Otani S, Kanai Y, et al (2021). Leser-Trelat sign improved after the resection of a tiny ground-grass nodule: a case report. <i>J Surg Case Rep</i> , 2021(6): rjab275.
72992	Nakagawa K, Yamamura K, Maeda S, et al (1994). bcl-2 expression in epidermal keratinocytic diseases. <i>Cancer</i> , 74(6): 1720-4.
115891	Nanayakkara DP, Dissanayake MM, Gunaratne MP, et al (2023). Clinicopathological analysis of eyelid lesions in Sri Lanka. <i>Int Ophthalmol</i> , 43(7): 2513-9.
73003	Nanney LB, Ellis DL, Levine J, et al (1992). Epidermal growth factor receptors in idiopathic and virally induced skin diseases. <i>Am J Pathol</i> , 140(4): 915-25.
115892	Narala S, Cohen PR (2017). Cutaneous T-cell lymphoma-associated Leser-Trelat sign: report and world literature review. <i>Dermatol Online J</i> , 23(1): 13030/qt0w01b1t3.
115893	Nellessen T, Aoki R, Kammerbauer C, et al (2023). Relationship between a-genus human papillomavirus and non-genital seborrheic keratosis: Report of new cases and updated review. <i>J Cosmet Dermatol</i> , 22(1): 306-10.
115894	Neverman EM, Clary K (2014). Leser-Trelat sign. <i>J Am Osteopath Assoc</i> , 114(7): 593.
115895	Nezhad MH, Ganadan A, SeyedAlinaghi S, et al (2021). Disseminated TB in an immunocompetent patient: a case report. <i>Infect Disord Drug Targets</i> , 21(2): 297-300.
115963	Ngan V (2005). Coal tar treatment. Retrieved 25 October 2023, from https://dermnetnz.org/topics/coal-tar
115896	Nicolle E, Bessis D, Guilhou JJ (1998). [Seborrheic keratosis erupting in a tattoo]. <i>Ann Dermatol Venereol</i> , 125(4): 261-3 [Article in French].
115897	Nyanti L, Samsudin A, Tiong IK (2019). Syndrome of inappropriate antidiuretic hormone secretion and Leser-Trelat syndrome as uncommon paraneoplastic manifestations of renal malignancy - a geriatric experience: a case report. <i>J Med Case Rep</i> , 13(1): 188.
115898	Nyati A, Kalwaniya S, Jain S, et al (2016). Sign of Leser-Trelat in association with laryngeal carcinoma. <i>Indian J Dermatol Venereol Leprol</i> , 82(1): 112.
115964	Oakley A (2016). Seborrheic keratosis. Retrieved 25 September 2023, from https://dermnetnz.org/topics/seborrheic-keratosis
115899	Ohashi N, Hidaka N (1997). Pancreatic carcinoma associated with the Leser-Trelat sign. <i>Int J Pancreatol</i> , 22(2): 155-60. [Abstract]
72876	Parish LC, Witkowski JA (2005). Barnacles, old age marks, or just plain seborrheic keratoses. <i>SKINmed</i> , 4(6): 333-5.
115900	Park HJ, Lee KH, Park CJ (2022). A case of seborrheic keratosis on the volar side of the fingers after skin graft. <i>Ann Dermatol</i> , 34(5): 394-6.
115901	Patton T, Zirwas M, Nieland-Fisher N, et al (2004). Inflammation of seborrheic keratoses caused by cytarabine: a pseudo sign of Leser-Trelat. <i>J Drugs Dermatol</i> , 3(5): 565-6.
115903	Peng F, Xue CH, Hwang SK, et al (2017). Exposure to fine particulate matter associated with senile lentigo in Chinese women: a cross-sectional study. <i>J Eur Acad Dermatol Venereol</i> , 31(2): 355-60.
115904	Pereira R, Carvalho SD, Cruz JF (2019). Leser-Trelat sign in metastatic melanoma to pleura. <i>BMJ Case Rep</i> , 12(4): e228834.
37445	Plunkett A, Merlin K, Gill D, et al (1999). The frequency of common nonmalignant skin conditions in adults in central Victoria, Australia. <i>Int J Dermatol</i> , 38(12): 901-8.

73268	Ponti G, Luppi G, Losi L, et al (2010). Leser-Trelat syndrome in patients affected by six multiple metachronous primitive cancers. <i>J Hematol Oncol</i> , 3: 2.
115965	PubChem (2023). PubChem (2023). Coal Tar (Compound). Section 10 Toxicity. Retrieved 28 September 2023, from https://pubchem.ncbi.nlm.nih.gov/compound/Coal%20Tar#section=Toxicity
115966	PubChem (2023). Telaprevir (Compound) - Section 11 Toxicity. Retrieved 29 September 2023, from https://pubchem.ncbi.nlm.nih.gov/compound/3010818#section=Toxicity
115905	Rady PL, Yen A, Rollefson JL, et al (1995). Herpesvirus-like DNA sequences in non-Kaposi's sarcoma skin lesions of transplant patients. <i>Lancet</i> , 345(8961): 1339-40.
115906	Ragnarsdottir O, Abdallah MA, Harrad S (2022). Dermal uptake: An important pathway of human exposure to perfluoroalkyl substances? <i>Environ Pollut</i> , 307: 119478.
115907	Rahman SU, Sana MK, Tahir Z, et al (2020). Paraneoplastic syndromes in cholangiocarcinoma. <i>World J Hepatol</i> , 12(11): 897-907.
115908	Rambhia PH, Honda K, Arbesman J (2018). Nivolumab induced inflammation of seborrheic keratoses: a novel cutaneous manifestation in a metastatic melanoma patient. <i>Melanoma Res</i> , 28(5): 475-7.
115909	Retrosi C, Vezzoni R, Conforti C, et al (2019). Targetoid erythema surrounding multiple seborrheic keratoses induced by chemotherapy with gemcitabine. <i>Acta Dermatovenerol Alp Pannonica Adriat</i> , 28(4): 185-6.
115910	Rodriguez-Lomba E, Molina-Lopez I, Campos-Dominguez M (2017). Asymptomatic hyperpigmented lesions on the areolas of a pediatric patient. <i>Actas Dermosifiliogr</i> , 108(4): 368.
115914	Rogowska P, Sobjanek M, Slawinska M, et al (2022). Tattoos dermatological complications: analysis of 53 cases from Northern Poland. <i>Dermatology</i> , 238(4): 799-806.
73269	Rubegni P, Mandato F, Mourmouras V, et al (2009). False Leser-Trélat sign. <i>Int J Dermatol</i> , 48(8): 912-3.
115915	Sachs DL, Varani J, Chubb H, et al (2021). Atrophic and hypertrophic photoaging: Clinical, histologic, and molecular features of 2 distinct phenotypes of photoaged skin. <i>J Am Acad Dermatol</i> , 81(2): 480-8.
115916	Safa G, Darrieux L (2011). Leser-Trelat sign without internal malignancy. <i>Case Rep Oncol</i> , 4(1): 175-7.
115917	Sahin MT, Ozturkcan S, Ermertcan AT, et al (2004). [Comment] Transient eruptive seborrheic keratoses associated with erythrodermic pityriasis rubra pilaris. <i>Clin Exp Dermatol</i> , 29(5): 554-5.
115918	Salah B, Mahseeri M, Al-Ali Z, et al (2018). Giant perianal seborrheic keratosis: a case report. <i>Int J Surg Case Rep</i> , 51: 296-301.
115919	Saraiya A, Al-Shoha A, Brodell RT (2013). Hyperinsulinemia associated with acanthosis nigricans, finger pebbles, acrochordons, and the sign of Leser-Trelat. <i>Endocr Pract</i> , 19(3): 522-5.
115920	Sardon C, Dempsey T (2017). The Leser-Trelat sign. <i>Cleve Clin J Med</i> , 84(12): 918.
115921	Satterfield PA, Haas AF (1998). Postoperative localized eruption of seborrheic keratoses. <i>J Am Acad Dermatol</i> , 38(2 Pt 1): 267-8.
115922	Sawada Y, Yoshiki R, Kawakami C, et al (2009). [Seborrheic keratosis on the umbilicus: case report and review of Japanese literature]. <i>J UOEH</i> , 31(1): 51-5 [Article in Japanese]. [Abstract]
115923	Schwartz RA (1996). Sign of Leser-Trelat. <i>J Am Acad Dermatol</i> , 35(1): 88-95.
115925	Schwengle LE, Rampen FH, Wobbles T (1988). Seborrheic keratoses and internal malignancies. A case control study. <i>Clin Exp Dermatol</i> , 13(3): 177-9.

115924	Schwengle LE, Rampen FH (1988). Eruptive seborrheic keratoses associated with erythrodermic pityriasis rubra pilaris. Possible role of retinoid therapy. <i>Acta Derm Venereol</i> , 68(5): 443-5. [Abstract]
115812	Silva JA, Mesquita Kde C, Igreja AC, et al (2013). Paraneoplastic cutaneous manifestations: concepts and updates. <i>An Bras Dermatol</i> , 88(1): 9-22.
115926	Sousa G, Teixeira J, Delerue-Matos C, et al (2022). Exposure to PAHs during firefighting activities: a review on skin levels, in vitro/in vivo bioavailability, and health risks. <i>Int J Environ Res Public Health</i> , 19(19): 12677.
115927	Stollmeier A, Rosario BA, Mayer BL, et al (2016). Seborrheic keratoses as the first sign of bladder carcinoma: case report of Leser-Trelat sign in a rare association with urinary tract cancer. <i>Case Rep Med</i> , 2016: 4259190.
115928	Stone OJ (1993). The sign of Leser-Trelat: a cutaneous sign of internal malignancy: weakened subepithelial matrix from the effect of neoplasms on the extracellular matrix of the host. <i>Med Hypotheses</i> , 40(6): 360-3.
115929	Sudhakar N, Venkatesan S, Mohanasundari PS, et al (2015). Seborrheic keratosis over genitalia masquerading as Buschke Lowenstein tumor. <i>Indian J Sex Transm Dis AIDS</i> , 36(1): 77-9.
115930	Suening BS, Neidenbach PJ (2023). The pseudo-sign of Leser-Trelat: a rare presentation. <i>Cureus</i> , 15(2): e35155.
115931	Sun MD, Halpern AC (2022). Advances in the etiology, detection, and clinical management of seborrheic keratoses. <i>Dermatology</i> , 238(2): 205-17.
115932	Suvarna P, Kayarkatte MN (2022). Utility of 30% hydrogen peroxide in the treatment of seborrheic keratosis. <i>Int J Dermatol</i> , 61(9): 1113-6.
115933	Suzuki R, Niiyama S, Yokouchi Y, et al (2015). Multiple perianal nodules in an HIV-positive man: a quiz. Diagnosis: condyloma accuminata and seborrheic keratosis. <i>Acta Derm Venereol</i> , 95(5): 634-5.
115934	Tajima H, Mitsuoka S, Ohtsuka E, et al (1991). A case of hepatocellular carcinoma with the sign of Leser-Trelat: a possible role of a cutaneous marker for internal malignancy. <i>Jpn J Med</i> , 30(1): 53-6.
72792	Takenaka Y, Hoshino Y, Nakajima H, et al (2013). Paracrine cytokine mechanisms underlying the hyperpigmentation of seborrheic keratosis in covered skin areas. <i>J Dermatol</i> , 40(7): 533-42.
72798	Tardio JC, Bancalari E, Moreno A, et al (2012). Genital seborrheic keratoses are human papillomavirus-related lesions. A linear array genotyping test study. <i>APMIS</i> , 120(6): 477-83.
73012	Teraki E, Tajima S, Manaka I, et al (1996). Role of endothelin-1 in hyperpigmentation in seborrheic keratoses. <i>Br J Dermatol</i> , 135(6): 918-23.
115935	Thakur JS, Thakur A, Chauhan CG, et al (2008). Giant pedunculated seborrheic keratosis of penis. <i>Indian J Dermatol</i> , 53(1): 37-8.
38851	Thompson LDR (2006). Seborrheic Keratosis. <i>Ear Nose Throat J</i> , 85(2): 79.
73005	Tojo M, Mori T, Kiyosawa H, et al (1999). Expression of sonic hedgehog signal transducers, patched and smoothened, in human basal cell carcinoma. <i>Pathol Int</i> , 49(8): 687-94.
37446	Tsambaos, Monastirli A, Kapranos N, et al (1995). Detection of human papillomavirus DNA in nongenital seborrheic keratoses. <i>Arch Dermatol Res</i> , 287(6): 612-5.
115936	U.S. Food and Drug Administration (2016). FDA Drug Safety Communication: Serious skin reactions after combination treatment with the Hepatitis C drugs Incivek(telaprevir), peginterferon alfa, and ribavirin. Retrieved 26 October 2023, from https://www.fda.gov/drugs/drug-safety-and-availability/fda-drug-safety-communication-serious-skin-reactions-after-combination-treatment-hepatitis-c

115953	Zhu TH, Nakamura M, Farahnik B, et al (2016). The patient's guide to psoriasis treatment. Part 4: Goeckerman therapy. <i>Dermatol Ther (Heidelb)</i> , 6(3): 333-9.
115954	Zhu WY, Leonardi C, Kinsey W, et al (1991). Irritated seborrheic keratoses and benign verrucous acanthomas do not contain papillomavirus DNA. <i>J Cutan Pathol</i> , 18(6): 449-52.