



# ANOSMIA

RMA ID Number	Reference List for RMA366-3 as at August 2022
---------------	---

61372	Access Medicine (2008). Refractory asthma. 17th Edition, Vol 2: 1606. Retrieved 27 July 2011, from <a href="http://accessmedicine.com/popup.aspx?aid=2861712&amp;print=yes_chapter">http://accessmedicine.com/popup.aspx?aid=2861712&amp;print=yes_chapter</a>
61111	Ackerman BH, Kasbekar N (1997). Disturbances of taste and smell induced by drugs. <i>Pharmacotherapy</i> , 17(3): 482-96.
56103	Adams DR, Ajmani GS, Pun VC, et al (2016). Nitrogen dioxide pollution exposure is associated with olfactory dysfunction in older U.S. adults. <i>Int Forum Allergy Rhinol</i> , 6(12): 1245-52.
59585	Adler CH, Connor DJ, Hentz JG, et al (2010). Incidental Lewy body disease: clinical comparison to a control cohort. <i>Mov Disord</i> , 25(5): 642-6.
5802	Adler CH, Gwinn KA, Newman S (1998). Olfactory function in restless legs syndrome. <i>Mov Disord</i> , 13(3): 563-5.
35454	Aguirre-Mardones C, Iranzo A, Vilas D, et al (2015). Prevalence and timeline of nonmotor symptoms in idiopathic rapid eye movement sleep behavior disorder. <i>J Neurol</i> , 262(6): 1568-78.
96364	Ahman M, Holmstrom M, Kolmodin-Hedman B, et al (2001). Nasal symptoms and pathophysiology in farmers. <i>Int Arch Occup Environ Health</i> , 74(4): 279-84.
5815	Ajmani GS, Suh HH, Pinto JM (2017). Effects of ambient air pollution exposure on olfaction: A review. <i>Environ Health Perspect</i> , 124(11): 1683-93.
81237	Ajmani GS, Suh HH, Wroblewski KE, et al (2017). Smoking and olfactory dysfunction: a systematic literature review and meta-analysis. <i>Laryngoscope</i> , 127(8): 1753-61.
83088	Ajmani GS, Suh HH, Wroblewski KE, et al (2016). Fine particulate matter exposure and olfactory dysfunction among urban-dwelling older US adults. <i>Environ Res</i> , 151: 797-803.
81168	Aksoy C, Elsurer C, Artac H, et al (2018). Evaluation of olfactory function in children with seasonal allergic rhinitis and its correlation with acoustic rhinometry. <i>Int J Pediatr Otorhinolaryngol</i> , 113: 188-91.
96365	Akyol L, Gunbey E, Karli R, et al (2016). Evaluation of olfactory function in Behcet's disease. <i>Eur J Rheumatol</i> , 3(4): 153-6.
42366	AlBader A, Levine CG, Casiano RR (2017). Does endoscopic sinus surgery improve olfaction in nasal polyposis? <i>Laryngoscope</i> , 127(10): 2203-4.
2936	Allobid I, Cardelus S, Benitez P, et al (2011). Persistent asthma has an accumulative impact on the loss of smell in patients with nasal polyposis. <i>Rhinology</i> , 49(5): 519-24.
45156	Alosco ML, Jarnagin J, Tripodis Y, et al (2017). Olfactory function and associated clinical correlates in former National Football League players. <i>J Neurotrauma</i> , 34(4): 772-80.
96366	Altman KW, Desai SC, Moline J, et al (2011). Odor identification ability and self-reported upper respiratory symptoms in workers at the post-9/11 World Trade Center site. <i>Int Arch Occup Environ Health</i> , 84(2): 131-7.

96367	Altungdag A, Ay SA, Hira S, et al (2017). Olfactory and gustatory functions in patients with non-complicated type 1 diabetes mellitus. <i>Eur Arch Otorhinolaryngol</i> , 274(6): 2621-7.
96368	Alvarez P, Papaseit E, Perez V, et al (2019). Reversible taste and smell dysfunction associated with sodium valproate and quetiapine in bipolar depression: a case report. <i>Actas Esp Psiquiatr</i> , 47(1): 33-6.
96369	Alvarez-Camacho M, Gonella S, Campbell S, et al (2017). A systematic review of smell alterations after radiotherapy for head and neck cancer. <i>Cancer Treat Rev</i> , 54: 110-21.
96370	Alves A, Martins C, Delgado L, et al (2010). Exercise-induced rhinitis in competitive swimmers. <i>Am J Rhinol Allergy</i> , 24(5): e114-7.
61391	American Medical Association (2002). Criteria for Rating Impairments of the Cranial Nerves. Guides to the Evaluation of Permanent Impairment, 5th Edition, Chapter 13.4: 327. American Medical Association, Chicago.
96371	Amezaga J, Alfaro B, Rios Y, et al (2018). Assessing taste and smell alterations in cancer patients undergoing chemotherapy according to treatment. <i>Support Care Cancer</i> , 26(12): 4077-86.
44756	Amital H, Agmon-Levin A, Shoenfeld N, et al (2014). Olfactory impairment in patients with the fibromyalgia syndrome and systemic sclerosis. <i>Immunol Res</i> , 60(2-3): 201-7.
41430	Anderson DM, Keith J, Novak PD (Lexicographers) (2003). Dorland's Illustrated Medical Dictionary, 30th Edition, WB Saunders, Philadelphia.
61387	Anderson DM, Keith J, Novak PD (Lexicographers) (2003). Pellagra. Dorland's Illustrated Medical Dictionary, 30th Edition, 1391. WB Saunders, Philadelphia.
61363	Anosmia Foundation of Canada (2003). Causes of Anosmia. Retrieved 27 July 2011, from <a href="http://www.anosmiafoundation.com/causes.shtml">http://www.anosmiafoundation.com/causes.shtml</a>
60696	Antunes MB, Bowler R, Doty RL (2007). San Francisco/Oakland Bay Bridge Welder Study: olfactory function. <i>Neurology</i> , 69(12): 1278-84.
89530	Applegate LM, Louis ED (2005). Essential tremor: Mild olfactory dysfunction in a cerebellar disorder. <i>Parkinsonism Relat Disord</i> , 11(6): 399-402.
96372	Arcot Jayagopal L, von Geldern G (2018). Anosmia as the initial presentation of neurosarcoïdosis. <i>Neurology</i> , 91(22): 1020-1.
96373	Arnold C (2019). Sensory overload? Air pollution and impaired olfaction. <i>Environ Health Perspect</i> , 127(6): 62001.
61394	Asai H, Ueda F, Hirano M, et al (2008). Odour abnormalities caused by bilateral thalamic infarction. <i>Clin Neurol Neurosurg</i> , 110(5): 500-1.
96374	Asal N, Bayar Muluk N, Inal M, et al (2018). Olfactory bulb volume and olfactory sulcus depth in psychotic patients and patients with anxiety disorder/depression. <i>Eur Arch Otorhinolaryngol</i> , 275(12): 3017-24.
20452	Atalar AC, Erdal Y, Tekin B, et al (2018). Olfactory dysfunction in multiple sclerosis. <i>Mult Scler Relat Disord</i> , 21: 92-6.
52170	Aubart FC, Ouayoun M, Brauner M, et al (2017). Sinonasal involvement in sarcoidosis: A case-control study of 20 patients. <i>Medicine (Baltimore)</i> , 85(6): 365-71.
5827	Aydin E, Tekeli H, Karabacak E, et al (2016). Olfactory functions in patients with psoriasis vulgaris: correlations with the severity of the disease. <i>Arch Dermatol Res</i> , 308(6): 409-14.
20467	Bakker K, Catroppa C, Anderson V (2014). Olfactory dysfunction in pediatric traumatic brain injury: a systematic review. <i>J Neurotrauma</i> , 31(4): 308-14.
59711	Barnett R, Maruff P, Purcell R, et al (1999). Impairment of olfactory identification in obsessive-compulsive disorder. <i>Psychol Med</i> , 29(5): 1227-33.
59818	Bar-Sela S, Levy M, Westin JB, et al (1992). Medical findings in nickel-cadmium battery workers. <i>Isr J Med Sci</i> , 28(8-9): 578-83.

96375	Bauer LO, Mott AE (1996). Differential effects of cocaine, alcohol, and nicotine dependence on olfactory evoked potentials. <i>Drug Alcohol Depend</i> , 42(1): 21-6.
59790	Baum ED, Boudousquie AC, Li S, et al (1998). Sarcoidosis with nasal obstruction and septal perforation. <i>Ear Nose Throat J</i> , 77(11): 896-8, 900-2.
5831	Bayard S, Plazzi G, Poli F, et al (2010). Olfactory dysfunction in narcolepsy with cataplexy. <i>Sleep Med</i> , 11(9): 876-81.
61395	Beard MD, Mackay-Sim A (1987). Loss of sense of smell in adult, hypothyroid mice. <i>Brain Res</i> , 433(2): 181-9.
96376	Becker S, Pflugbeil C, Groger M, et al (2012). Olfactory dysfunction in seasonal and perennial allergic rhinitis. <i>Acta Otolaryngol</i> , 132(7): 763-8.
59796	Benjamin E, Pickles J (1997). Chlorine-induced anosmia. A case presentation. <i>J Laryngol Otol</i> , 111(11): 1075-6.
59803	Berlit P (1992). Clinical and laboratory findings with giant cell arteritis. <i>J Neurol Sci</i> , 111(1): 1-12.
59667	Bernhardson BM, Tishelman C, Rutqvist LE (2009). Olfactory changes among patients receiving chemotherapy. <i>Eur J Oncol Nurs</i> , 13(1): 9-15.
96377	Bersani G, Quartini A, Ratti F, et al (2013). Olfactory identification deficits and associated response inhibition in obsessive-compulsive disorder: on the scent of the orbitofronto-striatal model. <i>Psychiatry Res</i> , 210(1): 208-14.
95175	Besser G, Erlacher B, Aydinkoc-Tuzcu K, et al (2020). Body-mass-index associated differences in ortho-and retronalusal olfactory function and the individual significance of olfaction in health and disease. <i>J Clin Med</i> , 9(2): 366.
61396	Binder DK, Horton JC, Lawton MT, et al (2004). Idiopathic intracranial hypertension. <i>Neurosurgery</i> , 54(3): 538-51; discussion 551-2.
59800	Blackburn GL (2009). [Comment] Counteracting the effects of chemosensory dysfunction. <i>J Support Oncol</i> , 7(2): 66-7. Comment on ID: 59799.
95387	Blanco S, Sanroman L, Perez-Calvo S, et al (2019). Olfactory and cognitive functioning in patients with fibromyalgia. <i>Psychol Health Med</i> , 24(5): 530-41.
96378	Boerner B, Tini GM, Fachinger P, et al (2017). Significant improvement of olfactory performance in sleep apnea patients after three months of nasal CPAP therapy - Observational study and randomized trial. <i>PLoS One</i> , 12(2): e017087.
95176	Boesveldt S, Postma EM, Boak D, et al (2017). Anosmia-A critical review. <i>Chem Senses</i> , 42(7): 513-23.
32177	Bolla KI, Schwartz BS, Stewart W, et al (1995). Comparison of neurobehavioral function in workers exposed to a mixture of organic and inorganic lead and in workers exposed to solvents. <i>Am J Ind Med</i> , 27(2): 231-46.
95177	Bombini MF, Peres FA, Lapa AT, et al (2018). Olfactory function in systemic lupus erythematosus and systemic sclerosis. A longitudinal study and review of the literature. <i>Autoimmun Rev</i> , 17(4): 405-12.
96379	Bonfils P, Avan P, Faulcon P, et al (2005). Distorted odorant perception: Analysis of a series of 56 patients with parosmia. <i>Arch Otolaryngol Head Neck Surg</i> , 131(2): 107-12.
61365	Bonfils P, Malinvaud D, Soundry Y, et al (2009). Surgical therapy and olfactory function. <i>B-ENT</i> , 5(Suppl 13): 77-87. [Abstract]
59586	Bor AS, Niemansburg SL, Wermer MJ, et al (2009). Anosmia after coiling of ruptured aneurysms: Prevalence, prognosis, and risk factors. <i>Stroke</i> , 40(6): 2226-8.
96380	Bougault V, Turmel J, Boulet LP (2010). Effect of intense swimming training on rhinitis in high-level competitive swimmers. <i>Clin Exp Allergy</i> , 40(8): 1238-46.

96381	Bramerson A, Johansson L, Ek L, et al (2004). Prevalence of olfactory dysfunction: The Skovde population-based study. <i>Laryngoscope</i> , 114(4): 733-7.
96382	Bramerson A, Nyman J, Nordin S, et al (2013). Olfactory loss after head and neck cancer radiation therapy. <i>Rhinology</i> , 51(3): 206-9.
95178	Bratt M, Skandsen T, Hummel T, et al (2018). Frequency and prognostic factors of olfactory dysfunction after traumatic brain injury. <i>Brain Inj</i> , 32(8): 1021-7.
96383	Brion M, de Timar P, Vander Stappen C, et al (2015). Chemosensory dysfunction in alcohol-related disorders: A joint exploration of olfaction and taste. <i>Chem Senses</i> , 40(9): 605-8.
95179	Bsteh G, Berek K, Hegen H, et al (2020). Smelling multiple sclerosis: Different qualities of olfactory function reflect either inflammatory activity or neurodegeneration. <i>Mult Scler</i> , 26(1): 57-68.
95180	Bsteh G, Hegen H, Ladstatter F, et al (2019). Change of olfactory function as a marker of inflammatory activity and disability progression in MS. <i>Mult Scler</i> , 25(2): 267-74.
59588	Buob D, Wacrenier A, Chevalier D, et al (2003). Schwannoma of the sinonasal tract: a clinicopathologic and immunohistochemical study of 5 cases. <i>Arch Pathol Lab Med</i> , 127(9): 1196-9.
96386	Buron E, Bulbena A (2013). Olfaction in affective and anxiety disorders: A review of the literature. <i>Psychopathology</i> , 46(2): 63-74.
96388	Buron E, Bulbena A, Bulbena-Cabre A, et al (2018). Both anxiety and joint lability determine the olfactory features in panic disorder. <i>Psychiatry Res</i> , 262: 420-6.
96387	Buron E, Bulbena A, Bulbena-Cabre A (2015). Olfactory functioning in panic disorder. <i>J Affect Disord</i> , 175: 292-8.
95181	Buskova J, Klaschka J, Sonka K, et al (2010). Olfactory dysfunction in narcolepsy with and without cataplexy. <i>Sleep Med</i> , 11(6): 558-61.
95182	Caldas AS, Facundes VL, Silva HJ (2012). Rehabilitation of smell and taste functions in total laryngectomy: systematic review. <i>Rev CEFAC</i> , 14(2): 343-9.
96470	Caldas AS, Facundes VL, Melo TM, et al (2011). Modifications and evaluation of smell and taste functions in total laryngectomy: systemic review. <i>J Soc Bras Fonoaudiol</i> , 23(1): 82-8.
61390	Calderon-Garcidueñas L, Franco-Lira M, Henriquez-Roldan C, et al (2010). Urban air pollution: influences on olfactory function and pathology in exposed children and young adults. <i>Exp Toxicol Pathol</i> , 62(1): 91-102.
60254	Caruso TJ, Prober CG, Gwaltney JM Jr (2007). Treatment of naturally acquired common colds with zinc: a structured review. <i>Clin Infect Dis</i> , 45(5): 569-74.
96390	Casjens S, Pesch B, Robens S, et al (2017). Associations between former exposure to manganese and olfaction in an elderly population: Results from the Heinz Nixdorf Recall Study. <i>Neurotoxicology</i> , 58: 58-65.
96391	Cavaco S, Martins da Silva A, Santos E, et al (2012). Are cognitive and olfactory dysfunctions in neuropsychiatric lupus erythematosus dependent on anxiety or depression? <i>J Rheumatol</i> , 39(4): 770-6.
95189	Cavazzana A, Larsson M, Munch M, et al (2018). Postinfectious olfactory loss: A retrospective study on 791 patients. <i>Laryngoscope</i> , 128(1): 10-5.
95183	Chaaban MR, Walsh EM, Woodworth BA (2013). Epidemiology and differential diagnosis of nasal polyps. <i>Am J Rhinol Allergy</i> , 27(6): 473-8.
96392	Chan JY, Garcia-Esquinas E, Ko OH, et al (2017). The association between diabetes and olfactory function in adults. <i>Chem Senses</i> , 43(1): 59-64.
95184	Charland-Verville V, Lassonde M, Frasnelli J (2012). Olfaction in athletes with concussion. <i>Am J Rhinol Allergy</i> , 26(3): 222-6.

96393	Che X, Li Y, Fang Y, et al (2018). Antiarrhythmic drug-induced smell and taste disturbances: A case report and literature review. <i>Medicine (Baltimore)</i> , 97(29): e11112.
96394	Chen B, Zhong X, Mai N, et al (2018). Interactive effect of depression and cognitive impairment on olfactory identification in elderly people. <i>J Alzheimers Dis</i> , 66(4): 1645-55.
95185	Chen G, Wei Y, Miao X, et al (2013). Clinical features of olfactory disorders in patients seeking medical consultation. <i>Med Sci Monit</i> , 19: 444-50.
95186	Chen Y, Wang L, Zhou L, et al (2016). Ocular myasthenia gravis accompanied by anosmia. <i>J Tradit Chin Med</i> , 36(1): 125-30.
95187	Cingi C, Gevaert P, Mosges R, et al (2017). Multi-morbidities of allergic rhinitis in adults: European Academy of Allergy and Clinical Immunology Task Force Report. <i>Clin Transl Allergy</i> , 7: 17.
96395	Clearie KL, Vaidyanathan S, Williamson PA, et al (2010). Effects of chlorine and exercise on the unified airway in adolescent elite Scottish swimmers. <i>Allergy</i> , 65(2): 269-73.
95188	Coelho DH, Costanzo RM (2016). Posttraumatic olfactory dysfunction. <i>Auris Nasus Larynx</i> , 43(2): 137-43.
96396	Cohen AS, Brown LA, Auster TL (2012). Olfaction, "olfiction," and the schizophrenia-spectrum: An updated meta-analysis on identification and acuity. <i>Schizophr Res</i> , 135(1-3): 152-7.
96397	Cohen J, Wakefield CE, Laing DG (2016). Smell and taste disorders resulting from cancer and chemotherapy. <i>Curr Pharm Des</i> , 22(15): 2253-63.
59840	Collet S, Grulio V, Bertrand B, et al (2009). Post-traumatic olfactory dysfunction: a cohort study and update. <i>B-ENT</i> , 5(Suppl 13): 97-107.
95190	Cortese BM, Schumann AY, Howell AN, et al (2017). Preliminary evidence for differential olfactory and trigeminal processing in combat veterans with and without PTSD. <i>Neuroimage Clin</i> , 17: 378-87.
59813	Corwin J, Loury M, Gilbert AN (1995). Workplace, age, and sex as mediators of olfactory function: data from the National Geographic Smell Survey. <i>J Gerontol B Psychol Sci Soc Sci</i> , 50(4): P179-86.
96398	Crow AJ, Janssen JM, Vickers KL, et al (2020). Olfactory dysfunction in neurodevelopmental disorders: A meta-analytic review of autism spectrum disorders, attention deficit/hyperactivity disorder and obsessive-compulsive disorder. <i>J Autism Dev Disord</i> , : Online ahead of print.
52188	Da Re AF, Gurgel LG, Buffon G, et al (2017). Tobacco influence on taste and smell: Systematic review of the literature. <i>Int Arch Otorhinolaryngol</i> , 22(1): 81-7.
95191	Dalgic A, Dinc ME, Ulusoy S, et al (2017). Comparison of the effects of nasal steroids and montelukast on olfactory functions in patients with allergic rhinitis. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 134(4): 213-6.
95192	Daramola OO, Becker SS (2015). An algorithmic approach to the evaluation and treatment of olfactory disorders. <i>Curr Opin Otolaryngol Head Neck Surg</i> , 23(1): 8-14.
59713	Davidson TM, Smith WM (2010). The Bradford Hill criteria and zinc-induced anosmia: a causality analysis. <i>Arch Otolaryngol Head Neck Surg</i> , 136(7): 673-6.
96399	Dazzi F, Nitto SD, Zambetti G, et al (2013). Alterations of the olfactory-gustatory functions in patients with eating disorders. <i>Eur Eat Disorders Rev</i> , 21(5): 382-5.
60255	D'Cruze H, Arroll B, Kenealy T (2009). Is intranasal zinc effective and safe for the common cold? A systematic review and meta-analysis. <i>J Prim Health Care</i> , 1(2): 134-9.
96400	de Coo IF, Haan J (2016). Long lasting impairment of taste and smell as side effect of lithium carbonate in a cluster headache patient. <i>Headache</i> , 56(7): 1201-3.

96402	de Hiro-Licer J, Roura-Moreno J, Vizitiu A, et al (2013). Long term serious olfactory loss in colds and/or flu. <i>Acta Otorrinolaringol Esp</i> , 64(5): 331-8.
59834	De Kruijk JR, Leffers P, Menheere PP, et al (2003). Olfactory function after mild traumatic brain injury. <i>Brain Inj</i> , 17(1): 73-8.
95194	de Vries YC, Boesveldt S, Kelfkens CS, et al (2018). Taste and smell perception and quality of life during and after systemic therapy for breast cancer. <i>Breast Cancer Res Treat</i> , 170(1): 27-34.
59712	Deems DA, Doty RL, Settle RG, et al (1991). Smell and taste disorders, a study of 750 patients from the University of Pennsylvania Smell and Taste Center. <i>Arch Otolaryngol Head Neck Surg</i> , 117(5): 519-28.
61366	Demarquay G, Ryvlin P, Royet JP (2007). [Olfaction and neurological diseases: a review of the literature]. <i>Rev Neurol (Paris)</i> , 163(2): 155-67 [Article in French]. [Abstract]
96471	Deniz F, Ay SA, Salihoglu M, et al (2016). Thyroid hormone replacement therapy improves olfaction and taste sensitivity in primary hypothyroid patients: a prospective randomised clinical trial. <i>Exp Clin Endocrinol Diabetes</i> , 124(9): 562-7.
96404	Derin S, Erdogan S, Sahan M, et al (2019). Olfactory dysfunction in B thalassemia major patients treated with iron-chelating agents. <i>Ear Nose Throat J</i> , 98(8): NP125-30.
96401	Derin S, Koseoglu S, Sahin C, et al (2016). Effect of vitamin B12 deficiency on olfactory function. <i>Int Forum Allergy Rhinol</i> , 6(10): 1051-5.
95195	Desai M, Agadi JB, Karthik N, et al (2015). Olfactory abnormalities in temporal lobe epilepsy. <i>J Clin Neurosci</i> , 22(10): 1614-8.
59822	Devanand DP, Tabert MH, Cuasay K, et al (2010). Olfactory identification deficits and MCI in a multi-ethnic elderly community sample. <i>Neurobiol Aging</i> , 31(9): 1593-600.
96403	Dileo JF, Brewer WJ, Hopwood M, et al (2008). Olfactory identification dysfunction, aggression and impulsivity in war veterans with post-traumatic stress disorder. <i>Psychol Med</i> , 38(4): 523-31.
96550	Dogan A, Bayar Muluk N, Asal N, et al (2018). Olfactory bulb volume and olfactory sulcus depth in patients with Behcet's disease. <i>J Laryngol Otol</i> , 132(12): 1088-92.
95197	Dogan A, Bayar Muluk N, Sahan MH, et al (2018). Olfactory bulbus volume and olfactory sulcus depth in migraine patients: an MRI evaluation. <i>Eur Arch Otorhinolaryngol</i> , 275(8): 2005-11.
95196	Dogan R, Ertas B, Ozucer B, et al (2017). Olfactory dysfunction associated with Neuro-Behcet disease. <i>J Craniofac Surg</i> , 28(7): e707-10.
59596	Doty RL (1994). Olfactory dysfunction in the elderly and in Alzheimer's disease. Kurihara K, Suzuki N, Ogawa H [Eds]. <i>Olfaction and Taste XI</i> : 597-601. Springer-Verlag, Tokyo.
95199	Doty RL (2019). Epidemiology of smell and taste dysfunction. <i>Handb Clin Neurol</i> , 164: 3-13.
59714	Doty RL, Bromley SM (2004). Effects of drugs on olfaction and taste. <i>Otolaryngol Clin North Am</i> , 37(6): 1229-54.
96712	Doty RL, Bromley SM (2015). Disorders of smell and taste. Harrison's Principles of Internal Medicine, 19th Edition, Chapter 42. McGraw Hill Education.
95198	Doty RL, Tourbier I, Neff JK, et al (2018). Influences of temporal lobe epilepsy and temporal lobe resection on olfaction. <i>J Neurol</i> , 265(7): 1654-65.
59717	Doty RL, Yousem DM, Pham LT, et al (1997). Olfactory dysfunction in patients with head trauma. <i>Arch Neurol</i> , 54(9): 1131-40.
59804	Downey LL, Jacobs JB, Lebowitz RA (1996). Anosmia and chronic sinus disease. <i>Otolaryngol Head Neck Surg</i> , 115(1): 24-8.

96405	Duda-Sobczak A, Araszkiewicz A, Urbas M, et al (2017). Impaired olfactory function is related to the presence of neuropathy in adults with type 1 diabetes. <i>Diab Vasc Dis Res</i> , 14(2): 139-43.
59709	Dulay MF, Murphy C (2002). Olfactory acuity and cognitive function converge in older adulthood: support for the common cause hypothesis. <i>Psychol Aging</i> , 17(3): 392-404.
95200	Elian M (1991). Olfactory impairment in motor neuron disease: a pilot study. <i>J Neurol Neurosurg Psychiatry</i> , 54(10): 927-8.
95202	Elman LB, McCluskey L (2019). Clinical features of amyotrophic lateral sclerosis and other forms of motor neuron disease. Retrieved 31 March 2020, from <a href="https://www.uptodate.com/contents/clinical-features-of-amyotrophic-lateral-sclerosis-and-other-forms-of-motor-neuron-disease">https://www.uptodate.com/contents/clinical-features-of-amyotrophic-lateral-sclerosis-and-other-forms-of-motor-neuron-disease</a>
95201	Elman LB, McCluskey L (2019). Diagnosis of amyotrophic lateral sclerosis and other forms of motor neuron disease. Retrieved 31 March 2020, from <a href="https://www.uptodate.com/contents/diagnosis-of-amyotrophic-lateral-sclerosis-and-other-forms-of-motor-neuron-disease">https://www.uptodate.com/contents/diagnosis-of-amyotrophic-lateral-sclerosis-and-other-forms-of-motor-neuron-disease</a>
59835	Epstein JB, Phillips N, Parry J, et al (2002). Quality of life, taste, olfactory and oral function following high-dose chemotherapy and allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplant</i> , 30(11): 785-92.
59798	Fahrenholz JM (2003). Natural history and clinical features of aspirin-exacerbated respiratory disease. <i>Clin Rev Allergy Immunol</i> , 24(2): 113-24.
95203	Falkowski B, Chudzinski M, Jakubowska E, et al (2017). Association of olfactory function with the intensity of self-reported physical activity in adults with type 1 diabetes. <i>Pol Arch Intern Med</i> , 127(7-8): 476-80.
95204	Fang J, Xie S, Li N, et al (2018). Postoperative complications of endoscopic versus microscopic transsphenoidal pituitary surgery: A meta-analysis. <i>J Coll Physicians Surg Pak</i> , 28(7): 554-9.
95205	Fantini ML, Postuma RB, Montplaisir J, et al (2006). Olfactory deficit in idiopathic rapid eye movements sleep behavior disorder. <i>Brain Res Bull</i> , 70(4-6): 386-90.
95207	Fasunla AJ, Nwankwo U, Adebayo AM, et al (2018). Association between sex, CD4 cell counts, antiretroviral medications, and olfactory and gustatory functions of HIV-infected adults. <i>Otolaryngol Head Neck Surg</i> , 158(1): 90-9.
95206	Fasunla JA, Hundt W, Lutz J, et al (2012). Evaluation of smell and taste in patients with Wegener's granulomatosis. <i>Eur Arch Otorhinolaryngol</i> , 269(1): 179-86.
59811	Fedoroff IC, Stoner SA, Andersen AE, et al (1995). Olfactory dysfunction in anorexia and bulimia nervosa. <i>Int J Eat Disord</i> , 18(1): 71-7.
96406	Fernandez-Aranda F, Aguera Z, Fernandez-Garcia JC, et al (2016). Smell-taste dysfunctions in extreme weight/eating conditions: analysis of hormonal and psychological interactions. <i>Endocrine</i> , 51(2): 256-67.
96407	Fischer M, Zopf Y, Elm C, et al (2014). Subjective and objective olfactory abnormalities in Crohn's disease. <i>Chem Senses</i> , 39(6): 529-38.
59589	Fischer ME, Cruickshanks KJ, Klein BE, et al (2009). Multiple sensory impairment and quality of life. <i>Ophthalmic Epidemiol</i> , 16(6): 346-53.
61367	Fleiner F, Dahlslett SB, Schmidt F, et al (2010). Olfactory and gustatory function in patients with multiple sclerosis. <i>Am J Rhinol Allergy</i> , 24(5): e93-7. [Abstract]
59848	Fokkens WJ (2007). [Comment] Smoking, self-destructive behaviour? <i>Rhinology</i> , 45(4): 257-8. Comment on ID: 59847.
96408	Fonteyn S, Huart C, Deggouj N, et al (2014). Non-sinonasal-related olfactory dysfunction: A cohort of 496 patients. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 131(2): 87-91.
95208	Fornazieri MA, Borges BB, Bezerra TF, et al (2014). Main causes and diagnostic evaluation in patients with primary complaint of olfactory disturbances. <i>Braz J Otorhinolaryngol</i> , 80(3): 202-7.

95252	Fornazieri MA, Neto AR, de Rezende Pinna F, et al (2016). Olfactory symptoms reported by migraineurs with and without auras. <i>Headache</i> , 56(10): 1608-16.
59655	Fortin A, Lefebvre MB, Ptito M (2010). Traumatic brain injury and olfactory deficits: the tale of two smell tests! <i>Brain Inj</i> , 24(1): 27-33.
95253	Frasnelli J, Lague-Beauvais M, LeBlanc J, et al (2016). Olfactory function in acute traumatic brain injury. <i>Clin Neurol Neurosurg</i> , 140: 68-72.
96409	Frasnelli JA, Temmel AF, Quint C, et al (2002). Olfactory function in chronic renal failure. <i>Am J Rhinol</i> , 16(5): 275-9.
59838	Freeman SR, Sheehan PZ, Thorpe MA, et al (2005). Ear, nose, and throat manifestations of Sjogren's syndrome: retrospective review of a multidisciplinary clinic. <i>J Otolaryngol</i> , 34(1): 20-4.
61369	Frye RE, Schwartz BS, Doty RL (1990). Dose-related effects of cigarette-smoking on olfactory function. <i>JAMA</i> , 263(9): 1233-6.
59591	Gale K (2010). Predictors of sarcoid rhinosinusitis: nasal crusting, epistaxis, anosmia. Retrieved 28 January 2011, from <a href="http://www.medscape.org/viewarticle/728328_print">http://www.medscape.org/viewarticle/728328_print</a>
96713	Gallo S, Byham-Gray L, Duffy VB, et al (2020). Associations of olfactory dysfunction with anthropometric and cardiometabolic measures: findings from the 2013-2014 National Health and Nutrition Examination Survey (NHANES). <i>Physiol Behav</i> , 215: 112702. [Abstract]
96410	Gamper EM, Zabernigg A, Wintner LM, et al (2012). Coming to your senses: detecting taste and smell alterations in chemotherapy patients. A systematic review. <i>J Pain Symptom Manage</i> , 44(6): 880-95.
96714	Gellrich J, Dabow ML, Vogelberg C, et al (2019). Influence of chronic diseases on the olfactory function in children. <i>Eur J Paediatr</i> , 178(8): 1185-93.
96715	Genter MB, Doty RL (2019). Toxic exposures and the senses of taste and smell. <i>Handb Clin Neurol</i> , 164: 389-408.
95254	Ghielmini E, Poryazova R, Baumann CR, et al (2013). Sleepiness at the time of testing impairs olfactory performance. <i>Eur Neurol</i> , 69(1): 58-64.
95255	Glennon SG, Huedo-Medina T, Rawal S, et al (2019). Chronic cigarette smoking associates directly and indirectly with self-reported olfactory alterations: Analysis of the 2011-2014 National Health and Nutrition Examination Survey. <i>Nicotine Tob Res</i> , 21(6): 818-27.
59797	Gobba F (2006). Olfactory toxicity: long-term effects of occupational exposures. <i>Int Arch Occup Environ Health</i> , 79(4): 322-31.
96411	Gobba F, Abbacchini C (2012). Anosmia after exposure to a pyrethrin-based insecticide: A case report. <i>Int J Occup Med Environ Health</i> , 25(4): 506-12.
96412	Goktas O, Cao Van H, Fleiner F, et al (2010). Chemosensory function in Wegener's granulomatosis: a preliminary report. <i>Eur Arch Otorhinolaryngol</i> , 267(7): 1089-93.
96413	Gordon AS, Moran DT, Jafek BW, et al (1990). The effect of chronic cocaine abuse on human olfaction. <i>Arch Otolaryngol Head Neck Surg</i> , 116(12): 1415-8.
96414	Gouveri E, Katotomichelakis M, Gouveris H, et al (2014). Olfactory dysfunction in type 2 diabetes mellitus: an additional manifestation of microvascular disease? <i>Angiology</i> , 65(10): 869-76.
61370	Grant AC (2005). Interictal perceptual function in epilepsy. <i>Epilepsy Behav</i> , 6(4): 511-9. [Abstract]
95256	Grashow R, Sparrow D, Hu H, et al (2015). Cumulative lead exposure is associated with reduced olfactory recognition performance in elderly men: The Normative Aging Study. <i>Neurotoxicology</i> , 49: 158-64.
59583	Greebe P, Rinkel GJ, Algra A (2009). Anosmia after perimesencephalic nonaneurysmal hemorrhage. <i>Stroke</i> , 40(8): 2885-6.
96416	Green RF (1971). Subclinical pellagra and idiopathic hypogeusia. <i>JAMA</i> , 218(8): 1303.

96417	Gregson RA, Free ML, Abbott MW (1981). Olfaction in Korsakoffs, alcoholics and normals. <i>Br J Clin Psychol</i> , 20(1): 3-10.
96418	Griep MI, Van der Niepen P, Sennesael JJ, et al (1997). Odour perception in chronic renal disease. <i>Nephrol Dial Transplant</i> , 12(10): 2093-8.
95257	Gu DS, Li PZ, Chen ZL, et al (2017). [The clinical study of olfactory dysfunction in IgG4-related disease]. Lin Chung Er Bi Yan Hou Tou Jing Wai Ke Za Zh, 31(21): 1658-61; 1665 [Article in Chinese]. [Abstract]
95262	Gudziol V, Heonck I, Landis B, et al (2014). The impact and prospect of traumatic brain injury on olfactory function: a cross-sectional and prospective study. <i>Eur Arch Otorhinolaryngol</i> , 271(6): 1533-40.
96419	Gudziol V, Mackuth D, Hauswald B, et al (2007). Sense of smell in workers exposed to agricultural odours. <i>Occup Med (Lond)</i> , 57(2): 149-51.
59809	Guidotti TL (1994). Occupational exposure to hydrogen sulfide in the sour gas industry: some unresolved issues. <i>Int Arch Occup Environ Health</i> , 66(3): 153-60.
59664	Guilemany JM, Garcia-Pinero A, Alobid I, et al (2009). Persistent allergic rhinitis has a moderate impact on the sense of smell, depending on both nasal congestion and inflammation. <i>Laryngoscope</i> , 119(2): 233-8.
96421	Gunbey E, Guzel A, Karli R, et al (2015). The relationships between the clinical and polysomnographic findings and the olfactory function in patients with obstructive sleep apnea syndrome. <i>Sleep Breath</i> , 19(4): 1301-7.
96420	Gunbey E, Karli R, Gokosmanoglu F, et al (2015). Evaluation of olfactory function in adults with primary hypothyroidism. <i>Int Forum Allergy Rhinol</i> , 5(10): 919-22.
59837	Guss J, Doghramji L, Reger C, et al (2009). Olfactory dysfunction in allergic rhinitis. <i>ORL J Otorhinolaryngol Relat Spec</i> , 71(5): 268-72.
59665	Haehner A, Boesveldt S, Berendse HW, et al (2009). Prevalence of smell loss in Parkinson's disease--a multicenter study. <i>Parkinsonism Relat Disord</i> , 15(7): 490-4.
59806	Hagert B, Wikblad K, Odkvist L, et al (2000). Side effects after surgical treatment of snoring. <i>ORL J Otorhinolaryngol Relat Spec</i> , 62(2): 76-80.
59801	Halyard MY (2009). [Comment] Taste and smell alterations in cancer patients--real problems with few solutions. <i>J Support Oncol</i> , 7(2): 68-9. Comment on ID: 59799.
95264	Hamilos DL, Holbrook EH (2018). Chronic rhinosinusitis: Clinical manifestations, pathophysiology, and diagnosis. Retrieved 1 April 2020, from <a href="https://www.uptodate.com/contents/chronic-rhinosinusitis-clinical-manifestations-pathophysiology-and-diagnosis">https://www.uptodate.com/contents/chronic-rhinosinusitis-clinical-manifestations-pathophysiology-and-diagnosis</a>
95266	Han P, Winkler N, Hummel C, et al (2018). Impaired brain response to odors in patients with varied severity of olfactory loss after traumatic brain injury. <i>J Neurol</i> , 265(10): 2322-32.
61362	Hannu T, Toskala E, Tuomi T, et al (2005). Anosmia in association with occupational use of a waterproof coating chemical. <i>Occup Med (Lond)</i> , 55(2): 142-4.
95268	Harrabi SB, Adeberg S, Welzel T, et al (2014). Long term results after fractionated stereotactic radiotherapy (FSRT) in patients with craniopharyngioma: maximal tumor control with minimal side effects. <i>Radiat Oncol</i> , 9: 203.
59833	Harris AM, Griffin SM (2003). Postoperative taste and smell deficit after upper gastrointestinal cancer surgery--an unreported complication. <i>J Surg Oncol</i> , 82(3): 147-50; discussion 150-2.
59839	Hawkes C (2006). Olfaction in neurodegenerative disorder. <i>Adv Otorhinolaryngol</i> , 63: 133-51.
95270	Hawkes CH, Shephard BC, Geddes JF, et al (1998). Olfactory disorder in motor neuron disease. <i>Exp Neurol</i> , 150(2): 248-53.
96423	Haxel BR (2019). Recovery of olfaction after sinus surgery for chronic rhinosinusitis: A review. <i>Laryngoscope</i> , 129(5): 1053-9.

96422	Haxel BR, Berg S, Boessert P, et al (2016). Olfaction in chemotherapy for head and neck malignancies. <i>Auris Nasus Larynx</i> , 43(1): 74-8.
59666	Haxel BR, Grant L, Mackay-Sim A (2008). Olfactory dysfunction after head injury. <i>J Head Trauma Rehabil</i> , 23(6): 407-13.
59663	Heiser C, Grupp K, Hormann K, et al (2010). Loss of olfactory function after exposure to barbituric acid. <i>Auris Nasus Larynx</i> , 37(1): 103-5.
95271	Heiser C, Haller B, Sohn M, et al (2018). Olfactory function is affected in patients with cirrhosis depending on the severity of hepatic encephalopathy. <i>Ann Hepatol</i> , 17(5): 822-9.
96424	Henkin RI, Hoetker JD (2003). Deficient dietary intake of vitamin E in patients with taste and smell dysfunctions: Is vitamin E a cofactor in taste bud and olfactory epithelium apoptosis and in stem cell maturation and development? <i>Nutrition</i> , 19(11-12): 1013-21.
96425	Henkin RI, Levy LM, Fordyce A (2013). Taste and smell function in chronic disease: a review of clinical and biochemical evaluations of taste and smell dysfunction in over 5000 patients at The Taste and Smell Clinic in Washington, DC. <i>Am J Otolaryngol</i> , 34(5): 477-89.
96426	Henry C, Meyrel M, Bigot M, et al (2020). Can olfactory dysfunction be a marker of trait or states of bipolar disorders? A comprehensive review. <i>J Affect Disord</i> , 266: 498-502.
59716	Hirsch AR (1992). Olfaction in migraineurs. <i>Headache</i> , 32(5): 233-6.
59581	Hoffman HJ, Cruickshanks KJ, Davis B (2009). Perspectives on population-based epidemiological studies of olfactory and taste impairment. <i>Ann N Y Acad Sci</i> , 1170: 514-30.
96427	Holmstrom M, Thelin A, Kolmodin-Hedman B, et al (2008). Nasal complaints and signs of disease in farmers--a methodological study. <i>Acta Otolaryngol</i> , 128(2): 193-200.
59831	Holscher T, Seibt A, Appold S, et al (2005). Effects of radiotherapy on olfactory function. <i>Radiother Oncol</i> , 77(2): 157-63.
59799	Hong JH, Omur-Ozbek P, Stanek BT, et al (2009). Taste and odor abnormalities in cancer patients. <i>J Support Oncol</i> , 7(2): 58-65.
95274	Howell J, Costanzo RM, Reiter ER (2018). Head trauma and olfactory function. <i>World J Otorhinolaryngol Head Neck Surg</i> , 4(1): 39-45.
96428	Hua MS, Chen ST, Tang LM, et al (1999). Olfactory function in patients with nasopharyngeal carcinoma following radiotherapy. <i>Brain Inj</i> , 13(11): 905-15.
95276	Huang SF, Chen K, Wu JJ, et al (2016). Odor identification test in idiopathic REM-behavior disorder and Parkinson's disease in China. <i>PLoS One</i> , 11(8): e0160199.
59846	Huang SJ, Ho HL, Yang CC (2010). Longitudinal outcomes of patients with traumatic brain injury: a preliminary study. <i>Brain Inj</i> , 24(13-14): 1606-15.
95277	Huang Z, Huang S, Cong H, et al (2017). Smell and taste dysfunction is associated with higher serum total cholesterol concentrations in Chinese adults. <i>J Nutr</i> , 147(8): 1546-51.
96429	Hudson R, Arriola A, Martinex-Gomez M, et al (2006). Effect of air pollution on olfactory function in residents of Mexico City. <i>Chem Senses</i> , 31(1): 79-85.
21483	Hulse KE, Stevens WW, Tan BK, et al (2015). Pathogenesis of nasal polyposis. <i>Clin Exp Allergy</i> , 45(2): 328-46.
10391	Hummel T, Henkel S, Negoias S, et al (2013). Olfactory bulb volume in patients with temporal lobe epilepsy. <i>J Neurol</i> , 260(4): 1004-8.
59814	Hunter-Smith DG, Kessel K, Grant M, et al (1996). Association between elevated body-mass index and impaired sense of smell in older people. <i>J Am Geriatr Soc</i> , 44(1): 100-1.
96716	Hurwitz BJ, Hull PR (1971). Berg-adder bite. <i>S Afr Med J</i> , 45(35): 969-71.
95281	Huttenbrink KB, Hummel T, Berg D, et al (2013). Olfactory dysfunction: Common in later life and early warning sign of neurodegenerative disease. <i>Dtsch Arztebl Int</i> , 110(1-2): 1-7, e1.

95283	Hwang SH, Kang JM, Seo JH, et al (2016). Gender difference in the epidemiological association between metabolic syndrome and olfactory dysfunction: The Korean National Health and Nutrition Examination Survey. <i>PLoS One</i> , 11(2): e0148813.
96432	IJpma I, Renken RJ, Gietema JA, et al (2017). Changes in taste and smell function, dietary intake, food preference, and body composition in testicular cancer patients treated with cisplatin-based chemotherapy. <i>Clin Nutr</i> , 36(6): 1642-8.
96431	IJpma I, Renken RJ, Gietema JA, et al (2016). Taste and smell function in testicular cancer survivors treated with cisplatin-based chemotherapy in relation to dietary intake, food preference, and body composition. <i>Appetite</i> , 105: 392-9.
95286	Ilan O, Syed MI, Aziza E, et al (2016). Olfactory and cochleovestibular dysfunction after head injury in the workplace: an updated series. <i>Clin Otolaryngol</i> , 41(6): 627-33.
51164	Iranzo A, Serradell M, Vilaseca I, et al (2013). Longitudinal assessment of olfactory function in idiopathic REM sleep behavior disorder. <i>Parkinsonism Relat Disord</i> , 19(6): 600-4.
61374	Ishimaru T, Fujii M (2007). Effects of smoking on odour identification in Japanese subjects. <i>Rhinology</i> , 45(3): 224-8.
59587	Ishinishi N, Kodama Y, Nobutomo K, et al (1977). Outbreak of chronic arsenic poisoning among retired workers from an arsenic mine in Japan. <i>Environ Health Perspect</i> , 19: 121-5.
95289	Iskander NM, El-Hennawi DM, Hyousef TF, et al (2017). Evaluation of the effect of cigarette smoking on the olfactory neuroepithelium of New Zealand white rabbit, using scanning electron microscope. <i>Eur Arch Otorhinolaryngol</i> , 274(6): 2461-8.
95291	Islam MA, Fagundo AB, Arcelus J, et al (2015). Olfaction in eating disorders and abnormal eating behavior: a systematic review. <i>Front Psychol</i> , 6: 1431.
60256	Jafek BW, Linschoten MR, Murrow BW (2004). Anosmia after intranasal zinc gluconate use. <i>Am J Rhinol</i> , 18(3): 137-41.
95293	Jang WY, Jung S, Jung TY, et al (2013). Preservation of olfaction in surgery of olfactory groove meningiomas. <i>Clin Neurol Neurosurg</i> , 115(8): 1288-92.
59852	Jiang RS, Chai JW, Chen WH, et al (2009). Olfactory bulb volume in Taiwanese patients with posttraumatic anosmia. <i>Am J Rhinol Allerg</i> , 23(6): 582-4.
95296	Jordy SS, Starzewski A, Macedo FA, et al (2016). Olfactory alterations in patients with multiple sclerosis. <i>Arq Neuropsiquiatr</i> , 74(9): 697-700.
96435	Joseph A, DeLuca GC (2015). Back on the scent: the olfactory system in CNS demyelinating diseases. <i>J Neurol Neurosurg Psychiatry</i> , 87(10): 1146-54.
96436	Journeay WS, Clarke G, Al-Amri A (2012). Subacute combined degeneration of the spinal cord with a novel dysosmia. <i>Can J Neurol Sci</i> , 39(5): 678-80.
96437	Joussain P, Giboreau A, Fontas M, et al (2013). Cisplatin chemotherapy induces odor perception changes in bronchial cancer patients. <i>Lung Cancer</i> , 82(1): 168-70.
95300	Jung HJ, Shin IS, Lee JE (2019). Olfactory function in mild cognitive impairment and Alzheimer's disease: A meta-analysis. <i>Laryngoscope</i> , 129(2): 362-9.
96438	Kamath V, Pakarian D, Cui L, et al (2018). Olfactory processing in bipolar disorder, major depression, and anxiety. <i>Bipolar Disord</i> , 20(6): 547-55.
59820	Kamel UF, Maddison P, Whitaker R (2009). Impact of primary Sjogren's syndrome on smell and taste: effect on quality of life. <i>Rheumatology (Oxford)</i> , 48(12): 1512-4.

59851	Kaolawanich A, Assanasen P, Tunsuriyawong P, et al (2009). Smell disorders: A study of 132 patients from the first smell and taste clinic of Thailand. <i>J Med Assoc Thai</i> , 92(8): 1057-62.
96718	Karakurt SE, Karakus MF, Colak M, et al (2019). Evaluation of olfactory function in patients with obstructive sleep apnea syndrome. <i>Sleep Breath</i> , : [Published online ahead of print].
59821	Karpa MJ, Gopinath B, Rochtchina E, et al (2010). Prevalence and neurodegenerative or other associations with olfactory impairment in an older community. <i>J Aging Health</i> , 22(2): 154-68.
59847	Katotomichelakis M, Balatsouras D, Tripsianis G, et al (2007). The effect of smoking on the olfactory function. <i>Rhinology</i> , 45(4): 273-80.
96439	Kaya KS, Akpinar M, Turk B, et al (2020). Olfactory function in patients with obstructive sleep apnea using positive airway pressure. <i>Ear Nose Throat J</i> , 99(4): 239-44.
95301	Kayabasoglu G, Altundag A, Kotan D, et al (2017). Osmophobia and olfactory functions in patients with migraine. <i>Eur Arch Otorhinolaryngol</i> , 274(2): 817-21.
96440	Kazour F, Richa S, Desmidt T, et al (2017). Olfactory and gustatory functions in bipolar disorders: A systematic review. <i>Neurosci Biobehav Rev</i> , 80: 69-79.
96441	Kennedy DW (2017). Olfactory loss in chronic rhinosinusitis. <i>Int Forum Allergy Rhinol</i> , 7(6): 549-50.
60384	Ketterer C, Heni M, Thamer C, et al (2010). Acute, short-term hyperinsulinemia increases olfactory threshold in healthy subjects. <i>Int J Obes (Lond)</i> , 35(8): 1135-8.
96443	Khil L, Rahe C, Wellmann J, et al (2016). Association between major depressive disorder and odor identification impairment. <i>J Affect Disord</i> , 203: 332-8.
96442	Khil L, Wellmann J, Berger K (2015). Determinants of single and multiple sensory impairments in an urban population. <i>Otolaryngol Head Neck Surg</i> , 153(3): 364-71.
61375	Killgore WD, McBride SA (2006). Odor identification accuracy declines following 24 h of sleep deprivation. <i>J Sleep Res</i> , 15(2): 111-6. [Abstract]
59825	Kim JE, Kountakis SE (2007). The prevalence of Samter's triad in patients undergoing functional endoscopic sinus surgery. <i>Ear Nose Throat J</i> , 86(7): 396-9.
96445	Kim JS, Kwon SH, Shin JY (2015). Leproma presenting as a nasal cavity mass. <i>J Craniofac Surg</i> , 26(8): e694-5.
95303	Kim SJ, Windon MJ, Lin SY (2019). The association between diabetes and olfactory impairment in adults: A systematic review and meta-analysis. <i>Laryngoscope Investig Otolaryngol</i> , 4(5): 465-75.
96444	Kim YK, Hong SL, Yoon EJ, et al (2012). Central presentation of postviral olfactory loss evaluated by positron emission tomography scan: A pilot study. <i>Am J Rhinol Allergy</i> , 26(3): 204-8.
59810	Kimmelman CP (1994). The risk to olfaction from nasal surgery. <i>Laryngoscope</i> , 104(8 Pt 1): 981-8.
96720	King TE (2018). Clinical features and diagnosis of eosinophilic granulomatosis with polyangiitis (Churg-Strauss). Retrieved 17 June 2020, from <a href="https://www.uptodate.com/contents/clinical-features-and-diagnosis-of-eosinophilic-granulomatosis-with-polyangiitis-churg-strauss">https://www.uptodate.com/contents/clinical-features-and-diagnosis-of-eosinophilic-granulomatosis-with-polyangiitis-churg-strauss</a>
95312	King TE (2018). Extrapulmonary manifestations of sarcoidosis. Retrieved 2 April 2020, from <a href="https://www.uptodate.com/contents/extrapulmonary-manifestations-of-sarcoidosis">https://www.uptodate.com/contents/extrapulmonary-manifestations-of-sarcoidosis</a>
95313	Kirsten AM, Watz H, Kirsten D (2013). Sarcoidosis with involvement of the paranasal sinuses - a retrospective analysis of 12 biopsy-proven cases. <i>BMC Pulm Med</i> , 13: 59.

95314	Kohler CG, Moberg PJ, Gur RE, et al (2001). Olfactory dysfunction in schizophrenia and temporal lobe epilepsy. <i>Neuropsychiatry Neuropsychol Behav Neurol</i> , 14(2): 83-8.
85337	Kohli P, Naik AN, Farhood Z, et al (2016). Olfactory outcomes after endoscopic sinus surgery for chronic rhinosinusitis: A meta-analysis. <i>Otolaryngol Head Neck Surg</i> , 155(6): 936-48.
95316	Kohli P, Naik AN, Harruff EE, et al (2017). The prevalence of olfactory dysfunction in chronic rhinosinusitis. <i>Laryngoscope</i> , 127(2): 309-20.
95315	Kohli P, Soler ZM, Nguyen SA, et al (2016). The association between olfaction and depression: A systematic review. <i>Chem Senses</i> , 41(6): 479-86.
59850	Konstantinidis I, Haehner A, Frasnelli J, et al (2006). Post-infectious olfactory dysfunction exhibits a seasonal pattern. <i>Rhinology</i> , 44(2): 135-9.
59719	Koo FS, Arya AK, Swift AC (2007). Smell disorders and dysosmia. <i>Br J Hosp Med (Lond)</i> , 68(5): 234-6.
96447	Kopala LC, Good K, Goldner EM, et al (1995). Olfactory identification ability in anorexia nervosa. <i>J Psychiatry Neurosci</i> , 20(4): 283-6.
96446	Kopala LC, Good KP (1996). Olfactory identification ability in patients with panic disorder. <i>J Psychiatry Neurosci</i> , 21(5): 340-2.
96448	Koseoglu S, Derin S, Yilmaz M, et al (2017). Does positive airway pressure therapy improve olfactory function? <i>Int Forum Allergy Rhinol</i> , 7(6): 557-60.
95317	Koseoglu S, Derin S, Huddam B, et al (2017). The effect of non-diabetic chronic renal failure on olfactory function. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 134(3): 161-4.
61376	Kostopanagiotou G, Kalimeris K, Kesidis K, et al (2011). Sevoflurane impairs post-operative olfactory memory but preserves olfactory function. <i>Eur J Anaesthesiol</i> , 28(1): 63-8. [Abstract]
61377	Kraus I, Vitezic D (2000). Anosmia induced with alpha interferon in a patient with chronic hepatitis C. <i>Int J Clin Pharmacol Ther</i> , 38(7): 360-1. [Abstract]
95318	Kruse RA, Cambron JA (2011). A possible correlation between vitamin D deficiency and loss of smell: 2 case reports. <i>J Chiropr Med</i> , 10(4): 310-5.
95302	Kuhn D, Hospowsky C, Both M, et al (2018). Manifestation of granulomatosis with polyangiitis in head and neck. <i>Clin Exp Rheumatol</i> , 36 Suppl 111(2): 78-84.
59720	Kumar V, Agell I (2007). [Comment] Neurological and psychiatric causes of smell disorders. <i>Br J Hosp Med (Lond)</i> , 68(10): 562. Comment on ID: 59719.
95319	Kuo CL, Shu CH (2015). Risk of decline and chance of improvement in olfaction among patients with post-traumatic olfactory loss. <i>J Laryngol Otol</i> , 129(12): 1201-7.
95320	Kutlug S, Gunbey E, Sogut A, et al (2016). Evaluation of olfactory function in children with allergic rhinitis and nonallergic rhinitis. <i>Int J Pediatr Otorhinolaryngol</i> , 86: 172-6.
95321	Lacerte A, Chouinard S, Jodoin N, et al (2014). Increased prevalence of non-motor symptoms in essential tremor. <i>Tremor Other Hyperkinet Mov (N Y)</i> , 4: 162.
95322	Lalwani AK (2004). Nose. Olfactory Dysfunction. Current Diagnosis & Treatment in Otolaryngology - Head & Neck Surgery, Chapter 8, Section III: 239-43. McGraw Hill.
61084	Lalwani AK (2008). Disorders of smell, taste, and hearing. Smell. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 30: 196-9.
96449	Landis BN, Marangon N, Saudan P, et al (2011). Olfactory function improves following hemodialysis. <i>Kidney Int</i> , 80(8): 886-93.
95323	Lang CJ, Schwandner K, Hecht M (2011). Do patients with motor neuron disease suffer from disorders of taste or smell? <i>Amyotroph Lateral Scler</i> , 12(5): 368-71.

95325	Langdon C, Alobid I, Quinto L, et al (2019). Self-perception of olfactory dysfunction is associated with history of Traumatic Brain Injury: post-hoc analysis from the OLFACAT survey. <i>Rhinology</i> , 57(6): 460-8.
95324	Langdon C, Guilemany JM, Valls M, et al (2016). Allergic rhinitis causes loss of smell in children: The OLFAPEDRIAL study. <i>Pediatr Allergy Immunol</i> , 27(8): 867-70.
59849	Laudien M, Lamprecht P, Hedderich J, et al (2009). Olfactory dysfunction in Wegener's granulomatosis. <i>Rhinology</i> , 47(3): 254-9.
96747	Le Floch JP, Le Lievre G, Labroue M, et al (1993). Smell dysfunction and related factors in diabetic patients. <i>Diabetes Care</i> , 16(6): 934-7.
95328	Lee JY, Yoon EJ, Kim YK, et al (2019). Nonmotor and dopamine transporter change in REM sleep behavior disorder by olfactory impairment. <i>J Mov Disord</i> , 12(2): 103-12.
95329	Lee SE (2019). Frontotemporal dementia: Clinical features and diagnosis. Retrieved 2 April 2020, from <a href="https://www.uptodate.com/contents/frontotemporal-dementia-clinical-features-and-diagnosis">https://www.uptodate.com/contents/frontotemporal-dementia-clinical-features-and-diagnosis</a>
95327	Lee SJ, Kim EM, Cho SH, et al (2018). Risk of olfactory dysfunction of the workers in the automobile repair, printing, shoemaking and plating industries in Korea: a cross-sectional study. <i>BMJ Open</i> , 8(11): e022678.
85240	Lee WH, Hong SN, Kim HJ, et al (2015). Effects of cigarette smoking on rhinologic diseases: Korean National Health and Nutrition Examination Study 2008-2011. <i>Int Forum Allergy Rhinol</i> , 5(10): 937-43.
95326	Lee WH, Wee JH, Kim DK, et al (2013). Prevalence of subjective olfactory dysfunction and its risk factors: Korean National Health and Nutrition Examination Survey. <i>PLoS One</i> , 8(5): e62725.
60350	Leigh D (1952). Pellagra and the nutritional neuropathies: a neuropathological review. <i>J Ment Sci</i> , 98(410): 130-42.
95330	Leon-Sarmiento FE, Bayona EA, Bayona-Prieto J, et al (2012). Profound olfactory dysfunction in myasthenia gravis. <i>PLoS One</i> , 7(10): e45544.
95331	Leon-Sarmiento FE, Leon-Ariza DS, Doty RL (2013). Dysfunctional chemosensation in myasthenia gravis: A systematic review. <i>J Clin Neuromuscul Dis</i> , 15(1): 1-6.
59582	Leopold D, Holbrook EH, Noell CA (2009). Disorders of taste and smell. Retrieved 28 January 2011, from <a href="http://www.emedicine.medscape.com/article/861242-overview">http://www.emedicine.medscape.com/article/861242-overview</a>
96450	Leopold DA, Hornung DE (2013). Olfactory cocaineization is not an effective long-term treatment for phantosmia. <i>Chem Senses</i> , 38(9): 803-6.
95332	Li KY, Liu J, Xiao W, et al (2016). [Characteristics of Postviral Olfactory Disorder]. <i>Zhonghua Er Bi Yan Hou Jing Wai Ke Za Zhi</i> , 51(11): 838-41[Article in Chinese]. [Abstract]
96451	Li LM, Guo HY, Zhao N, et al (2018). Comparison of olfactory function between neuromyelitis optica and multiple sclerosis. <i>Int J Neurosci</i> , 128(8): 772-7.
59584	Lim JH, Davis GE, Wang Z, et al (2009). Zicam-induced damage to mouse and human nasal tissue. <i>PLoS One</i> , 4(10): e7647.
53344	Litvack JR, Fong K, Mace J, et al (2008). Predictors of olfactory dysfunction in patients with chronic rhinosinusitis. <i>Laryngoscope</i> , 118(12): 2225-30.
95333	Liu G, Zong G, Doty R, et al (2016). Prevalence and risk factors of taste and smell impairment in a nationwide representative sample of the US population: a cross-sectional study. <i>BMJ Open</i> , 6(11): e013246.
96452	Liu J, Pinto JM, Yang L, et al (2016). Gender difference in Chinese adults with post-viral olfactory disorder: A hospital-based study. <i>Acta Otolaryngol</i> , 136(9): 976-81.
96453	Liu Y, Fang F, Zhan X, et al (2020). The impact of obstructive apnea sleep syndrome on chemical function. <i>Sleep Breath</i> , : Online ahead of print.

96454	Loor RG, van Tongeren J, Derkx W (2012). Multiple cranial nerve dysfunction caused by neurosarcoidosis. <i>Am J Otolaryngol</i> , 33(4): 484-6.
96721	Lotsch J, Kraetsch HG, Wendler J, et al (2012). Self-ratings of higher olfactory acuity contrast with reduced olfactory test results of fibromyalgia patients. <i>Int J Psychophysiol</i> , 86(2): 182-6.
95335	Louis ED (2016). Non-motor symptoms in essential tremor: A review of the current data and state of the field. <i>Parkinsonism Relat Disord</i> , Suppl 1(0 1): S115-8.
95334	Louis ED, Bromley SM, Jurewicz EC, et al (2002). Olfactory dysfunction in essential tremor: A deficit unrelated to disease duration or severity. <i>Neurology</i> , 59(10): 1631-3.
95336	Lucassen EB, Turel A, Kneehans A, et al (2016). Olfactory dysfunction in multiple sclerosis: A scoping review of the literature. <i>Mult Scler Relat Disord</i> , 6: 1-9.
95337	Lucchini R, Placidi D, Cagna G, et al (2017). Manganese and developmental neurotoxicity. <i>Adv Neurobiol</i> , 18: 13-34.
61378	Lutterotti A, Vedovello M, Reindl M, et al (2011). Olfactory threshold is impaired in early, active multiple sclerosis. <i>Mult Scler</i> , 17(8): 964-9. [Abstract]
61398	Mackay-Sim A, Beard MD (1987). Hypothyroidism disrupts neural development in the olfactory epithelium of adult mice. <i>Brain Res</i> , 433(2): 190-8.
60257	Mackay-Sim A, Johnston AN, Owen C, et al (2006). Olfactory ability in the healthy population: reassessing presbyosmia. <i>Chem Senses</i> , 31(8): 763-71.
95338	Magliulo G, De Vincentiis M, Iannella G, et al (2018). Olfactory evaluation in obstructive sleep apnoea patients. <i>Acta Otorhinolaryngol Ital</i> , 38(4): 338-45.
95340	Mann NM, Lafreniere D (2018). Evaluation and treatment of taste and smell disorders. Retrieved 2 April 2020, from <a href="https://www.uptodate.com/contents/evaluation-and-treatment-of-taste-and-smell-disorders">https://www.uptodate.com/contents/evaluation-and-treatment-of-taste-and-smell-disorders</a>
95339	Mann NM, Lafreniere MD (2018). Anatomy and etiology of taste and smell disorders. Retrieved 2 April 2020, from <a href="https://www.uptodate.com/contents/overview-of-taste-and-olfactory-disorders-in-adults">https://www.uptodate.com/contents/overview-of-taste-and-olfactory-disorders-in-adults</a>
59548	Mann NM, Lafreniere D (2010). Anatomy and etiology of taste and smell disorders. Retrieved 25 January 2011, from <a href="http://www.uptodate.com/patients/content/topic.do?topicKey=~cBNByXDFR YkhVI">http://www.uptodate.com/patients/content/topic.do?topicKey=~cBNByXDFR YkhVI</a>
95341	Marmura MJ, Monteith TS, Anjum W, et al (2014). Olfactory function in migraine both during and between attacks. <i>Cephalalgia</i> , 34(12): 977-85.
59896	Martin GE, Junque C, Juncadella M, et al (2009). Olfactory dysfunction after subarachnoid hemorrhage caused by ruptured aneurysms of the anterior communicating artery. Clinical article. <i>J Neurosurg</i> , 111(5): 958-62.
61399	Maruyama S, Hirayama C, Kadokawa Y, et al (1998). Interferon-induced anosmia in a patient with chronic hepatitis C. <i>Am J Gastroenterol</i> , 93(1): 122-3.
95342	Matano F, Murai Y, Mizunari T, et al (2016). Olfactory preservation during anterior interhemispheric approach for anterior skull base lesions: technical note. <i>Neurosurg Rev</i> , 39(1): 63-8; discussion 69.
96456	Maurage P, Callot C, Chang B, et al (2011). Olfactory impairment is correlated with confabulation in alcoholism: towards a multimodal testing of orbitofrontal cortex. <i>PLoS One</i> , 6(8): e23190.
96455	Maurage P, Callot C, Philippot P, et al (2011). Chemosensory event-related potentials in alcoholism: A specific impairment for olfactory function. <i>Biol Psychol</i> , 88(1): 28-36.

59828	Mayan ON, Gomes MJ, Henriques A, et al (2006). Health survey among people living near an abandoned mine. A case study: Jales mine, Portugal. Environ Monit Assess, 123(1-3): 31-40.
61392	Mayet AY (2007). Loss of smell (anosmia) and taste (ageusia) in a patient treated with pegylated interferon alfa and ribavirin. Curr Ther Res Clin Exp, 68(4): 271-7.
61400	McConnell RJ, Menendez CE, Smith FR, et al (1975). Defects of taste and smell in patients with hypothyroidism. Am J Med, 59(3): 354-64.
32912	McGrath N, Anderson NE, Croxson MC, et al (1997). Herpes simplex encephalitis treated with acyclovir: Diagnosis and long term outcome. J Neurol Neurosurg Psychiatry, 63(3): 321-6.
59841	McKinnon J, Evidente V, Driver-Dunckley E, et al (2010). Olfaction in the elderly: a cross-sectional analysis comparing Parkinson's disease with controls and other disorders. Int J Neurosci, 120(1): 36-9.
95343	Mehdizadeh Seraj H, Mehdizadeh Seraj S, Zakeria H, et al (2015). Olfactory dysfunction in Iranian diabetic patients. Acta Med Iran, 53(4): 204-6.
95345	Meles SK, Vadasz D, Renken RJ, et al (2017). FDG PET, dopamine transporter SPECT, and olfaction: Combining biomarkers in REM sleep behavior disorder. Mov Disord, 32(10): 1482-6.
95344	Meylmane Jahromi A, Shahabi Pour A (2012). The epidemiological and clinical aspects of nasal polyps that require surgery. Iran J Otorhinolaryngol, 24(67): 75-8.
96558	Midilli R, Gode S, Oder G, et al (2013). Nasal and paranasal involvement in primary Sjogren's syndrome. Rhinology, 51(3): 265-7.
59830	Mishra A, Saito K, Barbash SE, et al (2006). Olfactory dysfunction in leprosy. Laryngoscope, 116(3): 413-6.
59657	Miyamoto T, Miyamoto M, Iwanami M, et al (2010). Olfactory dysfunction in idiopathic REM sleep behaviour disorder. Sleep Med, 11(5): 458-61.
59795	Moberg PJ, Agrin R, Gur RE, et al (1999). Olfactory dysfunction in schizophrenia: a qualitative and quantitative review. Neuropsychopharmacology, 21(3): 325-40.
95346	Moberg PJ, Kamath V, Marchetto DM, et al (2014). Meta-analysis of olfactory function in schizophrenia, first-degree family members, and youths at-risk for psychosis. Schizophr Bull, 40(1): 50-9.
96457	Moll B, Klimek L, Eggers G, et al (1998). Comparison of olfactory function in patients with seasonal and perennial allergic rhinitis. Allergy, 53(3): 297-301.
61380	Moscavitch SD, Szyper-Kravitz M, Shoenfeld Y (2009). [Smell: Integrating neurodegeneration and autoimmunity - A personal view]. Acta Reumatol Port, 34(2A): 190-6 [Article in Portuguese]. [Abstract]
95347	Moscovich M, Munhoz RP, Moro A, et al (2019). Olfactory function in SCA10. Cerebellum, 18(1): 85-90.
61371	Moutsopoulos HM (2008). Definition, incidence, and prevalence. Chapter 317, Vol 2: 2107. Retrieved 27 July 2011, from <a href="http://accessmedicine.com/popup.aspx?aid=2859319&amp;print=yes">http://accessmedicine.com/popup.aspx?aid=2859319&amp;print=yes</a> _chapter
95348	Mullol J, Alobid I, Marino-Sanchez F, et al (2012). Furthering the understanding of olfaction, prevalence of loss of smell and risk factors: a population-based survey (OLFACAT study). BMJ Open, 2(6): e001256.
61381	Mundt B, Krakowsky G, Roder H, et al (1987). [Loss of smell and taste within the scope of vitamin B12 deficiency]. Psychiatr Neurol Med Psychol (Leipz), 39(6): 356-61 [Article in German]. [Abstract]
60258	Murphy A, Schubert CR, Cruickshanks KJ, et al (2002). Prevalence of olfactory impairment in older adults. JAMA, 288(18): 2307-12.
95350	Musha M, Tanaka F, Ohuti M (1993). Psychoses in three cases with myasthenia gravis and thymoma-proposal of a paraneoplastic autoimmune neuropsychiatric syndrome. Tohoku J Exp Med, 169(4): 335-44.

59661	Naka A, Riedl M, Luger A, et al (2010). Clinical significance of smell and taste disorders in patients with diabetes mellitus. <i>Eur Arch Otorhinolaryngol</i> , 267(4): 547-50.
61388	Natural Medicines Comprehensive Database (2011). Zinc Gluconate. Retrieved 27 July 2011, from <a href="http://naturaldatabase.therapeuticresearch.com/nd/Search.aspx?cs=&amp;s=ND&amp;pt=100&amp;id=982&amp;ds=adverse&amp;name=Zinc+Gluconate+(ZINC)&amp;searchid=28445301">http://naturaldatabase.therapeuticresearch.com/nd/Search.aspx?cs=&amp;s=ND&amp;pt=100&amp;id=982&amp;ds=adverse&amp;name=Zinc+Gluconate+(ZINC)&amp;searchid=28445301</a>
59808	Nee LE, Scott J, Polinsky RJ (1993). Olfactory dysfunction in the Shy-Drager syndrome. <i>Clin Auton Res</i> , 3(4): 281-2.
96458	Negoias S, Croy I, Gerber J, et al (2010). Reduced olfactory bulb volume and olfactory sensitivity in patients with acute major depression. <i>Neuroscience</i> , 169(1): 415-21.
59598	Nguyen-Khoa BA, Goehring EL, Vendiola RM, et al (2007). Epidemiologic study of smell disturbance in 2 medical insurance claims populations. <i>Arch Otolaryngol Head Neck Surg</i> , 133(8): 748-57.
95385	Ngwa HA, Kanthasamy A, Jin H, et al (2014). Vanadium exposure induces olfactory dysfunction in an animal model of metal neurotoxicity. <i>Neurotoxicology</i> , 43: 73-81.
95351	Nigwekar SU, Weiser JM, Kalim S, et al (2017). Characterization and correction of olfactory deficits in kidney disease. <i>J Am Soc Nephrol</i> , 28(11): 3395-403.
96460	Noel J, Habib AR, Thamboo A, et al (2017). Variables associated with olfactory disorders in adults: A U.S. population-based analysis. <i>World J Otorhinolaryngol Head Neck Surg</i> , 3(1): 9-16.
60440	Nores JM, Biacabe B, Bonfils P (2000). [Olfactory disorders due to medications: analysis and review of the literature]. <i>Rev Med Interne</i> , 21(11): 972-7 [Article in French].
95386	Nwankwo U, Fasunla AJ, Oladokun A, et al (2017). Comparison between olfactory function of pregnant women and non-pregnant women in reproductive age group in Ibadan, Nigeria. <i>Niger J Clin Pract</i> , 20(5): 610-5.
59792	Ogawa T, Rutka J (1999). Olfactory disorder in head injured workers. <i>Acta Otolaryngol Suppl</i> , 540: 50-7.
96722	Okamura M, Suzuki K, Kokubun N, et al (2013). [Neurosarcoidosis presenting with severe hyposmia and polyradiculopathy]. <i>Rinsho Shinkeigaku</i> , 53(10): 821-6 [Article in Japanese]. [Abstract]
59832	Olsson P, Berglind N, Bellander T, et al (2003). Prevalence of self-reported allergic and non-allergic rhinitis symptoms in Stockholm: relation to age, gender, olfactory sense and smoking. <i>Acta Otolaryngol</i> , 123(1): 75-80.
96463	Ottaviano G, Savietto E, Scarpa B, et al (2018). Influence of number of drugs on olfaction in the elderly. <i>Rhinology</i> , 56(4): 351-7.
96462	Ottaviano G, Staffieri A, Stritoni P, et al (2012). Nasal dysfunction induced by chlorinate water in competitive swimmers. <i>Rhinology</i> , 50(3): 294-8.
96464	Pabel LD, Hummel T, Weidner K, et al (2018). The impact of severity, course and duration of depression on olfactory function. <i>J Affect Disord</i> , 238: 194-203.
59592	Park DU, Jin KW, Koh DH, et al (2008). Association between use of synthetic metalworking fluid and risk of developing rhinitis-related symptoms in an automotive ring manufacturing plant. <i>J Occup Health</i> , 50(2): 212-20.
95388	Park J, Son W, Goh DH, et al (2016). Height of aneurysm neck and estimated extent of brain retraction: powerful predictors of olfactory dysfunction after surgery for unruptured anterior communicating artery aneurysms. <i>J Neurosurg</i> , 124(3): 720-5.
96465	Park SW, Kang YJ, Eom H, et al (2018). Work-related olfactory disorder: a case series and review. <i>Ann Occup Environ Med</i> , 30: 18.

95389	Patel ZM, DelGaudio JM, Wise SK (2015). Higher body mass index is associated with subjective olfactory dysfunction. <i>Behav Neurol</i> , 2015: 675635.
95390	Pekala K, Chandra RK, Turner JH (2016). Efficacy of olfactory training in patients with olfactory loss: A systematic review and meta-analysis. <i>Int Forum Allergy Rhinol</i> , 6(3): 299-307.
95391	Perricone C, Shoenfeld N, Agmon-Levin N, et al (2013). Smell and autoimmunity: A comprehensive review. <i>Clin Rev Allergy Immunol</i> , 45(1): 87-96.
95392	Persaud KC (2013). Engineering Aspects of Olfaction. <i>Neuromorphic Olfaction</i> , Chapter 1. Taylor & Francis.
96466	Pestana J, Carmo A, Ribeiro JC, et al (2019). Chronic invasive rhinosinusitis by <i>Conidiobolus coronatus</i> , an emerging microorganism. <i>J Mycol Med</i> , 29(1): 67-70.
95393	Pilotto A, Rossi F, Rinaldi F, et al (2016). Exploring olfactory function and its relation with behavioral and cognitive impairment in amyotrophic lateral sclerosis patients: A cross-sectional study. <i>Neurodegener Dis</i> , 16(5-6): 411-6.
95394	Pinto JM, Wroblewski KE, Kern DW, et al (2015). The rate of age-related olfactory decline among the general population of older U.S. adults. <i>J Gerontol A Biol Sci Med Sci</i> , 70(11): 1435-41.
59826	Pollatos O, Albrecht J, Kopietz R, et al (2007). Reduced olfactory sensitivity in subjects with depressive symptoms. <i>J Affect Disord</i> , 102(1-3): 101-8.
96467	Proft F, Steinbach S, Dechant C, et al (2014). Gustatory and olfactory function in patients with granulomatosis with polyangiitis (Wegener's). <i>Scand J Rheumatol</i> , 43(6): 512-8.
59816	Prudhomme JC, Shusterman DJ, Blanc PD (1998). Acute-onset persistent olfactory deficit resulting from multiple overexposures to ammonia vapor at work. <i>J Am Board Fam Pract</i> , 11(1): 66-9.
95397	Qiu Q, Chen S, Meng C, et al (2001). [Observation on the changes in nasopharyngeal carcinoma patients' olfactory before and after radiotherapy]. <i>Lin Chuang Er Bi Yan Hou Ke Za Zhi</i> , 15(2): 57-8 [Article in Chinese]. [Abstract]
95395	Quagliato LB, Viana MA, Quagliato EM (2009). Olfaction and essential tremor. <i>Arq Neuropsiquiatr</i> , 67(1): 21-4.
95396	Quandt SA, Walker FO, Talton JW, et al (2017). Olfactory function in Latino farmworkers over 2 years: Longitudinal exploration of subclinical neurological effects of pesticide exposure. <i>J Occup Environ Med</i> , 59(12): 1148-52.
96468	Quandt SA, Walker FO, Talton JW, et al (2016). Olfactory function in Latino farmworkers: Subclinical neurological effects of pesticide exposure in a vulnerable population. <i>J Occup Environ Med</i> , 58(3): 248-53.
59819	Quint C, Temmel AF, Schickinger B, et al (2001). Patterns of non-conductive olfactory disorders in eastern Austria: A study of 120 patients from the Department of Otorhinolaryngology at the University of Vienna. <i>Wien Klin Wochenschr</i> , 113(1-2): 52-7.
95398	Rahayel S, Frasnelli J, Joubert S (2012). The effect of Alzheimer's disease and Parkinson's disease on olfaction: A meta-analysis. <i>Behav Brain Res</i> , 231(1): 60-74.
59844	Ramjit AL, Sedig L, Leibner J, et al (2010). The relationship between anosmia, constipation, and orthostasis and Parkinson's disease duration: results of a pilot study. <i>Int J Neurosci</i> , 120(1): 67-70.
59812	Ramsbacher J, Vesper J, Brock M (2000). Permanent postoperative anosmia: A serious complication of neurovascular decompression in the sitting position. <i>Acta Neurochir (Wien)</i> , 142(11): 1259-61.
96469	Rapps N, Giel KE, Sohngen E, et al (2010). Olfactory deficits in patients with anorexia nervosa. <i>Eur Eat Disord Rev</i> , 18(5): 385-9.

59802	Rasmussen N, NJ Johnsen N, Bohr VA (1991). Otologic sequelae after pneumococcal meningitis: a survey of 164 consecutive cases with a follow-up of 94 survivors. <i>Laryngoscope</i> , 101(8): 876-82.
95399	Rasmussen VF, Vestergaard ET, Hejlesen O, et al (2018). Prevalence of taste and smell impairment in adults with diabetes: A cross-sectional analysis of data from the National Health and Nutrition Examination Survey (NHANES). <i>Prim Care Diabetes</i> , 12(5): 453-9.
96728	Razavi S, Weinstein SA, Bates DJ, et al (2014). The Australian mulga snake ( <i>Pseudechis australis</i> : Elapidae): report of a large case series of bites and review of current knowledge. <i>Toxicon</i> , 85: 17-26.
85266	Reed J, deShazo RD, Houle TT, et al (2010). Clinical features of sarcoid rhinosinusitis. <i>Am J Med</i> , 123(9): 856-62.
59817	Reyes AJ, Olhaberry JV, Leary WP, et al (1983). Urinary zinc excretion, diuretics, zinc deficiency and some side-effects of diuretics. <i>S Afr Med J</i> , 64(24): 936-41.
95400	Ricco M, Signorelli C, Pistelli E, et al (2016). Quantitative olfactory disorders and occupational exposure to phenolic resins. <i>Med Pr</i> , 67(2): 173-86.
96472	Richardson BE, Vanderwoude EA, Sudan R, et al (2012). Gastric bypass does not influence olfactory function in obese patients. <i>Obes Surg</i> , 22(2): 283-6.
61389	Richardson BE, Vander Woude EA, Sudan R, et al (2004). Altered olfactory acuity in the morbidly obese. <i>Obes Surg</i> , 14(7): 967-9.
96473	Riga M, Chelis L, Papazi T, et al (2015). Hyposmia: an underestimated and frequent adverse effect of chemotherapy. <i>Support Care Cancer</i> , 23(10): 3053-8.
96475	Riva G, Franco P, Provenzano E, et al (2019). Radiation-induced rhinitis: Cytological and olfactory changes. <i>Am J Rhinol Allergy</i> , 33(2): 153-61.
96474	Riva G, Raimondo L, Ravera M, et al (2015). Late sensorial alterations in different radiotherapy techniques for nasopharyngeal cancer. <i>Chem Senses</i> , 40(4): 285-92.
95401	Riva G, Sensini M, Corvino A, et al (2017). Smell and taste impairment after total laryngectomy. <i>Ann Otol Rhinol Laryngol</i> , 126(7): 548-54.
96476	Rochet M, El-Hage W, Richa S, et al (2018). Depression, olfaction, and quality of life: A mutual relationship. <i>Brain Sci</i> , 8(5): 80.
96477	Roessner V, Bleich S, Banaschewski T, et al (2005). Olfactory deficits in anorexia nervosa. <i>Eur Arch Psychiatry Clin Neurosci</i> , 255(1): 6-9.
95402	Rombaux Ph, Huart C, Balungwe P, et al (2016). Post-injury smell disorders. <i>B-ENT, Suppl</i> 26(2): 39-46.
59853	Rombaux R, Martinage S, Huart C, et al (2009). Post-infectious olfactory loss: a cohort study and update. <i>B-ENT</i> , 5(Suppl 13): 89-95.
61373	Ropper AH (2008). Concussion and Other Head Injuries. 17th Edition. Vol 2: 2598. Retrieved 27 July 2011, from <a href="http://accessmedicine.com/popup.aspx?aID=2904524&amp;print=yes">http://accessmedicine.com/popup.aspx?aID=2904524&amp;print=yes</a> chapter
61085	Ropper AH, Samuels MA (2009). Disorders of smell and taste. Adams and Victor's Principles of Neurology, 9th Edition, Chapter 12: 216-24. McGraw Hill.
96730	Ros Ruiz S, Bernardino de la Serna JI, Peiteado Lopez D, et al (2003). [Anosmia as presenting symptom of Churg-Strauss syndrome]. <i>Rev Clin Esp</i> , 203(5): 263-4 [Article in Spanish]. [Abstract]
95403	Rumeau C, Nguyen DT, Jankowski R (2016). How to assess olfactory performance with the Sniffin' Sticks test. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 133(3): 203-6.
59659	Rupp CI (2010). Olfactory function and schizophrenia: an update. <i>Curr Opin Psychiatry</i> , 23(2): 97-102.
59829	Rupp CI, Fleischhacker WW, Drexler A, et al (2006). Executive function and memory in relation to olfactory deficits in alcohol-dependent patients. <i>Alcohol Clin Exp Res</i> , 30(8): 1355-62.

96478	Rupp CI, Kurz M, Kemmler G, et al (2003). Reduced olfactory sensitivity, discrimination, and identification in patients with alcohol dependence. <i>Alcohol Clin Exp Res</i> , 27(3): 432-9.
96479	Russell B, Moss C, Rigg A, et al (2020). Anosmia and ageusia are emerging as symptoms in patients with COVID-19: What does the current evidence say? <i>Ecancermedicalscience</i> , 14: ed98.
96480	Rusthen S, Young A, Herlofson BB, et al (2017). Oral disorders, saliva secretion, and oral health-related quality of life in patients with primary Sjogren's syndrome. <i>Eur J Oral Sci</i> , 125(4): 265-71.
59843	Rydzewski B, Sulkowski W, Miarzynska M (1998). Olfactory disorders induced by cadmium exposure: a clinical study. <i>Int J Occup Med Environ Health</i> , 11(3): 235-45.
96481	Saisu A, Tatsumoto M, Hoshiyama E, et al (2011). Evaluation of olfaction in patients with migraine using an odour stick identification test. <i>Cephalalgia</i> , 31(9): 1023-8.
96482	Salihoglu M, Kendirli MT, Altundag A, et al (2014). The effect of obstructive sleep apnea on olfactory functions. <i>Laryngoscope</i> , 124(9): 2190-4.
96483	Savage SA, Butler CR, Milton F, et al (2017). On the nose: olfactory disturbances in transient epileptic amnesia. <i>Epilepsy Behav</i> , 66: 113-9.
96484	Schecklmann M, Pfannstiel C, Fallgatter AJ, et al (2012). Olfaction in child and adolescent anorexia nervosa. <i>J Neural Transm (Vienna)</i> , 119(6): 721-8.
60662	Schiffman SS (1997). Taste and smell losses in normal aging and disease. <i>JAMA</i> , 278(16): 1357-62.
59722	Schiffman SS, Nagle HT (1992). Effect of environmental pollutants on taste and smell. <i>Otolaryngol Head Neck Surg</i> , 106(6): 693-700.
96485	Schmidt F, Goktas O, Jarius S, et al (2013). Olfactory dysfunction in patients with neuromyelitis optica. <i>Mult Scler Int</i> , 2013: 654501.
96486	Schneller LM, McIntosh S, Li D, et al (2018). Tobacco use and chemosensory impairments among current adult tobacco users in the US: Data from NHANES 2013-2014. <i>Tob Induc Dis</i> , 16: 43.
96487	Schreder T, Albrecht J, Kleemann AM, et al (2008). Olfactory performance of patients with anorexia nervosa and healthy subjects in hunger and satiety. <i>Rhinology</i> , 46(3): 175-83.
59590	Schubert CR, Carmichael LL, Murphy C, et al (2008). Olfaction and the 5-year incidence of cognitive impairment in an epidemiologic study of older adults. <i>J Am Geriatr Soc</i> , 56(8): 1517-21.
59593	Schubert CR, Cruickshanks KJ, Murphy C, et al (2009). Olfactory impairment in adults. <i>Ann N Y Acad Sci</i> , 1170: 531-6.
96492	Schubert CR, Cruickshanks KJ, Fischer ME, et al (2015). Carotid intima media thickness, atherosclerosis, and 5-year decline in odor identification: The Beaver Dam Offspring Study. <i>J Gerontol A Biol Sci Med Sci</i> , 70(7): 879-84.
96490	Schubert CR, Cruickshanks KJ, Nondahl DM, et al (2013). Exercise is associated with lower long-term risk of olfactory impairment in older adults. <i>JAMA Otolaryngol Head Neck Surg</i> , 139(10): 1061-6.
96488	Schubert CR, Cruickshanks KJ, Klein BE, et al (2011). Olfactory impairment in older adults: 5-year incidence and risk factors. <i>Laryngoscope</i> , 121(4): 873-8.
96493	Schubert CR, Fischer ME, Pinto AA, et al (2017). Odor detection thresholds in a population of older adults. <i>Laryngoscope</i> , 127(6): 1257-62.
96495	Schwartz RH, Estroff T, Fairbanks DN, et al (1989). Nasal symptoms associated with cocaine abuse during adolescence. <i>Arch Otolaryngol Head Neck Surg</i> , 115(1): 63-4.
96497	Segalas C, Alonso P, Orbegozo A, et al (2014). Brain structural imaging correlates of olfactory dysfunction in obsessive-compulsive disorder. <i>Eur Arch Psychiatry Clin Neurosci</i> , 264(3): 225-33.

96748	Seiden AM (2004). Postviral olfactory loss. <i>Otolaryngol Clin North Am</i> , 37(6): 1159-66.
96731	Seiden AM, Duncan HJ (2001). The diagnosis of a conductive olfactory loss. <i>Laryngoscope</i> , 111(1): 9-14.
96732	Sethi M, Cook M, Winkel KD (2016). Persistent anosmia and olfactory bulb atrophy after mulga ( <i>Pseudechis australis</i> ) snakebite. <i>J Clin Neurosci</i> , 29: 199-201.
96498	Shah M, Muhammed N, Findley LJ, et al (2008). Olfactory tests in the diagnosis of essential tremor. <i>Parkinsonism Relat Disord</i> , 14(7): 563-8.
59842	Shahram F, Zarandy MM, Ibrahim A, et al (2010). Nasal mucosal involvement in Behcet disease: A study of its incidence and characteristics in 400 patients. <i>Ear Nose Throat J</i> , 89(1): 30-3.
96499	Shariat M, Pourpak Z, Sabetkish N, et al (2017). Evaluation of psychological score and quality of life in adults with allergic rhinitis and assessment of related risk factors. <i>Tanaffos</i> , 16(3): 233-9.
96501	Shin DH, Ahn SH, Yang Y, et al (2017). The effect of sleep disordered breathing on olfactory functions: Analysis by apnea-hypopnea index. <i>Clin Exp Otorhinolaryngol</i> , 10(1): 71-6.
96502	Shin T, Kim J, Ahn M, et al (2019). Olfactory dysfunction in CNS neuroimmunological disorders: A review. <i>Mol Neurobiol</i> , 56(5): 3714-21.
96504	Shiue I (2015). Adult taste and smell disorders after heart, neurological, respiratory and liver problems: US NHANES, 2011-2012. <i>Int J Cardiol</i> , 179: 46-8.
96505	Shoenfeld N, Agmon-Levin N, Flitman-Katzevman I, et al (2009). The sense of smell in systemic lupus erythematosus. <i>Arthritis Rheum</i> , 60(5): 1484-7.
96509	Shrestha S, Kamel F, Umbach DM, et al (2019). High pesticide exposure events and olfactory impairment among U.S. farmers. <i>Environ Health Perspect</i> , 127(1): 17005.
96510	Sigurdardottir S, Andelic N, Skandsen T, et al (2016). Olfactory identification and its relationship to executive functions, memory, and disability one year after severe traumatic brain injury. <i>Neuropsychology</i> , 30(1): 98-108.
59656	Sigurdardottir S, Jerstad T, Andelic N, et al (2010). Olfactory dysfunction, gambling task performance and intracranial lesions after traumatic brain injury. <i>Neuropsychology</i> , 24(4): 504-13.
96511	Silva M, Mercer PB, Will MC, et al (2018). Olfactory dysfunction in Alzheimer's disease: Systematic review and meta-analysis. <i>Dement Neuropsychol</i> , 12(2): 123-32.
96512	Silva M, Viveiros CP, Kotsifas NJ, et al (2019). Olfactory impairment in frontotemporal dementia: A systematic review and meta-analysis. <i>Dement Neuropsychol</i> , 13(2): 154-61.
59658	Silveira-Moriyama L, Hughes G, Church A, et al (2010). Hyposmia in progressive supranuclear palsy. <i>Mov Disord</i> , 25(5): 570-7.
59721	Silveira-Moriyama L, Mathias C, Mason L, et al (2009). Hyposmia in pure autonomic failure. <i>Neurology</i> , 72(19): 1677-81.
96513	Simchen U, Koebnick C, Hoyer S, et al (2006). Odour and taste sensitivity is associated with body weight and extent of misreporting of body weight. <i>Eur J Clin Nutr</i> , 60(6): 698-705.
96514	Simsek G, Muluk NB, Arikan OK, et al (2015). Marked changes in olfactory perception during early pregnancy: a prospective case-control study. <i>Eur Arch Otorhinolaryngol</i> , 272(3): 627-30.
96515	Singh R, Humphries T, Mason S, et al (2018). The incidence of anosmia after traumatic brain injury: The SHEFBIT cohort. <i>Brain Inj</i> , 32(9): 1122-8.
61385	Slotnick B, Sanguino A, Husband S, et al (2007). Olfaction and olfactory epithelium in mice treated with zinc gluconate. <i>Laryngoscope</i> , 117(4): 743-9. [Abstract]
96516	Smith WM, Davidson TM, Murphy C (2009). Toxin-induced chemosensory dysfunction: A case series and review. <i>Am J Rhinol Allergy</i> , 23(6): 578-81.

61397	Snyder MC, Leopold DA, Chiu BC, et al (2003). The relationship between agricultural environments and olfactory dysfunction. <i>J Agric Saf Health</i> , 9(3): 211-9.
96735	So YT (2020). Wernicke encephalopathy. Retrieved 17 June 2020, from <a href="https://www.uptodate.com/contents/wernicke-encephalopathy">https://www.uptodate.com/contents/wernicke-encephalopathy</a>
59845	Srouji I, Lund V, Andrews P, et al (2008). Rhinologic symptoms and quality-of-life in patients with Churg-Strauss syndrome vasculitis. <i>Am J Rhinol</i> , 22(4): 406-9.
59710	Steinbach S, Hummel T, Bohner C, et al (2009). Qualitative and quantitative assessment of taste and smell changes in patients undergoing chemotherapy for breast cancer or gynecologic malignancies. <i>J Clin Oncol</i> , 27(11): 1899-905.
96518	Steinbach S, Hundt W, Schmalfeldt B, et al (2012). Effect of platinum-containing chemotherapy on olfactory, gustatory, and hearing function in ovarian cancer patients. <i>Arch Gynecol Obstet</i> , 286(2): 473-80.
96517	Steinbach S, Proft F, Schulze-Koops H, et al (2011). Gustatory and olfactory function in rheumatoid arthritis. <i>Scand J Rheumatol</i> , 40(3): 169-77.
96519	Steinbach S, Reindl W, Dempfle A, et al (2013). Smell and taste in inflammatory bowel disease. <i>PLoS One</i> , 8(9): e73454.
96520	Stiasny-Kolster K, Clever SC, Moller JC, et al (2007). Olfactory dysfunction in patients with narcolepsy with and without REM sleep behaviour disorder. <i>Brain</i> , 130(Pt 2): 442-9.
96521	Stuck BA, Hummel T (2015). Olfaction in allergic rhinitis: A systematic review. <i>J Allergy Clin Immunol</i> , 136(6): 1460-70.
96522	Su N, Poon R, Grushka M (2015). Does Sjogren's syndrome affect odor identification abilities? <i>Eur Arch Otorhinolaryngol</i> , 272(3): 773-4.
96523	Suat B, Tuna ED, Ozgur Y, et al (2016). The effects of radioactive iodine therapy on olfactory function. <i>Am J Rhinol Allergy</i> , 30(6): 206-10.
59791	Sugiura M, Aiba T, Mori J, et al (1998). An epidemiological study of postviral olfactory disorder. <i>Acta Otolaryngol Suppl</i> , 538: 191-6.
96524	Sui X, Zhou C, Li J, et al (2019). Hyposmia as a predictive marker of Parkinson's disease: A systematic review and meta-analysis. <i>Biomed Res Int</i> , 2019: 3753786.
59836	Sulkowski WJ, Rydzewski B, Miarzynska M (2000). Smell impairment in workers occupationally exposed to cadmium. <i>Acta Otolaryngol</i> , 120(2): 316-8.
59807	Sunderman Jr FW (2001). Nasal toxicity, carcinogenicity, and olfactory uptake of metals. <i>Ann Clin Lab Sci</i> , 31(1): 3-24.
96525	Surda P, Walker A, Limpens J, et al (2018). Nasal changes associated with exercise in athletes: systematic review. <i>J Laryngol Otol</i> , 132(2): 191-7.
96526	Suzuki M, Yokota M, Ozaki S, et al (2018). Olfactory dysfunction out of season in seasonal allergic rhinitis. <i>Ann Allergy Asthma Immunol</i> , 121(3): 377-8.
59827	Suzuki M, Saito K, Min WP, et al (2007). Identification of viruses in patients with postviral olfactory dysfunction. <i>Laryngoscope</i> , 117(2): 272-7.
96527	Taalman H, Wallace C, Milev R (2017). Olfactory functioning and depression: A systematic review. <i>Front Psychiatry</i> , 8: 190.
96737	Takano K, Yamamoto M, Kondo A, et al (2011). A clinical study of olfactory dysfunction in patients with Mikulicz's disease. <i>Auris Nasus Larynx</i> , 38(3): 347-51.
96528	Takeda T, Iijima M, Uchihara T, et al (2015). TDP-43 pathology progression along the olfactory pathway as a possible substrate for olfactory impairment in amyotrophic lateral sclerosis. <i>J Neuropathol Exp Neurol</i> , 74(6): 547-56.
96529	Tallab HF, Doty RL (2014). Anosmia and hypogeusia in Churg-Strauss syndrome. <i>BMJ Case Rep</i> , 2014: bcr2014203959.

96530	Tekeli H, Senol MG, Altundag A, et al (2015). Olfactory and gustatory dysfunction in Myasthenia gravis: A study in Turkish patients. <i>J Neurol Sci</i> , 356(1-2): 188-92.
61384	Temmel AF, Pabinger S, Quint C, et al (2005). Dysfunction of the liver affects the sense of smell. <i>Wien Klin Wochenschr</i> , 117(1-2): 26-30.
96532	Tian J, Pinto JM, Cui X, et al (2016). Sendai virus induces persistent olfactory dysfunction in a murine model of PVOD via effects on apoptosis, cell proliferation, and response to odorants. <i>PLoS One</i> , 11(7): e0159033.
96534	Tian J, Wei YX, Li L, et al (2017). [Analysis of clinical characteristics of 141 patients with positive olfactory dysfunction]. <i>Lin Chung Er Bi Yan Hou Tou Jing Wai Ke Za Zhi</i> , 31(10): 749-52 [Article in Chinese]. [Abstract]
96533	Tjalvin G, Mageroy N, Bratveit M, et al (2017). Odour as a determinant of persistent symptoms after a chemical explosion, a longitudinal study. <i>Ind Health</i> , 55(2): 127-37.
61379	Toxicology Data Network (2003). Methyl Mercaptan. Retrieved 27 July 2011, from <a href="http://toxnet.nlm.nih.gov/cgi-bin/sis/search/a?dbs+hsdb:@DOCNO+813">http://toxnet.nlm.nih.gov/cgi-bin/sis/search/a?dbs+hsdb:@DOCNO+813</a>
61364	Toxnet (2011). Hydrogen sulfide: Occupational exposure standards. Retrieved 25 July 2011, from <a href="http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?./temp/~kNCK3o:1:oest">http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?./temp/~kNCK3o:1:oest</a>
59805	Tsikoudas A, Martin-Hirsch DP (1999). Olfactory groove meningiomas. <i>Clin Otolaryngol Allied Sci</i> , 24(6): 507-9.
59594	Turetsky BI, Hahn CG, Borgmann-Winter K, et al (2009). Scents and nonsense: olfactory dysfunction in schizophrenia. <i>Schizophr Bull</i> , 35(6): 1117-31.
61382	U.S. Food and Drug Administration (2009). Warnings on three Zicam intranasal zinc products. Retrieved 27 July 2011, from <a href="http://www.fda.gov/ForConsumers/ConsumerUpdates/ucm166931.htm">http://www.fda.gov/ForConsumers/ConsumerUpdates/ucm166931.htm</a>
61393	US Department of Health and Human Services (1995). Occupational safety and health guideline for camphor, synthetic. Retrieved 27 July 2011, from <a href="http://www.cdc.gov/niosh/docs/81-123/pdfs/0096-rev.pdf">http://www.cdc.gov/niosh/docs/81-123/pdfs/0096-rev.pdf</a>
96535	Vaira LA, Salzano G, Deiana G, et al (2020). Anosmia and ageusia: Common findings in COVID-19 patients. <i>Laryngoscope</i> , 130(7): 1787.
59793	van Dam FS, Hilgers FJ, Emsbroek G, et al (1999). Deterioration of olfaction and gustation as a consequence of total laryngectomy. <i>Laryngoscope</i> , 109(7 Pt 1): 1150-5.
96739	van der Walt AJ, Muller GJ (2019). Berg adder ( <i>Bitis atropos</i> ) envenoming: an analysis of 14 cases. <i>Clin Toxicol (Phila)</i> , 57(2): 131-6.
61383	Vance D, Burrage J (2006). Chemosensory declines in older adults with HIV: identifying interventions. <i>J Gerontol Nurs</i> , 32(7): 42-8. [Abstract]
96536	Vasterling JJ, Brailey K, Sutker PB (2000). Olfactory identification in combat-related posttraumatic stress disorder. <i>J Trauma Stress</i> , 13(2): 241-53.
59823	Vennemann MM, Hummel T, Berger K (2008). The association between smoking and smell and taste impairment in the general population. <i>J Neurol</i> , 255(8): 1121-6.
96537	Vent J, Koenig J, Hellmich M, et al (2010). Impact of recurrent head trauma on olfactory function in boxers: A matched pairs analysis. <i>Brain Res</i> , 1320: 1-6.
59715	Vento SI, Ertama AL, Hytonen ML, et al (2000). Nasal polyposis: clinical course during 20 years. <i>Ann Allergy Asthma Immunol</i> , 85(3): 209-14.
59718	Vermetten E, Bremner JD (2003). Olfaction as a traumatic reminder in posttraumatic stress disorder: case reports and review. <i>J Clin Psychiatry</i> , 64(2): 202-7.
96538	Vermetten E, Schmahl C, Southwick SM, et al (2007). A positron tomographic emission study of olfactory induced emotional recall in veterans

	with and without combat-related posttraumatic stress disorder. <i>Psychopharmacol Bull</i> , 40(1): 8-30.
96540	Veyseller B, Dogan R, Ozucer B, et al (2014). Olfactory function and nasal manifestations of Behcet's disease. <i>Auris Nasus Larynx</i> , 41(2): 185-9.
96539	Veyseller B, Ozucer B, Degirmenci N, et al (2014). Olfactory bulb volume and olfactory function after radiotherapy in patients with nasopharyngeal cancer. <i>Auris Nasus Larynx</i> , 41(5): 436-40.
59662	Viaene M, Vermeir G, Godderis L (2009). Sleep disturbances and occupational exposure to solvents. <i>Sleep Med Rev</i> , 13(3): 235-43.
96541	Viguera C, Wang J, Mosmiller E, et al (2018). Olfactory dysfunction in amyotrophic lateral sclerosis. <i>Ann Clin Transl Neurol</i> , 5(8): 976-81.
59660	Vodicka J, Jelinkova H, Chrobok V (2010). Smell impairment after tick-borne encephalitis vaccination: case report. <i>Vaccine</i> , 28(4): 886-8.
61086	Vokshoor A, McGregor J (2010). Anatomy of olfactory system. Retrieved 30 June 2011, from <a href="http://emedicine.medscape.com/article/835585-overview">http://emedicine.medscape.com/article/835585-overview</a>
96543	Walliczek-Dworschak U, Wendler J, Khan T, et al (2020). Chemosensory function is decreased in rheumatoid arthritis. <i>Eur Arch Otorhinolaryngol</i> , 277(6): 1675-80.
96542	Walliczek-Dworschak U, Gudziol V, Mitzschke C, et al (2017). Testicular cancer patients undergoing cisplatin based chemotherapy exhibit temporary olfactory threshold scores changes. <i>Eur Arch Otorhinolaryngol</i> , 274(7): 2813-8.
96740	Walliczek-Dworschak U, Cassel W, Mittendorf L, et al (2017). Continuous positive air pressure improves orthonasal olfactory function of patients with obstructive sleep apnea. <i>Sleep Med</i> , 34: 24-9.
96544	Wang H, Zhang L, Abel GM, et al (2018). Cadmium exposure impairs cognition and olfactory memory in male C57BL/6 mice. <i>Toxicol Sci</i> , 161(1): 87-102.
61386	Watanabe S, Fukuchi Y (1981). [Occupational impairment of the olfactory sense of chromate producing workers (author's transl)]. <i>Sangyo Igaku</i> , 23(6): 606-11 [Article in Japanese]. [Abstract]
96545	Wehling E, Naess H, Wollschlaeger D, et al (2015). Olfactory dysfunction in chronic stroke patients. <i>BMC Neurol</i> , 15: 199.
60385	Weinstock RS, Wright HN, Smith DU (1993). Olfactory dysfunction in diabetes mellitus. <i>Physiol Behav</i> , 53(1): 17-21.
96546	Welge-Lussen A, Wolfensberger M (2006). Olfactory disorders following upper respiratory tract infections. <i>Adv Otorhinolaryngol</i> , 63: 125-32.
59824	Wermer MJ, Donswijk M, Greebe P, et al (2007). Anosmia after aneurysmal subarachnoid hemorrhage. <i>Neurosurgery</i> , 61(5): 918-22; discussion 922-3.
96547	Werner S, Nies E (2018). Olfactory dysfunction revisited: a reappraisal of work-related olfactory dysfunction caused by chemicals. <i>J Occup Med Toxicol</i> , 13: 28.
59815	Wheeler TT, Alberts MA, Dolan TA, et al (1995). Dental, visual, auditory and olfactory complications in Paget's disease of bone. <i>J Am Geriatr Soc</i> , 43(12): 1384-91.
96548	Whiting AC, Marmura MJ, Hegarty SE, et al (2015). Olfactory acuity in chronic migraine: A cross-sectional study. <i>Headache</i> , 55(1): 71-5.
59597	Wikipedia (2010). Anosmia. Retrieved 31 January 2011, from <a href="http://en.wikipedia.org/wiki/Anosmia">http://en.wikipedia.org/wiki/Anosmia</a>
61087	Wikipedia (2011). Neuroblastoma. Retrieved 30 June 2011, from <a href="http://en.wikipedia.org/wiki/Neuroblastoma">http://en.wikipedia.org/wiki/Neuroblastoma</a>
96549	Wilkerson AK, Uhde TW, Leslie K, et al (2018). Paradoxical olfactory function in combat veterans: The role of PTSD and odor factors. <i>Mil Psychol</i> , 30(2): 120-30.
59595	Wohlgemuth C, Beinder E, Ochsenbein-Kolble N, et al (2008). Changes in olfactory function with several pregnancies? <i>Swiss Med Wkly</i> , 138(31-32): 466-9.

96743	Wold SM, Sinacori JT (2012). Intracranial sarcoid granuloma as an extension of severe sinonasal sarcoidosis. <i>Ear Nose Throat J</i> , 91(4): E27-9.
96745	Wu Y, Wang X, Wang C, et al (2016). Prevalence and clinical features of non-motor symptoms of essential tremor in Shanghai rural area. <i>Parkinsonism Relat Disord</i> , 22: 15-20.
96551	Xydakis MS, Mulligan LP, Smith AB, et al (2015). Olfactory impairment and traumatic brain injury in blast-injured combat troops: a cohort study. <i>Neurology</i> , 84(15): 1559-67.
96746	Yagi-Nakanishi S, Kondo S, Kaneda M, et al (2016). Olfactory dysfunction in IgG4-related disease. <i>Chem Senses</i> , 41(9): 721-5.
96552	Yalcinkaya E, Basaran MM, Erdem H, et al (2019). Olfactory dysfunction in spondyloarthritis. <i>Eur Arch Otorhinolaryngol</i> , 276(4): 1241-5.
96553	Yan CH, Faraji F, Prajapati DP, et al (2020). Association of chemosensory dysfunction and COVID-19 in patients presenting with influenza-like symptoms. <i>Int Forum Allergy Rhinol</i> : Online ahead of print.
96554	Yang J, Pinto JM (2016). The epidemiology of olfactory disorders. <i>Curr Otorhinolaryngol Rep</i> , 4(2): 130-41.
96555	Yazla S, Ozmen S, Kiyici S, et al (2018). Evaluation of olfaction and taste function in type 2 diabetic patients with and without peripheral neuropathy. <i>Diabetes Metab Res Rev</i> , 34(3): e2973.
96556	Yin LX, Low CM, Puccinelli CL, et al (2019). Olfactory outcomes after endoscopic skull base surgery: A systematic review and meta-analysis. <i>Laryngoscope</i> , 129(9): 1998-2007.
96557	Yoo HS, Jeon S, Chung SJ, et al (2018). Olfactory dysfunction in Alzheimer's disease- and Lewy body-related cognitive impairment. <i>Alzheimers Dement</i> , 14(10): 1243-52.
85863	Yoon JH, Kim M, Moon SY, et al (2015). Olfactory function and neuropsychological profile to differentiate dementia with Lewy bodies from Alzheimer's disease in patients with mild cognitive impairment: A 5-year follow-up study. <i>J Neurol Sci</i> , 355(1-2): 174-9.
96559	Zaghloul H, Pallayova M, Al-Nuaimi O, et al (2018). Association between diabetes mellitus and olfactory dysfunction: current perspectives and future directions. <i>Diabet Med</i> , 35(1): 41-52.
59708	Zargari O (2006). Methotrexate, hyperosmia, and migraine. <i>Dermatol Online J</i> , 12(7): 28.
96560	Zerrweck C, Gallardo VC, Calleja C, et al (2017). Gross olfaction before and after laparoscopic gastric bypass. <i>Obes Surg</i> , 27(11): 2988-92.
96563	Zhang C, Wang X (2017). Initiation of the age-related decline of odor identification in humans: A meta-analysis. <i>Ageing Res Rev</i> , 40: 45-50.
96561	Zhang JI, Liu G, Hang W, et al (2013). [Olfactory function in patients with idiopathic rapid eye movement sleep behavior disorder]. <i>Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi</i> , 48(5): 394-7 [Article in Chinese]. [Abstract]
96562	Zhang LJ, Zhao N, Fu Y, et al (2015). Olfactory dysfunction in neuromyelitis optica spectrum disorders. <i>J Neurol</i> , 262(8): 1890-8.
59794	Zorzon M, Ukmar M, Bragadin LM, et al (2000). Olfactory dysfunction and extent of white matter abnormalities in multiple sclerosis: a clinical and MR study. <i>Mult Scler</i> , 6(6): 386-90.
96564	Zucco GM, Amodio R, Gatta A (2006). Olfactory deficits in patients affected by minimal hepatic encephalopathy: a pilot study. <i>Chem Senses</i> , 31(3): 273-8.
59895	Zusho H (1982). Posttraumatic anosmia. <i>Arch Otolaryngol</i> , 108(2): 90-2.
96565	Zycinska K, Straburzynski M, Nitsch-Osuch A, et al (2016). Prevalence of olfactory impairment in granulomatosis with polyangiitis. <i>Adv Exp Med Biol</i> , 878: 1-7. [Abstract]