



PATELLAR TENDINOPATHY

RMA ID Number	Reference List for RMA368-3 as at 7 April 2020
94878	Abduljabbar FH, Aljurayyan A, Ghalimah B, et al (2016). Bilateral simultaneous quadriceps tendon rupture in a 24-year-old obese patients: A case report and review of the literature. <i>Case Rep Orthop</i> , 2016: 4713137.
94879	Abram SG, Sharma AD, Arvind C (2012). Atraumatic quadriceps tendon tear associated with calcific tendonitis. <i>BMJ Case Rep</i> , 2012: bcr2012007031.
94882	Albayrak I, Kucuk A, Arslan S, et al (2014). Spontaneous patellar tendon rupture in a case followed up for diagnosis of systemic lupus erythematosus. <i>Eur J Dermatol</i> , 1(4): 159-60.
94883	Allen GM, Tauro PG, Ostlere SJ (1999). Proximal patellar tendinosis and abnormalities of patellar tracking. <i>Skeletal Radiol</i> , 28(4): 220-3.
94884	Alusik S, Paluch Z (2018). Drug induced tendon injury. <i>Vnitr Lek</i> , 63(12): 967-71 [Article in Czech]. [Abstract]
94886	Andia I, Abate M (2016). Hyperuricemia in tendons. <i>Adv Exp Med Biol</i> , 920: 123-32.
94887	Aydingoz U, Ozdemir ZM, Gunes A, et al (2016). MRI of lower extremity impingement and friction syndromes in children. <i>Diagn Interv Radiol</i> , 22(6): 566-73.
94888	Babini SM, Artuni A, Marcos JC, et al (1988). Laxity and rupture of the patellar tendon in systemic lupus erythematosus. Association with secondary hyperparathyroidism. <i>J Rheumatol</i> , 15(7): 1162-5.
86777	Bahr MA, Bahr R (2014). Jump frequency may contribute to risk of jumper's knee: a study of interindividual and sex differences in a total of 11 943 jumps video recorded during training and matches in young elite volleyball players. <i>Br J Sports Med</i> , 48(17): 1322-6.
77839	Beri A, Dwamena FC, Dwamena BA (2009). Association between statin therapy and tendon rupture: a case-control study. <i>J Cardiovasc Pharmacol</i> , 53(5): 401-4.
77827	Beri A, Khattri S (2008). [Comment] Tendon rupture and statin therapy: is there a link? Comment on the article by Marie et al. <i>Arthritis Rheum</i> , 59(8): 1202.
94891	Bolon B (2017). Mini-review: Toxic tendinopathy. <i>Toxicol Pathol</i> , 45(7): 834-7.
94892	Camarda L, D'Arienzo A, Morello S, et al (2017). Bilateral ruptures of the extensor mechanism of the knee: A systematic review. <i>J Orthop</i> , 14(4): 445-53.
94894	Cassel M, Risch L, Intzegianni K, et al (2018). Incidence of Achilles and patellar tendinopathy in adolescent elite athletes. <i>Int J Sports Med</i> , 39(9): 726-32.

76244	Celik EC, Ozbaydar M, Ofluoglu D, et al (2012). Simultaneous and spontaneous bilateral quadriceps tendons rupture. <i>Am J Phys Med Rehabil</i> , 91(7): 631-4.
94896	Chen CM, Chu P, Huang GS, et al (2006). Spontaneous rupture of the patellar and contralateral quadriceps tendons associated with secondary hyperparathyroidism in a patient receiving long-term dialysis. <i>J Formos Med Assoc</i> , 105(11): 941-5.
94897	Chen SK, Lu CC, Chou PH, et al (2009). Patellar tendon ruptures in weight lifters after local steroid injections. <i>Arch Orthop Trauma Surg</i> , 129(3): 369-72.
94899	Cohen PR (2018). Cephalexin-associated Achilles tendonitis: Case report and review of drug-induced tendinopathy. <i>Cureus</i> , 10(12): e3783.
94900	Colberg RE, Henderson RG (2017). Diagnosis and treatment of gouty tophi in the patellar tendon using ultrasound-guided needle barbotage: A case presentation. <i>PM R</i> , 9(9): 938-42.
77538	Contractor T, Beri A, Gardiner JC, et al (2015). Is statin use associated with tendon rupture? A population-based retrospective cohort analysis. <i>Am J Ther</i> , 22: 377-81.
60379	Cook JL, Khan KM, Kiss ZS, et al (2000). Patellar tendinopathy in junior basketball players: a controlled clinical and ultrasonographic study of 268 patellar tendons in players aged 14-18 years. <i>Scand J Med Sci Sports</i> , 10(4): 216-20.
60433	Cook JL, Khan KM, Kiss ZS, et al (2000). Prospective imaging study of asymptomatic patellar tendinopathy in elite junior basketball players. <i>J Ultrasound Med</i> , 19(7): 473-9.
60380	Crossley KM, Thancanamootoo K, Metcalf BR, et al (2007). Clinical features of patellar tendinopathy and their implications for rehabilitation. <i>J Orthop Res</i> , 25(9): 1164-75.
94903	Dan M, Parr W, Broe D, et al (2018). Biomechanics of the knee extensor mechanism and its relationship to patella tendinopathy: A review. <i>J Orthop Res</i> , 36(12): 3105-12.
40449	David HG, Green JT, Grant AJ, et al (1995). Simultaneous bilateral quadriceps rupture: A complication of anabolic steroid use. <i>J Bone Joint Surg Br</i> , 77(1): 159-60.
94904	De Avila Fernandes E, Sandim GB, Mitraud SA, et al (2010). Sonographic description and classification of tendinous involvement in relation to tophi in chronic tophaceous gout. <i>Insights Imaging</i> , 1(3): 143-8.
94905	de Groot R, Malliaras P, Munteanu S, et al (2012). Foot posture and patellar tendon pain among adult volleyball players. <i>Clin J Sport Med</i> , 22(2): 157-9.
94906	de Vries AJ, van der Worp H, Diercks RL, et al (2015). Risk factors for patellar tendinopathy in volleyball and basketball players: A survey-based prospective cohort study. <i>Scand J Sci Sports</i> , 25(5): 678-84.
94907	De Vuyst D, Vanhoenacker F, Bernaerts A (2004). Patellar tendon-lateral femoral condyle friction syndrome. <i>JBR-BTR</i> , 87(8): 130-1.
94908	Deren ME, Klinge SA, Mukund NH, et al (2016). Tendinopathy and tendon rupture associated with statins. <i>JBJS Rev</i> , 4(5): pii: 01874474-201605000-00002.
60378	Eriksson E (2006). Pain in the patellar tendon. <i>Knee Surg Sports Traumatol Arthrosc</i> , 14(2): 107.
94909	Fairley J, Toppi J, Ciccuttini FM, et al (2014). Association between obesity and magnetic resonance imaging defined patellar tendinopathy in community-based adults: a cross-sectional study. <i>BMC Musculoskelet Disord</i> , 15: 266.

94910	Fenelon C, Dalton DM, Galbraith JG, et al (2016). Synchronous quadriceps tendon rupture and unilateral ACL tear in a weightlifter, associated with anabolic steroid use. <i>BMJ Case Rep</i> , 2016: bcr2015214310.
94912	Figueroa D, Figueroa F, Calvo R (2007). Patellar tendinopathy: Diagnosis and treatment. <i>J Am Acad Orthop Surg</i> , 24(12): e184-92.
60374	Franceschi F, Longo UG, Ruzzini L, et al (2007). Isolated tuberculosis of the patellar tendon. <i>J Bone Joint Surg Br</i> , 89(11): 1525-6.
94913	Franceschi F, Papalia R, Paciotti M, et al (2014). Obesity as a risk factor for tendinopathy: A systematic review. <i>Int J Endocrinol</i> , 2014: 670262.
94915	Gao MF, Yang HL, Shi WD (2013). Simultaneous bilateral quadriceps tendon rupture in a patient with hyperparathyroidism undergoing long-term haemodialysis: A case report and literature review. <i>J Int Med Res</i> , 41(4): 1378-83.
60381	Garau G, Rittweger J, Mallarias P, et al (2008). Traumatic patellar tendinopathy. <i>Disabil Rehabil</i> , 30(20-22): 1616-20.
60376	Gemingnani M, Busoni F, Tonerini M, et al (2008). The patellar tendinopathy in athletes: a sonographic grading correlated to prognosis and therapy. <i>Emerg Radiol</i> , 15(6): 399-404.
74857	Gerster JC, Landry M, Rapoport G, et al (1996). Enthesopathy and tendinopathy in gout: computed tomographic assessment. <i>Ann Rheum Dis</i> , 55(12): 921-3.
93638	Gilliland JM, Webber NP, Jones KB, et al (2011). Intratendinous tophaceous gout imitating patellar tendonitis in an athletic man. <i>Orthopedics</i> , 34(3): 223.
60986	Gisslen K, Gyulai C, Nordstrom P, et al (2007). Normal clinical and ultrasounds findings indicate a low risk to sustain jumper's knee patellar tendinopathy: a longitudinal study on Swedish elite junior volleyball players. <i>Br J Sports Med</i> , 41(4): 253-8.
60377	Grau S, Maiwald C, Krauss I, et al (2008). What are causes and treatment strategies for patellar-tendinopathy in female runners? <i>J Biomech</i> , 41(9): 2042-6.
94925	Hernandez Rodriguez I, Allegue F (1995). [Comment] Achilles and suprapatellar tendinitis due to isotretinoin. <i>J Rheumatol</i> , 22(10): 2009-10.
94929	Hooper DC (2019). Fluoroquinolones. Retrieved 22 November 2019, from https://www.uptodate.com/contents/fluoroquinolones
94930	Isenberg J, Prokop A, Skouras E (2008). Successive ruptures of patellar and Achilles tendons. Anabolic steroids in competitive sports. <i>Unfallchirurg</i> , 111(1): 46-9 [Article in German]. [Abstract]
94931	Jabour P, Masrouha K, Gailey M, et al (2013). Masses in the extensor mechanism of the knee: an unusual presentation of gout. <i>J Med Liban</i> , 61(3): 183-6.
94932	Janssen I, Steele JR, Munro BJ, et al (2015). Previously identified patellar tendinopathy risk factors differ between elite and sub-elite volleyball players. <i>Scand J Med Sci Sports</i> , 25(3): 308-14.
94933	Johnson DP, Wakeley CJ, Watt I (1996). Magnetic resonance imaging of patellar tendonitis. <i>J Bone Joint Surg Br</i> , 78(3): 452-7.
94934	Juliano RH, Boschi LH, Juliano RF, et al (2019). Bilateral atraumatic patellar ligament rupture-case report. <i>Rev Bras Ortop (Sao Paulo)</i> , 54(2): 223-7.
94935	Kanayama G, DeLuca J, Meehan WP III, et al (2015). Ruptured tendons in anabolic-androgenic steroid users: A cross-sectional cohort study. <i>Am J Sports Med</i> , 43(11): 2638-44.
94936	Karistinos A, Paulos LE (2007). "Ciprofloxacin-induced" bilateral rectus femoris tendon rupture. <i>Clin J Sport Med</i> , 17(5): 406-7.

94937	Kartus J, Movin T, Karlsson J (2001). Donor-site morbidity and anterior knee problems after anterior cruciate ligament reconstruction using autografts. <i>Arthroscopy</i> , 17(9): 971-80.
94938	Kearns MC, Singh VK (2016). Bilateral patellar tendon rupture associated with statin use. <i>J Surg Case Rep</i> , 2016(5): rjw072.
94939	Kelly BM, Rao N, Louis SS, et al (2001). Bilateral, simultaneous, spontaneous rupture of quadriceps tendons without trauma in an obese patient: A case report. <i>Arch Phys Med Rehabil</i> , 82(3): 415-8.
72619	Khaliq Y, Zhanel GG (2003). Fluoroquinolone-associated tendinopathy: a critical review of the literature. <i>Clin Infect Dis</i> , 36(11): 1404-10.
94940	King D, Yakubek G, Chughtai M, et al (2019). Quadriceps tendinopathy: a review - part 1: epidemiology and diagnosis. <i>Ann Transl Med</i> , 7(4): 71.
94941	King D, Yakubek G, Chughtai M, et al (2019). Quadriceps tendinopathy: a review, part 2 - classification, prognosis, and treatment. <i>Ann Transl Med</i> , 7(4): 72.
75075	Kirchgesner T, Larbi A, Omoumi P, et al (2014). Drug-induced tendinopathy: From physiology to clinical applications. <i>Joint Bone Spine</i> , 81(6): 485-92.
94942	Knobloch K (2016). Drug-induced tendon disorders. <i>Adv Exp Med Biol</i> , 920: 229-38.
94943	Kuijer PP, van der Molen HF, Frings-Dresen MH (2012). Evidence-based exposure criteria for work-related musculoskeletal disorders as a tool to assess physical job demands. <i>Work</i> , 41(Suppl 1): 3795-7.
94945	Laroche F, Coste J, Medkour T, et al (2014). Classification of and risk factors for estrogen deprivation pain syndromes related to aromatase inhibitor treatments in women with breast cancer: A prospective multicenter cohort study. <i>J Pain</i> , 15(3): 293-303.
94947	Leong WY, Gheorghiu D, Rao J (2013). A rare case of simultaneous acute bilateral quadriceps tendon rupture and unilateral Achilles tendon rupture. <i>J Orthop Case Rep</i> , 3(3): 22-5.
94948	Lewis AC, Purushotham B, Power DM (2005). Bilateral simultaneous quadriceps tendon rupture in a bodybuilder. <i>Orthopedics</i> , 28(7): 701-2.
74859	Lewis T, Cook J (2014). Fluoroquinolones and tendinopathy: A guide for athletes and sports clinicians and a systematic review of the literature. <i>J Athl Train</i> , 49(3): 422-7.
94949	Lim CH, Landon KJ, Chan GM (2016). Bilateral quadriceps femoris tendon rupture in a patient with chronic renal insufficiency: a case report. <i>J Emerg Med</i> , 51(4): e85-7.
94950	Liow RY, Tavares S (1995). Bilateral rupture of the quadriceps tendon associated with anabolic steroids. <i>Br J Sports Med</i> , 29(2): 77-9.
94951	Longo UG, Berton A, Stelitano G, et al (2018). 2017 Marathon of Rome: Anthropometry and sport profile in 350 runners and association with Achilles and patellar tendinopathy. <i>Clin J Sport Med</i> : Epub ahead of print.
94952	Longo UG, Rittweger J, Garau G, et al (2011). Patellar tendinopathy in master track and field athletes: influence of impact profile, weight, height, age and gender. <i>Knee Surg Sports Traumatol Arthrosc</i> , 19(3): 508-12.
94953	Maddox PA, Garth WP Jr (1986). Tendinitis of the patellar ligament and quadriceps (jumper's knee) as an initial presentation of hyperparathyroidism: a case report. <i>J Bone Joint Surg Br</i> , 68(2): 288-92.
94954	Maffulli N, Del Buono A, Spiezia F, et al (2012). Light microscopic histology of quadriceps tendon ruptures. <i>Int Orthop</i> , 36(11): 2367-71.
95000	Malliaras P, Cook J, Purdam C, et al (2015). Patellar tendinopathy: Clinical diagnosis, load management, and advice for challenging case presentations. <i>J Orthop Sports Phys Ther</i> , 45(11): 887-98.
95002	Marz J, Novotny P (2008). Pectoralis major tendon rupture and anabolic steroids in anamnesis--a case review. <i>Rozhl Chir</i> , 87(7): 380-3 [Article in Czech]. [Abstract]

95003	Meyer Z, Ricci WR (2016). Knee extensor mechanism repairs: Standard suture repair and novel augmentation technique. <i>J Orthop Trauma</i> , 30(Suppl 2): S30-1.
95005	Mitsimponas N, Kluova E, Tryfonopoulos D, et al (2018). Aromatase inhibitor-associated tendinopathy and muscle tendon rupture: Report of three cases of this exceedingly rare adverse event. <i>Case Rep Oncol</i> , 11(2): 557-61.
95006	Morales DR, Slattery J, Pacurariu A, et al (2019). Relative and absolute risk of tendon rupture with fluoroquinolone and concomitant fluoroquinolone/corticosteroid therapy: Population-based nested case-control study. <i>Clin Drug Investig</i> , 39(2): 205-13.
95008	Morgan S, Janse van Vuuren EC, Coetzee FF (2016). Causative factors and rehabilitation of patellar tendinopathy: A systematic review. <i>S Afr J Physiother</i> , 72(1): 338.
95009	Mousavi SH, Hijmans JM, Rajabi R, et al (2019). Kinematic risk factors for lower limb tendinopathy in distance runners: A systematic review and meta-analysis. <i>Gait Posture</i> , 69: 13-24.
95011	Movahead MR, Samsamsharaiat SA (2006). [Comment] Reproducible tendinitis-like symptoms related to statin therapy. <i>J Clin Rheumatol</i> , 12(6): 320-1.
77542	Nesselroade RD, Nickels LC (2010). Ultrasound diagnosis of bilateral quadriceps tendon rupture after statin use. <i>West J Emerg Med</i> , 11(4): 306-9.
95017	Neubauer T, Wagner M, Potschka T, et al (2007). Bilateral, simultaneous rupture of the quadriceps tendon: a diagnostic pitfall? Report of three cases and meta-analysis of the literature. <i>Knee Surg Sports Traumatol Arthrosc</i> , 15(1): 43-53.
89226	Nielsen R, Parner E, Nohr E, et al (2014). Excessive progression in weekly running distance and risk of running-related injuries: an association which varies according to type of injury. <i>J Orthop Sports Phys Ther</i> , 44(10): 739-47.
89313	Nielsen RO, Nohr EA, Rasmussen S, et al (2013). Classifying running-related injuries based upon etiology, with emphasis on volume and pace. <i>Int J Sports Phys Ther</i> , 8(2): 172-9.
95019	Obst SJ, Heales LJ, Schrader BL, et al (2018). Are the mechanical or material properties of the Achilles and patellar tendons altered in tendinopathy? A systematic review with meta-analysis. <i>Sports Med</i> , 48(9): 2179-8.
60474	O'Keeffe SA, Hogan BA, Eustace SJ, et al (2009). Overuse injuries of the knee. <i>Magn Reson Imaging Clin N Am</i> , 17(4): 725-39.
75300	Owens BD, Wolf JM, Seelig AD, et al (2013). Risk factors for lower extremity tendinopathies in military personnel. <i>Orthop J Sports Med</i> , 1(1): 2325967113492707.
95021	Pagliari M, Menna CR, Migliorini A, et al (2019). Atraumatic acute bilateral quadriceps tendon rupture in a patient with bilateral patella spurs: A case report and review of the literature. <i>Acta Biomed</i> , 90(Suppl 1): 203-8.
95022	Panasiuk M, Groblewski M (2011). Spontaneous patellar tendon rupture as a result of morbid obesity. <i>Chir Narzadow Ruchu Ortop Pol</i> , 76(6): 353-4 [Article in Polish]. [Abstract]
95023	Pearson SJ, Hussain SR (2014). Region-specific tendon properties and patellar tendinopathy: A wider understanding. <i>Sports Med</i> , 44(8): 1101-12.
60375	Peers KH, Lysens RJ (2005). Patellar tendinopathy in athletes: current diagnostic and therapeutic recommendations. <i>Sports Med</i> , 35(1): 71-87.

95024	Quack V, Betsch M, Hellmann J, et al (2019). Evaluation of postoperative changes in patellar and quadriceps tendons after total knee arthroscopy - A comprehensive analysis by Shear Wave Elastography, Power Doppler and B-mode-ultrasound. <i>Acad Radiol: Epub ahead of print.</i>
95025	Ramskov D, Rasmussen S, Sorensen H, et al (2018). Progression in running intensity or running volume and the development of specific injuries in recreational runners: run clever, a randomized trial using competing risks. <i>J Orthop Sports Phys Ther</i> , 48(10): 740-8.
95027	Rodas G, Pedret C, Catala J, et al (2013). Intratendinous gouty tophus mimics patellar tendonitis in an athlete. <i>J Clin Ultrasound</i> , 41(3): 178-82.
95028	Rosa B, Campos P, Barros A, et al (2016). Spontaneous bilateral patellar tendon rupture: case report and review of fluoroquinolone-induced tendinopathy. <i>Clin Case Rep</i> , 4(7): 678-81.
95029	Rose PS, Frassica FJ (2001). Atraumatic bilateral patellar tendon rupture: A case report and review of the literature. <i>J Bone Joint Surg Am</i> , 83(9): 1382-6.
95030	Rosso F, Bonasia DE, Cottino U, et al (2015). Patellar tendon: From tendinopathy to rupture. <i>Asia Pac J Sports Med Arthrosc Rehabil Technol</i> , 2(4): 99-107.
77544	Rubin G, Haddad E, Ben-Haim T, et al (2011). Bilateral, simultaneous rupture of the quadriceps tendon associated with simvastatin. <i>Isr Med Assoc J</i> , 13(3): 185-6.
95031	Saint F, Gueguen G, Biserte J, et al (2000). Rupture of the patellar ligament one month after treatment with fluoroquinolone. <i>Rev Chir Orthop Reparatrice Appar Mot</i> , 86(5): 495-7 [Article in French]. [Abstract]
95032	Santana JA, Sherman AI (2019). Jumpers knee. Retrieved 23 March 2020, from https://www.ncbi.nlm.nih.gov/books/NBK532969/
95033	Savarese E, Bisicchia S, Amendola A (2010). Bilateral spontaneous concurrent rupture of the patellar tendon in a healthy man: case report and review of the literature. <i>Musculoskelet Surg</i> , 94(2): 81-8.
60383	Schmid MR, Hodler J, Cathrein P, et al (2002). Is impingement the cause of Jumper's knee? Dynamic and static magnetic resonance imaging of patellar tendinitis in an open-configuration system. <i>Am J Sports Med</i> , 30(3): 388-95.
95034	Schwartz A, Watson JN, Hutchinson MR (2015). Patellar tendinopathy. <i>Sports Health</i> , 7(5): 415-20.
95035	Scott A (2019). Overview of overuse (persistent) tendinopathy. Retrieved 22 November 2019, from https://www.uptodate.com/contents/overview-of-overuse-persistent-tendinopathy
95036	Scott A (2019). Overview of the management of overuse (persistent) tendinopathy. Retrieved 23 March 2020, from https://www.uptodate.com/contents/overview-of-the-management-of-overuse-persistent-tendinopathy
95037	Seynnes OR, Kamandulis S, Kairaitis R, et al (2013). Effect of androgenic-anabolic steroids and heavy strength training on patellar tendon morphological and mechanical properties. <i>J Appl Physiol</i> , 115(1): 84-9.
77825	Shin JI, Lee JS (2009). [Comment] Tendinopathy and statin use: the role of matrix metalloproteinases or eicosanoids? Comment on the letter by Beri and Khattri and the article by Marie et al. <i>Arthritis Rheum</i> , 61(2): 286-7.
95038	Sibley T, Algren DA, Ellison S (2012). Bilateral patellar tendon ruptures without predisposing systemic disease or steroid use: a case report and review of the literature. <i>Am J Emerg Med</i> , 30(1): 261.e3-5.
75080	Singer O, Cigler T, Moore AB, et al (2012). Defining the aromatase inhibitor musculoskeletal syndrome: A prospective study. <i>Arthritis Care Res (Hoboken)</i> , 64(12): 1910-8.

95039	Splittergerber LE, Ihm JM (2019). Significance of asymptomatic tendon pathology in athletes. <i>Curr Sports Med Rep</i> , 18(6): 192-200.
95040	Sprague A, Epsley S, Silbernagel KG (2019). Distinguished quadriceps tendinopathy and patellar tendinopathy: Semantics or significant? <i>J Orthop Sports Phys Ther</i> , 49(9): 627-30.
95041	Sprague AL, Smith AH, Knox P, et al (2018). Modifiable risk factors for patellar tendinopathy in athletes: a systematic review and meta-analysis. <i>Br J Sports Med</i> , 52(24): 1575-85 + supplementary data.
95042	Stinner DJ, Orr JD, Hsu JR (2010). Fluoroquinolone-associated bilateral patellar tendon rupture: A case report and review of the literature. <i>Mil Med</i> , 175(6): 457-9.
39715	Taunton JE, Ryan MB, Clement DB, et al (2002). A retrospective case-control analysis of 2002 running injuries. <i>Br J Sports Med</i> , 36(2): 95-101.
95043	Tedd RJ, Norton MR, Thomas WG (2000). Bilateral simultaneous atraumatic quadriceps tendon ruptures associated with 'pseudogout'. <i>Injury</i> , 31(6): 467-9.
77860	Teichtahl AJ, Brady SR, Urquhart DM, et al (2016). Statins and tendinopathy: a systematic review. <i>Med J Aust</i> , 204(3): 115-21.
95044	Thomsen LL, Laursen JO (2014). Spontaneous bilateral quadriceps tendon rupture in obese patient medicated with statin. <i>Ugeskr Laeger</i> , 176(50): V09140471 [Article in Danish]. [Abstract]
95045	Toppi J, Fairley J, Cicuttini FM, et al (2015). Factors associated with magnetic resonance imaging defined patellar tendinopathy in community-based middle-aged women: a prospective cohort study. <i>BMC Musculoskelet Disord</i> , 16: 184.
95046	Torkaman A, Yousof Gomrokchi A, Elahifar O, et al (2018). Simultaneous bilateral rupture of patellar tendons in diabetic hemodialysis patient: a case report. <i>Caspian J Intern Med</i> , 9(3): 306-11.
95047	Tscholl PM, Biedert RM, Wanivenhaus F, et al (2018). Patellar tendinopathy with intra-tendinous alteration on MRI may be related to patellofemoral dysplasia. <i>Scand J Med Sci Sports</i> , 28(4): 1443-50.
95048	Tuong B, White J, Louis L, et al (2011). Get a kick out of this: the spectrum of knee extensor mechanism injuries. <i>Br J Sports Med</i> , 45(2): 140-6.
38862	Van Der Linden PD, Van Puijenbroek EP, Feenstra J, et al (2001). Tendon disorders attributed to fluoroquinolones: a study on 42 spontaneous reports in the period 1988 to 1998. <i>Arthritis Rheum</i> , 45(3): 235-9.
95050	Van der Worp H, de Poel HJ, Diercks RL, et al (2014). Jumper's knee or lander's knee? A systematic review of the relation between jump biomechanics and patellar tendinopathy. <i>Int J Sports Med</i> , 35(8): 714-22.
95051	van der Worp H, van Ark M, Roerink S, et al (2011). Risk factors for patellar tendinopathy: a systematic review of the literature. <i>Br J Sports Med</i> , 45(5): 446-52.
95053	van der Worp H, van Ark M, Zwerver J, et al (2012). Risk factors for patellar tendinopathy in basketball and volleyball players: a cross-sectional study. <i>Scand J Med Sci Sports</i> , 22(6): 783-90.
95052	van der Worp H, Zwerver J, Kuijer PP, et al (2011). The impact of physically demanding work of basketball and volleyball players on the risk for patellar tendinopathy and on work limitations. <i>J Back Musculoskelet Rehabil</i> , 24(1): 49-55.
95055	Varghese B, Radcliffe GS, Groves C (2006). Calcific tendonitis of the quadriceps. <i>Br J Sports Med</i> , 40(7): 652-4.
95056	Ventura-Rios L, Sanchez-Bringas G, Pineda C, et al (2016). Tendon involvement in patients with gout: an ultrasound study of prevalence. <i>Clin Rheumatol</i> , 35(8): 2039-44.

95057	Vigneswaran N, Lee K, Yegappan M (2007). Spontaneous bilateral quadriceps tendon rupture. <i>Singapore Med J</i> , 48(11): 1051-4.
95058	Visnes H, Bahr R (2013). Training volume and body composition as risk factors for developing jumper's knee among young elite volleyball players. <i>Scand J Med Sci Sports</i> , 23(5): 607-13.
95060	Vreju F (2013). Young men with bilateral pain in the lower part of patella. <i>Med Ultrason</i> , 15(3): 250-1.
60434	Warden SJ, Brukner P (2003). Patellar tendinopathy. <i>Clin Sports Med</i> , 22(4): 743-59.A
95061	Westrich GH, Haas SB, Bono JV (1996). Occupational knee injuries. <i>Orthop Clin North Am</i> , 27(4): 805-14.
60382	Witvrouw E, Bellemans HJ, Lysens R, et al (2001). Intrinsic risk factors for the development of patellar tendinitis in an athletic population. A two-year prospective study. <i>Am J Sports Med</i> , 29(2): 190-5.
95062	Wu W, Wang C, Ruan J, et al (2019). Simultaneous spontaneous bilateral quadriceps tendon rupture with secondary hyperparathyroidism in a patient receiving hemodialysis. <i>Medicine (Baltimore)</i> , 98(10): e14809.