



CONCUSSION

RMA ID Number	Reference List for RMA386-3 as at October 2018
---------------	--

63060	Abu-Judeh HH, Parker R, Singh ME, et al (1999). SPET brain perfusion imaging in mild traumatic brain injury without loss of consciousness and normal computed tomography. Nuclear Medicine Communications, 20: 505-10.
62952	Access Medicine (2011). Epidemiology of war-related psychological and neurologic conditions. Retrieved 14 December 2011, from http://accessmedicine.com/popup.aspx?Aid=9151271&print=yes
62953	Access Medicine (2011). Types of head injuries. Retrieved 14 December 2011, from http://accessmedicine.com/popup.aspx?Aid=9147451&print=43
63314	Adams J, MacKenzie A, McLaughlin R, et al (2009). Australian military primary care practitioners do not believe clinical practice guidelines are needed for postdeployment medically unexplained symptoms. Mil Med, 174(4): 392-7.
63054	Afari N, Harder LH, Madra NJ, et al (2009). PTSD, combat injury and headache in veterans returning from Iraq/Afghanistan. Headache, 49(9): 1267-76.
63221	Alhola P, Polo-Kantola P (2007). Sleep deprivation: Impact on cognitive performance. Neuropsychiatric Dis Treat, 3(5): 553-67.
86094	Alosco ML, Aslan M, Du M, et al (2016). Consistency of recall for deployment-related traumatic brain injury. Journal of Head Trauma Rehabilitation, 31(5): 360-8.
82715	Altalib HH, Fenton BT, Sico J, et al (2017). Increase in migraine diagnoses and guideline-concordant treatment in veterans, 2004-2012. Cephalgia, 37(1): 3-10.
84880	Amen DG, Raji CA, Willeumier K, et al (2015). Functional neuroimaging distinguishes posttraumatic stress disorder from traumatic brain injury in focused and large community datasets. PLoS One, 10(7): 1-22.
63295	American Psychiatric Association (2000). Postconcussional Disorder. Diagnostic and Statistical Manual of Mental Disorders (DSM-IV-TR): 760-2. American Psychiatric Association, Washington DC.
63296	American Psychiatric Association (2012). DSM-5: The future of psychiatric diagnosis. Retrieved 3 February 2012, from http://www.dsm5.org/pages/default.aspx
63051	Anderson V, Godfrey C, Rosenfeld JV, et al (2011). 10 year outcome from childhood traumatic brain injury. Int J Devl Neuroscience, Epub ahead of print.
62946	Andersson EE, Bedics BK, Falkmer T (2011). Mild traumatic brain injuries: a 10-year follow up. J Rehabil Med, 43: 323-9.
63067	Andrews CJ (2006). Further documentation of remote effects of electrical injuries, with comments on the place of neuropsychological testing and functional scanning. IEEE Transactions on Biomedical Engineering, 53(10): 2102-13.

82718	Armed Forces Health Surveillance Center (AFHSC) (2009). Risk factors for migraine after OEF/OIF deployment, active component, US armed forces. MSMR, 16(12): 10-3.
84306	Asken BM, DeKosky ST, Clugston JR, et al (2017). Diffusion tensor imaging (DTI) findings in adult civilian, military, and sport-related mild traumatic brain injury (mTBI): a systematic critical review. Brain Imaging and Behavior, 12(2): 585-612.
63191	Baguley IJ, Nott M, Howle AA, et al (2012). Late mortality after severe traumatic brain injury in New South Wales: a multicentre study. MJA, 196(1): 40-5.
63045	Begaz T, Kyriacou DN, Segal J, et al (2006). Serum biochemical markers for post-concussion syndrome in patients with mild traumatic brain injury. J Neurotrauma, 23(8): 1201-10.
63049	Belanger HG, Curtiss G, Demery JA, et al (2005). Factors moderating neuropsychological outcomes following mild traumatic brain injury: a meta-analysis. Journal of the International Society, 11: 215-27.
63229	Belanger HG, Kretzmer T, Vanderploeg RD, et al (2010). Symptom complaints following combat-related traumatic brain injury: Relationship to traumatic brain injury severity and posttraumatic stress disorder. J Int Neuropsychol Soc, 16: 194-9.
63228	Belanger HG, Kretzmer T, Yoash-Gantz R, et al (2009). Cognitive sequelae of blast-related versus other mechanisms of brain trauma. J Int Neuropsychol Soc, 15: 1-8.
63050	Belanger HG, Spiegel E, Vanderploeg RD (2010). Neuropsychological performance following a history of multiple self-reported concussion: a meta-analysis. J Int Neuropsychol Soc, 16: 262-7.
63097	Belanger HG, Vanderploeg RD (2005). The neuropsychological impact of sports-related concussion: a meta-analysis. Journal of the International Neuropsychological Society, 11: 345-57.
88263	Belanger HG, Vanderploeg RD, McAllister T (2016). Subconcussive blows to the head: A formative review of short-term clinical outcomes. J Head Trauma Rehabil, 31(3): 159-66.
85140	Bergersen K, Halvorsen JO, Tryti EA, et al (2017). A systematic literature review of psychotherapeutic treatment of prolonged symptoms after mild traumatic brain injury. Brain Inj, 31(3): 279-89.
82725	Beswick-Escanlar VP, Lee T, Hu Z, et al (2016). Increased severity of traumatic brain injury is associated with an increased risk of subsequent headache or migraine: a retrospective cohort study of U.S. active duty service members, 2006-2015. MSMR, 23(7): 2-8.
86013	Bigler ED (2015). Neuropathology of mild traumatic brain injury: Correlation to neurocognitive and neurobehavioral findings. Brain Neurotrauma: Molecular, Neuropsychological, and Rehabilitation Aspects, Chapter 31. Taylor & Francis, London.
63077	Blume HK, Vavilala MS, Jaffe KM, et al (2012). Headache after pediatric traumatic brain injury: A cohort study. Pediatrics, 129: 1-9.
63307	Bogaerts K, Van Eylen L, Li W, et al (2010). Distorted symptom perception in patients with medically unexplained symptoms. J Abnorm Psychol, 119(1): 226-34.
84300	Boyle E, Cancelliere C, Hartvigsen J, et al (2014). Systematic review of prognosis after mild traumatic brain injury in the military: results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. Arch Phys Med Rehabil, 95(Suppl 3): S230-7.
63055	Brenner LA, Ivins BJ, Schwab K, et al (2010). Traumatic brain injury, posttraumatic stress disorder, and postconcussive symptom reporting among troops returning from Iraq. J Head Trauma Rehabil, 25(5): 307-12.

63070	Brenner LA, Vanderploeg RD, Terrio H (2009). Assessment and diagnosis of mild traumatic brain injury, posttraumatic stress disorder, and other polytrauma conditions: Burden of adversity hypothesis. <i>Rehabilitation Psychology</i> , 54(3): 239-46.
54359	Brewer NT, Hallman WK, Kipen HM (2008). The symmetry rule: a seven-year study of symptoms and explanatory labels among Gulf War veterans. <i>Risk Analysis</i> , 28(6): 1737-48.
85678	Brooks M (2018). FDA clears first blood test to aid in concussion diagnosis. Retrieved 6 March 2018, from https://www.medscape.com/viewarticle/892683
63188	Brown AW, Malec JF, McClelland RL, et al (2005). Clinical elements that predict outcome after traumatic brain injury: A prospective multicenter recursive partitioning (decision-tree) analysis. <i>J Neurotrauma</i> , 22(10): 1040-51.
84324	Brown DA, Elsass JA, Miller AJ, et al (2015). Differences in symptom reporting between males and females at baseline and after a sports-related concussion: a systematic review and meta-analysis. <i>Sports Med</i> , 45(7): 1027-40.
63320	Bryan C, Hernandez AM (2012). Magnitudes of decline on automated neuropsychological assessment metrics subtest scores relative to predeployment baseline performance among service members evaluated for traumatic brain injury in Iraq. <i>J Head Trauma Rehabil</i> , 27(1): 45-54.
62943	Bryant R (2011). Post-traumatic stress disorder vs traumatic brain injury. <i>Dialogues Clin Neurosci</i> , 13(3): 251-62.
51678	Bryant RA (2008). [Comment] Disentangling mild traumatic brain injury and stress reactions. <i>NEJM</i> , 358(5): 525-7.
63782	Bryant RA (2011). The cutting edge: Mental disorders and traumatic injury. <i>Depression and Anxiety</i> , 28: 99-102.
63781	Bryant RA, Creamer M, O'Donnell M, et al (2009). Post-traumatic amnesia and the nature of post-traumatic stress disorder after mild traumatic brain injury. <i>J Int Neuropsychol Soc</i> , 15: 862-7.
84901	Bryant RA, Moulds M, Guthrie R, et al (2003). Treating acute stress disorder following mild traumatic brain injury. <i>Am J Psychiatry</i> , 160(3): 585-7.
63310	Burton C, McGorm K, Weller D, et al (2011). Depression and anxiety in patients repeatedly referred to secondary care with medically unexplained symptoms: a case-control study. <i>Psychological Med</i> , 41: 555-63.
63100	Caldronay RD, Radike J (2010). Experience with mild traumatic brain injuries and postconcussion syndrome at Kandahar, Afghanistan. <i>US Army Med Dep J</i> : 22-30.
63723	Cameron KL, Marshall SW, Sturdivant RX, et al (2012). Trends in the incidence of physician-diagnosed mild traumatic brain injury among active duty US military personnel between 1997 and 2007. <i>J Neurotrauma</i> : Epub ahead of print.
84299	Cancelliere C, Coronado VG, Taylor CA, et al (2017). Epidemiology of isolated versus nonisolated mild traumatic brain injury treated in emergency departments in the United States, 2006-2012: Sociodemographic characteristics. <i>J Head Trauma Rehabil</i> , 32(4): E37-46.
84303	Cancelliere C, Hincapie CA, Keightley M, et al (2014). Systematic review of prognosis and return to play after sport concussion: Results of the international collaboration on mild traumatic brain injury prognosis. <i>Arch Phys Med Rehabil</i> , 95(Suppl 3): S210-29.
86551	Carr W, Polejaeva E, Grome A, et al (2015). Relation of repeated low-level blast exposure with symptomatology similar to concussion. <i>J Head Trauma Rehabil</i> , 30(1): 47-55.

75192	Carrara VI, Phy AP, Nwee P, et al (2008). Auditory assessment of patients with acute uncomplicated Plasmodium falciparum malaria treated with three-day mefloquine-artesunate on the north-western border of Thailand. <i>Malar J</i> , 7: 233.
84286	Carroll LJ, Cassidy JD, Cancelliere C, et al (2014). Systematic review of the prognosis after mild traumatic brain injury in adults: cognitive, psychiatric, and mortality outcomes: results of the international collaboration on mild traumatic brain injury prognosis. <i>Arch Phys Med Rehabil</i> , 95(Suppl 3): S152-73.
53406	Carroll LJ, Cassidy JD, Holm L, et al (2004). Methodological issues and research recommendations for mild traumatic brain injury: the WHO Collaborating Centre Task Force on mild traumatic brain injury. <i>J Rehabil Med</i> , Suppl 43: 113-25.
53401	Carroll LJ, Cassidy JD, Peloso PM, et al (2004). Prognosis for mild traumatic brain injury: results of the WHO Collaborating Centre Task Force on mild traumatic brain injury. <i>J Rehabil Med</i> , Suppl 43: 84-105.
84285	Cassidy JD, Cancelliere C, Carroll LJ, et al (2014). Systematic review of self-reported prognosis in adults after mild traumatic brain injury: results of the International collaboration on mild traumatic brain injury prognosis. <i>Arch Phys Med Rehabil</i> , 95(Suppl 3): S132-51.
62919	Casson IR, Pellman EJ, Viano DC (2008). Concussion in the national football league: an overview for neurologists. <i>Neurol Clin</i> , 26: 217-41.
75193	Castelli F, Odolini S, Autino B, et al (2010). Malaria Prophylaxis: A Comprehensive Review. <i>Pharmaceuticals</i> , 3: 3212-39.
62949	Centers for disease control and prevention (2011). DoD/VA code proposal final- 508 complaint. Retrieved 14 December 2011, from www.cdc.gov/nchs/data/icd9/Sep08TBI.pdf
82735	Cesur R, Sabia JJ, Tekin E (2015). Combat exposure and migraine headache: Evidence from exogenous deployment assignment. <i>Economics and Human Biology</i> , 16: 81-99.
84323	Chong CD, Berisha V, Chiang CC, et al (2017). Less cortical thickness in patients with persistent post-traumatic headache compared with healthy controls: an MRI study. <i>Headache</i> , 58(1): 53-61.
85679	Costandi M (2018). FDA okays first concussion blood test--but some experts are wary. Retrieved 6 March 2018, from https://www.scientificamerican.com/article/fda-okays-first-concussion-blood-test-but-some-experts-are-wary/?print=true
81270	Couch JR, Stewart KE (2016). Headache prevalence at 4-11 years after deployment-related traumatic brain injury in veterans of Iraq and Afghanistan wars and comparison to controls: a matched case-controlled study. <i>Headache</i> , 56: 1004-21.
88262	Covassin T, Moran R, Wilhelm K (2013). Concussion symptoms and neurocognitive performance of high school and college athletes who incur multiple concussions. <i>Am J Sports Med</i> , 41(12): 2885-9.
84272	Craig A, Tran Y, Guest R, et al (2016). Psychological impact of injuries sustained in motor vehicle crashes: systematic review and meta-analysis. <i>BMJ Open</i> , 6(9): e011993.
64633	Department of Defence (2012). Management of mild traumatic brain injury in Australian Defence Force members. Health Directive No 293. Department of Defence, Australian Government.
85880	Department of Defence (2018). Management of mild traumatic brain injury in the Australian Defence Force. Retrieved 19 March 2018, from www.dvbioc.org
84256	Devoto C, Arcurio L, Fetta JK, et al (2017). Inflammation relates to chronic behavioral and neurological symptoms in military personnel with traumatic brain injuries. <i>Cell Transplant</i> , 26(7): 1169-77.

84430	Evans R (2017). Postconcussion syndrome. Retrieved 30 November 2017, from https://www.uptodate.com/contents/postconcussion-syndrome?source=search_result&search=postconcussion&selectedTitle=1~13
84899	Feigin VL, Theadom A, Barker-Collo S, et al (2013). Incidence of traumatic brain injury in New Zealand: a population-based study. Lancet Neurol, 12: 53-64.
86135	Finkel AG, Ivins BJ, Yerry JA, et al (2017). Which matters more? A retrospective cohort study of headache characteristics and diagnosis type in soldiers with mTBI/concussion. Headache, 57(5): 719-28.
75194	Fusetti M, Eibenstein A, Corridore V, et al (1999). Mefloquine and ototoxicity: a report of 3 cases (article in Italian). La Clinica Terapeutica, 150(5): 379-82.
84291	Garber BG, Rusu C, Zamorski MA (2014). Deployment-related mild traumatic brain injury, mental health problems, and post-concussive symptoms in Canadian Armed Forces personnel. BMC Psychiatry, 14: 325.
84305	Gardner A, Kay-Lambkin F, Stanwell P, et al (2012). A systematic review of diffusion tensor imaging findings in sports-related concussion. J Neurotrauma, 29(16): 2521-38.
75195	Gobbi F, Rossanese A, Buonfrate D, et al (2014). Epilepsy triggered by mefloquine in an adult traveler to Uganda. World J Clin Cases, 2(1): 12-15.
85139	Greer N, Sayer N, Koeller E, et al (2017). Outcomes associated with blast versus nonblast-related traumatic brain injury in US military service members and veterans: A systematic review. J Head Trauma Rehabil, 2017: 1-13.
86004	Haghbayan H, Boutin A, Laflamme M, et al (2017). The prognostic value of MRI in moderate and severe traumatic brain injury: A systematic review and meta-analysis. Crit Care Med, 45(12): e1280-8.
84683	Hawryluk GW, Manley GT (2015). Classification of traumatic brain injury: past, present, and future. Handb Clin Neurol, 127: 15-21.
75196	Hessen-Soderman AC, Betgenius J, Palme IB, et al (1995). Mefloquine Prophylaxis and Hearing, Postural Control, and Vestibular Functions. J Travel Med, 2: 66-9.
86017	Hong CK, Joo JY, Shim YS, et al (2017). The course of headache in patients with moderate-to-severe headache due to mild traumatic brain injury: a retrospective cross-sectional study. J Headache Pain, 18(1): 48.
84288	Hung R, Carroll LJ, Canceller C, et al (2014). Systematic review of the clinical course, natural history, and prognosis for pediatric mild traumatic brain injury: results of the international collaboration on mild traumatic brain injury prognosis. Arch Phys Med Rehabil, 95(Suppl 3): S174-91.
85209	Institute of Medicine (2014). Long-term effects of blast exposure. Gulf War and Health, 9: 98.
80888	Institute of Medicine (IOM) (2014). Long-term effects of blast exposures. PREPUBLICATION COPY. Gulf War and Health, Vol 9. National Academies Press - Washington, DC.
87561	International Headache Society (2018). Persistent headache attributed to traumatic injury to the head. Retrieved 21 June 2018, from https://www.ichd-3.org/5-headache-attributed-to-trauma-or-injury-to-the-head-and-or-neck/5-2-persistent-headache-attributed-to-traumatic-injury-to-the-head/
71151	IOM (Institute of Medicine) (2014). Long-term effects of blast exposures. Gulf War and Health, Vol 9: 5-6, 74-83. The National Academies Press, Washington DC.
85138	Iverson GL, Gardner AJ, Terry DP, et al (2017). Predictors of clinical recovery from concussion: a systematic review. Br J Sports Med, 51(12): 941-8.

84370	Johnson JJ, Leoffert AC, Stokes J, et al (2017). Association of salivary microRNA changes with prolonged concussion symptoms. <i>JAMA Pediatr</i> , 172(1): 65-73.
75197	Jousset N, Rouge-Maillart C, Turcant A, et al (2010). Suicide by skull stab wounds. <i>Am J Forensic Med Pathol</i> , 31(4): 378-81.
82859	Jouzdani SR, Ebrahimi A, Rezaee M, et al (2014). Characteristics of posttraumatic headache following mild traumatic brain injury in military personnel in Iran. <i>Environ Health Prev Med</i> , 19(6): 422-8.
85295	Joyce AS, Labela CR, Carl RL, et al (2015). The postconcussion symptom scale: Utility of a three-factor structure. <i>Medicine & Science in Sports & Exercise</i> , 2015: 1119-23.
84301	Karr JE, Arechenhoff CN, Garcia-Barrera MA (2014). The neuropsychological outcomes of concussion: a systematic review of meta-analyses on the cognitive sequelae of mild traumatic brain injury. <i>Neuropsychology</i> , 28(3): 321-36.
84902	Katz DI, Cohen SI, Alexander MP (2015). Mild traumatic brain injury. <i>Handb Clin Neurol</i> , 127: 131-56.
84297	Keightley ML, Cote P, Rumney P, et al (2014). Psychosocial consequences of mild traumatic brain injury in children: results of a systematic review by the International Collaboration on Mild Traumatic Brain Injury Prognosis. <i>Arch Phys Med Rehabil</i> , 95(3 Suppl 2): S192-200.
86093	Kelly K, Erdal K (2017). Diagnostic terminology, athlete status, and history of concussion affect return to play expectations and anticipated symptoms following mild traumatic brain injury. <i>Journal of Clinical & Experimental Neuropsychology</i> , 39(6): 587-95.
84900	Kennedy JE, Jaffe MS, Leskin GA, et al (2007). Posttraumatic stress disorder and posttraumatic stress disorder-like symptoms and mild traumatic brain injury. <i>J Rehabil Res Dev</i> , 44(7): 895-920.
84287	Kenzie ES, Parks EL, Bigler ED, et al (2017). Concussion as a multi-scale complex system: an interdisciplinary synthesis of current knowledge. <i>Front Neurol</i> , 8: 513.
84307	Khong E, Odenwald N, Hashim E, et al (2016). Diffusion tensor imaging findings in post-concussion syndrome patients after mild traumatic brain injury: a systematic review. <i>Front Neurol</i> , 7: 156.
84493	King NS, Crawford S, Wenden FJ, et al (1995). The Rivermead post concussion symptoms questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. <i>J Neurol</i> , 242(9): 587-92.
84372	Kontos AP, Sufrinko A, Womble M, et al (2016). Neuropsychological assessment following concussion: an evidence-based review of the role of neuropsychological assessment pre- and post-concussion. <i>Curr Pain Headache Rep</i> , 20(6): 38.
84302	Kristman VL, Borg J, Godbolt AK, et al (2014). Methodological issues and research recommendations for prognosis after mild traumatic brain injury: results of the International Collaboration on Mild Traumatic Brain Injury Prognosis. <i>Arch Phys Med Rehabil</i> , 95(Suppl 3): S265-77.
83815	Kuczynski A, Crawford S, Bodell L, et al (2013). Characteristics of post-traumatic headaches in children following mild traumatic brain injury and their response to treatment: a prospective cohort. <i>Dev Med Child Neurol</i> , 55: 636.
84452	Laborey M, Masson F, Ribereau-Gayon R, et al (2014). Specificity of post-concussion symptoms at 3 months after mild traumatic brain injury: results from a comparative cohort study. <i>J Head Trauma Rehabil</i> , 29(1): E28-36.
86015	Lee JE, Garber B, Samorski MA (2015). Prospective analysis of premilitary mental health, somatic symptoms, and postdeployment postconcussive symptoms. <i>Psychosom Med</i> , 77(9): 1006-17.

84483	Legome E (2016). Postconcussive syndrome in the ED. Retrieved 5 December 2017, from https://emedicine.medscape.com/article/828904-overview
84374	Losoi H, Silverberg ND, Waljas M, et al (2016). Recovery from mild traumatic brain injury in previously health adults. <i>J Neurotrauma</i> , 33(8): 766-76.
86010	Lucas S, Blume HK (2017). Sport-related headache. <i>Neurol Clin</i> , 35(3): 501-21.
85136	Lucas S, Hoffman JM, Bell KR, et al (2014). A prospective study of prevalence and characterization of headache following mild traumatic brain injury. <i>Cephalgia</i> , 34(2): 93-102.
84881	Maas AI, Menon DK, Adelson PD, et al (2017). Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. <i>Lancet Neurol</i> , 16: 987-1048.
84296	Mac Donald CL, Johnson AM, Wierzechowski L, et al (2014). Prospectively assessed clinical outcomes in concussive blast vs nonblast traumatic brain injury among evacuated US military personnel. <i>JAMA Neurol</i> , 71(8): 994-1002.
85784	Malik A (2017). Neuropsychological evaluation. Retrieved 9 March 2018, from https://emedicine.medscape.com/article/317596-overview#a2
84325	Marshall S, Bayley M, McCullagh S, et al (2015). Updated clinical practice guidelines for concussion/mild traumatic brain injury and persistent symptoms. <i>Brain Inj</i> , 29(6): 688-70.
84264	Maruta J, Spielman LA, Yarusi BB, et al (2016). Chronic post-concussion neurocognitive deficits. II. Relationship with persistent symptoms. <i>Front Hum Neurosci</i> , 10: 45.
84765	Mayer AR, Quinn DK, Master CL (2017). The spectrum of mild traumatic brain injury: A review. <i>Neurology</i> , 89(6): 623-32.
86097	McAndrew LM, Helmer DA, Phillips LA, et al (2016). Iraq and Afghanistan Veterans report symptoms consistent with chronic multisymptom illness one year after deployment. <i>J Rehabil Res Dev</i> , 53(1): 59-70.
85060	McCrea M, Guskiewicz K, Randolph C, et al (2013). Incidence, clinical course, and predictors of prolonged recovery time following sport-related concussion in high school and college athletes. <i>J Int Neuropsychol Soc</i> , 19(1): 22-33.
85142	McCrory P, Feddermann-Demont N, Dvorak J, et al (2016). What is the definition of sports-related concussion: a systematic review. <i>Br J Sports Med</i> , 51: 877-87.
84882	McCrory P, Meeuwisse W, Dvorak J, et al (2017). Consensus statement on concussion in sport - the 5th international conference on concussion in sport held in Berlin, October 2016. <i>Br J Sports Med</i> , 51: 838-47.
85077	McLendon LA, Kralik SF, Grayson PA, et al (2016). The controversial second impact syndrome: A review of the literature. <i>Pediatric Neurology</i> , 62: 9-17.
75198	Meier CR, Wilcock K, Jick SS (2004). The risk of severe depression, psychosis or panic attacks with prophylactic antimalarials. <i>Drug Saf</i> , 27(3): 203-13.
63091	Menon DK, Schwab K, Wright DW, et al (2010). Position statement: Definition of traumatic brain injury. <i>Arch Phys Med Rehabil</i> , 91: 1637-40.
84308	Mercier E, Tardif PA, Cameron P, et al (2017). Prognostic value of S-100 β protein for prediction of post-concussion symptoms following a mild traumatic brain injury: systematic review and meta-analysis. <i>J Neurotrauma</i> , DOI: 10.1089/neu.2017.5013.
84284	Mercier E, Tardif PA, Emond M, et al (2017). Characteristics of patients included and enrolled in studies on the prognostic value of serum biomarkers for prediction of postconcussion symptoms following a mild traumatic brain injury: a systematic review. <i>BMJ Open</i> , 7(9): e017848.

82889	Mihalik JP, Register-Mihalik J, Kerr ZY, et al (2013). Recovery of posttraumatic migraine characteristics in patients after mild traumatic brain injury. <i>Am J Sports Med</i> , 41(7): 1490-6.
84883	Mountford C, Quadrelli S, Lin A, et al (2015). Six fucose-a(1-2) sugars and a-fucose assigned in the human brain using in vivo two-dimensional MRS. <i>NMR Biomed</i> , 28: 291-6.
84298	Nelson NW, Davenport ND, Sponheim SR, et al (2015). Blast-Related Mild Traumatic Brain Injury: Neuropsychological Evaluation and Findings. <i>Frontiers in Neuroengineering</i> , Chapter 32.
75199	Nevin RL (2012). [Comment] Hallucinations and persecutory delusions in Mefloquine-Associated suicide. <i>Am J Forensic Med Pathol</i> , 33(2): e8.
75200	Nevin RL (2012). [Comment] Mefloquine Blockade of Connexin 36 and Connexin 43 Gap Junctions and Risk of Suicide. <i>Biol Psychiatry</i> , 71: e1-e2.
75201	Nevin RL (2012). Limbic encephalopathy and central vestibulopathy caused by mefloquine: A case report. <i>Travel Medicine and Infectious Disease</i> , 10: 144-51.
85135	Nordhaug LH, Hagen K, Vik A, et al (2018). Headache following head injury: a population-based longitudinal cohort study (HUNT). <i>J Headache Pain</i> , 19(1): 8.
84304	Oehr L, Anderson J, (2017). Diffusion-tensor imaging findings and cognitive function following hospitalized mixed-mechanism mild traumatic brain injury: A systematic review and meta-analysis. <i>Arch Phys Med Rehabil</i> , 98(11): 2308-19.
84438	Ozen LJ, Fernandes MA (2011). Effects of "diagnosis threat" on cognitive and affective functioning long after mild head injury. <i>J Int Neuropsychol Soc</i> , 17: 219-29.
82971	Patil VK, St Andre JR, Crisan E, et al (2011). Prevalence and treatment of headaches in veterans with mild traumatic brain injury. <i>Headache</i> , 51(7): 1112-21.
84454	Pervez M, Kitagawa RS, Chang TR (2018). Definition of traumatic brain injury, neurosurgery, trauma orthopedics, neuroimaging, psychology, and psychiatry in mild traumatic brain injury. <i>Neuroimaging Clin N Am</i> , 28(1): 1-13.
84321	Pinchefsky E, Dubrovsky AS, Friedman D, et al (2015). Part 1-Evaluation of pediatric post-traumatic headaches. <i>Pediatr Neurol</i> , 52(3): 263-9.
84283	Pineau H, Marchand A, Guay S (2015). Specificity of cognitive and behavioral complaints in post-traumatic stress disorder and mild traumatic brain injury. <i>Behav Sci (Basel)</i> , 5(1): 43-58.
84255	Rathbone ATL, Tharmaradinam S, Jiang S, et al (2015). A review of the neuro- and systemic inflammatory responses in post concussion symptoms: Introduction of the "post-inflammatory brain syndrome" PIBS. <i>Brain Behav Immun</i> , 46: 1-16.
75202	Ringqvist A, Bech P, Glenthøj B, et al (2015). Acute and long-term psychiatric side effects of mefloquine: A follow-up on Danish adverse event reports. <i>Travel Medicine and Infectious Disease</i> , 13: 80-8.
75203	Ritchie EC, Block J, Nevin RL (2013). Psychiatric side effects of Mefloquine: applications to forensic psychiatry. <i>J Am Acad Psychiatry Law</i> , 41: 224-35.
75205	Ronn AM, Ronne-Rasmussen J, Gotzsche P, et al (1998). Neuropsychiatric manifestations after mefloquine therapy for Plasmodium falciparum malaria: comparing a retrospective and a prospective study. <i>Tropical Medicine and International Health</i> , 3(2): 83-8.
84450	Rose SC, Fischer AN, Heyer GL (2015). How long is too long? The lack of consensus regarding the post-concussion syndrome diagnosis. <i>Brain Inj</i> , 29(7-8): 798-803.

73157	Rosenthal JF, Erickson JC (2013). Post-traumatic stress disorder in U.S. soldiers with post-traumatic headache. <i>Headache</i> , 53(10): 1564-72.
86552	Saljo A, Arrhen F, Bolouri H, et al (2008). Neuropathology and pressure in the pig brain resulting from low-impulse noise exposure. <i>J Neurotrauma</i> , 25(12): 1397-406.
75206	Schneider C, Adamcova M, Jick SS, et al (2013). Antimalarial chemoprophylaxis and the risk of neuropsychiatric disorders. <i>Travel Medicine and Infectious Disease</i> , 11: 71-80.
84322	Schwedt TJ, Chong CD, Peplinski J, et al (2017). Persistent post-traumatic headache vs. migraine: an MRI study demonstrating differences in brain structure. <i>J Headache Pain</i> , 18(1): 87.
84267	Segev S, Shorer M, Rassovsky Y, et al (2016). The contribution of posttraumatic stress disorder and mild traumatic brain injury to persistent post concussive symptoms following motor vehicle accidents. <i>Neuropsychology</i> , 30(7): 800-10.
85248	Shaw L, Morozova M, Abu-Arafeh I (2018). Chronic post-traumatic headache in children and adolescents: systematic review of prevalence and headache features. <i>Pain Manag</i> , 8(1): 57-64.
86098	Smith TC, Powell TM, Jacobson IG, et al (2014). Chronic multisymptom illness: a comparison of Iraq and Afghanistan deployers with veterans of the 1991 Gulf War. <i>Am J Epidemiol</i> , 180(12): 1176-87.
84266	Spira JL, Lathan CE, Bleiberg J, et al (2014). The impact of multiple concussions on emotional distress, post-concussive symptoms, and neurocognitive functioning in active duty United States marines independent of combat exposure or emotional distress. <i>J Neurotrauma</i> , 31(22): 1823-34.
82674	Stacey A, Lucas S, Dikmen S, et al (2017). Natural history of headache five years after traumatic brain injury. <i>J Neurotrauma</i> , 34(8): 1558-64.
85092	Stein MB, McAllister TW (2009). Exploring the convergence of posttraumatic stress disorder and mild traumatic brain injury. <i>Am J Psychiatry</i> , 166(7): 768-76.
84263	Stein MB, Ursano RJ, Campbell-Sills L, et al (2016). Prognostic indicators of persistent post-concussive symptoms after deployment-related mild traumatic brain-injury: a prospective longitudinal study in U.S. army soldiers. <i>Journal of Neurotrauma</i> , 33(23): 2125-32.
62333	Stein SC, Spetell C (1995). The head injury severity scale (HISS): a practical classification of closed-head injury. <i>Brain Injury</i> , 9(5): 437-44.
84268	Sullivan KA, Edmed SL, Kempe C (2014). The effect of injury diagnosis on illness perceptions and expected postconcussion syndrome and posttraumatic stress disorder symptoms. <i>J Head Trauma Rehabil</i> , 29(1): 54-64.
86014	Suri P, Stolzmann K, Iverson KM, et al (2017). Associations between traumatic brain injury history and future headache severity in Veterans: A longitudinal study. <i>Arch Phys Med Rehabil</i> , 98(11): 2118-25.
84292	Swanson TM, Isaacson BM, Cyborski CM, et al (2017). Traumatic brain injury incidence, clinical overview, and policies in the US Military health system since 2000. <i>Public Health Reports</i> , 132(2): 251-9.
85076	Tagge CA, Fisher AM, Minaeva OV, et al (2018). Concussion, microvascular injury, and early tauopathy in young athletes after impact head injury and an impact concussion mouse model. <i>Brain</i> , 0: 1-37.
86096	Theadom A, Starkey N, Barker-Collo S, et al (2018). Population-based cohort study of the impacts of mild traumatic brain injury in adults four years post-injury. <i>PLoS One</i> , 13(1): e0191655.
82681	Theeler B, Lucas S, Riechers RG II, et al (2013). Post-traumatic headaches in civilians and military personnel: a comparative, clinical review. <i>Headache</i> , 53(6): 881-900.

52068	Theeler BJ, Erickson JC (2009). Mild head trauma and chronic headaches in returning US soldiers. <i>Headache</i> , 49(4): 529-534.
85128	Tsao JW, Stentz LA, Rouhanian M, et al (2017). Effect of concussion and blast exposure on symptoms after military deployment. <i>Neurology</i> , 89(19): 2010-6.
86092	Van Hooff M, Saccone L, Clark L, et al (2012). Mild traumatic brain injury (MTBI) in the Australian Defence Force: Results from the 2010 ADF Mental Health prevalence and wellbeing dataset, monthly report. Retrieved 29 March 2018, from http://www.defence.gov.au/Health/Home/Docs/2010_ADF_Mental_Health_Prevalence_Wellbeing_results.pdf
86012	Van Horn JD, Bhattarai A, Irimia A (2017). Multimodal imaging of neurometabolic pathology due to traumatic brain injury. <i>Trends Neurosci</i> , 40(1): 39-59.
62951	von Holst H, Cassidy JD (2004). Mandate of the WHO collaborating centre task force on mild traumatic brain injury. <i>J Rehabil Med</i> , 43: 8-10.
52067	Waldie KE, Poulton R (2002). Physical and psychological correlates of primary headache in young adulthood: a 26 year longitudinal study. <i>J Neurol Neurosurg Psychiatry</i> , 72: 86-92.
75207	Walker RA, Colleaux KM (2007). Maculopathy associated with mefloquine (Lariam) therapy for malaria prophylaxis. <i>Can J Ophthalmol</i> , 42: 125-6.
84289	Walker WC, Franke LM, McDonald SD, et al (2014). Prevalence of mental health conditions after military blast exposure, their co-occurrence, and their relation to mild traumatic brain injury. <i>Brain Injury</i> , 14(13-14): 1581-8.
86016	Walker WC, McDonald SD, Franke LM (2014). Diagnostic accuracy of Posttraumatic Stress Disorder Checklist in blast-exposed military personnel. <i>J Rehabil Res Dev</i> , 51(8): 1203-16.
84280	Walter KH, Kiefer SL, Chard KM, et al (2012). Relationship between posttraumatic stress disorder and postconcussive symptom improvement after completion of a posttraumatic stress disorder/traumatic brain injury residential treatment program. <i>Rehabilitation Psychology</i> , 57(1): 13-17.
85711	Wang KK, Yang Z, Zhu T, et al (2018). An update on diagnostic and prognostic biomarkers for traumatic brain injury. <i>Expert Rev Mol Diagn</i> , 18(2): 165-80.
86136	Watanabe TK, Bell KR, Walker WC, et al (2012). Systematic review of interventions for post-traumatic headache. <i>PM & R</i> , 4(2): 129-40.
75208	Weinke T, Trautmann M, Held T, et al (1991). Neuropsychiatric side effects after the use of mefloquine. <i>Am J Trop Med Hyg</i> , 45(1): 86-91.
75209	Wise M, Toovey S (2007). Reversible hearing loss in temporal association with chemoprophylactic mefloquine use. <i>Travel Medicine and Infectious Disease</i> , 5: 385-8.
84265	Wylie GR, Freeman K, Thomas A, et al (2015). Cognitive improvement after mild traumatic brain injury measured with functional neuroimaging during the acute period. <i>PLoS One</i> , 10(5): e0126110.
84260	Yee MK, Janulewicz PA, Seichepine DR, et al (2017). Multiple mild traumatic brain injuries are associated with increased rates of health symptoms and Gulf War illness in a cohort of 1990-1991 Gulf War Veterans. <i>Brain Sci</i> , 7(7): E79.
86095	Yee MK, Seichepine DR, Janulewicz PA, et al (2016). Self-reported traumatic brain injury, health and rate of chronic multisymptom illness in Veterans from the 1990-1991 Gulf War. <i>J Head Trauma Rehabil</i> , 31(5): 320-8.
84371	Yilmaz T, Roks G, de Koning M, et al (2017). Risk factors and outcomes associated with posttraumatic headache after mild traumatic brain injury. <i>Emerg Med J</i> , 34(12): 800-5.

85141	Zemek RL, Farion KJ, Sampson M, et al (2013). Prognosticators of persistent symptoms following pediatric concussion. <i>JAMA Pediatr</i> , 167(3): 259-65.
84913	Zetterberg H, Blennow K (2016). Fluid biomarkers for mild traumatic brain injury and related conditions. <i>Nat Rev Neurol</i> , 12(10): 563-74.
84269	Zuj DV, Felmingham KL, Palmer MA, et al (2017). Neural activity and emotional processing following military deployment: Effects of mild traumatic brain injury and posttraumatic stress disorder. <i>Brain and Cognition</i> , 118: 19-26.