



INCISIONAL HERNIA

RMA ID Number	Reference List for RMA408-1 as at August 2016
---------------	---

77119	Abeles D, Shikora SA (2008). Bariatric surgery: current concepts and future directions. <i>Aesthetic Surgery Journal</i> , 28(1): 79-84.
77712	Adesunkanmi AR, Faleiyimu B (2003). Incidence and aetiological factors of incisional hernia in post-caesarean operations in a Nigerian hospital. <i>J Obstet Gynaecol</i> , 23(3): 258-60.
77037	Adotey JM (2006). Incisional hernia: a review. <i>Nigerian Journal of Medicine</i> , 15(1): 34-43.
78827	Agodirin O, Olatoke S, Adeoti M (2015). Spontaneous rupture: an uncommon complication of ventral hernia. <i>Ethiop J Health Sci</i> , 25(2): 195-7.
77836	Al-Azzawi HH, Kuhlenschmidt H, Howard TJ, et al (2010). The burden of incisional hernia in necrotizing pancreatitis: how can we improve? <i>Am J Surg</i> , 199(3): 310-4.
77953	Allegra CJ, Yothers G, O'Connell MJ, et al (2009). Initial safety report of NSABP C-08: A randomized phase III study of modified FOLFOX6 with or without bevacizumab for the adjuvant treatment of patients with stage II or III colon cancer. <i>J Clin Oncol</i> , 27(20): 3385-90.
77713	Anthony T, Bergen PC, Kim LT, et al (2000). Factors affecting recurrence following incisional herniorrhaphy. <i>World J Surg</i> , 24(1): 95-100.
77027	Antoniou GA, Georgiadis GS, Antoniou SA, et al (2011). Abdominal aortic aneurysm and abdominal wall hernia as manifestations of a connective tissue disorder. <i>J Vasc Surg</i> , 54(4): 1175-81.
77033	Antoniou SA, Antoniou GA, Granderath FA, et al (2009). The role of matrix metalloproteinases in the pathogenesis of abdominal wall hernias. <i>Eur J Clin Invest</i> , 39(11): 953-9.
77068	Aquina CT, Rickles AS, Probst CP, et al (2015). Visceral obesity, not elevated BMI, is strongly associated with incisional hernia after colorectal surgery. <i>Dis Col Rect</i> , 58(2): 220-7.
78903	Armstrong DG, Meyr AJ (2016). Wound healing and risk factors for non-healing. . Retrieved 15 July 2016, from http://www.uptodate.com/contents/wound-healing-and-risk-factors-for-non-healing ?
77823	Armstrong CP, Dixon JM, Duffy SW, et al (1984). Wound healing in obstructive jaundice. <i>Br J Surg</i> , 71(4): 267-70.
77209	Asolati M, Huerta S, Sarosi G, et al (2006). Predictors of recurrence in veteran patients with umbilical hernia: single center experience. <i>Am J Surg</i> , 192(5): 627-30.
78057	Augustin G, Matosevic P, Kekez T, et al (2009). Abdominal hernias in pregnancy. <i>J Obstet Gynaecol Res</i> , 35(2): 203-11.
77053	Belgers HJ, Hulsewe KW, Heeren PA, et al (2005). Traumatic abdominal wall hernia: delayed presentation in two cases and a review of the literature. <i>Hernia</i> , 9(4): 388-91.

77832	Beltran MA, Cruces KS (2008). Incisional hernia after McBurney incision: retrospective case-control study of risk factors and surgical treatment. <i>World J Surg</i> , 32(4): 596-601.
77010	Bhang A, Fitzgerald JE, Singh P, et al (2013). Systematic review and meta-analysis of prophylactic mesh replacement for prevention of incisional hernia following midline laparotomy. <i>Hernia</i> , 17(4): 445-55.
77253	Bickenbach KA, Karanicolas PJ, Ammori JB, et al (2013). Up and down or side to side? A systematic review and meta-analysis examining the impact of incision on outcomes after abdominal surgery. <i>Am J Surg</i> , 206: 400-9.
77103	Biroli C, Mazzucchi E, Utiyama EM, et al (2001). Prosthetic repair of incisional hernia in kidney transplant patients. A technique with onlay polypropylene mesh. <i>Hernia</i> , 5(1): 31-5.
77703	Bjorsum-Meyer T, Skarbye M, Jensen KH (2013). Vacuum with mesh is a feasible temporary closure device after fascial dehiscence. <i>Danish Medical Journal</i> , 60(11): A4719.
78059	Brennan P (2011). [Comment] Revised diagnostic criteria for Marfan syndrome. <i>J R Coll Physicians Edinb</i> , 47(7): 223. Comment on ID: 78058.
78900	Brooks DC (2014). Overview of abdominal wall hernias in adults. . Retrieved 15 July 2016, from http://www.uptodate.com/contents/overview-of-abdominal-wall-hernias-in-adults ?
78899	Brooks DC, Cone J (2015). Incisional hernia. . Retrieved 15 July 2016, from http://www.uptodate.com/contents/incisional-hernia ?
77252	Bucknall TE, Cox PJ, Ellis H (1982). Burst abdomen and incisional hernia: a prospective study of 1129 major laparotomies. <i>Br Med J</i> , 284(6320): 931-3.
78850	Burger JW, Luijendijk RW, Hop WC, et al (2004). Long-term follow-up of a randomized controlled trial of suture versus mesh repair of incisional hernia. <i>Annals of Surgery</i> , 240(4): 578-85.
77055	Burt BM, Afifi HY, Wantz GE, et al (2004). Traumatic lumbar hernia: report of cases and comprehensive review of the literature. <i>Journal of Trauma</i> , 57(6): 1361-70.
77014	Caglia P, Tracia A, Borzi L, et al (2014). Incisional hernia in the elderly: Risk factors and clinical considerations. <i>Int J Surg</i> , 12(Suppl 2): S164-9.
77072	Canedo JA, Pinto RA, McLemore EC, et al (2010). Restorative proctectomy with ileal pouch-anal anastomosis in obese patients. <i>Dis Col Rect</i> , 53(7): 1030-4.
78851	Chanaana C, Malhotra N (2007). Gravid uterus in an incisional hernia. <i>NEJM</i> , 356: e13.
77085	Chang EI, Galvez MG, Padilla BE, et al (2011). Ten-year retrospective analysis of incisional herniorrhaphy following renal transplantation. <i>Arch Surg</i> , 146(1): 21-5.
77062	Clark JL (2001). Ventral incisional hernia recurrence. <i>J Surg Res</i> , 99(1): 33-9.
77709	Cobb WS, Carbonell AM, Snipes GM, et al (2012). Incisional hernia risk after hand-assisted laparoscopic surgery. <i>American Surgeon</i> , 78(8): 864-9.
77079	Coccolini F, Catena F, Bertuzzo VR, et al (2013). Abdominal wall defect repair with biological prosthesis in transplanted patients: single center retrospective analysis and review of the literature. <i>Updates Surg</i> , 65(3): 191-6.
77835	Coda A, Bossotti M, Ferri F, et al (2000). Incisional hernia and fascial defect following laparoscopic surgery. <i>Surg Laparosc Endosc Percutan Tech</i> , 10(1): 34-8.
77063	Comajuncosas J, Hermoso J, Gris P, et al (2014). Risk factors for umbilical trocar site incisional hernia in laparoscopic cholecystectomy: a prospective 3-year follow-up study. <i>Am J Surg</i> , 20(12): 1617-26.
77955	Cooper M, Wiseman AC, Zibari G, et al (2013). Wound events in kidney transplant patients receiving de novo everolimus: a pooled analysis of three randomized controlled trials. <i>Clin Transplant</i> , 27(6): E625-35.
77718	Daly JW (1988). Dehiscence, evisceration, and other complications. <i>Clin Obstet Gynecol</i> , 31(3): 754-60.

77814	D'Angelica M, Maddineni S, Fong Y, et al (2006). Optimal abdominal incision for partial hepatectomy: increased late complications with Mercedes-type incisions compared to extended right subcostal incisions. <i>World J Surg</i> , 30(3): 410-8.
77077	de Goede B, Eker HH, Klitsie PJ, et al (2014). Incisional hernia after liver transplantation: risk factors and health-related quality of life. <i>Clin Transplant</i> , 28(7): 829-36.
77710	deSouza A, Domajnko B, Park J, et al (2011). Incisional hernia, midline versus low transverse incision: what is the ideal incision for specimen extraction and hand-assisted laparoscopy? <i>Surg Endosc</i> , 25(4): 1031-6.
78895	Deveney KE (2003). Hernias & other lesions of the abdominal wall. <i>Current Surgical Diagnosis & Treatment</i> , 12th.; 765-78. Lange Medical Books.
77065	Dietz UA, Winkler MS, Hartel RW, et al (2014). Importance of recurrence rating, morphology, hernia gap size, and risk factors in ventral and incisional hernia classification. <i>Hernia</i> , 18(1): 19-30.
77956	Duus BR, Damm P, Jensen FU, et al (1987). Conservative treatment of abdominal stab wounds with omental protrusion. <i>Injury</i> , 18(2): 87-8.
77018	Fikatas P, Schoening W, Lee JE, et al (2013). Incidence, risk factors and management of incisional hernia in a high volume liver transplant center. <i>Ann Transplant</i> , 18: 223-30.
77089	Filocamo MT, Zanazzi M, Li Marzi V, et al (2007). The approach by midline incision for extraperitoneal kidney transplantation. <i>Transplant Proc</i> , 39(10): 3077-80.
77008	Fink C, Baumann P, Wente MN, et al (2014). Incisional hernia rate 3 years after midline laparotomy. <i>Br J Surg</i> , 101(2): 51-4.
77915	Fischer JD, Turner FW (1974). Abdominal incisional hernias: a ten-year review. <i>Can J Surg</i> , 17(4): 202-4.
77699	Franchi M, Ghezzi F, Buttarelli M, et al (2001). Incisional hernia in gynecologic oncology patients: a 10-year study. <i>Obstet Gynecol</i> , 97(5 Pt 1): 696-700.
77034	Franz MG (2008). The biology of hernia formation. <i>Surg Clin N Am</i> , 88(1): 1-15.
77060	Fraser N, Milligan S, Arthur RJ, et al (2002). Handlebar hernia masquerading as an inguinal haematoma. <i>Hernia</i> , 6(1): 39-41.
77939	Gecim IE, Kocak S, Ersoz S, et al (1996). Recurrence after incisional hernia repair: results and risk factors. <i>Surg Today</i> , 26(8): 607-9.
77254	George CD, Ellis H (1986). The results of incisional hernia repair: a twelve year review. <i>Ann R Coll Surg Engl</i> , 68: 185-7.
77100	Gomez R, Hidalgo M, Marques E, et al (2002). Incidence and predisposing factors for incisional hernia in patients with liver transplantation. <i>Hernia</i> , 5(4): 172-6.
77707	Goodenough CJ, Ko TC, Kao LS, et al (2015). Development and validation of a risk stratification score for ventral incisional hernia after abdominal surgery: Hernia Expectation Rates in Intra-Abdominal Surgery (The HERNIA Project). <i>J Am Coll Surg</i> , 220(4): 405-13; Comment: 413-5.
78901	Gray JE, Mizell JS (2015). Anatomy of the abdominal wall. . Retrieved 15 July 2016, from http://www.uptodate.com/contents/anatomy-of-the-abdominal-wall ?
77824	Greenburg AG, Saik RP, Peskin GW (1979). Wound dehiscence. <i>Arch Surg</i> , 114(2): 143-6.
77811	Gruppo M, Mazzalai F, Lorenzetti R, et al (2012). Midline abdominal wall incisional hernia after aortic reconstructive surgery: A prospective study. <i>Surgery</i> , 151(6): 882-8.
77856	Guzman-Valdivia G (2008). Incisional hernia at the site of a stoma. <i>Hernia</i> , 12(5): 471-4.
78196	Guzman-Valdivia G, Zaga I (2001). Abdominal wall hernia repair in patients with chronic renal failure and a dialysis catheter. <i>Hernia</i> , 5(1): 9-11.

77036	Hahler B (2006). Surgical wound dehiscence. <i>Medsurg Nursing</i> , 15(5): 296-300.
77054	Hardcastle TC, Du Toit DF, Malherbe C, et al (2005). Traumatic abdominal wall hernia - four cases and a review of the literature. <i>South African Journal of Surgery</i> , 43(2): 41-3.
77088	Heisterkamp J, Marsman HA, Eker H, et al (2008). A J-shaped subcostal incision reduces the incidence of abdominal wall complications in liver transplantation. <i>Liver Transplantation</i> , 14(11): 1655-8.
77069	Heller A, Westphal SE, Bartsch P, et al (2014). Chronic kidney disease is associated with high abdominal incisional hernia rates and wound healing disturbances. <i>Int Urol Nephrol</i> , 46(6): 1175-81.
77031	Henriksen NA, Yadete DH, Sorensen LT, et al (2011). Connective tissue alteration in abdominal wall hernia. <i>Br J Surg</i> , 98(2): 210-9.
77746	Hesselink VJ, Luijendijk RW, de Wilt JH, et al (1993). An evaluation of risk factors in incisional hernia recurrence. <i>Surg Gynecol Obstet</i> , 176: 228-34.
77064	Hidalgo MP, Ferrero EH, Ortiz MA, et al (2011). Incisional hernia in patients at risk: can it be prevented? <i>Hernia</i> , 15(4): 371-5.
78897	Hoer J, Lawong G, Klinge U, et al (2002). Factors influencing the development of incisional hernia. A retrospective study of 2,983 laparotomy patients over a period of 10 years [article in German]. <i>Chirug</i> , 73(5): 474-80. [Abstract]
77030	Hope WW (2011). Prevention of incisional hernia development. <i>Minerva Chir</i> , 66(2): 145-52.
77229	Hornby ST, McDermott FD, Coleman M, et al (2015). Female gender and diabetes mellitus increase the risk of recurrence after laparoscopic incisional hernia repair. <i>Ann R Coll Surg Engl</i> , 97(2): 115-9.
77821	Houck JP, Rypins EB, Sarfeh IJ, et al (1989). Repair of incisional hernia. <i>Surgery, Gynaecology, and Obstetrics</i> , 169(5): 397-9.
77101	Humar A, Ramcharan T, Denny R, et al (2001). Are wound complications after a kidney transplant more common with modern immunosuppression? <i>Transplantation</i> , 72(12): 1920-3.
77810	Itatsu K, Yokoyama Y, Sugawara G, et al (2014). Incidence of and risk factors for incisional hernia after abdominal surgery. <i>Br J Surg</i> , 101(11): 1439-47.
77099	Janssen H, Lange R, Erhard J, et al (2002). Causative factors, surgical treatment and outcome of incisional hernia after liver transplantation. <i>Br J Surg</i> , 89(8): 1049-54.
78195	Jensen KK, Henriksen NA, Jorgensen LN (2015). Abdominal wall hernia and pregnancy: a systematic review. <i>Hernia</i> , 19(5): 689-96.
77092	Kahn J, Muller H, Iberer F, et al (2007). Incisional hernia following liver transplantation: incidence and predisposing factors. <i>Clin Transplant</i> , 21(3): 423-6.
77015	Kaplan B, Qazi Y, Wellen JR (2014). Strategies for the management of adverse events associated with mTOR inhibitors. <i>Transplantation Reviews</i> , 28(3): 126-33.
77708	Kayashima H, Maeda T, Harada N, et al (2015). Risk factors for incisional hernia after hepatic resection for hepatocellular carcinoma in patients with liver cirrhosis. <i>Surgery</i> , 158(6): 1669-75.
77952	Keill RH, Keitzer WF, Nichols WK, et al (1973). Abdominal wound dehiscence. <i>Arch Surg</i> , 106(4): 573-7.
77035	Klinge U, Binnebosel M, Mertens PR (2006). Are collagens the culprits in the development of incisional and inguinal hernia disease? <i>Hernia</i> , 10(6): 472-7.
77090	Knight RJ, Villa M, Laskey R, et al (2007). Risk factors for impaired wound healing in sirolimus-treated renal transplant recipients. <i>Clin Transplant</i> , 21(4): 460-5.
77938	Koller R, Miholic J, Jakl RJ (1997). Repair of incisional hernias with expanded polytetrafluoroethylene. <i>Eur J Surg</i> , 163(4): 261-6.

77011	Kuhry E, Schwenk WF, Gaupset R, et al (2008). Long-term results of laparoscopic colorectal cancer resection. Cochrane Database of Systematic Review, 2: CD003432.
78898	Kumar V, Abbas AK, Fausto N, et al (2005). Hernias. Robbins and Cotran Pathologic Basis of Disease, 17: 855. Elsevier Saunders, Philadelphia.
77087	Kurmann A, Beldi G, Vorburger SA, et al (2010). Laparoscopic incisional hernia repair is feasible and safe after liver transplantation. <i>Surg Endosc</i> , 24(6): 1451-5.
77012	Lafranca JA, Ijermans JN, Betjes MG, et al (2015). Body mass index and outcome in renal transplant recipients: a systematic review and meta-analysis. <i>BMC Med</i> , 13: 111; Erratum: 141.
77078	Lambrecht JR, Skauby M, Trondsen E, et al (2014). Laparoscopic repair of incisional hernia in solid organ-transplanted patients: the method of choice? <i>Transplant International</i> , 27(7): 712-20.
77940	Lamont PM, Ellis H (1988). Incisional hernia in re-opened abdominal incisions: an overlooked risk factor. <i>Br J Surg</i> , 75(4): 374-6.
77812	Lau B, Kim H, Haigh PI, et al (2012). Obesity increases the odds of acquiring and incarcerating noninguinal abdominal wall hernias. <i>American Surgeon</i> , 78(10): 1118-21.
77024	Le Huu Nho R, Mege D, Ouassis M, et al (2012). Incidence and prevention of ventral incisional hernia. <i>J Visc Surg</i> , 149(5 Suppl): e3-14.
77094	Li EN, Silverman RP, Goldberg NH (2005). Incisional hernia repair in renal transplantation patients. <i>Hernia</i> , 9(3): 231-7.
77038	Liasis L, Tierris I, Lazarioti F, et al (2013). Traumatic abdominal wall hernia: is the treatment strategy a real problem? <i>J Trauma Acute Care Surg</i> , 74(4): 1156-62.
77700	Llaguna OH, Avgerinos DV, Lugo JZ, et al (2010). Incidence and risk factors for the development of incisional hernia following elective laparoscopic versus open colon resections. <i>Am J Surg</i> , 200(2): 265-9.
78058	Loeys BL, Dietz HC, Braverman AC, et al (2010). The revised Ghent nosology for the Marfan syndrome. <i>J Med Genet</i> , 47(7): 476-85.
77061	Losanoff JE, Richman BW, Jones JW (2002). Handlebar hernia: ultrasonography-aided diagnosis. <i>Hernia</i> , 6(1): 36-8.
77074	Luc G, David A, Couzi L, et al (2014). Lateral incisional hernia after renal transplantation: a comparative study. <i>World J Surg</i> , 38(11): 2791-6.
77714	Luijendijk RW, Lemmen MH, Hope WC, et al (1997). Incisional hernia recurrence following "vest-over-pants" or vertical Mayo repair of primary hernias of the midline. <i>World J Surg</i> , 21(1): 62-5.
78852	Luijendijk RW, van den Tol P, de Lange DC, et al (2000). A comparison of suture repair with mesh repair for incisional hernia. <i>NEJM</i> , 343: 392-8.
77066	Mackey RA, Brody FJ, Berber E, et al (2005). Subxiphoid incisional hernias after median sternotomy. <i>J Am Coll Surg</i> , 201(1): 71-6.
77056	Mahajna A, Ofer A, Kruasz MM (2004). Traumatic abdominal hernia associated with large bowel strangulation: case report and review of the literature. <i>Hernia</i> , 8(1): 80-2.
77080	Makama JG, Odigie VI, Yusufu LM, et al (2007). Herniated gravid uterus: clinical course and result of treatment. <i>Annals of African Medicine</i> , 6(4): 197-9.
77917	Makela JT, Kiviniemi H, Juvonen T, et al (1995). Factors influencing wound dehiscence after midline laparotomy. <i>Am J Surg</i> , 170(4): 387-90.
77016	Malavade TS, Bargman JM (2013). The outcome of nephrectomy in peritoneal dialysis patients. <i>Adv Perit Dial</i> , 29: 25-8.
77858	Manninen MJ, Lavonius M, Perhoniemi VJ (1991). Results of incisional hernia repair: A retrospective study of 172 unselected hernioplasties. <i>Eur J Surg</i> , 157(1): 29-31.

77081	Marconi L, Figueiredo A, Campos L, et al' (2013). Renal transplantation with donors older than 70 years: does age matter? <i>Transplantation Proceedings</i> , 45(3): 1251-4.
77051	Marinella MA (2008). Umbilical complications of malignancy. <i>J Gastrointest Canc</i> , 39(1-4): 37-41.
77102	Mazzucchi E, Nahas WC, Antonopoulos I, et al (2001). Incisional hernia and its repair with polypropylene mesh in renal transplant recipients. <i>J Urol</i> , 166(3): 816-9.
77058	McAlister V (2003). Management of umbilical hernia in patients with advanced liver disease. <i>Liver Transpl</i> , 9(6): 623-5.
77236	McKay A, Dixon E, Bathe O, et al (2009). Umbilical hernia repair in the presence of cirrhosis and ascites: results of a survey and review of the literature. <i>Hernia</i> , 13(5): 461-8.
77013	Meijer EJ, Timmermans L, Jeekel J, et al (2013). The principles of abdominal wound closure. <i>Acta Chir Belg</i> , 113: 239-44.
78902	Mizell JS (2016). Complications of abdominal surgical incisions. . Retrieved 15 July 2016, from http://www.uptodate.com/contents/complications-of-abdominal-surgical-incisions ?
77082	Montalti R, Mimmo A, Rompianesi G, et al (2012). Early use of mammalian target of rapamycin inhibitors is an independent risk factor for incisional hernia development after liver transplantation. <i>Liver Transplantation</i> , 18(2): 188-94.
77857	Montgomery JS, Johnston WK III, Wolf JS Jr (2005). Wound complications after hand assisted laparoscopic surgery. <i>J Urol</i> , 174(6): 2226-30.
77711	Moreno-Egea A, Bustos JA, Girela E, et al (2010). Long-term results of laparoscopic repair of incisional hernias using an intraperitoneal composite mesh. <i>Surg Endosc</i> , 24(2): 359-65.
77071	Moreno-Egea A, Carrillo-Alcaraz A (2012). Management of non-midline incisional hernia by the laparoscopic approach: results from a long-term follow-up prospective study. <i>Surg Endosc</i> , 26(4): 1069-78.
77382	Mudge M, Hughes LE (1985). Incisional hernia: a 10 year prospective study of incidence and attitudes. <i>Br J Surg</i> , 72: 70-1.
77098	Muller V, Lehner M, Klein P, et al (2003). Incisional hernia repair after orthotopic liver transplantation: a technique employing an inlay/onlay polypropylene mesh. <i>Langenbecks Arch Surg</i> , 388(3): 167-73.
77916	Murray BW, Cipher DJ, Pham T, et al (2011). The impact of surgical site infection on the development of incisional hernia and small bowel obstruction in colorectal surgery. <i>Am J Surg</i> , 202(5): 558-60.
77121	Nakayama M, Yoshimatsu K, Yokomizo H, et al (2014). Incidence and risk factors for incisional hernia after open surgery for colorectal cancer. <i>Hepatogastroenterology</i> , 61(133): 1220-3.
77095	Nanni G, Tondolo V, Citterio F, et al (2005). Comparison of oblique versus hockey-stick surgical incision for kidney transplantation. <i>Transplant Proc</i> , 37(6): 2479-81.
77025	Nashan B, Citterio F (2012). Wound healing complications and the use of mammalian target of rapamycin inhibitors in kidney transplantation: a critical review of the literature. <i>Transplantation</i> , 94(6): 547-61.
77859	Niggebrugge AH, Hansen BE, Trimbos JB, et al (1995). Mechanical factors influencing the incidence of burst abdomen. <i>Eur J Surg</i> , 161(9): 655-61.
77715	Niggebrugge AH, Trimbos JB, Hermans J, et al (1999). Influence of abdominal-wound closure technique on complications after surgery: a randomised study. <i>Lancet</i> , 353(9164): 1563-7.
77075	Ozgor D, Dirican A, Ates M, et al (2014). Incisional hernia in recipients of adult to adult living donor liver transplantation. <i>World J Surg</i> , 38(8): 2122-5.
77256	Pavlidis TE, Galatianos IN, Papaziogas BT, et al (2001). Complete dehiscence of the abdominal wound and incriminating factors. <i>Eur J Surg</i> , 167: 351-4.

77954	Pengel LH, Liu LQ, Morris PJ (2011). Do wound complications or lymphoceles occur more often in solid organ transplant recipients on mTOR inhibitors? A systematic review of randomized controlled trials. <i>Transplant International</i> , 24(12): 1216-30.
77702	Petersson P, Montgomery A, Petersson U (2014). Wound dehiscence: outcome comparison for sutured and mesh reconstructed patients. <i>Hernia</i> , 18(5): 681-9.
77086	Piardi T, Audet M, Panaro F, et al (2010). Incisional hernia repair after liver transplantation: role of the mesh. <i>Transplantation Proceedings</i> , 42(4): 1244-7.
77097	Piazzese E, Montalti R, Beltempo P, et al (2004). Incidence, predisposing factors, and results of surgical treatment of incisional hernia after orthotopic liver transplantation. <i>Transplant Proc</i> , 36(10): 3097-8.
78896	Prockop DJ, Bateman JF (2015). Heritable disorders of connective tissue. <i>Harrison's Principles of Internal Medicine</i> , 427. .
78853	Rao RS, Shankaregowda HS (2006). A case of herniated gravid uterus through a laparotomy scar. <i>Indian J Med Sci</i> , 60(4): 154-7.
77716	Riou JP, Cohen JR, Johnson H Jr (1992). Factors influencing wound dehiscence. <i>Am J Surg</i> , 163(3): 324-30.
77076	Sauerland S, Korenkov M, Kleinen T, et al (2004). Obesity is a risk factor for recurrence after incisional hernia repair. <i>Hernia</i> , 8(1): 42-6.
77833	Schein M (2008). [Comment] Invited commentary: Incisional hernia after McBurney incision: Retrospective case-control study of risk factors and surgical treatment. <i>World J Surg</i> , 32(4): 602-3. Comment on ID: 77832.
77705	Scholtes M, Kurmann A, Seiler CA, et al (2012). Intraperitoneal mesh implantation for fascial dehiscence and open abdomen. <i>World J Surg</i> , 36(7): 1557-61.
77834	Shell DH, de la Torre J, Andrades P, et al (2008). Open repair of ventral incisional hernias. <i>Surg Clin N Am</i> , 88(1): 61-83.
77057	Shuhaiber J, Dunn T, Evans A, et al (2003). Traumatic lumbar hernia with ureteropelvic junction disruption: case report and review of the literature. <i>J Trauma</i> , 55(5): 985-8.
77073	Smith CT, Katz MG, Foley D, et al (2015). Incidence and risk factors of incisional hernia formation following abdominal organ transplantation. <i>Surg Endosc</i> , 29(2): 398-404.
78854	Song IH, Ha H-K, Choi S-G, et al (2012). Analysis of risk factors for the development of incisional and parastomal hernias in patients after colorectal surgery. <i>J Korean Soc Coloproctol</i> , 28(6): 299-303.
77067	Sorensen LT, Hemmingsen UB, Kirkeby LT, et al (2005). Smoking is a risk factor for incisional hernia. <i>Arch Surg</i> , 140(2): 119-23.
30199	Sugerman HJ (2001). Effects of increased intra-abdominal pressure in severe obesity. <i>Surgical Clinics of North America</i> , 81(5): 1063-75.
77070	Szczesny W, Bodnar M, Dabrowiecki S, et al (2013). Histologic and immunohistochemical studies of rectus sheath in obese patients. <i>J Surg Res</i> , 180(2): 260-5.
77009	Timmermans L, de Goede B, Eker H, et al (2013). Meta-analysis of primary mesh augmentation as prophylactic measure to prevent incisional hernia. <i>Dig Surg</i> , 30: 401-9.
77813	Togo S, Nagano Y, Masumoto C, et al (2008). Outcome of and risk factors for incisional hernia after partial hepatectomy. <i>J Gastrointest Surg</i> , 12: 1115-20.
77091	Toso C, Meeberg GA, Bigam DL, et al (2007). De novo sirolimus-based immunosuppression after liver transplantation for hepatocellular carcinoma: long-term outcomes and side effects. <i>Transplantation</i> , 83(9): 1162-8.
77083	Vagefi PA, Parekh J, Ascher NL, et al (2011). Outcomes with split liver transplantation in 106 recipients. <i>Arch Surg</i> , 146(9): 1052-9.
77941	van der Linden FT, Vroonhoven TJ (1988). Long-term results after surgical correction of incisional hernia. <i>Netherlands Journal of Surgery</i> , 40(5): 127-9.

77704	van Ramshorst GH, Eker HH, van der Voet JA, et al (2013). Long-term outcome study in patients with abdominal wound dehiscence: a comparative study on quality of life, body image, and incisional hernia. <i>J Gastrointest Surg</i> , 17(8): 1477-84.
77820	van Ramshorst GH, Eker HH, Harlaar JJ, et al (2010). Therapeutic alternatives for burst abdomen. <i>Surg Technol Int</i> , 19: 111-9.
77255	van Ramshorst GH, Nieuwenhuizen J, Hop WC, et al (2010). Abdominal wound dehiscence in adults: development and validation of a risk model. <i>World J Surg</i> , 34: 20-7.
77706	Van't RM, De Vos Van Steenwijk PJ, Bonjer HJ, et al (2004). Incisional hernia after repair of wound dehiscence: incidence and risk factors. <i>The American Surgeon</i> , 70(4): 281-6.
77093	Vardanian AJ, Farmer DG, Ghobrial RM, et al (2006). Incisional hernia after liver transplantation. <i>J Am Coll Surg</i> , 203(4): 421-5.
77028	Varga M, Matia I, Kucera M, et al (2011). Polypropylene mesh repair of incisional hernia after kidney transplantation: Single-center experience and review of the literature. <i>Ann Transplant</i> , 16(3): 121-5.
77701	Veljkovic R, Protic M, Gluhovic A, et al (2010). Prospective clinical trial of factors predicting the early development of incisional hernia after midline laparotomy. <i>J Am Coll Surg</i> , 210(2): 210-9.
77745	Ventral Hernia Working Group, Breuing K, Butler CE, et al (2010). Incisional ventral hernias: review of the literature and recommendations regarding the grading and technique of repair. <i>Surgery</i> , 148(3): 544-58.
77717	Voitk A (1993). [Comment] Preventing wound dehiscence. <i>Am J Surg</i> , 166(1): 82: Authors' reply: 82. Comment on ID: 77716.
77096	Wiederkehr JC, Pereira JC, Ekermann M, et al (2005). Results of 132 hepatectomies for living donor liver transplantation: report of one death. <i>Transplant Proc</i> , 37(2): 1079-80.
78904	Wright MJ, Connolly HM (2016). Genetics, clinical features, and diagnosis of Marfan syndrome and related disorders. . Retrieved 15 July 2016, from http://www.uptodate.com/contents/genetics-clinical-features-and-diagnosis-of-marfan-syndrome-and-related-disorders?
77059	Yahchouchy-Chouillard E, Aura T, Picone O, et al (2003). Incisional hernias. <i>Dig Surg</i> , 20(1): 3-9.
77084	Yannam GR, Gutti TL, High R, et al (2011). Experience of laparoscopic incisional hernia repair in kidney and/or pancreas transplant recipients. <i>Am J Transplant</i> , 11(2): 279-86.